CDISC ADaM Controlled Terminology, 2024-09-27

 $Source: NCI\ EVS\ Terminology\ Resources\ website: http://www.cancer.gov/cancertopics/cancerlibrary/terminologyresources/cdisc$

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
208382	APCH1PC	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code	A parameter code codelist for the Acute Physiology and Chronic Health Evaluation II Clinical Classification (APACHE II) to support the calculation of total score in ADaM.	
2208381	APCH1PN	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Name	A parameter name codelist for the Acute Physiology and Chronic Health Evaluation II Clinical Classification (APACHE II) to support the calculation of total score in ADaM.	No
C187458	CHSFPC	Craig Handicap Assessment and Reporting Technique- Short Form Questionnaires Parameter Code	A parameter code codelist for the Craig Handicap Assessment and Reporting Technique-Short Form Questionnaires (CHART-SF) to support the calculation of subscores and total score for the Interview and Paper Versions in ADaM.	No
C187457	CHSFPN	Craig Handicap Assessment and Reporting Technique- Short Form Questionnaires Parameter Name	A parameter name codelist for the Craig Handicap Assessment and Reporting Technique-Short Form Questionnaires (CHART-SF) to support the calculation of subscores and total score for the Interview and Paper Versions in ADaM.	No
C81223	DATEFL	Date Imputation Flag	Date Imputation Flag: Indicates the level of imputation reflected in a date value.	No
C81224	DTYPE	Derivation Type	Derivation Type: Analysis value derivation method.	Yes
C172334	GAD02PC	Generalized Anxiety Disorder - 7 Version 2 Questionnaire Parameter Code	A parameter code codelist for the Generalized Anxiety Disorder - 7 Version 2 Questionnaire (GAD-7 V2) to support the calculation of total score in ADaM.	No
C172335	GAD02PN	Generalized Anxiety Disorder - 7 Version 2 Questionnaire Parameter Name	A parameter name codelist for the Generalized Anxiety Disorder - 7 Version 2 Questionnaire (GAD-7 V2) to support the calculation of total score in ADaM.	No
C158114	GDS02PC	Geriatric Depression Scale Short Form Questionnaire Parameter Code	A parameter code codelist for the Geriatric Depression Scale Short Form questionnaire (GDS02) to support the calculation of total score in ADaM.	No
C158115	GDS02PN	Geriatric Depression Scale Short Form Questionnaire Parameter Name	A parameter name codelist for the Geriatric Depression Scale Short Form questionnaire (GDS02) to support the calculation of total score in ADaM.	No
C187456	HAMD1PC	Hamilton Depression Rating Scale - 17 Item Clinical Classification Parameter Code	A parameter code codelist for the Hamilton Depression Rating Scale - 17 Item Clinical Classification (HAMD 17) to support the calculation of total score in ADaM.	No
C187455	HAMD1PN	Hamilton Depression Rating Scale - 17 Item Clinical Classification Parameter Name	A parameter name codelist for the Hamilton Depression Rating Scale - 17 Item Clinical Classification (HAMD 17) to support the calculation of total score in ADaM.	No
C204410	INPRM	Input Parameter	A terminology codelist containing the input parameters for an analysis.	Yes
C193278	NEWS1PC	National Early Warning Score 2 Clinical Classification Parameter Code	A parameter code codelist for the National Early Warning Score 2 Clinical Classification (NEWS2) to support the calculation of total score in ADaM.	No
C193277	NEWS1PN	National Early Warning Score 2 Clinical Classification Parameter Name	A parameter name codelist for the National Early Warning Score 2 Clinical Classification (NEWS2) to support the calculation of total score in ADaM.	No
C81225	PARAMTYP	Parameter Type	Parameter Type: Indicates whether the parameter is derived as a function of one or more other parameters.	No
C165644	POOLINT	Pool for Integration	Terminology relevant to the name of the Pool, often defined in the integrated statistical analysis plan, which identifies the combination of subjects' clinical trial experience and will be the focus of the integrated analysis.	Yes
C124296	SBJTSTAT	Subject Trial Status	Indicates the status of the subject in the trial.	Yes
C204411	STRATA	Analysis Stratum	A terminology codelist containing the stratum values for analysis.	Yes
C204412	TBUTRS	Tobacco Use Transition Response	A terminology codelist containing the responses for tobacco use transition.	Yes
C81226	TIMEFL	Time Imputation Flag	Time Imputation Flag: Indicates the level of imputation reflected in a time value.	No
C204414	TPCATRS	Tobacco Product Category Response	A terminology codelist containing the responses for a tobacco product category.	Yes
C204413	TPUSRS	Tobacco Product Use Status	A terminology codelist containing the responses for tobacco product use status.	Yes

APCH1PC (Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code)

NCI Code: C208382, Codelist extensible: No

	C208382	APCH1PC			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C209274		APCH1TPS	APCH1-A: Total Acute Physiology Score - Analysis	Acute Physiology and Chronic Health Evaluation II - Total acute physiology score used for analysis.	APACHE II - A: Total Acute Physiology Score - Analysis
C209275		APCH1TS	APCH1-Total APACHE II Score - Analysis	Acute Physiology and Chronic Health Evaluation II - Total score used for analysis.	APACHE II - Total APACHE II Score - Analysis

APCH1PN (Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Name)

NCI Code: C208381, Codelist extensible: No

C2083	3381 APCH1PN			
NCI C	Code CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C209274	APCH1-A: Total Acute Physiology Score - Analysis	APCH1-A: Total Acute Physiology Score - Analysis	Acute Physiology and Chronic Health Evaluation II - Total acute physiology score used for analysis.	APACHE II - A: Total Acute Physiology Score - Analysis
C209275	APCH1-Total APACHE II Score - Analysis	APCH1-Total APACHE II Score - Analysis	Acute Physiology and Chronic Health Evaluation II - Total score used for analysis.	APACHE II - Total APACHE II Score - Analysis

CHSFPC (Craig Handicap Assessment and Reporting Technique-Short Form Questionnaires Parameter Code)

NCI Code: C187458, Codelist extensible: No

	C187458 CHSFPC NCI Code CDISC Submission Val	UO CDISC Synonym	CDISC Definition	NCI Preferred Term
C187467	CHSF01A	ue CDISC Synonym CHSF-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours in a typical	Craig Handicap Assessment and
		,	24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	Reporting Technique-Short Form - Paid Personal Care per Day
C187468	CHSF01B	CHSF-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	Craig Handicap Assessment and Reporting Technique-Short Form - Unpaid Personal Care per Day
C187469	CHSF02	CHSF-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	Craig Handicap Assessment and Reporting Technique-Short Form - Home Cognitive Assistance per Day
C187470	CHSF03	CHSF-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	Craig Handicap Assessment and Reporting Technique-Short Form - Away Cognitive Assistance per Day
C187471	CHSF04	CHSF-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form - On a typical day, how many hours are you out of bed?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours Out of Bed per Day
C187472	CHSF05	CHSF-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form - In a typical week, how many days do you get out of your house and go somewhere?	Craig Handicap Assessment and Reporting Technique-Short Form - Days Out of the House per Week
C187473	CHSF06	CHSF-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form - In the last year, how many nights have you spent away from your home?	Craig Handicap Assessment and Reporting Technique-Short Form - Nights Away From Home Last Year
C187474	CHSF07A	CHSF-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend working in a job for which you get paid?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Paid Work per Week
C187475	CHSF07B	CHSF-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend working in a job for which you get paid? (occupation).	Craig Handicap Assessment and Reporting Technique-Short Form - Occupation of Paid Work
C187476	CHSF08	CHSF-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Schoolwork per Week
C187477	CHSF09	CHSF-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Homemaking per Week
C187478	CHSF10	CHSF-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Home Maintenance per Week
C187479	CHSF11	CHSF-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Recreation per Week
C187480	CHSF12	CHSF-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form - How many people do you live with?	Craig Handicap Assessment and Reporting Technique-Short Form - Number of People You Live With
C187481	CHSF13	CHSF-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form - Is one of them your spouse or significant other?	Craig Handicap Assessment and Reporting Technique-Short Form - Live With Spouse or Significant Other
C187482	CHSF14	CHSF-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form - Of the people you live with how many are relatives?	Craig Handicap Assessment and Reporting Technique-Short Form - Number of Relatives You Live With
C187483	CHSF15	CHSF-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form - How many business or organizational associates do you visit, phone, or write to at least once a month?	Craig Handicap Assessment and Reporting Technique-Short Form - Associates Contacted per Month
C187484	CHSF16	CHSF-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form - How many friends do you visit, phone, or write to at least once a month?	Craig Handicap Assessment and Reporting Technique-Short Form - Friends Contacted per Month
C187485	CHSF17	CHSF-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form - With how many strangers have you initiated a conversation in the last month?	Craig Handicap Assessment and Reporting Technique-Short Form - Strangers Spoke with Last Month
C187486	CHSF18	CHSF-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form - Approximately what was the combined annual income, in the last year, of all family members in your household?	Craig Handicap Assessment and Reporting Technique-Short Form - Combined Household Income Last Year
C187487	CHSF19	CHSF-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form - Approximately how much did you pay last year for medical care expenses?	Craig Handicap Assessment and Reporting Technique-Short Form - Medical Care Expenses Last Year
C187489	CHSFCS	CHSF-Cognitive Independence Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Cognitive independence subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Cognitive Independence Subscore for Analysis
C187493	CHSFES	CHSF-Economic Self-Sufficiency Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Economic self-sufficiency subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Economic Self-Sufficiency Subscore for Analysis
C187490	CHSFMS	CHSF-Mobility Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Mobility subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Mobility Subscore for Analysis
C187491	CHSFOS	CHSF-Occupation Subscore- Analysis	$\label{thm:condition} {\sf Craig Handicap Assessment \ and \ Reporting \ Technique-Short \ Form - Occupation \ subscore \ used \ for \ analysis.}$	Craig Handicap Assessment and Reporting Technique-Short Form - Occupation Subscore for Analysis
C187488	CHSFPS	CHSF-Physical Independence Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Physical independence subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Physical Independence Subscore for Analysis
C187492	CHSFSS	CHSF-Social Integration Subscore- Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Social integration subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Social Integration Subscore for Analysis
C187494	CHSFTS	CHSF-Total Score-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Total score used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Total Score for Analysis

CHSFPN (Craig Handicap Assessment and Reporting Technique-Short Form Questionnaires Parameter Name)

NCI Code: C187457, Codelist extensible: No

	C187457	CHSFPN	aniaa a	2010.0 5 5 11	NO. D. C. 1.7
0407400	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C187483		CHSF-Associates Contacted per Month	CHSF-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form - How many business or organizational associates do you visit, phone, or write to at least once a month?	Craig Handicap Assessment and Reporting Technique-Short Form - Associates Contacted per Month
C187470		CHSF-Away Cognitive Assistance per Day	CHSF-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	Craig Handicap Assessment and Reporting Technique-Short Form - Away Cognitive Assistance per Day
C187489		CHSF-Cognitive Independence Subscore-Analysis	CHSF-Cognitive Independence Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Cognitive independence subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Cognitive Independence Subscore for Analysis
C187486		CHSF-Combined Household Income Last Yr	CHSF-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form - Approximately what was the combined annual income, in the last year, of all family members in your household?	Craig Handicap Assessment and Reporting Technique-Short Form - Combined Household Income Last Year
C187472		CHSF-Days Out of the House per Week	CHSF-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form - In a typical week, how many days do you get out of your house and go somewhere?	Craig Handicap Assessment and Reporting Technique-Short Form - Days Out of the House per Week
C187493		CHSF-Economic Self-Sufficiency Subscore-Analysis	CHSF-Economic Self-Sufficiency Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Economic self-sufficiency subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Economic Self-Sufficiency Subscore for Analysis
C187484		CHSF-Friends Contacted per Month	CHSF-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form - How many friends do you visit, phone, or write to at least once a month?	Craig Handicap Assessment and Reporting Technique-Short Form - Friends Contacted per Month
C187469		CHSF-Home Cognitive Assistance per Day	CHSF-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	Craig Handicap Assessment and Reporting Technique-Short Form - Home Cognitive Assistance per Day
C187478		CHSF-Hours of Home Maintenance per Week	CHSF-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Home Maintenance per Week
C187477		CHSF-Hours of Homemaking per Week	CHSF-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Homemaking per Week
C187474		CHSF-Hours of Paid Work per Week	CHSF-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend working in a job for which you get paid?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Paid Work per Week
C187479		CHSF-Hours of Recreation per Week	CHSF-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Recreation per Week
C187476		CHSF-Hours of Schoolwork per Week	CHSF-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours of Schoolwork per Week
C187471		CHSF-Hours Out of Bed per Day	CHSF-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form - On a typical day, how many hours are you out of bed?	Craig Handicap Assessment and Reporting Technique-Short Form - Hours Out of Bed per Day
C187481		CHSF-Live With Spouse or Signif Other	CHSF-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form - Is one of them your spouse or significant other?	Craig Handicap Assessment and Reporting Technique-Short Form - Live With Spouse or Significant Other
C187487		CHSF-Medical Care Expenses Last Year	CHSF-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form - Approximately how much did you pay last year for medical care expenses?	Craig Handicap Assessment and Reporting Technique-Short Form - Medical Care Expenses Last Year
C187490		CHSF-Mobility Subscore-Analysis	CHSF-Mobility Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Mobility subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Mobility Subscore for Analysis
C187473		CHSF-Nights Away From Home Last Year	CHSF-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form - In the last year, how many nights have you spent away from your home?	Craig Handicap Assessment and Reporting Technique-Short Form - Nights Away From Home Last Year
C187480		CHSF-Number of People You Live With	CHSF-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form - How many people do you live with?	Craig Handicap Assessment and Reporting Technique-Short Form - Number of People You Live With
C187482		CHSF-Number of Relatives You Live With	CHSF-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form - Of the people you live with how many are relatives?	Craig Handicap Assessment and Reporting Technique-Short Form - Number of Relatives You Live With
C187475		CHSF-Occupation of Paid Work	CHSF-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours per week do you spend working in a job for which you get paid? (occupation).	Craig Handicap Assessment and Reporting Technique-Short Form - Occupation of Paid Work
C187491		CHSF-Occupation Subscore- Analysis	CHSF-Occupation Subscore- Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Occupation subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Occupation Subscore for Analysis
C187467		CHSF-Paid Personal Care per Day	CHSF-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	Craig Handicap Assessment and Reporting Technique-Short Form - Paid Personal Care per Day
C187488		CHSF-Physical Independence Subscore-Analysis	CHSF-Physical Independence Subscore-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Physical independence subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Physical Independence Subscore for Analysis
C187492		CHSF-Social Integration Subscore- Analysis	CHSF-Social Integration Subscore- Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Social integration subscore used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Social Integration Subscore for Analysis
C187485		CHSF-Strangers Spoke with Last Month	CHSF-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form - With how many strangers have you initiated a conversation in the last month?	-
C187494		CHSF-Total Score-Analysis	CHSF-Total Score-Analysis	Craig Handicap Assessment and Reporting Technique-Short Form - Total score used for analysis.	Craig Handicap Assessment and Reporting Technique-Short Form - Total Score for Analysis
C187468		CHSF-Unpaid Personal Care per Day	CHSF-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	Craig Handicap Assessment and Reporting Technique-Short Form - Unpaid Personal Care per Day

DATEFL (Date Imputation Flag)

NCI Code: C81223, Codelist extensible: No

C8122	3 DATEFL			
NCI Co	de CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81212	D		Day Imputed: Day is imputed.	Day Imputed
C81211	M		Month Imputed: Month and day are imputed.	Month Day Imputed
C81210	Υ		Year Imputed: Entire date (year, month and day) is imputed.	Year Month Day Imputed

DTYPE (Derivation Type)

NCI Code: C81224, Codelist extensible: Yes

Part		C81224	DTYPE			
BOC Bed Case Ad also derivation or imposting strating which bed the record to the bed Case imposting in Technique Residual control Carrier Forward Forwa		NCI Code	CDISC Submission Value	CDISC Synonym		NCI Preferred Term
Processor Proc	C81209		AVERAGE	Average		
BOC Best Observation Casine A data derivation or imputation scheminum which sets the analysis value on the record to the best best of the part of the	C92225		BC	Best Case	·	Best Case Imputation Technique
Best Observed Case Best Observed Case Best Observed Case Best Observed Care Best Ob	C81201		BLOCF			Baseline Observation Carried Forward Imputation Technique
Company Comp	C132340		BOC	Best Observed Case	A data derivation or imputation technique which sets the analysis value on the record to the best	Best Observed Case Imputation Technique
C193176 EXTRAP Extrapolation Extrapolation Production or imputation technique which as the hardysis value on the record to an additional Extrapolation Production or imputation technique which as the analysis value on the record to an additional Extrapolation Or C197066 PALELLO On Present Classes Constitution of C197066 PALELLO On Present Classes Constitution Production of C197066 PALELLO On Present Classes Constitution Production of C197066 PALELLO On Present Classes Constitution Production of C197066 PALELLO On Present Classes Constitution Presentation	C92226		BOCF	Best Observation Carried Forward	A data derivation or imputation technique which sets the analysis value on the record to the	Best Observation Carried Forward
EXTRAP Extrapolation imputation to Edinguish asset the analysis value on the record to an estimate and white haste the analysis value on the record to an estimate and white haste the analysis value on the record to an estimate and white haste the analysis value on the record to an estimate and white haste the analysis value on the record to the half of classification (classification) in the total control of cont	C184383		COPY		A technique that uses assignment logic to duplicate an analysis value to be used in additional	
Adata derivation or imputation technique which sets the analysis value on the record to one half of Lower Limit of Quantification of Adata derivation or imputation technique which sets the analysis value on the record to a function of Norward Value of Adata derivation or imputation technique which sets the analysis value on the record to the lower Limit of Quantification of Adata derivation or imputation technique which sets the analysis value on the record to the lower Limit of Quantification of Adata derivation or imputation technique which sets the analysis value on the record to the lower Limit of Quantification Carried Forward Limit of Quantification of a test. In the Carried Value of Adata derivation or imputation technique which sets the analysis value on the record to the lower Limit of Quantification of a test. In the Carried Value of Adata derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Last Value Prior to Dosing Adata derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Last Value Prior to Dosing Adata derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Last Value Prior to Dosing Adata derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Adata derivation or imputation technique which sets the analysis value on the record to the subject's test derivation or imputation technique which sets the analysis value on the record to the subject is non-missing value. Adata derivation or imputation technique which sets the analysis value on the record to the substimute of the prior to the start of adalyte termination or imputation technique which sets the analysis value on the record to the mean value of the record to the mean value of the record to the mean value observation Carried Sachward Value and Provvaid Provvaid	C139176		EXTRAP	Extrapolation	A data derivation or imputation technique which sets the analysis value on the record to an estimated or assumed value based on extending a known sequence of values. This category also	Extrapolation Imputation Technique
Close	C170546		HALFLLOQ		A data derivation or imputation technique which sets the analysis value on the record to one half of	One Half of Lower Limit of Quantification Derivation Technique
LICO Lower Limit of Quantification Lower Limit of Quantification Lower Limit of Quantification C81198 LOCF Last Observation Carried Forward A data derivation or imputation technique which sets the analysis value on the record to the lower Limit of Quantification of a test. Lover Limit of Quantification of a test. Lover Limit of Quantification C812341 LOV Last Observed Value A data derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Last Value Prior to Dosing C82868 MAXIMUM Maximum A data derivation or imputation technique which sets the analysis value on the record to the subject's maximum value over a definited set of records. Last Value Prior to Dosing C82867 MINIMUM Maximum Maximum A data derivation or imputation technique which sets the analysis value on the record to the subject's maximum value over a definited set of records. Last Value Prior to Dosing C82867 MINIMUM Minimum Maximum Maximum Maximum Maximum Maximum Maximum Likelihood A data derivation or imputation technique which sets the analysis value on the record to the subject's maximum value over a definited set of records. Last Value Prior to Dosing Maximum Value Derivation Tachnique C82867 MINIMUM Maximum Likelihood A data derivation or imputation technique which sets the analysis value on the record to the subject's maximum value over a definited set of records. Last Value Prior to Dosing Maximum Value Derivation Tachnique C82867 MOY Mean Other Group A data derivation or imputation technique which sets the analysis value on the record to the subject of maximum value over a definited set of records. A data derivation or imputation technique which sets the analysis value on the record to the maximum value over a definited of Deservation Maximum Value Derivation Tachnique C82047 MoV Mean Other Group C82047 A data derivation or imputation technique which set	C81208		INTERP	Interpolation		Interpolation Imputation Technique
C81198 LOCF Last Observation Carried Forward A data derivation or imputation technique which sets the analysis value on the record to the subject's previous non-missing value. Last Observation Carried Forward Carried Forward Last Observed Value Last Value Prior to Dosing value, Last Value Prior to Dosing A data derivation or imputation technique which sets the analysis value on the record to the unputation Technique Last Value Prior to Dosing Value Last Value Prior to Dosing Value Last Value Prior to Dosing Value Last Value Value Last Value Prior to Dosing Value	C105701		LLOD	Lower Limit of Detection		Detection Limit
Imputation Technique	C170543		LLOQ	Lower Limit of Quantification		
LyPD	C81198		LOCF	Last Observation Carried Forward		Last Observation Carried Forward Imputation Technique
Subject's last observed value prior to the start of study treatment. Imputation Technique of Adams (aderivation or imputation technique which sest the analysis value on the record to the subject smaximum value over a defined set of records. Adams (aderivation or imputation technique which sest the analysis value on the record to the subject smaximum value over a defined set of records. Adams (aderivation or imputation technique which sest the analysis value on the record to the subject smaximum value over a defined set of records. Adams (aderivation or imputation technique which sest the analysis value on the record to the sestimate that maximizes the probability of observing what has in fact been observed. Adams (aderivation or imputation technique which sest the analysis value on the record to the mean value from a comparator or reference group. Adams (aderivation or imputation technique which sests the analysis value on the record to the mean value from a comparator or reference group. Adams (aderivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A deal derivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sests the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sests the analysis value on the record to the upper limit of provided in a group of subjects. A data derivation or imputation technique which sests the	C132341		LOV	Last Observed Value		Last Observed Value Imputation Technique
Subject's maximum value over a defined set of records. Technique	C132342		LVPD	Last Value Prior to Dosing		
Subjects minimum value over a defined set of records. Technique	C82868		MAXIMUM	Maximum		
Settinate that maximizes the probability of observing what has in fact been observed. Rean Of Other Group Month Mean of Other Group A data derivation or imputation technique which sets the analysis value on the record to the mean value from a comparator or reference group. A data derivation or imputation technique which sets the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sets the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sets the analysis value on the record to the mean value observed in a group of subjects. A data derivation or imputation technique which sets the analysis value on the record to the subjects near the control of a given analysis value on the record to the subjects near the control of a given analysis value when there is no observed record for a given analysis visit or analysis timepoint. A data derivation or imputation technique which sets the analysis value on the record to the subjects next-to-last non-missing value. A data derivation or imputation technique which sets the analysis value on the record to the subjects next-to-last non-missing value. A data derivation or imputation technique which sets the analysis value on the record to the subjects non-missing screening observation. A data derivation or imputation technique which sets the analysis value on the record to the subjects non-missing screening observation. A data derivation or imputation technique which sets the analysis value on the record to the uper limit of detection of a test. Cata data derivation or imputation technique which sets the analysis value on the record to the uper limit of detection or imputation technique which sets the analysis value on the record to the uper limit of detection or imputation technique which sets the analysis value on the record to the worst possible outcome. Cata data derivation or imputation technique which sets t	C82867		MINIMUM	Minimum		
Value from a comparatior or reference group. A data derivation or imputation technique which sets the analysis value on the record to the mean beautiful and environment of the provided packward; Next Observation Carried Backward; Next Value Carrie	C53331		ML	Maximum Likelihood		Maximum Likelihood Estimation
Value observed in a group of subjects. NOCB Next Observation Carried Backward;Next Value Carried Backward;Next Indication or imputation technique which sets the analysis value on the record to the worst Backward;Next Value Carried Backward;Next Indication or imputation technique which sets the analysis value on the record to the worst Backward;Next Value Carried Backward;Next Value Carried Backward;Next Value Carried Backward;Next Indication or imputation technique which sets the analysis value on the record to the worst Backward;Next Value Carried Backw	C81204		MOTH	Mean of Other Group		Mean of Other Group Imputation Technique
Backward:Next Value Carried Backward:NVCB C170545 PHANTOM Phantom Record Penultimate Observation Carried Forward Subject's next-no-last on -missing value. A technique that creates a record with a missing analysis value when there is no observed record for a given analysis timepoint. A data derivation or imputation technique which sets the analysis value on the record to the subject's next-no-last non-missing value. SOCF Screening Observation Carried Forward Subject's next-no-last non-missing value when there is no observed record for a given analysis timepoint. A data derivation or imputation technique which sets the analysis value on the record to the subject's next-no-last non-missing screening observation. C174264 ULOD Upper Limit of Detection A data derivation or imputation technique which sets the analysis value on the record to the upper limit of detection of a test. C170544 ULOQ Upper Limit of Quantification A data derivation or imputation technique which sets the analysis value on the record to the upper limit of quantification or a test. C81203 WC Worst Case A data derivation or imputation technique which sets the analysis value on the record to the upper limit of quantification or a test. C81203 WC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome. C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome within a subject. C81199 WOCF Worst Observed Value Carried Forward Worst Observed Value in a Group Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst very large of limit of quantification or imputation technique which sets the analysis value on the record to the worst very large of limit of quantification or imputation technique which sets the analysis value on the record to the worst very large of limit of quantification or imputation te	C81207		MOV	Mean Observed Value in a Group		Mean Observed Value in a Group Imputation Technique
Forward Carried Forward Screening Observation Carried Forward Screening Observation Carried Forward Screening Observation Carried Forward Screening Observation Carried Forward Subject's next-to-last non-missing value. C81200 SOCF Screening Observation Carried Forward Screening Observation Carried Forward Subject's next-to-last non-missing value. C174264 ULOD Upper Limit of Detection A data derivation or imputation technique which sets the analysis value on the record to the upper limit of detection of a test. C170544 ULOQ Upper Limit of Quantification A data derivation or imputation technique which sets the analysis value on the record to the upper limit of quantification of a test. C81203 WC Worst Case A data derivation or imputation technique which sets the analysis value on the record to the upper limit of quantification of a test. C172343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome. C81206 WOV Worst Observed Value Carried Forward Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation or imputation technique which sets the analysis value on the record to the worst vecorded outcome within a subject. A data derivation o	C204584		NOCB	Backward; Next Value Carried		Next Observation Carried Backward Imputation Technique
C81205 POCF Penultimate Observation Carried Forward Screening Observation Carried Sobject's next-to-last non-missing value. C81200 SOCF Screening Observation Carried Forward Screening Observation Carried Forward Imputation Technique which sets the analysis value on the record to the subject's non-missing value. C174264 ULOD Upper Limit of Detection A data derivation or imputation technique which sets the analysis value on the record to the upper limit of detection of a test. C170544 ULOQ Upper Limit of Quantification A data derivation or imputation technique which sets the analysis value on the record to the upper limit of quantification or imputation technique which sets the analysis value on the record to the upper limit of quantification or imputation or imputation technique which sets the analysis value on the record to the upper limit of quantification Derivation Technique C81203 WC Worst Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome. C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst recorded outcome within a subject. C81199 WOCF Worst Observed Value Carried Forward WOV Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst observation Carried Forward Imputation Technique Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst observation Carried Forward Imputation Technique Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst observation Carried Forward Imputation Technique Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the wo	C170545		PHANTOM	Phantom Record	, ,	
Forward Subject's non-missing screening observation. C174264 ULOD Upper Limit of Detection A data derivation or imputation technique which sets the analysis value on the record to the upper limit of Detection Imputation technique which sets the analysis value on the record to the upper limit of Quantification C170544 ULOQ Upper Limit of Quantification A data derivation or imputation technique which sets the analysis value on the record to the upper limit of Quantification of a test. C81203 WC Worst Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome. C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst recorded outcome within a subject. C81199 WOCF Worst Observed Value Carried Forward Forward Subject's non-missing screening observation. A data derivation or imputation technique which sets the analysis value on the record to the worst recorded outcome within a subject. Worst Observed Case Imputation technique which sets the analysis value on the record to the worst recorded outcome within a subject. C81206 WOV Worst Observed Value Carried Forward A data derivation or imputation technique which sets the analysis value on the record to the worst bubect's worst-case non-missing observation. Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst bubect's worst-case non-missing observation. Worst Observed Value in a Group	C81205		POCF			Penultimate Observation Carried Forward Imputation Technique
C170544 ULOQ Upper Limit of Quantification A data derivation or imputation technique which sets the analysis value on the record to the upper limit of Quantification of a test. Upper Limit of Quantification Derivation Technique Upper Limit of Quantification of a test. Upper Limit of Quantification of Evaluation Technique Upper Limit of Quantification of a test. Upper Limit of Quantification of technique which sets the analysis value on the record to the worst Vorst Observed Case Imputation Technique Vorst Observation Or Imputation Technique Vorst Observation Or Imputation Technique which sets the analysis value on the record to the worst Vorst Observed Value in a Group Vo	C81200		SOCF	3		Screening Observation Carried Forward Imputation Technique
C81203 WC Worst Case Worst Case A data derivation or imputation technique which sets the analysis value on the record to the worst possible outcome. C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst recorded outcome within a subject. C81199 WOCF Worst Observed Value Carried Forward Sorvers Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observation Carried Forward Subject's worst-case non-missing observation. C81206 WOV Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst	C174264		ULOD	Upper Limit of Detection		Upper Limit of Detection Imputation Technique
C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst Technique C81199 WOCF Worst Observed Value Carried Forward Solvent Case Imputation technique which sets the analysis value on the record to the worst Worst Observation Carried Forward Solvent Carried Forward Solvent Case Imputation technique which sets the analysis value on the record to the Worst Observation Carried Forward Solvent Case Imputation Technique Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the r	C170544		ULOQ	Upper Limit of Quantification		
C132343 WOC Worst Observed Case A data derivation or imputation technique which sets the analysis value on the record to the worst Technique C81199 WOCF Worst Observed Value Carried Forward Forward Subject's worst-case non-missing observation. C81206 WOV Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Vorst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Vorst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Vorst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Vorst Observed Value in a Group A data derivation or imputation technique which sets t	C81203		WC	Worst Case	A data derivation or imputation technique which sets the analysis value on the record to the worst	Worst Case Imputation Technique
C81199 WOCF Worst Observed Value Carried Forward Subject's worst-case non-missing observation. C81206 WOV Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Observation Carried Forward Subject's worst-case non-missing observation. A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Group	C132343		WOC	Worst Observed Case	A data derivation or imputation technique which sets the analysis value on the record to the worst	Worst Observed Case Imputation Technique
C81206 WOV Worst Observed Value in a Group A data derivation or imputation technique which sets the analysis value on the record to the worst Worst Observed Value in a Gr	C81199		WOCF		A data derivation or imputation technique which sets the analysis value on the record to the	Worst Observation Carried Forward
value observed in a group of daughette.	C81206		WOV		, and the second se	Worst Observed Value in a Group Imputation Technique

GAD02PC (Generalized Anxiety Disorder - 7 Version 2 Questionnaire Parameter Code)

NCI Code: C172334, Codelist extensible: No

	C172334	GAD02PC			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C172451		GAD02TS	GAD02-Total Score - Analysis	Generalized Anxiety Disorder - 7 Version 2 - Total score used for analysis.	Generalized Anxiety Disorder - 7 Version 2 - Total Score for Analysis

GAD02PN (Generalized Anxiety Disorder - 7 Version 2 Questionnaire Parameter Name)

NCI Code: C172335, Codelist extensible: No

(C172335	GAD02PN			
N	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C172451		GAD02-Total Score - Analysis	GAD02-Total Score - Analysis	Generalized Anxiety Disorder - 7 Version 2 - Total score used for analysis.	Generalized Anxiety Disorder - 7 Version 2 - Total Score for Analysis

GDS02PC (Geriatric Depression Scale Short Form Questionnaire Parameter Code)

NCI Code: C158114, Codelist extensible: No

	C158114	GDS02PC			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C158155		GDS02TS	GDS02-Total Score - Analysis	Geriatric Depression Scale Short Form - Total score used for analysis.	Geriatric Depression Scale Short Form - Total Score for Analysis

GDS02PN (Geriatric Depression Scale Short Form Questionnaire Parameter Name)

NCI Code: C158115, Codelist extensible: No

С	C158115	GDS02PN			
N(ICI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C158155		GDS02-Total Score - Analysis	GDS02-Total Score - Analysis	Geriatric Depression Scale Short Form - Total score used for analysis.	Geriatric Depression Scale Short Form - Total Score for Analysis

HAMD1PC (Hamilton Depression Rating Scale - 17 Item Clinical Classification Parameter Code)

NCI Code: C187456, Codelist extensible: No

	C187456	HAMD1PC			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C187466		HAMD1TS	HAMD1-Total Score - Analysis	Hamilton Depression Rating Scale - 17 Item - Total score used for analysis.	Hamilton Depression Rating Scale - 17 Item - Total Score for Analysis

HAMD1PN (Hamilton Depression Rating Scale - 17 Item Clinical Classification Parameter Name)

NCI Code: C187455, Codelist extensible: No

	C187455	HAMD1PN			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C187466		HAMD1-Total Score - Analysis	HAMD1-Total Score - Analysis	Hamilton Depression Rating Scale - 17 Item - Total score used for analysis.	Hamilton Depression Rating Scale - 17 Item - Total Score for Analysis

INPRM (Input Parameter)

NCI Code: C204410, Codelist extensible: Yes

	C204410	INPRM			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C53345		BIRTH RATE		The ratio of total births to the total population during a specified time period.	Birth Rate
C210047		MORTALITY PROBABILITY		Probability of individuals with defined demographic characteristics and tobacco use status that die in a specified time interval. (Vugrin ED, Rostron BL, Verzi SJ, Brodsky NS, Brown TJ, Choiniere CJ, Coleman BN, Paredes A, Apelberg BJ. Modeling the potential effects of new tobacco products and policies: a dynamic population model for multiple product use and harm. PLoS One. 2015 Mar 27;10(3):e0121008.)	Tobacco Use Status Mortality Probability
C210048		NET MIGRATION RATE		Annual number of net international migrants entering/leaving during the time interval per person in the population. (Vugrin ED, Rostron BL, Verzi SJ, Brodsky NS, Brown TJ, Choiniere CJ, Coleman BN, Paredes A, Apelberg BJ. Modeling the potential effects of new tobacco products and policies: a dynamic population model for multiple product use and harm. PLoS One. 2015 Mar 27;10(3):e0121008.)	Net Migration Rate
C210049		POPULATION COUNT		An absolute count of the number of individuals within a population group.	Population Count
C17010		PREVALENCE		The proportion of persons in a population who have a particular disease or attribute at a specified point in time or over a specified period of time. (CDC)	Prevalence
C210050		TRANSITION PROBABILITY		Probability of individuals with defined demographic characteristics and tobacco use status that transition their tobacco use status in the specified time interval. (Vugrin ED, Rostron BL, Verzi SJ, Brodsky NS, Brown TJ, Choiniere CJ, Coleman BN, Paredes A, Apelberg BJ. Modeling the potential effects of new tobacco products and policies: a dynamic population model for multiple product use and harm. PLoS One. 2015 Mar 27;10(3):e0121008.)	Tobacco Use Transition Probability

NEWS1PC (National Early Warning Score 2 Clinical Classification Parameter Code)

NCI Code: C193278, Codelist extensible: No

C193278	NEWS1PC			
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C193374	NEWS1TRG	NEWS1-Trigger - Analysis	National Early Warning Score 2 - Trigger used for analysis.	National Early Warning Score 2 - Trigger for Analysis
C193373	NEWS1TS	NEWS1-Total Score - Analysis	National Early Warning Score 2 - Total score used for analysis.	National Early Warning Score 2 - Total Score for Analysis

NEWS1PN (National Early Warning Score 2 Clinical Classification Parameter Name)

NCI Code: C193277, Codelist extensible: No

C193277	NEWS1PN			
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C193373	NEWS1-Total Score - Analysis	NEWS1-Total Score - Analysis	National Early Warning Score 2 - Total score used for analysis.	National Early Warning Score 2 - Total Score for Analysis
C193374	NEWS1-Trigger - Analysis	NEWS1-Trigger - Analysis	National Early Warning Score 2 - Trigger used for analysis.	National Early Warning Score 2 - Trigger for Analysis

PARAMTYP (Parameter Type)

NCI Code: C81225, Codelist extensible: No

	C81225	PARAMTYP			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81197		DERIVED		Derived: Indicates that a parameter is derived as a function of one or more other parameters.	Derived Flag

POOLINT (Pool for Integration)

NCI Code: C165644, Codelist extensible: Yes

	C165644	POOLINT			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C165858		OVERALL		The pool that includes data across all studies within which the subject has participated, used for the Ov overall integrated analysis.	erall Pooled Data

SBJTSTAT (Subject Trial Status)

NCI Code: C124296, Codelist extensible: Yes

	C124296	SBJTSTAT			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25250		COMPLETED		To possess every necessary or normal part or component or step; having come or been brought to a conclusion. (NCI)	Complete
C25484		DISCONTINUED		To stop or end, permanently or temporarily.	Discontinue
C53279		ONGOING	Continuous	Remain in force or carry on without letup; keep or maintain in unaltered condition; exist in time or space without stop or interruption. (NCI)	Continue

STRATA (Analysis Stratum)

NCI Code: C204411, Codelist extensible: Yes

	C204411	STRATA			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25150		AGE	Age	How long something has existed; elapsed time since birth. (NCI)	Age
C17049		RACE		An arbitrary classification of a taxonomic group that is a division of the human species.	Race
C28421		SEX		The assemblage of properties or qualities by which male is distinguished from female.	Sex
C210051		TOBACCO PRODUCT CATEGORY	Tobacco Product Category	A characterization or categorization of the tobacco product.	Tobacco Product Category
C210052		TOBACCO PRODUCT USE STATUS POST-TRANSITION		The usage status of a tobacco product(s) after a change in use of any tobacco product(s).	Post-Transition Tobacco Product Use Status
C210053		TOBACCO PRODUCT USE STATUS PRE-TRANSITION		The usage status of a tobacco product(s) prior to a change in use of any tobacco product(s).	Pre-Transition Tobacco Product Use Status
C210042		TOBACCO PRODUCT USE STATUS		The condition or status of usage of a tobacco product(s).	Tobacco Product Use Status
C210054		TOBACCO PRODUCT USE TRANSITION TYPE		A characterization or categorization of the change from one tobacco product use state to another.	Tobacco Product Use Transition Type
C210055		YEAR		A year period of time, which may be historical or projected, that is used for the purpose of defining a projection period.	Year Projection Period

TBUTRS (Tobacco Use Transition Response)

NCI Code: C204412, Codelist extensible: Yes

	C204412	TBUTRS			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C96001		CESSATION		The act of ceasing use of a tobacco product temporarily or permanently (moving from 'Current to 'Former' tobacco product use state).	Tobacco Product Use Cessation
C210056		INITIATION		The act of starting use (i.e., meeting the criteria of usage) of a tobacco product that has never been used before (moving from 'Never' to 'Current' tobacco product use state).	Tobacco Product Use Initiation
C210057		RELAPSE		The act of re-starting use of a tobacco product after a period of product use cessation (moving from 'Former' to 'Current' tobacco product use state).	Tobacco Product Use Relapse
C210058		SWITCHING		The act of replacing one tobacco product with another.	Tobacco Product Use Switching

TIMEFL (Time Imputation Flag)

NCI Code: C81226, Codelist extensible: No

	C81226	TIMEFL			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81213		Н		Hours Imputed: Entire time (hours, minutes and seconds) is imputed.	Hours Minutes Seconds Imputed
C81214		M		Minutes Imputed: Minutes and seconds are imputed.	Minutes Seconds Imputed
C81215		S		Seconds Imputed: Seconds are imputed.	Seconds Imputed

TPCATRS (Tobacco Product Category Response)

NCI Code: C204414, Codelist extensible: Yes

	C204414	TPCATRS			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C1802		CIGARETTES		A tobacco product that meets the definition of the term "cigarette" in section 3(1) of the Federal Cigarette Labeling and Advertising Act (any roll of tobacco wrapped in paper or in any substance not containing tobacco), and includes tobacco, in any form, that is functional in the product, which, because of its appearance, the type of tobacco used in the filler, or its packaging and labeling, is likely to be offered to, or purchased by, consumers as a cigarette or as roll-your-own tobacco (FD&C Act Section 900(3); 15 U.S.C. Ch. 36: CIGARETTE LABELING AND ADVERTISING). Note: The US FDA uses the term "cigarettes" to refer to combusted cigarettes, unless specifically stated otherwise. In general, the term is not meant to include any noncombusted tobacco products that meet the definition of cigarette in Section 900(3) of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. Section 387(3)).	Cigarette
C1813		CIGARS		A tobacco product that (1) is not a cigarette and (2) is a roll of tobacco wrapped in leaf tobacco or any substance containing tobacco. (FDA CTP Glossary; 26 U.S.C. Section 5702(a))	Cigar
C128795		ELECTRONIC NICOTINE DELIVERY SYSTEMS (ENDS)		A tobacco product that is a device used to deliver e-liquid in aerosol form for inhalation. (FDA CTP Glossary)	Electronic Nicotine Delivery Device

TPUSRS (Tobacco Product Use Status Response)

NCI Code: C204413, Codelist extensible: Yes

	C204413	TPUSRS			
	NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25471		CURRENT		Occurring in or belonging to the present time. (NCI)	Current
C25627		FORMER	Previous	Occurring prior to something else. (NCI)	Previous
C70543		NEVER		Not ever; at no time in the past.	Never