

CDISC QRS Controlled Terminology, 2015-06-26

Source: NCI EVS Terminology Resources website: <http://www.cancer.gov/cancertopics/cancerlibrary/terminologyresources/cdisc>

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C115387	6MWT TEST	FT-6 Minute Walk Functional Test Test Name	6 Minute Walk Test test name.	No
C115388	6MWT TESTCD	FT-6 Minute Walk Functional Test Test Code	6 Minute Walk Test test code.	No
C100131	ADAS-Cog CDISC Version TEST	QS-Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Test Name	ADAS-Cog CDISC Version test name.	No
C100132	ADAS-Cog CDISC Version TESTCD	QS-Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Test Code	ADAS-Cog CDISC Version test code.	No
C106650	ADCS-ADL MCI TEST	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test name.	No
C106651	ADCS-ADL MCI TESTCD	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test code.	No
C106652	ADCS-ADL Severe Dementia TEST	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test name.	No
C106653	ADCS-ADL Severe Dementia TESTCD	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test code.	No
C105139	ADCS-ADL TEST	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test name.	No
C105140	ADCS-ADL TESTCD	QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test code.	No
C103458	ADCS-CGIC TEST	QS-Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test name.	No
C103459	ADCS-CGIC TESTCD	QS-Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C101806	AIMS TEST	QS-Abnormal Involuntary Movement Scale Test Name	Abnormal Involuntary Movement Scale test name.	No
C101805	AIMS TESTCD	QS-Abnormal Involuntary Movement Scale Test Code	Abnormal Involuntary Movement Scale test code.	No
C120984	APACHE II TEST	CC-Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Name	Acute Physiology and Chronic Health Evaluation II test name.	No
C120985	APACHE II TESTCD	CC-Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Code	Acute Physiology and Chronic Health Evaluation II test code.	No
C112434	AQ20 TEST	QS-Airway Questionnaire 20 Test Name	Airway Questionnaire 20 test name.	No
C112435	AQ20 TESTCD	QS-Airway Questionnaire 20 Test Code	Airway Questionnaire 20 test code.	No
C119079	ARC STC Grade TEST	CC-Stent Thrombosis Coronary ARC Grade Clinical Classification Test Name	Stent Thrombosis Coronary ARC Grade test name.	No
C119080	ARC STC Grade TESTCD	CC-Stent Thrombosis Coronary ARC Grade Clinical Classification Test Code	Stent Thrombosis Coronary ARC Grade test code.	No
C119061	AUDIT-C TEST	QS-Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Name	Alcohol Use Disorder Identification Test-Consumption Questions test name.	No
C119062	AUDIT-C TESTCD	QS-Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Code	Alcohol Use Disorder Identification Test-Consumption Questions test code.	No
C119059	AUDIT-SR TEST	QS-Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Name	Alcohol Use Disorder Identification Test: Self-Report Version test name.	No
C119060	AUDIT-SR TESTCD	QS-Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Code	Alcohol Use Disorder Identification Test: Self-Report Version test code.	No
C101808	AVLT TEST	QS-ADNI AVLT Test Name	ADNI AVLT test name.	No
C101807	AVLT TESTCD	QS-ADNI AVLT Test Code	ADNI AVLT test code.	No
C120982	BACS TEST	FT-Brief Assessment of Cognition in Schizophrenia Test Name	Brief Assessment of Cognition in Schizophrenia test name.	No
C120983	BACS TESTCD	FT-Brief Assessment of Cognition in Schizophrenia Test Code	Brief Assessment of Cognition in Schizophrenia test code.	No
C101810	BARS TEST	QS-Barnes Akathisia Rating Scale Test Name	Barnes Akathisia Rating Scale test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C101809	BARS TESTCD	QS-Barnes Akathisia Rating Scale Test Code	Barnes Akathisia Rating Scale test code.	No
C106654	BDI TEST	QS-Baseline Dyspnea Index Questionnaire Test Name	Baseline Dyspnea Index test name.	No
C106655	BDI TESTCD	QS-Baseline Dyspnea Index Questionnaire Test Code	Baseline Dyspnea Index test code.	No
C113851	BLCS TEST	QS-Bladder Control Scale Test Name	Bladder Control Scale test name.	No
C113852	BLCS TESTCD	QS-Bladder Control Scale Test Code	Bladder Control Scale test code.	No
C120986	BODE INDEX TEST	CC-The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Name	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test name.	No
C120987	BODE INDEX TESTCD	CC-The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Code	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test code.	No
C113845	Borg CR-10 Scale TEST	QS-Borg CR-10 Scale Test Name	Borg CR-10 scale test name.	No
C113846	Borg CR-10 Scale TESTCD	QS-Borg CR-10 Scale Test Code	Borg CR-10 scale test code.	No
C100163	BPI Short Form TEST	QS-Brief Pain Inventory Short Form Test Name	Brief Pain Inventory Short Form test name.	No
C100164	BPI Short Form TESTCD	QS-Brief Pain Inventory Short Form Test Code	Brief Pain Inventory Short Form test code.	No
C100161	BPI TEST	QS-Brief Pain Inventory Test Name	Brief Pain Inventory test name.	No
C100162	BPI TESTCD	QS-Brief Pain Inventory Test Code	Brief Pain Inventory test code.	No
C100133	BPRS-A TEST	QS-Brief Psychiatric Rating Scale-A Test Name	The Brief Psychiatric Rating Scale-A test name.	No
C100134	BPRS-A TESTCD	QS-Brief Psychiatric Rating Scale-A Test Code	The Brief Psychiatric Rating Scale-A test code.	No
C113853	BWCS TEST	QS-Bowel Control Scale Test Name	Bowel Control Scale test name.	No
C113854	BWCS TESTCD	QS-Bowel Control Scale Test Code	Bowel Control Scale test code.	No
C118971	CCCAT	Category of Clinical Classification	A grouping of observations within the Clinical Classification domain.	Yes
C119065	CCQ 1 Week Version TEST	QS-Clinical COPD Questionnaire 1 Week Version Test Name	Clinical COPD Questionnaire 1 Week Version test name.	No
C119066	CCQ 1 Week Version TESTCD	QS-Clinical COPD Questionnaire 1 Week Version Test Code	Clinical COPD Questionnaire 1 Week Version test code.	No
C119063	CCQ 24 Hour Version TEST	QS-Clinical COPD Questionnaire 24 Hour Version Test Name	Clinical COPD Questionnaire 24 Hour Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C119064	CCQ 24 Hour Version TESTCD	QS-Clinical COPD Questionnaire 24 Hour Version Test Code	Clinical COPD Questionnaire 24 Hour Version test code.	No
C101812	CDR TEST	QS-Clinical Dementia Rating Test Name	Clinical Dementia Rating test name.	No
C101811	CDR TESTCD	QS-Clinical Dementia Rating Test Code	Clinical Dementia Rating test code.	No
C100149	CGI TEST	QS-Clinical Global Impression Test Name	Clinical Global Impression test name.	No
C100150	CGI TESTCD	QS-Clinical Global Impression Test Code	Clinical Global Impression test code.	No
C117986	CHART-SF Interview Version TEST	QS-Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test name.	No
C117987	CHART-SF Interview Version TESTCD	QS-Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test code.	No
C119067	CHART-SF Paper Version TEST	QS-Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test name.	No
C119068	CHART-SF Paper Version TESTCD	QS-Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test code.	No
C120988	CHILD-PUGH CLASSIFICATION TEST	CC-Child-Pugh Clinical Classification Test Name	Child-Pugh Classification test name.	No
C120989	CHILD-PUGH CLASSIFICATION TESTCD	CC-Child-Pugh Clinical Classification Test Code	Child-Pugh Classification test code.	No
C100157	COMM TEST	QS-Current Opioid Misuse Measure Test Name	Current Opioid Misuse Measure test name.	No
C100158	COMM TESTCD	QS-Current Opioid Misuse Measure Test Code	Current Opioid Misuse Measure test code.	No
C101814	COWS TEST	QS-Clinical Opiate Withdrawal Scale Test Name	Clinical Opiate Withdrawal Scale test name.	No
C101813	COWS TESTCD	QS-Clinical Opiate Withdrawal Scale Test Code	Clinical Opiate Withdrawal Scale test code.	No
C120978	CRQ-SAS FIRST ADMINISTRATION VERSION TEST	QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test name.	No
C120979	CRQ-SAS FIRST ADMINISTRATION VERSION TESTCD	QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C120980	CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TEST	QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test name.	No
C120981	CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TESTCD	QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test code.	No
C106658	C-SSRS Already Enrolled Subjects TEST	QS-Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Already Enrolled Subject test name.	No
C106659	C-SSRS Already Enrolled Subjects TESTCD	QS-Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Already Enrolled Subject test code.	No
C105131	C-SSRS Baseline/Screening Version Phase 1 Study TEST	QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 test name.	No
C105132	C-SSRS Baseline/Screening Version Phase 1 Study TESTCD	QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 Questionnaire test code.	No
C106660	C-SSRS Baseline/Screening Version TEST	QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version test name.	No
C106661	C-SSRS Baseline/Screening Version TESTCD	QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version test code.	No
C100167	C-SSRS Baseline TEST	QS-Columbia-Suicidality Severity Rating Scale Baseline Test Name	Columbia-Suicidality Severity Rating Scale Baseline test name.	No
C100168	C-SSRS Baseline TESTCD	QS-Columbia-Suicidality Severity Rating Scale Baseline Test Code	Columbia-Suicidality Severity Rating Scale Baseline test code.	No
C111337	C-SSRS Children's Baseline/Screening TEST	QS-Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening test name.	No
C111338	C-SSRS Children's Baseline/Screening TESTCD	QS-Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C111335	C-SSRS Children's Baseline TEST	QS-Columbia-Suicidality Severity Rating Scale Children's Baseline Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Children's Baseline test name.	No
C111336	C-SSRS Children's Baseline TESTCD	QS-Columbia-Suicidality Severity Rating Scale Children's Baseline Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Children's Baseline test code.	No
C111339	C-SSRS Children's Since Last Visit TEST	QS-Columbia-Suicidality Severity Rating Scale Children's Since Last Visit Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit test name.	No
C111340	C-SSRS Children's Since Last Visit TESTCD	QS-Columbia-Suicidality Severity Rating Scale Children's Since Last Visit Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit test code.	No
C117988	C-SSRS Lifetime/Recent Version TEST	QS-Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version test name.	No
C117989	C-SSRS Lifetime/Recent Version TESTCD	QS-Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version test code.	No
C113847	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TEST	QS-Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Test Name	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test name.	No
C113848	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TESTCD	QS-Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Test Code	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test code.	No
C111341	C-SSRS Screening TEST	QS-Columbia-Suicidality Severity Rating Scale Screening Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Screening test name.	No
C111342	C-SSRS Screening TESTCD	QS-Columbia-Suicidality Severity Rating Scale Screening Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Screening test code.	No
C103460	C-SSRS Since Last Visit TEST	QS-Columbia-Suicidality Severity Rating Scale Since Last Visit Questionnaire Test Name	Columbia-Suicidality Severity Rating Scale Since Last Visit test name.	No
C103461	C-SSRS Since Last Visit TESTCD	QS-Columbia-Suicidality Severity Rating Scale Since Last Visit Questionnaire Test Code	Columbia-Suicidality Severity Rating Scale Since Last Visit test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C105129	DAD TEST	QS-Disability Assessment for Dementia Questionnaire Test Name	Disability Assessment for Dementia test name.	No
C105130	DAD TESTCD	QS-Disability Assessment for Dementia Questionnaire Test Code	Disability Assessment for Dementia test code.	No
C112436	Disease Steps TEST	QS-Disease Steps Questionnaire Test Name	Disease Steps test name.	No
C112437	Disease Steps TESTCD	QS-Disease Steps Questionnaire Test Code	Disease Steps test code.	No
C119069	DLQI TEST	QS-Dermatology Life Quality Index Questionnaire Test Name	Dermatology Life Quality Index test name.	No
C119070	DLQI TESTCD	QS-Dermatology Life Quality Index Questionnaire Test Code	Dermatology Life Quality Index test code.	No
C115401	DRS TEST	QS-Disability Rating Scale Questionnaire Test Name	Disability Rating Scale test name.	No
C115402	DRS TESTCD	QS-Disability Rating Scale Questionnaire Test Code	Disability Rating Scale test code.	No
C101816	ECOG TEST	QS-Eastern Cooperative Oncology Group Performance Status Test Name	Eastern Cooperative Oncology Group Performance Status test name.	No
C101815	ECOG TESTCD	QS-Eastern Cooperative Oncology Group Performance Status Test Code	Eastern Cooperative Oncology Group Performance Status test code.	No
C112438	EDSS TEST	QS-Kurtzke Expanded Disability Status Scale Questionnaire Test Name	Kurtzke Expanded Disability Status Scale test name.	No
C112439	EDSS TESTCD	QS-Kurtzke Expanded Disability Status Scale Questionnaire Test Code	Kurtzke Expanded Disability Status Scale test code.	No
C100135	EQ-5D-3L TEST	QS-European Quality of Life Five Dimension Three Level Scale Test Name	European Quality of Life Five Dimension Three Level Scale test name.	No
C100136	EQ-5D-3L TESTCD	QS-European Quality of Life Five Dimension Three Level Scale Test Code	European Quality of Life Five Dimension Three Level Scale test code.	No
C101818	EQ-5D-5L TEST	QS-European Quality of Life Five Dimension Five Level Scale Test Name	European Quality of Life Five Dimension Five Level Scale test name.	No
C101817	EQ-5D-5L TESTCD	QS-European Quality of Life Five Dimension Five Level Scale Test Code	European Quality of Life Five Dimension Three Level Scale test code.	No
C117990	ESRSA TEST	QS-Extrapyramidal Symptom Rating Scale-Abbreviated Questionnaire Test Name	Extrapyramidal Symptom Rating Scale-Abbreviated test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C117991	ESRSA TESTCD	QS-Extrapyramidal Symptom Rating Scale-Abbreviated Questionnaire Test Code	Extrapyramidal Symptom Rating Scale-Abbreviated test code.	No
C103462	ESS TEST	QS-Epworth Sleepiness Scale Questionnaire Test Name	Epworth Sleepiness Scale test name.	No
C103463	ESS TESTCD	QS-Epworth Sleepiness Scale Questionnaire Test Code	Epworth Sleepiness Scale test code.	No
C112440	FAMS TEST	QS-Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Name	Functional Assessment of Multiple Sclerosis Version 4 test name.	No
C112441	FAMS TESTCD	QS-Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Code	Functional Assessment of Multiple Sclerosis Version 4 test code.	No
C111345	FAQ-NACC Version TEST	QS-Functional Activities Questionnaire-NACC Version Test Name	Functional Activities Questionnaire-NACC Version test name.	No
C111346	FAQ-NACC Version TESTCD	QS-Functional Activities Questionnaire-NACC Version Test Code	Functional Activities Questionnaire-NACC Version test code.	No
C111343	FAQ TEST	QS-Functional Activities Questionnaire Test Name	Functional Activities Questionnaire test name.	No
C111344	FAQ TESTCD	QS-Functional Activities Questionnaire Test Code	Functional Activities Questionnaire test code.	No
C103464	FIQR TEST	QS-Revised Fibromyalgia Impact Questionnaire Test Name	Revised Fibromyalgia Impact Questionnaire test name.	No
C103465	FIQR TESTCD	QS-Revised Fibromyalgia Impact Questionnaire Test Code	Revised Fibromyalgia Impact Questionnaire test code.	No
C100153	FPSR TEST	QS-Faces Pain Scale - Revised Test Name	Faces Pain Scale - Revised test name.	No
C100154	FPSR TESTCD	QS-Faces Pain Scale - Revised Test Code	Faces Pain Scale - Revised test code.	No
C113849	FSS TEST	QS-Fatigue Severity Scale Test Name	Fatigue Severity Scale test name.	No
C113850	FSS TESTCD	QS-Fatigue Severity Scale Test Code	Fatigue Severity Scale test code.	No
C115304	FTCAT	Category of Functional Test	A grouping of observations within the Functional Test domain.	Yes
C103466	GAD-7 TEST	QS-Generalized Anxiety Disorder - 7 Questionnaire Test Name	Generalized Anxiety Disorder - 7 test name.	No
C103467	GAD-7 TESTCD	QS-Generalized Anxiety Disorder - 7 Questionnaire Test Code	Generalized Anxiety Disorder - 7 test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C105137	GCGI TEST	QS-General Clinical Global Impressions Questionnaire Test Name	General Clinical Global Impressions test name.	No
C105138	GCGI TESTCD	QS-General Clinical Global Impressions Questionnaire Test Code	General Clinical Global Impressions test code.	No
C106664	GDS SHORT FORM TEST	QS-Geriatric Depression Scale Short Form Questionnaire Test Name	Geriatric Depression Scale Short Form test name.	No
C106665	GDS SHORT FORM TESTCD	QS-Geriatric Depression Scale Short Form Questionnaire Test Code	Geriatric Depression Scale Short Form test code.	No
C106662	GDS TEST	QS-Geriatric Depression Scale Questionnaire Test Name	Geriatric Depression Scale test name.	No
C106663	GDS TESTCD	QS-Geriatric Depression Scale Questionnaire Test Code	Geriatric Depression Scale test code.	No
C115403	GOSE TEST	QS-Extended Glasgow Outcome Scale Questionnaire Test Name	Extended Glasgow Outcome Scale test name.	No
C115404	GOSE TESTCD	QS-Extended Glasgow Outcome Scale Questionnaire Test Code	Extended Glasgow Outcome Scale test code.	No
C103468	HADS TEST	QS-Hospital Anxiety and Depression Scale Questionnaire Test Name	Hospital Anxiety and Depression Scale test name.	No
C103469	HADS TESTCD	QS-Hospital Anxiety and Depression Scale Questionnaire Test Code	Hospital Anxiety and Depression Scale test code.	No
C115389	HAI TEST	FT-Hauser Ambulation Index Functional Test Test Name	Hauser Ambulation Index test name.	No
C115390	HAI TESTCD	FT-Hauser Ambulation Index Functional Test Test Code	Hauser Ambulation Index test code.	No
C101820	HAMA TEST	QS-Hamilton Anxiety Rating Scale Questionnaire Test Name	Hamilton Anxiety Rating Scale test name.	No
C101819	HAMA TESTCD	QS-Hamilton Anxiety Rating Scale Questionnaire Test Code	Hamilton Anxiety Rating Scale test code.	No
C100137	HAMD 17 TEST	QS-Hamilton Depression Rating Scale - 17 Item Test Name	The Hamilton Depression Rating Scale - 17 Item test name.	No
C100138	HAMD 17 TESTCD	QS-Hamilton Depression Rating Scale - 17 Item Test Code	The Hamilton Depression Rating Scale - 17 Item test code.	No
C101822	HAMD 21 TEST	QS-Hamilton Depression Rating Scale 21-Item Questionnaire Test Name	Hamilton Depression Rating Scale 21-Item test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C101821	HAMD 21 TESTCD	QS-Hamilton Depression Rating Scale 21-Item Questionnaire Test Code	Hamilton Depression Rating Scale 21-Item test code.	No
C106666	HAQ-DI TEST	QS-Health Assessment Questionnaire Disability Index Test Name	Health Assessment Questionnaire Disability Index test name.	No
C106667	HAQ-DI TESTCD	QS-Health Assessment Questionnaire Disability Index Test Code	Health Assessment Questionnaire Disability Index test code.	No
C103470	IIEF TEST	QS-International Index of Erectile Function Questionnaire Test Name	International Index of Erectile Function test name.	No
C103471	IIEF TESTCD	QS-International Index of Erectile Function Questionnaire Test Code	International Index of Erectile Function test code.	No
C113855	IVIS TEST	QS-Impact of Visual Impairment Scale Test Name	Impact of Visual Impairment Scale test name.	No
C113856	IVIS TESTCD	QS-Impact of Visual Impairment Scale Test Code	Impact of Visual Impairment Scale test code.	No
C112442	KFSS TEST	QS-Kurtzke Functional Systems Scores Questionnaire Test Name	Kurtzke Functional Systems Scores test name.	No
C112443	KFSS TESTCD	QS-Kurtzke Functional Systems Scores Questionnaire Test Code	Kurtzke Functional Systems Scores test code.	No
C100169	KPS Scale TEST	QS-Karnofsky Performance Status Scale Test Name	Karnofsky Performance Status Scale test name.	No
C100170	KPS Scale TESTCD	QS-Karnofsky Performance Status Scale Test Code	Karnofsky Performance Status Scale test code.	No
C100139	MDS-UPDRS TEST	QS-Movement Disorder Society UPDRS Test Name	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test name.	No
C100140	MDS-UPDRS TESTCD	QS-Movement Disorder Society UPDRS Test Code	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test code.	No
C120990	MELD TEST	CC-Model for End Stage Liver Disease Clinical Classification Test Name	Model for End Stage Liver Disease test name.	No
C120991	MELD TESTCD	CC-Model for End Stage Liver Disease Clinical Classification Test Code	Model for End Stage Liver Disease test code.	No
C113857	MFIS TEST	QS-Modified Fatigue Impact Scale Test Name	Modified Fatigue Impact Scale test name.	No
C113858	MFIS TESTCD	QS-Modified Fatigue Impact Scale Test Code	Modified Fatigue Impact Scale test code.	No
C112444	MHIS-NACC TEST	QS-Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Name	Modified Hachinski Ischemic Scale-NACC Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C112445	MHIS-NACC TESTCD	QS-Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Code	Modified Hachinski Ischemic Scale-NACC Version test code.	No
C106668	MMRC TEST	QS-Modified Medical Research Council Dyspnea Scale Questionnaire Test Name	Modified Medical Research Council Dyspnea Scale test name.	No
C106669	MMRC TESTCD	QS-Modified Medical Research Council Dyspnea Scale Questionnaire Test Code	Modified Medical Research Council Dyspnea Scale test code.	No
C100151	MNSI TEST	QS-Michigan Neuropathy Screening Instrument Test Name	Michigan Neuropathy Screening Instrument test name.	No
C100152	MNSI TESTCD	QS-Michigan Neuropathy Screening Instrument Test Code	Michigan Neuropathy Screening Instrument test code.	No
C115405	MPAI-4 TEST	QS-Mayo-Portland Adaptability Inventory-4 Questionnaire Test Name	Mayo-Portland Adaptability Inventory-4 test name.	No
C115406	MPAI-4 TESTCD	QS-Mayo-Portland Adaptability Inventory-4 Questionnaire Test Code	Mayo-Portland Adaptability Inventory-4 test code.	No
C111347	MRS TEST	QS-Modified Rankin Scale Questionnaire Test Name	Modified Rankin Scale test name.	No
C111348	MRS TESTCD	QS-Modified Rankin Scale Questionnaire Test Code	Modified Rankin Scale test code.	No
C113859	MSQOL-54 TEST	QS-Multiple Sclerosis Quality of Life-54 Instrument Test Name	Multiple Sclerosis Quality of Life-54 Instrument test name.	No
C113860	MSQOL-54 TESTCD	QS-Multiple Sclerosis Quality of Life-54 Instrument Test Code	Multiple Sclerosis Quality of Life-54 Instrument test code.	No
C119075	NHLBI CAD Grade TEST	CC-Coronary Artery Dissection NHLBI Grade Clinical Classification Test Name	Coronary Artery Dissection NHLBI Grade test name.	No
C119076	NHLBI CAD Grade TESTCD	CC-Coronary Artery Dissection NHLBI Grade Clinical Classification Test Code	Coronary Artery Dissection NHLBI Grade test code.	No
C115391	NHPT TEST	FT-Nine-Hole Peg Functional Test Test Name	Nine-Hole Peg Test test name.	No
C115392	NHPT TESTCD	FT-Nine-Hole Peg Functional Test Test Code	Nine-Hole Peg Test test code.	No
C100143	NPI TEST	QS-Neuropsychiatric Inventory Test Name	The Neuropsychiatric Inventory test name.	No
C100144	NPI TESTCD	QS-Neuropsychiatric Inventory Test Code	The Neuropsychiatric Inventory test code.	No
C103472	NPS TEST	QS-Neuropathic Pain Scale Questionnaire Test Name	Neuropathic Pain Scale test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C103473	NPS TESTCD	QS-Neuropathic Pain Scale Questionnaire Test Code	Neuropathic Pain Scale test code.	No
C120992	NSA-16 TEST	CC-Negative Symptom Assessment-16 Clinical Classification Test Name	Negative Symptom Assessment-16 test name.	No
C120993	NSA-16 TESTCD	CC-Negative Symptom Assessment-16 Clinical Classification Test Code	Negative Symptom Assessment-16 test code.	No
C103476	OAB-Q Short Form TEST	QS-The Overactive Bladder Questionnaire Short Form Test Name	The Overactive Bladder Questionnaire Short Form test name.	No
C103477	OAB-Q Short Form TESTCD	QS-The Overactive Bladder Questionnaire Short Form Test Code	The Overactive Bladder Questionnaire Short Form test code.	No
C103474	OAB-Q TEST	QS-The Overactive Bladder Questionnaire Test Name	The Overactive Bladder Questionnaire test name.	No
C103475	OAB-Q TESTCD	QS-The Overactive Bladder Questionnaire Test Code	The Overactive Bladder Questionnaire test code.	No
C103478	ODI v2.1A TEST	QS-The Oswestry Disability Index Version 2.1a Questionnaire Test Name	The Oswestry Disability Index Version 2.1a test name.	No
C103479	ODI v2.1A TESTCD	QS-The Oswestry Disability Index Version 2.1a Questionnaire Test Code	The Oswestry Disability Index Version 2.1a test code.	No
C115393	PASAT TEST	FT-Paced Auditory Serial Addition Functional Test Test Name	Paced Auditory Serial Addition Test test name.	No
C115394	PASAT TESTCD	FT-Paced Auditory Serial Addition Functional Test Test Code	Paced Auditory Serial Addition Test test code.	No
C112446	PDDS TEST	QS-Patient Determined Disease Steps Questionnaire Test Name	Patient Determined Disease Steps test name.	No
C112447	PDDS TESTCD	QS-Patient Determined Disease Steps Questionnaire Test Code	Patient Determined Disease Steps test code.	No
C103482	PHQ-15 TEST	QS-Patient Health Questionnaire - 15 Item Test Name	Patient Health Questionnaire - 15 test name.	No
C103483	PHQ-15 TESTCD	QS-Patient Health Questionnaire - 15 Item Test Code	Patient Health Questionnaire - 15 test code.	No
C103480	PHQ-9 TEST	QS-Patient Health Questionnaire - 9 Item Test Name	Patient Health Questionnaire - 9 test name.	No
C103481	PHQ-9 TESTCD	QS-Patient Health Questionnaire - 9 Item Test Code	Patient Health Questionnaire - 9 test code.	No
C105133	PI TEST	QS-Pain Intensity Questionnaire Test Name	Pain Intensity test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C105134	PI TESTCD	QS-Pain Intensity Questionnaire Test Code	Pain Intensity test code.	No
C105135	PR TEST	QS-Pain Relief Questionnaire Test Name	Pain Relief test name.	No
C105136	PR TESTCD	QS-Pain Relief Questionnaire Test Code	Pain Relief test code.	No
C100129	QSCAT	Category of Questionnaire	A grouping of observations within the Questionnaire domain.	Yes
C113861	RAND-36 V1.0 TEST	QS-RAND 36-Item Health Survey 1.0 Test Name	RAND 36-Item Health Survey 1.0 test name.	No
C113862	RAND-36 V1.0 TESTCD	QS-RAND 36-Item Health Survey 1.0 Test Code	RAND 36-Item Health Survey 1.0 test code.	No
C100165	RDQ TEST	QS-Roland Morris Disability Questionnaire Test Name	Roland Morris Disability Questionnaire test name.	No
C100166	RDQ TESTCD	QS-Roland Morris Disability Questionnaire Test Code	Roland Morris Disability Questionnaire test code.	No
C119071	RPQ TEST	QS-Rivermead Post Concussion Symptoms Questionnaire Test Name	Rivermead Post Concussion Symptoms Questionnaire test name.	No
C119072	RPQ TESTCD	QS-Rivermead Post Concussion Symptoms Questionnaire Test Code	Rivermead Post Concussion Symptoms Questionnaire test code.	No
C115395	SDMT TEST	FT-Symbol Digit Modalities Functional Test Test Name	Symbol Digit Modalities Test test name.	No
C115396	SDMT TESTCD	FT-Symbol Digit Modalities Functional Test Test Code	Symbol Digit Modalities Test test code.	No
C111349	SDS TEST	QS-Sheehan Disability Scale Questionnaire Test Name	Sheehan Disability Scale test name.	No
C111350	SDS TESTCD	QS-Sheehan Disability Scale Questionnaire Test Code	Sheehan Disability Scale test code.	No
C106670	SGRQ-C TEST	QS-St. George's Respiratory Questionnaire for COPD Patients Test Name	St. George's Respiratory Questionnaire for COPD Patients test name.	No
C106671	SGRQ-C TESTCD	QS-St. George's Respiratory Questionnaire for COPD Patients Test Code	St. George's Respiratory Questionnaire for COPD Patients test code.	No
C112448	SGRQ Past 3 Months Version TEST	QS-St. George's Respiratory Questionnaire Past 3 Months Version Test Name	St. George's Respiratory Questionnaire Past 3 Months Version test name.	No
C112449	SGRQ Past 3 Months Version TESTCD	QS-St. George's Respiratory Questionnaire Past 3 Months Version Test Code	St. George's Respiratory Questionnaire Past 3 Months Version test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C112450	SGRQ Past 4 Weeks Version TEST	QS-St. George's Respiratory Questionnaire Past 4 Weeks Version Test Name	St. George's Respiratory Questionnaire Past 4 Weeks Version test name.	No
C112451	SGRQ Past 4 Weeks Version TESTCD	QS-St. George's Respiratory Questionnaire Past 4 Weeks Version Test Code	St. George's Respiratory Questionnaire Past 4 Weeks Version test code.	No
C100155	Short-Form MPQ-2 TEST	QS-Short-Form McGill Pain Questionnaire-2 Test Name	Short-Form McGill Pain Questionnaire-2 test name.	No
C100156	Short-Form MPQ-2 TESTCD	QS-Short-Form McGill Pain Questionnaire-2 Test Code	Short-Form McGill Pain Questionnaire-2 test code.	No
C103484	SIQR TEST	QS-Symptom Impact Questionnaire Test Name	Symptom Impact Questionnaire test name.	No
C103485	SIQR TESTCD	QS-Symptom Impact Questionnaire Test Code	Symptom Impact Questionnaire test code.	No
C100159	SOAPP-R TEST	QS-Screener and Opioid Assessment for Patients with Pain - Revised Test Name	Screener and Opioid Assessment for Patients with Pain - Revised test name.	No
C100160	SOAPP-R TESTCD	QS-Screener and Opioid Assessment for Patients with Pain - Revised Test Code	Screener and Opioid Assessment for Patients with Pain - Revised test code.	No
C101829	SOWS Subjective TEST	QS-Subjective Opiate Withdrawal Scale Test Name	Subjective Opiate Withdrawal Scale test name.	No
C101828	SOWS Subjective TESTCD	QS-Subjective Opiate Withdrawal Scale Test Code	Subjective Opiate Withdrawal Scale test code.	No
C115407	SWLS TEST	QS-Satisfaction With Life Scale Questionnaire Test Name	Satisfaction With Life Scale test name.	No
C115408	SWLS TESTCD	QS-Satisfaction With Life Scale Questionnaire Test Code	Satisfaction With Life Scale test code.	No
C115397	T25FW TEST	FT-Timed 25-Foot Walk Functional Test Test Name	Timed 25-Foot Walk Test test name.	No
C115398	T25FW TESTCD	FT-Timed 25-Foot Walk Functional Test Test Code	Timed 25-Foot Walk Test test code.	No
C106656	TDI TEST	QS-Transition Dyspnea Index Questionnaire Test Name	Transition Dyspnea Index test name.	No
C106657	TDI TESTCD	QS-Transition Dyspnea Index Questionnaire Test Code	Transition Dyspnea Index test code.	No
C119073	TIMI Thrombus Grade TEST	CC-Coronary Thrombus TIMI Grade Clinical Classification Test Name	Coronary Thrombus TIMI Grade test name.	No
C119074	TIMI Thrombus Grade TESTCD	CC-Coronary Thrombus TIMI Grade Clinical Classification Test Code	Coronary Thrombus TIMI Grade test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C115399	TUG TEST	FT-Timed Up and Go Functional Test Test Name	Timed Up and Go Test test name.	No
C115400	TUG TESTCD	FT-Timed Up and Go Functional Test Test Code	Timed Up and Go Test test code.	No
C100147	UPDRS TEST	QS-Unified Parkinson's Disease Rating Scale Test Name	Unified Parkinson's Disease Rating Scale test name.	No
C100148	UPDRS TESTCD	QS-Unified Parkinson's Disease Rating Scale Test Code	Unified Parkinson's Disease Rating Scale test code.	No
C103488	UPS TEST	QS-Urgency Perception Scale Questionnaire Test Name	Urgency Perception Scale test name.	No
C103489	UPS TESTCD	QS-Urgency Perception Scale Questionnaire Test Code	Urgency Perception Scale test code.	No
C112452	VFQ25-Interviewer Administered TEST	QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format test name.	No
C112453	VFQ25-Interviewer Administered TESTCD	QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format test code.	No
C112454	VFQ25-Self Administered TEST	QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format test name.	No
C112455	VFQ25-Self Administered TESTCD	QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format test code.	No
C100175	WPAI-SHP TEST	QS-Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Test Name	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test name.	No
C100176	WPAI-SHP TESTCD	QS-Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Test Code	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test code.	No

6MWT TEST (FT-6 Minute Walk Functional Test Test Name)

NCI Code: C115387, Codelist extensible: No

C115387 6MWT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115800	SIXMW1-Distance at 1 Minute	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW1-Distance at 2 Minutes	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW1-Distance at 3 Minutes	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW1-Distance at 4 Minutes	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW1-Distance at 5 Minutes	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW1-Distance at 6 Minutes	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes

6MWT TESTCD (FT-6 Minute Walk Functional Test Test Code)

NCI Code: C115388, Codelist extensible: No

C115388 6MWT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115800	SIXMW101	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW102	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW103	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW104	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW105	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW106	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes

ADAS-Cog CDISC Version TEST (QS-Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Test Name)

NCI Code: C100131, Codelist extensible: No

C100131 ADAS-Cog CDISC Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100231	Attempt to Draw	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100209	Commands	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100211	Commands: Ceiling	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100210	Commands: Fist	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100212	Commands: Pencil	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100214	Commands: Shoulder	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100213	Commands: Watch	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100278	Comprehension	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	Concentration/Distractibility	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	Constructional Praxis	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100228	Constructional Praxis: 2 Rectangles	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100227	Constructional Praxis: Circle	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100230	Constructional Praxis: Cube	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100229	Constructional Praxis: Diamond	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100215	Delayed Word Recall	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100225	Delayed Word Recall: Word [10]	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10
C100216	Delayed Word Recall: Word [1]	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	Delayed Word Recall: Word [2]	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	Delayed Word Recall: Word [3]	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	Delayed Word Recall: Word [4]	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4

C100131 ADAS-Cog CDISC Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100220	Delayed Word Recall: Word [5]	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	Delayed Word Recall: Word [6]	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	Delayed Word Recall: Word [7]	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	Delayed Word Recall: Word [8]	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8
C100224	Delayed Word Recall: Word [9]	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9
C100284	Executive Function Maze	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score
C100285	Executive Function Maze: Errors	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors
C100286	Executive Function Maze: Time	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time
C100232	Ideational Praxis	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score
C100236	Ideational Praxis: Address	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address
C100233	Ideational Praxis: Fold	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold
C100234	Ideational Praxis: Insert	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert
C100235	Ideational Praxis: Seal	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal
C100237	Ideational Praxis: Stamp	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp
C100191	Naming Objects and Fingers	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score
C100192	Naming Objects and Fingers: 1	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1
C100201	Naming Objects and Fingers: 10	Naming Objects and Fingers: 10	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10
C100202	Naming Objects and Fingers: 11	Naming Objects and Fingers: 11	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11
C100203	Naming Objects and Fingers: 12	Naming Objects and Fingers: 12	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12
C100193	Naming Objects and Fingers: 2	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2
C100194	Naming Objects and Fingers: 3	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3

C100131 ADAS-Cog CDISC Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100195	Naming Objects and Fingers: 4	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4
C100196	Naming Objects and Fingers: 5	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5
C100197	Naming Objects and Fingers: 6	Naming Objects and Fingers: 6	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6
C100198	Naming Objects and Fingers: 7	Naming Objects and Fingers: 7	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7
C100199	Naming Objects and Fingers: 8	Naming Objects and Fingers: 8	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8
C100200	Naming Objects and Fingers: 9	Naming Objects and Fingers: 9	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9
C100206	Naming Objects and Fingers: Middle	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle
C100208	Naming Objects and Fingers: Pinky	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky
C100205	Naming Objects and Fingers: Pointer	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer
C100207	Naming Objects and Fingers: Ring	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring
C100204	Naming Objects and Fingers: Thumb	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb
C100280	Number Cancellation	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score
C100281	Number Cancellation: Correct	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct
C100282	Number Cancellation: Errors	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors
C100283	Number Cancellation: Remind	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind
C100238	Orientation	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score
C100241	Orientation: Date	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date
C100243	Orientation: Day of Week	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week
C100239	Orientation: Full Name	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name
C100240	Orientation: Month	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month
C100245	Orientation: Place	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place

C100131 ADAS-Cog CDISC Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100244	Orientation: Season	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season
C100246	Orientation: Time	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time
C100242	Orientation: Year	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year
C100275	Remembering Test Instructions	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions
C100276	Spoken Language Ability	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability
C100277	Word Finding Difficulty in Spont Speech	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech
C100177	Word Recall	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score
C100178	Word Recall Trial 1	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore
C100179	Word Recall Trial 2	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore
C100180	Word Recall Trial 3	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore
C100190	Word Recall: Word [10]	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10
C100181	Word Recall: Word [1]	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1
C100182	Word Recall: Word [2]	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2
C100183	Word Recall: Word [3]	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3
C100184	Word Recall: Word [4]	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4
C100185	Word Recall: Word [5]	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5
C100186	Word Recall: Word [6]	Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 6 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 6
C100187	Word Recall: Word [7]	Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 7 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 7
C100188	Word Recall: Word [8]	Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 8 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 8
C100189	Word Recall: Word [9]	Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 9 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 9
C100247	Word Recognition	Word Recognition	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for word recognition across trials 1-3.	CDISC ADAS-Cog - Word Recognition Summary Score
C100248	Word Recognition Trial 1	Word Recognition Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 1.	CDISC ADAS-Cog - Word Recognition Trial 1 Summary Score
C100249	Word Recognition Trial 2	Word Recognition Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 2.	CDISC ADAS-Cog - Word Recognition Trial 2 Summary Score
C100250	Word Recognition Trial 3	Word Recognition Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 3.	CDISC ADAS-Cog - Word Recognition Trial 3 Summary Score

ADAS-Cog CDISC Version TESTCD (QS-Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Test Code)

NCI Code: C100132, Codelist extensible: No

C100132 ADAS-Cog CDISC Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100209	ADCCMD	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100210	ADCCMD01	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100211	ADCCMD02	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100212	ADCCMD03	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100213	ADCCMD04	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100214	ADCCMD05	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100278	ADCCMP	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	ADCCON	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	ADCCP	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100227	ADCCP01	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100228	ADCCP02	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100229	ADCCP03	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100230	ADCCP04	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100231	ADCCPS	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100277	ADCDIF	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech
C100215	ADCDRL	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100216	ADCDRL01	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	ADCDRL02	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	ADCDRL03	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	ADCDRL04	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4

C100132 ADAS-Cog CDISC Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100220	ADCDRL05	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	ADCDRL06	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	ADCDRL07	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	ADCDRL08	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8
C100224	ADCDRL09	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9
C100225	ADCDRL10	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10
C100232	ADCIP	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score
C100233	ADCIP01	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold
C100234	ADCIP02	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert
C100235	ADCIP03	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal
C100236	ADCIP04	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address
C100237	ADCIP05	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp
C100284	ADCMZ	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score
C100285	ADCMZ01	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors
C100286	ADCMZ02	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time
C100280	ADCNC	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score
C100281	ADCNC01	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct
C100282	ADCNC02	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors
C100283	ADCNC03	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind
C100191	ADCOF	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score
C100204	ADCOFF01	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb

**C100132 ADAS-Cog CDISC
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100205	ADCOFF02	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer
C100206	ADCOFF03	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle
C100207	ADCOFF04	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring
C100208	ADCOFF05	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky
C100192	ADCOF001	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1
C100193	ADCOF002	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2
C100194	ADCOF003	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3
C100195	ADCOF004	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4
C100196	ADCOF005	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5
C100197	ADCOF006	Naming Objects and Fingers: 6	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6
C100198	ADCOF007	Naming Objects and Fingers: 7	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7
C100199	ADCOF008	Naming Objects and Fingers: 8	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8
C100200	ADCOF009	Naming Objects and Fingers: 9	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9
C100201	ADCOF010	Naming Objects and Fingers: 10	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10
C100202	ADCOF011	Naming Objects and Fingers: 11	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11
C100203	ADCOF012	Naming Objects and Fingers: 12	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12
C100238	ADCOR	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score
C100239	ADCOR01	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name
C100240	ADCOR02	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month
C100241	ADCOR03	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date
C100242	ADCOR04	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year

**C100132 ADAS-Cog CDISC
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100243	ADCOR05	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week
C100244	ADCOR06	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season
C100245	ADCOR07	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place
C100246	ADCOR08	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time
C100247	ADCRG	Word Recognition	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for word recognition across trials 1-3.	CDISC ADAS-Cog - Word Recognition Summary Score
C100248	ADCRGT01	Word Recognition Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 1.	CDISC ADAS-Cog - Word Recognition Trial 1 Summary Score
C100249	ADCRGT02	Word Recognition Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 2.	CDISC ADAS-Cog - Word Recognition Trial 2 Summary Score
C100250	ADCRGT03	Word Recognition Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 3.	CDISC ADAS-Cog - Word Recognition Trial 3 Summary Score
C100251	ADCRGW01	Word Recognition: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 1 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 1
C100252	ADCRGW02	Word Recognition: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 2 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 2
C100253	ADCRGW03	Word Recognition: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 3 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 3
C100254	ADCRGW04	Word Recognition: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 4 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 4
C100255	ADCRGW05	Word Recognition: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 5 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 5
C100256	ADCRGW06	Word Recognition: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 6 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 6
C100257	ADCRGW07	Word Recognition: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 7 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 7
C100258	ADCRGW08	Word Recognition: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 8 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 8
C100259	ADCRGW09	Word Recognition: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 9 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 9
C100260	ADCRGW10	Word Recognition: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 10 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 10
C100261	ADCRGW11	Word Recognition: Word [11]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 11 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 11
C100262	ADCRGW12	Word Recognition: Word [12]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 12 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 12
C100263	ADCRGW13	Word Recognition: Word [13]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 13 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 13
C100264	ADCRGW14	Word Recognition: Word [14]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 14 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 14
C100265	ADCRGW15	Word Recognition: Word [15]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 15 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 15
C100266	ADCRGW16	Word Recognition: Word [16]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 16 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 16
C100267	ADCRGW17	Word Recognition: Word [17]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 17 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 17

C100132 ADAS-Cog CDISC Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100268	ADCRGW18	Word Recognition: Word [18]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 18 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 18
C100269	ADCRGW19	Word Recognition: Word [19]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 19 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 19
C100270	ADCRGW20	Word Recognition: Word [20]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 20 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 20
C100271	ADCRGW21	Word Recognition: Word [21]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 21 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 21
C100272	ADCRGW22	Word Recognition: Word [22]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 22 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 22
C100273	ADCRGW23	Word Recognition: Word [23]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 23 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 23
C100274	ADCRGW24	Word Recognition: Word [24]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 24 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 24
C100275	ADCRI	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions
C100177	ADCRL	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score
C100178	ADCRLT01	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore
C100179	ADCRLT02	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore
C100180	ADCRLT03	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore
C100181	ADCRLW01	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1
C100182	ADCRLW02	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2
C100183	ADCRLW03	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3
C100184	ADCRLW04	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4
C100185	ADCRLW05	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5
C100186	ADCRLW06	Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 6 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 6
C100187	ADCRLW07	Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 7 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 7
C100188	ADCRLW08	Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 8 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 8
C100189	ADCRLW09	Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 9 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 9
C100190	ADCRLW10	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10
C100276	ADCSL	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability

ADCS-ADL MCI TEST (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Name)

NCI Code: C106650, Codelist extensible: No

C106650 ADCS-ADL MCI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106933	ADL03-Appliance: Dishwasher	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C107090	ADL03-Appliance: Dryer	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C106938	ADL03-Appliance: Food Processor	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106937	ADL03-Appliance: Microwave	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106939	ADL03-Appliance: Other	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106940	ADL03-Appliance: Other Specify	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106934	ADL03-Appliance: Power Tools	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106936	ADL03-Appliance: Range	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106935	ADL03-Appliance: Toaster Oven	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C107091	ADL03-Appliance: Vacuum	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C107089	ADL03-Appliance: Washer	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C106905	ADL03-Aware of Appointment Ahead of Time	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106898	ADL03-Balance Checkbook	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106899	ADL03-Balance Checkbook Performance	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106902	ADL03-Clean Laundry	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106896	ADL03-Clean Room	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106897	ADL03-Clean Room Performance	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Cleaning Room
C106964	ADL03-Complete Complex Activities	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion

C106650 ADCS-ADL MCI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106960	ADL03-Drive Car	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106961	ADL03-Drive Car Optimal Performance	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106969	ADL03-Explain Circumstance	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C106965	ADL03-Extent Needed Reminders	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder
C106968	ADL03-Extenuating Circumstances	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106892	ADL03-Find Belongings Usual Performance	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106891	ADL03-Find Personal Belongings	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106911	ADL03-Get Around Optimal Performance	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106910	ADL03-Get Around Outside Home	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106925	ADL03-Go Shopping	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106909	ADL03-Highest Level of Food Preparation	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation
C106907	ADL03-Highest Telephone Use Performance	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use
C106958	ADL03-Hobbies Needed Help (Q18a)	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL03-Hobbies Unable to Perform (Q18b)	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106966	ADL03-Initiate Complex Activities	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106904	ADL03-Keep Appointments	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106903	ADL03-Laundry Cleaning Performance	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106930	ADL03-Left at Home for 1 Hour or Longer	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour

C106650 ADCS-ADL MCI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106931	ADL03-Left at Home for Less Than 1 Hour	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106929	ADL03-Left Away From Home	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106928	ADL03-Left On His/Her Own	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106908	ADL03-Make a Meal	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106901	ADL03-Most Complicated Writings	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106946	ADL03-Pastime: Art	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art
C106944	ADL03-Pastime: Bingo	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo
C106943	ADL03-Pastime: Card or Board Games	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106945	ADL03-Pastime: Crosswords	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106955	ADL03-Pastime: Fishing	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106951	ADL03-Pastime: Gardening	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL03-Pastime: Golf	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106948	ADL03-Pastime: Knitting	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106947	ADL03-Pastime: Musical Instrument	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106956	ADL03-Pastime: Other	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106957	ADL03-Pastime: Other Specify	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106950	ADL03-Pastime: Reading	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106949	ADL03-Pastime: Sewing	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing
C106953	ADL03-Pastime: Tennis	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL03-Pastime: Workshop	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop

C106650 ADCS-ADL MCI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106927	ADL03-Pay Items On His/Her Own	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106942	ADL03-Perform Pastime	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106917	ADL03-Read More Than 5 Minutes	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106913	ADL03-Regional, National, International	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106893	ADL03-Select First Clothes for the Day	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106926	ADL03-Select items Without Help	ADL03-Select items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help
C106922	ADL03-Select Television Program	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show
C106918	ADL03-Select/Ask for Something to Read	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106976	ADL03-Subscore for Item 17	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL03-Subscore for Item 18	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106970	ADL03-Subscore for Items 1 to 3	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106973	ADL03-Subscore for Items 11 to 12d	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL03-Subscore for Items 13 to 14c	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL03-Subscore for Items 15 to 16c	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106971	ADL03-Subscore for Items 4 to 7	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL03-Subscore for Items 8 to 10	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106963	ADL03-Take Medications Performance	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106962	ADL03-Take Medications Regularly	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106915	ADL03-Talk About at Home Events	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106912	ADL03-Talk About Current Events	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106914	ADL03-Talk About Outside Events	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events

C106650 ADCS-ADL MCI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106923	ADL03-Talk About TV Content While Watch	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL03-Talk About TV Content Within a Day	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106920	ADL03-Talk Within 1 Day After Reading	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106919	ADL03-Talk Within 1 Hour After Reading	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106916	ADL03-Talk Without Repeating	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106967	ADL03-Time to Complete Complex Tasks	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106978	ADL03-Total ADCS-ADL Score	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score
C107092	ADL03-Total Points for 'Don't Know'	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'
C106906	ADL03-Use a Telephone	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone
C106941	ADL03-Use Common Used Appliances (q17a)	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106932	ADL03-Use Household Appliance	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C106894	ADL03-Usual Dressing Performance	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL03-Usual Physically Dressing Perform	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106921	ADL03-Watch Television	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106900	ADL03-Write Things Down	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down

ADCS-ADL MCI TESTCD (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Code)

NCI Code: C106651, Codelist extensible: No

C106651 ADCS-ADL MCI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106891	ADL0301	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106892	ADL0301A	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106893	ADL0302	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106894	ADL0302A	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL0303	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106896	ADL0304	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106897	ADL0304A	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Usual Performance of Cleaning Room
C106898	ADL0305	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106899	ADL0305A	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106900	ADL0306	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down
C106901	ADL0306A	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106902	ADL0307	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106903	ADL0307A	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106904	ADL0308	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106905	ADL0308A	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106906	ADL0309	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone
C106907	ADL0309A	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use

C106651 ADCS-ADL MCI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106908	ADL0310	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106909	ADL0310A	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation
C106910	ADL0311	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106911	ADL0311A	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106912	ADL0312	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106913	ADL0312A	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106914	ADL0312B	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events
C106915	ADL0312C	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106916	ADL0312D	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106917	ADL0313	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106918	ADL0313A	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106919	ADL0313B	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106920	ADL0313C	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106921	ADL0314	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106922	ADL0314A	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show
C106923	ADL0314B	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL0314C	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106925	ADL0315	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106926	ADL0315A	ADL03-Select items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help

C106651 ADCS-ADL MCI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106927	ADL0315B	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106928	ADL0316	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106929	ADL0316A	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106930	ADL0316B	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour
C106931	ADL0316C	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106932	ADL0317	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C107089	ADL0317A	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C107090	ADL0317B	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C107091	ADL0317C	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C106933	ADL0317D	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C106934	ADL0317E	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106935	ADL0317F	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C106936	ADL0317G	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106937	ADL0317H	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106938	ADL0317I	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106939	ADL0317J	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106940	ADL0317K	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106941	ADL0317L	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106942	ADL0318	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106943	ADL0318A	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106944	ADL0318B	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo

C106651 ADCS-ADL MCI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106945	ADL0318C	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106946	ADL0318D	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art
C106947	ADL0318E	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106948	ADL0318F	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106949	ADL0318G	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing
C106950	ADL0318H	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106951	ADL0318I	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL0318J	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106953	ADL0318K	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL0318L	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop
C106955	ADL0318M	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106956	ADL0318N	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106957	ADL0318O	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106958	ADL0318P	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL0318Q	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106960	ADL0319	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106961	ADL0319A	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106962	ADL0320	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106963	ADL0320A	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106964	ADL0321	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion

C106651 ADCS-ADL MCI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106965	ADL0321A	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder
C106966	ADL0322	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106967	ADL0323	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106968	ADL0324	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106969	ADL0324A	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C107092	ADL0325	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'
C106970	ADL0326	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106971	ADL0327	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL0328	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106973	ADL0329	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL0330	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL0331	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106976	ADL0332	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL0333	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106978	ADL0334	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score

ADCS-ADL Severe Dementia TEST (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Name)

NCI Code: C106652, Codelist extensible: No

C106652 ADCS-ADL Severe Dementia TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106993	ADL02-Clear Dishes	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C106994	ADL02-Clear Dishes Usual Performance	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes
C107000	ADL02-Dispose Garbage Usual Performance	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C106999	ADL02-Dispose of Garbage	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C106995	ADL02-Find Belongings	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C106996	ADL02-Find Belongings Usual Performance	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C107002	ADL02-Get Around Optimal Performance	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107001	ADL02-Get Around Outside Home	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C106986	ADL02-Highest Telephone Use Performance	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C107005	ADL02-Left at Home for 1 Hour or Longer	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL02-Left at Home for Less Than 1 Hour	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107004	ADL02-Left Away From Home	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107003	ADL02-Left On His/Her Own	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C106997	ADL02-Obtain Beverage	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self
C106998	ADL02-Obtain Beverage Highest Perform	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage

C106652 ADCS-ADL Severe Dementia TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106983	ADL02-Optimal Grooming Performance	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming
C106980	ADL02-Optimal Walking Performance	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106991	ADL02-Pay Attention to Conversation	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation
C107007	ADL02-Run Water Faucet to Wash	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?	ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C106988	ADL02-Select Television Program	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?	ADCS-ADL Severe Dementia - Select or Ask for Television Program
C107011	ADL02-Sum 1 to 5	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.	ADCS-ADL Severe Dementia - Sum of Items 1-5
C107014	ADL02-Sum 13 to 15	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.	ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL02-Sum 16 to 19	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.	ADCS-ADL Severe Dementia - Sum of Items 16-19
C107012	ADL02-Sum 6 to 8	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.	ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL02-Sum 9 to 12	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.	ADCS-ADL Severe Dementia - Sum of Items 9-12
C106989	ADL02-Talk About TV Content While Watch	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL02-Talk About TV Content Within a Day	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C107016	ADL02-Total ADCS-ADL Score	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.	ADCS-ADL Severe Dementia - Total Score
C107008	ADL02-Turn Off Faucet	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?	ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107010	ADL02-Turn Off Light	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?	ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107009	ADL02-Turn On Light	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?	ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C106985	ADL02-Use a Telephone	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL Severe Dementia - Use a Telephone
C106982	ADL02-Usual Bathing Performance	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?	ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing

C106652 ADCS-ADL Severe Dementia TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106981	ADL02-Usual Bowel/Bladder Function	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet
C106992	ADL02-Usual Conversation Participation	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.	ADCS-ADL Severe Dementia - Usual Conversation Participation
C106979	ADL02-Usual Eating Performance	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106984	ADL02-Usual Physically Dressing Perform	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106987	ADL02-Watch Television	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL Severe Dementia - Watch Television

ADCS-ADL Severe Dementia TESTCD (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Code)

NCI Code: C106653, Codelist extensible: No

C106653 ADCS-ADL Severe Dementia TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106979	ADL0201	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106980	ADL0202	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106981	ADL0203	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet
C106982	ADL0204	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?	ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing
C106983	ADL0205	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming
C106984	ADL0206	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106985	ADL0207	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL Severe Dementia - Use a Telephone
C106986	ADL0207A	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C106987	ADL0208	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL Severe Dementia - Watch Television
C106988	ADL0208A	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?	ADCS-ADL Severe Dementia - Select or Ask for Television Program
C106989	ADL0208B	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL0208C	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C106991	ADL0209	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation
C106992	ADL0209A	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.	ADCS-ADL Severe Dementia - Usual Conversation Participation
C106993	ADL0210	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C106994	ADL0210A	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes

C106653 ADCS-ADL Severe Dementia TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106995	ADL0211	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C106996	ADL0211A	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C106997	ADL0212	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self
C106998	ADL0212A	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage
C106999	ADL0213	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C107000	ADL0213A	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C107001	ADL0214	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C107002	ADL0214A	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107003	ADL0215	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C107004	ADL0215A	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107005	ADL0215B	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL0215C	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107007	ADL0216	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?	ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C107008	ADL0217	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?	ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107009	ADL0218	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?	ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C107010	ADL0219	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?	ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107011	ADL0220	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.	ADCS-ADL Severe Dementia - Sum of Items 1-5

C106653 ADCS-ADL Severe Dementia TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107012	ADL0221	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.	ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL0222	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.	ADCS-ADL Severe Dementia - Sum of Items 9-12
C107014	ADL0223	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.	ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL0224	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.	ADCS-ADL Severe Dementia - Sum of Items 16-19
C107016	ADL0225	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.	ADCS-ADL Severe Dementia - Total Score

ADCS-ADL TEST (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Name)

NCI Code: C105139, Codelist extensible: No

C105139 ADCS-ADL TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105351	ADL01-Appliance: Dishwasher	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105349	ADL01-Appliance: Dryer	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105356	ADL01-Appliance: Food Processor	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105355	ADL01-Appliance: Microwave	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105357	ADL01-Appliance: Other	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105358	ADL01-Appliance: Other Specify	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105354	ADL01-Appliance: Range	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105352	ADL01-Appliance: Toaster	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105353	ADL01-Appliance: Toaster Oven	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105350	ADL01-Appliance: Vacuum	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105348	ADL01-Appliance: Washer	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105315	ADL01-Aware of Appointment Ahead of Time	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105299	ADL01-Clear Dishes	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105300	ADL01-Clear Dishes Usual Performance	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes
C105308	ADL01-Dispose Garbage Usual Performance	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105307	ADL01-Dispose of Garbage	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105301	ADL01-Find Belongings	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105302	ADL01-Find Belongings Usual Performance	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home
C105310	ADL01-Get Around Optimal Performance	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105309	ADL01-Get Around Outside Home	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105311	ADL01-Go Shopping	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping

C105139 ADCS-ADL TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105306	ADL01-Highest Level of Food Preparation	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105292	ADL01-Highest Telephone Use Performance	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use
C105345	ADL01-Hobbies Only at Day Care	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care
C105312	ADL01-How Usually Selects Items	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items
C105314	ADL01-Keep Appointments	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others
C105318	ADL01-Left at Home for 1 Hour or Longer	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left: at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer
C105319	ADL01-Left at Home for Less Than 1 Hour	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour
C105317	ADL01-Left Away From Home	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer
C105316	ADL01-Left On His/Her Own	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own
C105305	ADL01-Make a Meal	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home
C105328	ADL01-Most Complicated Writings	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings
C105361	ADL01-Number Don't Know Responses	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses
C105303	ADL01-Obtain Beverage	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self
C105304	ADL01-Obtain Beverage Highest Perform	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage
C105287	ADL01-Optimal Grooming Performance	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming
C105284	ADL01-Optimal Walking Performance	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking
C105333	ADL01-Pastime: Art	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art
C105331	ADL01-Pastime: Bingo	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo
C105330	ADL01-Pastime: Card or Board Games	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games
C105332	ADL01-Pastime: Crosswords	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords
C105342	ADL01-Pastime: Fishing	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing

C105139 ADCS-ADL TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105338	ADL01-Pastime: Gardening	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening
C105339	ADL01-Pastime: Golf	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf
C105335	ADL01-Pastime: Knitting	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting
C105334	ADL01-Pastime: Musical Instrument	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument
C105343	ADL01-Pastime: Other	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105344	ADL01-Pastime: Other Specify	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105337	ADL01-Pastime: Reading	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105336	ADL01-Pastime: Sewing	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105340	ADL01-Pastime: Tennis	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL01-Pastime: Workshop	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105297	ADL01-Pay Attention to Conversation	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105313	ADL01-Pay Without Supervision	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105329	ADL01-Perform Pastime	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105324	ADL01-Read More Than 5 Minutes	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105288	ADL01-Select First Clothes for the Day	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105294	ADL01-Select Television Program	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105326	ADL01-Talk 1 Hour or More After Reading	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105323	ADL01-Talk About at Home Events	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part in or Watched
C105320	ADL01-Talk About Current Events	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events

C105139 ADCS-ADL TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105321	ADL01-Talk About Events Heard/Read About	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL01-Talk About Outside Events	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105295	ADL01-Talk About TV Content While Watch	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL01-Talk About TV Content Within a Day	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105325	ADL01-Talk Within 1 Hour After Reading	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105360	ADL01-Total ADCS-ADL Score	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105291	ADL01-Use a Telephone	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105359	ADL01-Use Common Used Appliances	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances
C105347	ADL01-Use Household Appliance	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores
C105286	ADL01-Usual Bathing Performance	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105285	ADL01-Usual Bowel/Bladder Function	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105346	ADL01-Usual Common Pastimes Performance	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105298	ADL01-Usual Conversation Participation	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105289	ADL01-Usual Dressing Performance	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105283	ADL01-Usual Eating Performance	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105290	ADL01-Usual Physically Dressing Perform	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105293	ADL01-Watch Television	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105327	ADL01-Write Things Down	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down

ADCS-ADL TESTCD (QS-Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Code)

NCI Code: C105140, Codelist extensible: No

C105140 ADCS-ADL TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105283	ADL0101	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105284	ADL0102	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking
C105285	ADL0103	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105286	ADL0104	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105287	ADL0105	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming
C105288	ADL0106	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105289	ADL0106A	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105290	ADL0106B	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105291	ADL0107	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105292	ADL0107A	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use
C105293	ADL0108	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105294	ADL0108A	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105295	ADL0108B	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL0108C	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105297	ADL0109	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105298	ADL0109A	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105299	ADL0110	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105300	ADL0110A	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes

C105140 ADCS-ADL TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105301	ADL0111	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105302	ADL0111A	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home
C105303	ADL0112	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self
C105304	ADL0112A	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage
C105305	ADL0113	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home
C105306	ADL0113A	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105307	ADL0114	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105308	ADL0114A	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105309	ADL0115	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105310	ADL0115A	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105311	ADL0116	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping
C105312	ADL0116A	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items
C105313	ADL0116B	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105314	ADL0117	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others
C105315	ADL0117A	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105316	ADL0118	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own
C105317	ADL0118A	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer
C105318	ADL0118B	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left: at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer
C105319	ADL0118C	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour

C105140 ADCS-ADL TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105320	ADL0119	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events
C105321	ADL0119A	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL0119B	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105323	ADL0119C	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part in or Watched
C105324	ADL0120	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105325	ADL0120A	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105326	ADL0120B	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105327	ADL0121	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down
C105328	ADL0121A	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings
C105329	ADL0122	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105330	ADL0122A	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games
C105331	ADL0122B	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo
C105332	ADL0122C	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords
C105333	ADL0122D	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art
C105334	ADL0122E	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument
C105335	ADL0122F	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting
C105336	ADL0122G	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105337	ADL0122H	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105338	ADL0122I	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening

C105140 ADCS-ADL TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105339	ADL0122J	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf
C105340	ADL0122K	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL0122L	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105342	ADL0122M	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing
C105343	ADL0122N	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105344	ADL0122O	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105345	ADL0122P	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care
C105346	ADL0122Q	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105347	ADL0123	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores
C105348	ADL0123A	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105349	ADL0123B	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105350	ADL0123C	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105351	ADL0123D	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105352	ADL0123E	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105353	ADL0123F	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105354	ADL0123G	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105355	ADL0123H	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105356	ADL0123I	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105357	ADL0123J	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105358	ADL0123K	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105359	ADL0123L	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances
C105360	ADL0124	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105361	ADL0125	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses

ADCS-CGIC TEST (QS-Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Name)

NCI Code: C103458, Codelist extensible: No

C103458 ADCS-CGIC TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103531	ACGC01-Clinical Impression of Change	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline

ADCS-CGIC TESTCD (QS-Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Code)

NCI Code: C103459, Codelist extensible: No

C103459 ADCS-CGIC TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103531	ACGC0101	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline

AIMS TEST (QS-Abnormal Involuntary Movement Scale Test Name)

NCI Code: C101806, Codelist extensible: No

C101806 AIMS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102044	AIMS01-Current Problems Teeth/Dentures	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102042	AIMS01-Incapacitation due Abn Movements	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102036	AIMS01-Jaw	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102035	AIMS01-Lips and Perioral Area	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102039	AIMS01-Lower Extremities	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102034	AIMS01-Muscles of Facial Expression	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102040	AIMS01-Neck, Shoulders, Hips	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102043	AIMS01-Patient Awareness Abn Movements	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102045	AIMS01-Patient Usually Wear Dentures	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures
C102041	AIMS01-Severity of Abnormal Movements	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102037	AIMS01-Tongue	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS01-Upper Extremities	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities

AIMS TESTCD (QS-Abnormal Involuntary Movement Scale Test Code)

NCI Code: C101805, Codelist extensible: No

C101805 AIMS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102034	AIMS0101	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102035	AIMS0102	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102036	AIMS0103	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102037	AIMS0104	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS0105	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities
C102039	AIMS0106	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102040	AIMS0107	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102041	AIMS0108	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102042	AIMS0109	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102043	AIMS0110	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102044	AIMS0111	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102045	AIMS0112	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures

APACHE II TEST (CC-Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Name)

NCI Code: C120984, Codelist extensible: No

C120984 APACHE II TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121109	APCH1-15 Minus Glasgow Coma Score	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH1-A: Total Acute Physiology Score	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121102	APCH1-Arterial pH	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121111	APCH1-B: Age Points	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH1-C: Chronic Health Points	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121098	APCH1-Heart Rate	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121107	APCH1-Hematocrit	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121097	APCH1-Mean Arterial Pressure	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mm Hg.	APACHE II - Mean Arterial Pressure
C121100	APCH1-Oxygenation: A-aDO2	APCH1-Oxygenation: A-aDO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mm Hg): FIO2 greater than or equal to 0.5 record A-aDO2.	APACHE II - Oxygenation, A-aDO2
C121101	APCH1-Oxygenation: PaO2	APCH1-Oxygenation: PaO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mm Hg): FIO2 less than 0.5 record only PaO2.	APACHE II - Oxygenation, PaO2
C121099	APCH1-Respiratory Rate	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121106	APCH1-Serum Creatinine	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121103	APCH1-Serum HCO3	APCH1-Serum HCO3	Acute Physiology and Chronic Health Evaluation II - Serum HCO3 (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO3
C121105	APCH1-Serum Potassium	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121104	APCH1-Serum Sodium	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121096	APCH1-Temperature - Rectal	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121113	APCH1-Total APACHE II Score	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score
C121108	APCH1-White Blood Count	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm3) (in 1,000s).	APACHE II - White Blood Count

APACHE II TESTCD (CC-Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Code)

NCI Code: C120985, Codelist extensible: No

C120985 APACHE II TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121096	APCH101	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121097	APCH102	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mm Hg.	APACHE II - Mean Arterial Pressure
C121098	APCH103	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121099	APCH104	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121100	APCH105A	APCH1-Oxygenation: A-aDO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mm Hg): FIO2 greater than or equal to 0.5 record A-aDO2.	APACHE II - Oxygenation, A-aDO2
C121101	APCH105B	APCH1-Oxygenation: PaO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mm Hg): FIO2 less than 0.5 record only PaO2.	APACHE II - Oxygenation, PaO2
C121102	APCH106A	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121103	APCH106B	APCH1-Serum HCO3	Acute Physiology and Chronic Health Evaluation II - Serum HCO3 (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO3
C121104	APCH107	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121105	APCH108	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121106	APCH109	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121107	APCH110	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121108	APCH111	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm3) (in 1,000s).	APACHE II - White Blood Count
C121109	APCH112	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH113	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121111	APCH114	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH115	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121113	APCH116	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score

AQ20 TEST (QS-Airway Questionnaire 20 Test Name)

NCI Code: C112434, Codelist extensible: No

C112434 AQ20 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112539	AQ01-Breathless Carry out Work Activity	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ01-Breathless Walking Upstairs	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112535	AQ01-Breathless When Trying to Sleep	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112543	AQ01-Breathlessness When Laugh	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112533	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112532	AQ01-Chest Upset at Friend House	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112529	AQ01-Cough Often During Day	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112538	AQ01-Difficulty Getting Around the House	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112546	AQ01-Drained After a Cold	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112537	AQ01-Emotional Upset Worse Chest Trouble	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112530	AQ01-Feel Restless Due to Chest Trouble	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112547	AQ01-Feeling of Chest Heaviness	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112545	AQ01-Full Life Limited by Chest Trouble	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112531	AQ01-Gardening Make You Breathless	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112541	AQ01-Get Breathless Doing Housework	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ01-Go Home Sooner Than Others	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112544	AQ01-Impatient Due to Chest Trouble	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112536	AQ01-Long Term Effects of Drugs	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112534	AQ01-Partner Upset by Your Chest Trouble	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112548	AQ01-Worry About Chest Trouble	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

AQ20 TESTCD (QS-Airway Questionnaire 20 Test Code)

NCI Code: C112435, Codelist extensible: No

C112435 AQ20 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112529	AQ0101	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112530	AQ0102	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112531	AQ0103	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112532	AQ0104	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112533	AQ0105	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112534	AQ0106	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112535	AQ0107	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112536	AQ0108	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112537	AQ0109	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112538	AQ0110	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112539	AQ0111	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ0112	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112541	AQ0113	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ0114	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112543	AQ0115	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112544	AQ0116	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112545	AQ0117	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112546	AQ0118	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112547	AQ0119	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112548	AQ0120	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

ARC STC Grade TEST (CC-Stent Thrombosis Coronary ARC Grade Clinical Classification Test Name)

NCI Code: C119079, Codelist extensible: No

C119079 ARC STC Grade TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119198	STCG01-STC ARC Grade	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade

ARC STC Grade TESTCD (CC-Stent Thrombosis Coronary ARC Grade Clinical Classification Test Code)

NCI Code: C119080, Codelist extensible: No

C119080 ARC STC Grade TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119198	STCG0101	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade

AUDIT-C TEST (QS-Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Name)

NCI Code: C119061, Codelist extensible: No

C119061 AUDIT-C TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119120	ADTC01-Alcohol Drinks on a Typical Day	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119119	ADTC01-How Often Drink Alcohol	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119121	ADTC01-Six or More Drinks One Occasion	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks

AUDIT-C TESTCD (QS-Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Code)

NCI Code: C119062, Codelist extensible: No

C119062 AUDIT-C TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119119	ADTC0101	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119120	ADTC0102	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119121	ADTC0103	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks

AUDIT-SR TEST (QS-Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Name)

NCI Code: C119059, Codelist extensible: No

C119059 AUDIT-SR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119109	ADT01-Alcohol Drinks on a Typical Day	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119112	ADT01-Failed to Do as Expected	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119114	ADT01-Feeling of Guilt or Remorse	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119108	ADT01-How Often Drink Alcohol	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119116	ADT01-Injured Because of Your Drinking	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119113	ADT01-Need Drink Morning After Drinking	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119111	ADT01-Not Able Stop Drinking Once Start	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119110	ADT01-Six or More Drinks One Occasion	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119117	ADT01-Suggested to Cut Down	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT01-Total	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total
C119115	ADT01-Unable to Remember What Happened	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before

AUDIT-SR TESTCD (QS-Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Code)

NCI Code: C119060, Codelist extensible: No

C119060 AUDIT-SR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119108	ADT0101	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119109	ADT0102	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119110	ADT0103	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119111	ADT0104	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119112	ADT0105	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119113	ADT0106	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119114	ADT0107	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119115	ADT0108	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before
C119116	ADT0109	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119117	ADT0110	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT0111	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total

AVLT TEST (QS-ADNI AVLT Test Name)

NCI Code: C101808, Codelist extensible: No

C101808 AVLT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102031	AVL01-List A 30 Min Delay Intrusions	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVLT - List A 30 Min Delay Intrusions
C102030	AVL01-List A 30 Min Delay Recall Total	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVLT - List A 30 Min Delay Recall Total
C102015	AVL01-List A 30 Min Delay Recall Word 1	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVLT - List A 30 Min Delay Recall Word 1
C102024	AVL01-List A 30 Min Delay Recall Word 10	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVLT - List A 30 Min Delay Recall Word 10
C102025	AVL01-List A 30 Min Delay Recall Word 11	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVLT - List A 30 Min Delay Recall Word 11
C102026	AVL01-List A 30 Min Delay Recall Word 12	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVLT - List A 30 Min Delay Recall Word 12
C102027	AVL01-List A 30 Min Delay Recall Word 13	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVLT - List A 30 Min Delay Recall Word 13
C102028	AVL01-List A 30 Min Delay Recall Word 14	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVLT - List A 30 Min Delay Recall Word 14
C102029	AVL01-List A 30 Min Delay Recall Word 15	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVLT - List A 30 Min Delay Recall Word 15
C102016	AVL01-List A 30 Min Delay Recall Word 2	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVLT - List A 30 Min Delay Recall Word 2
C102017	AVL01-List A 30 Min Delay Recall Word 3	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVLT - List A 30 Min Delay Recall Word 3
C102018	AVL01-List A 30 Min Delay Recall Word 4	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVLT - List A 30 Min Delay Recall Word 4
C102019	AVL01-List A 30 Min Delay Recall Word 5	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVLT - List A 30 Min Delay Recall Word 5
C102020	AVL01-List A 30 Min Delay Recall Word 6	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVLT - List A 30 Min Delay Recall Word 6
C102021	AVL01-List A 30 Min Delay Recall Word 7	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVLT - List A 30 Min Delay Recall Word 7
C102022	AVL01-List A 30 Min Delay Recall Word 8	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVLT - List A 30 Min Delay Recall Word 8
C102023	AVL01-List A 30 Min Delay Recall Word 9	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVLT - List A 30 Min Delay Recall Word 9
C101912	AVL01-List A Intrusions 1	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLT - List A Intrusions 1
C101929	AVL01-List A Intrusions 2	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLT - List A Intrusions 2
C101946	AVL01-List A Intrusions 3	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLT - List A Intrusions 3
C101963	AVL01-List A Intrusions 4	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLT - List A Intrusions 4
C101980	AVL01-List A Intrusions 5	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLT - List A Intrusions 5
C101997	AVL01-List A Intrusions 6	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLT - List A Intrusions 6
C101911	AVL01-List A Recall 1 Total	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLT - List A Recall 1 Total
C101896	AVL01-List A Recall 1 Word 1	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLT - List A Recall 1 Word 1
C101905	AVL01-List A Recall 1 Word 10	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLT - List A Recall 1 Word 10

C101808 AVLT TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101906	AVL01-List A Recall 1 Word 11	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLT - List A Recall 1 Word 11
C101907	AVL01-List A Recall 1 Word 12	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLT - List A Recall 1 Word 12
C101908	AVL01-List A Recall 1 Word 13	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLT - List A Recall 1 Word 13
C101909	AVL01-List A Recall 1 Word 14	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLT - List A Recall 1 Word 14
C101910	AVL01-List A Recall 1 Word 15	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLT - List A Recall 1 Word 15
C101897	AVL01-List A Recall 1 Word 2	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLT - List A Recall 1 Word 2
C101898	AVL01-List A Recall 1 Word 3	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLT - List A Recall 1 Word 3
C101899	AVL01-List A Recall 1 Word 4	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLT - List A Recall 1 Word 4
C101900	AVL01-List A Recall 1 Word 5	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLT - List A Recall 1 Word 5
C101901	AVL01-List A Recall 1 Word 6	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLT - List A Recall 1 Word 6
C101902	AVL01-List A Recall 1 Word 7	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLT - List A Recall 1 Word 7
C101903	AVL01-List A Recall 1 Word 8	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLT - List A Recall 1 Word 8
C101904	AVL01-List A Recall 1 Word 9	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLT - List A Recall 1 Word 9
C101928	AVL01-List A Recall 2 Total	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLT - List A Recall 2 Total
C101913	AVL01-List A Recall 2 Word 1	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLT - List A Recall 2 Word 1
C101922	AVL01-List A Recall 2 Word 10	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLT - List A Recall 2 Word 10
C101923	AVL01-List A Recall 2 Word 11	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLT - List A Recall 2 Word 11
C101924	AVL01-List A Recall 2 Word 12	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLT - List A Recall 2 Word 12
C101925	AVL01-List A Recall 2 Word 13	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLT - List A Recall 2 Word 13
C101926	AVL01-List A Recall 2 Word 14	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLT - List A Recall 2 Word 14
C101927	AVL01-List A Recall 2 Word 15	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLT - List A Recall 2 Word 15
C101914	AVL01-List A Recall 2 Word 2	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLT - List A Recall 2 Word 2
C101915	AVL01-List A Recall 2 Word 3	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLT - List A Recall 2 Word 3
C101916	AVL01-List A Recall 2 Word 4	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLT - List A Recall 2 Word 4
C101917	AVL01-List A Recall 2 Word 5	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLT - List A Recall 2 Word 5
C101918	AVL01-List A Recall 2 Word 6	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLT - List A Recall 2 Word 6
C101919	AVL01-List A Recall 2 Word 7	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLT - List A Recall 2 Word 7

C101808 AVLT TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101920	AVL01-List A Recall 2 Word 8	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVLT - List A Recall 2 Word 8
C101921	AVL01-List A Recall 2 Word 9	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVLT - List A Recall 2 Word 9
C101945	AVL01-List A Recall 3 Total	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVLT - List A Recall 3 Total
C101930	AVL01-List A Recall 3 Word 1	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVLT - List A Recall 3 Word 1
C101939	AVL01-List A Recall 3 Word 10	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVLT - List A Recall 3 Word 10
C101940	AVL01-List A Recall 3 Word 11	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVLT - List A Recall 3 Word 11
C101941	AVL01-List A Recall 3 Word 12	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVLT - List A Recall 3 Word 12
C101942	AVL01-List A Recall 3 Word 13	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVLT - List A Recall 3 Word 13
C101943	AVL01-List A Recall 3 Word 14	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVLT - List A Recall 3 Word 14
C101944	AVL01-List A Recall 3 Word 15	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVLT - List A Recall 3 Word 15
C101931	AVL01-List A Recall 3 Word 2	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVLT - List A Recall 3 Word 2
C101932	AVL01-List A Recall 3 Word 3	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVLT - List A Recall 3 Word 3
C101933	AVL01-List A Recall 3 Word 4	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVLT - List A Recall 3 Word 4
C101934	AVL01-List A Recall 3 Word 5	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVLT - List A Recall 3 Word 5
C101935	AVL01-List A Recall 3 Word 6	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVLT - List A Recall 3 Word 6
C101936	AVL01-List A Recall 3 Word 7	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVLT - List A Recall 3 Word 7
C101937	AVL01-List A Recall 3 Word 8	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVLT - List A Recall 3 Word 8
C101938	AVL01-List A Recall 3 Word 9	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVLT - List A Recall 3 Word 9
C101962	AVL01-List A Recall 4 Total	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVLT - List A Recall 4 Total
C101947	AVL01-List A Recall 4 Word 1	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVLT - List A Recall 4 Word 1
C101956	AVL01-List A Recall 4 Word 10	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVLT - List A Recall 4 Word 10
C101957	AVL01-List A Recall 4 Word 11	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVLT - List A Recall 4 Word 11
C101958	AVL01-List A Recall 4 Word 12	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVLT - List A Recall 4 Word 12
C101959	AVL01-List A Recall 4 Word 13	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVLT - List A Recall 4 Word 13
C101960	AVL01-List A Recall 4 Word 14	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVLT - List A Recall 4 Word 14
C101961	AVL01-List A Recall 4 Word 15	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVLT - List A Recall 4 Word 15
C101948	AVL01-List A Recall 4 Word 2	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVLT - List A Recall 4 Word 2

C101808 AVLT TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101949	AVL01-List A Recall 4 Word 3	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVLT - List A Recall 4 Word 3
C101950	AVL01-List A Recall 4 Word 4	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVLT - List A Recall 4 Word 4
C101951	AVL01-List A Recall 4 Word 5	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVLT - List A Recall 4 Word 5
C101952	AVL01-List A Recall 4 Word 6	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVLT - List A Recall 4 Word 6
C101953	AVL01-List A Recall 4 Word 7	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVLT - List A Recall 4 Word 7
C101954	AVL01-List A Recall 4 Word 8	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVLT - List A Recall 4 Word 8
C101955	AVL01-List A Recall 4 Word 9	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVLT - List A Recall 4 Word 9
C101979	AVL01-List A Recall 5 Total	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVLT - List A Recall 5 Total
C101964	AVL01-List A Recall 5 Word 1	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVLT - List A Recall 5 Word 1
C101973	AVL01-List A Recall 5 Word 10	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVLT - List A Recall 5 Word 10
C101974	AVL01-List A Recall 5 Word 11	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVLT - List A Recall 5 Word 11
C101975	AVL01-List A Recall 5 Word 12	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVLT - List A Recall 5 Word 12
C101976	AVL01-List A Recall 5 Word 13	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVLT - List A Recall 5 Word 13
C101977	AVL01-List A Recall 5 Word 14	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVLT - List A Recall 5 Word 14
C101978	AVL01-List A Recall 5 Word 15	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVLT - List A Recall 5 Word 15
C101965	AVL01-List A Recall 5 Word 2	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVLT - List A Recall 5 Word 2
C101966	AVL01-List A Recall 5 Word 3	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVLT - List A Recall 5 Word 3
C101967	AVL01-List A Recall 5 Word 4	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVLT - List A Recall 5 Word 4
C101968	AVL01-List A Recall 5 Word 5	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVLT - List A Recall 5 Word 5
C101969	AVL01-List A Recall 5 Word 6	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVLT - List A Recall 5 Word 6
C101970	AVL01-List A Recall 5 Word 7	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVLT - List A Recall 5 Word 7
C101971	AVL01-List A Recall 5 Word 8	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVLT - List A Recall 5 Word 8
C101972	AVL01-List A Recall 5 Word 9	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVLT - List A Recall 5 Word 9
C101996	AVL01-List A Recall 6 (After B) Total	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVLT - List A Recall 6 (After B) Total
C101981	AVL01-List A Recall 6 (After B) Word 1	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVLT - List A Recall 6 (After B) Word 1
C101990	AVL01-List A Recall 6 (After B) Word 10	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVLT - List A Recall 6 (After B) Word 10
C101991	AVL01-List A Recall 6 (After B) Word 11	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVLT - List A Recall 6 (After B) Word 11

C101808 AVLT TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101992	AVL01-List A Recall 6 (After B) Word 12	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLT - List A Recall 6 (After B) Word 12
C101993	AVL01-List A Recall 6 (After B) Word 13	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLT - List A Recall 6 (After B) Word 13
C101994	AVL01-List A Recall 6 (After B) Word 14	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLT - List A Recall 6 (After B) Word 14
C101995	AVL01-List A Recall 6 (After B) Word 15	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLT - List A Recall 6 (After B) Word 15
C101982	AVL01-List A Recall 6 (After B) Word 2	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLT - List A Recall 6 (After B) Word 2
C101983	AVL01-List A Recall 6 (After B) Word 3	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLT - List A Recall 6 (After B) Word 3
C101984	AVL01-List A Recall 6 (After B) Word 4	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLT - List A Recall 6 (After B) Word 4
C101985	AVL01-List A Recall 6 (After B) Word 5	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLT - List A Recall 6 (After B) Word 5
C101986	AVL01-List A Recall 6 (After B) Word 6	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLT - List A Recall 6 (After B) Word 6
C101987	AVL01-List A Recall 6 (After B) Word 7	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLT - List A Recall 6 (After B) Word 7
C101988	AVL01-List A Recall 6 (After B) Word 8	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLT - List A Recall 6 (After B) Word 8
C101989	AVL01-List A Recall 6 (After B) Word 9	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLT - List A Recall 6 (After B) Word 9
C102033	AVL01-List A Recognition Intrusions	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVLT - List A Recognition Intrusions
C102032	AVL01-List A Recognition Total	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVLT - List A Recognition Total
C102014	AVL01-List B Intrusions	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVLT - List B Intrusions
C102013	AVL01-List B Recall Total	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVLT - List B Recall Total
C101998	AVL01-List B Recall Word 1	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLT - List B Recall Word 1
C102007	AVL01-List B Recall Word 10	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVLT - List B Recall Word 10
C102008	AVL01-List B Recall Word 11	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVLT - List B Recall Word 11
C102009	AVL01-List B Recall Word 12	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVLT - List B Recall Word 12
C102010	AVL01-List B Recall Word 13	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVLT - List B Recall Word 13
C102011	AVL01-List B Recall Word 14	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVLT - List B Recall Word 14
C102012	AVL01-List B Recall Word 15	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVLT - List B Recall Word 15
C101999	AVL01-List B Recall Word 2	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLT - List B Recall Word 2
C102000	AVL01-List B Recall Word 3	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLT - List B Recall Word 3
C102001	AVL01-List B Recall Word 4	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLT - List B Recall Word 4
C102002	AVL01-List B Recall Word 5	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLT - List B Recall Word 5

C101808 AVLT TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102003	AVL01-List B Recall Word 6	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVLT - List B Recall Word 6
C102004	AVL01-List B Recall Word 7	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVLT - List B Recall Word 7
C102005	AVL01-List B Recall Word 8	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVLT - List B Recall Word 8
C102006	AVL01-List B Recall Word 9	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVLT - List B Recall Word 9

AVLT TESTCD (QS-ADNI AVLT Test Code)

NCI Code: C101807, Codelist extensible: No

C101807 AVLT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101896	AVL01001	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLT - List A Recall 1 Word 1
C101897	AVL01002	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLT - List A Recall 1 Word 2
C101898	AVL01003	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLT - List A Recall 1 Word 3
C101899	AVL01004	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLT - List A Recall 1 Word 4
C101900	AVL01005	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLT - List A Recall 1 Word 5
C101901	AVL01006	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLT - List A Recall 1 Word 6
C101902	AVL01007	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLT - List A Recall 1 Word 7
C101903	AVL01008	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLT - List A Recall 1 Word 8
C101904	AVL01009	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLT - List A Recall 1 Word 9
C101905	AVL01010	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLT - List A Recall 1 Word 10
C101906	AVL01011	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLT - List A Recall 1 Word 11
C101907	AVL01012	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLT - List A Recall 1 Word 12
C101908	AVL01013	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLT - List A Recall 1 Word 13
C101909	AVL01014	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLT - List A Recall 1 Word 14
C101910	AVL01015	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLT - List A Recall 1 Word 15
C101911	AVL01016	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLT - List A Recall 1 Total
C101912	AVL01017	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLT - List A Intrusions 1
C101913	AVL01018	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLT - List A Recall 2 Word 1
C101914	AVL01019	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLT - List A Recall 2 Word 2
C101915	AVL01020	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLT - List A Recall 2 Word 3
C101916	AVL01021	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLT - List A Recall 2 Word 4
C101917	AVL01022	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLT - List A Recall 2 Word 5
C101918	AVL01023	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLT - List A Recall 2 Word 6
C101919	AVL01024	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLT - List A Recall 2 Word 7
C101920	AVL01025	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVLT - List A Recall 2 Word 8
C101921	AVL01026	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVLT - List A Recall 2 Word 9

C101807 AVLT TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101922	AVL01027	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLT - List A Recall 2 Word 10
C101923	AVL01028	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLT - List A Recall 2 Word 11
C101924	AVL01029	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLT - List A Recall 2 Word 12
C101925	AVL01030	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLT - List A Recall 2 Word 13
C101926	AVL01031	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLT - List A Recall 2 Word 14
C101927	AVL01032	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLT - List A Recall 2 Word 15
C101928	AVL01033	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLT - List A Recall 2 Total
C101929	AVL01034	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLT - List A Intrusions 2
C101930	AVL01035	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVLT - List A Recall 3 Word 1
C101931	AVL01036	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVLT - List A Recall 3 Word 2
C101932	AVL01037	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVLT - List A Recall 3 Word 3
C101933	AVL01038	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVLT - List A Recall 3 Word 4
C101934	AVL01039	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVLT - List A Recall 3 Word 5
C101935	AVL01040	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVLT - List A Recall 3 Word 6
C101936	AVL01041	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVLT - List A Recall 3 Word 7
C101937	AVL01042	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVLT - List A Recall 3 Word 8
C101938	AVL01043	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVLT - List A Recall 3 Word 9
C101939	AVL01044	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVLT - List A Recall 3 Word 10
C101940	AVL01045	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVLT - List A Recall 3 Word 11
C101941	AVL01046	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVLT - List A Recall 3 Word 12
C101942	AVL01047	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVLT - List A Recall 3 Word 13
C101943	AVL01048	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVLT - List A Recall 3 Word 14
C101944	AVL01049	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVLT - List A Recall 3 Word 15
C101945	AVL01050	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVLT - List A Recall 3 Total
C101946	AVL01051	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLT - List A Intrusions 3
C101947	AVL01052	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVLT - List A Recall 4 Word 1
C101948	AVL01053	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVLT - List A Recall 4 Word 2

C101807 AVLT TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101949	AVL01054	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVLT - List A Recall 4 Word 3
C101950	AVL01055	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVLT - List A Recall 4 Word 4
C101951	AVL01056	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVLT - List A Recall 4 Word 5
C101952	AVL01057	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVLT - List A Recall 4 Word 6
C101953	AVL01058	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVLT - List A Recall 4 Word 7
C101954	AVL01059	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVLT - List A Recall 4 Word 8
C101955	AVL01060	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVLT - List A Recall 4 Word 9
C101956	AVL01061	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVLT - List A Recall 4 Word 10
C101957	AVL01062	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVLT - List A Recall 4 Word 11
C101958	AVL01063	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVLT - List A Recall 4 Word 12
C101959	AVL01064	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVLT - List A Recall 4 Word 13
C101960	AVL01065	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVLT - List A Recall 4 Word 14
C101961	AVL01066	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVLT - List A Recall 4 Word 15
C101962	AVL01067	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVLT - List A Recall 4 Total
C101963	AVL01068	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLT - List A Intrusions 4
C101964	AVL01069	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVLT - List A Recall 5 Word 1
C101965	AVL01070	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVLT - List A Recall 5 Word 2
C101966	AVL01071	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVLT - List A Recall 5 Word 3
C101967	AVL01072	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVLT - List A Recall 5 Word 4
C101968	AVL01073	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVLT - List A Recall 5 Word 5
C101969	AVL01074	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVLT - List A Recall 5 Word 6
C101970	AVL01075	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVLT - List A Recall 5 Word 7
C101971	AVL01076	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVLT - List A Recall 5 Word 8
C101972	AVL01077	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVLT - List A Recall 5 Word 9
C101973	AVL01078	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVLT - List A Recall 5 Word 10
C101974	AVL01079	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVLT - List A Recall 5 Word 11
C101975	AVL01080	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVLT - List A Recall 5 Word 12

C101807 AVLT TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101976	AVL01081	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVLT - List A Recall 5 Word 13
C101977	AVL01082	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVLT - List A Recall 5 Word 14
C101978	AVL01083	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVLT - List A Recall 5 Word 15
C101979	AVL01084	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVLT - List A Recall 5 Total
C101980	AVL01085	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLT - List A Intrusions 5
C101981	AVL01086	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVLT - List A Recall 6 (After B) Word 1
C101982	AVL01087	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLT - List A Recall 6 (After B) Word 2
C101983	AVL01088	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLT - List A Recall 6 (After B) Word 3
C101984	AVL01089	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLT - List A Recall 6 (After B) Word 4
C101985	AVL01090	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLT - List A Recall 6 (After B) Word 5
C101986	AVL01091	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLT - List A Recall 6 (After B) Word 6
C101987	AVL01092	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLT - List A Recall 6 (After B) Word 7
C101988	AVL01093	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLT - List A Recall 6 (After B) Word 8
C101989	AVL01094	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLT - List A Recall 6 (After B) Word 9
C101990	AVL01095	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVLT - List A Recall 6 (After B) Word 10
C101991	AVL01096	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVLT - List A Recall 6 (After B) Word 11
C101992	AVL01097	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLT - List A Recall 6 (After B) Word 12
C101993	AVL01098	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLT - List A Recall 6 (After B) Word 13
C101994	AVL01099	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLT - List A Recall 6 (After B) Word 14
C101995	AVL01100	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLT - List A Recall 6 (After B) Word 15
C101996	AVL01101	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVLT - List A Recall 6 (After B) Total
C101997	AVL01102	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLT - List A Intrusions 6
C101998	AVL01103	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLT - List B Recall Word 1
C101999	AVL01104	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLT - List B Recall Word 2
C102000	AVL01105	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLT - List B Recall Word 3
C102001	AVL01106	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLT - List B Recall Word 4
C102002	AVL01107	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLT - List B Recall Word 5

C101807 AVL T TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102003	AVL01108	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVL T - List B Recall Word 6
C102004	AVL01109	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVL T - List B Recall Word 7
C102005	AVL01110	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVL T - List B Recall Word 8
C102006	AVL01111	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVL T - List B Recall Word 9
C102007	AVL01112	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVL T - List B Recall Word 10
C102008	AVL01113	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVL T - List B Recall Word 11
C102009	AVL01114	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVL T - List B Recall Word 12
C102010	AVL01115	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVL T - List B Recall Word 13
C102011	AVL01116	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVL T - List B Recall Word 14
C102012	AVL01117	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVL T - List B Recall Word 15
C102013	AVL01118	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVL T - List B Recall Total
C102014	AVL01119	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVL T - List B Intrusions
C102015	AVL01120	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVL T - List A 30 Min Delay Recall Word 1
C102016	AVL01121	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVL T - List A 30 Min Delay Recall Word 2
C102017	AVL01122	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVL T - List A 30 Min Delay Recall Word 3
C102018	AVL01123	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVL T - List A 30 Min Delay Recall Word 4
C102019	AVL01124	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVL T - List A 30 Min Delay Recall Word 5
C102020	AVL01125	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVL T - List A 30 Min Delay Recall Word 6
C102021	AVL01126	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVL T - List A 30 Min Delay Recall Word 7
C102022	AVL01127	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVL T - List A 30 Min Delay Recall Word 8
C102023	AVL01128	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVL T - List A 30 Min Delay Recall Word 9
C102024	AVL01129	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVL T - List A 30 Min Delay Recall Word 10
C102025	AVL01130	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVL T - List A 30 Min Delay Recall Word 11
C102026	AVL01131	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVL T - List A 30 Min Delay Recall Word 12
C102027	AVL01132	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVL T - List A 30 Min Delay Recall Word 13
C102028	AVL01133	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVL T - List A 30 Min Delay Recall Word 14
C102029	AVL01134	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVL T - List A 30 Min Delay Recall Word 15

C101807 AVL T TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102030	AVL01135	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVL T - List A 30 Min Delay Recall Total
C102031	AVL01136	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVL T - List A 30 Min Delay Intrusions
C102032	AVL01137	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVL T - List A Recognition Total
C102033	AVL01138	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVL T - List A Recognition Intrusions

BACS TEST (FT-Brief Assessment of Cognition in Schizophrenia Test Name)

NCI Code: C120982, Codelist extensible: No

C120982 BACS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121061	BACS-Symbol Coding Raw Score	BACS-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121060	BACS-Verbal Fluency Total	BACS-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total
C121057	BACS1-Category Instances	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS1-Letter Fluency 1	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS1-Letter Fluency 2	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121052	BACS1-Number of Correct Sequences	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121050	BACS1-Number of Items Recalled	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Number of items recalled on each trial.	BACS - Number of Items Recalled
C121051	BACS1-Number of Items Recalled Total	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Total number of items recalled.	BACS - Number of Items Recalled Total
C121056	BACS1-Number of Tokens Correctly Placed	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121053	BACS1-Number of Tokens Left on the Table	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121055	BACS1-Number Tokens Incorrectly Placed	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121054	BACS1-Total Number Tokens in Container	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121062	BACS1-Tower of London Correct Responses	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses

BACS TESTCD (FT-Brief Assessment of Cognition in Schizophrenia Test Code)

NCI Code: C120983, Codelist extensible: No

C120983 BACS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121050	BACS101	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Number of items recalled on each trial.	BACS - Number of Items Recalled
C121051	BACS101A	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Total number of items recalled.	BACS - Number of Items Recalled Total
C121052	BACS102	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121053	BACS103A	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121054	BACS103B	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121055	BACS103C	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121056	BACS103D	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121057	BACS104A	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS104B	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS104C	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121060	BACS104D	BACS-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total
C121061	BACS105	BACS-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121062	BACS106	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses

BARS TEST (QS-Barnes Akathisia Rating Scale Test Name)

NCI Code: C101810, Codelist extensible: No

C101810 BARS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102049	BARS01-Global Clinical Assessment	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment
C102046	BARS01-Objective	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS01-Subjective, Awareness	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS01-Subjective, Distress	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress

BARS TESTCD (QS-Barnes Akathisia Rating Scale Test Code)

NCI Code: C101809, Codelist extensible: No

C101809 BARS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102046	BARS0101	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS0102	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS0103	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress
C102049	BARS0104	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment

BDI TEST (QS-Baseline Dyspnea Index Questionnaire Test Name)

NCI Code: C106654, Codelist extensible: No

C106654 BDI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106701	BDI01-Functional Impairment	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106703	BDI01-Magnitude of Effort	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort
C106702	BDI01-Magnitude of Task	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task

BDI TESTCD (QS-Baseline Dyspnea Index Questionnaire Test Code)

NCI Code: C106655, Codelist extensible: No

C106655 BDI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106701	BDI0101	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106702	BDI0102	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task
C106703	BDI0103	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort

BLCS TEST (QS-Bladder Control Scale Test Name)

NCI Code: C113851, Codelist extensible: No

C113851 BLCS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113954	BLCS01-Almost Lost Control of Bladder	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder
C113955	BLCS01-Altered Activity Because Bladder	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems
C113956	BLCS01-Bladder Restricted Lifestyle	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle
C113953	BLCS01-Lost Control of Bladder	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder

BLCS TESTCD (QS-Bladder Control Scale Test Code)

NCI Code: C113852, Codelist extensible: No

C113852 BLCS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113953	BLCS0101	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder
C113954	BLCS0102	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder
C113955	BLCS0103	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems
C113956	BLCS0104	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle

BODE INDEX TEST (CC-The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Name)

NCI Code: C120986, Codelist extensible: No

C120986 BODE INDEX TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121067	BODE01-BODE Score	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score
C121063	BODE01-Body-mass Index	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121066	BODE01-Distance Walked in 6 Minutes	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121064	BODE01-FEV1 % Predicted	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE01-MMRC Dyspnea Scale	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale

BODE INDEX TESTCD (CC-The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Code)

NCI Code: C120987, Codelist extensible: No

C120987 BODE INDEX TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121063	BODE0101	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121064	BODE0102	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE0103	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale
C121066	BODE0104	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121067	BODE0105	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score

Borg CR-10 Scale TEST (QS-Borg CR-10 Scale Test Name)

NCI Code: C113845, Codelist extensible: No

C113845 Borg CR-10 Scale TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113888	BCR101-Rating of Breathlessness	BCR101-Rating of Breathlessness	Borg CR10 Scale - Rating of breathlessness.	Borg CR10 - Rating of Breathlessness

Borg CR-10 Scale TESTCD (QS-Borg CR-10 Scale Test Code)

NCI Code: C113846, Codelist extensible: No

C113846 Borg CR-10 Scale TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113888	BCR10101	BCR101-Rating of Breathlessness	Borg CR10 Scale - Rating of breathlessness.	Borg CR10 - Rating of Breathlessness

BPI Short Form TEST (QS-Brief Pain Inventory Short Form Test Name)

NCI Code: C100163, Codelist extensible: No

C100163 BPI Short Form TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100358	BPI2-Area Hurts Most	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100357	BPI2-Areas of Pain	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100360	BPI2-Pain at its Least in Last 24 Hours	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100359	BPI2-Pain at its Worst in Last 24 Hours	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100371	BPI2-Pain Interfered Enjoyment of Life	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life
C100365	BPI2-Pain Interfered General Activity	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100367	BPI2-Pain Interfered Walking Ability	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100366	BPI2-Pain Interfered with Mood	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100368	BPI2-Pain Interfered with Normal Work	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI2-Pain Interfered with Relations	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI2-Pain Interfered with Sleep	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100361	BPI2-Pain on the Average	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100356	BPI2-Pain Other Than Everyday Kinds	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100362	BPI2-Pain Right Now	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100364	BPI2-Relief Pain Treatments Provided	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100363	BPI2-Treatments Receiving for Pain	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain

BPI Short Form TESTCD (QS-Brief Pain Inventory Short Form Test Code)

NCI Code: C100164, Codelist extensible: No

C100164 BPI Short Form TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100356	BPI201	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100357	BPI202A	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100358	BPI202B	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100359	BPI203	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100360	BPI204	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100361	BPI205	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100362	BPI206	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100363	BPI207	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain
C100364	BPI208	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100365	BPI209A	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100366	BPI209B	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100367	BPI209C	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100368	BPI209D	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI209E	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI209F	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100371	BPI209G	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life

BPI TEST (QS-Brief Pain Inventory Test Name)

NCI Code: C100161, Codelist extensible: No

C100161 BPI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100316	BPI1-Aching	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100302	BPI1-Area Hurts Most	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100301	BPI1-Areas of Pain	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100351	BPI1-Biofeedback to Relieve Pain	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100323	BPI1-Burning	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100348	BPI1-Cold Compresses to Relieve Pain	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100342	BPI1-Concerned Use Too Much Pain Med	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100292	BPI1-Current Job Status	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100290	BPI1-Current Occupation	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100315	BPI1-Describe Unrelated Med Condition	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100350	BPI1-Distraction to Relieve Pain	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100288	BPI1-Education	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100324	BPI1-Exhausting	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100320	BPI1-Gnawing	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100311	BPI1-Hours before Pain Returns	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100293	BPI1-How Long Since Diagnosis	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100352	BPI1-Hypnosis to Relieve Pain	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100297	BPI1-Kind of Surgery in Past Month	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100287	BPI1-Marital Status	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100355	BPI1-Meds not Prescribed Taken for Pain	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain
C100329	BPI1-Miserable	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100327	BPI1-Nagging	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100346	BPI1-Need Further Info about Pain Med	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100341	BPI1-Need more Pain Med than Prescribed	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed
C100340	BPI1-Need Stronger Type of Pain Med	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100328	BPI1-Numb	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb

C100161 BPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100354	BPI1-Other specify to Relieve Pain	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain
C100353	BPI1-Other to Relieve Pain	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100304	BPI1-Pain at its Least in Last Week	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100303	BPI1-Pain at its Worst in Last Week	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100312	BPI1-Pain Due to Effects of Treatment	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment
C100294	BPI1-Pain Due to Present Disease	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100313	BPI1-Pain Due to Primary Disease	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1-Pain Due to Unrelated Med Condition	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition
C100337	BPI1-Pain Interfered Enjoyment of Life	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life
C100331	BPI1-Pain Interfered General Activity	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100333	BPI1-Pain Interfered Walking Ability	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100332	BPI1-Pain Interfered with Mood	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100334	BPI1-Pain Interfered with Normal Work	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI1-Pain Interfered with Relations	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI1-Pain Interfered with Sleep	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100299	BPI1-Pain Medications in the Last 7 Days	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100305	BPI1-Pain on the Average	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100295	BPI1-Pain One of Your Symptoms	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100298	BPI1-Pain Other than Everyday Kinds	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100300	BPI1-Pain Requires Medication Daily	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100306	BPI1-Pain Right Now	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100326	BPI1-Penetrating	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100338	BPI1-Prefer to Take Pain Medicine	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100344	BPI1-Problems with Side Effects Pain Med	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication

C100161 BPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100289	BPI1-Professional Degree	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100349	BPI1-Relaxation Techniques Relieve Pain	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100310	BPI1-Relief Pain Treatments Provided	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100321	BPI1-Sharp	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp
C100318	BPI1-Shooting	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100291	BPI1-Spouse's Occupation	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100319	BPI1-Stabbing	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100296	BPI1-Surgery in Past Month	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100339	BPI1-Take my Pain Medicine	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100322	BPI1-Tender	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100307	BPI1-Things that Make Pain Feel Better	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI1-Things that Make your Pain Worse	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100317	BPI1-Throbbing	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100325	BPI1-Tiring	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100309	BPI1-Treatments Receiving for Pain	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100330	BPI1-Unbearable	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100347	BPI1-Warm Compresses to Relieve Pain	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100345	BPI1-Which Side Effects from Pain Med	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100343	BPI1-Why Concerned Use Too Much Pain Med	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use

BPI TESTCD (QS-Brief Pain Inventory Test Code)

NCI Code: C100162, Codelist extensible: No

C100162 BPI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100287	BPI101	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100288	BPI102	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100289	BPI102A	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100290	BPI103	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100291	BPI104	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100292	BPI105	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100293	BPI106	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100294	BPI107	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100295	BPI108	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100296	BPI109	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100297	BPI109A	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100298	BPI110	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100299	BPI110A	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100300	BPI110B	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100301	BPI111A	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100302	BPI111B	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100303	BPI112	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100304	BPI113	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100305	BPI114	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100306	BPI115	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100307	BPI116	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI117	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100309	BPI118	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100310	BPI119	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100311	BPI120	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100312	BPI1211	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment

C100162 BPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100313	BPI1212	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1213	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition
C100315	BPI1213A	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100316	BPI122A	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100317	BPI122B	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100318	BPI122C	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100319	BPI122D	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100320	BPI122E	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100321	BPI122F	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp
C100322	BPI122G	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100323	BPI122H	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100324	BPI122I	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100325	BPI122J	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100326	BPI122K	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100327	BPI122L	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100328	BPI122M	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb
C100329	BPI122N	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100330	BPI122O	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100331	BPI123A	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100332	BPI123B	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100333	BPI123C	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100334	BPI123D	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI123E	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI123F	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100337	BPI123G	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life

C100162 BPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100338	BPI124	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100339	BPI125	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100340	BPI126	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100341	BPI127	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed
C100342	BPI128	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100343	BPI128A	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use
C100344	BPI129	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication
C100345	BPI129A	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100346	BPI130	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100347	BPI131A	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100348	BPI131B	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100349	BPI131C	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100350	BPI131D	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100351	BPI131E	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100352	BPI131F	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100353	BPI131G	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100354	BPI131H	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain
C100355	BPI132	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain

BPRS-A TEST (QS-Brief Psychiatric Rating Scale-A Test Name)

NCI Code: C100133, Codelist extensible: No

C100133 BPRS-A TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100373	BPR01-Anxiety	BPR01-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100387	BPR01-Blunted Affect	BPR01-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100375	BPR01-Conceptual Disorganization	BPR01-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100380	BPR01-Depressive Mood	BPR01-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100389	BPR01-Disorientation	BPR01-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation
C100374	BPR01-Emotional Withdrawal	BPR01-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100388	BPR01-Excitement	BPR01-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100379	BPR01-Grandiosity	BPR01-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100376	BPR01-Guilt Feelings	BPR01-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100383	BPR01-Hallucinatory Behavior	BPR01-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100381	BPR01-Hostility	BPR01-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100378	BPR01-Mannerisms and Posturing	BPR01-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100384	BPR01-Motor Retardation	BPR01-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100372	BPR01-Somatic Concern	BPR01-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100382	BPR01-Suspiciousness	BPR01-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100377	BPR01-Tension	BPR01-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100385	BPR01-Uncooperativeness	BPR01-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPR01-Unusual Thought Content	BPR01-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content

BPRS-A TESTCD (QS-Brief Psychiatric Rating Scale-A Test Code)

NCI Code: C100134, Codelist extensible: No

C100134 BPRS-A TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100372	BPR0101	BPR01-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100373	BPR0102	BPR01-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100374	BPR0103	BPR01-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100375	BPR0104	BPR01-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100376	BPR0105	BPR01-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100377	BPR0106	BPR01-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100378	BPR0107	BPR01-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100379	BPR0108	BPR01-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100380	BPR0109	BPR01-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100381	BPR0110	BPR01-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100382	BPR0111	BPR01-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100383	BPR0112	BPR01-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100384	BPR0113	BPR01-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100385	BPR0114	BPR01-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPR0115	BPR01-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content
C100387	BPR0116	BPR01-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100388	BPR0117	BPR01-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100389	BPR0118	BPR01-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation

BWCS TEST (QS-Bowel Control Scale Test Name)

NCI Code: C113853, Codelist extensible: No

C113853 BWCS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113959	BWCS01-Almost Lost Control of Bowels	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS01-Altered Activity Because Bowels	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113957	BWCS01-Been Constipated	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113961	BWCS01-Bowels Restricted Lifestyle	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle
C113958	BWCS01-Lost Control of Bowels	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels

BWCS TESTCD (QS-Bowel Control Scale Test Code)

NCI Code: C113854, Codelist extensible: No

C113854 BWCS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113957	BWCS0101	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113958	BWCS0102	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels
C113959	BWCS0103	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS0104	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113961	BWCS0105	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle

CCCAT (Category of Clinical Classification)

NCI Code: C118971, Codelist extensible: Yes

C1189 CCCAT 71				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12100 5	APACHE II	APCH1	Acute Physiology and Chronic Health Evaluation II (APACHE II) (Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. Critical Care Medicine 1985; 13(10):818-29).	Acute Physiology and Chronic Health Evaluation II Clinical Classification
C12100 6	BODE INDEX	BODE01	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index (BODE Index) (Bartolome R. Celli, M.D., Claudia G. Cote, M.D., Jose M. Marin, M.D., Ciro Casanova, M.D., Maria Montes de Oca, M.D., Reina A. Mendez, M.D., Victor Pinto Plata, M.D., and Howard J. Cabral, Ph.D.; N Engl J Med 2004;350:1005-12).	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification
C12100 7	CHILD-PUGH CLASSIFICATION	CPS01	Child-Pugh Classification (Guidance for Industry Pharmacokinetics in Patients with Impaired Hepatic Function: Study Design, Data Analysis, and Impact on Dosing and Labeling. U.S. Department of Health and Human Services; Food and Drug Administration; Center for Drug Evaluation and Research (CDER); Center for Biologics Evaluation and Research (CBER). May 2003, Clinical Pharmacology. http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072123.pdf ; http://www.halaven.com/sites/default/files/ChildPugh_FlashCard.pdf).	Child-Pugh Clinical Classification
C11910 5	CORONARY ARTERY DISSECTION NHLBI GRADE	CADG01	Coronary Artery Dissection NHLBI Grade (Coronary Artery angiographic changes after PTCA: Manual of Operations NHBLI PTCA Registry 1985-6:9).	Coronary Artery Dissection NHLBI Grade Clinical Classification
C11910 4	CORONARY THROMBUS TIMI GRADE	TIMG01	Coronary Thrombus TIMI Grade (TIMI Definitions for Commonly Used Terms in Clinical Trials. Available at http://www.timi.org/wp-content/uploads/2010/10/TIMI-Definitions.pdf . Accessed November 30, 2013).	Coronary Thrombus TIMI Grade Clinical Classification
C12100 8	MELD	MELD01	Model for End Stage Liver Disease (MELD) (Malinchoc M, Kamath PS, Gordon FD, Peine CJ, Rank J, ter Borg PC (April 2000). A model to predict poor survival in patients undergoing transjugular intrahepatic portosystemic shunts. Hepatology 31 (4): 864-71).	Model for End Stage Liver Disease Clinical Classification
C12100 9	NSA-16	NSA01	Negative Symptom Assessment-16 (NSA-16) (Version 2.0, Copyright 2006, Larry Alphas, MD, PhD, All Right Reserved).	Negative Symptom Assessment-16 Clinical Classification
C11910 7	STENT THROMBOSIS CORONARY ARC GRADE	STCG01	Stent Thrombosis Coronary ARC Grade (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351).	Stent Thrombosis Coronary ARC Grade Clinical Classification

CCQ 1 Week Version TEST (QS-Clinical COPD Questionnaire 1 Week Version Test Name)

NCI Code: C119065, Codelist extensible: No

C119065 CCQ 1 Week Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119140	CCQ02-Breathing Limit Daily Activity	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119139	CCQ02-Breathing Limit Moderate Activity	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119141	CCQ02-Breathing Limit Social Activity	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity
C119138	CCQ02-Breathing Limit Strenuous Activity	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119134	CCQ02-Concern About Breathing Get Worse	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119136	CCQ02-Cough	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119135	CCQ02-Depressed for Breathing Problem	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119137	CCQ02-Produce Sputum or Phlegm	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119132	CCQ02-Short of Breath at Rest	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ02-Short of Breath Physical Activity	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity

CCQ 1 Week Version TESTCD (QS-Clinical COPD Questionnaire 1 Week Version Test Code)

NCI Code: C119066, Codelist extensible: No

C119066 CCQ 1 Week Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119132	CCQ0201	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ0202	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity
C119134	CCQ0203	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119135	CCQ0204	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119136	CCQ0205	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119137	CCQ0206	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119138	CCQ0207	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119139	CCQ0208	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119140	CCQ0209	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119141	CCQ0210	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity

CCQ 24 Hour Version TEST (QS-Clinical COPD Questionnaire 24 Hour Version Test Name)

NCI Code: C119063, Codelist extensible: No

C119063 CCQ 24 Hour Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119130	CCQ01-Breathing Limit Daily Activity	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119129	CCQ01-Breathing Limit Moderate Activity	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119131	CCQ01-Breathing Limit Social Activity	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity
C119128	CCQ01-Breathing Limit Strenuous Activity	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119124	CCQ01-Concern About Breathing Get Worse	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119126	CCQ01-Cough	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119125	CCQ01-Depressed for Breathing Problem	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119127	CCQ01-Produce Sputum or Phlegm	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119122	CCQ01-Short of Breath at Rest	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ01-Short of Breath Physical Activity	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity

CCQ 24 Hour Version TESTCD (QS-Clinical COPD Questionnaire 24 Hour Version Test Code)

NCI Code: C119064, Codelist extensible: No

C119064 CCQ 24 Hour Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119122	CCQ0101	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ0102	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity
C119124	CCQ0103	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119125	CCQ0104	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119126	CCQ0105	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119127	CCQ0106	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119128	CCQ0107	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119129	CCQ0108	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119130	CCQ0109	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119131	CCQ0110	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity

CDR TEST (QS-Clinical Dementia Rating Test Name)

NCI Code: C101812, Codelist extensible: No

C101812 CDR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102053	CDR01-Community Affairs	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C113881	CDR01-Global CDR	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR
C102054	CDR01-Home and Hobbies	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102052	CDR01-Judgment and Problem Solving	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102050	CDR01-Memory	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR01-Orientation	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102055	CDR01-Personal Care	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR01-Sum of Boxes	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes

CDR TESTCD (QS-Clinical Dementia Rating Test Code)

NCI Code: C101811, Codelist extensible: No

C101811 CDR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102050	CDR0101	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR0102	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102052	CDR0103	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102053	CDR0104	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C102054	CDR0105	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102055	CDR0106	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR0107	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes
C113881	CDR0108	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR

CGI TEST (QS-Clinical Global Impression Test Name)

NCI Code: C100149, Codelist extensible: No

C100149 CGI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100957	CGI01-Efficacy Index	CGI01-Efficacy Index	Clinical Global Impression - Rate this item on the basis of drug effect only. Select the terms which best describe the degrees of therapeutic effect and side effects and record the number in the box where the two items intersect.	CGI - Efficacy Index
C100956	CGI01-Global Improvement	CGI01-Global Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgment, it is due entirely to drug treatment. Compared to his condition at admission to the project, how much has he changed?	CGI - Global Improvement
C100955	CGI01-Severity of Illness	CGI01-Severity of Illness	Clinical Global Impression - Considering your total clinical experience with this particular population, how mentally ill is the patient at this time?	CGI - Severity of Illness

CGI TESTCD (QS-Clinical Global Impression Test Code)

NCI Code: C100150, Codelist extensible: No

C100150 CGI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100955	CGI0101	CGI01-Severity of Illness	Clinical Global Impression - Considering your total clinical experience with this particular population, how mentally ill is the patient at this time?	CGI - Severity of Illness
C100956	CGI0102	CGI01-Global Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgment, it is due entirely to drug treatment. Compared to his condition at admission to the project, how much has he changed?	CGI - Global Improvement
C100957	CGI0103	CGI01-Efficacy Index	Clinical Global Impression - Rate this item on the basis of drug effect only. Select the terms which best describe the degrees of therapeutic effect and side effects and record the number in the box where the two items intersect.	CGI - Efficacy Index

CHART-SF Interview Version TEST (QS-Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Name)

NCI Code: C117986, Codelist extensible: No

C117986 CHART-SF Interview Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118014	CHSF1-Associates Contacted per Month	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118001	CHSF1-Away Cognitive Assistance per Day	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118017	CHSF1-Combined Household Income Last Yr	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118003	CHSF1-Days Out of the House per Week	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118015	CHSF1-Friends Contacted per Month	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month
C118000	CHSF1-Home Cognitive Assistance per Day	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118009	CHSF1-Hours of Home Maintenance per Week	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118008	CHSF1-Hours of Homemaking per Week	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118005	CHSF1-Hours of Paid Work per Week	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118010	CHSF1-Hours of Recreation per Week	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118007	CHSF1-Hours of Schoolwork per Week	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118002	CHSF1-Hours Out of Bed per Day	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118012	CHSF1-Live With Spouse or Signif Other	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other
C118018	CHSF1-Medical Care Expenses Last Year	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year
C118004	CHSF1-Nights Away From Home Last Year	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118011	CHSF1-Number of People You Live With	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With

**C117986 CHART-SF Interview
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118013	CHSF1-Number of Relatives You Live With	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118006	CHSF1-Occupation of Paid Work	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work
C117998	CHSF1-Paid Personal Care per Day	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day
C118016	CHSF1-Strangers Spoke with Last Month	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month
C117999	CHSF1-Unpaid Personal Care per Day	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day

CHART-SF Interview Version TESTCD (QS-Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Code)

NCI Code: C117987, Codelist extensible: No

C117987 CHART-SF Interview Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117998	CHSF101A	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day
C117999	CHSF101B	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day
C118000	CHSF102	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118001	CHSF103	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118002	CHSF104	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118003	CHSF105	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118004	CHSF106	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118005	CHSF107A	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118006	CHSF107B	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work
C118007	CHSF108	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118008	CHSF109	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118009	CHSF110	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118010	CHSF111	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118011	CHSF112	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With
C118012	CHSF113	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other

**C117987 CHART-SF Interview
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118013	CHSF114	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118014	CHSF115	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118015	CHSF116	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month
C118016	CHSF117	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month
C118017	CHSF118	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118018	CHSF119	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year

CHART-SF Paper Version TEST (QS-Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Name)

NCI Code: C119067, Codelist extensible: No

C119067 CHART-SF Paper Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119158	CHSF2-Associates Contacted per Month	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119145	CHSF2-Away Cognitive Assistance per Day	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119161	CHSF2-Combined Household Income Last Yr	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Paper Version - Combined Annual Household Income Last Year
C119147	CHSF2-Days Out of the House per Week	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119159	CHSF2-Friends Contacted per Month	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month
C119144	CHSF2-Home Cognitive Assistance per Day	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119153	CHSF2-Hours of Home Maintenance per Week	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119152	CHSF2-Hours of Homemaking per Week	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119149	CHSF2-Hours of Paid Work per Week	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119154	CHSF2-Hours of Recreation per Week	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119151	CHSF2-Hours of Schoolwork per Week	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119146	CHSF2-Hours Out of Bed per Day	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119156	CHSF2-Live With Spouse or Signif Other	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119162	CHSF2-Medical Care Expenses Last Year	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Paper Version - Medical Care Expense Last Year
C119148	CHSF2-Nights Away From Home Last Year	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119155	CHSF2-Number of People You Live With	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119157	CHSF2-Number of Relatives You Live With	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With

**C119067 CHART-SF Paper
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119150	CHSF2-Occupation of Paid Work	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work
C119142	CHSF2-Paid Personal Care per Day	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Paper Version - Paid Personal Care per Day
C119160	CHSF2-Strangers Spoke with Last Month	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119143	CHSF2-Unpaid Personal Care per Day	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Paper Version - Unpaid Personal Care per Day

CHART-SF Paper Version TESTCD (QS-Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Code)

NCI Code: C119068, Codelist extensible: No

C119068 CHART-SF Paper Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119142	CHSF201A	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Paper Version - Paid Personal Care per Day
C119143	CHSF201B	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Paper Version - Unpaid Personal Care per Day
C119144	CHSF202	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119145	CHSF203	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119146	CHSF204	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119147	CHSF205	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119148	CHSF206	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119149	CHSF207A	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119150	CHSF207B	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work
C119151	CHSF208	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119152	CHSF209	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119153	CHSF210	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119154	CHSF211	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119155	CHSF212	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119156	CHSF213	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119157	CHSF214	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With

**C119068 CHART-SF Paper
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119158	CHSF215	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119159	CHSF216	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month
C119160	CHSF217	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119161	CHSF218	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Paper Version - Combined Annual Household Income Last Year
C119162	CHSF219	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Paper Version - Medical Care Expense Last Year

CHILD-PUGH CLASSIFICATION TEST (CC-Child-Pugh Clinical Classification Test Name)

NCI Code: C120988, Codelist extensible: No

C120988 CHILD-PUGH CLASSIFICATION TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121069	CPS01-Ascites	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121068	CPS01-Encephalopathy Grade	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121075	CPS01-Grade	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade
C121073	CPS01-PT, INR	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121072	CPS01-PT, Sec Prolonged	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121071	CPS01-Serum Albumin	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121070	CPS01-Serum Bilirubin	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121074	CPS01-Total Score	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score

CHILD-PUGH CLASSIFICATION TESTCD (CC-Child-Pugh Clinical Classification Test Code)

NCI Code: C120989, Codelist extensible: No

C120989 CHILD-PUGH CLASSIFICATION TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121068	CPS0101	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121069	CPS0102	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121070	CPS0103	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121071	CPS0104	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121072	CPS0105A	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121073	CPS0105B	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121074	CPS0106	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score
C121075	CPS0107	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade

COMM TEST (QS-Current Opioid Misuse Measure Test Name)

NCI Code: C100157, Codelist extensible: No

C100157 COMM TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100964	COMM1-Been in an Argument	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100972	COMM1-Borrowed Meds From Others	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100959	COMM1-Complaints Not Completing Tasks	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100969	COMM1-Emergency Phone Call/Clinic Visit	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM1-Gotten Angry With People	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100960	COMM1-Other Sources For Pain Medication	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100968	COMM1-Others Worry About Your Meds	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100975	COMM1-Score	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score
C100962	COMM1-Seriously Thought of Hurting Self	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100966	COMM1-Take Meds Belonging to Others	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100971	COMM1-Take More Meds Than Prescribed	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100961	COMM1-Taken Meds Other Than Prescribed	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100963	COMM1-Time Spent Thinking About Opioids	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100965	COMM1-Trouble Controlling Anger	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100958	COMM1-Trouble Thinking Clearly/Memory	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100973	COMM1-Used Pain Meds For Other Symptoms	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM1-Visit Emergency Room	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100967	COMM1-Worry About Handling Meds	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications

COMM TESTCD (QS-Current Opioid Misuse Measure Test Code)

NCI Code: C100158, Codelist extensible: No

C100158 COMM TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100958	COMM101	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100959	COMM102	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100960	COMM103	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100961	COMM104	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100962	COMM105	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100963	COMM106	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100964	COMM107	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100965	COMM108	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100966	COMM109	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100967	COMM110	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications
C100968	COMM111	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100969	COMM112	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM113	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100971	COMM114	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100972	COMM115	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100973	COMM116	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM117	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100975	COMM118	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score

COWS TEST (QS-Clinical Opiate Withdrawal Scale Test Name)

NCI Code: C101814, Codelist extensible: No

C101814 COWS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102065	COWS1-Anxiety or Irritability	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102060	COWS1-Bone or Joint Aches	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102062	COWS1-GI Upset	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102066	COWS1-Gooseflesh Skin	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C102059	COWS1-Pupil Size	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C102056	COWS1-Resting Pulse Rate	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C112467	COWS1-Resting Pulse Rate Beats/Minute	COWS1-Resting Pulse Rate Beats/minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102058	COWS1-Restlessness	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102061	COWS1-Runny Nose or Tearing	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102057	COWS1-Sweating	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C112468	COWS1-Total Score	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score
C102063	COWS1-Tremor	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS1-Yawning	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning

COWS TESTCD (QS-Clinical Opiate Withdrawal Scale Test Code)

NCI Code: C101813, Codelist extensible: No

C101813 COWS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102056	COWS101	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C112467	COWS101A	COWS1-Resting Pulse Rate Beats/minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102057	COWS102	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C102058	COWS103	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102059	COWS104	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C102060	COWS105	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102061	COWS106	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102062	COWS107	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102063	COWS108	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS109	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning
C102065	COWS110	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102066	COWS111	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C112468	COWS112	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score

CRQ-SAS FIRST ADMINISTRATION VERSION TEST (QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Test Name)

NCI Code: C120978, Codelist extensible: No

C120978 CRQ-SAS FIRST ADMINISTRATION VERSION TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121019	CRQ01-Confident to Deal With Illness	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121022	CRQ01-Control of Breathing Problems	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121018	CRQ01-Embarrassed by Coughing	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121020	CRQ01-Energy	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121017	CRQ01-Fatigue	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121023	CRQ01-Feel Relaxed and Free of Tension	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121028	CRQ01-Feel Upset Diff Getting Breath	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121021	CRQ01-Feel Upset, Worried or Depressed	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121010	CRQ01-Feeling Emotional	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121016	CRQ01-Feeling of Fear or Panic	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121025	CRQ01-Felt Discouraged or Down	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down
C121015	CRQ01-Felt Frustrated or Impatient	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121024	CRQ01-Felt Low in Energy	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121029	CRQ01-Felt Restless, Tense or Uptight	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight
C121026	CRQ01-Felt Worn Out or Sluggish	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish

C120978 CRQ-SAS FIRST ADMINISTRATION VERSION TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121027	CRQ01-Happy, Satisfied or Pleased	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life
C121014	CRQ01-Participate in Social Activities	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities
C121013	CRQ01-Performing Chores	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121011	CRQ01-Take Care of Basic Needs	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ01-Walking	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking

CRQ-SAS FIRST ADMINISTRATION VERSION TESTCD (QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Test Code)

NCI Code: C120979, Codelist extensible: No

C120979 CRQ-SAS FIRST ADMINISTRATION VERSION TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121010	CRQ0101	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121011	CRQ0102	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ0103	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking
C121013	CRQ0104	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121014	CRQ0105	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities
C121015	CRQ0106	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121016	CRQ0107	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121017	CRQ0108	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121018	CRQ0109	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121019	CRQ0110	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121020	CRQ0111	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121021	CRQ0112	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121022	CRQ0113	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121023	CRQ0114	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121024	CRQ0115	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121025	CRQ0116	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down

**C120979 CRQ-SAS FIRST
ADMINISTRATION
VERSION TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121026	CRQ0117	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish
C121027	CRQ0118	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life
C121028	CRQ0119	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121029	CRQ0120	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight

CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TEST (QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Test Name)

NCI Code: C120980, Codelist extensible: No

C120980 CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121039	CRQ02-Confident to Deal With Illness	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121042	CRQ02-Control of Breathing Problems	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121038	CRQ02-Embarrassed by Coughing	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121040	CRQ02-Energy	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121037	CRQ02-Fatigue	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel tired over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121043	CRQ02-Feel Relaxed and Free of Tension	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121048	CRQ02-Feel Upset Diff Getting Breath	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121041	CRQ02-Feel Upset, Worried or Depressed	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121030	CRQ02-Feeling Emotional	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121036	CRQ02-Feeling of Fear or Panic	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121045	CRQ02-Felt Discouraged or Down	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down
C121035	CRQ02-Felt Frustrated or Impatient	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121044	CRQ02-Felt Low in Energy	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121049	CRQ02-Felt Restless, Tense or Uptight	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight
C121046	CRQ02-Felt Worn Out or Sluggish	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish

**C120980 CRQ-SAS FOLLOW-UP
ADMINISTRATION
VERSION TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121047	CRQ02-Happy, Satisfied or Pleased	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121034	CRQ02-Participate in Social Activities	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities
C121033	CRQ02-Performing Chores	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121031	CRQ02-Take Care of Basic Needs	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ02-Walking	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking

CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TESTCD (QS-Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Test Code)

NCI Code: C120981, Codelist extensible: No

C120981 CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121030	CRQ0201	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121031	CRQ0202	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ0203	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking
C121033	CRQ0204	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121034	CRQ0205	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities
C121035	CRQ0206	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121036	CRQ0207	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121037	CRQ0208	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121038	CRQ0209	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121039	CRQ0210	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121040	CRQ0211	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121041	CRQ0212	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121042	CRQ0213	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121043	CRQ0214	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121044	CRQ0215	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121045	CRQ0216	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down

**C120981 CRQ-SAS FOLLOW-UP
ADMINISTRATION
VERSION TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121046	CRQ0217	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish
C121047	CRQ0218	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121048	CRQ0219	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121049	CRQ0220	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight

C-SSRS Already Enrolled Subjects TEST (QS-Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects Questionnaire Test Name)

NCI Code: C106658, Codelist extensible: No

C106658 C-SSRS Already Enrolled Subjects TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107072	CSS05-Aborted Attempt, Describe	CSS05-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107068	CSS05-Aborted Attempt-Prior	CSS05-Aborted Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)
C107069	CSS05-Aborted Attempt-Since	CSS05-Aborted Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107060	CSS05-Actual Attempt, Describe	CSS05-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107056	CSS05-Actual Attempt-Prior	CSS05-Actual Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS05-Actual Attempt-Since	CSS05-Actual Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107078	CSS05-Completed Suicide-Prior	CSS05-Completed Suicide-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS05-Completed Suicide-Since	CSS05-Completed Suicide-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107087	CSS05-First Attempt Damage	CSS05-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107086	CSS05-First Attempt Date	CSS05-First Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107088	CSS05-First Attempt Potential	CSS05-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality
C107038	CSS05-Idea, Intent, No Plan, Describe	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107036	CSS05-Idea, Intent, No Plan-Prior	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS05-Idea, Intent, No Plan-Since	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)

C106658 C-SSRS Already Enrolled Subjects TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107035	CSS05-Idea, No Intent, No Plan, Describe	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C107033	CSS05-Idea, No Intent, No Plan-Prior	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)
C107034	CSS05-Idea, No Intent, No Plan-Since	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)
C107041	CSS05-Idea, Plan, Intent, Describe	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent
C107039	CSS05-Idea, Plan, Intent-Prior	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)
C107040	CSS05-Idea, Plan, Intent-Since	CSS05-Idea, Plan, Intent-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)
C107067	CSS05-Interrupted Attempt, Describe	CSS05-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt
C107063	CSS05-Interrupted Attempt-Prior	CSS05-Interrupted Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)
C107064	CSS05-Interrupted Attempt-Since	CSS05-Interrupted Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)
C107084	CSS05-Most Lethal Attempt Damage	CSS05-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C107083	CSS05-Most Lethal Attempt Date	CSS05-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date
C107085	CSS05-Most Lethal Attempt Potential	CSS05-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality
C107081	CSS05-Most Recent Attempt Damage	CSS05-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C107080	CSS05-Most Recent Attempt Date	CSS05-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date
C107082	CSS05-Most Recent Attempt Potential	CSS05-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality

C106658 C-SSRS Already Enrolled Subjects TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107050	CSS05-Most Severe Idea, Control-Prior	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)
C107051	CSS05-Most Severe Idea, Control-Since	CSS05-Most Severe Idea, Control-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)
C107043	CSS05-Most Severe Idea, Desc-Prior	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)
C107045	CSS05-Most Severe Idea, Desc-Since	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)
C107052	CSS05-Most Severe Idea, Deterrents-Prior	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS05-Most Severe Idea, Deterrents-Since	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107048	CSS05-Most Severe Idea, Duration-Prior	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS05-Most Severe Idea, Duration-Since	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107046	CSS05-Most Severe Idea, Frequency-Prior	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS05-Most Severe Idea, Frequency-Since	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107054	CSS05-Most Severe Idea, Reasons-Prior	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)
C107055	CSS05-Most Severe Idea, Reasons-Since	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)
C107042	CSS05-Most Severe Idea-Prior	CSS05-Most Severe Idea-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)
C107044	CSS05-Most Severe Idea-Since	CSS05-Most Severe Idea-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107032	CSS05-Non-Spec Suicid Thought, Describe	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts

C106658 C-SSRS Already Enrolled Subjects TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107030	CSS05-Non-Spec Suicid Thought-Prior	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)
C107031	CSS05-Non-Spec Suicid Thought-Since	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107061	CSS05-Non-suicid Self-injur Behav-Prior	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS05-Non-suicid Self-injur Behav-Since	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107065	CSS05-Num of Interrupted Attempts-Prior	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)
C107066	CSS05-Num of Interrupted Attempts-Since	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107070	CSS05-Number of Aborted Attempts-Prior	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS05-Number of Aborted Attempts-Since	CSS05-Number of Aborted Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)
C107058	CSS05-Number of Actual Attempts-Prior	CSS05-Number of Actual Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)
C107059	CSS05-Number of Actual Attempts-Since	CSS05-Number of Actual Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107075	CSS05-Preparatory Acts/Behavior, Descr	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C107073	CSS05-Preparatory Acts/Behavior-Prior	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS05-Preparatory Acts/Behavior-Since	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107076	CSS05-Suicidal Behavior-Prior	CSS05-Suicidal Behavior-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS05-Suicidal Behavior-Since	CSS05-Suicidal Behavior-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107029	CSS05-Wish to be Dead, Describe	CSS05-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead

C106658 C-SSRS Already Enrolled Subjects TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107027	CSS05-Wish to be Dead-Prior	CSS05-Wish to be Dead-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)
C107028	CSS05-Wish to be Dead-Since	CSS05-Wish to be Dead-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)

C-SSRS Already Enrolled Subjects TESTCD (QS-Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects Questionnaire Test Code)

NCI Code: C106659, Codelist extensible: No

C106659 C-SSRS Already Enrolled Subjects TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107027	CSS0501A	CSS05-Wish to be Dead-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)
C107028	CSS0501B	CSS05-Wish to be Dead-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)
C107029	CSS0501C	CSS05-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead
C107030	CSS0502A	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)
C107031	CSS0502B	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107032	CSS0502C	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts
C107033	CSS0503A	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)
C107034	CSS0503B	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)
C107035	CSS0503C	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C107036	CSS0504A	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS0504B	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)
C107038	CSS0504C	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107039	CSS0505A	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)

C106659 C-SSRS Already Enrolled Subjects TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107040	CSS0505B	CSS05-Idea, Plan, Intent-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)
C107041	CSS0505C	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent
C107042	CSS0506A	CSS05-Most Severe Idea-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)
C107043	CSS0506B	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)
C107044	CSS0506C	CSS05-Most Severe Idea-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107045	CSS0506D	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)
C107046	CSS0507A	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS0507B	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107048	CSS0508A	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS0508B	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107050	CSS0509A	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)
C107051	CSS0509B	CSS05-Most Severe Idea, Control-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)
C107052	CSS0510A	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS0510B	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107054	CSS0511A	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)

C106659 C-SSRS Already Enrolled Subjects TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107055	CSS0511B	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)
C107056	CSS0512A	CSS05-Actual Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS0512B	CSS05-Actual Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107058	CSS0513A	CSS05-Number of Actual Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)
C107059	CSS0513B	CSS05-Number of Actual Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107060	CSS0513C	CSS05-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107061	CSS0514A	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS0514B	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107063	CSS0515A	CSS05-Interrupted Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)
C107064	CSS0515B	CSS05-Interrupted Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)
C107065	CSS0516A	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)
C107066	CSS0516B	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107067	CSS0516C	CSS05-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt
C107068	CSS0517A	CSS05-Aborted Attempt-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)

C106659 C-SSRS Already Enrolled Subjects TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107069	CSS0517B	CSS05-Aborted Attempt-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107070	CSS0518A	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS0518B	CSS05-Number of Aborted Attempts-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)
C107072	CSS0518C	CSS05-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107073	CSS0519A	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS0519B	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107075	CSS0519C	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C107076	CSS0520A	CSS05-Suicidal Behavior-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS0520B	CSS05-Suicidal Behavior-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107078	CSS0521A	CSS05-Completed Suicide-Prior	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS0521B	CSS05-Completed Suicide-Since	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107080	CSS0522A	CSS05-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date
C107081	CSS0522B	CSS05-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C107082	CSS0522C	CSS05-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality
C107083	CSS0523A	CSS05-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date
C107084	CSS0523B	CSS05-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage

C106659 C-SSRS Already Enrolled Subjects TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107085	CSS0523C	CSS05-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality
C107086	CSS0524A	CSS05-First Attempt Date	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107087	CSS0524B	CSS05-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107088	CSS0524C	CSS05-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality

C-SSRS Baseline/Screening Version Phase 1 Study TEST (QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Name)

NCI Code: C105131, Codelist extensible: No

C105131 C-SSRS Baseline/Screening Version Phase 1 Study TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105246	CSS03-Aborted Attempt	CSS03-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105248	CSS03-Aborted Attempt, Describe	CSS03-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105239	CSS03-Actual Attempt	CSS03-Actual Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105241	CSS03-Actual Attempt, Describe	CSS03-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105259	CSS03-First Attempt Damage	CSS03-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105258	CSS03-First Attempt Date	CSS03-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date
C105260	CSS03-First Attempt Potential	CSS03-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality
C105221	CSS03-Idea, Intent, No Plan, Describe	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105219	CSS03-Idea, Intent, No Plan-Life	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105220	CSS03-Idea, Intent, No Plan-P6M	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C105218	CSS03-Idea, No Intent, No Plan, Describe	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)

**C105131 C-SSRS
Baseline/Screening
Version Phase 1 Study
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105216	CSS03-Idea, No Intent, No Plan-Life	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS03-Idea, No Intent, No Plan-P6M	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105224	CSS03-Idea, Plan, Intent, Describe	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105222	CSS03-Idea, Plan, Intent-Life	CSS03-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105223	CSS03-Idea, Plan, Intent-P6M	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C105243	CSS03-Interrupted Attempt	CSS03-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt
C105245	CSS03-Interrupted Attempt, Describe	CSS03-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt
C105256	CSS03-Most Lethal Attempt Damage	CSS03-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C105255	CSS03-Most Lethal Attempt Date	CSS03-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date
C105257	CSS03-Most Lethal Attempt Potential	CSS03-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality
C105253	CSS03-Most Recent Attempt Damage	CSS03-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C105252	CSS03-Most Recent Attempt Date	CSS03-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date

**C105131 C-SSRS
Baseline/Screening
Version Phase 1 Study
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105254	CSS03-Most Recent Attempt Potential	CSS03-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality
C105233	CSS03-Most Severe Idea, Control-Life	CSS03-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)
C105234	CSS03-Most Severe Idea, Control-P6M	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)
C105226	CSS03-Most Severe Idea, Desc-Life	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)
C105228	CSS03-Most Severe Idea, Desc-P6M	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)
C105235	CSS03-Most Severe Idea, Deterrents-Life	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)
C105236	CSS03-Most Severe Idea, Deterrents-P6M	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)
C105231	CSS03-Most Severe Idea, Duration-Life	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)
C105232	CSS03-Most Severe Idea, Duration-P6M	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)
C105229	CSS03-Most Severe Idea, Frequency-Life	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)
C105230	CSS03-Most Severe Idea, Frequency-P6M	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)
C105237	CSS03-Most Severe Idea, Reasons-Life	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)

**C105131 C-SSRS
Baseline/Screening
Version Phase 1 Study
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105238	CSS03-Most Severe Idea, Reasons-P6M	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)
C105225	CSS03-Most Severe Idea-Life	CSS03-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)
C105227	CSS03-Most Severe Idea-P6M	CSS03-Most Severe Idea-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)
C105215	CSS03-Non-Spec Suicid Thought, Describe	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)
C105213	CSS03-Non-Spec Suicid Thought-Life	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)
C105214	CSS03-Non-Spec Suicid Thought-P6M	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C105242	CSS03-Non-suicidal Self-injurious Behav	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior
C105247	CSS03-Number of Aborted Attempts	CSS03-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts
C105240	CSS03-Number of Actual Attempts	CSS03-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts
C105244	CSS03-Number of Interrupted Attempts	CSS03-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts
C105249	CSS03-Preparatory Acts/Behavior	CSS03-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt
C105250	CSS03-Preparatory Acts/Behavior, Descr	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt

**C105131 C-SSRS
Baseline/Screening
Version Phase 1 Study
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105251	CSS03-Suicidal Behavior	CSS03-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior
C105212	CSS03-Wish to be Dead, Describe	CSS03-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)
C105210	CSS03-Wish to be Dead-Life	CSS03-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)
C105211	CSS03-Wish to be Dead-P6M	CSS03-Wish to be Dead-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)

C-SSRS Baseline/Screening Version Phase 1 Study TESTCD (QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Code)

NCI Code: C105132, Codelist extensible: No

C105132 C-SSRS Baseline/Screening Version Phase 1 Study TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105210	CSS0301A	CSS03-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)
C105211	CSS0301B	CSS03-Wish to be Dead-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)
C105212	CSS0301C	CSS03-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)
C105213	CSS0302A	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)
C105214	CSS0302B	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C105215	CSS0302C	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)
C105216	CSS0303A	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS0303B	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105218	CSS0303C	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105219	CSS0304A	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)

**C105132 C-SSRS
Baseline/Screening
Version Phase 1 Study
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105220	CSS0304B	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C105221	CSS0304C	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105222	CSS0305A	CSS03-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105223	CSS0305B	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C105224	CSS0305C	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105225	CSS0306A	CSS03-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)
C105226	CSS0306B	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)
C105227	CSS0306C	CSS03-Most Severe Idea-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)
C105228	CSS0306D	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)
C105229	CSS0307A	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)
C105230	CSS0307B	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)
C105231	CSS0308A	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)

**C105132 C-SSRS
Baseline/Screening
Version Phase 1 Study
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105232	CSS0308B	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)
C105233	CSS0309A	CSS03-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)
C105234	CSS0309B	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)
C105235	CSS0310A	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)
C105236	CSS0310B	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)
C105237	CSS0311A	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)
C105238	CSS0311B	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)
C105239	CSS0312	CSS03-Actual Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105240	CSS0313	CSS03-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts
C105241	CSS0313A	CSS03-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105242	CSS0314	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior
C105243	CSS0315	CSS03-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt

**C105132 C-SSRS
Baseline/Screening
Version Phase 1 Study
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105244	CSS0316	CSS03-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts
C105245	CSS0316A	CSS03-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt
C105246	CSS0317	CSS03-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105247	CSS0318	CSS03-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts
C105248	CSS0318A	CSS03-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105249	CSS0319	CSS03-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt
C105250	CSS0319A	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C105251	CSS0320	CSS03-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior
C105252	CSS0321A	CSS03-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date
C105253	CSS0321B	CSS03-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C105254	CSS0321C	CSS03-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality
C105255	CSS0322A	CSS03-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date
C105256	CSS0322B	CSS03-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage

**C105132 C-SSRS
Baseline/Screening
Version Phase 1 Study
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105257	CSS0322C	CSS03-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality
C105258	CSS0323A	CSS03-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date
C105259	CSS0323B	CSS03-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105260	CSS0323C	CSS03-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality

C-SSRS Baseline/Screening Version TEST (QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Questionnaire Test Name)

NCI Code: C106660, Codelist extensible: No

C106660 C-SSRS Baseline/Screening Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106749	CSS04-Aborted Attempt, Describe	CSS04-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106745	CSS04-Aborted Attempt-Life	CSS04-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS04-Aborted Attempt-P_Y	CSS04-Aborted Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106737	CSS04-Actual Attempt, Describe	CSS04-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106733	CSS04-Actual Attempt-Life	CSS04-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS04-Actual Attempt-P_Y	CSS04-Actual Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past _ Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106762	CSS04-First Attempt Damage	CSS04-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106761	CSS04-First Attempt Date	CSS04-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106763	CSS04-First Attempt Potential	CSS04-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality
C107019	CSS04-Idea, Intent, No Plan, Describe	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C107017	CSS04-Idea, Intent, No Plan-Life	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS04-Idea, Intent, No Plan-P_M	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)

**C106660 C-SSRS
Baseline/Screening
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106715	CSS04-Idea, No Intent, No Plan, Describe	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C106713	CSS04-Idea, No Intent, No Plan-Life	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS04-Idea, No Intent, No Plan-P_M	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106718	CSS04-Idea, Plan, Intent, Describe	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C106716	CSS04-Idea, Plan, Intent-Life	CSS04-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C106717	CSS04-Idea, Plan, Intent-P_M	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)
C106744	CSS04-Interrupted Attempt, Describe	CSS04-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt
C106740	CSS04-Interrupted Attempt-Life	CSS04-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)
C106741	CSS04-Interrupted Attempt-P_Y	CSS04-Interrupted Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)
C106759	CSS04-Most Lethal Attempt Damage	CSS04-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C106758	CSS04-Most Lethal Attempt Date	CSS04-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date
C106760	CSS04-Most Lethal Attempt Potential	CSS04-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality

**C106660 C-SSRS
Baseline/Screening
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106756	CSS04-Most Recent Attempt Damage	CSS04-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C106755	CSS04-Most Recent Attempt Date	CSS04-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date
C106757	CSS04-Most Recent Attempt Potential	CSS04-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality
C106727	CSS04-Most Severe Idea, Control-Life	CSS04-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)
C106728	CSS04-Most Severe Idea, Control-P_M	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)
C106720	CSS04-Most Severe Idea, Desc-Life	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)
C106722	CSS04-Most Severe Idea, Desc-P_M	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)
C106729	CSS04-Most Severe Idea, Deterrents-Life	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)
C106730	CSS04-Most Severe Idea, Deterrents-P_M	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)
C106725	CSS04-Most Severe Idea, Duration-Life	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)
C106726	CSS04-Most Severe Idea, Duration-P_M	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106723	CSS04-Most Severe Idea, Frequency-Life	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS04-Most Severe Idea, Frequency-P_M	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)

**C106660 C-SSRS
Baseline/Screening
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106731	CSS04-Most Severe Idea, Reasons-Life	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)
C106732	CSS04-Most Severe Idea, Reasons-P_M	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106719	CSS04-Most Severe Idea-Life	CSS04-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)
C106721	CSS04-Most Severe Idea-P_M	CSS04-Most Severe Idea-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106712	CSS04-Non-Spec Suicid Thought, Describe	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106710	CSS04-Non-Spec Suicid Thought-Life	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS04-Non-Spec Suicid Thought-P_M	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106738	CSS04-Non-suicidal Self-injur Behav-Life	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS04-Non-suicidal Self-injur Behav-P_Y	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106747	CSS04-Number of Aborted Attempts-Life	CSS04-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS04-Number of Aborted Attempts-P_Y	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106735	CSS04-Number of Actual Attempts-Life	CSS04-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS04-Number of Actual Attempts-P_Y	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)

**C106660 C-SSRS
Baseline/Screening
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106742	CSS04-Number of Interrupt Attempts-Life	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)
C106743	CSS04-Number of Interrupt Attempts-P_Y	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)
C106752	CSS04-Preparatory Acts/Behav, Descr	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106750	CSS04-Preparatory Acts/Behavior-Life	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS04-Preparatory Acts/Behavior-P_Y	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106753	CSS04-Suicidal Behavior-Life	CSS04-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS04-Suicidal Behavior-P_Y	CSS04-Suicidal Behavior-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)
C106709	CSS04-Wish to be Dead, Describe	CSS04-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106707	CSS04-Wish to be Dead-Life	CSS04-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS04-Wish to be Dead-P_M	CSS04-Wish to be Dead-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)

C-SSRS Baseline/Screening Version TESTCD (QS-Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Questionnaire Test Code)

NCI Code: C106661, Codelist extensible: No

C106661 C-SSRS Baseline/Screening Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106707	CSS0401A	CSS04-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS0401B	CSS04-Wish to be Dead-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)
C106709	CSS0401C	CSS04-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106710	CSS0402A	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS0402B	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106712	CSS0402C	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106713	CSS0403A	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS0403B	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106715	CSS0403C	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C107017	CSS0404A	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS0404B	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)
C107019	CSS0404C	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan

C106661 C-SSRS Baseline/Screening Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106716	CSS0405A	CSS04-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C106717	CSS0405B	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)
C106718	CSS0405C	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C106719	CSS0406A	CSS04-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)
C106720	CSS0406B	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)
C106721	CSS0406C	CSS04-Most Severe Idea-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106722	CSS0406D	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)
C106723	CSS0407A	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS0407B	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)
C106725	CSS0408A	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)
C106726	CSS0408B	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106727	CSS0409A	CSS04-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)
C106728	CSS0409B	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)
C106729	CSS0410A	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)

C106661 C-SSRS Baseline/Screening Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106730	CSS0410B	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)
C106731	CSS0411A	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)
C106732	CSS0411B	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106733	CSS0412A	CSS04-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS0412B	CSS04-Actual Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past _ Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106735	CSS0413A	CSS04-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS0413B	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)
C106737	CSS0413C	CSS04-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106738	CSS0414A	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS0414B	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106740	CSS0415A	CSS04-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)
C106741	CSS0415B	CSS04-Interrupted Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)
C106742	CSS0416A	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)

C106661 C-SSRS Baseline/Screening Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106743	CSS0416B	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)
C106744	CSS0416C	CSS04-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt
C106745	CSS0417A	CSS04-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS0417B	CSS04-Aborted Attempt-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106747	CSS0418A	CSS04-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS0418B	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106749	CSS0418C	CSS04-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106750	CSS0419A	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS0419B	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106752	CSS0419C	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106753	CSS0420A	CSS04-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS0420B	CSS04-Suicidal Behavior-P_Y	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)
C106755	CSS0421A	CSS04-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date
C106756	CSS0421B	CSS04-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage

**C106661 C-SSRS
Baseline/Screening
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106757	CSS0421C	CSS04-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality
C106758	CSS0422A	CSS04-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date
C106759	CSS0422B	CSS04-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C106760	CSS0422C	CSS04-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality
C106761	CSS0423A	CSS04-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106762	CSS0423B	CSS04-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106763	CSS0423C	CSS04-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality

C-SSRS Baseline TEST (QS-Columbia-Suicidality Severity Rating Scale Baseline Test Name)

NCI Code: C100167, Codelist extensible: No

C100167 C-SSRS Baseline TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100998	CSS01-Aborted Attempt	CSS01-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C101000	CSS01-Aborted Attempt, Describe	CSS01-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C100991	CSS01-Actual Attempt	CSS01-Actual Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100993	CSS01-Actual Attempt, Describe	CSS01-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C101011	CSS01-First Attempt Damage	CSS01-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101010	CSS01-First Attempt Date	CSS01-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101012	CSS01-First Attempt Potential	CSS01-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential
C101015	CSS01-Ideation With Intent No Plan Descr	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C101014	CSS01-Ideation With Intent, No Plan	CSS01-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C100982	CSS01-Ideation With Plan/Intent	CSS01-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS01-Ideation With Plan/Intent, Descr	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100995	CSS01-Interrupted Attempt	CSS01-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100997	CSS01-Interrupted Attempt, Describe	CSS01-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C101008	CSS01-Most Lethal Attempt Damage	CSS01-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101007	CSS01-Most Lethal Attempt Date	CSS01-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101009	CSS01-Most Lethal Attempt Potential	CSS01-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101005	CSS01-Most Recent Attempt Damage	CSS01-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101004	CSS01-Most Recent Attempt Date	CSS01-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101006	CSS01-Most Recent Attempt Potential	CSS01-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C100984	CSS01-Most Severe Ideation	CSS01-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation

C100167 C-SSRS Baseline TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100988	CSS01-Most Severe Ideation, Control	CSS01-Most Severe Ideation, Control	Columbia-Suicidality Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100985	CSS01-Most Severe Ideation, Description	CSS01-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation
C100989	CSS01-Most Severe Ideation, Deterrents	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicidality Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100987	CSS01-Most Severe Ideation, Duration	CSS01-Most Severe Ideation, Duration	Columbia-Suicidality Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100986	CSS01-Most Severe Ideation, Frequency	CSS01-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100990	CSS01-Most Severe Ideation, Reasons	CSS01-Most Severe Ideation, Reasons	Columbia-Suicidality Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100979	CSS01-Non-Specific Suicid Thought, Descr	CSS01-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100978	CSS01-Non-Specific Suicidal Thought	CSS01-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100994	CSS01-Non-suicidal Self-injurious Behav	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior
C100999	CSS01-Number of Aborted Attempts	CSS01-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C100992	CSS01-Number of Actual Attempts	CSS01-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts
C100996	CSS01-Number of Interrupted Attempts	CSS01-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C101001	CSS01-Preparatory Acts/Behavior	CSS01-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS01-Preparatory Acts/Behavior, Descr	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS01-Suicidal Behavior	CSS01-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C100980	CSS01-Suicidal Ideation-No Intent	CSS01-Suicidal Ideation-No Intent	Columbia-Suicidality Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS01-Suicidal Ideation-No Intent, Descr	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C100976	CSS01-Wish to be Dead	CSS01-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS01-Wish to be Dead, Describe	CSS01-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead

C-SSRS Baseline TESTCD (QS-Columbia-Suicidality Severity Rating Scale Baseline Test Code)

NCI Code: C100168, Codelist extensible: No

C100168 C-SSRS Baseline TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100976	CSS0101	CSS01-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS0101A	CSS01-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead
C100978	CSS0102	CSS01-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100979	CSS0102A	CSS01-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100980	CSS0103	CSS01-Suicidal Ideation-No Intent	Columbia-Suicidality Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS0103A	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C101014	CSS0104	CSS01-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C101015	CSS0104A	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C100982	CSS0105	CSS01-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS0105A	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100984	CSS0106	CSS01-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation
C100985	CSS0106A	CSS01-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation
C100986	CSS0107	CSS01-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100987	CSS0108	CSS01-Most Severe Ideation, Duration	Columbia-Suicidality Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100988	CSS0109	CSS01-Most Severe Ideation, Control	Columbia-Suicidality Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100989	CSS0110	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicidality Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100990	CSS0111	CSS01-Most Severe Ideation, Reasons	Columbia-Suicidality Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100991	CSS0112	CSS01-Actual Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100992	CSS0113	CSS01-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts

C100168 C-SSRS Baseline TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100993	CSS0113A	CSS01-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C100994	CSS0114	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior
C100995	CSS0115	CSS01-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100996	CSS0116	CSS01-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C100997	CSS0116A	CSS01-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C100998	CSS0117	CSS01-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C100999	CSS0118	CSS01-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C101000	CSS0118A	CSS01-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C101001	CSS0119	CSS01-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS0119A	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS0120	CSS01-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C101004	CSS0121A	CSS01-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101005	CSS0121B	CSS01-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101006	CSS0121C	CSS01-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C101007	CSS0122A	CSS01-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101008	CSS0122B	CSS01-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101009	CSS0122C	CSS01-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101010	CSS0123A	CSS01-First Attempt Date	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101011	CSS0123B	CSS01-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101012	CSS0123C	CSS01-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential

C-SSRS Children's Baseline/Screening TEST (QS-Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening Questionnaire Test Name)

NCI Code: C111337, Codelist extensible: No

C111337 C-SSRS Children's Baseline/Screening TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111413	CSS07-Aborted Attempt	CSS07-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111415	CSS07-Aborted Attempt, Describe	CSS07-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111405	CSS07-Actual Attempt	CSS07-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111407	CSS07-Actual Attempt, Describe	CSS07-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111426	CSS07-First Attempt Damage	CSS07-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111425	CSS07-First Attempt Date	CSS07-First Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111427	CSS07-First Attempt Potential	CSS07-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality
C111404	CSS07-Frequency, Write Response	CSS07-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111396	CSS07-Idea, Intent, No Plan, Describe	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111394	CSS07-Idea, Intent, No Plan-Life	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS07-Idea, Intent, No Plan-P6M	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C111393	CSS07-Idea, No Intent, No Plan, Describe	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111391	CSS07-Idea, No Intent, No Plan-Life	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)

C111337 C-SSRS Children's Baseline/Screening TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111392	CSS07-Idea, No Intent, No Plan-P6M	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111399	CSS07-Idea, Plan, Intent, Describe	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111397	CSS07-Idea, Plan, Intent-Life	CSS07-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C111398	CSS07-Idea, Plan, Intent-P6M	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111410	CSS07-Interrupted Attempt	CSS07-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111412	CSS07-Interrupted Attempt, Describe	CSS07-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111423	CSS07-Most Lethal Attempt Damage	CSS07-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111422	CSS07-Most Lethal Attempt Date	CSS07-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111424	CSS07-Most Lethal Attempt Potential	CSS07-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality
C111420	CSS07-Most Recent Attempt Damage	CSS07-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111419	CSS07-Most Recent Attempt Date	CSS07-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111421	CSS07-Most Recent Attempt Potential	CSS07-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111400	CSS07-Most Severe Idea	CSS07-Most Severe Idea	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS07-Most Severe Idea, Desc	CSS07-Most Severe Idea, Desc	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation

C111337 C-SSRS Children's Baseline/Screening TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111402	CSS07-Most Severe Idea, Frequency-Life	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS07-Most Severe Idea, Frequency-P6M	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111390	CSS07-Non-Spec Suicid Thought, Describe	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111388	CSS07-Non-Spec Suicid Thought-Life	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)
C111389	CSS07-Non-Spec Suicid Thought-P6M	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C111408	CSS07-Non-suicidal Self-injur Behav	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior
C111414	CSS07-Number of Aborted Attempts	CSS07-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts
C111406	CSS07-Number of Actual Attempts	CSS07-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts
C111411	CSS07-Number of Interrupt Attempts	CSS07-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts
C111416	CSS07-Preparatory Acts/Behavior	CSS07-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111417	CSS07-Preparatory Acts/Behavior, Descr	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111409	CSS07-Self-injur Behav, Intent Unknown	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown
C111418	CSS07-Suicidal Behavior	CSS07-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior
C111387	CSS07-Wish to be Dead, Describe	CSS07-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead
C111385	CSS07-Wish to be Dead-Life	CSS07-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)

**C111337 C-SSRS Children's
Baseline/Screening
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111386	CSS07-Wish to be Dead-P6M	CSS07-Wish to be Dead-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)

C-SSRS Children's Baseline/Screening TESTCD (QS-Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening Questionnaire Test Code)

NCI Code: C111338, Codelist extensible: No

C111338 C-SSRS Children's Baseline/Screening TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111385	CSS0701A	CSS07-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)
C111386	CSS0701B	CSS07-Wish to be Dead-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)
C111387	CSS0701C	CSS07-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead
C111388	CSS0702A	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)
C111389	CSS0702B	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C111390	CSS0702C	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111391	CSS0703A	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C111392	CSS0703B	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111393	CSS0703C	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111394	CSS0704A	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS0704B	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)

C111338 C-SSRS Children's Baseline/Screening TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111396	CSS0704C	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111397	CSS0705A	CSS07-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C111398	CSS0705B	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111399	CSS0705C	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111400	CSS0706A	CSS07-Most Severe Idea	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS0706B	CSS07-Most Severe Idea, Desc	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation
C111402	CSS0707A	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS0707B	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111404	CSS0707C	CSS07-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111405	CSS0708	CSS07-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111406	CSS0709	CSS07-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts
C111407	CSS0709A	CSS07-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111408	CSS0710	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior
C111409	CSS0711	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown

C111338 C-SSRS Children's Baseline/Screening TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111410	CSS0712	CSS07-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111411	CSS0713	CSS07-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts
C111412	CSS0713A	CSS07-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111413	CSS0714	CSS07-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111414	CSS0715	CSS07-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts
C111415	CSS0715A	CSS07-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111416	CSS0716	CSS07-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111417	CSS0716A	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111418	CSS0717	CSS07-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior
C111419	CSS0718A	CSS07-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111420	CSS0718B	CSS07-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111421	CSS0718C	CSS07-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111422	CSS0719A	CSS07-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111423	CSS0719B	CSS07-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111424	CSS0719C	CSS07-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality

C111338 C-SSRS Children's Baseline/Screening TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111425	CSS0720A	CSS07-First Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111426	CSS0720B	CSS07-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111427	CSS0720C	CSS07-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality

C-SSRS Children's Baseline TEST (QS-Columbia-Suicidality Severity Rating Scale Children's Baseline Questionnaire Test Name)

NCI Code: C111335, Codelist extensible: No

C111335 C-SSRS Children's Baseline TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111549	CSS06-Aborted Attempt	CSS06-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111551	CSS06-Aborted Attempt, Describe	CSS06-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111541	CSS06-Actual Attempt	CSS06-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111543	CSS06-Actual Attempt, Describe	CSS06-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt
C111562	CSS06-First Attempt Damage	CSS06-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111561	CSS06-First Attempt Date	CSS06-First Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111563	CSS06-First Attempt Potential	CSS06-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality
C111540	CSS06-Frequency, Write Response	CSS06-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response
C111531	CSS06-Idea, No Intent, No Plan	CSS06-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS06-Idea, No Intent, No Plan, Describe	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111534	CSS06-Ideation With Intent No Plan Descr	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111533	CSS06-Ideation With Intent, No Plan	CSS06-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS06-Ideation With Plan/Intent	CSS06-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS06-Ideation With Plan/Intent, Descr	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent

C111335 C-SSRS Children's Baseline TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111546	CSS06-Interrupted Attempt	CSS06-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111548	CSS06-Interrupted Attempt, Describe	CSS06-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111559	CSS06-Most Lethal Attempt Damage	CSS06-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111558	CSS06-Most Lethal Attempt Date	CSS06-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111560	CSS06-Most Lethal Attempt Potential	CSS06-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111556	CSS06-Most Recent Attempt Damage	CSS06-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111555	CSS06-Most Recent Attempt Date	CSS06-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111557	CSS06-Most Recent Attempt Potential	CSS06-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality
C111537	CSS06-Most Severe Ideation	CSS06-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS06-Most Severe Ideation, Description	CSS06-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS06-Most Severe Ideation, Frequency	CSS06-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111530	CSS06-Non-Specific Suicid Thought, Descr	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111529	CSS06-Non-Specific Suicidal Thought	CSS06-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111544	CSS06-Non-suicidal Self-injurious Behav	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111550	CSS06-Number of Aborted Attempts	CSS06-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111542	CSS06-Number of Actual Attempts	CSS06-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111547	CSS06-Number of Interrupt Attempts	CSS06-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111552	CSS06-Preparatory Acts/Behavior	CSS06-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt

C111335 C-SSRS Children's Baseline TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111553	CSS06-Preparatory Acts/Behavior, Descr	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111545	CSS06-Self-injur Behav, Intent Unknown	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111554	CSS06-Suicidal Behavior	CSS06-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111527	CSS06-Wish to be Dead	CSS06-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS06-Wish to be Dead, Describe	CSS06-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead

C-SSRS Children's Baseline TESTCD (QS-Columbia-Suicidality Severity Rating Scale Children's Baseline Questionnaire Test Code)

NCI Code: C111336, Codelist extensible: No

C111336 C-SSRS Children's Baseline TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111527	CSS0601	CSS06-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS0601A	CSS06-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead
C111529	CSS0602	CSS06-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111530	CSS0602A	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111531	CSS0603	CSS06-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS0603A	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111533	CSS0604	CSS06-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111534	CSS0604A	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS0605	CSS06-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS0605A	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent
C111537	CSS0606	CSS06-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS0606A	CSS06-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS0607	CSS06-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111540	CSS0607A	CSS06-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response

C111336 C-SSRS Children's Baseline TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111541	CSS0608	CSS06-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111542	CSS0609	CSS06-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111543	CSS0609A	CSS06-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt
C111544	CSS0610	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111545	CSS0611	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111546	CSS0612	CSS06-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111547	CSS0613	CSS06-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111548	CSS0613A	CSS06-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111549	CSS0614	CSS06-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111550	CSS0615	CSS06-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111551	CSS0615A	CSS06-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111552	CSS0616	CSS06-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C111553	CSS0616A	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111554	CSS0617	CSS06-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111555	CSS0618A	CSS06-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111556	CSS0618B	CSS06-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111557	CSS0618C	CSS06-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality

C111336 C-SSRS Children's Baseline TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111558	CSS0619A	CSS06-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111559	CSS0619B	CSS06-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111560	CSS0619C	CSS06-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111561	CSS0620A	CSS06-First Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111562	CSS0620B	CSS06-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111563	CSS0620C	CSS06-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality

C-SSRS Children's Since Last Visit TEST (QS-Columbia-Suicidality Severity Rating Scale Children's Since Last Visit Questionnaire Test Name)

NCI Code: C111339, Codelist extensible: No

C111339 C-SSRS Children's Since Last Visit TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111452	CSS08-Aborted Attempt, Describe	CSS08-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111450	CSS08-Aborted/Self-Interrupted Attempt	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111442	CSS08-Actual Attempt	CSS08-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111444	CSS08-Actual Attempt, Describe	CSS08-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111441	CSS08-Frequency, Write Response	CSS08-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response
C111432	CSS08-Idea, No Intent, No Plan	CSS08-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS08-Idea, No Intent, No Plan, Describe	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111435	CSS08-Ideation With Intent No Plan Descr	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111434	CSS08-Ideation With Intent, No Plan	CSS08-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS08-Ideation With Plan/Intent	CSS08-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS08-Ideation With Plan/Intent, Descr	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111447	CSS08-Interrupted Attempt	CSS08-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt

C111339 C-SSRS Children's Since Last Visit TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111449	CSS08-Interrupted Attempt, Describe	CSS08-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt
C111458	CSS08-Most Lethal Attempt Damage	CSS08-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111457	CSS08-Most Lethal Attempt Date	CSS08-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date
C111459	CSS08-Most Lethal Attempt Potential	CSS08-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality
C111438	CSS08-Most Severe Ideation	CSS08-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS08-Most Severe Ideation, Description	CSS08-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS08-Most Severe Ideation, Frequency	CSS08-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111431	CSS08-Non-Specific Suicid Thought, Descr	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111430	CSS08-Non-Specific Suicidal Thought	CSS08-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111445	CSS08-Non-suicidal Self-injurious Behav	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111451	CSS08-Number of Aborted Attempts	CSS08-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111443	CSS08-Number of Actual Attempts	CSS08-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts
C111448	CSS08-Number of Interrupt Attempts	CSS08-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111453	CSS08-Preparatory Acts/Behavior	CSS08-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS08-Preparatory Acts/Behavior, Descr	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111446	CSS08-Self-injur Behav, Intent Unknown	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111455	CSS08-Suicidal Behavior	CSS08-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS08-Suicide	CSS08-Suicide	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide

C111339 C-SSRS Children's Since Last Visit TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111428	CSS08-Wish to be Dead	CSS08-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS08-Wish to be Dead, Describe	CSS08-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead

C-SSRS Children's Since Last Visit TESTCD (QS-Columbia-Suicidality Severity Rating Scale Children's Since Last Visit Questionnaire Test Code)

NCI Code: C111340, Codelist extensible: No

C111340 C-SSRS Children's Since Last Visit TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111428	CSS0801	CSS08-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS0801A	CSS08-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead
C111430	CSS0802	CSS08-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111431	CSS0802A	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111432	CSS0803	CSS08-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS0803A	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111434	CSS0804	CSS08-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111435	CSS0804A	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS0805	CSS08-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS0805A	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111438	CSS0806	CSS08-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS0806A	CSS08-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS0807	CSS08-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111441	CSS0807A	CSS08-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response

C111340 C-SSRS Children's Since Last Visit TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111442	CSS0808	CSS08-Actual Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111443	CSS0809	CSS08-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts
C111444	CSS0809A	CSS08-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111445	CSS0810	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111446	CSS0811	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111447	CSS0812	CSS08-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt
C111448	CSS0813	CSS08-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111449	CSS0813A	CSS08-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt
C111450	CSS0814	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111451	CSS0815	CSS08-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111452	CSS0815A	CSS08-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111453	CSS0816	CSS08-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS0816A	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111455	CSS0817	CSS08-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS0818	CSS08-Suicide	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide
C111457	CSS0819A	CSS08-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date

C111340 C-SSRS Children's Since Last Visit TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111458	CSS0819B	CSS08-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111459	CSS0819C	CSS08-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality

C-SSRS Lifetime/Recent Version TEST (QS-Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version Questionnaire Test Name)

NCI Code: C117988, Codelist extensible: No

C117988 C-SSRS Lifetime/Recent Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118064	CSS11-Aborted Attempt, Describe	CSS11-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt
C118060	CSS11-Aborted Attempt-Life	CSS11-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)
C118061	CSS11-Aborted Attempt-P3M	CSS11-Aborted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)
C118052	CSS11-Actual Attempt, Describe	CSS11-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt
C118048	CSS11-Actual Attempt-Life	CSS11-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)
C118049	CSS11-Actual Attempt-P3M	CSS11-Actual Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)
C118077	CSS11-First Attempt Damage	CSS11-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage
C118076	CSS11-First Attempt Date	CSS11-First Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date
C118078	CSS11-First Attempt Potential	CSS11-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality
C118030	CSS11-Idea, Intent, No Plan, Describe	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C118028	CSS11-Idea, Intent, No Plan-Life	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C118029	CSS11-Idea, Intent, No Plan-P1M	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)
C118027	CSS11-Idea, No Intent, No Plan, Describe	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act

C117988 C-SSRS Lifetime/Recent Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118025	CSS11-Idea, No Intent, No Plan-Life	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C118026	CSS11-Idea, No Intent, No Plan-P1M	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)
C118033	CSS11-Idea, Plan, Intent, Describe	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C118031	CSS11-Idea, Plan, Intent-Life	CSS11-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C118032	CSS11-Idea, Plan, Intent-P1M	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)
C118059	CSS11-Interrupted Attempt, Describe	CSS11-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt
C118055	CSS11-Interrupted Attempt-Life	CSS11-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)
C118056	CSS11-Interrupted Attempt-P3M	CSS11-Interrupted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)
C118074	CSS11-Most Lethal Attempt Damage	CSS11-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C118073	CSS11-Most Lethal Attempt Date	CSS11-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date
C118075	CSS11-Most Lethal Attempt Potential	CSS11-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality
C118071	CSS11-Most Recent Attempt Damage	CSS11-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C118070	CSS11-Most Recent Attempt Date	CSS11-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date
C118072	CSS11-Most Recent Attempt Potential	CSS11-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality
C118042	CSS11-Most Severe Idea, Control-Life	CSS11-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)

C117988 C-SSRS Lifetime/Recent Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118043	CSS11-Most Severe Idea, Control-P1M	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)
C118035	CSS11-Most Severe Idea, Desc-Life	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)
C118037	CSS11-Most Severe Idea, Desc-Recent-P1M	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)
C118044	CSS11-Most Severe Idea, Deterrents-Life	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)
C118045	CSS11-Most Severe Idea, Deterrents-P1M	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)
C118040	CSS11-Most Severe Idea, Duration-Life	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)
C118041	CSS11-Most Severe Idea, Duration-P1M	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118038	CSS11-Most Severe Idea, Frequency-Life	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS11-Most Severe Idea, Frequency-P1M	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118046	CSS11-Most Severe Idea, Reasons-Life	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)
C118047	CSS11-Most Severe Idea, Reasons-P1M	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)
C118034	CSS11-Most Severe Idea-Life	CSS11-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)
C118036	CSS11-Most Severe Idea-Recent-P1M	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118024	CSS11-Non-Spec Suicid Thought, Describe	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118022	CSS11-Non-Spec Suicid Thought-Life	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)

C117988 C-SSRS Lifetime/Recent Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118023	CSS11-Non-Spec Suicid Thought-P1M	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118053	CSS11-Non-suicid Self-injur Behav-Life	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)
C118054	CSS11-Non-suicid Self-injur Behav-P3M	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118057	CSS11-Num of Interrupted Attempts-Life	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS11-Num of Interrupted Attempts-P3M	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118062	CSS11-Number of Aborted Attempts-Life	CSS11-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS11-Number of Aborted Attempts-P3M	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118050	CSS11-Number of Actual Attempts-Life	CSS11-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)
C118051	CSS11-Number of Actual Attempts-P3M	CSS11-Number of Actual Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)
C118067	CSS11-Preparatory Acts/Behavior, Descr	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118065	CSS11-Preparatory Acts/Behavior-Life	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS11-Preparatory Acts/Behavior-P3M	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118068	CSS11-Suicidal Behavior-Life	CSS11-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS11-Suicidal Behavior-P3M	CSS11-Suicidal Behavior-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)
C118021	CSS11-Wish to be Dead, Describe	CSS11-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118019	CSS11-Wish to be Dead-Life	CSS11-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)

**C117988 C-SSRS
Lifetime/Recent
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118020	CSS11-Wish to be Dead-P1M	CSS11-Wish to be Dead-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)

C-SSRS Lifetime/Recent Version TESTCD (QS-Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version Questionnaire Test Code)

NCI Code: C117989, Codelist extensible: No

C117989 C-SSRS Lifetime/Recent Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118019	CSS1101A	CSS11-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)
C118020	CSS1101B	CSS11-Wish to be Dead-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)
C118021	CSS1101C	CSS11-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118022	CSS1102A	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C118023	CSS1102B	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118024	CSS1102C	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118025	CSS1103A	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C118026	CSS1103B	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)
C118027	CSS1103C	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C118028	CSS1104A	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C118029	CSS1104B	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)
C118030	CSS1104C	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C118031	CSS1105A	CSS11-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)

C117989 C-SSRS Lifetime/Recent Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118032	CSS1105B	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)
C118033	CSS1105C	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C118034	CSS1106A	CSS11-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)
C118035	CSS1106B	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)
C118036	CSS1106C	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118037	CSS1106D	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)
C118038	CSS1107A	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS1107B	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118040	CSS1108A	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)
C118041	CSS1108B	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118042	CSS1109A	CSS11-Most Severe Idea, Control-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)
C118043	CSS1109B	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)
C118044	CSS1110A	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)
C118045	CSS1110B	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)
C118046	CSS1111A	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)

C117989 C-SSRS Lifetime/Recent Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118047	CSS1111B	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)
C118048	CSS1112A	CSS11-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)
C118049	CSS1112B	CSS11-Actual Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)
C118050	CSS1113A	CSS11-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)
C118051	CSS1113B	CSS11-Number of Actual Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)
C118052	CSS1113C	CSS11-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt
C118053	CSS1114A	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)
C118054	CSS1114B	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118055	CSS1115A	CSS11-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)
C118056	CSS1115B	CSS11-Interrupted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)
C118057	CSS1116A	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS1116B	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118059	CSS1116C	CSS11-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt
C118060	CSS1117A	CSS11-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)
C118061	CSS1117B	CSS11-Aborted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)

C117989 C-SSRS Lifetime/Recent Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118062	CSS1118A	CSS11-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS1118B	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118064	CSS1118C	CSS11-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt
C118065	CSS1119A	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS1119B	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118067	CSS1119C	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118068	CSS1120A	CSS11-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS1120B	CSS11-Suicidal Behavior-P3M	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)
C118070	CSS1121A	CSS11-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date
C118071	CSS1121B	CSS11-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C118072	CSS1121C	CSS11-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality
C118073	CSS1122A	CSS11-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date
C118074	CSS1122B	CSS11-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C118075	CSS1122C	CSS11-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality
C118076	CSS1123A	CSS11-First Attempt Date	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date
C118077	CSS1123B	CSS11-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage
C118078	CSS1123C	CSS11-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality

C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TEST (QS-Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Test Name)

NCI Code: C113847, Codelist extensible: No

C113847 C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113929	CSS10-Aborted Attempt, Describe	CSS10-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113925	CSS10-Aborted Attempt-Life	CSS10-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS10-Aborted Attempt-P3M	CSS10-Aborted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113915	CSS10-Actual Attempt, Describe	CSS10-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113911	CSS10-Actual Attempt-Life	CSS10-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)
C113912	CSS10-Actual Attempt-P3M	CSS10-Actual Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113942	CSS10-First Attempt Damage	CSS10-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113941	CSS10-First Attempt Date	CSS10-First Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113943	CSS10-First Attempt Potential	CSS10-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality
C113910	CSS10-Frequency, Write Response	CSS10-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response
C113900	CSS10-Idea, Intent, No Plan, Describe	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan

**C113847 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113898	CSS10-Idea, Intent, No Plan-Life	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)
C113899	CSS10-Idea, Intent, No Plan-P1M	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)
C113897	CSS10-Idea, No Intent, No Plan, Describe	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C113895	CSS10-Idea, No Intent, No Plan-Life	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)
C113896	CSS10-Idea, No Intent, No Plan-P1M	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)
C113903	CSS10-Idea, Plan, Intent, Describe	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent
C113901	CSS10-Idea, Plan, Intent-Life	CSS10-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)
C113902	CSS10-Idea, Plan, Intent-P1M	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)
C113924	CSS10-Interrupted Attempt, Describe	CSS10-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt
C113920	CSS10-Interrupted Attempt-Life	CSS10-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)

**C113847 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113921	CSS10-Interrupted Attempt-P3M	CSS10-Interrupted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)
C113939	CSS10-Most Lethal Attempt Damage	CSS10-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C113938	CSS10-Most Lethal Attempt Date	CSS10-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date
C113940	CSS10-Most Lethal Attempt Potential	CSS10-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality
C113936	CSS10-Most Recent Attempt Damage	CSS10-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C113935	CSS10-Most Recent Attempt Date	CSS10-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date
C113937	CSS10-Most Recent Attempt Potential	CSS10-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality
C113905	CSS10-Most Severe Idea, Desc-Life	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113907	CSS10-Most Severe Idea, Desc-P1M	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS10-Most Severe Idea, Frequency-Life	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS10-Most Severe Idea, Frequency-P1M	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113904	CSS10-Most Severe Idea-Life	CSS10-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)

**C113847 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113906	CSS10-Most Severe Ideation-P1M	CSS10-Most Severe Ideation-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113894	CSS10-Non-Spec Suicid Thought, Describe	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts
C113892	CSS10-Non-Spec Suicid Thought-Life	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS10-Non-Spec Suicid Thought-P1M	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113916	CSS10-Non-suicidal Self-injur Behav-Life	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS10-Non-suicidal Self-injur Behav-P3M	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)
C113927	CSS10-Number of Aborted Attempts-Life	CSS10-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS10-Number of Aborted Attempts-P3M	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113913	CSS10-Number of Actual Attempts-Life	CSS10-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS10-Number of Actual Attempts-P3M	CSS10-Number of Actual Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113922	CSS10-Number of Interrupt Attempts-Life	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)
C113923	CSS10-Number of Interrupt Attempts-P3M	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)

**C113847 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113932	CSS10-Preparatory Acts/Behavior, Descr	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C113930	CSS10-Preparatory Acts/Behavior-Life	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C113931	CSS10-Preparatory Acts/Behavior-P3M	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113918	CSS10-Self-injur Behav, Intent Unk-Life	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS10-Self-injur Behav, Intent Unk-P3M	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113933	CSS10-Suicidal Behavior-Life	CSS10-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)
C113934	CSS10-Suicidal Behavior-P3M	CSS10-Suicidal Behavior-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113891	CSS10-Wish to be Dead, Describe	CSS10-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113889	CSS10-Wish to be Dead-Life	CSS10-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS10-Wish to be Dead-P1M	CSS10-Wish to be Dead-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)

C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TESTCD (QS-Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Test Code)

NCI Code: C113848, Codelist extensible: No

C113848 C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113889	CSS1001A	CSS10-Wish to be Dead-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS1001B	CSS10-Wish to be Dead-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)
C113891	CSS1001C	CSS10-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113892	CSS1002A	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS1002B	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113894	CSS1002C	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts
C113895	CSS1003A	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)
C113896	CSS1003B	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)
C113897	CSS1003C	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C113898	CSS1004A	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)

**C113848 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113899	CSS1004B	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)
C113900	CSS1004C	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C113901	CSS1005A	CSS10-Idea, Plan, Intent-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)
C113902	CSS1005B	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)
C113903	CSS1005C	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent
C113904	CSS1006A	CSS10-Most Severe Idea-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)
C113905	CSS1006B	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113906	CSS1006C	CSS10-Most Severe Idea-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113907	CSS1006D	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS1007A	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS1007B	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113910	CSS1007C	CSS10-Frequency, Write Response	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response

**C113848 C-SSRS
PEDIATRIC/COGNITIVELY
IMPAIRED
LIFETIME/RECENT
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113911	CSS1008A	CSS10-Actual Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)
C113912	CSS1008B	CSS10-Actual Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113913	CSS1009A	CSS10-Number of Actual Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS1009B	CSS10-Number of Actual Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113915	CSS1009C	CSS10-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113916	CSS1010A	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS1010B	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)
C113918	CSS1011A	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS1011B	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113920	CSS1012A	CSS10-Interrupted Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)
C113921	CSS1012B	CSS10-Interrupted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)
C113922	CSS1013A	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)

**C113848 C-SSRS
PEDIATRIC/COGNITIVELY
IMPAIRED
LIFETIME/RECENT
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113923	CSS1013B	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)
C113924	CSS1013C	CSS10-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt
C113925	CSS1014A	CSS10-Aborted Attempt-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS1014B	CSS10-Aborted Attempt-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113927	CSS1015A	CSS10-Number of Aborted Attempts-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS1015B	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113929	CSS1015C	CSS10-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113930	CSS1016A	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C113931	CSS1016B	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113932	CSS1016C	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C113933	CSS1017A	CSS10-Suicidal Behavior-Life	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)

**C113848 C-SSRS
PEDIATRIC/COGNITIVELY IMPAIRED
LIFETIME/RECENT
TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113934	CSS1017B	CSS10-Suicidal Behavior-P3M	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113935	CSS1018A	CSS10-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date
C113936	CSS1018B	CSS10-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C113937	CSS1018C	CSS10-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality
C113938	CSS1019A	CSS10-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date
C113939	CSS1019B	CSS10-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C113940	CSS1019C	CSS10-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality
C113941	CSS1020A	CSS10-First Attempt Date	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113942	CSS1020B	CSS10-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113943	CSS1020C	CSS10-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality

C-SSRS Screening TEST (QS-Columbia-Suicidality Severity Rating Scale Screening Questionnaire Test Name)

NCI Code: C111341, Codelist extensible: No

C111341 C-SSRS Screening TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111484	CSS09-Aborted Attempt	CSS09-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt
C111486	CSS09-Aborted Attempt, Describe	CSS09-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt
C111477	CSS09-Actual Attempt	CSS09-Actual Attempt	Columbia-Suicidality Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt
C111479	CSS09-Actual Attempt, Describe	CSS09-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt
C111497	CSS09-First Attempt Damage	CSS09-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111496	CSS09-First Attempt Date	CSS09-First Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date
C111498	CSS09-First Attempt Potential	CSS09-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality
C111466	CSS09-Idea, Intent, No Plan	CSS09-Idea, Intent, No Plan	Columbia-Suicidality Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS09-Idea, Intent, No Plan, Describe	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111464	CSS09-Idea, No Intent, No Plan	CSS09-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS09-Idea, No Intent, No Plan, Describe	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111468	CSS09-Idea, Plan, Intent	CSS09-Idea, Plan, Intent	Columbia-Suicidality Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS09-Idea, Plan, Intent, Describe	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111481	CSS09-Interrupted Attempt	CSS09-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt
C111483	CSS09-Interrupted Attempt, Describe	CSS09-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt
C111494	CSS09-Most Lethal Attempt Damage	CSS09-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111493	CSS09-Most Lethal Attempt Date	CSS09-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date

C111341 C-SSRS Screening TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111495	CSS09-Most Lethal Attempt Potential	CSS09-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality
C111491	CSS09-Most Recent Attempt Damage	CSS09-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111490	CSS09-Most Recent Attempt Date	CSS09-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date
C111492	CSS09-Most Recent Attempt Potential	CSS09-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality
C111470	CSS09-Most Severe Idea	CSS09-Most Severe Idea	Columbia-Suicidality Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111474	CSS09-Most Severe Idea, Controllability	CSS09-Most Severe Idea, Controllability	Columbia-Suicidality Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111471	CSS09-Most Severe Idea, Desc	CSS09-Most Severe Idea, Desc	Columbia-Suicidality Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111475	CSS09-Most Severe Idea, Deterrents	CSS09-Most Severe Idea, Deterrents	Columbia-Suicidality Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation
C111473	CSS09-Most Severe Idea, Duration	CSS09-Most Severe Idea, Duration	Columbia-Suicidality Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111472	CSS09-Most Severe Idea, Frequency	CSS09-Most Severe Idea, Frequency	Columbia-Suicidality Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111476	CSS09-Most Severe Idea, Reasons	CSS09-Most Severe Idea, Reasons	Columbia-Suicidality Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111462	CSS09-Non-Spec Suicid Thought	CSS09-Non-Spec Suicid Thought	Columbia-Suicidality Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS09-Non-Spec Suicid Thought, Describe	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111480	CSS09-Non-suicidal Self-injur Behav	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicidality Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior
C111485	CSS09-Number of Aborted Attempts	CSS09-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts
C111478	CSS09-Number of Actual Attempts	CSS09-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts
C111482	CSS09-Number of Interrupt Attempts	CSS09-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts
C111487	CSS09-Preparatory Acts/Behavior	CSS09-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111488	CSS09-Preparatory Acts/Behavior, Descr	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt

C111341 C-SSRS Screening TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111489	CSS09-Suicidal Behavior	CSS09-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior
C111460	CSS09-Wish to be Dead	CSS09-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS09-Wish to be Dead, Describe	CSS09-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead

C-SSRS Screening TESTCD (QS-Columbia-Suicidality Severity Rating Scale Screening Questionnaire Test Code)

NCI Code: C111342, Codelist extensible: No

C111342 C-SSRS Screening TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111460	CSS0901	CSS09-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS0901A	CSS09-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead
C111462	CSS0902	CSS09-Non-Spec Suicid Thought	Columbia-Suicidality Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS0902A	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111464	CSS0903	CSS09-Idea, No Intent, No Plan	Columbia-Suicidality Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS0903A	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111466	CSS0904	CSS09-Idea, Intent, No Plan	Columbia-Suicidality Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS0904B	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111468	CSS0905	CSS09-Idea, Plan, Intent	Columbia-Suicidality Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS0905A	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111470	CSS0906	CSS09-Most Severe Idea	Columbia-Suicidality Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111471	CSS0906A	CSS09-Most Severe Idea, Desc	Columbia-Suicidality Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111472	CSS0907	CSS09-Most Severe Idea, Frequency	Columbia-Suicidality Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111473	CSS0908	CSS09-Most Severe Idea, Duration	Columbia-Suicidality Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111474	CSS0909	CSS09-Most Severe Idea, Controllability	Columbia-Suicidality Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111475	CSS0910	CSS09-Most Severe Idea, Deterrents	Columbia-Suicidality Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation

C111342 C-SSRS Screening TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111476	CSS0911	CSS09-Most Severe Idea, Reasons	Columbia-Suicidality Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111477	CSS0912	CSS09-Actual Attempt	Columbia-Suicidality Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt
C111478	CSS0913	CSS09-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts
C111479	CSS0913A	CSS09-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt
C111480	CSS0914	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicidality Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior
C111481	CSS0915	CSS09-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt
C111482	CSS0916	CSS09-Number of Interrupt Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts
C111483	CSS0916A	CSS09-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt
C111484	CSS0917	CSS09-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt
C111485	CSS0918	CSS09-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts
C111486	CSS0918A	CSS09-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt
C111487	CSS0919	CSS09-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111488	CSS0919A	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111489	CSS0920	CSS09-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior
C111490	CSS0921A	CSS09-Most Recent Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date
C111491	CSS0921B	CSS09-Most Recent Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111492	CSS0921C	CSS09-Most Recent Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality
C111493	CSS0922A	CSS09-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date

C111342 C-SSRS Screening TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111494	CSS0922B	CSS09-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111495	CSS0922C	CSS09-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality
C111496	CSS0923A	CSS09-First Attempt Date	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date
C111497	CSS0923B	CSS09-First Attempt Damage	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111498	CSS0923C	CSS09-First Attempt Potential	Columbia-Suicidality Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality

C-SSRS Since Last Visit TEST (QS-Columbia-Suicidality Severity Rating Scale Since Last Visit Questionnaire Test Name)

NCI Code: C103460, Codelist extensible: No

C103460 C-SSRS Since Last Visit TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103793	CSS02-Aborted Attempt	CSS02-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103795	CSS02-Aborted Attempt, Describe	CSS02-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103786	CSS02-Actual Attempt	CSS02-Actual Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt
C103788	CSS02-Actual Attempt, Describe	CSS02-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts
C103800	CSS02-Ideation With Intent No Plan Descr	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103799	CSS02-Ideation With Intent, No Plan	CSS02-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103801	CSS02-Ideation With Plan/Intent	CSS02-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS02-Ideation With Plan/Intent, Descr	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103790	CSS02-Interrupted Attempt	CSS02-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103792	CSS02-Interrupted Attempt, Describe	CSS02-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103534	CSS02-Most Lethal Attempt Damage	CSS02-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103533	CSS02-Most Lethal Attempt Date	CSS02-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103535	CSS02-Most Lethal Attempt Potential	CSS02-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality
C103779	CSS02-Most Severe Ideation	CSS02-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103783	CSS02-Most Severe Ideation, Control	CSS02-Most Severe Ideation, Control	Columbia-Suicidality Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103780	CSS02-Most Severe Ideation, Description	CSS02-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103784	CSS02-Most Severe Ideation, Deterrents	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicidality Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103782	CSS02-Most Severe Ideation, Duration	CSS02-Most Severe Ideation, Duration	Columbia-Suicidality Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation

C103460 C-SSRS Since Last Visit TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103781	CSS02-Most Severe Ideation, Frequency	CSS02-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation
C103785	CSS02-Most Severe Ideation, Reasons	CSS02-Most Severe Ideation, Reasons	Columbia-Suicidality Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation
C103775	CSS02-Non-Specific Suicid Thought, Descr	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought
C103774	CSS02-Non-Specific Suicidal Thought	CSS02-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought
C103789	CSS02-Non-suicidal Self-injurious Behav	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior
C103794	CSS02-Number of Aborted Attempts	CSS02-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts
C103787	CSS02-Number of Actual Attempts	CSS02-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts
C103791	CSS02-Number of Interrupted Attempts	CSS02-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts
C103796	CSS02-Preparatory Acts/Behavior	CSS02-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C103797	CSS02-Preparatory Acts/Behavior, Descr	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C103798	CSS02-Suicidal Behavior	CSS02-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior
C103776	CSS02-Suicidal Ideation-No Intent	CSS02-Suicidal Ideation-No Intent	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent
C103777	CSS02-Suicidal Ideation-No Intent, Descr	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent
C103532	CSS02-Suicide	CSS02-Suicide	Columbia-Suicidality Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide
C103772	CSS02-Wish to be Dead	CSS02-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up
C103773	CSS02-Wish to be Dead, Describe	CSS02-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead

C-SSRS Since Last Visit TESTCD (QS-Columbia-Suicidality Severity Rating Scale Since Last Visit Questionnaire Test Code)

NCI Code: C103461, Codelist extensible: No

C103461 C-SSRS Since Last Visit TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103772	CSS0201	CSS02-Wish to be Dead	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up
C103773	CSS0201A	CSS02-Wish to be Dead, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead
C103774	CSS0202	CSS02-Non-Specific Suicidal Thought	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought
C103775	CSS0202A	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought
C103776	CSS0203	CSS02-Suicidal Ideation-No Intent	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent
C103777	CSS0203A	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent
C103799	CSS0204	CSS02-Ideation With Intent, No Plan	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103800	CSS0204A	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103801	CSS0205	CSS02-Ideation With Plan/Intent	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS0205A	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103779	CSS0206	CSS02-Most Severe Ideation	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103780	CSS0206A	CSS02-Most Severe Ideation, Description	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103781	CSS0207	CSS02-Most Severe Ideation, Frequency	Columbia-Suicidality Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation
C103782	CSS0208	CSS02-Most Severe Ideation, Duration	Columbia-Suicidality Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation
C103783	CSS0209	CSS02-Most Severe Ideation, Control	Columbia-Suicidality Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103784	CSS0210	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicidality Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103785	CSS0211	CSS02-Most Severe Ideation, Reasons	Columbia-Suicidality Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation
C103786	CSS0212	CSS02-Actual Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt

C103461 C-SSRS Since Last Visit TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103787	CSS0213	CSS02-Number of Actual Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts
C103788	CSS0213A	CSS02-Actual Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts
C103789	CSS0214	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior
C103790	CSS0215	CSS02-Interrupted Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103791	CSS0216	CSS02-Number of Interrupted Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts
C103792	CSS0216A	CSS02-Interrupted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103793	CSS0217	CSS02-Aborted Attempt	Columbia-Suicidality Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103794	CSS0218	CSS02-Number of Aborted Attempts	Columbia-Suicidality Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts
C103795	CSS0218A	CSS02-Aborted Attempt, Describe	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103796	CSS0219	CSS02-Preparatory Acts/Behavior	Columbia-Suicidality Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C103797	CSS0219A	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicidality Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C103798	CSS0220	CSS02-Suicidal Behavior	Columbia-Suicidality Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior
C103532	CSS0221	CSS02-Suicide	Columbia-Suicidality Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide
C103533	CSS0222A	CSS02-Most Lethal Attempt Date	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103534	CSS0222B	CSS02-Most Lethal Attempt Damage	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103535	CSS0222C	CSS02-Most Lethal Attempt Potential	Columbia-Suicidality Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality

DAD TEST (QS-Disability Assessment for Dementia Questionnaire Test Name)

NCI Code: C105129, Codelist extensible: No

C105129 DAD TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105195	DAD01-Adequately Organize an Outing	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105201	DAD01-Adequately Organize Correspondence	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105188	DAD01-Adequately Plan Light Meal Snack	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105175	DAD01-Brush Teeth Take Care of Dentures	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105192	DAD01-Carry Out Telephone Conversation	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105178	DAD01-Choose Appropriate Clothing	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105185	DAD01-Choose Appropriate Utensils	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105208	DAD01-Complete Household Chores	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105184	DAD01-Decide That He/She Needs to Eat	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105171	DAD01-Decide to Brush Teeth Dentures	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD01-Decide to Care For Hair	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105177	DAD01-Decide to Dress	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105194	DAD01-Decide to Go Out	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105187	DAD01-Decide to Prepare Meal Snack	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105170	DAD01-Decide to Wash	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105180	DAD01-Dress Completely	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105179	DAD01-Dress in Appropriate Order	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105186	DAD01-Eat at Normal Pace With Manners	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C111581	DAD01-Effective Perf Num Applic Items	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C105191	DAD01-Find and Dial Telephone Number	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly

C105129 DAD TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105196	DAD01-Go Out Without Getting Lost	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105202	DAD01-Handle Money Adequately	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C111578	DAD01-Initiation Num Applic Items	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items
C105200	DAD01-Oragnize Finances to Pay Bills	DAD01-Oragnize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C111617	DAD01-Plan & Org Num Applic Items	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C105207	DAD01-Plan Organize Household Chores	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105173	DAD01-Prepare For Washing Bath Shower	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105189	DAD01-Prepare or Cook Light Meal Snack	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105198	DAD01-Return From Store With Items	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105197	DAD01-Safely Take Transportation	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105205	DAD01-Show Interest in Leisure Activity	DAD01-Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105199	DAD01-Show Interest in Personal Affairs	DAD01-Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105209	DAD01-Stay Safely at Home When Needed	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111580	DAD01-Sub-Total Effective Performance	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111577	DAD01-Sub-Total Initiation	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111579	DAD01-Sub-Total Planning & Organization	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C105176	DAD01-Take Care of Hair	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105206	DAD01-Take Interest in Household Chores	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105204	DAD01-Take Medications as Prescribed	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105203	DAD01-Take Medications at Correct Time	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105190	DAD01-Telephone Someone at Suitable Time	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time
C111584	DAD01-Total %	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent
C111583	DAD01-Total Num of Applic Items	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items

C105129 DAD TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111582	DAD01-Total Score	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C105181	DAD01-Undress Completely	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD01-Use Toilet at Appropriate Times	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD01-Use Toilet Without Accidents	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105174	DAD01-Wash and Dry Body Safely	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105193	DAD01-Write Convey Telephone Message	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately

DAD TESTCD (QS-Disability Assessment for Dementia Questionnaire Test Code)

NCI Code: C105130, Codelist extensible: No

C105130 DAD TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105170	DAD0101	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105171	DAD0102	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD0103	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105173	DAD0104	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105174	DAD0105	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105175	DAD0106	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105176	DAD0107	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105177	DAD0108	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105178	DAD0109	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105179	DAD0110	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105180	DAD0111	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105181	DAD0112	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD0113	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD0114	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105184	DAD0115	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105185	DAD0116	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105186	DAD0117	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C105187	DAD0118	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105188	DAD0119	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105189	DAD0120	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105190	DAD0121	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time

C105130 DAD TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105191	DAD0122	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly
C105192	DAD0123	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105193	DAD0124	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately
C105194	DAD0125	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105195	DAD0126	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105196	DAD0127	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105197	DAD0128	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105198	DAD0129	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105199	DAD0130	DAD01-Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105200	DAD0131	DAD01-Organize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C105201	DAD0132	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105202	DAD0133	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C105203	DAD0134	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105204	DAD0135	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105205	DAD0136	DAD01-Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105206	DAD0137	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105207	DAD0138	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105208	DAD0139	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105209	DAD0140	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111577	DAD0141	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111578	DAD0142	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items

C105130 DAD TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111579	DAD0143	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C111617	DAD0144	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C111580	DAD0145	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111581	DAD0146	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C111582	DAD0147	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C111583	DAD0148	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items
C111584	DAD0149	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent

Disease Steps TEST (QS-Disease Steps Questionnaire Test Name)

NCI Code: C112436, Codelist extensible: No

C112436 Disease Steps TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112549	DS01-Disease Steps Classification	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

Disease Steps TESTCD (QS-Disease Steps Questionnaire Test Code)

NCI Code: C112437, Codelist extensible: No

C112437 Disease Steps TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112549	DS0101	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

DLQI TEST (QS-Dermatology Life Quality Index Questionnaire Test Name)

NCI Code: C119069, Codelist extensible: No

C119069 DLQI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119174	DLQI-Score	DLQI-Score	Dermatology Life Quality Index - Score.	DLQI - Score
C119167	DLQI1-Affected Social, Leisure Activity	DLQI1-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119172	DLQI1-Caused Any Sexual Difficulties	DLQI1-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119164	DLQI1-How Embarrassed, Self Conscious	DLQI1-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119163	DLQI1-How Itchy, Sore, Painful, Stinging	DLQI1-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119173	DLQI1-How Much a Problem is Treatment	DLQI1-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119166	DLQI1-Influenced Clothes You Wear	DLQI1-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119165	DLQI1-Interfered Shopping, Home, Yard	DLQI1-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119168	DLQI1-Made It Difficult to Do Any Sports	DLQI1-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI1-Prevented Working or Studying	DLQI1-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI1-Problem at Work or Studying	DLQI1-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI1-Problem Partner, Friends, Relative	DLQI1-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives

DLQI TESTCD (QS-Dermatology Life Quality Index Questionnaire Test Code)

NCI Code: C119070, Codelist extensible: No

C119070 DLQI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119163	DLQI101	DLQII-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119164	DLQI102	DLQII-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119165	DLQI103	DLQII-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119166	DLQI104	DLQII-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119167	DLQI105	DLQII-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119168	DLQI106	DLQII-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI107	DLQII-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI107A	DLQII-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI108	DLQII-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives
C119172	DLQI109	DLQII-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119173	DLQI110	DLQII-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119174	DLQI111	DLQI-Score	Dermatology Life Quality Index - Score.	DLQI - Score

DRS TEST (QS-Disability Rating Scale Questionnaire Test Name)

NCI Code: C115401, Codelist extensible: No

C115401 DRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115821	DRS01-Communication Ability	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115827	DRS01-Employability	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability
C115820	DRS01-Eye Opening	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115823	DRS01-Feeding	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115825	DRS01-Grooming	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS01-Level of Functioning	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115822	DRS01-Motor Response	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115824	DRS01-Toileting	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting

DRS TESTCD (QS-Disability Rating Scale Questionnaire Test Code)

NCI Code: C115402, Codelist extensible: No

C115402 DRS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115820	DRS0101	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115821	DRS0102	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115822	DRS0103	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115823	DRS0104	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115824	DRS0105	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting
C115825	DRS0106	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS0107	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115827	DRS0108	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability

ECOG TEST (QS-Eastern Cooperative Oncology Group Performance Status Test Name)

NCI Code: C101816, Codelist extensible: No

C101816 ECOG TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102408	ECOG1-Performance Status	ECOG1-Performance Status	ECOG Performance Status - Performance Status.	ECOG - Performance Status

ECOG TESTCD (QS-Eastern Cooperative Oncology Group Performance Status Test Code)

NCI Code: C101815, Codelist extensible: No

C101815 ECOG TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102408	ECOG101	ECOG1-Performance Status	ECOG Performance Status - Performance Status.	ECOG - Performance Status

EDSS TEST (QS-Kurtzke Expanded Disability Status Scale Questionnaire Test Name)

NCI Code: C112438, Codelist extensible: No

C112438 EDSS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112550	EDSS01-Expanded Disability Score	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score

EDSS TESTCD (QS-Kurtzke Expanded Disability Status Scale Questionnaire Test Code)

NCI Code: C112439, Codelist extensible: No

C112439 EDSS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112550	EDSS0101	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score

EQ-5D-3L TEST (QS-European Quality of Life Five Dimension Three Level Scale Test Name)

NCI Code: C100135, Codelist extensible: No

C100135 EQ-5D-3L TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100396	EQ5D01-Anxiety/Depression	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D01-EQ VAS Score	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score
C100392	EQ5D01-Mobility	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100395	EQ5D01-Pain/Discomfort	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100393	EQ5D01-Self-Care	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D01-Usual Activities	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities

EQ-5D-3L TESTCD (QS-European Quality of Life Five Dimension Three Level Scale Test Code)

NCI Code: C100136, Codelist extensible: No

C100136 EQ-5D-3L TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100392	EQ5D0101	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100393	EQ5D0102	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D0103	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities
C100395	EQ5D0104	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100396	EQ5D0105	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D0106	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score

EQ-5D-5L TEST (QS-European Quality of Life Five Dimension Five Level Scale Test Name)

NCI Code: C101818, Codelist extensible: No

C101818 EQ-5D-5L TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102071	EQ5D02-Anxiety/Depression	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression
C102072	EQ5D02-EQ VAS Score	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score
C102067	EQ5D02-Mobility	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility
C102070	EQ5D02-Pain/Discomfort	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort
C102068	EQ5D02-Self-Care	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care
C102069	EQ5D02-Usual Activities	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities

EQ-5D-5L TESTCD (QS-European Quality of Life Five Dimension Five Level Scale Test Code)

NCI Code: C101817, Codelist extensible: No

C101817 EQ-5D-5L TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102067	EQ5D0201	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility
C102068	EQ5D0202	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care
C102069	EQ5D0203	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities
C102070	EQ5D0204	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort
C102071	EQ5D0205	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression
C102072	EQ5D0206	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score

ESRSA TEST (QS-Extrapyramidal Symptom Rating Scale-Abbreviated Questionnaire Test Name)

NCI Code: C117990, Codelist extensible: No

C117990 ESRSA TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118102	ESRSA1-Akathisia: Objective	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118101	ESRSA1-Akathisia: Subjective	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118088	ESRSA1-Bradykinesia/Hypokinesia	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118106	ESRSA1-CGI-S Akathisia	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia
C118105	ESRSA1-CGI-S Dyskinesia	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118104	ESRSA1-CGI-S Dystonia	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia
C118103	ESRSA1-CGI-S Parkinsonism	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism
C118097	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118099	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118096	ESRSA1-Dyskinesia: Jaw	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118098	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118095	ESRSA1-Dyskinesia: Tongue	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118100	ESRSA1-Dyskinesia: Trunk/Neck	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118091	ESRSA1-Dystonia: Eyes/Face/Larynx	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118093	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118090	ESRSA1-Dystonia: Jaw	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118092	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118089	ESRSA1-Dystonia: Tongue	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118094	ESRSA1-Dystonia: Trunk/Neck	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118086	ESRSA1-Impaired Gait/Posture	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA1-Postural Instability	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118085	ESRSA1-Reduced Facial Expression/Speech	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech

C117990 ESRSA TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118080	ESRSA1-Rigidity: Lower Limbs	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA1-Rigidity: Neck	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118079	ESRSA1-Rigidity: Upper Limbs	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118082	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head
C118084	ESRSA1-Tremor: Lower Limbs/Feet	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118083	ESRSA1-Tremor: Upper Limbs/Hands	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands

ESRSA TESTCD (QS-Extrapyramidal Symptom Rating Scale-Abbreviated Questionnaire Test Code)

NCI Code: C117991, Codelist extensible: No

C117991 ESRSA TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118079	ESRSA101	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118080	ESRSA102	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA103	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118082	ESRSA104	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head
C118083	ESRSA105	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands
C118084	ESRSA106	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118085	ESRSA107	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech
C118086	ESRSA108	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA109	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118088	ESRSA110	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118089	ESRSA111	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118090	ESRSA112	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118091	ESRSA113	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118092	ESRSA114	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118093	ESRSA115	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118094	ESRSA116	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118095	ESRSA117	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118096	ESRSA118	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118097	ESRSA119	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118098	ESRSA120	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118099	ESRSA121	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118100	ESRSA122	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118101	ESRSA123	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118102	ESRSA124	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118103	ESRSA125	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism

C117991 ESRSA TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118104	ESRSA126	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia
C118105	ESRSA127	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118106	ESRSA128	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia

ESS TEST (QS-Epworth Sleepiness Scale Questionnaire Test Name)

NCI Code: C103462, Codelist extensible: No

C103462 ESS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103543	ESS01-In Car Stopped Few Minutes Traffic	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic
C103540	ESS01-Lying Down to Rest In Afternoon	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103539	ESS01-Passenger for Hour Without Break	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103536	ESS01-Sitting and Reading	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103541	ESS01-Sitting and Talking to Someone	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103538	ESS01-Sitting Inactive in a Public Place	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103542	ESS01-Sitting Quietly After Lunch	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C103537	ESS01-Watching TV	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV

ESS TESTCD (QS-Epworth Sleepiness Scale Questionnaire Test Code)

NCI Code: C103463, Codelist extensible: No

C103463 ESS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103536	ESS0101	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103537	ESS0102	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV
C103538	ESS0103	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103539	ESS0104	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103540	ESS0105	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103541	ESS0106	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103542	ESS0107	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C103543	ESS0108	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic

FAMS TEST (QS-Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Name)

NCI Code: C112440, Codelist extensible: No

C112440 FAMS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112595	FAMS01-Bothered by Treatment Side Effect	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112575	FAMS01-Content With Quality of My Life	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112574	FAMS01-Enjoy Things I Usually Do for Fun	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun
C112571	FAMS01-Feel Overwhelmed by My Condition	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112577	FAMS01-Feel Sense of Purpose in My Life	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life
C112589	FAMS01-Get Emotional Support From Family	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112604	FAMS01-Have Trouble Controlling My Urine	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine
C112603	FAMS01-Heat Worsens My Symptoms	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112567	FAMS01-I Am Able to Enjoy Life	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112552	FAMS01-I Am Able to Work	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112607	FAMS01-I Am Bothered by Fevers	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112563	FAMS01-I Am Bothered by Headaches	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS01-I Am Bothered by Muscle Pains	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112608	FAMS01-I Am Bothered by Muscle Spasms	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms
C112606	FAMS01-I Am Bothered by the Chills	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112569	FAMS01-I Am Depressed About My Condition	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112596	FAMS01-I Am Forced to Spend Time in Bed	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112576	FAMS01-I Am Frustrated by My Condition	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112598	FAMS01-I Am Satisfied With My Sex Life	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life
C112602	FAMS01-I Am Sleeping Well	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112588	FAMS01-I Feel Close to My Friends	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112597	FAMS01-I Feel Close to My Partner	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112560	FAMS01-I Feel Ill	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112594	FAMS01-I Feel Left Out of Things	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things

C112440 FAMS TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112578	FAMS01-I Feel Motivated to Do Things	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112600	FAMS01-I Feel Nervous	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112565	FAMS01-I Feel Sad	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad
C112580	FAMS01-I Feel Tired	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112568	FAMS01-I Feel Trapped by My Condition	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112570	FAMS01-I Feel Useless	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112561	FAMS01-I Feel Weak All Over	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112590	FAMS01-I Get Support From My Friends	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112579	FAMS01-I Have a Lack of Energy	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112573	FAMS01-I Have Accepted My Illness	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112558	FAMS01-I Have Nausea	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112559	FAMS01-I Have Pain	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112562	FAMS01-I Have Pain in My Joints	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112555	FAMS01-I Have Strength in My Legs	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112585	FAMS01-I Have Trouble Concentrating	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112587	FAMS01-I Have Trouble Learning New Tasks	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112584	FAMS01-I Have Trouble Remembering Things	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112553	FAMS01-I Have Trouble Walking	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112583	FAMS01-I Need to Rest During the Day	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112605	FAMS01-I Urinate More Frequently	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112554	FAMS01-Limit My Social Activity	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112566	FAMS01-Losing Hope Against Illness	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112591	FAMS01-My Family Has Accepted My Illness	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112586	FAMS01-My Thinking Is Slower Than Before	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112572	FAMS01-My Work Is Fulfilling	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112592	FAMS01-Satisfied Communication Illness	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness

C112440 FAMS TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112599	FAMS01-Satisfied With How I Am Coping	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112557	FAMS01-Take My Condition Into Account	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112582	FAMS01-Trouble Finishing Things	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112556	FAMS01-Trouble Getting Around in Public	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places
C112551	FAMS01-Trouble Meeting Needs of Family	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112581	FAMS01-Trouble Starting Things	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112593	FAMS01-Trouble Understanding Worsening	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112601	FAMS01-Worry My Condition Will Get Worse	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse

FAMS TESTCD (QS-Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Code)

NCI Code: C112441, Codelist extensible: No

C112441 FAMS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112551	FAMS0101	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112552	FAMS0102	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112553	FAMS0103	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112554	FAMS0104	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112555	FAMS0105	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112556	FAMS0106	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places
C112557	FAMS0107	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112558	FAMS0108	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112559	FAMS0109	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112560	FAMS0110	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112561	FAMS0111	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112562	FAMS0112	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112563	FAMS0113	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS0114	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112565	FAMS0115	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad
C112566	FAMS0116	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112567	FAMS0117	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112568	FAMS0118	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112569	FAMS0119	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112570	FAMS0120	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112571	FAMS0121	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112572	FAMS0122	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112573	FAMS0123	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112574	FAMS0124	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun

C112441 FAMS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112575	FAMS0125	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112576	FAMS0126	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112577	FAMS0127	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life
C112578	FAMS0128	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112579	FAMS0129	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112580	FAMS0130	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112581	FAMS0131	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112582	FAMS0132	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112583	FAMS0133	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112584	FAMS0134	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112585	FAMS0135	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112586	FAMS0136	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112587	FAMS0137	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112588	FAMS0138	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112589	FAMS0139	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112590	FAMS0140	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112591	FAMS0141	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112592	FAMS0142	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness
C112593	FAMS0143	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112594	FAMS0144	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things
C112595	FAMS0145	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112596	FAMS0146	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112597	FAMS0147	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112598	FAMS0148	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life

C112441 FAMS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112599	FAMS0149	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112600	FAMS0150	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112601	FAMS0151	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse
C112602	FAMS0152	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112603	FAMS0153	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112604	FAMS0154	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine
C112605	FAMS0155	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112606	FAMS0156	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112607	FAMS0157	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112608	FAMS0158	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms

FAQ-NACC Version TEST (QS-Functional Activities Questionnaire-NACC Version Test Name)

NCI Code: C111345, Codelist extensible: No

C111345 FAQ-NACC Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111511	FAQ02-Assembling	FAQ02-Assembling	Functional Activities Questionnaire-NACC - Assembling tax records, business affairs, or other papers.	FAQ-NACC Version - Assemble
C111514	FAQ02-Heat Water/Make Coffee/Stove Off	FAQ02-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire-NACC - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC Version - Heat water, Make Coffee, Turn Off Stove
C111516	FAQ02-Keeping Track of Current Events	FAQ02-Keeping Track of Current Events	Functional Activities Questionnaire-NACC - Keeping track of current events.	FAQ-NACC Version - Keep Track of Current Events
C111517	FAQ02-Paying Attention	FAQ02-Paying Attention	Functional Activities Questionnaire-NACC - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC Version - Pay Attention, Understand, Discuss
C111513	FAQ02-Playing a Game of Skill	FAQ02-Playing a Game of Skill	Functional Activities Questionnaire-NACC - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC Version - Play Game of Skill, Work on Hobby
C111515	FAQ02-Preparing a Balanced Meal	FAQ02-Preparing a Balanced Meal	Functional Activities Questionnaire-NACC - Preparing a balanced meal.	FAQ-NACC Version - Prepare a Meal
C111518	FAQ02-Remembering	FAQ02-Remembering	Functional Activities Questionnaire-NACC - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC Version - Remember
C111512	FAQ02-Shopping Alone	FAQ02-Shopping Alone	Functional Activities Questionnaire-NACC - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC Version - Shop Alone
C111519	FAQ02-Traveling	FAQ02-Traveling	Functional Activities Questionnaire-NACC - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC Version - Travel
C111510	FAQ02-Write Checks/Pay Bills/Checkbook	FAQ02-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire-NACC - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC Version - Write checks, Pay bills, Balance checkbook

FAQ-NACC Version TESTCD (QS-Functional Activities Questionnaire-NACC Version Test Code)

NCI Code: C111346, Codelist extensible: No

C111346 FAQ-NACC Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111510	FAQ0201	FAQ02-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire-NACC - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC Version - Write checks, Pay bills, Balance checkbook
C111511	FAQ0202	FAQ02-Assembling	Functional Activities Questionnaire-NACC - Assembling tax records, business affairs, or other papers.	FAQ-NACC Version - Assemble
C111512	FAQ0203	FAQ02-Shopping Alone	Functional Activities Questionnaire-NACC - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC Version - Shop Alone
C111513	FAQ0204	FAQ02-Playing a Game of Skill	Functional Activities Questionnaire-NACC - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC Version - Play Game of Skill, Work on Hobby
C111514	FAQ0205	FAQ02-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire-NACC - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC Version - Heat water, Make Coffee, Turn Off Stove
C111515	FAQ0206	FAQ02-Preparing a Balanced Meal	Functional Activities Questionnaire-NACC - Preparing a balanced meal.	FAQ-NACC Version - Prepare a Meal
C111516	FAQ0207	FAQ02-Keeping Track of Current Events	Functional Activities Questionnaire-NACC - Keeping track of current events.	FAQ-NACC Version - Keep Track of Current Events
C111517	FAQ0208	FAQ02-Paying Attention	Functional Activities Questionnaire-NACC - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC Version - Pay Attention, Understand, Discuss
C111518	FAQ0209	FAQ02-Remembering	Functional Activities Questionnaire-NACC - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC Version - Remember
C111519	FAQ0210	FAQ02-Traveling	Functional Activities Questionnaire-NACC - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC Version - Travel

FAQ TEST (QS-Functional Activities Questionnaire Test Name)

NCI Code: C111343, Codelist extensible: No

C111343 FAQ TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111500	FAQ01-Assembling	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111503	FAQ01-Heat Water/Make Coffee/Stove Off	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111505	FAQ01-Keeping Track of Current Events	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ01-Paying Attention	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111502	FAQ01-Playing a Game of Skill	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111504	FAQ01-Preparing a Balanced Meal	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111507	FAQ01-Remembering	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111501	FAQ01-Shopping Alone	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111509	FAQ01-Total Score	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score
C111508	FAQ01-Traveling	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111499	FAQ01-Write Checks/Pay Bills/Checkbook	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook

FAQ TESTCD (QS-Functional Activities Questionnaire Test Code)

NCI Code: C111344, Codelist extensible: No

C111344 FAQ TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111499	FAQ0101	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook
C111500	FAQ0102	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111501	FAQ0103	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111502	FAQ0104	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111503	FAQ0105	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111504	FAQ0106	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111505	FAQ0107	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ0108	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111507	FAQ0109	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111508	FAQ0110	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111509	FAQ0111	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score

FIQR TEST (QS-Revised Fibromyalgia Impact Questionnaire Test Name)

NCI Code: C103464, Codelist extensible: No

C103464 FIQR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118107	FIQR01-Activities Sub-Total	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C103561	FIQR01-Anxiety	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103563	FIQR01-Balance Problems	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103544	FIQR01-Brush or Comb Your Hair	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103550	FIQR01-Change Bed Sheets	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103549	FIQR01-Climb One Flight of Stairs	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103559	FIQR01-Depression	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103556	FIQR01-Energy	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103553	FIQR01-Fibromyalgia Prevented Goals	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C118110	FIQR01-FIQR Total	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total
C103552	FIQR01-Go Shopping for Groceries	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103548	FIQR01-Lift/Carry Bag Full of Groceries	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103560	FIQR01-Memory Problems	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C118108	FIQR01-Overall Impact Sub-Total	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C103554	FIQR01-Overwhelmed by Fibromyalgia	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR01-Pain	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103546	FIQR01-Prepare a Homemade Meal	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103564	FIQR01-Sensitivity Noise/Light/Odor/Cold	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103551	FIQR01-Sit in a Chair for 45 Minutes	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103557	FIQR01-Stiffness	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C118109	FIQR01-Symptoms Sub-Total	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C103562	FIQR01-Tenderness to Touch	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103547	FIQR01-Vacuum Scrub or Sweep Floors	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103545	FIQR01-Walk Continuously for 20 Minutes	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103558	FIQR01-Your Sleep	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep

FIQR TESTCD (QS-Revised Fibromyalgia Impact Questionnaire Test Code)

NCI Code: C103465, Codelist extensible: No

C103465 FIQR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103544	FIQR0101	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103545	FIQR0102	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103546	FIQR0103	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103547	FIQR0104	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103548	FIQR0105	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103549	FIQR0106	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103550	FIQR0107	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103551	FIQR0108	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103552	FIQR0109	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103553	FIQR0110	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C103554	FIQR0111	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR0112	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103556	FIQR0113	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103557	FIQR0114	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C103558	FIQR0115	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep
C103559	FIQR0116	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103560	FIQR0117	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C103561	FIQR0118	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103562	FIQR0119	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103563	FIQR0120	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103564	FIQR0121	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C118107	FIQR0122	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C118108	FIQR0123	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C118109	FIQR0124	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C118110	FIQR0125	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total

FPSR TEST (QS-Faces Pain Scale - Revised Test Name)

NCI Code: C100153, Codelist extensible: No

C100153 FPSR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101013	FPSR1-How Much do you Hurt	FPSR1-How Much do you Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much do You Hurt

FPSR TESTCD (QS-Faces Pain Scale - Revised Test Code)

NCI Code: C100154, Codelist extensible: No

C100154 FPSR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C101013	FPSR101	FPSR1-How Much do you Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much do You Hurt

FSS TEST (QS-Fatigue Severity Scale Test Name)

NCI Code: C113849, Codelist extensible: No

C113849 FSS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113951	FSS01-Among My 3 Most Disabling Symptoms	FSS01-Among My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113945	FSS01-Exercise Brings on My Fatigue	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113948	FSS01-Fatigue Causes Frequent Problems	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113950	FSS01-Fatigue Interferes With Duties	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113952	FSS01-Fatigue Interferes With My Life	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work
C113946	FSS01-I Am Easily Fatigued	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS01-Interferes With Phys Function	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113944	FSS01-Motivation Is Lower When Fatigued	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113949	FSS01-Prevents Sustained Phys Function	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning

FSS TESTCD (QS-Fatigue Severity Scale Test Code)

NCI Code: C113850, Codelist extensible: No

C113850 FSS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113944	FSS0101	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113945	FSS0102	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113946	FSS0103	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS0104	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113948	FSS0105	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113949	FSS0106	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning
C113950	FSS0107	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113951	FSS0108	FSS01-Among My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113952	FSS0109	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work

FTCAT (Category of Functional Test)

NCI Code: C115304, Codelist extensible: Yes

C115304 FTCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121004	BACS	BACS1	Brief Assessment of Cognition in Schizophrenia (BACS) (Richard Keefe, PhD, Copyright 1999 Duke University Medical Center, Licenses available through Neurocog Trials, Inc.).	Brief Assessment of Cognition in Schizophrenia Functional Test
C115790	HAUSER AMBULATION INDEX	HAI01	Hauser Ambulation Index (AI) (Hauser SL, Dawson DM, Lehrich JR, Beal MF, Kevy SV, Propper RD, Mills JA, Weiner HL. Intensive immunosuppression in progressive multiple sclerosis. A randomized, three-arm study of high-dose intravenous cyclophosphamide, plasma exchange, and ACTH. N Engl J Med. 1983 Jan 27;308(4):173-80).	Hauser Ambulation Index Functional Test
C115791	NHPT	NHPT01	Nine-Hole Peg Test (NHPT) (Copyright 2001, National Multiple Sclerosis Society).	Nine-Hole Peg Functional Test
C115792	PASAT	PASAT1	Paced Auditory Serial Addition Test (PASAT) (Copyright 2001, National Multiple Sclerosis Society).	Paced Auditory Serial Addition Functional Test
C115793	SDMT	SDMT01	Symbol Digit Modalities Test (SDMT) (Copyright 1973 by Western Psychological Services).	Symbol Digit Modalities Functional Test
C115789	SIX MINUTE WALK	SIXMW1	6 Minute Walk Test (6MWT) (Goldman MD, Marrie RA, Cohen JA. Evaluation of the six-minute walk in multiple sclerosis subjects and healthy controls. Multiple Sclerosis 2008; 14: 383-390).	6 Minute Walk Functional Test
C115794	T25FW	T25FW1	Timed 25-Foot Walk (T25FW) (Copyright 2001, National Multiple Sclerosis Society).	Timed 25-Foot Walk Functional Test
C115795	TUG	TUG01	Timed Up and Go (TUG) (Podsiadlo D, Richardson S. The Timed 'Up & Go': a test of basic functional mobility for frail elderly persons. J Am Geriatr Soc. 1991; 39:142-148).	Timed Up and Go Functional Test

GAD-7 TEST (QS-Generalized Anxiety Disorder - 7 Questionnaire Test Name)

NCI Code: C103466, Codelist extensible: No

C103466 GAD-7 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103570	GAD01-Becoming Easily Annoyed/Irritable	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103569	GAD01-Being Restless Hard to Sit Still	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103572	GAD01-Difficult to Work/Take Care Things	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C103571	GAD01-Feel Afraid/Something Awful Happen	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103565	GAD01-Feeling Nervous Anxious or On Edge	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD01-Not Able to Stop/Control Worrying	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C113886	GAD01-Total Score	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score
C103568	GAD01-Trouble Relaxing	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103567	GAD01-Worrying Too Much About Things	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things

GAD-7 TESTCD (QS-Generalized Anxiety Disorder - 7 Questionnaire Test Code)

NCI Code: C103467, Codelist extensible: No

C103467 GAD-7 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103565	GAD0101	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD0102	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C103567	GAD0103	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things
C103568	GAD0104	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103569	GAD0105	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103570	GAD0106	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103571	GAD0107	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103572	GAD0108	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C113886	GAD0109	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score

GCGI TEST (QS-General Clinical Global Impressions Questionnaire Test Name)

NCI Code: C105137, Codelist extensible: No

C105137 GCGI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105280	GCGI01-Global Disease Status of Pain	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105279	GCGI01-Global Improvement of Pain	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105282	GCGI01-Global Rating of Pain Mediation	GCGI01-Global Rating of Pain Mediation	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication
C105278	GCGI01-Global Severity of Pain	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105281	GCGI01-Pain Treatment Preference	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference

GCGI TESTCD (QS-General Clinical Global Impressions Questionnaire Test Code)

NCI Code: C105138, Codelist extensible: No

C105138 GCGI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105278	GCGI0101	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105279	GCGI0102	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105280	GCGI0103	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105281	GCGI0104	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference
C105282	GCGI0105	GCGI01-Global Rating of Pain Medication	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication

GDS SHORT FORM TEST (QS-Geriatric Depression Scale Short Form Questionnaire Test Name)

NCI Code: C106664, Codelist extensible: No

C106664 GDS SHORT FORM TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106799	GDS02-Afraid of Something Bad Happening	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106797	GDS02-Bored Often	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106795	GDS02-Dropped Activities and Interests	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106806	GDS02-Feel Full of Energy	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106800	GDS02-Feel Happy Most of Time	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106807	GDS02-Feel Hopeless	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106805	GDS02-Feel Worthless	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106798	GDS02-Good Spirits Most of Time	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106796	GDS02-Life Is Empty	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106803	GDS02-Memory Problems	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106808	GDS02-Most People Better Off Than You	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You
C106801	GDS02-Often Feel Helpless	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS02-Prefer to Stay Home	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106794	GDS02-Satisfied With Life	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C106804	GDS02-Wonderful to Be Alive	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive

GDS SHORT FORM TESTCD (QS-Geriatric Depression Scale Short Form Questionnaire Test Code)

NCI Code: C106665, Codelist extensible: No

C106665 GDS SHORT FORM TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106794	GDS0201	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C106795	GDS0202	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106796	GDS0203	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106797	GDS0204	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106798	GDS0205	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106799	GDS0206	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106800	GDS0207	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106801	GDS0208	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS0209	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106803	GDS0210	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106804	GDS0211	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive
C106805	GDS0212	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106806	GDS0213	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106807	GDS0214	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106808	GDS0215	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You

GDS TEST (QS-Geriatric Depression Scale Questionnaire Test Name)

NCI Code: C106662, Codelist extensible: No

C106662 GDS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106771	GDS01-Afraid of Something Bad Happening	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106791	GDS01-Avoid Social Gatherings	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106767	GDS01-Bored Often	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106769	GDS01-Bothered by Thoughts	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106765	GDS01-Dropped Activities and Interests	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106792	GDS01-Easy to Make Decisions	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions
C106790	GDS01-Enjoy Getting Up in the Morning	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106779	GDS01-Feel Downhearted and Blue	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106784	GDS01-Feel Full of Energy	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106772	GDS01-Feel Happy Most of Time	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106785	GDS01-Feel Hopeless	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106780	GDS01-Feel Worthless	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106782	GDS01-Find Life Exciting	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106788	GDS01-Frequently Feel Like Crying	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106774	GDS01-Get Restless and Fidgety	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106770	GDS01-Good Spirits Most of Time	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106783	GDS01-Hard to Start New Projects	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106768	GDS01-Hopeful About Future	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106766	GDS01-Life Is Empty	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106777	GDS01-Memory Problems	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106793	GDS01-Mind as Clear as It Used to Be	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be
C106786	GDS01-Most People Better Off Than You	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106773	GDS01-Often Feel Helpless	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106787	GDS01-Often Upset Over Little Things	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106775	GDS01-Prefer to Stay Home	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106764	GDS01-Satisfied With Life	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life

C106662 GDS TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106789	GDS01-Trouble Concentrating	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating
C106778	GDS01-Wonderful to Be Alive	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive
C106776	GDS01-Worry About Future	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future
C106781	GDS01-Worry About the Past	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past

GDS TESTCD (QS-Geriatric Depression Scale Questionnaire Test Code)

NCI Code: C106663, Codelist extensible: No

C106663 GDS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106764	GDS0101	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life
C106765	GDS0102	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106766	GDS0103	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106767	GDS0104	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106768	GDS0105	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106769	GDS0106	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106770	GDS0107	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106771	GDS0108	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106772	GDS0109	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106773	GDS0110	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106774	GDS0111	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106775	GDS0112	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106776	GDS0113	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future
C106777	GDS0114	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106778	GDS0115	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive
C106779	GDS0116	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106780	GDS0117	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106781	GDS0118	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past
C106782	GDS0119	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106783	GDS0120	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106784	GDS0121	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106785	GDS0122	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106786	GDS0123	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106787	GDS0124	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106788	GDS0125	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106789	GDS0126	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating

C106663 GDS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106790	GDS0127	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106791	GDS0128	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106792	GDS0129	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions
C106793	GDS0130	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be

GOSE TEST (QS-Extended Glasgow Outcome Scale Questionnaire Test Name)

NCI Code: C115403, Codelist extensible: No

C115403 GOSE TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115836	GOSE1-Able to Work to Previous Capacity	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115831	GOSE1-Assistance at Home Before Injury	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115848	GOSE1-At Risk of Developing Epilepsy	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115829	GOSE1-Daily Assistance at Home Essential	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115842	GOSE1-Disruptive Psychological Problems	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115841	GOSE1-Engage Social/Leisure Before Inj	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115843	GOSE1-Extent of Disruption	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115840	GOSE1-Extent Social/Leisure Restriction	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115844	GOSE1-Family/Friends Probs Before Injury	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115850	GOSE1-GOSE Overall Score	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score
C115837	GOSE1-How Restricted Are They	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115849	GOSE1-Most Important Factor in Outcome	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115830	GOSE1-Need Frequent Help at Home	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115828	GOSE1-Obey Simple Commands or Say Words	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115845	GOSE1-Other Problems Related to Injury	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury
C115839	GOSE1-Resume Social/Leisure Outside Home	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115833	GOSE1-Shop Without Assist Before Injury	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115832	GOSE1-Shop Without Assistance	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115846	GOSE1-Similar Problems Before Injury	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury

C115403 GOSE TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115847	GOSE1-Since Injury Any Epileptic Fits	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits
C115834	GOSE1-Travel Locally Without Assistance	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance
C115835	GOSE1-Travel Without Assist Before Inj	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury
C115838	GOSE1-Working Before Injury	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury

GOSE TESTCD (QS-Extended Glasgow Outcome Scale Questionnaire Test Code)

NCI Code: C115404, Codelist extensible: No

C115404 GOSE TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115828	GOSE101	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115829	GOSE102A	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115830	GOSE102B	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115831	GOSE102C	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115832	GOSE103A	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115833	GOSE103B	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115834	GOSE104A	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance
C115835	GOSE104B	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury
C115836	GOSE105A	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115837	GOSE105B	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115838	GOSE105C	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury
C115839	GOSE106A	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115840	GOSE106B	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115841	GOSE106C	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115842	GOSE107A	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115843	GOSE107B	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115844	GOSE107C	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115845	GOSE108A	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury

C115404 GOSE TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115846	GOSE108B	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury
C115847	GOSE109	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits
C115848	GOSE110	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115849	GOSE111	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115850	GOSE112	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score

HADS TEST (QS-Hospital Anxiety and Depression Scale Questionnaire Test Name)

NCI Code: C103468, Codelist extensible: No

C103468 HADS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103581	HADS01-Butterflies in the Stomach	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103586	HADS01-Enjoy Good Book/Radio/Television	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C103574	HADS01-Enjoy the Things I Used to Enjoy	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103583	HADS01-Feel Restless be on the Move	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103576	HADS01-I Can Laugh and See Funny Side	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103580	HADS01-I Feel as if I am Slowed Down	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103578	HADS01-I Feel Cheerful	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103573	HADS01-I Feel Tense or Wound Up	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103585	HADS01-I Get Sudden Feelings of Panic	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103584	HADS01-Look Forward with Enjoyment	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103582	HADS01-Lost Interest in My Appearance	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103579	HADS01-Sit at Ease and Feel Relaxed	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103575	HADS01-Something Awful About to Happen	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C118111	HADS01-Total Score Anxiety	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS01-Total Score Depression	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression
C103577	HADS01-Worrying Thoughts Go Through Mind	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind

HADS TESTCD (QS-Hospital Anxiety and Depression Scale Questionnaire Test Code)

NCI Code: C103469, Codelist extensible: No

C103469 HADS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103573	HADS0101	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103574	HADS0102	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103575	HADS0103	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C103576	HADS0104	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103577	HADS0105	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind
C103578	HADS0106	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103579	HADS0107	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103580	HADS0108	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103581	HADS0109	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103582	HADS0110	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103583	HADS0111	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103584	HADS0112	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103585	HADS0113	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103586	HADS0114	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C118111	HADS0115	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS0116	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression

HAI TEST (FT-Hauser Ambulation Index Functional Test Test Name)

NCI Code: C115389, Codelist extensible: No

C115389 HAI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115806	HAI01-Ambulation Index	HAI01-Ambulation Index	Hauser Ambulation Index - Ambulation index.	HAI - Ambulation Index

HAI TESTCD (FT-Hauser Ambulation Index Functional Test Test Code)

NCI Code: C115390, Codelist extensible: No

C115390 HAI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115806	HAI0101	HAI01-Ambulation Index	Hauser Ambulation Index - Ambulation index.	HAI - Ambulation Index

HAMA TEST (QS-Hamilton Anxiety Rating Scale Questionnaire Test Name)

NCI Code: C101820, Codelist extensible: No

C101820 HAMA TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102073	HAMA1-Anxious Mood	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102085	HAMA1-Autonomic Symptoms	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA1-Behavior at Interview	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview
C102081	HAMA1-Cardiovascular Symptoms	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102078	HAMA1-Depressed Mood	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102075	HAMA1-Fears	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102083	HAMA1-Gastrointestinal Symptoms	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA1-Genitourinary Symptoms	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhoea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102076	HAMA1-Insomnia	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA1-Intellectual	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102082	HAMA1-Respiratory Symptoms	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102079	HAMA1-Somatic (Muscular)	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA1-Somatic (Sensory)	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102074	HAMA1-Tension	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension

HAMA TESTCD (QS-Hamilton Anxiety Rating Scale Questionnaire Test Code)

NCI Code: C101819, Codelist extensible: No

C101819 HAMA TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102073	HAMA101	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102074	HAMA102	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension
C102075	HAMA103	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102076	HAMA104	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA105	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102078	HAMA106	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102079	HAMA107	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA108	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102081	HAMA109	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102082	HAMA110	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102083	HAMA111	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA112	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102085	HAMA113	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA114	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview

HAMD 17 TEST (QS-Hamilton Depression Rating Scale - 17 Item Test Name)

NCI Code: C100137, Codelist extensible: No

C100137 HAMD 17 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100406	HAMD1-Agitation	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD1-Anxiety Psychic	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD1-Anxiety Somatic	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety such as gastro-intestinal (dry mouth, wind, indigestion, diarrhea, cramps, belching), cardiovascular (palpitations, headaches), respiratory (hyperventilation, sighing), urinary frequency, sweating.	HAMD-17 - Somatic Anxiety
C100398	HAMD1-Depressed Mood	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-17 - Depressed Mood
C100399	HAMD1-Feelings of Guilt	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100410	HAMD1-General Somatic Symptoms	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD1-Genital Symptoms	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms: symptoms such as loss of libido, menstrual disturbances.	HAMD-17 - Genital Symptoms
C100412	HAMD1-Hypochondriasis	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100415	HAMD1-Insight	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100401	HAMD1-Insomnia Early - Early Night	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100403	HAMD1-Insomnia Early Hours - Morning	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100402	HAMD1-Insomnia Middle - Middle Night	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100413	HAMD1-Loss of WT According to Patient	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD1-Loss of WT According to WK Meas	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100405	HAMD1-Retardation	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100409	HAMD1-Somatic Symptoms GI	HAMD1-Somatic Symptoms GI	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastro-intestinal.	HAMD-17 - Gastrointestinal Somatic Symptoms
C100400	HAMD1-Suicide	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100416	HAMD1-Total Score	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score
C100404	HAMD1-Work and Activities	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities

HAMD 17 TESTCD (QS-Hamilton Depression Rating Scale - 17 Item Test Code)

NCI Code: C100138, Codelist extensible: No

C100138 HAMD 17 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100398	HAMD101	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-17 - Depressed Mood
C100399	HAMD102	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100400	HAMD103	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100401	HAMD104	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100402	HAMD105	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100403	HAMD106	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100404	HAMD107	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities
C100405	HAMD108	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100406	HAMD109	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD110	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD111	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety such as gastro-intestinal (dry mouth, wind, indigestion, diarrhea, cramps, belching), cardiovascular (palpitations, headaches), respiratory (hyperventilation, sighing), urinary frequency, sweating.	HAMD-17 - Somatic Anxiety
C100409	HAMD112	HAMD1-Somatic Symptoms GI	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastro-intestinal.	HAMD-17 - Gastrointestinal Somatic Symptoms
C100410	HAMD113	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD114	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms: symptoms such as loss of libido, menstrual disturbances.	HAMD-17 - Genital Symptoms
C100412	HAMD115	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100413	HAMD116A	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD116B	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100415	HAMD117	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100416	HAMD118	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score

HAMD 21 TEST (QS-Hamilton Depression Rating Scale 21-Item Questionnaire Test Name)

NCI Code: C101822, Codelist extensible: No

C101822 HAMD 21 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102095	HAMD2-Agitation	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD2-Anxiety Psychological	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD2-Anxiety Somatic	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102107	HAMD2-Depersonalization/Derealization	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102087	HAMD2-Depressed Mood	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102105	HAMD2-Diurnal Variation	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102106	HAMD2-Diurnal Variation Severity	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102088	HAMD2-Feelings of Guilt	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102100	HAMD2-Genital Symptoms	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD2-Hypochondriasis	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102104	HAMD2-Insight	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102090	HAMD2-Insomnia Early	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102092	HAMD2-Insomnia Late	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102091	HAMD2-Insomnia Middle	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102102	HAMD2-Loss of Weight by History	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD2-Loss of Weight Measured	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102109	HAMD2-Obsessional/Compulsive Symptoms	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102108	HAMD2-Paranoid Symptoms	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms
C102094	HAMD2-Retardation	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102098	HAMD2-Somatic Symptoms Gastro-intestinal	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal

C101822 HAMD 21 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102099	HAMD2-Somatic Symptoms General	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102089	HAMD2-Suicide	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102110	HAMD2-Total Score	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score
C102093	HAMD2-Work and Activities	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities

HAMD 21 TESTCD (QS-Hamilton Depression Rating Scale 21-Item Questionnaire Test Code)

NCI Code: C101821, Codelist extensible: No

C101821 HAMD 21 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102087	HAMD201	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102088	HAMD202	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102089	HAMD203	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102090	HAMD204	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102091	HAMD205	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102092	HAMD206	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102093	HAMD207	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities
C102094	HAMD208	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102095	HAMD209	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD210	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD211	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102098	HAMD212	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal
C102099	HAMD213	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102100	HAMD214	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD215	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102102	HAMD216A	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD216B	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102104	HAMD217	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102105	HAMD218A	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102106	HAMD218B	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102107	HAMD219	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102108	HAMD220	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms

C101821 HAMD 21 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102109	HAMD221	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102110	HAMD222	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score

HAQ-DI TEST (QS-Health Assessment Questionnaire Disability Index Test Name)

NCI Code: C106666, Codelist extensible: No

C106666 HAQ-DI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106841	HAQ01-Able to Do Chores	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI - Able to Do Chores - Vacuuming or Yardwork
C106844	HAQ01-Aid: Bathtub Bar	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI - Aids or Devices - Bathtub Bar
C106843	HAQ01-Aid: Bathtub Seat	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI - Aids or Devices - Bathtub Seat
C106823	HAQ01-Aid: Built Up or Special Utensils	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI - Aids or Devices - Built Up or Special Utensils
C106818	HAQ01-Aid: Cane	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI - Aids or Devices - Cane
C106820	HAQ01-Aid: Crutches	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI - Aids or Devices - Crutches
C106822	HAQ01-Aid: Devices Used for Dressing	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI - Aids or Devices - Used For Dressing
C107020	HAQ01-Aid: Jar Opener (Previously Open)	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI - Aids or Devices - Jar Opener (Jars Previously Opened)
C106846	HAQ01-Aid: Long-Handled Appl Bathroom	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI - Aids or Devices - Long-Handled Appliances in Bathroom
C106845	HAQ01-Aid: Long-Handled Appl Reach	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI - Aids or Devices - Long-Handled Appliances for Reach
C106842	HAQ01-Aid: Raised Toilet Seat	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI - Aids or Devices - Raised Toilet Seat
C106824	HAQ01-Aid: Special or Built Up Chair	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI - Aids or Devices - Special or Built Up Chair
C106819	HAQ01-Aid: Walker	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI - Aids or Devices - Walker
C106821	HAQ01-Aid: Wheelchair	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI - Aids or Devices - Wheelchair
C106835	HAQ01-Bend Down Pick Up Clothing - Floor	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI - Able to Bend Down and Pick Up Clothing From Floor
C106817	HAQ01-Climb Up Five Steps	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index - Walking: Are you able to climb up five steps?	HAQ-DI - Able to Climb Up Steps
C106813	HAQ01-Cut Your Meat	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index - Eating: Are you able to cut your meat?	HAQ-DI - Able to Cut Meat
C106809	HAQ01-Dress Yourself	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI - Able to Dress Yourself
C106840	HAQ01-Get In and Out of a Car	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index - Activities: Are you able to get in and out of a car?	HAQ-DI - Able to Get In and Out of Car
C106812	HAQ01-Get In and Out of Bed	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index - Arising: Are you able to get in and out of bed?	HAQ-DI - Able to Get In and Out of Bed
C106833	HAQ01-Get On and Off The Toilet	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to get on and off the toilet?	HAQ-DI - Able to Get On and Off Toilet

C106666 HAQ-DI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106828	HAQ01-Help: Arising	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index - Usually need help from another person: Arising.	HAQ-DI - Help From Another Person - Arising
C106827	HAQ01-Help: Dressing and Grooming	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index - Usually need help from another person: Dressing and Grooming.	HAQ-DI - Help From Another Person - Dressing and Grooming
C106829	HAQ01-Help: Eating	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index - Usually need help from another person: Eating.	HAQ-DI - Help From Another Person - Eating
C106850	HAQ01-Help: Errands and Chores	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index - Usually need help from another person: Errands and chores.	HAQ-DI - Help From Another Person - Errands and Chores
C106849	HAQ01-Help: Gripping and Opening Things	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index - Usually need help from another person: Gripping and opening things.	HAQ-DI - Help From Another Person - Gripping and Opening Things
C106847	HAQ01-Help: Hygiene	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index - Usually need help from another person: Hygiene.	HAQ-DI - Help From Another Person - Hygiene
C106848	HAQ01-Help: Reach	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index - Usually need help from another person: Reach.	HAQ-DI - Help From Another Person - Reach
C106830	HAQ01-Help: Walking	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index - Usually need help from another person: Walking.	HAQ-DI - Help From Another Person - Walking
C106814	HAQ01-Lift a Full Cup or Glass to Mouth	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI - Able to Lift Cup or Glass to Mouth
C106815	HAQ01-Open a New Milk Carton	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index - Eating: Are you able to open a new milk carton?	HAQ-DI - Able to Open Milk Carton
C106836	HAQ01-Open Car Doors	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index - Grip: Are you able to open car doors?	HAQ-DI - Able to Open Car Doors
C106837	HAQ01-Open Jars Previously Opened	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index - Grip: Are you able to open jars which have been previously opened?	HAQ-DI - Able to Open Previously Opened Jars
C106825	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI - Aids or Devices For Dress/Arising/Eat/Walk-Other
C107093	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI - Aids or Devices For Hygiene/Reach/Grip/Act-Other
C106834	HAQ01-Reach-Get Down 5 Lb Obj Above Head	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI - Able to Reach and Get Down Object From Above Head
C106839	HAQ01-Run Errands and Shop	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index - Activities: Are you able to run errands and shop?	HAQ-DI - Able to Run Errands and Shop
C106851	HAQ01-Severity of Pain	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index - How much pain have you had because of your illness in the past week?	HAQ-DI - Severity of Pain in the Past Week
C106810	HAQ01-Shampoo Your Hair	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI - Able to Shampoo Hair
C106826	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other (Specify).	HAQ-DI - Aids or Devices For Dress/Arising/Eat/Walk-Specify
C107094	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other (Specify).	HAQ-DI - Aids or Devices For Hygiene/Reach/Grip/Act-Specify
C106811	HAQ01-Stand Up From a Straight Chair	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index - Arising: Are you able to stand up from a straight chair?	HAQ-DI - Able to Stand Up From Chair
C106832	HAQ01-Take a Tub Bath	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to take a tub bath?	HAQ-DI - Able to Take Tub Bath
C106838	HAQ01-Turn Faucets On And Off	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index - Grip: Are you able to turn faucets on and off?	HAQ-DI - Able to Turn Faucets On and Off

C106666 HAQ-DI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106816	HAQ01-Walk Outdoors on Flat Ground	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI - Able to Walk Outdoors On Flat Ground
C106831	HAQ01-Wash and Dry Your Body	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to wash and dry your body?	HAQ-DI - Able to Wash and Dry Body

HAQ-DI TESTCD (QS-Health Assessment Questionnaire Disability Index Test Code)

NCI Code: C106667, Codelist extensible: No

C106667 HAQ-DI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106809	HAQ0101	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI - Able to Dress Yourself
C106810	HAQ0102	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI - Able to Shampoo Hair
C106811	HAQ0103	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index - Arising: Are you able to stand up from a straight chair?	HAQ-DI - Able to Stand Up From Chair
C106812	HAQ0104	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index - Arising: Are you able to get in and out of bed?	HAQ-DI - Able to Get In and Out of Bed
C106813	HAQ0105	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index - Eating: Are you able to cut your meat?	HAQ-DI - Able to Cut Meat
C106814	HAQ0106	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI - Able to Lift Cup or Glass to Mouth
C106815	HAQ0107	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index - Eating: Are you able to open a new milk carton?	HAQ-DI - Able to Open Milk Carton
C106816	HAQ0108	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI - Able to Walk Outdoors On Flat Ground
C106817	HAQ0109	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index - Walking: Are you able to climb up five steps?	HAQ-DI - Able to Climb Up Steps
C106818	HAQ0110	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI - Aids or Devices - Cane
C106819	HAQ0111	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI - Aids or Devices - Walker
C106820	HAQ0112	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI - Aids or Devices - Crutches
C106821	HAQ0113	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI - Aids or Devices - Wheelchair
C106822	HAQ0114	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI - Aids or Devices - Used For Dressing
C106823	HAQ0115	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI - Aids or Devices - Built Up or Special Utensils
C106824	HAQ0116	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI - Aids or Devices - Special or Built Up Chair
C106825	HAQ0117	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI - Aids or Devices For Dress/Arising/Eat/Walk-Other
C106826	HAQ0118	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other (Specify).	HAQ-DI - Aids or Devices For Dress/Arising/Eat/Walk-Specify
C106827	HAQ0119	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index - Usually need help from another person: Dressing and Grooming.	HAQ-DI - Help From Another Person - Dressing and Grooming
C106828	HAQ0120	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index - Usually need help from another person: Arising.	HAQ-DI - Help From Another Person - Arising
C106829	HAQ0121	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index - Usually need help from another person: Eating.	HAQ-DI - Help From Another Person - Eating
C106830	HAQ0122	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index - Usually need help from another person: Walking.	HAQ-DI - Help From Another Person - Walking

C106667 HAQ-DI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106831	HAQ0123	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to wash and dry your body?	HAQ-DI - Able to Wash and Dry Body
C106832	HAQ0124	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to take a tub bath?	HAQ-DI - Able to Take Tub Bath
C106833	HAQ0125	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index - Hygiene: Are you able to get on and off the toilet?	HAQ-DI - Able to Get On and Off Toilet
C106834	HAQ0126	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI - Able to Reach and Get Down Object From Above Head
C106835	HAQ0127	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI - Able to Bend Down and Pick Up Clothing From Floor
C106836	HAQ0128	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index - Grip: Are you able to open car doors?	HAQ-DI - Able to Open Car Doors
C106837	HAQ0129	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index - Grip: Are you able to open jars which have been previously opened?	HAQ-DI - Able to Open Previously Opened Jars
C106838	HAQ0130	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index - Grip: Are you able to turn faucets on and off?	HAQ-DI - Able to Turn Faucets On and Off
C106839	HAQ0131	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index - Activities: Are you able to run errands and shop?	HAQ-DI - Able to Run Errands and Shop
C106840	HAQ0132	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index - Activities: Are you able to get in and out of a car?	HAQ-DI - Able to Get In and Out of Car
C106841	HAQ0133	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI - Able to Do Chores - Vacuuming or Yardwork
C106842	HAQ0134	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI - Aids or Devices - Raised Toilet Seat
C106843	HAQ0135	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI - Aids or Devices - Bathtub Seat
C107020	HAQ0136	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI - Aids or Devices - Jar Opener (Jars Previously Opened)
C106844	HAQ0137	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI - Aids or Devices - Bathtub Bar
C106845	HAQ0138	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI - Aids or Devices - Long-Handled Appliances for Reach
C106846	HAQ0139	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI - Aids or Devices - Long-Handled Appliances in Bathroom
C107093	HAQ0140	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI - Aids or Devices For Hygiene/Reach/Grip/Act-Other
C107094	HAQ0141	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index - Aids or devices that you usually use for any of these activities: Other (Specify).	HAQ-DI - Aids or Devices For Hygiene/Reach/Grip/Act-Specify
C106847	HAQ0142	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index - Usually need help from another person: Hygiene.	HAQ-DI - Help From Another Person - Hygiene
C106848	HAQ0143	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index - Usually need help from another person: Reach.	HAQ-DI - Help From Another Person - Reach
C106849	HAQ0144	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index - Usually need help from another person: Gripping and opening things.	HAQ-DI - Help From Another Person - Gripping and Opening Things

C106667 HAQ-DI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106850	HAQ0145	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index - Usually need help from another person: Errands and chores.	HAQ-DI - Help From Another Person - Errands and Chores
C106851	HAQ0146	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index - How much pain have you had because of your illness in the past week?	HAQ-DI - Severity of Pain in the Past Week

IIEF TEST (QS-International Index of Erectile Function Questionnaire Test Name)

NCI Code: C103470, Codelist extensible: No

C103470 IIEF TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103589	IIEF01-Able to Penetrate Your Partner	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103601	IIEF01-Confidence to Get/Keep Erection	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection
C103596	IIEF01-Did You Have Feeling of Orgasm	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with or without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103594	IIEF01-Enjoyed Sexual Intercourse	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103587	IIEF01-Erection During Sexual Activity	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF01-Erection Hard Enough to Penetrate	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103597	IIEF01-Have You Felt Sexual Desire	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103595	IIEF01-How Often Did You Ejaculate	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103593	IIEF01-How Often was it Satisfactory	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103590	IIEF01-Maintain Erection After Penetrate	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF01-Maintain Erection to Completion	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103598	IIEF01-Rate Your Level of Sexual Desire	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF01-Satisfied with Overall Sex Life	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF01-Satisfy with Sexual Relationship	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103592	IIEF01-Times Attempted Sexual Intercours	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse

IIEF TESTCD (QS-International Index of Erectile Function Questionnaire Test Code)

NCI Code: C103471, Codelist extensible: No

C103471 IIEF TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103587	IIEF0101	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF0102	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103589	IIEF0103	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103590	IIEF0104	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF0105	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103592	IIEF0106	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse
C103593	IIEF0107	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103594	IIEF0108	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103595	IIEF0109	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103596	IIEF0110	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with our without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103597	IIEF0111	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103598	IIEF0112	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF0113	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF0114	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103601	IIEF0115	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection

IVIS TEST (QS-Impact of Visual Impairment Scale Test Name)

NCI Code: C113855, Codelist extensible: No

C113855 IVIS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113966	IVIS01-Identify House Number/Street Sign	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs
C113964	IVIS01-Read or Access Dials	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials
C113962	IVIS01-Read or Access Personal Letters	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters
C113963	IVIS01-Read or Access Printed Materials	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials
C113965	IVIS01-Watch TV/ID Faces From Distance	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance

IVIS TESTCD (QS-Impact of Visual Impairment Scale Test Code)

NCI Code: C113856, Codelist extensible: No

C113856 IVIS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113962	IVIS0101	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters
C113963	IVIS0102	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials
C113964	IVIS0103	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials
C113965	IVIS0104	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance
C113966	IVIS0105	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs

KFSS TEST (QS-Kurtzke Functional Systems Scores Questionnaire Test Name)

NCI Code: C112442, Codelist extensible: No

C112442 KFSS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112614	KFSS1-Bowel and Bladder Functions	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112612	KFSS1-Brain Stem Functions	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112610	KFSS1-Cerebellar Functions	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112617	KFSS1-Cerebral or Mental Functions	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113884	KFSS1-Other Functions	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C113885	KFSS1-Other Functions Specify	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify
C112616	KFSS1-Presence of Temporal Pallor	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112609	KFSS1-Pyramidal Functions	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112613	KFSS1-Sensory Functions	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112615	KFSS1-Visual or Optic Functions	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112611	KFSS1-Weakness Interferes With Testing	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing

KFSS TESTCD (QS-Kurtzke Functional Systems Scores Questionnaire Test Code)

NCI Code: C112443, Codelist extensible: No

C112443 KFSS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112609	KFSS101	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112610	KFSS102	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112611	KFSS102A	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing
C112612	KFSS103	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112613	KFSS104	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112614	KFSS105	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112615	KFSS106	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112616	KFSS106A	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112617	KFSS107	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113884	KFSS108	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C113885	KFSS108A	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify

KPS Scale TEST (QS-Karnofsky Performance Status Scale Test Name)

NCI Code: C100169, Codelist extensible: No

C100169 KPS Scale TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100417	KPSS-Karnofsky Performance Status	KPSS-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status

KPS Scale TESTCD (QS-Karnofsky Performance Status Scale Test Code)

NCI Code: C100170, Codelist extensible: No

C100170 KPS Scale TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100417	KPSS01	KPSS-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status

MDS-UPDRS TEST (QS-Movement Disorder Society UPDRS Test Name)

NCI Code: C100139, Codelist extensible: No

C100139 MDS-UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100476	UPD2-Anxious Mood	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2-Apathy	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100519	UPD2-Arising from Chair	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100524	UPD2-Body Bradykinesia	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100488	UPD2-Chewing and Swallowing	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100499	UPD2-Clinical State on Meds	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100473	UPD2-Cognitive Impairment	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100540	UPD2-Complexity Motor Fluctuations	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100532	UPD2-Consistency of Rest Tremor	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100483	UPD2-Constipation Problems	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100480	UPD2-Daytime Sleepiness	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100475	UPD2-Depressed Mood	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100493	UPD2-Doing Hobbies/Other Activities	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100490	UPD2-Dressing	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100533	UPD2-Dyskinesias During Exam	UPD2-Dyskinesias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinesias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinesias During Exam
C100489	UPD2-Eating Tasks	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks
C100503	UPD2-Facial Expression	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression

C100139 MDS-UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100485	UPD2-Fatigue	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100497	UPD2-Freezing	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100521	UPD2-Freezing of Gait	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait
C100478	UPD2-Ftrs Dopa Dysregulation Synd	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100537	UPD2-Functional Impact Dyskinesias	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100539	UPD2-Functional Impact Fluctuations	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100520	UPD2-Gait	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C101018	UPD2-Get Out of Bed/Car/Deep Chair	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100474	UPD2-Hallucinations and Psychosis	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100492	UPD2-Handwriting	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100535	UPD2-Hoehn and Yahr Stage	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage
C100491	UPD2-Hygiene	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100526	UPD2-Kinetic Tremor of Left Hand	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C113883	UPD2-Kinetic Tremor of Right Hand	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100510	UPD2-Left Finger Tapping	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping
C100512	UPD2-Left Hand Movements	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100518	UPD2-Left Leg Agility	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100516	UPD2-Left Toe Tapping	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100484	UPD2-Lightheadedness on Standing	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100498	UPD2-Medication for PD	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease

C100139 MDS-UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100501	UPD2-Minutes Since Levodopa Dose	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100534	UPD2-Movements Interfere Ratings	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100481	UPD2-Pain and other Sensations	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations
C100541	UPD2-Painful Off-state Dystonia	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100522	UPD2-Postural Stability	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C113882	UPD2-Postural Tremor of Left Hand	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C100525	UPD2-Postural Tremor of Right Hand	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C100523	UPD2-Posture	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100514	UPD2-Pron/Sup Movement of Left Hand	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronation-Supination Movement of Left Hand
C100513	UPD2-Pron/Sup Movement of RT Hand	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronation-Supination Movement of Right Hand
C100531	UPD2-Rest Tremor Amplitude Lip/Jaw	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw
C100530	UPD2-Rest Tremor Amplitude LLE	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100528	UPD2-Rest Tremor Amplitude LUE	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2-Rest Tremor Amplitude RLE	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100527	UPD2-Rest Tremor Amplitude RUE	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100509	UPD2-Right Finger Tapping	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100511	UPD2-Right Hand Movements	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100517	UPD2-Right Leg Agility	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100515	UPD2-Right Toe Tapping	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping
C100508	UPD2-Rigidity Left Lower Extremity	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100506	UPD2-Rigidity Left Upper Extremity	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100504	UPD2-Rigidity Neck	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck

C100139 MDS-UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100507	UPD2-Rigidity RT Lower Extremity	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100505	UPD2-Rigidity RT Upper Extremity	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100487	UPD2-Saliva and Drooling	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling
C100479	UPD2-Sleep Problems	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems
C100486	UPD2-Speech	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100502	UPD2-Speech Problems	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100500	UPD2-Taking Levodopa	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100538	UPD2-Time Spent in the Off State	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100536	UPD2-Time Spent with Dyskinesias	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias
C100495	UPD2-Tremor	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C100494	UPD2-Turning in Bed	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100482	UPD2-Urinary Problems	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100496	UPD2-Walking and Balance	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance

MDS-UPDRS TESTCD (QS-Movement Disorder Society UPDRS Test Code)

NCI Code: C100140, Codelist extensible: No

C100140 MDS-UPDRS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100473	UPD2101	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100474	UPD2102	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100475	UPD2103	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100476	UPD2104	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2105	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100478	UPD2106	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100479	UPD2107	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems
C100480	UPD2108	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100481	UPD2109	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations
C100482	UPD2110	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100483	UPD2111	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100484	UPD2112	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100485	UPD2113	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100486	UPD2201	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100487	UPD2202	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling

C100140 MDS-UPDRS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100488	UPD2203	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100489	UPD2204	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks
C100490	UPD2205	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100491	UPD2206	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100492	UPD2207	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100493	UPD2208	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100494	UPD2209	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100495	UPD2210	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C101018	UPD2211	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100496	UPD2212	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance
C100497	UPD2213	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100502	UPD2301	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100503	UPD2302	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression
C100504	UPD2303A	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck
C100505	UPD2303B	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100506	UPD2303C	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100507	UPD2303D	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100508	UPD2303E	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100509	UPD2304A	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100510	UPD2304B	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping

C100140 MDS-UPDRS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100511	UPD2305A	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100512	UPD2305B	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100513	UPD2306A	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronation-Supination Movement of Right Hand
C100514	UPD2306B	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronation-Supination Movement of Left Hand
C100515	UPD2307A	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping
C100516	UPD2307B	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100517	UPD2308A	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100518	UPD2308B	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100519	UPD2309	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100520	UPD2310	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C100521	UPD2311	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait
C100522	UPD2312	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C100523	UPD2313	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100524	UPD2314	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100525	UPD2315A	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C113882	UPD2315B	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C113883	UPD2316A	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100526	UPD2316B	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C100527	UPD2317A	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100528	UPD2317B	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2317C	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100530	UPD2317D	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100531	UPD2317E	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw

C100140 MDS-UPDRS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100532	UPD2318	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100498	UPD23A	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease
C100499	UPD23B	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100500	UPD23C	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100501	UPD23C1	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100536	UPD2401	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias
C100537	UPD2402	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100538	UPD2403	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100539	UPD2404	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100540	UPD2405	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100541	UPD2406	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100533	UPD2DA	UPD2-Dyskinesias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinesias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinesias During Exam
C100534	UPD2DB	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100535	UPD2HY	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage

MELD TEST (CC-Model for End Stage Liver Disease Clinical Classification Test Name)

NCI Code: C120990, Codelist extensible: No

C120990 MELD TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121076	MELD01-Score	MELD01-Score	Model for End Stage Liver Disease - MELD score.	MELD - Score

MELD TESTCD (CC-Model for End Stage Liver Disease Clinical Classification Test Code)

NCI Code: C120991, Codelist extensible: No

C120991 MELD TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121076	MELD0101	MELD01-Score	Model for End Stage Liver Disease - MELD score.	MELD - Score

MFIS TEST (QS-Modified Fatigue Impact Scale Test Name)

NCI Code: C113857, Codelist extensible: No

C113857 MFIS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113970	MFIS01-Been Clumsy and Uncoordinated	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113980	MFIS01-Been Physically Uncomfortable	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113982	MFIS01-Difficulty Organizing My Thoughts	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113969	MFIS01-Have Been Unable to Think Clearly	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113977	MFIS01-Have Difficulty Making Decisions	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113968	MFIS01-Have Difficulty Paying Attention	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113986	MFIS01-Have Limited My Physical Activity	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113971	MFIS01-I Have Been Forgetful	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113967	MFIS01-I Have Been Less Alert	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113985	MFIS01-I Have Had Trouble Concentrating	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113983	MFIS01-Less Able Complete Physical Tasks	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113973	MFIS01-Less Motivated, Physical Effort	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS01-Less Motivated, Social Activity	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113978	MFIS01-Less Motivated, Thinking	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113975	MFIS01-Limited in Ability Away From Home	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113979	MFIS01-My Muscles Have Felt Weak	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113984	MFIS01-My Thinking Has Been Slowed Down	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113987	MFIS01-Need to Rest More Often or Longer	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer
C113972	MFIS01-Pace Myself in Physical Activity	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113981	MFIS01-Trouble Finishing Thinking Tasks	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113976	MFIS01-Trouble Maintain Physical Effort	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort

MFIS TESTCD (QS-Modified Fatigue Impact Scale Test Code)

NCI Code: C113858, Codelist extensible: No

C113858 MFIS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113967	MFIS0101	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113968	MFIS0102	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113969	MFIS0103	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113970	MFIS0104	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113971	MFIS0105	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113972	MFIS0106	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113973	MFIS0107	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS0108	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113975	MFIS0109	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113976	MFIS0110	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort
C113977	MFIS0111	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113978	MFIS0112	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113979	MFIS0113	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113980	MFIS0114	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113981	MFIS0115	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113982	MFIS0116	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113983	MFIS0117	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113984	MFIS0118	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113985	MFIS0119	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113986	MFIS0120	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113987	MFIS0121	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer

MHIS-NACC TEST (QS-Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Name)

NCI Code: C112444, Codelist extensible: No

C112444 MHIS-NACC TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112813	MHIS01- Somatic Complaints	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112618	MHIS01-Abrupt Onset	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112620	MHIS01-Emotional Incontinence	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112624	MHIS01-Focal Neurological Signs	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112623	MHIS01-Focal Neurological Symptoms	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112622	MHIS01-History of Stroke	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112621	MHIS01-History or Presence Hypertension	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112619	MHIS01-Stepwise Deterioration	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112625	MHIS01-Total Score	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

MHIS-NACC TESTCD (QS-Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Code)

NCI Code: C112445, Codelist extensible: No

C112445 MHIS-NACC TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112618	MHIS0101	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112619	MHIS0102	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112813	MHIS0103	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112620	MHIS0104	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112621	MHIS0105	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112622	MHIS0106	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112623	MHIS0107	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112624	MHIS0108	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112625	MHIS0109	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

MMRC TEST (QS-Modified Medical Research Council Dyspnea Scale Questionnaire Test Name)

NCI Code: C106668, Codelist extensible: No

C106668 MMRC TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106852	MMRC01-Description of Breathlessness	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness

MMRC TESTCD (QS-Modified Medical Research Council Dyspnea Scale Questionnaire Test Code)

NCI Code: C106669, Codelist extensible: No

C106669 MMRC TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106852	MMRC0101	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness

MNSI TEST (QS-Michigan Neuropathy Screening Instrument Test Name)

NCI Code: C100151, Codelist extensible: No

C100151 MNSI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100599	MNSI1-Able to Sense Feet When Walking	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100593	MNSI1-Able to Tell Hot from Cold Water	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100589	MNSI1-Are Feet Too Sensitive to Touch	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100587	MNSI1-Are Your Legs and/or Feet Numb	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100595	MNSI1-Doctor Says Diabetic Neuropathy	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100601	MNSI1-Ever Had Amputation	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100594	MNSI1-Ever Had Open Sore on Foot	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100588	MNSI1-Ever Have Burning Pain Legs/Feet	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100591	MNSI1-Ever Prickling Feelings Legs/Feet	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100596	MNSI1-Feel Weak All Over Most Times	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100590	MNSI1-Get Muscle Cramps Legs/Feet	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100592	MNSI1-Hurt When Bed Covers Touch Skin	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100616	MNSI1-Left Ankle Reflexes	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100608	MNSI1-Left Foot Appears Normal	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI1-Left Foot Deformities	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI1-Left Foot Dry Skin, Callus	MNSI1-Left Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus
C100611	MNSI1-Left Foot Fissure	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure
C100610	MNSI1-Left Foot Infection	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100620	MNSI1-Left Foot Monofilament	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100612	MNSI1-Left Foot Other Abnormal Specify	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100614	MNSI1-Left Foot Ulceration	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100618	MNSI1-Left Foot Vibration Great Toe	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100598	MNSI1-Legs Hurt When Walking	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100615	MNSI1-Right Ankle Reflexes	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100603	MNSI1-Right Foot Appears Normal	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal

C100151 MNSI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100604	MNSI1-Right Foot Deformities	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI1-Right Foot Dry Skin, Callus	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus
C100606	MNSI1-Right Foot Fissure	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100605	MNSI1-Right Foot Infection	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100619	MNSI1-Right Foot Monofilament	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100607	MNSI1-Right Foot Other Abnormal Specify	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100613	MNSI1-Right Foot Ulceration	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100617	MNSI1-Right Foot Vibration Great Toe	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100600	MNSI1-Skin So Dry That Feet Crack Open	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100597	MNSI1-Symptoms Worse at Night	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100602	MNSI1-Total	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total
C100621	MNSI1-Total Score	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score

MNSI TESTCD (QS-Michigan Neuropathy Screening Instrument Test Code)

NCI Code: C100152, Codelist extensible: No

C100152 MNSI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100587	MNSI101	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100588	MNSI102	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100589	MNSI103	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100590	MNSI104	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100591	MNSI105	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100592	MNSI106	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100593	MNSI107	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100594	MNSI108	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100595	MNSI109	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100596	MNSI110	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100597	MNSI111	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100598	MNSI112	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100599	MNSI113	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100600	MNSI114	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100601	MNSI115	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100602	MNSI116	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total
C100603	MNSI117	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal
C100604	MNSI118	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI119	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus
C100605	MNSI120	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100606	MNSI121	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100607	MNSI122	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100608	MNSI123	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI124	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI125	MNSI1-Left Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus

C100152 MNSI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100610	MNSI126	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100611	MNSI127	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure
C100612	MNSI128	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100613	MNSI129	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100614	MNSI130	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100615	MNSI131	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100616	MNSI132	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100617	MNSI133	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100618	MNSI134	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100619	MNSI135	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100620	MNSI136	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100621	MNSI137	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score

MPAI-4 TEST (QS-Mayo-Portland Adaptability Inventory-4 Questionnaire Test Name)

NCI Code: C115405, Codelist extensible: No

C115405 MPAI-4 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115884	MPAI1-Alcohol Use-Post-Injury	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Post-Injury
C115883	MPAI1-Alcohol Use-Pre-Injury	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Pre-Injury
C115864	MPAI1-Anxiety	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI-4 - Adjustment: Anxiety
C115859	MPAI1-Attention/Concentration	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI-4 - Abilities: Attention or Concentration
C115854	MPAI1-Audition	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI-4 - Abilities: Audition
C115865	MPAI1-Depression	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI-4 - Adjustment: Depression
C115855	MPAI1-Dizziness	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI-4 - Abilities: Dizziness
C115886	MPAI1-Drug Use-Post-Injury	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Post-Injury
C115885	MPAI1-Drug Use-Pre-Injury	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Pre-Injury
C115872	MPAI1-Family/Significant Relationships	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI-4 - Adjustment: Family or Significant Relationships
C115868	MPAI1-Fatigue	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI-4 - Adjustment: Fatigue
C115861	MPAI1-Fund of Information	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI-4 - Abilities: Fund of Information
C115871	MPAI1-Impaired Self-Awareness	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI-4 - Adjustment: Impaired Self-Awareness
C115870	MPAI1-Inappropriate Social Interaction	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI-4 - Adjustment: Inappropriate Social Interaction
C115873	MPAI1-Initiation	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI-4 - Participation: Initiation
C115866	MPAI1-Irritability, Anger, Aggression	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI-4 - Adjustment: Irritability, Anger, Aggression
C115890	MPAI1-Law Violations-Post-Injury	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI-4 - Law Violations Post-Injury
C115889	MPAI1-Law Violations-Pre-Injury	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI-4 - Law Violations Pre-Injury
C115875	MPAI1-Leisure and Recreation Activities	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI-4 - Participation: Leisure and Recreational Activities
C115882	MPAI1-Managing Money and Finances	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI-4 - Participation: Managing Money and Finances
C115860	MPAI1-Memory	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI-4 - Abilities: Memory

C115405 MP AI-4 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115851	MPAI1-Mobility	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI-4 - Abilities: Mobility
C115856	MPAI1-Motor Speech	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI-4 - Abilities: Motor Speech
C115858	MPAI1-Nonverbal Communication	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI-4 - Abilities: Nonverbal Communication
C115862	MPAI1-Novel Problem-Solving	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI-4 - Abilities: Novel Problem-Solving
C115894	MPAI1-Other Cognitive Cond-Post-Injury	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Post-Injury
C115893	MPAI1-Other Cognitive Cond-Pre-Injury	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115880	MPAI1-Other Employment	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Other Employment
C115881	MPAI1-Other Employment-Social Role	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI-4 - Participation: Other Employment-Social Role
C115892	MPAI1-Other Physical Cond-Post-Injury	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Post-Injury
C115891	MPAI1-Other Physical Cond-Pre-Injury	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Pre-Injury
C115879	MPAI1-Paid Employment	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Paid Employment
C115867	MPAI1-Pain and Headache	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI-4 - Adjustment: Pain and Headache
C115888	MPAI1-Psychotic Symptoms-Post-Injury	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Post-Injury
C115887	MPAI1-Psychotic Symptoms-Pre-Injury	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Pre-Injury
C115877	MPAI1-Residence	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI-4 - Participation: Residence
C115876	MPAI1-Self-Care	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI-4 - Participation: Self-Care
C115869	MPAI1-Sensitivity to Mild Symptoms	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI-4 - Adjustment: Sensitivity to Mild Symptoms

C115405 MPAI-4 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115874	MPAI1-Social Contact-Friends/Coworkers	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI-4 - Participation: Social Contact with Friends, Work Associates and Others
C115878	MPAI1-Transportation	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI-4 - Participation: Transportation
C115852	MPAI1-Use of Hands	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI-4 - Abilities: Use of Hands
C115857	MPAI1-Verbal Communication	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI-4 - Abilities: Verbal Communication
C115853	MPAI1-Vision	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI-4 - Abilities: Vision
C115863	MPAI1-Visuospatial Abilities	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI-4 - Abilities: Visuospatial Abilities

MPAI-4 TESTCD (QS-Mayo-Portland Adaptability Inventory-4 Questionnaire Test Code)

NCI Code: C115406, Codelist extensible: No

C115406 MPAI-4 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115851	MPAI101	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI-4 - Abilities: Mobility
C115852	MPAI102	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI-4 - Abilities: Use of Hands
C115853	MPAI103	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI-4 - Abilities: Vision
C115854	MPAI104	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI-4 - Abilities: Audition
C115855	MPAI105	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI-4 - Abilities: Dizziness
C115856	MPAI106	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI-4 - Abilities: Motor Speech
C115857	MPAI107A	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI-4 - Abilities: Verbal Communication
C115858	MPAI107B	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI-4 - Abilities: Nonverbal Communication
C115859	MPAI108	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI-4 - Abilities: Attention or Concentration
C115860	MPAI109	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI-4 - Abilities: Memory
C115861	MPAI110	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI-4 - Abilities: Fund of Information
C115862	MPAI111	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI-4 - Abilities: Novel Problem-Solving
C115863	MPAI112	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI-4 - Abilities: Visuospatial Abilities
C115864	MPAI113	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI-4 - Adjustment: Anxiety
C115865	MPAI114	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI-4 - Adjustment: Depression
C115866	MPAI115	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI-4 - Adjustment: Irritability, Anger, Aggression
C115867	MPAI116	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI-4 - Adjustment: Pain and Headache
C115868	MPAI117	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI-4 - Adjustment: Fatigue
C115869	MPAI118	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI-4 - Adjustment: Sensitivity to Mild Symptoms
C115870	MPAI119	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI-4 - Adjustment: Inappropriate Social Interaction
C115871	MPAI120	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI-4 - Adjustment: Impaired Self-Awareness

C115406 MPAI-4 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115872	MPAI121	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI-4 - Adjustment: Family or Significant Relationships
C115873	MPAI122	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI-4 - Participation: Initiation
C115874	MPAI123	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI-4 - Participation: Social Contact with Friends, Work Associates and Others
C115875	MPAI124	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI-4 - Participation: Leisure and Recreational Activities
C115876	MPAI125	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI-4 - Participation: Self-Care
C115877	MPAI126	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI-4 - Participation: Residence
C115878	MPAI127	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI-4 - Participation: Transportation
C115879	MPAI128A	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Paid Employment
C115880	MPAI128B	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Other Employment
C115881	MPAI128C	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI-4 - Participation: Other Employment-Social Role
C115882	MPAI129	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI-4 - Participation: Managing Money and Finances
C115883	MPAI130A	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Pre-Injury
C115884	MPAI130B	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Post-Injury
C115885	MPAI131A	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Pre-Injury
C115886	MPAI131B	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Post-Injury
C115887	MPAI132A	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Pre-Injury
C115888	MPAI132B	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Post-Injury
C115889	MPAI133A	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI-4 - Law Violations Pre-Injury
C115890	MPAI133B	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI-4 - Law Violations Post-Injury

C115406 MPAI-4 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115891	MPAI134A	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Pre-Injury
C115892	MPAI134B	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Post-Injury
C115893	MPAI135A	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115894	MPAI135B	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Post-Injury

MRS TEST (QS-Modified Rankin Scale Questionnaire Test Name)

NCI Code: C111347, Codelist extensible: No

C111347 MRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111520	MRS01-Modified Rankin Scale Score	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score

MRS TESTCD (QS-Modified Rankin Scale Questionnaire Test Code)

NCI Code: C111348, Codelist extensible: No

C111348 MRS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111520	MRS0101	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score

MSQOL-54 TEST (QS-Multiple Sclerosis Quality of Life-54 Instrument Test Name)

NCI Code: C113859, Codelist extensible: No

C113859 MSQOL-54 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114037	MSQL1-Ability to Satisfy Sexual Partner	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114020	MSQL1-Amt Time Interfere Social Activity	MSQL1-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114039	MSQL1-Bowel/Bladder Interfered Activity	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114042	MSQL1-Describe How Feel About Your Life	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life
C114009	MSQL1-Did Pain Interfere With Your Work	MSQL1-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQL1-Did You Feel Full of Pep	MSQL1-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114019	MSQL1-Did You Feel Rested on Waking	MSQL1-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114018	MSQL1-Did You Feel Tired	MSQL1-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114016	MSQL1-Did You Feel Worn Out	MSQL1-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114014	MSQL1-Did You Have a Lot of Energy	MSQL1-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114034	MSQL1-Difficult Getting/Keeping Erection	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114029	MSQL1-Difficulty Concentrating/Thinking	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114036	MSQL1-Difficulty Having Orgasm	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114025	MSQL1-Discouraged by Health Problems	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114005	MSQL1-Emotional Problem: Accomplish Less	MSQL1-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less
C114004	MSQL1-Emotional Problem: Cut Work Time	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work
C114006	MSQL1-Emotional Problem: Less Careful	MSQL1-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully

C113859 MSQOL-54 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114007	MSQL1-Extent Interfered Social Activity	MSQL1-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQL1-Get Sick Easier Than Other People	MSQL1-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114011	MSQL1-Have Been a Very Nervous Person	MSQL1-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person
C114015	MSQL1-Have Felt Downhearted and Blue	MSQL1-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114012	MSQL1-Have Felt So Down in the Dumps	MSQL1-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114031	MSQL1-Have Had Trouble With Your Memory	MSQL1-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114017	MSQL1-Have You Been a Happy Person	MSQL1-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114013	MSQL1-Have You Felt Calm and Peaceful	MSQL1-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C113999	MSQL1-Health Limit Bathing/Dressing Self	MSQL1-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself
C113995	MSQL1-Health Limit Bending or Kneeling	MSQL1-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping
C113992	MSQL1-Health Limit Carrying Groceries	MSQL1-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries
C113994	MSQL1-Health Limit Climb One Flight	MSQL1-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair
C113993	MSQL1-Health Limit Climb Several Flights	MSQL1-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs
C113991	MSQL1-Health Limit Moderate Activities	MSQL1-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities
C113990	MSQL1-Health Limit Vigorous Activities	MSQL1-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities
C113996	MSQL1-Health Limit Walk More Than Mile	MSQL1-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile
C113998	MSQL1-Health Limit Walk One Block	MSQL1-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block
C113997	MSQL1-Health Limit Walk Several Blocks	MSQL1-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks
C113989	MSQL1-Health Now Compared to 1 Year Ago	MSQL1-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago
C114008	MSQL1-How Much Bodily Pain Have You Had	MSQL1-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain

C113859 MSQOL-54 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114022	MSQL1-I Am as Healthy as Anybody I Know	MSQL1-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQL1-I Expect My Health to Get Worse	MSQL1-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse
C114035	MSQL1-Inadequate Lubrication	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114033	MSQL1-Lack of Sexual Interest	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114024	MSQL1-My Health Is Excellent	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114032	MSQL1-Others Notice Your Memory Trouble	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114040	MSQL1-Pain Interfere Enjoyment of Life	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life
C114001	MSQL1-Phys Health: Accomplish Less	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less
C114000	MSQL1-Phys Health: Cut Work Time	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work
C114003	MSQL1-Phys Health: Difficulty Performing	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work
C114002	MSQL1-Phys Health: Limit Kind of Work	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work
C114041	MSQL1-Rate Your Own Quality-of-Life	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114038	MSQL1-Satisfied With Sexual Function	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114030	MSQL1-Trouble Keep Attention for Long	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long
C114027	MSQL1-Was Health a Worry in Your Life	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL1-Weighed Down by Health Problems	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114026	MSQL1-Were Frustrated About Your Health	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C113988	MSQL1-Would You Say Your Health Is	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is

MSQOL-54 TESTCD (QS-Multiple Sclerosis Quality of Life-54 Instrument Test Code)

NCI Code: C113860, Codelist extensible: No

C113860 MSQOL-54 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113988	MSQL101	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is
C113989	MSQL102	MSQL1-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago
C113990	MSQL103	MSQL1-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities
C113991	MSQL104	MSQL1-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities
C113992	MSQL105	MSQL1-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries
C113993	MSQL106	MSQL1-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs
C113994	MSQL107	MSQL1-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair
C113995	MSQL108	MSQL1-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping
C113996	MSQL109	MSQL1-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile
C113997	MSQL110	MSQL1-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks
C113998	MSQL111	MSQL1-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block
C113999	MSQL112	MSQL1-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself
C114000	MSQL113	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work
C114001	MSQL114	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less
C114002	MSQL115	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work
C114003	MSQL116	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work
C114004	MSQL117	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work

C113860 MSQOL-54 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114005	MSQL118	MSQL1-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less
C114006	MSQL119	MSQL1-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully
C114007	MSQL120	MSQL1-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities
C114008	MSQL121	MSQL1-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain
C114009	MSQL122	MSQL1-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQL123	MSQL1-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114011	MSQL124	MSQL1-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person
C114012	MSQL125	MSQL1-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114013	MSQL126	MSQL1-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C114014	MSQL127	MSQL1-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114015	MSQL128	MSQL1-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114016	MSQL129	MSQL1-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114017	MSQL130	MSQL1-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114018	MSQL131	MSQL1-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114019	MSQL132	MSQL1-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114020	MSQL133	MSQL1-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQL134	MSQL1-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114022	MSQL135	MSQL1-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQL136	MSQL1-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse

C113860 MSQOL-54 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114024	MSQL137	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114025	MSQL138	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114026	MSQL139	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C114027	MSQL140	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL141	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114029	MSQL142	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114030	MSQL143	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long
C114031	MSQL144	MSQL1-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114032	MSQL145	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114033	MSQL146	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114034	MSQL147M	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114035	MSQL147W	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114036	MSQL148	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114037	MSQL149	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114038	MSQL150	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114039	MSQL151	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114040	MSQL152	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life
C114041	MSQL153	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114042	MSQL154	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life

NHLBI CAD Grade TEST (CC-Coronary Artery Dissection NHLBI Grade Clinical Classification Test Name)

NCI Code: C119075, Codelist extensible: No

C119075 NHLBI CAD Grade TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119196	CADG01-Coronary Dissection NHLBI Grade	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

NHLBI CAD Grade TESTCD (CC-Coronary Artery Dissection NHLBI Grade Clinical Classification Test Code)

NCI Code: C119076, Codelist extensible: No

C119076 NHLBI CAD Grade TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119196	CADG0101	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

NHPT TEST (FT-Nine-Hole Peg Functional Test Test Name)

NCI Code: C115391, Codelist extensible: No

C115391 NHPT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115808	NHPT01-More Than Two Attempts	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts
C115807	NHPT01-Time to Complete 9-Hole Peg Test	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test

NHPT TESTCD (FT-Nine-Hole Peg Functional Test Test Code)

NCI Code: C115392, Codelist extensible: No

C115392 NHPT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115807	NHPT0101	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test
C115808	NHPT0102	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts

NPI TEST (QS-Neuropsychiatric Inventory Test Name)

NCI Code: C100143, Codelist extensible: No

C100143 NPI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103631	NPI1-Aberrant Motor Behavior Distress	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C103629	NPI1-Aberrant Motor Behavior Frequency	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency
C112478	NPI1-Aberrant Motor Behavior FxS Score	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C103630	NPI1-Aberrant Motor Behavior Severity	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C100683	NPI1-Act Impulsively	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C100684	NPI1-Act Impulsively without Care	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C103610	NPI1-Agitation/Aggression Distress	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C103608	NPI1-Agitation/Aggression Frequency	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C112471	NPI1-Agitation/Aggression FxS Score	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C103609	NPI1-Agitation/Aggression Severity	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103616	NPI1-Anxiety Distress	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress
C103614	NPI1-Anxiety Frequency	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C112473	NPI1-Anxiety FxS Score	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C103615	NPI1-Anxiety Severity	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103622	NPI1-Apathy/Indifference Distress	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C103620	NPI1-Apathy/Indifference Frequency	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C112475	NPI1-Apathy/Indifference FxS Score	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C103621	NPI1-Apathy/Indifference Severity	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103637	NPI1-Appetite/Eating Disorder Distress	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C103635	NPI1-Appetite/Eating Disorder Frequency	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1-Appetite/Eating Disorder Severity	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C112480	NPI1-Appetite/Eating Disorders FxS Score	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score
C100697	NPI1-Argumentative	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100663	NPI1-Avoid Places or Situations	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100711	NPI1-Awaken Caregiver during Night	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100713	NPI1-Awaken Too Early in Morning	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning
C100653	NPI1-Bad Person	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100692	NPI1-Bad Temper	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100622	NPI1-Beliefs Untrue	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100655	NPI1-Burden to Family	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100662	NPI1-Butterflies or Racing Heart	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100716	NPI1-Change in Appetite or Weight	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100721	NPI1-Change in Eating Behavior	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1-Change in Kind of Food	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100671	NPI1-Childish Pranks	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100669	NPI1-Childish Sense of Humor	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100678	NPI1-Contribute Less to Chores	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100696	NPI1-Cranky and Irritable	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C103604	NPI1-Delusions Distress	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C103602	NPI1-Delusions Frequency	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C112469	NPI1-Delusions FxS Score	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C103603	NPI1-Delusions Severity	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103613	NPI1-Depression/Dysphoria Distress	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C103611	NPI1-Depression/Dysphoria Frequency	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112472	NPI1-Depression/Dysphoria FxS Score	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C103612	NPI1-Depression/Dysphoria Severity	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C100723	NPI1-Develop Eating Behaviors	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100708	NPI1-Difficulty Falling Asleep	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100707	NPI1-Difficulty Sleeping	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping
C100654	NPI1-Discouraged	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C103625	NPI1-Disinhibition Distress	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C103623	NPI1-Disinhibition Frequency	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C112476	NPI1-Disinhibition FxS Score	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C103624	NPI1-Disinhibition Severity	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C100699	NPI1-Do Things Repeatedly	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C103619	NPI1-Elation/Euphoria Distress	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C103617	NPI1-Elation/Euphoria Frequency	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C112474	NPI1-Elation/Euphoria FxS Score	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C103618	NPI1-Elation/Euphoria Severity	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C100714	NPI1-Excessive Sleep during Day	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100632	NPI1-False Visions or Voices	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100629	NPI1-Family Plans to Abandon	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100667	NPI1-Feel Good or Too Happy	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or to Be Too Happy
C100652	NPI1-Feel Like a Failure	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100637	NPI1-Feel Things on Skin	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100705	NPI1-Fidget Excessively	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100709	NPI1-Get Up during Night	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night
C100641	NPI1-Get Upset with Caregiver	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C103607	NPI1-Hallucinations Distress	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C103605	NPI1-Hallucinations Frequency	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C112470	NPI1-Hallucinations FxS Score	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C103606	NPI1-Hallucinations Severity	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C100633	NPI1-Hearing Voices	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100628	NPI1-House Not Their Home	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home
C100668	NPI1-Humor Others Do Not Find Funny	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100647	NPI1-Hurt or Hit Others	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100695	NPI1-Impatient	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100623	NPI1-In Danger	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100718	NPI1-Increase in Appetite	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C103628	NPI1-Irritability/Lability Distress	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C103626	NPI1-Irritability/Lability Frequency	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C112477	NPI1-Irritability/Lability FxS Score	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C103627	NPI1-Irritability/Lability Severity	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C100691	NPI1-Irritated and Easily Disturbed	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100670	NPI1-Jokes Others Do Not Find Funny	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100677	NPI1-Less Affectionate	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100681	NPI1-Less Enthusiastic	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100679	NPI1-Less Interest in Activities	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100676	NPI1-Less Likely Initiate Conversation	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100675	NPI1-Less Spontaneous or Active	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100717	NPI1-Loss of Appetite	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100680	NPI1-Lost Interest in Friends	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100674	NPI1-Lost Interest in World	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100687	NPI1-Make Crude Remarks	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100658	NPI1-Nervous or Worried	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100664	NPI1-Nervous when Separated	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C112482	NPI1-NPI Total Distress Score	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C112481	NPI1-NPI Total Score	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score
C100648	NPI1-Other Aggressive Behavior	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors
C100644	NPI1-Other Behaviors Hard to Handle	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100724	NPI1-Other Changes in Eating	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating
C100715	NPI1-Other Nighttime Behaviors	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C100706	NPI1-Other Repetitive Activities	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C100665	NPI1-Other Signs of Anxiety	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C100657	NPI1-Other Signs of Depression	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C100673	NPI1-Other Signs of Feeling Too Happy	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C100690	NPI1-Other Signs of Impulses	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C100698	NPI1-Other Signs of Irritability	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100682	NPI1-Other Signs of Not Caring	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C100631	NPI1-Other Unusual Beliefs	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C100639	NPI1-Other Unusual Sensory Experience	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences
C100624	NPI1-Others Are Stealing	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100700	NPI1-Pace	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100627	NPI1-People Not Who They Claim	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100693	NPI1-Rapidly Change Moods	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100640	NPI1-Refuse to Cooperate	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100702	NPI1-Repeatedly Change Clothing	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100704	NPI1-Repetitive Activities	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100703	NPI1-Repetitive Activities or Habits	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100701	NPI1-Rummage Around and Unpack	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100649	NPI1-Sad or Depressed	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100686	NPI1-Say Insensitive Things	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100651	NPI1-Say or Act in Low Spirits	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits
C100635	NPI1-See Things Not Seen by Others	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others
C100660	NPI1-Shaky or Unable to Relax	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1-Short of Breath, Gasp, Sigh	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100645	NPI1-Shout or Curse Angrily	NPI1-Shout or Curse Angrily	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angrily
C100646	NPI1-Slam, Kick or Throw Things	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C112479	NPI1-Sleep/Night Behav Disord FxS Score	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103634	NPI1-Sleep/Nighttime Behavior Distress	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C103632	NPI1-Sleep/Nighttime Behavior Frequency	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1-Sleep/Nighttime Behavior Severity	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C100636	NPI1-Smell Odors Others Do Not Smell	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others
C100625	NPI1-Spouse Having Affair	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100642	NPI1-Stubborn	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100694	NPI1-Sudden Anger	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger
C100689	NPI1-Take Liberties or Touch Others	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others
C100672	NPI1-Talk Big	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True
C100688	NPI1-Talk Openly about Private Matters	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100634	NPI1-Talk to People Not There	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100685	NPI1-Talk to Strangers	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100638	NPI1-Taste without Known Cause	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100650	NPI1-Tearfulness or Sobbing	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100666	NPI1-Too Cheerful or Happy	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100630	NPI1-TV/Magazine Figures Present	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100643	NPI1-Uncooperative	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100626	NPI1-Unwelcome Guests in House	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100712	NPI1-Wake at Night and Think Morning	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out
C100710	NPI1-Wander or Pace at Night	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100720	NPI1-Weight Gain	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight

C100143 NPI TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100719	NPI1-Weight Loss	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100656	NPI1-Wish for Death	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100659	NPI1-Worried about Planned Event	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events

NPI TESTCD (QS-Neuropsychiatric Inventory Test Code)

NCI Code: C100144, Codelist extensible: No

C100144 NPI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100622	NPI1A	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100623	NPI1A01	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100624	NPI1A02	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100625	NPI1A03	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100626	NPI1A04	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100627	NPI1A05	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100628	NPI1A06	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home
C100629	NPI1A07	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100630	NPI1A08	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100631	NPI1A09	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C103602	NPI1A10	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C103603	NPI1A11	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103604	NPI1A12	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C112469	NPI1AFS	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C100632	NPI1B	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100633	NPI1B01	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100634	NPI1B02	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100635	NPI1B03	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others
C100636	NPI1B04	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others

C100144 NPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100637	NPI1B05	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin
C100638	NPI1B06	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100639	NPI1B07	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences
C103605	NPI1B08	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C103606	NPI1B09	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C103607	NPI1B10	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C112470	NPI1BFS	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C100640	NPI1C	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100641	NPI1C01	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C100642	NPI1C02	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100643	NPI1C03	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100644	NPI1C04	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100645	NPI1C05	NPI1-Shout or Curse Angrily	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angrily
C100646	NPI1C06	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C100647	NPI1C07	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100648	NPI1C08	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors
C103608	NPI1C09	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C103609	NPI1C10	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103610	NPI1C11	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C112471	NPI1CFS	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C100649	NPI1D	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100650	NPI1D01	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100651	NPI1D02	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits

C100144 NPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100652	NPI1D03	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100653	NPI1D04	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100654	NPI1D05	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C100655	NPI1D06	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100656	NPI1D07	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100657	NPI1D08	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C103611	NPI1D09	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency
C103612	NPI1D10	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C103613	NPI1D11	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C112472	NPI1DFS	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C112482	NPI1DIST	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C100658	NPI1E	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100659	NPI1E01	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events
C100660	NPI1E02	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1E03	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100662	NPI1E04	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100663	NPI1E05	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100664	NPI1E06	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C100665	NPI1E07	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C103614	NPI1E08	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C103615	NPI1E09	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103616	NPI1E10	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress

C100144 NPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112473	NPI1EFS	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C100666	NPI1F	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100667	NPI1F01	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or to Be Too Happy
C100668	NPI1F02	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100669	NPI1F03	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100670	NPI1F04	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100671	NPI1F05	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100672	NPI1F06	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True
C100673	NPI1F07	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C103617	NPI1F08	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C103618	NPI1F09	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C103619	NPI1F10	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C112474	NPI1FFS	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C100674	NPI1G	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100675	NPI1G01	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100676	NPI1G02	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100677	NPI1G03	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100678	NPI1G04	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100679	NPI1G05	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100680	NPI1G06	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100681	NPI1G07	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests

C100144 NPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100682	NPI1G08	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C103620	NPI1G09	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C103621	NPI1G10	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103622	NPI1G11	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C112475	NPI1GFS	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C100683	NPI1H	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C100684	NPI1H01	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C100685	NPI1H02	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100686	NPI1H03	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100687	NPI1H04	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100688	NPI1H05	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100689	NPI1H06	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others
C100690	NPI1H07	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C103623	NPI1H08	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C103624	NPI1H09	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C103625	NPI1H10	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C112476	NPI1HFS	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C100691	NPI1I	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100692	NPI1I01	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100693	NPI1I02	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100694	NPI1I03	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger

C100144 NPI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100695	NPI1I04	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100696	NPI1I05	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C100697	NPI1I06	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With
C100698	NPI1I07	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability
C103626	NPI1I08	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C103627	NPI1I09	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C103628	NPI1I10	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C112477	NPI1IFS	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C100699	NPI1J	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C100700	NPI1J01	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100701	NPI1J02	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100702	NPI1J03	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100703	NPI1J04	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100704	NPI1J05	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100705	NPI1J06	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100706	NPI1J07	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C103629	NPI1J08	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency
C103630	NPI1J09	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C103631	NPI1J10	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C112478	NPI1JFS	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C100707	NPI1K	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping
C100708	NPI1K01	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100709	NPI1K02	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night

C100144 NPI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100710	NPI1K03	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100711	NPI1K04	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100712	NPI1K05	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out
C100713	NPI1K06	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning
C100714	NPI1K07	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100715	NPI1K08	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C103632	NPI1K09	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1K10	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C103634	NPI1K11	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C112479	NPI1KFS	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score
C100716	NPI1L	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100717	NPI1L01	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100718	NPI1L02	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C100719	NPI1L03	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100720	NPI1L04	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight
C100721	NPI1L05	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1L06	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100723	NPI1L07	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100724	NPI1L08	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating
C103635	NPI1L09	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1L10	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C103637	NPI1L11	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C112480	NPI1LFS	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score

C100144 NPI TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112481	NPI1TOT	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score

NPS TEST (QS-Neuropathic Pain Scale Questionnaire Test Name)

NCI Code: C103472, Codelist extensible: No

C103472 NPS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103648	NPS01-Describe Single Type Pain All Time	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103646	NPS01-Describe the Background Pain	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS01-Describe the Flare-up Pain	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103649	NPS01-Describe the Occasional Pain	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I fee a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103645	NPS01-Describe Time Quality Of Your Pain	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103651	NPS01-How Intense is Your Deep Pain	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS01-How Intense is Your Surface Pain	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain
C103643	NPS01-Sensitiv Skin to Light Touch/Cloth	NPS01-Sensitiv Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103650	NPS01-Tell How Unpleasant Your Pain Feel	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and intolerable.' Remember, pain can have a low intensity, buy still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103642	NPS01-Tell Us How Cold Your Pain Feels	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103641	NPS01-Tell Us How Dull Your Pain Feels	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103640	NPS01-Tell Us How Hot Your Pain Feels	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103638	NPS01-Tell Us How Intense Your Pain Is	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103644	NPS01-Tell Us How Itchy Your Pain Feels	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103639	NPS01-Tell Us How Sharp Your Pain Feels	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels

NPS TESTCD (QS-Neuropathic Pain Scale Questionnaire Test Code)

NCI Code: C103473, Codelist extensible: No

C103473 NPS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103638	NPS0101	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103639	NPS0102	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels
C103640	NPS0103	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103641	NPS0104	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103642	NPS0105	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103643	NPS0106	NPS01-Sensitiv Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103644	NPS0107	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103645	NPS0108	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103646	NPS0108A	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS0108B	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103648	NPS0108C	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103649	NPS0108D	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I fee a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103650	NPS0109	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and intolerable.' Remember, pain can have a low intensity, buy still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103651	NPS0110A	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS0110B	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain

NSA-16 TEST (CC-Negative Symptom Assessment-16 Clinical Classification Test Name)

NCI Code: C120992, Codelist extensible: No

C120992 NSA-16 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121082	NSA01-Affect Reduce Modulation Intensity	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA01-Affect: Reduced Display on Demand	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121081	NSA01-Emotion: Reduced Range	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121095	NSA01-Global Level of Functioning	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning
C121094	NSA01-Global Neg Symptom Rating-Severity	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121093	NSA01-Global Negative Symptoms Rating	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121079	NSA01-Impoverished Speech Content	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA01-Inarticulate Speech	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121086	NSA01-Interest Emotional/Phys Intimacy	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA01-Poor Grooming and Hygiene	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121085	NSA01-Poor Rapport With Interviewer	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121077	NSA01-Prolonged Time to Respond	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121090	NSA01-Reduced Daily Activity	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA01-Reduced Expressive Gestures	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121089	NSA01-Reduced Interests	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121088	NSA01-Reduced Sense of Purpose	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121084	NSA01-Reduced Social Drive	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121078	NSA01-Restricted Speech Quantity	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121092	NSA01-Slowed Movements	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements

NSA-16 TESTCD (CC-Negative Symptom Assessment-16 Clinical Classification Test Code)

NCI Code: C120993, Codelist extensible: No

C120993 NSA-16 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121077	NSA0101	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121078	NSA0102	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121079	NSA0103	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA0104	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121081	NSA0105	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121082	NSA0106	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA0107	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121084	NSA0108	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121085	NSA0109	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121086	NSA0110	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA0111	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121088	NSA0112	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121089	NSA0113	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121090	NSA0114	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA0115	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121092	NSA0116	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements
C121093	NSA0117	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121094	NSA0118	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121095	NSA0119	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning

OAB-Q Short Form TEST (QS-The Overactive Bladder Questionnaire Short Form Test Name)

NCI Code: C103476, Codelist extensible: No

C103476 OAB-Q Short Form TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103688	OABQ02-Accidental Loss of Urine	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103701	OABQ02-Affected Relationships	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103696	OABQ02-Avoid Activ Away From Restroom	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ02-Awakened You During Sleep	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103699	OABQ02-Caused Problems Partner/Spouse	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103703	OABQ02-Caused You Embarrassment	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103698	OABQ02-Decrease Physical Activities	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103693	OABQ02-Feel Something is Wrong with You	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103695	OABQ02-Frustrated about Time in Restroom	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103702	OABQ02-Interfered with Getting Sleep	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103694	OABQ02-Interfered with Good Night's Rest	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103704	OABQ02-Locate Closest Restroom	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive
C103689	OABQ02-Nighttime Urination	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103692	OABQ02-Plan 'Escape Routes' to Restrooms	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103687	OABQ02-Sudden Urge to Urinate No Warning	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103700	OABQ02-Uncomfortable Travel with Others	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103686	OABQ02-Uncomfortable Urge to Urinate	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103691	OABQ02-Urine Loss Strong Desire Urinate	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103690	OABQ02-Waking Up at Night had to Urinate	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate

OAB-Q Short Form TESTCD (QS-The Overactive Bladder Questionnaire Short Form Test Code)

NCI Code: C103477, Codelist extensible: No

C103477 OAB-Q Short Form TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103686	OABQ0201	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103687	OABQ0202	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103688	OABQ0203	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103689	OABQ0204	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103690	OABQ0205	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate
C103691	OABQ0206	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103692	OABQ0207	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103693	OABQ0208	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103694	OABQ0209	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103695	OABQ0210	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103696	OABQ0211	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ0212	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103698	OABQ0213	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103699	OABQ0214	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103700	OABQ0215	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103701	OABQ0216	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103702	OABQ0217	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103703	OABQ0218	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103704	OABQ0219	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive

OAB-Q TEST (QS-The Overactive Bladder Questionnaire Test Name)

NCI Code: C103474, Codelist extensible: No

C103474 OAB-Q TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103656	OABQ01-Accidental Loss of Urine	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103673	OABQ01-Adjust Travel Plans Near Restroom	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103679	OABQ01-Affected Relationships	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103675	OABQ01-Amount of Time Spend in Restroom	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103674	OABQ01-Avoid Act Away From Restroom	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms
C103676	OABQ01-Awakened You During Sleep	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103661	OABQ01-Carefully Plan Your Commute	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103683	OABQ01-Caused Problems Partner/Spouse	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103671	OABQ01-Caused You Anxiety or Worry	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103664	OABQ01-Caused You Distress	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103681	OABQ01-Caused You Embarrassment	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103680	OABQ01-Decrease Participating Gatherings	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103668	OABQ01-Decrease Your Physical Activities	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103662	OABQ01-Feel Drowsy or Sleepy During Day	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103666	OABQ01-Feel Something Wrong with You	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103653	OABQ01-Frequent Urination During Daytime	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103670	OABQ01-Frustrated Family and Friends	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103665	OABQ01-Frustrated You	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103682	OABQ01-Interfered with Getting Sleep	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103667	OABQ01-Interfered with Good Night's Rest	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103685	OABQ01-Locate Closest Restroom	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive
C103657	OABQ01-Nighttime Urination	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103663	OABQ01-Plan 'Escape Routes' to Restrooms	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms

C103474 OAB-Q TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103684	OABQ01-Plan Activities More Carefully	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103669	OABQ01-Prevented From Feeling Rested	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103672	OABQ01-Stay Home More Often Than Prefer	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer
C103655	OABQ01-Sudden Urge to Urinate No Warning	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103678	OABQ01-Uncomfortable Travel with Others	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others
C103654	OABQ01-Uncomfortable Urge to Urinate	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103659	OABQ01-Uncontrollable Urge to Urinate	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ01-Urine Loss Strong Desire Urinate	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103658	OABQ01-Waking Up at Night had to Urinate	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103677	OABQ01-Worry About Odor or Hygiene	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene

OAB-Q TESTCD (QS-The Overactive Bladder Questionnaire Test Code)

NCI Code: C103475, Codelist extensible: No

C103475 OAB-Q TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103653	OABQ0101	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103654	OABQ0102	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103655	OABQ0103	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103656	OABQ0104	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103657	OABQ0105	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103658	OABQ0106	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103659	OABQ0107	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ0108	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103661	OABQ0109	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103662	OABQ0110	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103663	OABQ0111	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms
C103664	OABQ0112	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103665	OABQ0113	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103666	OABQ0114	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103667	OABQ0115	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103668	OABQ0116	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103669	OABQ0117	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103670	OABQ0118	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103671	OABQ0119	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103672	OABQ0120	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer
C103673	OABQ0121	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103674	OABQ0122	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms

C103475 OAB-Q TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103675	OABQ0123	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103676	OABQ0124	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103677	OABQ0125	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene
C103678	OABQ0126	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others
C103679	OABQ0127	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103680	OABQ0128	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103681	OABQ0129	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103682	OABQ0130	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103683	OABQ0131	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103684	OABQ0132	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103685	OABQ0133	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive

ODI v2.1A TEST (QS-The Oswestry Disability Index Version 2.1a Questionnaire Test Name)

NCI Code: C103478, Codelist extensible: No

C103478 ODI v2.1A TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103764	ODI01-Lifting	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C103762	ODI01-Pain Intensity	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI01-Personal Care	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103769	ODI01-Sex Life	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103766	ODI01-Sitting	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103768	ODI01-Sleeping	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103770	ODI01-Social Life	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103767	ODI01-Standing	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103771	ODI01-Travelling	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling
C103765	ODI01-Walking	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking

ODI v2.1A TESTCD (QS-The Oswestry Disability Index Version 2.1a Questionnaire Test Code)

NCI Code: C103479, Codelist extensible: No

C103479 ODI v2.1A TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103762	ODI0101	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI0102	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103764	ODI0103	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C103765	ODI0104	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking
C103766	ODI0105	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103767	ODI0106	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103768	ODI0107	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103769	ODI0108	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103770	ODI0109	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103771	ODI0110	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling

PASAT TEST (FT-Paced Auditory Serial Addition Functional Test Test Name)

NCI Code: C115393, Codelist extensible: No

C115393 PASAT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115811	PASAT1-More Than One Attempt	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115810	PASAT1-Percent Correct	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115814	PASAT1-Total Commission Errors	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115809	PASAT1-Total Correct	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115812	PASAT1-Total Correct in First Half	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT1-Total Correct in Second Half	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115815	PASAT1-Total Omission Errors	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

PASAT TESTCD (FT-Paced Auditory Serial Addition Functional Test Test Code)

NCI Code: C115394, Codelist extensible: No

C115394 PASAT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115809	PASAT101	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115810	PASAT102	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115811	PASAT103	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115812	PASAT104	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT105	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115814	PASAT106	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115815	PASAT107	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

PDDS TEST (QS-Patient Determined Disease Steps Questionnaire Test Name)

NCI Code: C112446, Codelist extensible: No

C112446 PDDS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112626	PDDS01-Category Describing Situation	PDDS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDDS - Category Describing Situation

PDDS TESTCD (QS-Patient Determined Disease Steps Questionnaire Test Code)

NCI Code: C112447, Codelist extensible: No

C112447 PDDS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112626	PDDS0101	PDDS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDDS - Category Describing Situation

PHQ-15 TEST (QS-Patient Health Questionnaire - 15 Item Test Name)

NCI Code: C103482, Codelist extensible: No

C103482 PHQ-15 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103716	PHQ02-Back Pain	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103720	PHQ02-Chest Pain	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103726	PHQ02-Constipation/Loose Bowels/Diarrhea	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103721	PHQ02-Dizziness	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ02-Fainting Spells	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103728	PHQ02-Feeling Tired or Having Low Energy	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103723	PHQ02-Feeling Your Heart Pound or Race	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103719	PHQ02-Headaches	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103718	PHQ02-Menstrual Cramp/Problem Periods	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103727	PHQ02-Nausea, Gas, or Indigestion	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103717	PHQ02-Pain In Your Arms, Legs, or Joints	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103725	PHQ02-Pain/Problems During Intercourse	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103724	PHQ02-Shortness of Breath	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103715	PHQ02-Stomach Pain	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C103729	PHQ02-Trouble Sleeping	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping

PHQ-15 TESTCD (QS-Patient Health Questionnaire - 15 Item Test Code)

NCI Code: C103483, Codelist extensible: No

C103483 PHQ-15 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103715	PHQ0201	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C103716	PHQ0202	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103717	PHQ0203	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103718	PHQ0204	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103719	PHQ0205	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103720	PHQ0206	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103721	PHQ0207	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ0208	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103723	PHQ0209	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103724	PHQ0210	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103725	PHQ0211	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103726	PHQ0212	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103727	PHQ0213	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103728	PHQ0214	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103729	PHQ0215	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping

PHQ-9 TEST (QS-Patient Health Questionnaire - 9 Item Test Name)

NCI Code: C103480, Codelist extensible: No

C103480 PHQ-9 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103714	PHQ01-Difficult to Work/Take Care Things	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People
C103710	PHQ01-Feeling Bad About Yourself	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself
C103706	PHQ01-Feeling Down Depressed or Hopeless	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless
C103708	PHQ01-Feeling Tired or Little Energy	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy
C103705	PHQ01-Little Interest/Pleasure in Things	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things
C103712	PHQ01-Moving Slowly or Fidgety/Restless	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless
C103709	PHQ01-Poor Appetite or Overeating	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating
C103713	PHQ01-Thoughts You Be Better Off Dead	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead
C113887	PHQ01-Total Score	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score
C103711	PHQ01-Trouble Concentrating on Things	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things
C103707	PHQ01-Trouble Falling or Staying Asleep	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much

PHQ-9 TESTCD (QS-Patient Health Questionnaire - 9 Item Test Code)

NCI Code: C103481, Codelist extensible: No

C103481 PHQ-9 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103705	PHQ0101	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things
C103706	PHQ0102	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless
C103707	PHQ0103	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much
C103708	PHQ0104	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy
C103709	PHQ0105	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating
C103710	PHQ0106	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself
C103711	PHQ0107	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things
C103712	PHQ0108	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless
C103713	PHQ0109	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead
C103714	PHQ0110	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People
C113887	PHQ0111	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score

PI TEST (QS-Pain Intensity Questionnaire Test Name)

NCI Code: C105133, Codelist extensible: No

C105133 PI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105262	PI01-Average Pain Intensity	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation
C105265	PI01-Least Pain Intensity	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation
C105264	PI01-Maximum Pain Intensity	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation
C105263	PI01-Minimum Pain Intensity	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation
C105261	PI01-Pain Intensity	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation
C105266	PI01-Worst Pain Intensity	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation

PI TESTCD (QS-Pain Intensity Questionnaire Test Code)

NCI Code: C105134, Codelist extensible: No

C105134 PI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105261	PI0101	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation
C105262	PI0102	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation
C105263	PI0103	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation
C105264	PI0104	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation
C105265	PI0105	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation
C105266	PI0106	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation

PR TEST (QS-Pain Relief Questionnaire Test Name)

NCI Code: C105135, Codelist extensible: No

C105135 PR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105268	PR01-Average Pain Relief	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105271	PR01-Least Pain Relief	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105270	PR01-Maximum Pain Relief	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105269	PR01-Minimum Pain Relief	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105267	PR01-Pain Relief	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105273	PR01-Starting Pain at Least 1/2 Gone	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105277	PR01-Time to Meaningful Pain Relief	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief
C105275	PR01-Time to Perceptible Pain Relief	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR01-Was there Meaningful Pain Relief	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105274	PR01-Was there Perceptible Pain Relief	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105272	PR01-Worst Pain Relief	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation

PR TESTCD (QS-Pain Relief Questionnaire Test Code)

NCI Code: C105136, Codelist extensible: No

C105136 PR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105267	PR0101	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105268	PR0102	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105269	PR0103	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105270	PR0104	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105271	PR0105	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105272	PR0106	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation
C105273	PR0107	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105274	PR0108	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105275	PR0109	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR0110	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105277	PR0111	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief

QSCAT (Category of Questionnaire)

NCI Code: C100129, Codelist extensible: Yes

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122370	ACQ	ACQ01	Asthma Control Questionnaire (ACQ) (The Asthma Control Questionnaire is copyrighted. It may not be changed, translated or sold [paper or software] without the permission of Elizabeth Juniper. Juniper EF, O'Byrne PM, Guyatt GH, Ferrie PJ, King DR. Development and validation of a questionnaire to measure asthma control. Eur Respir J 1999;14:902-907).	Asthma Control Questionnaire
C100762	ADAS-COG	ADC	The CDISC version of the Alzheimer's Disease Assessment Scale-Cognitive (ADAS-Cog CDISC Version) containing 15 summary-level tests. This version is based on combining the total pool of ADAS-Cog tests that were observed during a review of multiple case report forms administered in clinical trials of Alzheimer's disease, as well as the CRF administered in the Alzheimer's Disease Neuroimaging Initiative (ADNI) observational study. (Modified from Mohs RC, Rosen WG, Davis KL. The Alzheimer's disease assessment scale: an instrument for assessing treatment efficacy. Psychopharmacol Bull 1983;19(3):448-450. Rosen WG, Mohs RC, Davis KL. A new rating scale for Alzheimer's disease. Am J Psychiatry 1984;141(11):1356-1364. Mohs RC, Knopman D, Petersen RC et al. Development of cognitive instruments for use in clinical trials of antedementia drugs: additions to the Alzheimer's Disease Assessment Scale that broaden its scope. The Alzheimer's Disease Cooperative Study. Alzheimer Dis Assoc Disord 1997;11 Suppl 2:S13-S21. Wouters H, van Gool WA, Schmand B, Lindeboom R. Revising the ADAS-cog for a more accurate assessment of cognitive impairment. Alzheimer Dis Assoc Disord 2008;22(3):236-244.).	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version Questionnaire
C105166	ADCS-ADL	ADL01	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL) (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. "An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease." Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study Activities of Daily Living Inventory Questionnaire
C106888	ADCS-ADL MCI	ADL03	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), MCI Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Mild Cognitive Impairment Questionnaire
C106889	ADCS-ADL SEVERE	ADL02	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), Severe Dementia Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Questionnaire
C103515	ADCS-CGIC	ACGC01	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change (ADCS-CGIC) (Schneider LS, Olin JT, Doody RS, Clark CM, Morris JC, Reisberg B, Schmitt FA, Grundman M, Thomas RG, Ferris SH, and the Alzheimer's Disease Cooperative Study. Validity and Reliability of the Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change. Alzheimer Disease and Associated Disorders. 1997; 11(2):S22-S32).	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire
C122371	ADHD-RS-IV HOME VERSION	ADHD01	ADHD Rating Scale-IV (ADHD-RS-IV) Home Version (Copyright 1998. DuPaul GJ, Power TJ, Anastopoulos AD, Reid R. ADHD Rating Scale-IV: Checklists, Norms, and Clinical Interpretation. New York: The Guilford Press; 1998).	ADHD Rating Scale-IV Home Version Questionnaire
C102111	AIMS	AIMS01	Abnormal Involuntary Movement Scale (AIMS) (Guy W. Ed. ECDEU Assessment Manual for Psychopharmacology. Rockville MD: US Dept of Health, Education and Welfare. 1976, Publication No. (ADM) 76-338).	Abnormal Involuntary Movement Scale Questionnaire
C112518	AQ20	AQ01	Airway Questionnaire 20 (AQ20) (Barley EA, Quirk FH, Jones PW. Asthma health status in clinical practice: validity of a new short and simple instrument. Respir Med 1998; 92:1207-14. Copyright Reserved P.W. Jones, PhD FRCP).	Airway Questionnaire 20

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122372	AQLQ	AQLQ01	Asthma Quality of Life Questionnaire (AQLQ) (The AQLQ is copyrighted. It may not be altered, sold [paper or electronic], translated or adapted for another medium without the permission of Elizabeth Juniper. Juniper EF, Guyatt GH, Epstein RS, Ferrie PJ, Jaeschke R, Hiller TK. Evaluation of impairment of health-related quality of life in asthma: development of a questionnaire for use in clinical trials. Thorax 1992; 47:76-83).	Asthma Quality of Life Questionnaire
C119098	AUDIT-C	ADTC01	Alcohol Use Disorder Identification Test-Consumption Questions (AUDIT-C) (Bush K, Kivlahan DR, McDonell MB, Fihn SD, Bradley KA; for the Ambulatory Care Quality Improvement Project (ACQUIP). The AUDIT Alcohol Consumption Questions (AUDIT-C) An Effective Brief Screening Test for Problem Drinking. Arch Intern Med. Sep 14 1998;158:1789-1795).	Alcohol Use Disorder Identification Test Alcohol Consumption Questions Questionnaire
C119097	AUDIT-SR	ADT01	Alcohol Use Disorder Identification Test: Self-Report Version (AUDIT) (Saunders JB, Aasland, OG, Babor, TF, De La Fuente JR, Grant M. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with harmful Alcohol Consumption-II. Addiction (1993) 88:791-804).	Alcohol Use Disorder Identification Test Self-Report Version Questionnaire
C102112	AVLT	AVL01	The Alzheimer's Disease Neuroimaging Initiative's (ADNI) version of the Auditory Verbal Learning Test (AVLT Version A) modified from Rey A. L'examen clinique en psychologie [Clinical tests in psychology]. Paris: Presses Universitaires de France; 1964.	Alzheimer's Disease Neuroimaging Initiative Auditory Verbal Learning Test Questionnaire
C102113	BARS	BARS01	Barnes Akathisia Rating Scale (BARS) (Barnes TR: A Rating Scale for Drug-Induced Akathisia. British Journal of Psychiatry 154:672-676, 1989).	Barnes Akathisia Rating Scale Questionnaire
C106693	BDI	BDI01	Baseline Dyspnea Index (BDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758).	Baseline Dyspnea Index Questionnaire
C113874	BLCS	BLCS01	Bladder Control Scale (BLCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bladder Control Scale Questionnaire
C113872	BORG CR10	BCR101	Borg CR10 Scale (BORG CR10) (Borg CR10 Scale. Copyright Gunnar Borg, 1981, 1982, 1998).	Borg Category-Ratio 10 Scale Questionnaire
C100759	BPI	BPI1	Brief Pain Inventory (BPI) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Questionnaire
C100760	BPI SHORT FORM	BPI2	Brief Pain Inventory Short Form (BPI2) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Short Form Questionnaire
C100761	BPRS-A	BPR01	Brief Psychiatric Rating Scale - Anchored (BPRS-A) (Woerner MB, Mannuzza S, and Kane JM. Anchoring the BPRS: An Aid to Improved Reliability. Psychopharmacology Bulletin 1988; 24(1):112-117).	Brief Psychiatric Rating Scale A Questionnaire
C43524	BSI-18	BSI181	Brief Symptom Inventory-18 (BSI-18) (Leonard R. Derogatis. Brief Symptom Inventory (BSI)-18: Administration, scoring and procedures manual. Minneapolis 2001: NCS Pearson, Inc).	Brief Symptom Inventory 18
C113875	BWCS	BWCS01	Bowel Control Scale (BWCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bowel Control Scale Questionnaire
C106695	C-SSRS ALREADY ENROLLED SUBJECTS	CSS05	Columbia-Suicidality Severity Rating Scale (C-SSRS) Already Enrolled Subjects Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire
C100765	C-SSRS BASELINE	CSS01	Columbia-Suicidality Severity Rating Scale (C-SSRS) Baseline Version 2009-01-14 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicidality Severity Rating Scale Baseline Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106696	C-SSRS BASELINE/SCREENING VERSION	CSS04	Columbia-Suicidality Severity Rating Scale (C-SSRS) Baseline/Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire
C105164	C-SSRS BASELINE/SCREENING VERSION PHASE 1 STUDY	CSS03	Columbia-Suicidality Severity Rating Scale (C-SSRS) Baseline/Screening Version Phase 1 Study Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicidality Severity Rating Scale Baseline/Screening Version Phase 1 Study 1/14/09 Questionnaire
C111377	C-SSRS CHILDREN'S BASELINE	CSS06	Columbia-Suicidality Severity Rating Scale (C-SSRS) Children's Baseline Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire
C111378	C-SSRS CHILDREN'S BASELINE/SCREENING	CSS07	Columbia-Suicidality Severity Rating Scale (C-SSRS) Children's Baseline/Screening Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire
C111379	C-SSRS CHILDREN'S SINCE LAST VISIT	CSS08	Columbia-Suicidality Severity Rating Scale (C-SSRS) Children's Since Last Visit Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire
C117996	C-SSRS LIFETIME/RECENT VERSION	CSS11	Columbia-Suicidality Severity Rating Scale (C-SSRS) Lifetime/Recent Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire
C113873	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT	CSS10	Columbia-Suicidality Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired Lifetime/Recent Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire
C111380	C-SSRS SCREENING	CSS09	Columbia-Suicidality Severity Rating Scale (C-SSRS) Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Screening Questionnaire
C103516	C-SSRS SINCE LAST VISIT	CSS02	Columbia-Suicidality Severity Rating Scale (C-SSRS) Since Last Visit Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicidality Severity Rating Scale Since Last Visit Questionnaire
C119100	CCQ 1 WEEK VERSION	CCQ02	Clinical COPD Questionnaire (CCQ) 1 Week Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 1 Week Version
C119099	CCQ 24 HOUR VERSION	CCQ01	Clinical COPD Questionnaire (CCQ) 24 Hour Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 24 Hour Version
C119092	CDLQ	CDLQ1	Children's Dermatology Life Quality Index (CDLQI) (Copyright of M.S. Lewis-Jones, A.Y. Finlay, May 1993, this must not be copied without the permission of the authors).	Children's Dermatology Life Quality Index Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102114	CDR	CDR01	Clinical Dementia Rating (CDR) (Morris, JC. Clinical Dementia Rating: A reliable and valid diagnostic and staging measure for dementia of the Alzheimer type. International Psychogeriatrics 1997; 9, Suppl. 1, 173-176).	Clinical Dementia Rating Questionnaire
C100763	CGI	CGI01	Clinical Global Impression (CGI) (Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Clinical Global Impression Questionnaire
C117995	CHART-SF INTERVIEW VERSION	CHSF1	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version (CHART-SF INTERVIEW VERSION) (Whiteneck GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version Questionnaire
C119101	CHART-SF PAPER VERSION	CHSF2	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version (CHART-SF PAPER VERSION) (Whiteneck GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire
C100764	COMM	COMM1	Current Opioid Misuse Measure (COMM) (copyright 2010 Inflexion, Inc., All rights reserved).	Current Opioid Misuse Measure Questionnaire
C102115	COWS	COWS1	The Clinical Opiate Withdrawal Scale (COWS) (Wesson DR and Ling W. The Clinical Opiate Withdrawal Scale (COWS). J Psychoactive Drugs 2003;35(2):253-259).	Clinical Opiate Withdrawal Scale Questionnaire
C121002	CRQ-SAS FIRST ADMINISTRATION VERSION	CRQ01	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire
C121003	CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION	CRQ02	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire
C105165	DAD	DAD01	Disability Assessment for Dementia (DAD) (copyright 1994 by L. Gauthier I. Gelinaz. All rights reserved.).	Disability Assessment for Dementia Questionnaire
C112519	DISEASE STEPS	DS01	Disease Steps (DS) (Hohol MJ, Orav EJ, Weiner HL. Disease steps in multiple sclerosis: a simple approach to evaluate disease progression. Neurology. 1995 Feb;45(2):251-5).	Disease Steps Questionnaire
C119102	DLQI	DLQI1	Dermatology Life Quality Index (DLQI) (Copyright Dermatology Life Quality Index. A Y Finlay, G K Khan, April 1992. www.dermatology.org.uk. This must not be copied without the permission of the authors).	Dermatology Life Quality Index Questionnaire
C115796	DRS	DRS01	Disability Rating Scale (DRS) (Rappaport et al. (1982) Disability Rating Scale for Severe Head Trauma Patients: Coma to Community. Archives of Physical Medicine and Rehabilitation, 63:118-123).	Disability Rating Scale Questionnaire
C102116	ECOG	ECOG1	Eastern Cooperative Oncology Group (ECOG) Performance Status (Oken MM, Creech RH, Tormey DC, Horton J, Davis TE, McFadden ET, Carbone PP. Toxicity and response criteria of the Eastern Cooperative Oncology Group. Am J Clin Oncol. 1982 Dec;5(6):649-55).	Eastern Cooperative Oncology Group Performance Status Questionnaire
C112520	EDSS	EDSS01	Kurtzke Expanded Disability Status Scale (EDSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Expanded Disability Status Scale Questionnaire
C66957	EQ-5D-3L	EQ5D01	European Quality of Life Five Dimension Three Level Scale (EQ-5D-3L) (Copyright 1990 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Three Level Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102117	EQ-5D-5L	EQ5D02	European Quality of Life Five Dimension Five Level Scale (EQ-5D-5L) (Copyright 2009 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Five Level Scale Questionnaire
C117997	ESRSA	ESRSA1	Extrapyramidal Symptom Rating Scale-Abbreviated (ESRS-A) (Copyright 2006 Larry Alphas, MD, PhD, Guy Chouinard, MD, All Rights Reserved).	Extrapyramidal Symptom Rating Scale-Abbreviated Questionnaire
C103517	ESS	ESS01	Epworth Sleepiness Scale (ESS) (copyright Murray W. Johns, 1990-1997. All rights reserved.).	Epworth Sleepiness Scale Questionnaire
C112521	FAMS	FAMS01	Functional Assessment of Multiple Sclerosis Version 4 (FAMS) (Cella et al. Validation of the Functional Assessment of Multiple Sclerosis quality of life instrument. NEUROLOGY 1996;47: 129-139). (Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Multiple Sclerosis Questionnaire
C111381	FAQ	FAQ01	Functional Activities Questionnaire (FAQ) (Pfeiffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.).	Functional Activities Questionnaire
C111382	FAQ-NACC	FAQ02	Functional Activities Questionnaire-NACC (FAQ-NACC) (Pfeffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.). (Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force. John C. Morris, MD, Chair, and the National Alzheimer's Coordinating Center. U01 AG016976 - Walter A. Kukull, PhD, Director).	Functional Activities Questionnaire-NACC Version
C103518	FIQR	FIQR01	Revised Fibromyalgia Impact Questionnaire (FIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.).	Revised Fibromyalgia Impact Questionnaire
C119093	FLU-IIQ ONCE DAILY	FLUIQ1	Influenza Intensity and Impact Questionnaire (Flu-iiQ) Once Daily (Copyright RH Osborne 2006. No part of the Flu-iiQ may be copied or reproduced in any form without written permission from the author: measuredsolutions@bigpond.com).	Influenza Intensity and Impact Questionnaire Once Daily Version
C119094	FLU-IIQ TWICE DAILY	FLUIQ2	Influenza Intensity and Impact Questionnaire (Flu-iiQ) Twice Daily (Copyright RH Osborne 2006. No part of the Flu-iiQ may be copied or reproduced in any form without written permission from the author: measuredsolutions@bigpond.com).	Influenza Intensity and Impact Questionnaire Twice Daily Version
C100766	FPSR	FPSR1	Faces Pain Scale - Revised (FPS-R) (Hicks CL, von Baeyer CL, van Korlaar I, Goodenough B. Faces Pain Scale-Revised: Toward a Common Metric in Pediatric Pain Measurement. Pain 2001; 93:173-183).	Faces Pain Scale Revised Questionnaire
C106621	FSS	FSS01	Fatigue Severity Scale (FSS) (Copyright Lauren B. Krupp).	Fatigue Severity Scale
C103519	GAD-7	GAD01	Generalized Anxiety Disorder - 7 (GAD-7) (Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder: The GAD-7. Arch Intern Med 2006; 166:1092-1097).	Generalized Anxiety Disorder - 7 Questionnaire
C105169	GCGI	GCGI01	The General Clinical Global Impressions (GCGI v1) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.acttion.org; 2012-08-07 v1.	STANDARDS General Clinical Global Impressions Questionnaire
C106697	GDS	GDS01	Geriatric Depression Scale (GDS) (Yesavage JA, Brink TL, Rose TL, et al. Development and validation of a geriatric depression screening scale: a preliminary report. J Psychiatry Res. 1983;17(1):37-49).	Geriatric Depression Scale Questionnaire
C106698	GDS SHORT FORM	GDS02	Geriatric Depression Scale Short Form (GDS Short Form) (Sheikh JI, Yesavage JA. Geriatric Depression Scale (GDS): recent evidence and development of a shorter version. Clin Gerontol. 1986 June;5(1/2):165-173).	Geriatric Depression Scale Short Form Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115797	GOSE	GOSE1	Extended Glasgow Outcome Scale (GOSE) (Wilson JT, Pettigrew LE, Teasdale GM. Structured interviews for the Glasgow Outcome Scale and the Extended Glasgow Outcome Scale: Guidelines for their use. Journal of Neurotrauma 1998;15:573-585).	Extended Glasgow Outcome Scale Questionnaire
C103520	HADS	HADS01	Hospital Anxiety and Depression Scale (HADS) (copyright 1983, 1992, 1994 by R.P. Snaith and A.S. Zigmond. All rights reserved.).	Hospital Anxiety and Depression Scale Questionnaire
C122381	HAEM-A-QOL	HAEM09	Hemophilia Quality of Life Questionnaire Adult Version (Haem-A-QoL) (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group; Von Mackensen S, Scalone L, Ravera S, Mantovani L, Gringeri A, The COCHE Study Group. Assessment of health-related quality of life in patients with Hemophilia with the newly developed Hemophilia-specific instrument (Haem-A-QoL). Value Health 2005; 8:A127).	Hemophilia Quality of Life Questionnaire Adult Version
C122373	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP I	HAEM01	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group I
C122374	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP II	HAEM02	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group II
C122375	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP III	HAEM03	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group III
C122376	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP I	HAEM04	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group I
C122377	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP II/III	HAEM05	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group II/III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group II/III
C122378	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP I	HAEM06	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group I

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122379	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP II	HAEM07	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group II
C122380	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP III	HAEM08	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group III
C102118	HAM-A	HAMA1	The Hamilton Anxiety Rating Scale (HAM-A) (Hamilton M. The assessment of anxiety states by rating. Br J Med Psychol 1959; 32:50-55).	Hamilton Anxiety Rating Scale Questionnaire
C100767	HAMD 17	HAMD1	The Hamilton Depression Rating Scale 17-Item (HAMD 17) (Hamilton M. Development of a rating scale for primary depressive illness. Br J Soc Clin Psychol 1967; 6(4):278-96).	Hamilton Depression Rating Scale 17 Item Questionnaire
C102119	HAMD 21	HAMD2	The Hamilton Depression Rating Scale 21-Item (HAMD 21) (Hedlund and Vieweg, The Hamilton rating scale for depression. Journal of Operational Psychiatry, 1979;10(2):149-165).	Hamilton Depression Rating Scale 21-Item Questionnaire
C106699	HAQ-DI	HAQ01	Health Assessment Questionnaire Disability Index (HAQ-DI) (Fries JF. The assessment of disability: from first to future principles. Br J Rheumatol. 1983 Aug; 22(3 Suppl):48-58).	Health Assessment Questionnaire Disability Index Questionnaire
C103521	IIEF	IIEF01	International Index of Erectile Function (IIEF) (Rosen RC, Riley A, Wagner G, Osterloh IH, Kirkpatrick J, and Mishra A. The international index of erectile function (IIEF): a multidimensional scale for assessment of erectile dysfunction. Urology. 1997 49(6): 822-830).	International Index of Erectile Function Questionnaire
C113876	IVIS	IVIS01	Impact of Visual Impairment Scale (IVIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Impact of Visual Impairment Scale Questionnaire
C112522	KFSS	KFSS1	Kurtzke Functional Systems Scores (FSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Functional Systems Scores Questionnaire
C100768	KPS SCALE	KPSS	The Karnofsky Performance Status Scale (KPSS) (Karnofsky DA, Burchenal JH. (1949). "The Clinical Evaluation of Chemotherapeutic Agents in Cancer." In: MacLeod CM (Ed), Evaluation of Chemotherapeutic Agents. Columbia Univ Press. Page 196).	Karnofsky Performance Status Scale Questionnaire
C122382	MADRS	MADRS1	Montgomery-Asberg Depression Rating Scale (MADRS) (Copyright Stuart Montgomery 1978, Measures of Depression, Fulcrum Press, London. Stuart A. Montgomery and Marie Asberg. A new depression scale designed to be sensitive to change. Br. J. Psychiat. (1979), 134:382-389).	Montgomery-Asberg Depression Rating Scale Questionnaire
C100769	MDS-UPDRS	UPD2	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale (MDS-UPDRS) (copyright 2008 Movement Disorder Society. All Rights Reserved).	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire
C113877	MFIS	MFIS01	Modified Fatigue Impact Scale (MFIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Modified Fatigue Impact Scale Questionnaire
C112523	MHIS-NACC	MHIS01	Modified Hachinski Ischemic Scale-NACC Version (MHIS-NACC) Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force (John C. Morris, MD, Chair) and the National Alzheimer's Coordinating Center (Walter A. Kukull, PhD, Director). This publication was funded by the National Institutes of Health through the National Institute on Aging (Cooperative Agreement U01 AG016976).	Modified Hachinski Ischemic Scale-NACC Version Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106700	MMRC	MMRC01	Modified Medical Research Council dyspnea scale (MMRC) (Mahler DA, Wells CK. Evaluation of Clinical Methods for Rating Dyspnea. Chest 1988; 93:580-586).	Modified Medical Research Council Dyspnea Scale Questionnaire
C100771	MNSI	MNSI1	Michigan Neuropathy Screening Instrument (MNSI) (copyright University of Michigan, 2000, All rights reserved).	Michigan Neuropathy Screening Instrument Questionnaire
C115798	MPAI-4	MPAI1	The Mayo-Portland Adaptability Inventory-4 (MPAI-4) (Malec, J. (2005). The Mayo-Portland Adaptability Inventory-4. The Center for Outcome Measurement in Brain Injury. http://www.tbims.org/combi/mpai).	Mayo-Portland Adaptability Inventory-4 Questionnaire
C111383	MRS	MRS01	Modified Rankin Scale (MRS) (Van Swieten J., Koudstaal P., Visser M., Schouten H., and Van Gijn J. Interobserver agreement for the assessment of handicap in stroke patients, 1988. Stroke 19: 604-607).	Modified Rankin Scale Questionnaire
C113878	MSQOL-54	MSQL1	Multiple Sclerosis Quality of Life-54 Instrument (MSQOL-54) (Copyright 1995, University of California, Los Angeles).	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire
C100772	NPI	NPI1	Neuropsychiatric Inventory (NPI) (copyright JL Cummings, 1994, all rights reserved; permission for commercial use required; npITEST.net).	Neuropsychiatric Inventory Questionnaire
C103522	NPS	NPS01	Neuropathic Pain Scale (NPS) (copyright Brad Galer and Mark Jensen. All rights reserved.).	Neuropathic Pain Scale Questionnaire
C103523	OAB-Q	OABQ01	The Overactive Bladder Questionnaire (OAB-q) (Coyne K, Revicki D, Hunt T, et al. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. Qual Life Res. Sep 2002; 11(6):563-574).	The Overactive Bladder Questionnaire
C103524	OAB-Q SHORT FORM	OABQ02	The Overactive Bladder Questionnaire Short Form (OAB-q Short Form) (Coyne KS, Lai JS, Zyczynski T, Kopp Z, Avery K, Abrams P. An overactive bladder symptom and quality-of-life short form: development of the Overactive Bladder Questionnaire (OAB-q) short form (SF). Presented at the Joint Meeting of the International Continence Society and the International Urogynecological Association; August 23-27, 2004; Paris, France).	The Overactive Bladder Questionnaire Short Form
C119095	OCI	OCI01	Ocular Comfort Index (OCI) (The copyright owner of the Ocular Comfort Index is Dr. Michael Edward Johnson. Michael E. Johnson and Paul J. Murphy. Measurement of Ocular Surface Irritation on a Linear Interval Scale with the Ocular Comfort Index. Investigative Ophthalmology and Visual Science, October 2007, Vol. 48, No.10).	Ocular Comfort Index Questionnaire
C103525	ODI v2.1A	ODI01	The Oswestry Disability Index Version 2.1a (ODI v2.1A) (copyright 1980 Jeremy Fairbank. All Rights Reserved.).	The Oswestry Disability Index Version 2.1a Questionnaire
C112524	PDDS	PDDS01	Patient Determined Disease Steps (PDDS) (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: A simple approach to evaluate disease progression. Neurology 1995; 45: 251-55). (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: a longitudinal study comparing disease steps and EDSS to evaluate disease progression. Multiple Sclerosis 1999; 5: 349-54). (Marrie RA and Goldman M. Validity of performance scales for disability assessment in multiple sclerosis. Multiple Sclerosis 2007; 13: 1176-1182). (The PDDS and/or PS are provided for use by the NARCOMS Registry: www.narcoms.org/pdds . NARCOMS is supported in part by the Consortium of Multiple Sclerosis Centers (CMSC) and the CMSC Foundation).	Patient Determined Disease Steps Questionnaire
C100773	PDQUALIF	PDQ01	Parkinson's Disease Quality of Life Scale (PDQUALIF) (Welsh M, McDermott MP, Holloway RG, Plumb S, Pfeiffer R, Hubble J, and The Parkinson Study Group. Development and Testing of the Parkinson's Disease Quality of Life Scale. Movement Disorders, 2003, Vol. 18; 637-645).	Parkinson's Disease Quality of Life Scale Questionnaire
C103527	PHQ-15	PHQ02	Patient Health Questionnaire - 15 (PHQ-15) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-15: Validity of a new measure for evaluating the severity of somatic symptoms. Psychosom Med 2002; 64:258-266).	Patient Health Questionnaire - 15 Item

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103526	PHQ-9	PHQ01	Patient Health Questionnaire - 9 (PHQ-9) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-9: Validity of a brief depression severity measure. J Gen Intern Med 2001; 16:606-613).	Patient Health Questionnaire - 9 Item
C105167	PI	PI01	The Pain Intensity (PI) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.action.org; 2012-08-07 v1.	STANDARDS Pain Intensity Questionnaire
C105168	PR	PR01	The Pain Relief (PR) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.action.org; 2012-08-07 v1.	STANDARDS Pain Relief Questionnaire
C103849	PSQI	PSQI1	Pittsburgh Sleep Quality Index (PSQI) (Copyright 1989, University of Pittsburgh. Buysse,D.J., Reynolds,C.F., Monk,T.H., Berman,S.R., & Kupfer, D.J. The Pittsburgh Sleep Quality Index (PSQI): A new instrument for psychiatric practice and research. Psychiatry Research, 1989, 28(2):193-213).	Pittsburgh Sleep Quality Index
C113879	RAND-36 V1.0	R3601	RAND 36-Item Health Survey 1.0 (RAND-36) (Copyright the RAND Corporation. Developed at RAND as part of the Medical Outcomes Study).	RAND 36-Item Health Survey 1.0 Questionnaire
C100774	RDQ	RDQ01	Roland Morris Disability Questionnaire (RDQ) (Roland MO, Morris RW. A study of the natural history of back pain. Part 1: Development of a reliable and sensitive measure of disability in low back pain. Spine 1983;8:141-144).	Roland Morris Disability Questionnaire
C119103	RPQ	RPQ01	Rivermead Post Concussion Symptoms Questionnaire (RPQ) (King NS, Crawford S, Wenden FJ, Moss NEG, Wade DT. The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. J Neurol. 1995;242:587-592).	Rivermead Post-Concussion Symptoms Questionnaire
C111384	SDS	SDS01	Sheehan Disability Scale (Copyright 1983, 2010, 2011 David V. Sheehan. All rights reserved.).	Sheehan Disability Scale Questionnaire
C102120	SF36 v1.0 ACUTE	SF362	The Short Form 36 Health Survey Acute, US Version 1.0 (SF36 v1.0 Acute) (copyright 1988, 2002 by Medical Outcomes Trust and Quality Metric Incorporated. All rights reserved).	Short Form 36 Health Survey Acute, US Version 1.0 Questionnaire
C100775	SF36 v1.0 STANDARD	SF361	The Short Form 36 Health Survey Standard, US Version 1.0 (SF36 v1.0 Standard) (copyright 1988, 2002 by Medical Outcomes Trust and Quality Metric Incorporated. All rights reserved).	Short Form 36 Health Survey Standard, US Version 1.0 Questionnaire
C102121	SF36 v2.0 ACUTE	SF364	The Short Form 36 Health Survey Acute, US Version 2.0 (SF36 v2.0 Acute) (copyright 1996, 2000 by Quality Metric Incorporated and Medical Outcomes Trust. All rights reserved).	Short Form 36 Health Survey Acute, US Version 2.0 Questionnaire
C102122	SF36 v2.0 STANDARD	SF363	The Short Form 36 Health Survey Standard, US Version 2.0 (SF36 v2.0 Standard) (copyright 1996, 2000 by Quality Metric Incorporated and Medical Outcomes Trust. All rights reserved).	Short Form 36 Health Survey Standard, US Version 2.0 Questionnaire
C112525	SGRQ PAST 3 MONTHS VERSION	SGRQ01	St. George's Respiratory Questionnaire (SGRQ) Past 3 Months Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 3 Months Version
C112526	SGRQ PAST 4 WEEKS VERSION	SGRQ02	St. George's Respiratory Questionnaire (SGRQ) Past 4 Weeks Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 4 Weeks Version
C106890	SGRQ-C	SGRQC1	St. George's Respiratory Questionnaire for COPD Patients (SGRQ-C) (Jones PW, Quirk FH, Baveystock CM, and Littlejohns PA. Self-complete measure of health status for chronic airflow limitation. The St. George's Respiratory Questionnaire. Am Rev Respir Dis. 1992 Jun; 145(6):1321-7).	St. George's Respiratory Questionnaire for Chronic Obstructive Pulmonary Disease Patients
C100776	SHORT-FORM MPQ-2	SFMP2	Short-Form McGill Pain Questionnaire-2 (SF-MPQ-2) (Copyright R. Melzack and the Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials (IMMPACT), 2009, All Rights Reserved).	Short-Form McGill Pain Questionnaire-2

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103528	SIQR	SIQR01	Symptom Impact Questionnaire (SIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.).	Symptom Impact Questionnaire
C100777	SOAPP-R	SOAPR1	Screeener and Opioid Assessment for Patients with Pain Revised (SOAPP-R) (copyright 2007 Inflexxion, Inc., All rights reserved).	Screeener and Opioid Assessment for Patients with Pain Revised Questionnaire
C103529	SOWS SHORT	SOWSB1	Short Opiate Withdrawal Scale (SOWS SHORT) (Gossop, M. The development of a short opiate withdrawal scale. Addictive Behaviors 1990; 15:487-490).	Short Opiate Withdrawal Scale Questionnaire
C102123	SOWS SUBJECTIVE	SOWSA1	The Subjective Opiate Withdrawal Scale (SOWS) (Handelsman, L., Cochrane, K. J., Aronson, M. J. Ness, R., Rubinstein K.J., Kanof, P.D. (1987) Two New Rating Scales for Opiate Withdrawal. American Journal of Alcohol Abuse, 13, 293-308).	Subjective Opiate Withdrawal Scale Questionnaire
C115799	SWLS	SWLS01	The Satisfaction With Life Scale (SWLS) (Diener, E., Emmons, R., Larsen, J., and Griffin, S. (1985). The Satisfaction With Life Scale. J Personality Assessment, 49(1): 71-75).	Satisfaction With Life Scale Questionnaire
C106694	TDI	TDI01	Transition Dyspnea Index (TDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758).	Transition Dyspnea Index Questionnaire
C100778	UPDRS	UPD1	Unified Parkinson's Disease Rating Scale (UPDRS) (Fahn S, Marsden CD, Calne DB, Goldstein M, eds. Recent Developments in Parkinson's Disease, Vol 2. Florham Park, NJ. Macmillan Health Care Information 1987, pp 153-163, 293-304).	Unified Parkinson's Disease Rating Scale Questionnaire
C103530	UPS	UPS01	Urgency Perception Scale (UPS) (copyright Pfizer. All rights reserved.).	Urgency Perception Scale Questionnaire
C112527	VFQ-25 INTERVIEWER ADMINISTERED	VFQ1	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Interviewer-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Interviewer Administered Format Version 2000
C112528	VFQ-25 SELF ADMINISTERED	VFQ2	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Self-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Self Administered Format Version 2000
C119096	WLQ	WLQ01	Work Limitations Questionnaire (WLQ) (copyright 1998. The Health Institute, Tufts Medical Center f/k/a New England Medical Center Hospitals, Inc.; Debra Lerner, Ph.D.; Benjamin Amick III, Ph.D.; and GlaxoWellcome, Inc. All Rights Reserved).	Work Limitations Questionnaire
C122384	WOMAC LK 3.1 INDEX	WOMAC1	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Likert Scale Format (WOMAC LK 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Likert Scale Format Questionnaire
C122385	WOMAC NRS 3.1 INDEX	WOMAC2	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Numerical Rating Scale Format (WOMAC NRS 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Numerical Rating Scale Format Questionnaire
C122386	WOMAC VA 3.1 INDEX	WOMAC3	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Visual Analog Scale Format (WOMAC VA 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Visual Analog Scale Format Questionnaire

C100129 QSCAT

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100779	WPAI-SHP	WPAI01	The Work Productivity and Activity Impairment - Specific Health Problems Questionnaire Version 2.0 (WPAI01) (http://www.reillyassociates.net/WPAI_SHP.html).	Work Productivity and Activity Impairment Specific Health Problems Version 2.0 Questionnaire
C102124	YMRS	YMRS01	Young Mania Rating Scale (YMRS) (Young RC, Biggs JT, Ziegler VE et al: A rating scale for mania: reliability, validity and sensitivity. Br J Psychiatry 133: 429-435, 1978).	Young Mania Rating Scale Questionnaire

RAND-36 V1.0 TEST (QS-RAND 36-Item Health Survey 1.0 Test Name)

NCI Code: C113861, Codelist extensible: No

C113861 RAND-36 V1.0 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114074	R3601-Amt Time Interfere Social Activity	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114064	R3601-Did Pain Interfere With Your Work	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R3601-Did You Feel Full of Pep	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114073	R3601-Did You Feel Tired	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114071	R3601-Did You Feel Worn Out	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114069	R3601-Did You Have a Lot of Energy	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114060	R3601-Emotional Problem: Accomplish Less	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less
C114059	R3601-Emotional Problem: Cut Work Time	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114061	R3601-Emotional Problem: Less Careful	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R3601-Extent Interfered Social Activity	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114075	R3601-Get Sick Easier Than Other People	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114066	R3601-Have Been a Very Nervous Person	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114070	R3601-Have Felt Downhearted and Blue	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114067	R3601-Have Felt So Down in the Dumps	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114072	R3601-Have You Been a Happy Person	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114068	R3601-Have You Felt Calm and Peaceful	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114054	R3601-Health Limit Bathing/Dressing Self	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114050	R3601-Health Limit Bending or Kneeling	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114047	R3601-Health Limit Carrying Groceries	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries

C113861 RAND-36 V1.0 TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114049	R3601-Health Limit Climb One Flight	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114048	R3601-Health Limit Climb Several Flights	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114046	R3601-Health Limit Moderate Activities	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114045	R3601-Health Limit Vigorous Activities	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities
C114051	R3601-Health Limit Walk More Than Mile	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114053	R3601-Health Limit Walk One Block	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114052	R3601-Health Limit Walk Several Blocks	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114044	R3601-Health Now Compared to 1 Year Ago	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114063	R3601-How Much Bodily Pain Have You Had	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain
C114076	R3601-I Am as Healthy as Anybody I Know	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R3601-I Expect My Health to Get Worse	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R3601-My Health Is Excellent	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent
C114056	R3601-Phys Health: Accomplish Less	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114055	R3601-Phys Health: Cut Work Time	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114058	R3601-Phys Health: Difficulty Performing	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114057	R3601-Phys Health: Limit Kind of Work	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114043	R3601-Would You Say Your Health Is	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health

RAND-36 V1.0 TESTCD (QS-RAND 36-Item Health Survey 1.0 Test Code)

NCI Code: C113862, Codelist extensible: No

C113862 RAND-36 V1.0 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114043	R360101	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health
C114044	R360102	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114045	R360103	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities
C114046	R360104	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114047	R360105	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries
C114048	R360106	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114049	R360107	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114050	R360108	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114051	R360109	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114052	R360110	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114053	R360111	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114054	R360112	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114055	R360113	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114056	R360114	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114057	R360115	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114058	R360116	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114059	R360117	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114060	R360118	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less

C113862 RAND-36 V1.0 TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114061	R360119	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R360120	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114063	R360121	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain
C114064	R360122	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R360123	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114066	R360124	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114067	R360125	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114068	R360126	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114069	R360127	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114070	R360128	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114071	R360129	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114072	R360130	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114073	R360131	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114074	R360132	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114075	R360133	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114076	R360134	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R360135	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R360136	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent

RDQ TEST (QS-Roland Morris Disability Questionnaire Test Name)

NCI Code: C100165, Codelist extensible: No

C100165 RDQ TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100794	RDQ01-Appetite is Not Very Good	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100800	RDQ01-Avoid Heavy Jobs	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100781	RDQ01-Change Position Frequently	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100791	RDQ01-Difficult to Get Out of a Chair	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100793	RDQ01-Difficult to Turn Over in Bed	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100788	RDQ01-Get Dressed More Slowly	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100798	RDQ01-Get Dressed With Help	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100787	RDQ01-Get Other People to Do Things	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100802	RDQ01-Go Upstairs More Slowly	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100786	RDQ01-Hold on to Get Out of a Chair	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100785	RDQ01-Lie Down to Rest More Often	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100801	RDQ01-More Irritable With People	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100783	RDQ01-Not Do Any Usual Jobs	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100789	RDQ01-Only Stand for Short Periods	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100796	RDQ01-Only Walk Short Distances	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100792	RDQ01-Painful Almost All the Time	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100804	RDQ01-RDQ Total Score	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score
C100799	RDQ01-Sit Down Most of the Day	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100797	RDQ01-Sleep Less Well	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100780	RDQ01-Stay at Home	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100803	RDQ01-Stay in Bed	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100795	RDQ01-Trouble Putting on Socks/Stockings	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100790	RDQ01-Try Not to Bend or Kneel	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100784	RDQ01-Use Handrail to Get Upstairs	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100782	RDQ01-Walk More Slowly	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly

RDQ TESTCD (QS-Roland Morris Disability Questionnaire Test Code)

NCI Code: C100166, Codelist extensible: No

C100166 RDQ TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100780	RDQ0101	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100781	RDQ0102	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100782	RDQ0103	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly
C100783	RDQ0104	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100784	RDQ0105	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100785	RDQ0106	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100786	RDQ0107	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100787	RDQ0108	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100788	RDQ0109	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100789	RDQ0110	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100790	RDQ0111	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100791	RDQ0112	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100792	RDQ0113	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100793	RDQ0114	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100794	RDQ0115	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100795	RDQ0116	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100796	RDQ0117	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100797	RDQ0118	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100798	RDQ0119	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100799	RDQ0120	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100800	RDQ0121	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100801	RDQ0122	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100802	RDQ0123	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100803	RDQ0124	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100804	RDQ0125	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score

RPQ TEST (QS-Rivermead Post Concussion Symptoms Questionnaire Test Name)

NCI Code: C119071, Codelist extensible: No

C119071 RPQ TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119192	RPQ01-Any Other Difficulties 1	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119191	RPQ01-Any Other Difficulties 1 (Text)	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119194	RPQ01-Any Other Difficulties 2	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)
C119193	RPQ01-Any Other Difficulties 2 (Text)	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119181	RPQ01-Being Irritable, Easily Angered	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119187	RPQ01-Blurred Vision	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119189	RPQ01-Double Vision	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119180	RPQ01-Fatigue, Tiring More Easily	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119182	RPQ01-Feeling Depressed or Tearful	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ01-Feeling Frustrated or Impatient	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119176	RPQ01-Feelings of Dizziness	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119184	RPQ01-Forgetfulness, Poor Memory	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119175	RPQ01-Headaches	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119188	RPQ01-Light Sensitivity/Bright Light	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119177	RPQ01-Nausea and/or Vomiting	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ01-Noise Sensitivity/Loud Noise	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119185	RPQ01-Poor Concentration	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119190	RPQ01-Restlessness	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119179	RPQ01-Sleep Disturbance	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119186	RPQ01-Taking Longer to Think	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think

RPQ TESTCD (QS-Rivermead Post Concussion Symptoms Questionnaire Test Code)

NCI Code: C119072, Codelist extensible: No

C119072 RPQ TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119175	RPQ0101	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119176	RPQ0102	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119177	RPQ0103	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ0104	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119179	RPQ0105	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119180	RPQ0106	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119181	RPQ0107	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119182	RPQ0108	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ0109	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119184	RPQ0110	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119185	RPQ0111	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119186	RPQ0112	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think
C119187	RPQ0113	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119188	RPQ0114	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119189	RPQ0115	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119190	RPQ0116	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119191	RPQ0117A	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119192	RPQ0117B	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119193	RPQ0118A	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119194	RPQ0118B	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)

SDMT TEST (FT-Symbol Digit Modalities Functional Test Test Name)

NCI Code: C115395, Codelist extensible: No

C115395 SDMT TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115816	SDMT01-Total Score	SDMT01-Total Score	Symbol Digit Modalities Test - Total score.	SDMT - Total Score

SDMT TESTCD (FT-Symbol Digit Modalities Functional Test Test Code)

NCI Code: C115396, Codelist extensible: No

C115396 SDMT TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115816	SDMT0101	SDMT01-Total Score	Symbol Digit Modalities Test - Total score.	SDMT - Total Score

SDS TEST (QS-Sheehan Disability Scale Questionnaire Test Name)

NCI Code: C111349, Codelist extensible: No

C111349 SDS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111525	SDS01-Days Lost	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost
C111526	SDS01-Days Unproductive	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive
C111524	SDS01-Family Life/Home Responsibilities	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities
C111522	SDS01-No Work/Study - Unrelated Disorder	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder
C111523	SDS01-Social Life	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities
C111521	SDS01-Work/School	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work

SDS TESTCD (QS-Sheehan Disability Scale Questionnaire Test Code)

NCI Code: C111350, Codelist extensible: No

C111350 SDS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111521	SDS0101	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work
C111522	SDS0101A	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder
C111523	SDS0102	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities
C111524	SDS0103	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities
C111525	SDS0104	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost
C111526	SDS0105	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive

SGRQ-C TEST (QS-St. George's Respiratory Questionnaire for COPD Patients Test Name)

NCI Code: C106670, Codelist extensible: No

C106670 SGRQ-C TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106874	SGRQC1-Afraid When Cannot Catch Breath	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath
C107025	SGRQC1-Cannot Do Household Chores	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107023	SGRQC1-Cannot Go Out for Entertainment	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC1-Cannot Go Out to Do Shopping	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping
C107026	SGRQC1-Cannot Move Far From My Bed	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C107022	SGRQC1-Cannot Play Sports	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C106880	SGRQC1-Cannot Take a Bath or Shower	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106873	SGRQC1-Cough Is Embarrassing in Public	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public
C106871	SGRQC1-Coughing Disturbs My Sleep	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106867	SGRQC1-Coughing Hurts	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC1-Coughing Makes Me Tired	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106853	SGRQC1-Describe Your Current Health	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106861	SGRQC1-Describe Your Resp Problems	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106886	SGRQC1-Difficult to Carry Heavy Loads	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C106885	SGRQC1-Difficult to Walk Up Hills	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106878	SGRQC1-Everything Too Much Effort	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106877	SGRQC1-Exercise Is Not Safe for Me	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me

C106670 SGRQ-C TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106876	SGRQC1-Frail Because of Resp Problems	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106872	SGRQC1-Get Exhausted Easily	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106858	SGRQC1-How Many Respiratory Attacks	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year
C106859	SGRQC1-How Often Do You Have Good Days	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106887	SGRQC1-How Resp Problems Affect You	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You
C106855	SGRQC1-I Bring Up Phlegm	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106854	SGRQC1-I Cough	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106857	SGRQC1-I Have Attacks of Wheezing	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106856	SGRQC1-I Have Shortness of Breath	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106884	SGRQC1-If I Hurry, I Have to Stop	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106882	SGRQC1-Jobs Take a Long Time	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106875	SGRQC1-Not in Control of Resp Problems	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C107021	SGRQC1-Respiratory Problems a Nuisance	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106870	SGRQC1-Short of Breath When Bend Over	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106869	SGRQC1-Short of Breath When Talk	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106879	SGRQC1-Take a Long Time to Get Washed	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106881	SGRQC1-Walk Slow Than Others My Age	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106883	SGRQC1-Walk Up Flight of Stairs Slowly	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106863	SGRQC1-Walking Around the House	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC1-Walking Outside on Level Ground	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground

C106670 SGRQ-C TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106865	SGRQC1-Walking Up a Flight of Stairs	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC1-Walking Up Hills	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106862	SGRQC1-Washing or Dressing Yourself	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106860	SGRQC1-Wheeze Worse in the Morning	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning

SGRQ-C TESTCD (QS-St. George's Respiratory Questionnaire for COPD Patients Test Code)

NCI Code: C106671, Codelist extensible: No

C106671 SGRQ-C TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106853	SGRQC101	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106854	SGRQC102	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106855	SGRQC103	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106856	SGRQC104	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106857	SGRQC105	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106858	SGRQC106	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year
C106859	SGRQC107	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106860	SGRQC108	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning
C106861	SGRQC109	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106862	SGRQC110	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106863	SGRQC111	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC112	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground
C106865	SGRQC113	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC114	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106867	SGRQC115	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC116	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106869	SGRQC117	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106870	SGRQC118	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106871	SGRQC119	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106872	SGRQC120	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106873	SGRQC121	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public

C106671 SGRQ-C TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107021	SGRQC122	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106874	SGRQC123	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath
C106875	SGRQC124	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C106876	SGRQC125	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106877	SGRQC126	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me
C106878	SGRQC127	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106879	SGRQC128	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106880	SGRQC129	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106881	SGRQC130	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106882	SGRQC131	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106883	SGRQC132	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106884	SGRQC133	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106885	SGRQC134	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106886	SGRQC135	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C107022	SGRQC136	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C107023	SGRQC137	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC138	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping

C106671 SGRQ-C TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C107025	SGRQC139	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107026	SGRQC140	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C106887	SGRQC141	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You

SGRQ Past 3 Months Version TEST (QS-St. George's Respiratory Questionnaire Past 3 Months Version Test Name)

NCI Code: C112448, Codelist extensible: No

C112448 SGRQ Past 3 Months Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112653	SGRQ01-Afraid When Cannot Catch Breath	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112673	SGRQ01-Cannot Go Out for Entertainment	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ01-Cannot Go Out to Do Shopping	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112651	SGRQ01-Cough Is Embarrassing in Public	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112649	SGRQ01-Coughing Disturbs My Sleep	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112645	SGRQ01-Coughing Hurts	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ01-Coughing Makes Me Tired	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired
C112627	SGRQ01-Describe Your Current Health	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112636	SGRQ01-Describe Your Resp Condition	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112670	SGRQ01-Difficult to Carry Heavy Loads	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ01-Difficult to Do Very Heavy Work	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112669	SGRQ01-Difficult to Walk Up Hills	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112660	SGRQ01-Embarrassed Using Med in Public	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public
C112658	SGRQ01-Everything Too Much Effort	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112657	SGRQ01-Exercise Is Not Safe for Me	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me

**C112448 SGRQ Past 3 Months
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112633	SGRQ01-How Long Worst Resp Attack Last	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ01-How Many Good Days Have You Had	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had
C112677	SGRQ01-How Resp Problems Affect You	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You
C112675	SGRQ01-I Cannot Do Household Chores	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores
C112676	SGRQ01-I Cannot Move Far From My Bed	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112672	SGRQ01-I Cannot Play Sports	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112664	SGRQ01-I Cannot Take a Bath or Shower	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112650	SGRQ01-I Get Exhausted Easily	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112656	SGRQ01-I Have Become Frail	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112629	SGRQ01-I Have Brought Up Phlegm	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112628	SGRQ01-I Have Coughed	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112630	SGRQ01-I Have Had Shortness of Breath	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ01-I Have Had Wheezing Attacks	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112665	SGRQ01-I Walk Slower Than Other People	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age
C112668	SGRQ01-If I Hurry, I Have to Stop	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112637	SGRQ01-If You Have Ever Held a job	SGRQ01-If You Have Ever Held a job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112666	SGRQ01-Jobs Take a Long Time	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112655	SGRQ01-Not Expect Probs to Get Better	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better

**C112448 SGRQ Past 3 Months
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112654	SGRQ01-Not in Control of Resp Problems	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112644	SGRQ01-Playing Sports	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities
C112652	SGRQ01-Respiratory Problems a Nuisance	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family
C112648	SGRQ01-Short of Breath When Bend Over	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112647	SGRQ01-Short of Breath When I Talk	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112638	SGRQ01-Sitting or Lying Still	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112663	SGRQ01-Take a Long Time to Get Washed	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112632	SGRQ01-Times Suffered Sev Resp Attacks	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112659	SGRQ01-Treatment Does Not Help Me Much	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112662	SGRQ01-Treatment Interferes With Life	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112661	SGRQ01-Unpleasant Side Effect From Med	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication
C112667	SGRQ01-Walk Up Flight of Stairs Slowly	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112640	SGRQ01-Walking Around the House	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ01-Walking Outside on Level Ground	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ01-Walking Up a Flight of Stairs	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ01-Walking Up Hills	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills
C112639	SGRQ01-Washing or Dressing Yourself	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself

**C112448 SGRQ Past 3 Months
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112635	SGRQ01-Wheeze Worse in the Morning	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning

SGRQ Past 3 Months Version TESTCD (QS-St. George's Respiratory Questionnaire Past 3 Months Version Test Code)

NCI Code: C112449, Codelist extensible: No

C112449 SGRQ Past 3 Months Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112627	SGRQ0101	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112628	SGRQ0102	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112629	SGRQ0103	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112630	SGRQ0104	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ0105	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112632	SGRQ0106	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112633	SGRQ0107	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ0108	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had
C112635	SGRQ0109	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning
C112636	SGRQ0110	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112637	SGRQ0111	SGRQ01-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112638	SGRQ0112	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112639	SGRQ0113	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself
C112640	SGRQ0114	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ0115	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ0116	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ0117	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills

**C112449 SGRQ Past 3 Months
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112644	SGRQ0118	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities
C112645	SGRQ0119	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ0120	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired
C112647	SGRQ0121	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112648	SGRQ0122	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112649	SGRQ0123	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112650	SGRQ0124	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112651	SGRQ0125	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112652	SGRQ0126	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family
C112653	SGRQ0127	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112654	SGRQ0128	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112655	SGRQ0129	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better
C112656	SGRQ0130	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112657	SGRQ0131	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me
C112658	SGRQ0132	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112659	SGRQ0133	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112660	SGRQ0134	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public

**C112449 SGRQ Past 3 Months
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112661	SGRQ0135	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication
C112662	SGRQ0136	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112663	SGRQ0137	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112664	SGRQ0138	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112665	SGRQ0139	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age
C112666	SGRQ0140	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112667	SGRQ0141	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112668	SGRQ0142	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112669	SGRQ0143	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112670	SGRQ0144	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ0145	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112672	SGRQ0146	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112673	SGRQ0147	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ0148	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112675	SGRQ0149	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores

**C112449 SGRQ Past 3 Months
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112676	SGRQ0150	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112677	SGRQ0151	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You

SGRQ Past 4 Weeks Version TEST (QS-St. George's Respiratory Questionnaire Past 4 Weeks Version Test Name)

NCI Code: C112450, Codelist extensible: No

C112450 SGRQ Past 4 Weeks Version TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112704	SGRQ02-Afraid When Cannot Catch Breath	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112724	SGRQ02-Cannot Go Out for Entertainment	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ02-Cannot Go Out to Do Shopping	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112702	SGRQ02-Cough Is Embarrassing in Public	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112700	SGRQ02-Coughing Disturbs My Sleep	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112696	SGRQ02-Coughing Hurts	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ02-Coughing Makes Me Tired	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112678	SGRQ02-Describe Your Current Health	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112687	SGRQ02-Describe Your Resp Condition	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112721	SGRQ02-Difficult to Carry Heavy Loads	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ02-Difficult to Do Very Heavy Work	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112720	SGRQ02-Difficult to Walk Up Hills	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112711	SGRQ02-Embarrassed Using Med in Public	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public
C112709	SGRQ02-Everything Too Much Effort	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112708	SGRQ02-Exercise Is Not Safe for Me	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me

**C112450 SGRQ Past 4 Weeks
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112684	SGRQ02-How Long Worst Resp Attack Last	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ02-How Many Good Days Have You Had	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had
C112728	SGRQ02-How Resp Problems Affect You	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You
C112726	SGRQ02-I Cannot Do Household Chores	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores
C112727	SGRQ02-I Cannot Move Far From My Bed	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112723	SGRQ02-I Cannot Play Sports	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112715	SGRQ02-I Cannot Take a Bath or Shower	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112701	SGRQ02-I Get Exhausted Easily	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112707	SGRQ02-I Have Become Frail	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112680	SGRQ02-I Have Brought Up Phlegm	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112679	SGRQ02-I Have Coughed	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112681	SGRQ02-I Have Had Shortness of Breath	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ02-I Have Had Wheezing Attacks	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112716	SGRQ02-I Walk Slower Than Other People	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age
C112719	SGRQ02-If I Hurry, I Have to Stop	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112688	SGRQ02-If You Have Ever Held a job	SGRQ02-If You Have Ever Held a job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112717	SGRQ02-Jobs Take a Long Time	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112706	SGRQ02-Not Expect Probs to Get Better	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better

**C112450 SGRQ Past 4 Weeks
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112705	SGRQ02-Not in Control of Resp Problems	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112695	SGRQ02-Playing Sports	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities
C112703	SGRQ02-Respiratory Problems a Nuisance	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112699	SGRQ02-Short of Breath When Bend Over	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over
C112698	SGRQ02-Short of Breath When I Talk	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk
C112689	SGRQ02-Sitting or Lying Still	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112714	SGRQ02-Take a Long Time to Get Washed	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112683	SGRQ02-Times Suffered Sev Resp Attacks	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112710	SGRQ02-Treatment Does Not Help Me Much	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112713	SGRQ02-Treatment Interferes With Life	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112712	SGRQ02-Unpleasant Side Effect From Med	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication
C112718	SGRQ02-Walk Up Flight of Stairs Slowly	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112691	SGRQ02-Walking Around the House	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ02-Walking Outside on Level Ground	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ02-Walking Up a Flight of Stairs	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ02-Walking Up Hills	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills
C112690	SGRQ02-Washing or Dressing Yourself	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself

**C112450 SGRQ Past 4 Weeks
Version TEST**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112686	SGRQ02-Wheeze Worse in the Morning	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning

SGRQ Past 4 Weeks Version TESTCD (QS-St. George's Respiratory Questionnaire Past 4 Weeks Version Test Code)

NCI Code: C112451, Codelist extensible: No

C112451 SGRQ Past 4 Weeks Version TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112678	SGRQ0201	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112679	SGRQ0202	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112680	SGRQ0203	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112681	SGRQ0204	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ0205	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112683	SGRQ0206	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112684	SGRQ0207	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ0208	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had
C112686	SGRQ0209	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning
C112687	SGRQ0210	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112688	SGRQ0211	SGRQ02-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112689	SGRQ0212	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112690	SGRQ0213	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself
C112691	SGRQ0214	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ0215	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ0216	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ0217	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills

**C112451 SGRQ Past 4 Weeks
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112695	SGRQ0218	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities
C112696	SGRQ0219	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ0220	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112698	SGRQ0221	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk
C112699	SGRQ0222	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over
C112700	SGRQ0223	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112701	SGRQ0224	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112702	SGRQ0225	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112703	SGRQ0226	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112704	SGRQ0227	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112705	SGRQ0228	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112706	SGRQ0229	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better
C112707	SGRQ0230	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112708	SGRQ0231	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me
C112709	SGRQ0232	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112710	SGRQ0233	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112711	SGRQ0234	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public

**C112451 SGRQ Past 4 Weeks
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112712	SGRQ0235	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication
C112713	SGRQ0236	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112714	SGRQ0237	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112715	SGRQ0238	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112716	SGRQ0239	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age
C112717	SGRQ0240	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112718	SGRQ0241	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112719	SGRQ0242	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112720	SGRQ0243	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112721	SGRQ0244	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ0245	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112723	SGRQ0246	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112724	SGRQ0247	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ0248	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112726	SGRQ0249	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores

**C112451 SGRQ Past 4 Weeks
Version TESTCD**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112727	SGRQ0250	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112728	SGRQ0251	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You

Short-Form MPQ-2 TEST (QS-Short-Form McGill Pain Questionnaire-2 Test Name)

NCI Code: C100155, Codelist extensible: No

C100155 Short-Form MPQ-2 TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100856	SFMP2-Aching Pain	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100865	SFMP2-Cold-Freezing Pain	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100853	SFMP2-Cramping Pain	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100864	SFMP2-Electric-Shock Pain	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100862	SFMP2-Fearful	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100854	SFMP2-Gnawing Pain	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100857	SFMP2-Heavy Pain	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100855	SFMP2-Hot-burning Pain	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100868	SFMP2-Itching	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C100869	SFMP2-Numbness	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness
C100867	SFMP2-Pain Caused by Light Touch	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100866	SFMP2-Piercing	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100863	SFMP2-Punishing-Cruel	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100852	SFMP2-Sharp Pain	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100850	SFMP2-Shooting Pain	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100861	SFMP2-Sickening	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100859	SFMP2-Splitting Pain	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100851	SFMP2-Stabbing Pain	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100858	SFMP2-Tender	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100849	SFMP2-Throbbing Pain	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C101021	SFMP2-Tingling or 'Pins and Needles'	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100860	SFMP2-Tiring-Exhausting	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting

Short-Form MPQ-2 TESTCD (QS-Short-Form McGill Pain Questionnaire-2 Test Code)

NCI Code: C100156, Codelist extensible: No

C100156 Short-Form MPQ-2 TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100849	SFMP201	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C100850	SFMP202	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100851	SFMP203	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100852	SFMP204	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100853	SFMP205	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100854	SFMP206	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100855	SFMP207	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100856	SFMP208	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100857	SFMP209	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100858	SFMP210	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100859	SFMP211	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100860	SFMP212	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting
C100861	SFMP213	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100862	SFMP214	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100863	SFMP215	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100864	SFMP216	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100865	SFMP217	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100866	SFMP218	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100867	SFMP219	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100868	SFMP220	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C101021	SFMP221	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100869	SFMP222	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness

SIQR TEST (QS-Symptom Impact Questionnaire Test Name)

NCI Code: C103484, Codelist extensible: No

C103484 SIQR TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103747	SIQR01-Anxiety	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103749	SIQR01-Balance Problems	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103730	SIQR01-Brush or Comb Your Hair	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103736	SIQR01-Change Bed Sheets	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103735	SIQR01-Climb One Flight of Stairs	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103745	SIQR01-Depression	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103742	SIQR01-Energy	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103738	SIQR01-Go Shopping for Groceries	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103734	SIQR01-Lift/Carry Bag Full of Groceries	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103746	SIQR01-Memory Problems	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103740	SIQR01-Overwhelmed by Medical Problems	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR01-Pain	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103732	SIQR01-Prepare a Homemade Meal	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103739	SIQR01-Prevent from Accomplishing Goals	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103750	SIQR01-Sensitivity Noise/Light/Odor/Cold	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103737	SIQR01-Sit in a Chair for 45 Minutes	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103743	SIQR01-Stiffness	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103748	SIQR01-Tenderness to Touch	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103733	SIQR01-Vacuum Scrub or Sweep Floors	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103731	SIQR01-Walk Continuously for 20 Minutes	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103744	SIQR01-Your Sleep	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep

SIQR TESTCD (QS-Symptom Impact Questionnaire Test Code)

NCI Code: C103485, Codelist extensible: No

C103485 SIQR TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103730	SIQR0101	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103731	SIQR0102	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103732	SIQR0103	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103733	SIQR0104	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103734	SIQR0105	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103735	SIQR0106	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103736	SIQR0107	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103737	SIQR0108	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103738	SIQR0109	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103739	SIQR0110	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103740	SIQR0111	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR0112	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103742	SIQR0113	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103743	SIQR0114	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103744	SIQR0115	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep
C103745	SIQR0116	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103746	SIQR0117	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103747	SIQR0118	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103748	SIQR0119	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103749	SIQR0120	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103750	SIQR0121	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold

SOAPP-R TEST (QS-Screener and Opioid Assessment for Patients with Pain - Revised Test Name)

NCI Code: C100159, Codelist extensible: No

C100159 SOAPP-R TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100894	SOAPR1-Any Additional Information	SOAPR1-Any Additional Information	Screener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100889	SOAPR1-Argument Someone Got Hurt	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100888	SOAPR1-Attended AA or NA Meeting	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100876	SOAPR1-Concerned People Will Judge You	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100881	SOAPR1-Expressed Concern Over Med Use	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100884	SOAPR1-Felt Consumed to Get Pain Med	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100880	SOAPR1-Felt Craving for Medication	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100872	SOAPR1-Felt Impatient With Doctors	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR1-Felt That Things Are Overwhelming	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100892	SOAPR1-How Often Borrowed Pain Meds	SOAPR1-How Often Borrowed Pain Meds	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication
C100875	SOAPR1-How Often Counted Pain Pills	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100877	SOAPR1-How Often Feel Bored	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100882	SOAPR1-How Often Friends Had Problem	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100870	SOAPR1-How Often Mood Swings	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100890	SOAPR1-How Often Sexually Abused	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused
C100878	SOAPR1-How Often Taken More Pain Med	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100874	SOAPR1-How Often Tension at Home	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100886	SOAPR1-Kept From What You Deserve	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR1-Legal Problems or Arrested	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100871	SOAPR1-Need Higher Doses of Medication	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication
C100883	SOAPR1-Others Told You Bad Temper	SOAPR1-Others Told You Bad Temper	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper

C100159 SOAPP-R TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100885	SOAPR1-Run Out of Pain Med Early	SOAPR1-Run Out of Pain Med Early	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100895	SOAPR1-Score	SOAPR1-Score	Screeener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score
C100891	SOAPR1-Suggested Drug or Alcohol Problem	SOAPR1-Suggested Drug or Alcohol Problem	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem
C100893	SOAPR1-Treated for Alcohol or Drug Prob	SOAPR1-Treated for Alcohol or Drug Prob	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem
C100879	SOAPR1-Worried About Being Left Alone	SOAPR1-Worried About Being Left Alone	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone

SOAPP-R TESTCD (QS-Screener and Opioid Assessment for Patients with Pain - Revised Test Code)

NCI Code: C100160, Codelist extensible: No

C100160 SOAPP-R TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100870	SOAPR101	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100871	SOAPR102	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication
C100872	SOAPR103	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR104	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100874	SOAPR105	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100875	SOAPR106	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100876	SOAPR107	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100877	SOAPR108	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100878	SOAPR109	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100879	SOAPR110	SOAPR1-Worried About Being Left Alone	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone
C100880	SOAPR111	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100881	SOAPR112	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100882	SOAPR113	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100883	SOAPR114	SOAPR1-Others Told You Bad Temper	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper
C100884	SOAPR115	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100885	SOAPR116	SOAPR1-Run Out of Pain Med Early	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100886	SOAPR117	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR118	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100888	SOAPR119	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100889	SOAPR120	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100890	SOAPR121	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused

C100160 SOAPP-R TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100891	SOAPR122	SOAPR1-Suggested Drug or Alcohol Problem	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem
C100892	SOAPR123	SOAPR1-How Often Borrowed Pain Meds	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication
C100893	SOAPR124	SOAPR1-Treated for Alcohol or Drug Prob	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem
C100894	SOAPR125	SOAPR1-Any Additional Information	Screeener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100895	SOAPR126	SOAPR1-Score	Screeener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score

SOWS Subjective TEST (QS-Subjective Opiate Withdrawal Scale Test Name)

NCI Code: C101829, Codelist extensible: No

C101829 SOWS Subjective TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102415	SOWSA1-I Am Shaking	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102409	SOWSA1-I Feel Anxious	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102424	SOWSA1-I Feel Like Shooting Up Now	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now
C102421	SOWSA1-I Feel Like Vomiting	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102410	SOWSA1-I Feel Like Yawning	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102420	SOWSA1-I Feel Nauseous	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102419	SOWSA1-I Feel Restless	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102417	SOWSA1-I Have Cold Flashes	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102423	SOWSA1-I Have Cramps in My Stomach	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102414	SOWSA1-I Have Goose Flesh	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102416	SOWSA1-I Have Hot Flashes	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102411	SOWSA1-I'm Perspiring	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102418	SOWSA1-My Bones and Muscles Ache	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102412	SOWSA1-My Eyes Are Tearing	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102422	SOWSA1-My Muscles Twitch	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102413	SOWSA1-My Nose is Running	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running

SOWS Subjective TESTCD (QS-Subjective Opiate Withdrawal Scale Test Code)

NCI Code: C101828, Codelist extensible: No

C101828 SOWS Subjective TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102409	SOWSA101	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102410	SOWSA102	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102411	SOWSA103	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102412	SOWSA104	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102413	SOWSA105	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running
C102414	SOWSA106	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102415	SOWSA107	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102416	SOWSA108	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102417	SOWSA109	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102418	SOWSA110	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102419	SOWSA111	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102420	SOWSA112	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102421	SOWSA113	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102422	SOWSA114	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102423	SOWSA115	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102424	SOWSA116	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now

SWLS TEST (QS-Satisfaction With Life Scale Questionnaire Test Name)

NCI Code: C115407, Codelist extensible: No

C115407 SWLS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115898	SWLS01-Have Gotten Important Things	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115897	SWLS01-I Am Satisfied with My Life	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115899	SWLS01-Live Life Over Change Nothing	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing
C115896	SWLS01-My Life Conditions are Excellent	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115895	SWLS01-My Life is Close to Ideal	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal

SWLS TESTCD (QS-Satisfaction With Life Scale Questionnaire Test Code)

NCI Code: C115408, Codelist extensible: No

C115408 SWLS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115895	SWLS0101	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal
C115896	SWLS0102	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115897	SWLS0103	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115898	SWLS0104	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115899	SWLS0105	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing

T25FW TEST (FT-Timed 25-Foot Walk Functional Test Test Name)

NCI Code: C115397, Codelist extensible: No

C115397 T25FW TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115818	T25FW1-More Than Two Attempts	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts
C115817	T25FW1-Time to Complete 25-Foot Walk	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk

T25FW TESTCD (FT-Timed 25-Foot Walk Functional Test Test Code)

NCI Code: C115398, Codelist extensible: No

C115398 T25FW TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115817	T25FW101	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk
C115818	T25FW102	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts

TDI TEST (QS-Transition Dyspnea Index Questionnaire Test Name)

NCI Code: C106656, Codelist extensible: No

C106656 TDI TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106704	TDI01-Change in Functional Impairment	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106706	TDI01-Change in Magnitude of Effort	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort
C106705	TDI01-Change in Magnitude of Task	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task

TDI TESTCD (QS-Transition Dyspnea Index Questionnaire Test Code)

NCI Code: C106657, Codelist extensible: No

C106657 TDI TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106704	TDI0101	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106705	TDI0102	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task
C106706	TDI0103	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort

TIMI Thrombus Grade TEST (CC-Coronary Thrombus TIMI Grade Clinical Classification Test Name)

NCI Code: C119073, Codelist extensible: No

C119073 TIMI Thrombus Grade TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119195	TIMG01-Coronary Thrombus TIMI Grade	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

TIMI Thrombus Grade TESTCD (CC-Coronary Thrombus TIMI Grade Clinical Classification Test Code)

NCI Code: C119074, Codelist extensible: No

C119074 TIMI Thrombus Grade TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119195	TIMG0101	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

TUG TEST (FT-Timed Up and Go Functional Test Test Name)

NCI Code: C115399, Codelist extensible: No

C115399 TUG TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115819	TUG01-Time to Complete TUG Test	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test

TUG TESTCD (FT-Timed Up and Go Functional Test Test Code)

NCI Code: C115400, Codelist extensible: No

C115400 TUG TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115819	TUG0101	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test

UPDRS TEST (QS-Unified Parkinson's Disease Rating Scale Test Name)

NCI Code: C100147, Codelist extensible: No

C100147 UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111591	UPD1--Motor:Action Tremor:Hand: Left	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111590	UPD1--Motor:Action Tremor:Hand: Right	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111614	UPD1-Activities Daily Living Sub-Total	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C100909	UPD1-Activities:Cut Food/Handle Utensil	UPD1-Activities:Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD1-Activities:Dressing	UPD1-Activities:Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100913	UPD1-Activities:Falling	UPD1-Activities:Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD1-Activities:Freezing When Walking	UPD1-Activities:Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100908	UPD1-Activities:Handwriting	UPD1-Activities:Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100911	UPD1-Activities:Hygiene	UPD1-Activities:Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100906	UPD1-Activities:Salivation	UPD1-Activities:Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100917	UPD1-Activities:Sensory Complaints	UPD1-Activities:Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100905	UPD1-Activities:Speech	UPD1-Activities:Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100907	UPD1-Activities:Swallowing	UPD1-Activities:Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100916	UPD1-Activities:Tremor	UPD1-Activities:Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100912	UPD1-Activities:Turn Bed/Adj Clothes	UPD1-Activities:Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100915	UPD1-Activities:Walking	UPD1-Activities:Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C111605	UPD1-Blood Pressure: Seated	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111607	UPD1-Blood Pressure: Standing	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111606	UPD1-Blood Pressure: Supine	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine

C100147 UPDRS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100940	UPD1-Complications:Anorex Nausea Vomit	UPD1-Complications:Anorex Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100933	UPD1-Complications:Dyskinesias Disable	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100932	UPD1-Complications:Dyskinesias Duration	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration
C100935	UPD1-Complications:Dyskinesias Dystonia	UPD1-Complications:Dyskinesias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Presence of Early Morning Dystonia
C100934	UPD1-Complications:Dyskinesias Painful	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias
C100939	UPD1-Complications:Fluct Average	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100936	UPD1-Complications:Fluct Predictable	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100938	UPD1-Complications:Fluct Suddenly	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100937	UPD1-Complications:Fluct Unpredictable	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100941	UPD1-Complications:Insomnia Hypersomnol	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD1-Complications:Symptom Orthostasis	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111613	UPD1-Mentation, Behavior, Mood Sub-Total	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C100903	UPD1-Mentation:Depression	UPD1-Mentation:Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100901	UPD1-Mentation:Intellectual Impairment	UPD1-Mentation:Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100904	UPD1-Mentation:Motivation/Initiative	UPD1-Mentation:Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100902	UPD1-Mentation:Thought Disorder	UPD1-Mentation:Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100943	UPD1-Modified Hoehn and Yahr Staging	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111615	UPD1-Motor Examination Sub-Total	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total

C100147 UPDRS TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100927	UPD1-Motor:Arising from Chair	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100931	UPD1-Motor:Bradykinesia and Hypokinesia	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100919	UPD1-Motor:Facial Expression	UPD1-Motor:Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111598	UPD1-Motor:Finger Taps: Left	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111597	UPD1-Motor:Finger Taps: Right	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C100929	UPD1-Motor:Gait	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait
C111600	UPD1-Motor:Hand Grips: Left	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left
C111599	UPD1-Motor:Hand Grips: Right	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111602	UPD1-Motor:Hand Pronate/Supinate: Left	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111601	UPD1-Motor:Hand Pronate/Supinate: Right	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111604	UPD1-Motor:Leg Agility: Left	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C111603	UPD1-Motor:Leg Agility: Right	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C100930	UPD1-Motor:Postural Stability	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100928	UPD1-Motor:Posture	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C111596	UPD1-Motor:Rigidity Lower Extrem: Left	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111595	UPD1-Motor:Rigidity Lower Extrem: Right	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111592	UPD1-Motor:Rigidity Neck	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111594	UPD1-Motor:Rigidity Upper Extrem: Left	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111593	UPD1-Motor:Rigidity Upper Extrem: Right	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C100918	UPD1-Motor:Speech	UPD1-Motor:Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech

C100147 UPDRS TEST

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111585	UPD1-Motor:Tremor at Rest:Face Lips Chin	UPD1-Motor:Tremor at Rest:Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111589	UPD1-Motor:Tremor at Rest:Feet: Left	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left
C111588	UPD1-Motor:Tremor at Rest:Feet: Right	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111587	UPD1-Motor:Tremor at Rest:Hands: Left	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111586	UPD1-Motor:Tremor at Rest:Hands: Right	UPD1-Motor:Tremor at Rest:Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right
C111609	UPD1-Pulse: Seated	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD1-Pulse: Standing	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C111612	UPD1-Schwab/England % ADL (Dyskinesia)	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111611	UPD1-Schwab/England % ADL Score (PD)	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111616	UPD1-UPDRS Total	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total
C111608	UPD1-Weight	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight

UPDRS TESTCD (QS-Unified Parkinson's Disease Rating Scale Test Code)

NCI Code: C100148, Codelist extensible: No

C100148 UPDRS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100901	UPD101	UPD1-Mentation: Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100902	UPD102	UPD1-Mentation: Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100903	UPD103	UPD1-Mentation: Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100904	UPD104	UPD1-Mentation: Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100905	UPD105	UPD1-Activities: Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100906	UPD106	UPD1-Activities: Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100907	UPD107	UPD1-Activities: Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100908	UPD108	UPD1-Activities: Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100909	UPD109	UPD1-Activities: Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD110	UPD1-Activities: Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100911	UPD111	UPD1-Activities: Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100912	UPD112	UPD1-Activities: Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100913	UPD113	UPD1-Activities: Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD114	UPD1-Activities: Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100915	UPD115	UPD1-Activities: Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C100916	UPD116	UPD1-Activities: Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100917	UPD117	UPD1-Activities: Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100918	UPD118	UPD1-Motor: Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech
C100919	UPD119	UPD1-Motor: Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111585	UPD120A	UPD1-Motor: Tremor at Rest: Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111586	UPD120B	UPD1-Motor: Tremor at Rest: Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right

C100148 UPDRS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111587	UPD120C	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111588	UPD120D	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111589	UPD120E	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left
C111590	UPD121A	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111591	UPD121B	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111592	UPD122A	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111593	UPD122B	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C111594	UPD122C	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111595	UPD122D	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111596	UPD122E	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111597	UPD123A	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C111598	UPD123B	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111599	UPD124A	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111600	UPD124B	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left
C111601	UPD125A	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111602	UPD125B	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111603	UPD126A	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C111604	UPD126B	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C100927	UPD127	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100928	UPD128	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C100929	UPD129	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait

C100148 UPDRS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100930	UPD130	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100931	UPD131	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100932	UPD132	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration
C100933	UPD133	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100934	UPD134	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias
C100935	UPD135	UPD1-Complications:Dyskinesias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Presence of Early Morning Dystonia
C100936	UPD136	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100937	UPD137	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100938	UPD138	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100939	UPD139	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100940	UPD140	UPD1-Complications:Anorexia Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100941	UPD141	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD142	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111605	UPD142A	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111606	UPD142B	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine
C111607	UPD142C	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111608	UPD142D	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight

C100148 UPDRS TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111609	UPD142E	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD142F	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C100943	UPD143	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111611	UPD144A	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111612	UPD144B	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111613	UPD145	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C111614	UPD146	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C111615	UPD147	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total
C111616	UPD148	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total

UPS TEST (QS-Urgency Perception Scale Questionnaire Test Name)

NCI Code: C103488, Codelist extensible: No

C103488 UPS TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103761	UPS01-Describe Your Desire to Urinate	UPS01-Describe Your Desire to Urinate	Urgency Perception Scale - Which of the following would typically describe your experience when you have a desire to urinate.	UPS - Describe Your Experience When You Desire to Urinate

UPS TESTCD (QS-Urgency Perception Scale Questionnaire Test Code)

NCI Code: C103489, Codelist extensible: No

C103489 UPS TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103761	UPS0101	UPS01-Describe Your Desire to Urinate	Urgency Perception Scale - Which of the following would typically describe your experience when you have a desire to urinate.	UPS - Describe Your Experience When You Desire to Urinate

VFQ25-Interviewer Administered TEST (QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Test Name)

NCI Code: C112452, Codelist extensible: No

C112452 VFQ25-Interviewer Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112749	VFQ1-Accomplish Less Than You Would Like	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112743	VFQ1-Are You Currently Driving	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112734	VFQ1-Difficulty Doing Work/Hobbies	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112747	VFQ1-Difficulty Driving at Night	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112746	VFQ1-Difficulty Driving During Daytime	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112766	VFQ1-Difficulty Entertaining Friends	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112761	VFQ1-Difficulty Figure Out Bill Accuracy	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112735	VFQ1-Difficulty Finding on Crowded Shelf	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112737	VFQ1-Difficulty Going Down Step at Night	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112742	VFQ1-Difficulty Going Out to See Movies	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112738	VFQ1-Difficulty Noticing Objects to Side	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112740	VFQ1-Difficulty Picking Out Own Clothes	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112733	VFQ1-Difficulty Reading Newspapers	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers

C112452 VFQ25-Interviewer Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112760	VFQ1-Difficulty Reading Small Print	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print
C112736	VFQ1-Difficulty Reading Street Signs	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112763	VFQ1-Difficulty Recognizing People	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know
C112739	VFQ1-Difficulty Seeing How People React	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112765	VFQ1-Difficulty Seeing Programs on TV	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112762	VFQ1-Difficulty Shaving or Styling Hair	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112764	VFQ1-Difficulty Taking Part in Sports	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112741	VFQ1-Difficulty Visiting With People	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People
C112767	VFQ1-Do You Have More Help From Others	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112748	VFQ1-Driving in Difficult Conditions	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112751	VFQ1-Eye Pain Keep From Doing What Like	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112730	VFQ1-Eyesight Using Both Eyes Is	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112732	VFQ1-How Much Pain in and Around Eyes	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112731	VFQ1-How Often You Worry About Eyesight	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight

C112452 VFQ25-Interviewer Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112770	VFQ1-I Don't Go Out of My Home Alone	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight
C112753	VFQ1-I Feel Frustrated a Lot of the Time	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112756	VFQ1-I Need a Lot of Help From Others	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight
C112752	VFQ1-I Stay Home Most of the Time	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112750	VFQ1-Limited in How Long You Can Work	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision
C112768	VFQ1-Limited in Kinds of Things Can Do	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112745	VFQ1-Main Reason You Gave Up Driving	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112754	VFQ1-Much Less Control Over What I Do	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112744	VFQ1-Never Driven or Given Up Driving	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving
C112769	VFQ1-Often Irritable Because Eyesight	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112759	VFQ1-Rate Your Eyesight Now	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112758	VFQ1-Rate Your Overall Health	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112755	VFQ1-Rely Too Much on What Others Tell	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112757	VFQ1-Worry I'll Do Embarrassing Things	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112729	VFQ1-Your Overall Health Is	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health

VFQ25-Interviewer Administered TESTCD (QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Test Code)

NCI Code: C112453, Codelist extensible: No

C112453 VFQ25-Interviewer Administered TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112729	VFQ101	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health
C112730	VFQ102	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112731	VFQ103	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight
C112732	VFQ104	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112733	VFQ105	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112734	VFQ106	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112735	VFQ107	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112736	VFQ108	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112737	VFQ109	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112738	VFQ110	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112739	VFQ111	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112740	VFQ112	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112741	VFQ113	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People

C112453 VFQ25-Interviewer Administered TESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112742	VFQ114	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112743	VFQ115	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112744	VFQ115A	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving
C112745	VFQ115B	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112746	VFQ115C	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112747	VFQ116	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112748	VFQ116A	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112749	VFQ117	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112750	VFQ118	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision
C112751	VFQ119	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112752	VFQ120	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112753	VFQ121	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112754	VFQ122	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112755	VFQ123	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112756	VFQ124	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight

C112453 VFQ25-Interviewer Administered TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112757	VFQ125	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112758	VFQ1A01	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112759	VFQ1A02	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112760	VFQ1A03	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print
C112761	VFQ1A04	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112762	VFQ1A05	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112763	VFQ1A06	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know
C112764	VFQ1A07	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112765	VFQ1A08	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112766	VFQ1A09	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112767	VFQ1A11A	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112768	VFQ1A11B	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112769	VFQ1A12	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112770	VFQ1A13	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight

VFQ25-Self Administered TEST (QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Test Name)

NCI Code: C112454, Codelist extensible: No

C112454 VFQ25-Self Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112791	VFQ2-Accomplish Less Than You Would Like	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112785	VFQ2-Are You Currently Driving	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112776	VFQ2-Difficulty Doing Work/Hobbies	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112789	VFQ2-Difficulty Driving at Night	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112788	VFQ2-Difficulty Driving During Daytime	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112808	VFQ2-Difficulty Entertaining Friends	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112803	VFQ2-Difficulty Figure Out Bill Accuracy	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112777	VFQ2-Difficulty Finding on Crowded Shelf	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112779	VFQ2-Difficulty Going Down Step at Night	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112784	VFQ2-Difficulty Going Out to See Movies	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112780	VFQ2-Difficulty Noticing Objects to Side	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112782	VFQ2-Difficulty Picking Out Own Clothes	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112775	VFQ2-Difficulty Reading Newspapers	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers

C112454 VFQ25-Self Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112802	VFQ2-Difficulty Reading Small Print	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print
C112778	VFQ2-Difficulty Reading Street Signs	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112805	VFQ2-Difficulty Recognizing People	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know
C112781	VFQ2-Difficulty Seeing How People React	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112807	VFQ2-Difficulty Seeing Programs on TV	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112804	VFQ2-Difficulty Shaving or Styling Hair	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112806	VFQ2-Difficulty Taking Part in Sports	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112783	VFQ2-Difficulty Visiting With People	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People
C112809	VFQ2-Do You Have More Help From Others	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112790	VFQ2-Driving in Difficult Conditions	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112793	VFQ2-Eye Pain Keep From Doing What Like	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112772	VFQ2-Eyesight Using Both Eyes Is	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112774	VFQ2-How Much Pain in and Around Eyes	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112773	VFQ2-How Often You Worry About Eyesight	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight

C112454 VFQ25-Self Administered TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112812	VFQ2-I Don't Go Out of My Home Alone	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight
C112795	VFQ2-I Feel Frustrated a Lot of the Time	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112798	VFQ2-I Need a Lot of Help From Others	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight
C112794	VFQ2-I Stay Home Most of the Time	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112792	VFQ2-Limited in How Long You Can Work	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision
C112810	VFQ2-Limited in Kinds of Things Can Do	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112787	VFQ2-Main Reason You Gave Up Driving	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112796	VFQ2-Much Less Control Over What I Do	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112786	VFQ2-Never Driven or Given Up Driving	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving
C112811	VFQ2-Often Irritable Because Eyesight	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112801	VFQ2-Rate Your Eyesight Now	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112800	VFQ2-Rate Your Overall Health	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112797	VFQ2-Rely Too Much on What Others Tell	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112799	VFQ2-Worry I'll Do Embarrassing Things	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112771	VFQ2-Your Overall Health Is	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health

VFQ25-Self Administered TESTCD (QS-National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Test Code)

NCI Code: C112455, Codelist extensible: No

C112455 VFQ25-Self Administered TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112771	VFQ201	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health
C112772	VFQ202	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112773	VFQ203	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight
C112774	VFQ204	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112775	VFQ205	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112776	VFQ206	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112777	VFQ207	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112778	VFQ208	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112779	VFQ209	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112780	VFQ210	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112781	VFQ211	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112782	VFQ212	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112783	VFQ213	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People

C112455 VFQ25-Self Administered TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112784	VFQ214	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112785	VFQ215	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112786	VFQ215A	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving
C112787	VFQ215B	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112788	VFQ215C	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112789	VFQ216	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112790	VFQ216A	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112791	VFQ217	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112792	VFQ218	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision
C112793	VFQ219	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112794	VFQ220	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112795	VFQ221	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112796	VFQ222	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112797	VFQ223	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112798	VFQ224	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight

C112455 VFQ25-Self Administered TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112799	VFQ225	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112800	VFQ2A01	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112801	VFQ2A02	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112802	VFQ2A03	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print
C112803	VFQ2A04	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112804	VFQ2A05	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112805	VFQ2A06	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know
C112806	VFQ2A07	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112807	VFQ2A08	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112808	VFQ2A09	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112809	VFQ2A11A	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112810	VFQ2A11B	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112811	VFQ2A12	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112812	VFQ2A13	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight

WPAI-SHP TEST (QS-Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Test Name)

NCI Code: C100175, Codelist extensible: No

C100175 WPAI-SHP TEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100949	WPAI01-Currently Employed	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed
C100952	WPAI01-Hours Actually Worked	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked
C100951	WPAI01-Missed Work Hours Due to Other	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons
C100950	WPAI01-Missed Work Hours Due to Problem	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem
C100953	WPAI01-Problem Affect Productivity	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity
C100954	WPAI01-Problem Affect Reg Daily Activity	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity

WPAI-SHP TESTCD (QS-Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Test Code)

NCI Code: C100176, Codelist extensible: No

C100176 WPAI-SHP TESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100949	WPAI0101	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed
C100950	WPAI0102	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem
C100951	WPAI0103	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons
C100952	WPAI0104	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked
C100953	WPAI0105	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity
C100954	WPAI0106	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity