

## CDISC SDTM Controlled Terminology, 2018-03-30

Source: NCI EVS Terminology Resources website: <http://www.cancer.gov/cancertopics/cancerlibrary/terminologyresources/cdisc>

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C141663	A4STR1TC	4 Stair Ascend Functional Test Test Code	4 Stair Ascend test code.	No
C141662	A4STR1TN	4 Stair Ascend Functional Test Test Name	4 Stair Ascend test name.	No
C103459	ACGC01TC	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test code.	No
C103458	ACGC01TN	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change test name.	No
C66767	ACN	Action Taken with Study Treatment	Terminology specifying changes to the study treatment as a result of an adverse event.	No
C101865	ACSPCAT	Acute Coronary Syndrome Presentation Category	A classification of the presentation of acute coronary syndrome.	No
C100132	ADCTC	Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Code	ADAS-Cog CDISC Version test code.	No
C100131	ADCTN	Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Name	ADAS-Cog CDISC Version test name.	No
C105140	ADL01TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test code.	No
C105139	ADL01TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory test name.	No
C106653	ADL02TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test code.	No
C106652	ADL02TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version test name.	No
C106651	ADL03TC	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Code	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test code.	No
C106650	ADL03TN	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Name	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version test name.	No
C119060	ADT01TC	Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Code	Alcohol Use Disorder Identification Test: Self-Report Version test code.	No
C119059	ADT01TN	Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Name	Alcohol Use Disorder Identification Test: Self-Report Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C119062	ADTC01TC	Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Code	Alcohol Use Disorder Identification Test-Consumption Questions test code.	No
C119061	ADTC01TN	Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Name	Alcohol Use Disorder Identification Test-Consumption Questions test name.	No
C132311	ADTNQRS	Administration Technique Response	Terminology relevant to the product administration technique used.	Yes
C66769	AEEV	Severity/Intensity Scale for Adverse Events	A scale that defines the degree or state of disease existing in a patient as a result of the occurrence of an adverse event. (NCI)	No
C66781	AGEU	Age Unit	Those units of time that are routinely used to express the age of a subject.	No
C101805	AIMS01TC	Abnormal Involuntary Movement Scale Questionnaire Test Code	Abnormal Involuntary Movement Scale test code.	No
C101806	AIMS01TN	Abnormal Involuntary Movement Scale Questionnaire Test Name	Abnormal Involuntary Movement Scale test name.	No
C141655	AJCC1TC	AJCC TNM Staging System 7th Edition Clinical Classification Test Code	AJCC TNM Staging System 7th Edition test code.	No
C141654	AJCC1TN	AJCC TNM Staging System 7th Edition Clinical Classification Test Name	AJCC TNM Staging System 7th Edition test name.	No
C135012	AJCCGRD	AJCC Tumor Grade Response	Terminology relevant to the American Joint Committee on Cancer (AJCC) tumor grading system responses.	No
C120985	APCH1TC	Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Code	Acute Physiology and Chronic Health Evaluation II test code.	No
C120984	APCH1TN	Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Name	Acute Physiology and Chronic Health Evaluation II test name.	No
C112435	AQ01TC	Airway Questionnaire 20 Questionnaire Test Code	Airway Questionnaire 20 test code.	No
C112434	AQ01TN	Airway Questionnaire 20 Questionnaire Test Name	Airway Questionnaire 20 test name.	No
C142179	ARMNULRS	Arm Null Reason	Terminology relevant to the reason for why an arm and/or an actual arm is null.	Yes
C124666	ASCVD1TC	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Code	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator test code.	No
C124665	ASCVD1TN	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Name	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator test name.	No
C125741	ASEX01TC	Arizona Sexual Experiences Scale - Female Questionnaire Test Code	Arizona Sexual Experiences Scale - Female test code.	No
C125740	ASEX01TN	Arizona Sexual Experiences Scale - Female Questionnaire Test Name	Arizona Sexual Experiences Scale - Female test name.	No
C125743	ASEX02TC	Arizona Sexual Experiences Scale - Male Questionnaire Test Code	Arizona Sexual Experiences Scale - Male test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C125742	ASEX02TN	Arizona Sexual Experiences Scale - Male Questionnaire Test Name	Arizona Sexual Experiences Scale - Male test name.	No
C132312	ASFATS	Asthma Findings About Test Name	Terminology relevant to the test names that describe findings about an asthma event or intervention.	Yes
C132313	ASFATSCD	Asthma Findings About Test Code	Terminology relevant to the test codes that describe findings about an asthma event or intervention.	Yes
C124668	ASSG01TC	ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	ASSIGN Cardiovascular Disease 10-Year Risk Score test code.	No
C124667	ASSG01TN	ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	ASSIGN Cardiovascular Disease 10-Year Risk Score test name.	No
C147538	ATLAS1TC	ATLAS Clinical Classification Test Code	ATLAS test code.	No
C147537	ATLAS1TN	ATLAS Clinical Classification Test Name	ATLAS test name.	No
C101807	AVL01TC	ADNI Auditory Verbal Learning Functional Test Test Code	ADNI AVL T test code.	No
C101808	AVL01TN	ADNI Auditory Verbal Learning Functional Test Test Name	ADNI AVL T test name.	No
C123655	AVL02TC	Rey Auditory Verbal Learning Test Functional Test Test Code	Rey Auditory Verbal Learning Test test code.	No
C123654	AVL02TN	Rey Auditory Verbal Learning Test Functional Test Test Name	Rey Auditory Verbal Learning Test test name.	No
C120521	AVOUTTRT	Anti-Viral Outcome of Treatment	A terminology codelist to describe the anti-viral outcome of treatment.	Yes
C120983	BACS1TC	Brief Assessment of Cognition in Schizophrenia Functional Test Test Code	Brief Assessment of Cognition in Schizophrenia test code.	No
C120982	BACS1TN	Brief Assessment of Cognition in Schizophrenia Functional Test Test Name	Brief Assessment of Cognition in Schizophrenia test name.	No
C101809	BARS01TC	Barnes Akathisia Rating Scale Questionnaire Test Code	Barnes Akathisia Rating Scale test code.	No
C101810	BARS01TN	Barnes Akathisia Rating Scale Questionnaire Test Name	Barnes Akathisia Rating Scale test name.	No
C113846	BCR101TC	Borg CR10 Scale Questionnaire Test Code	Borg CR10 scale test code.	No
C113845	BCR101TN	Borg CR10 Scale Questionnaire Test Name	Borg CR10 scale test name.	No
C106655	BDI01TC	Baseline Dyspnea Index Questionnaire Test Code	Baseline Dyspnea Index test code.	No
C106654	BDI01TN	Baseline Dyspnea Index Questionnaire Test Name	Baseline Dyspnea Index test name.	No
C135680	BEBQ01TC	Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Code	Baby Eating Behaviour Questionnaire Concurrent Version test code.	No
C135679	BEBQ01TN	Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Name	Baby Eating Behaviour Questionnaire Concurrent Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C135682	BEBQ02TC	Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Code	Baby Eating Behaviour Questionnaire Retrospective Version test code.	No
C135681	BEBQ02TN	Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Name	Baby Eating Behaviour Questionnaire Retrospective Version test name.	No
C124297	BEDECOD	Biospecimen Events Dictionary Derived Term	A terminology codelist based on the verbatim or preprinted term for the biospecimen events that occur.	Yes
C113852	BLCS01TC	Bladder Control Scale Questionnaire Test Code	Bladder Control Scale test code.	No
C113851	BLCS01TN	Bladder Control Scale Questionnaire Test Name	Bladder Control Scale test name.	No
C120987	BODE01TC	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Code	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test code.	No
C120986	BODE01TN	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Name	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index test name.	No
C100162	BPI1TC	Brief Pain Inventory Questionnaire Test Code	Brief Pain Inventory test code.	No
C100161	BPI1TN	Brief Pain Inventory Questionnaire Test Name	Brief Pain Inventory test name.	No
C100164	BPI2TC	Brief Pain Inventory Short Form Questionnaire Test Code	Brief Pain Inventory Short Form test code.	No
C100163	BPI2TN	Brief Pain Inventory Short Form Questionnaire Test Name	Brief Pain Inventory Short Form test name.	No
C100134	BPR01TC	Brief Psychiatric Rating Scale-A Questionnaire Test Code	The Brief Psychiatric Rating Scale-A test code.	No
C100133	BPR01TN	Brief Psychiatric Rating Scale-A Questionnaire Test Name	The Brief Psychiatric Rating Scale-A test name.	No
C125923	BRDGMOOD	BRIDG Activity Mood	The modes that may be applied to an entity as it passes through various phases of a life cycle or business process.	Yes
C124299	BSTEST	Biospecimen Characteristics Test Name	Terminology relevant to the test names that describe the characteristics of biospecimens and extracted samples.	Yes
C124300	BSTESTCD	Biospecimen Characteristics Test Code	Terminology relevant to the test codes that describe the characteristics of biospecimens and extracted samples.	Yes
C130239	BUERS1TC	Brooke Upper Extremity Rating Scale Clinical Classification Test Code	Brooke Upper Extremity Rating Scale test code.	No
C130238	BUERS1TN	Brooke Upper Extremity Rating Scale Clinical Classification Test Name	Brooke Upper Extremity Rating Scale test name.	No
C113854	BWCS01TC	Bowel Control Scale Questionnaire Test Code	Bowel Control Scale test code.	No
C113853	BWCS01TN	Bowel Control Scale Questionnaire Test Name	Bowel Control Scale test name.	No
C101842	CACRDSC	Canadian Cardiovascular Society Classification	The anginal classifications as measured by the Canadian Cardiovascular Society grading scale.	No
C119076	CADG01TC	Coronary Artery Dissection NHLBI Grade Clinical Classification Test Code	Coronary Artery Dissection NHLBI Grade test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C119075	CADG01TN	Coronary Artery Dissection NHLBI Grade Clinical Classification Test Name	Coronary Artery Dissection NHLBI Grade test name.	No
C119018	CADGRS	Coronary Artery Dissection NHLBI Grade Responses	A terminology codelist relevant to the National Heart, Lung, and Blood Institute grade for coronary artery dissection and perforation.	No
C101843	CADPRSN	Coronary Artery Disease Presentation	A terminology codelist associated with coronary artery disease presentation.	No
C101849	CADRISK	Coronary Artery Disease Risk	A terminology codelist to describe the relative risk of coronary artery disease.	No
C101844	CADSYMP	Coronary Artery Disease Symptoms	A terminology codelist that contains symptoms associated with coronary artery disease.	No
C101860	CARTDOM	Coronary Artery Dominance	A codelist to describe the pattern of the epicardial vessels supplying the posterior descending artery and the posterolateral branches.	No
C127263	CASEFIND	Case Finding	Terminology relevant to how actively a search was performed for identifying individuals with a particular disease.	Yes
C118971	CCCAT	Category of Clinical Classification	A grouping of observations within the Disease Response and Clin Classification domain.	Yes
C102575	CCINVTYP	Contact Case Investigation Contact Type	Terminology relevant to the identification and clinical investigation of disease contacts.	Yes
C119064	CCQ01TC	Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Code	Clinical COPD Questionnaire 24 Hour Version test code.	No
C119063	CCQ01TN	Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Name	Clinical COPD Questionnaire 24 Hour Version test name.	No
C119066	CCQ02TC	Clinical COPD Questionnaire 1 Week Version Questionnaire Test Code	Clinical COPD Questionnaire 1 Week Version test code.	No
C119065	CCQ02TN	Clinical COPD Questionnaire 1 Week Version Questionnaire Test Name	Clinical COPD Questionnaire 1 Week Version test name.	No
C101837	CCRCLS	Consensus Cardiac Classification System Test Name	Classification system test name for cardiac parameters that are authored or endorsed by organizations.	Yes
C101838	CCRCLSCD	Consensus Cardiac Classification System Test Code	Classification system test code for cardiac parameters that are authored or endorsed by organizations.	Yes
C101811	CDR01TC	Clinical Dementia Rating Questionnaire Test Code	Clinical Dementia Rating test code.	No
C101812	CDR01TN	Clinical Dementia Rating Questionnaire Test Name	Clinical Dementia Rating test name.	No
C132519	CES01TC	Combat Exposure Scale Questionnaire Test Code	Combat Exposure Scale test code.	No
C132518	CES01TN	Combat Exposure Scale Questionnaire Test Name	Combat Exposure Scale test name.	No
C135684	CGGUY1TC	Clinical Global Impression Questionnaire Test Code	Clinical Global Impression test code.	No
C135683	CGGUY1TN	Clinical Global Impression Questionnaire Test Name	Clinical Global Impression test name.	No
C135686	CGI02TC	Clinical Global Impression Generic Modification Version Questionnaire Test Code	Clinical Global Impression Generic Modification Version test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C135685	CGI02TN	Clinical Global Impression Generic Modification Version Questionnaire Test Name	Clinical Global Impression Generic Modification Version test name.	No
C124678	CHIVC1TC	CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Code	CDC Classification System for HIV-Infected Adults and Adolescents test code.	No
C124677	CHIVC1TN	CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Name	CDC Classification System for HIV-Infected Adults and Adolescents test name.	No
C117987	CHSF1TC	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test code.	No
C117986	CHSF1TN	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version test name.	No
C119068	CHSF2TC	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Code	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test code.	No
C119067	CHSF2TN	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Name	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version test name.	No
C132314	CLMETH	Specimen Collection Method	Terminology relevant to the method used in specimen collection.	Yes
C127264	CLTMDTYP	Culture Medium Type	Terminology relevant to the type of medium used to culture a specimen.	Yes
C100158	COMM1TC	Current Opioid Misuse Measure Questionnaire Test Code	Current Opioid Misuse Measure test code.	No
C100157	COMM1TN	Current Opioid Misuse Measure Questionnaire Test Name	Current Opioid Misuse Measure test name.	No
C127257	CONROL	Contact Role for Clinical Study	The terminology relevant to the role that the responsible individual or entity plays with respect to being a contact for the study.	Yes
C101813	COWS1TC	Clinical Opiate Withdrawal Scale Questionnaire Test Code	Clinical Opiate Withdrawal Scale test code.	No
C101814	COWS1TN	Clinical Opiate Withdrawal Scale Questionnaire Test Name	Clinical Opiate Withdrawal Scale test name.	No
C122006	CPFATS	COPD Findings About Test Name	Terminology relevant to the test names that describe findings about a COPD event or intervention.	Yes
C122007	CPFATSCD	COPD Findings About Test Code	Terminology relevant to the test codes that describe findings about a COPD event or intervention.	Yes
C120989	CPS01TC	Child-Pugh Classification Clinical Classification Test Code	Child-Pugh Classification test code.	No
C120988	CPS01TN	Child-Pugh Classification Clinical Classification Test Name	Child-Pugh Classification test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C120979	CRQ01TC	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test code.	No
C120978	CRQ01TN	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version test name.	No
C120981	CRQ02TC	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Code	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test code.	No
C120980	CRQ02TN	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Name	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version test name.	No
C124684	CRSR01TC	JFK Coma Recovery Scale-Revised Clinical Classification Test Code	JFK Coma Recovery Scale-Revised test code.	No
C124683	CRSR01TN	JFK Coma Recovery Scale-Revised Clinical Classification Test Name	JFK Coma Recovery Scale-Revised test name.	No
C101866	CRYDFMAN	Cardiac Rhythm Device Failure Manifestation	The effect that a cardiac rhythm device malfunction had on the ability to stimulate the heart.	Yes
C101864	CSLVLNIM	Reason CS/LV Lead Not Implanted	The reason that a Coronary Sinus Access or Left Ventricular (CS/LV) lead was not implanted.	No
C100168	CSS01TC	Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline test code.	No
C100167	CSS01TN	Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline test name.	No
C103461	CSS02TC	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Since Last Visit test code.	No
C103460	CSS02TN	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Since Last Visit test name.	No
C105132	CSS03TC	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 Questionnaire test code.	No
C105131	CSS03TN	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Version 1/14/2009 test name.	No
C106661	CSS04TC	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Baseline/Screening Version test code.	No

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>Codelist Name</b>	<b>CDISC Definition</b>	<b>Codelist Extensible</b>
C106660	CSS04TN	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Baseline/Screening Version test name.	No
C106659	CSS05TC	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Already Enrolled Subject test code.	No
C106658	CSS05TN	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Already Enrolled Subject test name.	No
C111336	CSS06TC	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Baseline test code.	No
C111335	CSS06TN	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Baseline test name.	No
C111338	CSS07TC	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening test code.	No
C111337	CSS07TN	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening test name.	No
C111340	CSS08TC	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Children's Since Last Visit test code.	No
C111339	CSS08TN	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Children's Since Last Visit test name.	No
C111342	CSS09TC	Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Screening test code.	No
C111341	CSS09TN	Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Screening test name.	No
C113848	CSS10TC	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test code.	No
C113847	CSS10TN	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent test name.	No
C117989	CSS11TC	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Code	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version test code.	No
C117988	CSS11TN	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Name	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version test name.	No



NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C119017	CTTIMIRS	Coronary Thrombus TIMI Grade Responses	A terminology codelist relevant to the Thrombolysis in Myocardial Infarction group grade for the description of coronary thrombus as visualized during angiography.	No
C119016	CVFARS	Cardiovascular Findings About Results	Terminology responses used for the cardiovascular findings about test codes and names codelist within CDISC.	No
C119014	CVFATS	Cardiovascular Findings About Test Name	Terminology relevant to the test names that describe findings about a cardiovascular event or intervention.	No
C119015	CVFATSCD	Cardiovascular Findings About Test Code	Terminology relevant to the test codes that describe findings about a cardiovascular event or intervention.	No
C101859	CVPRCIND	Cardiac Procedure Indication	The reason that a subject had a cardiac procedure.	Yes
C101850	CVSLDEXT	Coronary Vessel Disease Extent	A terminology codelist to describe the extent of coronary artery disease.	No
C101846	CVTEST	Cardiovascular Test Name	A terminology codelist to describe the test name for a physiological examination of the cardiovascular system.	Yes
C101847	CVTESTCD	Cardiovascular Test Code	A terminology codelist to describe the test code for a physiological examination of the cardiovascular system.	Yes
C141661	D4STR1TC	Descend 4 Stairs Functional Test Test Code	Descend 4 Stairs test code.	No
C141660	D4STR1TN	Descend 4 Stairs Functional Test Test Name	Descend 4 Stairs test name.	No
C105130	DAD01TC	Disability Assessment for Dementia Questionnaire Test Code	Disability Assessment for Dementia test code.	No
C105129	DAD01TN	Disability Assessment for Dementia Questionnaire Test Name	Disability Assessment for Dementia test name.	No
C78731	DATEST	Drug Accountability Test Name	The name of the test for the drug accountability assessment.	Yes
C78732	DATESTCD	Drug Accountability Test Code	The short name, or code, of the test for the drug accountability assessment.	Yes
C111110	DEACNDEV	Device Events Action Taken with Device	A terminology codelist based on the action taken with respect to the device.	Yes
C111109	DECAT	Category of Device Events	A terminology codelist based on the category of related records for the device event.	Yes
C101857	DIABTHPY	Diabetes Therapy	A terminology codelist that describes the treatment method for diabetes.	Yes
C66788	DICTNAM	Dictionary Name	A name given to a reference source that lists words and gives their meaning. (NCI)	Yes
C106480	DIPARM	Device Identifier Long Name	A terminology codelist for the long name of the identifier characteristic of the device.	Yes
C106481	DIPARMCD	Device Identifier Short Name	A terminology codelist for the short name of the identifier characteristic of the device.	Yes
C99074	DIR	Directionality	CDISC terminology for anatomical location or specimen further detailing directionality.	Yes
C101863	DISCHDX	Discharge Disposition	The destination or circumstance at the time of discharge.	Yes
C129939	DKFATS	Diabetic Kidney Disease Findings About Test Name	Terminology relevant to the test names that describe findings about a diabetic kidney disease event or intervention.	Yes
C129940	DKFATSCD	Diabetic Kidney Disease Findings About Test Code	Terminology relevant to the test codes that describe findings about a diabetic kidney disease event or intervention.	Yes
C119070	DLQI1TC	Dermatology Life Quality Index Questionnaire Test Code	Dermatology Life Quality Index test code.	No
C119069	DLQI1TN	Dermatology Life Quality Index Questionnaire Test Name	Dermatology Life Quality Index test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C139019	DMFATS	Duchenne Muscular Dystrophy Findings About Test Name	Terminology relevant to the test cnames that describe findings about a Duchenne muscular dystrophy event or intervention.	Yes
C139018	DMFATSCD	Duchenne Muscular Dystrophy Findings About Test Code	Terminology relevant to the test codes that describe findings about a Duchenne muscular dystrophy event or intervention.	Yes
C66734	DOMAIN	SDTM Domain Abbreviation	A unique, 2-character domain code used in the regulatory submission process. The domain abbreviation is used consistently throughout the submission, i.e. in the dataset name, as the value of the domain variable within the dataset, and as a prefix for most variable names in the dataset. (CDISC Glossary)	Yes
C111112	DOTEST	Device Properties Test Name	A terminology codelist based on the test name used to obtain the device property.	Yes
C111111	DOTESTCD	Device Properties Test Code	A terminology codelist based on the test code used to obtain the device property.	Yes
C141673	DRRI1TC	Deployment Risk and Resilience Inventory-2 Questionnaire Test Code	Deployment Risk and Resilience Inventory-2 test code.	No
C141672	DRRI1TN	Deployment Risk and Resilience Inventory-2 Questionnaire Test Name	Deployment Risk and Resilience Inventory-2 test name.	No
C115402	DRS01TC	Disability Rating Scale Questionnaire Test Code	Disability Rating Scale test code.	No
C115401	DRS01TN	Disability Rating Scale Questionnaire Test Name	Disability Rating Scale test name.	No
C102577	DRSTAT	Drug Resistance Status	Terminology relevant to the state or condition of the microbe or lesion to indicate whether it is resistant to drugs normally used in treatment.	Yes
C112437	DS01TC	Disease Steps Questionnaire Test Code	Disease Steps test code.	No
C112436	DS01TN	Disease Steps Questionnaire Test Name	Disease Steps test name.	No
C74558	DSCAT	Category for Disposition Event	Classifications that describe and group pertinent events that occur throughout the conduct of a clinical trial.	No
C127268	DSPRTYP	Disease Presentation Type	Terminology relevant to the symptoms and/or clinical manifestation of a disease.	Yes
C102578	DSSOUT	Disease Outcome	Terminology relevant to the measurable result or effect of treatment on a disease.	Yes
C112037	DTDECOD	Device Tracking and Disposition Event Dictionary Derived Term	A terminology codelist based on the verbatim or preprinted term for the device tracking and disposition event that occurs.	Yes
C116107	DTHDX	SDTM Death Diagnosis and Details Test Name	Terminology relevant to the test codes that describe the death diagnosis and related details.	Yes
C116108	DTHDXCD	SDTM Death Diagnosis and Details Test Code	Terminology relevant to the test codes that describe the death diagnosis and related details.	Yes
C129938	DURS	Device-In-Use Response	A terminology codelist relevant to the device-in-use responses.	Yes
C106482	DUTEST	Device-In-Use Test Name	A terminology codelist for the test name of the test or examination used to obtain the measurement or finding of the device in use.	Yes
C106483	DUTESTCD	Device-In-Use Test Code	A terminology codelist for the test code of the test or examination used to obtain the measurement or finding of the device in use.	Yes
C132315	EBFATS	Ebola Virus Findings About Test Name	Terminology relevant to the test names that describe findings about an Ebola virus infection event or intervention.	Yes
C132316	EBFATSCD	Ebola Virus Findings About Test Code	Terminology relevant to the test codes that describe findings about an Ebola virus infection event or intervention.	Yes
C101815	ECOG1TC	Eastern Cooperative Oncology Group Performance Status Questionnaire Test Code	Eastern Cooperative Oncology Group Performance Status test code.	No
C101816	ECOG1TN	Eastern Cooperative Oncology Group Performance Status Questionnaire Test Name	Eastern Cooperative Oncology Group Performance Status test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C125745	ED1TC	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Code	Expanded Disability Rating Scale - Postacute Interview Caregiver Version test code.	No
C125744	ED1TN	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Name	Expanded Disability Rating Scale - Postacute Interview Caregiver Version test name.	No
C125747	ED2TC	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Code	Expanded Disability Rating Scale - Postacute Interview Survivor Version test code.	No
C125746	ED2TN	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Name	Expanded Disability Rating Scale - Postacute Interview Survivor Version test name.	No
C112439	EDSS01TC	Kurtzke Expanded Disability Status Scale Questionnaire Test Code	Kurtzke Expanded Disability Status Scale test code.	No
C112438	EDSS01TN	Kurtzke Expanded Disability Status Scale Questionnaire Test Name	Kurtzke Expanded Disability Status Scale test name.	No
C90013	EGLEAD	ECG Lead	Terminology related to electrocardiogram lead names.	Yes
C71151	EGMETHOD	ECG Test Method	Terminology codelist used with ECG Test Methods within CDISC.	Yes
C71150	EGSTRESC	ECG Result	Terminology codelist used with ECG Findings and Abnormalities within CDISC.	Yes
C71152	EGTEST	ECG Test Name	Terminology codelist used with ECG Test Names within CDISC.	Yes
C71153	EGTESTCD	ECG Test Code	Terminology codelist used with ECG Tests within CDISC.	Yes
C111108	EMPSTAT	Employment Status	Terminology relevant to the state of being engaged in an activity or service for wages or salary.	Yes
C132521	EPDS01TC	Edinburgh Postnatal Depression Scale Questionnaire Test Code	Edinburgh Postnatal Depression Scale test code.	No
C132520	EPDS01TN	Edinburgh Postnatal Depression Scale Questionnaire Test Name	Edinburgh Postnatal Depression Scale test name.	No
C127350	EPIC1TC	The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Code	The Expanded Prostate Cancer Index Composite Short Form test code.	No
C127349	EPIC1TN	The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Name	The Expanded Prostate Cancer Index Composite Short Form test name.	No
C127352	EPIC2TC	The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Code	The Expanded Prostate Cancer Index Composite for Clinical Practice test code.	No
C127351	EPIC2TN	The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Name	The Expanded Prostate Cancer Index Composite for Clinical Practice test name.	No
C99079	EPOCH	Epoch	The name of the EPOCH.	Yes
C100136	EQ5D01TC	European Quality of Life Five Dimension Three Level Scale Questionnaire Test Code	European Quality of Life Five Dimension Three Level Scale test code.	No
C100135	EQ5D01TN	European Quality of Life Five Dimension Three Level Scale Questionnaire Test Name	European Quality of Life Five Dimension Three Level Scale test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C101817	EQ5D02TC	European Quality of Life Five Dimension Five Level Scale Questionnaire Test Code	European Quality of Life Five Dimension Five Level Scale test code.	No
C101818	EQ5D02TN	European Quality of Life Five Dimension Five Level Scale Questionnaire Test Name	European Quality of Life Five Dimension Five Level Scale test name.	No
C117991	ESRSA1TC	Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification Test Code	Extrapyramidal Symptom Rating Scale-Abbreviated test code.	No
C117990	ESRSA1TN	Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification Test Name	Extrapyramidal Symptom Rating Scale-Abbreviated test name.	No
C103463	ESS01TC	Epworth Sleepiness Scale Questionnaire Test Code	Epworth Sleepiness Scale test code.	No
C103462	ESS01TN	Epworth Sleepiness Scale Questionnaire Test Name	Epworth Sleepiness Scale test name.	No
C66790	ETHNIC	Ethnic Group	A social group characterized by a distinctive social and cultural tradition maintained from generation to generation, a common history and origin and a sense of identification with the group; members of the group have distinctive features in their way of life, shared experiences and often a common genetic heritage; these features may be reflected in their experience of health and disease. (NCI)	No
C128690	ETHNICC	Ethnicity As Collected	A terminology codelist relevant to the ethnicity of an individual as collected on the case report form.	Yes
C78735	EVAL	Evaluator	The role that the individual or entity plays with respect to a specific situation or person.	Yes
C102579	EVDRETRT	Supporting Evidence for Re-Treatment	Terminology relevant to the clinical evidence to support reason for re-treatment of disease.	Yes
C123653	EXACT1TC	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire Test Code	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome test code.	No
C123652	EXACT1TN	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire Test Name	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome test name.	No
C127354	FAC001TC	The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Code	The Functional Assessment of Cancer Therapy-General Version 4 test code.	No
C127353	FAC001TN	The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Name	The Functional Assessment of Cancer Therapy-General Version 4 test name.	No
C129094	FAC005TC	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Breast Version 4 test code.	No
C129093	FAC005TN	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Breast Version 4 test name.	No
C130255	FAC015TC	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 test code.	No
C130254	FAC015TN	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C130253	FAC017TC	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Leukemia Version 4 test code.	No
C130252	FAC017TN	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Leukemia Version 4 test name.	No
C130257	FAC018TC	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Lymphoma Version 4 test code.	No
C130256	FAC018TN	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Lymphoma Version 4 test name.	No
C127358	FAC023TC	The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Code	The Functional Assessment of Cancer Therapy-Prostate Version 4 test code.	No
C127357	FAC023TN	The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Name	The Functional Assessment of Cancer Therapy-Prostate Version 4 test name.	No
C129092	FAC028TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 test code.	No
C129091	FAC028TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 test name.	No
C138221	FAC029TC	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Brain Symptom Index test code.	No
C138220	FAC029TN	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Brain Symptom Index test name.	No
C138223	FAC039TC	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 test code.	No
C138222	FAC039TN	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 test name.	No
C129090	FAC042TC	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 test code.	No
C129089	FAC042TN	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C138225	<a href="#">FAC043TC</a>	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Lung Symptom Index test code.	No
C138224	<a href="#">FAC043TN</a>	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Lung Symptom Index test name.	No
C129096	<a href="#">FAC049TC</a>	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Code	Functional Assessment of Cancer Therapy-Ovarian Symptom Index test code.	No
C129095	<a href="#">FAC049TN</a>	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Name	Functional Assessment of Cancer Therapy-Ovarian Symptom Index test name.	No
C129098	<a href="#">FAC050TC</a>	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Code	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 test code.	No
C129097	<a href="#">FAC050TN</a>	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Name	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 test name.	No
C127356	<a href="#">FAC052TC</a>	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Code	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 test code.	No
C127355	<a href="#">FAC052TN</a>	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Name	The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 test name.	No
C147540	<a href="#">FAC061TC</a>	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Code	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 test code.	No
C147539	<a href="#">FAC061TN</a>	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Name	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 test name.	No
C147544	<a href="#">FAC070TC</a>	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 test code.	No
C147543	<a href="#">FAC070TN</a>	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 test name.	No
C129088	<a href="#">FAC071TC</a>	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 test code.	No
C129087	<a href="#">FAC071TN</a>	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C147542	FAC084TC	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire Test Code	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form test code.	No
C147541	FAC084TN	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire Test Name	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form test name.	No
C147546	FAC099TC	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Code	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue test code.	No
C147545	FAC099TN	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Name	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue test name.	No
C112441	FAMS01TC	Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Code	Functional Assessment of Multiple Sclerosis Version 4 test code.	No
C112440	FAMS01TN	Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Name	Functional Assessment of Multiple Sclerosis Version 4 test name.	No
C111344	FAQ01TC	Functional Activities Questionnaire Test Code	Functional Activities Questionnaire test code.	No
C111343	FAQ01TN	Functional Activities Questionnaire Test Name	Functional Activities Questionnaire test name.	No
C111346	FAQ02TC	Functional Activities Questionnaire-NACC Version Questionnaire Test Code	Functional Activities Questionnaire-NACC Version test code.	No
C111345	FAQ02TN	Functional Activities Questionnaire-NACC Version Questionnaire Test Name	Functional Activities Questionnaire-NACC Version test name.	No
C124670	FCVD1TC	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score test code.	No
C124669	FCVD1TN	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score test name.	No
C103465	FIQR01TC	Revised Fibromyalgia Impact Questionnaire Test Code	Revised Fibromyalgia Impact Questionnaire test code.	No
C103464	FIQR01TN	Revised Fibromyalgia Impact Questionnaire Test Name	Revised Fibromyalgia Impact Questionnaire test name.	No
C100154	FPSR1TC	Faces Pain Scale - Revised Questionnaire Test Code	Faces Pain Scale - Revised test code.	No
C100153	FPSR1TN	Faces Pain Scale - Revised Questionnaire Test Name	Faces Pain Scale - Revised test name.	No
C71113	FREQ	Frequency	The terminology that includes terms pertaining to frequency within CDISC.	Yes
C66726	FRM	Pharmaceutical Dosage Form	The form of the completed pharmaceutical product, e.g. tablet, capsule, injection, elixir, suppository. Dosage form can have a significant effect on the onset, duration and intensity of the pharmacological action of a drug. A pharmaceutical dosage form controls the rate at which the drug is released into the biological fluids. This release rate affects its intrinsic absorption pattern and therefore, the bioavailability of the drug.	Yes

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C113850	FSS01TC	Fatigue Severity Scale Questionnaire Test Code	Fatigue Severity Scale test code.	No
C113849	FSS01TN	Fatigue Severity Scale Questionnaire Test Name	Fatigue Severity Scale test name.	No
C115304	FTCAT	Category of Functional Test	A grouping of observations within the Functional Tests domain.	Yes
C103467	GAD01TC	Generalized Anxiety Disorder - 7 Questionnaire Test Code	Generalized Anxiety Disorder - 7 test code.	No
C103466	GAD01TN	Generalized Anxiety Disorder - 7 Questionnaire Test Name	Generalized Anxiety Disorder - 7 test name.	No
C128681	GASTRO	Gastrointestinal Test Name	A terminology codelist based on the test names for physiological findings related to the gastrointestinal system.	Yes
C128682	GASTROCD	Gastrointestinal Test Code	A terminology codelist based on the test codes for physiological findings related to the gastrointestinal system.	Yes
C105138	GCGI01TC	General Clinical Global Impressions Questionnaire Test Code	General Clinical Global Impressions test code.	No
C105137	GCGI01TN	General Clinical Global Impressions Questionnaire Test Name	General Clinical Global Impressions test name.	No
C124682	GCS01TC	Glasgow Coma Scale NINDS Version Clinical Classification Test Code	Glasgow Coma Scale NINDS Version test code.	No
C124681	GCS01TN	Glasgow Coma Scale NINDS Version Clinical Classification Test Name	Glasgow Coma Scale NINDS Version test name.	No
C106663	GDS01TC	Geriatric Depression Scale Questionnaire Test Code	Geriatric Depression Scale test code.	No
C106662	GDS01TN	Geriatric Depression Scale Questionnaire Test Name	Geriatric Depression Scale test name.	No
C106665	GDS02TC	Geriatric Depression Scale Short Form Questionnaire Test Code	Geriatric Depression Scale Short Form test code.	No
C106664	GDS02TN	Geriatric Depression Scale Short Form Questionnaire Test Name	Geriatric Depression Scale Short Form test name.	No
C132317	GENRTYP	Genetic Region of Interest Type	Terminology relevant to the classification of the genetic region under study.	Yes
C111114	GENSMP	Genetic Sample Type	Terminology relevant to the type of nucleic acid which was derived from the collected sample.	Yes
C103329	GNRLOBSC	General Observation Class	Terminology related to the classification of a CDISC domain.	No
C115404	GOSE1TC	Extended Glasgow Outcome Scale Questionnaire Test Code	Extended Glasgow Outcome Scale test code.	No
C115403	GOSE1TN	Extended Glasgow Outcome Scale Questionnaire Test Name	Extended Glasgow Outcome Scale test name.	No
C117737	GRAFTTYP	Graft Type	A terminology codelist relevant to the type of graft implanted in the subject.	Yes
C101851	GRSTNLOC	Location of Most Severe Stenosis Within a Graft	Terminology used to describe the part of the graft that is most severely stenotic.	No
C103469	HADS01TC	Hospital Anxiety and Depression Scale Questionnaire Test Code	Hospital Anxiety and Depression Scale test code.	No
C103468	HADS01TN	Hospital Anxiety and Depression Scale Questionnaire Test Name	Hospital Anxiety and Depression Scale test name.	No



<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>Codelist Name</b>	<b>CDISC Definition</b>	<b>Codelist Extensible</b>
C115390	HAI01TC	Hauser Ambulation Index Functional Test Test Code	Hauser Ambulation Index test code.	No
C115389	HAI01TN	Hauser Ambulation Index Functional Test Test Name	Hauser Ambulation Index test name.	No
C101819	HAMA1TC	Hamilton Anxiety Rating Scale Clinical Classification Test Code	Hamilton Anxiety Rating Scale test code.	No
C101820	HAMA1TN	Hamilton Anxiety Rating Scale Clinical Classification Test Name	Hamilton Anxiety Rating Scale test name.	No
C100138	HAMD1TC	Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Code	The Hamilton Depression Rating Scale - 17 Item test code.	No
C100137	HAMD1TN	Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Name	The Hamilton Depression Rating Scale - 17 Item test name.	No
C101821	HAMD2TC	Hamilton Depression Rating Scale 21-Item Clinical Classification Test Code	Hamilton Depression Rating Scale 21-Item test code.	No
C101822	HAMD2TN	Hamilton Depression Rating Scale 21-Item Clinical Classification Test Name	Hamilton Depression Rating Scale 21-Item test name.	No
C130245	HAMD3TC	Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Code	Hamilton Depression Rating Scale - 24 Item test code.	No
C130244	HAMD3TN	Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Name	Hamilton Depression Rating Scale - 24 Item test name.	No
C130243	HAMD4TC	Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Code	Hamilton Depression Rating Scale - 6 Clinician Version test code.	No
C130242	HAMD4TN	Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Name	Hamilton Depression Rating Scale - 6 Clinician Version test name.	No
C130259	HAMDS1TC	Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Code	Hamilton Depression Rating Scale - 6 Self-Report test code.	No
C130258	HAMDS1TN	Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Name	Hamilton Depression Rating Scale - 6 Self-Report test name.	No
C106667	HAQ01TC	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Code	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale test code.	No
C106666	HAQ01TN	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Name	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale test name.	No
C132523	HAQ02TC	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Code	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C132522	HAQ02TN	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Name	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale test name.	No
C117746	HEPENCGR	West Haven Hepatic Encephalopathy Grade	A grading system to describe the severity of hepatic encephalopathy based on the level of mental status by the West Haven Hepatic Encephalopathy Grade.	No
C120522	HESTRESC	Holter ECG Results	Terminology relevant to the responses that describe Holter ECG interpretative findings.	Yes
C120524	HETEST	Holter ECG Test Name	Terminology relevant to the test names that describe Holter ECG interpretative findings.	Yes
C120523	HETESTCD	Holter ECG Test Code	Terminology relevant to the test codes that describe Holter ECG interpretative findings.	Yes
C138213	HSB01TC	HAS-BLED Bleeding Risk Score Clinical Classification Test Code	HAS-BLED Bleeding Risk Score test code.	No
C138212	HSB01TN	HAS-BLED Bleeding Risk Score Clinical Classification Test Name	HAS-BLED Bleeding Risk Score test name.	No
C130247	IDSC1TC	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code	Inventory of Depressive Symptomatology Clinician-Rated Version test code.	No
C130246	IDSC1TN	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name	Inventory of Depressive Symptomatology Clinician-Rated Version test name.	No
C130261	IDSR1TC	Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code	Inventory of Depressive Symptomatology Self-Report Version test code.	No
C130260	IDSR1TN	Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name	Inventory of Depressive Symptomatology Self-Report Version test name.	No
C66797	IECAT	Category for Inclusion/Exclusion	A collection of criteria on which subjects are evaluated and that must be met by all study subjects. (NCI)	No
C103471	IIEF01TC	International Index of Erectile Function Questionnaire Test Code	International Index of Erectile Function test code.	No
C103470	IIEF01TN	International Index of Erectile Function Questionnaire Test Name	International Index of Erectile Function test name.	No
C99076	INTMODEL	Intervention Model Response	A terminology codelist relevant to the trial design developed to compare treatment groups.	Yes
C99078	INTTYPE	Intervention Type Response	A terminology codelist relevant to the kind of product or procedure studied in a trial.	No
C141671	IPAQ01TC	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Questionnaire Test Code	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format test code.	No
C141670	IPAQ01TN	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Questionnaire Test Name	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format test name.	No
C141669	IPAQ02TC	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Code	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C141668	IPAQ02TN	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Name	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format test name.	No
C141667	IPAQ03TC	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Code	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format test code.	No
C141666	IPAQ03TN	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Name	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format test name.	No
C141665	IPAQ04TC	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Code	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format test code.	No
C141664	IPAQ04TN	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Name	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format test name.	No
C120526	ISTEST	Immunogenicity Specimen Assessments Test Name	Terminology relevant to the immunogenicity specimen test names of the CDISC Study Data Tabulation Model.	Yes
C120525	ISTESTCD	Immunogenicity Specimen Assessments Test Code	Terminology relevant to the immunogenicity specimen test codes of the CDISC Study Data Tabulation Model.	Yes
C113856	IVIS01TC	Impact of Visual Impairment Scale Questionnaire Test Code	Impact of Visual Impairment Scale test code.	No
C113855	IVIS01TN	Impact of Visual Impairment Scale Questionnaire Test Name	Impact of Visual Impairment Scale test name.	No
C130251	KDPI01TC	Kidney Donor Profile Index Clinical Classification Test Code	Kidney Donor Profile Index test code.	No
C130250	KDPI01TN	Kidney Donor Profile Index Clinical Classification Test Name	Kidney Donor Profile Index test name.	No
C112443	KFSS1TC	Kurtzke Functional Systems Scores Questionnaire Test Code	Kurtzke Functional Systems Scores test code.	No
C112442	KFSS1TN	Kurtzke Functional Systems Scores Questionnaire Test Name	Kurtzke Functional Systems Scores test name.	No
C101840	KILLIPC	Killip Class Responses	A terminology codelist based on the classification developed by Killip and Kimball, which classifies patients with myocardial infarction based on routine physical examination parameters, such as the presence or absence of rales, or a decreased systolic blood pressure.	No
C100170	KPSSTC	Karnofsky Performance Status Scale Questionnaire Test Code	Karnofsky Performance Status Scale test code.	No
C100169	KPSSTN	Karnofsky Performance Status Scale Questionnaire Test Name	Karnofsky Performance Status Scale test name.	No
C99073	LAT	Laterality	CDISC terminology for anatomical location or specimen further detailing the side(s) of interest.	Yes
C102580	LBSTRESC	Laboratory Test Standard Character Result	Terminology relevant to the standardized results, in character format, for laboratory tests.	Yes

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C67154	LBTEST	Laboratory Test Name	Terminology used for laboratory test names of the CDISC Study Data Tabulation Model.	Yes
C65047	LBTESTCD	Laboratory Test Code	Terminology used for laboratory test codes of the CDISC Study Data Tabulation Model.	Yes
C101862	LEADABN	Lead Abnormality	Terminology related to the complications of cardiac lead systems.	Yes
C101867	LEADSTAT	Lead Status	The status of the lead.	Yes
C135690	LEC01TC	Life Events Checklist for DSM-5 Standard Version Questionnaire Test Code	Life Events Checklist for DSM-5 Standard Version test code.	No
C135689	LEC01TN	Life Events Checklist for DSM-5 Standard Version Questionnaire Test Name	Life Events Checklist for DSM-5 Standard Version test name.	No
C74456	LOC	Anatomical Location	Terminology codelist used for anatomical location within CDISC.	Yes
C138215	LPPSS1TC	Lansky Play-Performance Status Scale Clinical Classification Test Code	Lansky Play-Performance Status Scale test code.	No
C138214	LPPSS1TN	Lansky Play-Performance Status Scale Clinical Classification Test Name	Lansky Play-Performance Status Scale test name.	No
C101861	LSNCPX	Lesion Complexity	Terminology related to the risk of percutaneous coronary intervention for a particular lesion.	No
C101868	LVEFMRE	Left Ventricular Ejection Fraction Measurement Result	Terminology for results of left ventricular ejection fraction assessments.	Yes
C76348	MARISTAT	Marital Status Response	A terminology codelist relevant to a person's current conjugal status.	Yes
C120528	MBTEST	Microbiology Test Name	Terminology relevant to the microbiology test names of the CDISC Study Data Tabulation Model.	Yes
C120527	MBTESTCD	Microbiology Test Code	Terminology relevant to the microbiology test codes of the CDISC Study Data Tabulation Model.	Yes
C102581	MCIDCERT	Microbial Identification Certainty	Terminology relevant to the degree of certainty of the correctness of a microbial identification test result.	No
C101845	MCRCSPTM	Mechanical Circulatory Support Placement Timing	A terminology codelist to describe the timing of mechanical circulatory support placement.	No
C96777	MEDEVAL	Medical Evaluator	The individual responsible for the medical assessment.	Yes
C120991	MELD01TC	Model for End Stage Liver Disease Clinical Classification Test Code	Model for End Stage Liver Disease test code.	No
C120990	MELD01TN	Model for End Stage Liver Disease Clinical Classification Test Name	Model for End Stage Liver Disease test name.	No
C85492	METHOD	Method	Method is any technique or procedure (an action) that determines how an observation or clinical finding was made.	Yes
C113858	MFIS01TC	Modified Fatigue Impact Scale Questionnaire Test Code	Modified Fatigue Impact Scale test code.	No
C113857	MFIS01TN	Modified Fatigue Impact Scale Questionnaire Test Name	Modified Fatigue Impact Scale test name.	No
C124301	MHEDTTYP	Medical History Event Date Type	Terminology relevant to the classification of the medical condition or event by which MHSTDTTC is defined.	Yes
C112445	MHIS01TC	Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Code	Modified Hachinski Ischemic Scale-NACC Version test code.	No
C112444	MHIS01TN	Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Name	Modified Hachinski Ischemic Scale-NACC Version test name.	No
C85491	MICROORG	Microorganism	Microorganisms, bacteria, fungi and other organisms.	Yes

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C125922	MIFTSDDL	Microscopic Findings Test Details	Terminology relevant to the additional descriptions of the test being performed to produce the microscopic result.	Yes
C132262	MITS	SDTM Microscopic Findings Test Name	Terminology for the test names concerned with the clinical findings from a specimen that are visible by microscopic analysis.	Yes
C132263	MITSCL	SDTM Microscopic Findings Test Code	Terminology for the test codes concerned with the clinical findings from a specimen that are visible by microscopic analysis.	Yes
C106669	MMRC01TC	Modified Medical Research Council Dyspnea Scale Questionnaire Test Code	Modified Medical Research Council Dyspnea Scale test code.	No
C106668	MMRC01TN	Modified Medical Research Council Dyspnea Scale Questionnaire Test Name	Modified Medical Research Council Dyspnea Scale test name.	No
C100142	MMS1TC	Mini-Mental State Examination Questionnaire Test Code	Mini-Mental State Examination test code.	No
C100141	MMS1TN	Mini-Mental State Examination Questionnaire Test Name	Mini-Mental State Examination test name.	No
C100152	MNSI1TC	Michigan Neuropathy Screening Instrument Questionnaire Test Code	Michigan Neuropathy Screening Instrument test code.	No
C100151	MNSI1TN	Michigan Neuropathy Screening Instrument Questionnaire Test Name	Michigan Neuropathy Screening Instrument test name.	No
C127265	MODTRN	Mode of Disease Transmission	The terminology relevant to the mechanism by which a disease is transmitted.	Yes
C115406	MPAI1TC	Mayo-Portland Adaptability Inventory-4 Questionnaire Test Code	Mayo-Portland Adaptability Inventory-4 test code.	No
C115405	MPAI1TN	Mayo-Portland Adaptability Inventory-4 Questionnaire Test Name	Mayo-Portland Adaptability Inventory-4 test name.	No
C132319	MRFATS	Malaria Findings About Test Name	Terminology relevant to the test names that describe findings about a malaria event or intervention.	Yes
C132320	MRFATSCD	Malaria Findings About Test Code	Terminology relevant to the test codes that describe findings about a malaria event or intervention.	Yes
C111348	MRS01TC	Modified Rankin Scale Questionnaire Test Code	Modified Rankin Scale test code.	No
C111347	MRS01TN	Modified Rankin Scale Questionnaire Test Name	Modified Rankin Scale test name.	No
C117740	MSFATS	Multiple Sclerosis Findings About Test Name	Terminology relevant to the test names that describe multiple sclerosis findings.	Yes
C117741	MSFATSCD	Multiple Sclerosis Findings About Test Code	Terminology relevant to the test codes that describe multiple sclerosis findings.	Yes
C113860	MSQL1TC	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Code	Multiple Sclerosis Quality of Life-54 Instrument test code.	No
C113859	MSQL1TN	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Name	Multiple Sclerosis Quality of Life-54 Instrument test name.	No
C85495	MSRESCAT	Microbiology Susceptibility Testing Result Category	Used to categorize the result of a finding in a standard format.	No
C128687	MSTEST	Microbiology Susceptibility Test Name	Terminology relevant to the test names that define microorganism responses to antimicrobial agents.	Yes
C128688	MSTESTCD	Microbiology Susceptibility Test Code	Terminology relevant to the test codes that define microorganism responses to antimicrobial agents.	Yes

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C127270	MUSCTS	Musculoskeletal System Finding Test Name	A terminology codelist to describe the test name for a physiological examination of the musculoskeletal system.	Yes
C127269	MUSCTSCD	Musculoskeletal System Finding Test Code	A terminology codelist to describe the test code for a physiological examination of the musculoskeletal system.	Yes
C78738	NCF	Never/Current/Former Classification	A classification of usage or experience that falls into three categories; never, current, or former.	Yes
C66727	NCOMPLT	Completion/Reason for Non-Completion	The status of the subject's completion of the study or a segment of the study, or the reason the subject discontinued the study or segment of the study.	Yes
C66789	ND	Not Done	Indicates a task, process or examination that has either not been initiated or completed. (NCI)	No
C115392	NHPT01TC	Nine-Hole Peg Test Functional Test Test Code	Nine-Hole Peg Test test code.	No
C115391	NHPT01TN	Nine-Hole Peg Test Functional Test Test Name	Nine-Hole Peg Test test name.	No
C101834	NORMABNM	Normal Abnormal Response	A terminology codelist to describe a normal or abnormal response.	No
C100144	NPI1TC	Neuropsychiatric Inventory Questionnaire Test Code	The Neuropsychiatric Inventory test code.	No
C100143	NPI1TN	Neuropsychiatric Inventory Questionnaire Test Name	The Neuropsychiatric Inventory test name.	No
C103473	NPS01TC	Neuropathic Pain Scale Questionnaire Test Code	Neuropathic Pain Scale test code.	No
C103472	NPS01TN	Neuropathic Pain Scale Questionnaire Test Name	Neuropathic Pain Scale test name.	No
C78736	NRIND	Reference Range Indicator	A description of the results relative to the normal or expected range of values.	Yes
C120993	NSA01TC	Negative Symptom Assessment-16 Clinical Classification Test Code	Negative Symptom Assessment-16 test code.	No
C120992	NSA01TN	Negative Symptom Assessment-16 Clinical Classification Test Name	Negative Symptom Assessment-16 test name.	No
C132517	NSAA1TC	North Star Ambulatory Assessment Clinical Classification Test Code	North Star Ambulatory Assessment test code.	No
C132516	NSAA1TN	North Star Ambulatory Assessment Clinical Classification Test Name	North Star Ambulatory Assessment test name.	No
C101855	NSYSPCID	Non-system Reason for PCI Delay	A terminology codelist that contains reasons for non-system PCI delay.	No
C116103	NVTEST	Nervous System Findings Test Name	Terminology relevant to the test names that describe nervous system physiology findings.	Yes
C116104	NVTESTCD	Nervous System Findings Test Code	Terminology relevant to the test codes that describe nervous system physiology findings.	Yes
C66742	NY	No Yes Response	A term that is used to indicate a question with permissible values of yes/no/unknown/not applicable.	No
C101839	NYHAC	New York Heart Association Classification	A terminology codelist based on the functional classification developed by the New York Heart Association (NYHA), for categorizing patients with defined or presumed cardiac disease.	No
C103475	OABQ01TC	The Overactive Bladder Questionnaire Questionnaire Test Code	The Overactive Bladder Questionnaire test code.	No
C103474	OABQ01TN	The Overactive Bladder Questionnaire Questionnaire Test Name	The Overactive Bladder Questionnaire test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C103477	OABQ02TC	The Overactive Bladder Questionnaire Short Form Questionnaire Test Code	The Overactive Bladder Questionnaire Short Form test code.	No
C103476	OABQ02TN	The Overactive Bladder Questionnaire Short Form Questionnaire Test Name	The Overactive Bladder Questionnaire Short Form test name.	No
C127258	OBSSBSR	Observational Study Biospecimen Retention	The terminology relevant to whether biospecimens were retained and contain DNA within an observational study.	Yes
C127259	OBSSMO	Observational Study Model	The terminology relevant to the trial design for observational studies.	Yes
C127260	OBSSSM	Observational Study Sampling Method	The terminology relevant to the method by which the study population is selected in an observational study.	Yes
C127261	OBSSTP	Observational Study Time Perspective	The terminology relevant to the temporal relationship between the observation period and time of subject enrollment in an observational study.	Yes
C103479	ODI01TC	The Oswestry Disability Index Version 2.1a Questionnaire Test Code	The Oswestry Disability Index Version 2.1a test code.	No
C103478	ODI01TN	The Oswestry Disability Index Version 2.1a Questionnaire Test Name	The Oswestry Disability Index Version 2.1a test name.	No
C119013	OEFOCUS	Ophthalmic Focus of Study Specific Interest	Terminology relevant to the identification of a focus of ophthalmic observations.	No
C117742	OETEST	Ophthalmic Exam Test Name	Terminology relevant to the test names that describe findings from ophthalmic examinations.	Yes
C117743	OETESTCD	Ophthalmic Exam Test Code	Terminology relevant to the test codes that describe findings from ophthalmic examinations.	Yes
C124298	ONCRSCAT	Category of Oncology Response Assessment	The named criteria used for the grouping of assessments of response to treatment or therapy observations for oncology studies within the Disease Response and Clinical Classification domain.	Yes
C96785	ONCRSR	Oncology Response Assessment Result	Terminology for oncology studies relevant to the result of response to treatment or therapy assessment within the disease response and clinical classification domain.	Yes
C96781	ONCRTS	Oncology Response Assessment Test Name	Terminology for oncology studies relevant to the test names that describe an assessment of response to treatment or therapy within the disease response and clinical classification domain.	Yes
C96782	ONCRTSCD	Oncology Response Assessment Test Code	Terminology for oncology studies relevant to the test codes that describe an assessment of response to treatment or therapy within the disease response and clinical classification domain.	Yes
C66768	OUT	Outcome of Event	A condition or event that is attributed to the adverse event and is the result or conclusion of the adverse event. (NCI)	No
C124686	PANSS1TC	Positive and Negative Syndrome Scale Clinical Classification Test Code	Positive and Negative Syndrome Scale test code.	No
C124685	PANSS1TN	Positive and Negative Syndrome Scale Clinical Classification Test Name	Positive and Negative Syndrome Scale test name.	No
C115394	PASAT1TC	Paced Auditory Serial Addition Test Functional Test Test Code	Paced Auditory Serial Addition Test test code.	No
C115393	PASAT1TN	Paced Auditory Serial Addition Test Functional Test Test Name	Paced Auditory Serial Addition Test test name.	No
C135678	PASI01TC	Psoriasis Area and Severity Index Clinical Classification Test Code	Psoriasis Area and Severity Index test code.	No
C135677	PASI01TN	Psoriasis Area and Severity Index Clinical Classification Test Name	Psoriasis Area and Severity Index test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C114119	PBSTMT	Pharmacogenomics Biomarker Medical Statement	A terminology codelist relevant to the medical conclusion such as confirmation of a diagnosis or drug resistance based on genetic biological markers.	Yes
C135692	PCL01TC	The PTSD Checklist for DSM-5 Questionnaire Test Code	The PTSD Checklist for DSM-5 test code.	No
C135691	PCL01TN	The PTSD Checklist for DSM-5 Questionnaire Test Name	The PTSD Checklist for DSM-5 test name.	No
C112447	PDDS01TC	Patient Determined Disease Steps Questionnaire Test Code	Patient Determined Disease Steps test code.	No
C112446	PDDS01TN	Patient Determined Disease Steps Questionnaire Test Name	Patient Determined Disease Steps test name.	No
C116105	PFTEST	Pharmacogenomics Findings Test Name	Terminology relevant to the test names that describe pharmacogenomics findings.	Yes
C116106	PFTESTCD	Pharmacogenomics Findings Test Code	Terminology relevant to the test codes that describe pharmacogenomics findings.	Yes
C135688	PGI01TC	Patient Global Impression Generic Modification Version Questionnaire Test Code	Patient Global Impression Generic Modification Version test code.	No
C135687	PGI01TN	Patient Global Impression Generic Modification Version Questionnaire Test Name	Patient Global Impression Generic Modification Version test name.	No
C135011	PGTST	Pharmacogenomics/Genetics Methods and Supporting Information Test Name	A terminology codelist to describe the test name/code for omics data methods and supporting information.	Yes
C135010	PGTSTCD	Pharmacogenomics/Genetics Methods and Supporting Information Test Code	A terminology codelist to describe the test name/code for omics data methods and supporting information.	Yes
C103481	PHQ01TC	Patient Health Questionnaire - 9 Item Questionnaire Test Code	Patient Health Questionnaire - 9 test code.	No
C103480	PHQ01TN	Patient Health Questionnaire - 9 Item Questionnaire Test Name	Patient Health Questionnaire - 9 test name.	No
C103483	PHQ02TC	Patient Health Questionnaire - 15 Item Questionnaire Test Code	Patient Health Questionnaire - 15 test code.	No
C103482	PHQ02TN	Patient Health Questionnaire - 15 Item Questionnaire Test Name	Patient Health Questionnaire - 15 test name.	No
C125749	PHQ03TC	Patient Health Questionnaire Screener Version Questionnaire Test Code	Patient Health Questionnaire Screener Version test code.	No
C125748	PHQ03TN	Patient Health Questionnaire Screener Version Questionnaire Test Name	Patient Health Questionnaire Screener Version test name.	No
C95120	PHSPRP	Physical Properties Test Name	Terminology relevant to the test names that describe the physical characteristics of an entity.	Yes
C95121	PHSPRPCD	Physical Properties Test Code	Terminology relevant to the test codes that describe the physical characteristics of an entity.	Yes
C105134	PI01TC	Pain Intensity Questionnaire Test Code	Pain Intensity test code.	No
C105133	PI01TN	Pain Intensity Questionnaire Test Name	Pain Intensity test name.	No
C85493	PKPARM	PK Parameters	Parameters used to describe the time-concentration curve.	Yes



NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C85839	PKPARMCD	PK Parameters Code	Parameter codes used to describe the time-concentration curve.	Yes
C128685	PKUDMG	PK Units of Measure - Dose mg	Units of measure for pharmacokinetic data and parameters normalized by dose amount in milligrams.	Yes
C128686	PKUDUG	PK Units of Measure - Dose ug	Units of measure for pharmacokinetic data and parameters normalized by dose amount in micrograms.	Yes
C85494	PKUNIT	PK Units of Measure	Units of measure for pharmacokinetic data and parameters.	Yes
C128684	PKUWG	PK Units of Measure - Weight g	Units of measure for pharmacokinetic data and parameters normalized by weight in grams.	Yes
C128683	PKUWKG	PK Units of Measure - Weight kg	Units of measure for pharmacokinetic data and parameters normalized by weight in kilograms.	Yes
C135694	PODCI1TC	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version test code.	No
C135693	PODCI1TN	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version test name.	No
C135696	PODCI2TC	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version test code.	No
C135695	PODCI2TN	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version test name.	No
C135698	PODCI3TC	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Code	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version test code.	No
C135697	PODCI3TN	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Name	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version test name.	No
C99075	PORTOT	Portion/Totality	Qualifier for anatomical location or specimen further detailing the portion or totality, which means arrangement of, or apportioning of an entity.	Yes
C71148	POSITION	Position	Terminology codelist used with Body Position within CDISC.	Yes
C138259	PQL01TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult test code.	No
C138258	PQL01TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult test name.	No
C138253	PQL02TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report test code.	No
C138252	PQL02TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report test name.	No
C138257	PQL03TC	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Teen test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C138256	PQL03TN	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Teen test name.	No
C138251	PQL04TC	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report test code.	No
C138250	PQL04TN	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report test name.	No
C138245	PQL05TC	Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Child test code.	No
C138244	PQL05TN	Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Child test name.	No
C138249	PQL06TC	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report test code.	No
C138248	PQL06TN	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report test name.	No
C138261	PQL07TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child test code.	No
C138260	PQL07TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child test name.	No
C138255	PQL08TC	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report test code.	No
C138254	PQL08TN	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report test name.	No
C138247	PQL09TC	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report test code.	No
C138246	PQL09TN	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report test name.	No
C138241	PQL10TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult test code.	No
C138240	PQL10TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C138235	PQL11TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report test code.	No
C138234	PQL11TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report test name.	No
C138239	PQL12TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen test code.	No
C138238	PQL12TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen test name.	No
C138233	PQL13TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report test code.	No
C138232	PQL13TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report test name.	No
C138227	PQL14TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child test code.	No
C138226	PQL14TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child test name.	No
C138231	PQL15TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report test code.	No
C138230	PQL15TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report test name.	No
C138243	PQL16TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child test code.	No
C138242	PQL16TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child test name.	No
C138237	PQL17TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report test code.	No
C138236	PQL17TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report test name.	No
C138229	PQL18TC	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Code	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C138228	PQL18TN	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Name	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report test name.	No
C105136	PR01TC	Pain Relief Questionnaire Test Code	Pain Relief test code.	No
C105135	PR01TN	Pain Relief Questionnaire Test Name	Pain Relief test name.	No
C102582	PRITBCON	Priority of Tuberculosis Contact	Terminology relevant to the prioritization of tuberculosis contacts.	Yes
C101858	PROCEDUR	Procedure	A terminology codelist to describe any activity considered to be a therapeutic or diagnostic procedure.	Yes
C127360	PROS01TC	The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Code	The Prostate Cancer Specific Quality of Life Instrument test code.	No
C127359	PROS01TN	The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Name	The Prostate Cancer Specific Quality of Life Instrument test name.	No
C114118	PROTMLST	Protocol Milestone	A terminology codelist relevant to protocol-specified, point-in-time events during a study.	Yes
C101856	PRURGNCY	Procedure Urgency Status	A terminology codelist that describes the degree of urgency for a procedure.	No
C138217	PUL01TC	Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Code	Performance of the Upper Limb Module for DMD Version 1.2 test code.	No
C138216	PUL01TN	Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Name	Performance of the Upper Limb Module for DMD Version 1.2 test name.	No
C138219	PUL02TC	Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Code	Performance of the Upper Limb Module for DMD Version 2.0 test code.	No
C138218	PUL02TN	Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Name	Performance of the Upper Limb Module for DMD Version 2.0 test name.	No
C130249	QIDSC1TC	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code	Quick Inventory of Depressive Symptomatology Clinician-Rated Version test code.	No
C130248	QIDSC1TN	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name	Quick Inventory of Depressive Symptomatology Clinician-Rated Version test name.	No
C130263	QIDSR1TC	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code	Quick Inventory of Depressive Symptomatology Self-Report Version test code.	No
C130262	QIDSR1TN	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name	Quick Inventory of Depressive Symptomatology Self-Report Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C130265	QLES1TC	Quality Of Life Enjoyment And Satisfaction Questionnaire Test Code	Quality Of Life Enjoyment And Satisfaction Questionnaire test code.	No
C130264	QLES1TN	Quality Of Life Enjoyment And Satisfaction Questionnaire Test Name	Quality Of Life Enjoyment And Satisfaction Questionnaire test name.	No
C130267	QLES2TC	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Code	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form test code.	No
C130266	QLES2TN	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Name	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form test name.	No
C100129	QSCAT	Category of Questionnaire	A grouping of observations within the Questionnaires domain.	Yes
C113862	R3601TC	RAND 36-Item Health Survey 1.0 Questionnaire Test Code	RAND 36-Item Health Survey 1.0 test code.	No
C113861	R3601TN	RAND 36-Item Health Survey 1.0 Questionnaire Test Name	RAND 36-Item Health Survey 1.0 test name.	No
C74457	RACE	Race	Terminology codelist used to identify the race of an individual within the Clinical Data Interchange Standards Consortium Study Data Tabulation Model.	No
C128689	RACEC	Race As Collected	A terminology codelist relevant to the race of an individual as collected on the case report form.	Yes
C124672	RCVD01TC	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code	Reynolds Cardiovascular Disease 10-Year Risk Score test code.	No
C124671	RCVD01TN	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name	Reynolds Cardiovascular Disease 10-Year Risk Score test name.	No
C100166	RDQ01TC	Roland Morris Disability Questionnaire Questionnaire Test Code	Roland Morris Disability Questionnaire test code.	No
C100165	RDQ01TN	Roland Morris Disability Questionnaire Questionnaire Test Name	Roland Morris Disability Questionnaire test name.	No
C102583	REASTINT	Reason for Treatment Interruption	Terminology relevant to the reason the drug or therapy was temporarily ceased.	Yes
C102584	REASTRT	Reason For Treatment	Terminology relevant to the reason the treatment was administered.	Yes
C100130	RELSUB	Relationship to Subject	The relationship of a person to a study subject.	Yes
C78737	RELTYPE	Relationship Type	The description of relationship types between a record or set of records.	No
C111107	RETEST	Respiratory Test Name	A terminology codelist based on the test names for physiological findings related to the respiratory system, including the organs that are involved in breathing such as the nose, throat, larynx, trachea, bronchi and lungs.	Yes
C111106	RETESTCD	Respiratory Test Code	A terminology codelist based on the test codes for physiological findings related to the respiratory system, including the organs that are involved in breathing such as the nose, throat, larynx, trachea, bronchi and lungs.	Yes
C141659	RISEF1TC	Rising From Floor Functional Test Test Code	Rising From Floor test code.	No
C141658	RISEF1TN	Rising From Floor Functional Test Test Name	Rising From Floor test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C102587	RISKSOC	Social Risk Factor	Terminology relevant to the social factors such as personal behavior, lifestyle, or environment belonging to the subject which are known to increase the likelihood of infection and disease.	Yes
C66729	ROUTE	Route of Administration Response	A terminology codelist relevant to the course by which a substance is administered in order to reach the site of action in the body.	Yes
C119072	RPQ01TC	Rivermead Post Concussion Symptoms Questionnaire Questionnaire Test Code	Rivermead Post Concussion Symptoms Questionnaire test code.	No
C119071	RPQ01TN	Rivermead Post Concussion Symptoms Questionnaire Questionnaire Test Name	Rivermead Post Concussion Symptoms Questionnaire test name.	No
C106478	RPTTEST	Reproductive System Findings Test Name	A terminology codelist for the physiological test names related to the male and female reproductive systems.	Yes
C106479	RPTTESTCD	Reproductive System Findings Test Code	A terminology codelist for the physiological test codes related to the male and female reproductive systems.	Yes
C101848	RSKASMT	Risk Assessment	A terminology codelist to describe the risk of a disease, disorder or abnormal condition.	No
C135700	RSSS01TC	RAND Social Support Survey Instrument Questionnaire Test Code	RAND Social Support Survey Instrument test code.	No
C135699	RSSS01TN	RAND Social Support Survey Instrument Questionnaire Test Name	RAND Social Support Survey Instrument test name.	No
C103330	SCTEST	Subject Characteristic Test Name	The test name representing each subject characteristic.	Yes
C74559	SCTESTCD	Subject Characteristic Test Code	The test code representing each subject characteristic.	Yes
C115396	SDMT01TC	Symbol Digit Modalities Test Functional Test Test Code	Symbol Digit Modalities Test test code.	No
C115395	SDMT01TN	Symbol Digit Modalities Test Functional Test Test Name	Symbol Digit Modalities Test test name.	No
C111350	SDS01TC	Sheehan Disability Scale Questionnaire Test Code	Sheehan Disability Scale test code.	No
C111349	SDS01TN	Sheehan Disability Scale Questionnaire Test Name	Sheehan Disability Scale test name.	No
C101852	SDTHSDTP	Sudden Death Syndrome Type	A terminology codelist that describes syndromes or conditions that put a subject at risk for sudden death.	No
C127262	SETTING	Environmental Setting	Terminology relevant to the surroundings or environment.	Yes
C66731	SEX	Sex	The assemblage of physical properties or qualities by which male is distinguished from female; the physical difference between male and female; the distinguishing peculiarity of male or female. (NCI)	No
C66732	SEXPOP	Sex of Participants Response	A terminology codelist relevant to the specific sex, either male, female, or mixed of the subject group being studied.	No
C100156	SFMP2TC	Short-Form McGill Pain Questionnaire-2 Questionnaire Test Code	Short-Form McGill Pain Questionnaire-2 test code.	No
C100155	SFMP2TN	Short-Form McGill Pain Questionnaire-2 Questionnaire Test Name	Short-Form McGill Pain Questionnaire-2 test name.	No
C112449	SGRQ01TC	St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Code	St. George's Respiratory Questionnaire Past 3 Months Version test code.	No
C112448	SGRQ01TN	St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Name	St. George's Respiratory Questionnaire Past 3 Months Version test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C112451	SGRQ02TC	St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Code	St. George's Respiratory Questionnaire Past 4 Weeks Version test code.	No
C112450	SGRQ02TN	St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Name	St. George's Respiratory Questionnaire Past 4 Weeks Version test name.	No
C106671	SGRQC1TC	St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Code	St. George's Respiratory Questionnaire for COPD Patients test code.	No
C106670	SGRQC1TN	St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Name	St. George's Respiratory Questionnaire for COPD Patients test name.	No
C103485	SIQR01TC	Symptom Impact Questionnaire Questionnaire Test Code	Symptom Impact Questionnaire test code.	No
C103484	SIQR01TN	Symptom Impact Questionnaire Questionnaire Test Name	Symptom Impact Questionnaire test name.	No
C115388	SIXMW1TC	6 Minute Walk Functional Test Test Code	6 Minute Walk Test test code.	No
C115387	SIXMW1TN	6 Minute Walk Functional Test Test Name	6 Minute Walk Test test name.	No
C66733	SIZE	Size Response	A terminology codelist relevant to the physical magnitude of something.	Yes
C76351	SKINCLAS	Fitzpatrick Skin Classification Response	A terminology codelist relevant to the classification system used to categorize the sensitivity of a subject's skin to sunlight. (Fitzpatrick TB. The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871.)	Yes
C74561	SKINTYP	Skin Type Response	A terminology codelist relevant to the relative oiliness of the skin.	Yes
C100160	SOAPR1TC	Screeener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Code	Screeener and Opioid Assessment for Patients with Pain - Revised test code.	No
C100159	SOAPR1TN	Screeener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Name	Screeener and Opioid Assessment for Patients with Pain - Revised test name.	No
C101828	SOWSA1TC	Subjective Opiate Withdrawal Scale Questionnaire Test Code	Subjective Opiate Withdrawal Scale test code.	No
C101829	SOWSA1TN	Subjective Opiate Withdrawal Scale Questionnaire Test Name	Subjective Opiate Withdrawal Scale test name.	No
C116111	SPCIES	SDTM Species	Terminology relevant to the species of the pathogen to which the subject is a host when the pathogen is the focus of the test or interpretation.	Yes
C78733	SPECCOND	Specimen Condition	The physical state or quality of a biological specimen.	Yes
C78734	SPECTYPE	Specimen Type	The name and description of a biological specimen.	Yes
C112023	SRTEST	Skin Response Test Name	A terminology codelist based on the test names for dermal responses to antigens.	Yes
C112024	SRTESTCD	Skin Response Test Code	A terminology codelist based on the test codes for dermal responses to antigens.	Yes
C124304	SSTATRS	Subject Status Response	Terminology relevant to subject status responses.	Yes
C124306	SSTEST	Subject Status Test Name	Terminology relevant to test name for subject characteristics that are evaluated periodically to determine if they have changed.	Yes
C124305	SSTESTCD	Subject Status Test Code	Terminology relevant to test code for subject characteristics that are evaluated periodically to determine if they have changed.	Yes

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>Codelist Name</b>	<b>CDISC Definition</b>	<b>Codelist Extensible</b>
C119020	STCARCRS	Stent Thrombosis, Coronary ARC Grade Responses	A terminology codelist relevant to the Academic Research Council grade for the probability that coronary artery stent thrombosis has occurred.	No
C119080	STCG01TC	Stent Thrombosis Coronary ARC Grade Clinical Classification Test Code	Stent Thrombosis Coronary ARC Grade test code.	No
C119079	STCG01TN	Stent Thrombosis Coronary ARC Grade Clinical Classification Test Name	Stent Thrombosis Coronary ARC Grade test name.	No
C119019	STCTIMRS	Stent Thrombosis, Coronary, ARC Timing Responses	A terminology codelist relevant to the Academic Research Council grade for the timing of the stent thrombosis after stent implantation.	No
C66728	STENRF	Relation to Reference Period	The relative relationship of a timepoint to a reference timepoint.	No
C99077	STYPE	Study Type Response	A terminology codelist relevant to the role the study plays in determining the interventions a subject receives.	No
C115408	SWLS01TC	Satisfaction With Life Scale Questionnaire Test Code	Satisfaction With Life Scale test code.	No
C115407	SWLS01TN	Satisfaction With Life Scale Questionnaire Test Name	Satisfaction With Life Scale test name.	No
C124303	SZFATS	Schizophrenia Findings About Test Name	Terminology relevant to the test names that describe findings about a schizophrenia event or intervention.	Yes
C124302	SZFATSCD	Schizophrenia Findings About Test Code	Terminology relevant to the test codes that describe findings about a schizophrenia event or intervention.	Yes
C115398	T25FW1TC	Timed 25-Foot Walk Test Functional Test Test Code	Timed 25-Foot Walk Test test code.	No
C115397	T25FW1TN	Timed 25-Foot Walk Test Functional Test Test Name	Timed 25-Foot Walk Test test name.	No
C124664	TANN01TC	Tanner Scale Girl Clinical Classification Test Code	Tanner Scale Girl test code.	No
C124663	TANN01TN	Tanner Scale Girl Clinical Classification Test Name	Tanner Scale Girl test name.	No
C124662	TANN02TC	Tanner Scale Boy Clinical Classification Test Code	Tanner Scale Boy test code.	No
C124661	TANN02TN	Tanner Scale Boy Clinical Classification Test Name	Tanner Scale Boy test name.	No
C127267	TBFATS	Tuberculosis Findings About Test Name	Terminology relevant to the test names that describe findings about a tuberculosis event or intervention.	Yes
C127266	TBFATSCD	Tuberculosis Findings About Test Code	Terminology relevant to the test codes that describe findings about a tuberculosis event or intervention.	Yes
C66735	TBLIND	Trial Blinding Schema Response	A terminology codelist relevant to the type of blinding for the trial.	Yes
C66785	TCNTRL	Control Type Response	A terminology codelist relevant to a comparator against which the study treatment is evaluated.	Yes
C106657	TDI01TC	Transition Dyspnea Index Questionnaire Test Code	Transition Dyspnea Index test code.	No
C106656	TDI01TN	Transition Dyspnea Index Questionnaire Test Name	Transition Dyspnea Index test name.	No
C66787	TDIGRP	Diagnosis Group Response	A terminology codelist relevant to a grouping of individuals on the basis of a shared procedure or disease, or lack thereof.	Yes
C141657	TENMW1TC	Ten Meter Walk/Run Functional Test Test Code	Ten Meter Walk/Run test code.	No



NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C141656	TENMW1TN	Ten Meter Walk/Run Functional Test Test Name	Ten Meter Walk/Run test name.	No
C119074	TIMG01TC	Coronary Thrombus TIMI Grade Clinical Classification Test Code	Coronary Thrombus TIMI Grade test code.	No
C119073	TIMG01TN	Coronary Thrombus TIMI Grade Clinical Classification Test Name	Coronary Thrombus TIMI Grade test name.	No
C101841	TIMIFLRS	TIMI Flow Responses	A terminology codelist of acceptable values to describe TIMI Flow.	No
C66736	TINDTP	Trial Intent Type Response	A terminology codelist relevant to the responses for the planned purpose of the therapy, device, or agent under study in the clinical trial.	Yes
C124688	TMT01TC	Trail Making Test Functional Test Test Code	Trail Making Test test code.	No
C124687	TMT01TN	Trail Making Test Functional Test Test Name	Trail Making Test test name.	No
C66737	TPHASE	Trial Phase Response	A terminology codelist relevant to the phase, or stage, of the clinical trial.	Yes
C124309	TRPROPRS	Tumor or Lesion Properties Test Result	Terminology relevant to the results from the assessment or measurement of a tumor, lesion or site of disease.	Yes
C96778	TRTEST	Tumor or Lesion Properties Test Name	Terminology relevant to the test names that describe the assessment or measurement of a tumor, lesion or site of disease.	Yes
C96779	TRTESTCD	Tumor or Lesion Properties Test Code	Terminology relevant to the test codes that describe the assessment or measurement of a tumor, lesion or site of disease.	Yes
C124307	TRTINTNT	Treatment Intent	Terminology relevant to the intended disease outcome for which the treatment is given.	Yes
C124308	TRTSET	Treatment Setting	Terminology relevant to the clinical trial or treatment setting for the therapy of interest.	Yes
C147548	TSCC01TC	Trauma Symptom Checklist for Children Questionnaire Test Code	Trauma Symptom Checklist for Children test code.	No
C147547	TSCC01TN	Trauma Symptom Checklist for Children Questionnaire Test Name	Trauma Symptom Checklist for Children test name.	No
C147550	TSCYC1TC	Trauma Symptom Checklist for Young Children Questionnaire Test Code	Trauma Symptom Checklist for Young Children test code.	No
C147549	TSCYC1TN	Trauma Symptom Checklist for Young Children Questionnaire Test Name	Trauma Symptom Checklist for Young Children test name.	No
C67152	TSPARM	Trial Summary Parameter Test Name	The test name for an individual characteristic of a clinical trial, e.g. description of trial design, trial blinding schema, and primary objective of trial.	Yes
C66738	TSPARMCD	Trial Summary Parameter Test Code	The test code for an individual characteristic of a clinical trial, e.g. description of trial design, trial blinding schema, and primary objective of trial.	Yes
C132525	TSQM01TC	Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Code	Treatment Satisfaction Questionnaire for Medication Version 1.4 test code.	No
C132524	TSQM01TN	Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Name	Treatment Satisfaction Questionnaire for Medication Version 1.4 test name.	No
C66739	TTYPE	Trial Type Response	A terminology codelist relevant to the type of primary outcome or endpoint that the protocol is designed to evaluate.	Yes
C115400	TUG01TC	Timed Up and Go Test Functional Test Test Code	Timed Up and Go Test test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C115399	TUG01TN	Timed Up and Go Test Functional Test Test Name	Timed Up and Go Test test name.	No
C123650	TUIDRS	Tumor or Lesion Identification Test Results	Terminology relevant to tumor or lesion identification test results.	Yes
C96783	TUTEST	Tumor or Lesion Identification Test Name	Terminology relevant to the test names that describe tumor or lesion assessments for identification purposes.	Yes
C96784	TUTESTCD	Tumor or Lesion Identification Test Code	Terminology relevant to the test codes that describe tumor or lesion assessments for identification purposes.	Yes
C71620	UNIT	Unit	Terminology codelist used for units within CDISC.	Yes
C100148	UPD1TC	Unified Parkinson's Disease Rating Scale Questionnaire Test Code	Unified Parkinson's Disease Rating Scale test code.	No
C100147	UPD1TN	Unified Parkinson's Disease Rating Scale Questionnaire Test Name	Unified Parkinson's Disease Rating Scale test name.	No
C100140	UPD2TC	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Code	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test code.	No
C100139	UPD2TN	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Name	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale test name.	No
C103489	UPS01TC	Urgency Perception Scale Questionnaire Test Code	Urgency Perception Scale test code.	No
C103488	UPS01TN	Urgency Perception Scale Questionnaire Test Name	Urgency Perception Scale test name.	No
C129941	URNSTS	Urinary System Test Name	A terminology codelist to describe the test name for examinations of the urinary system.	Yes
C129942	URNSTSCD	Urinary System Test Code	A terminology codelist to describe the test code for examinations of the urinary system.	Yes
C141653	VALG01TC	Veterans Administration Lung Study Group Clinical Classification Test Code	Veterans Administration Lung Study Group test code.	No
C141652	VALG01TN	Veterans Administration Lung Study Group Clinical Classification Test Name	Veterans Administration Lung Study Group test name.	No
C102590	VCNEVD	Vaccination Evidence Source	Terminology relevant to the source of information regarding the subject's vaccination status.	Yes
C112453	VFQ1TC	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format test code.	No
C112452	VFQ1TN	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format test name.	No
C112455	VFQ2TC	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Code	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format test code.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C112454	VFQ2TN	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Name	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format test name.	No
C130241	VLERS1TC	Vignos Lower Extremity Rating Scale Clinical Classification Test Code	Vignos Lower Extremity Rating Scale test code.	No
C130240	VLERS1TN	Vignos Lower Extremity Rating Scale Clinical Classification Test Name	Vignos Lower Extremity Rating Scale test name.	No
C142189	VNFATS	Vaccines Findings About Test Name	Terminology relevant to the test names that describe findings about a vaccines event or intervention.	Yes
C142187	VNFATSCD	Vaccines Findings About Test Code	Terminology relevant to the test codes that describe findings about a vaccines event or intervention.	Yes
C66770	VSRESU	Units for Vital Signs Results	The unit used to record and describe the result of a test investigating a vital sign. (NCI)	Yes
C67153	VSTEST	Vital Signs Test Name	The test name given to the test that analyzes a particular set of vital signs including temperature, respiratory rate, heart rate, and blood pressure.	Yes
C66741	VSTESTCD	Vital Signs Test Code	The test code given to the test that analyzes a particular set of vital signs including temperature, respiratory rate, heart rate, and blood pressure.	Yes
C130275	WD1TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer test code.	No
C130274	WD1TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer test name.	No
C130277	WD2TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy test code.	No
C130276	WD2TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy test name.	No
C130279	WD3TC	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self test code.	No
C130278	WD3TN	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self test name.	No
C130281	WD4TC	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer test code.	No
C130280	WD4TN	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer test name.	No

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C130269	WD5TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer test code.	No
C130268	WD5TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer test name.	No
C130271	WD6TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy test code.	No
C130270	WD6TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy test name.	No
C130273	WD7TC	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Code	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self test code.	No
C130272	WD7TN	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Name	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self test name.	No
C124680	WHEG01TC	West Haven Hepatic Encephalopathy Grade Clinical Classification Test Code	West Haven Hepatic Encephalopathy Grade test code.	No
C124679	WHEG01TN	West Haven Hepatic Encephalopathy Grade Clinical Classification Test Name	West Haven Hepatic Encephalopathy Grade test name.	No
C124674	WHIVS1TC	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Code	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents test code.	No
C124673	WHIVS1TN	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Name	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents test name.	No
C124676	WHIVS2TC	WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Code	WHO Clinical Staging of HIV/AIDS for Children test code.	No
C124675	WHIVS2TN	WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Name	WHO Clinical Staging of HIV/AIDS for Children test name.	No
C100176	WPAI01TC	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Code	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test code.	No
C100175	WPAI01TN	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Name	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 test name.	No

## A4STR1TC (4 Stair Ascend Functional Test Test Code)

NCI Code: C141663, Codelist extensible: No

<b>C141663 A4STR1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141706	A4STR101	A4STR1-Time to Ascend 4 Stairs	4 Stair Ascend - Time taken to ascend 4 stairs.	4 Stair Ascend - Time to Ascend 4 Stairs
C141707	A4STR102	A4STR1-Test Grade	4 Stair Ascend - Test grade.	4 Stair Ascend - Test Grade
C147590	A4STR103	A4STR1-Wear Orthoses	4 Stair Ascend - Did subject wear orthoses?	4 Stair Ascend - Wear Orthoses

**A4STR1TN (4 Stair Ascend Functional Test Test Name)**

NCI Code: C141662, Codelist extensible: No

<b>C141662 A4STR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141707	A4STR1-Test Grade	A4STR1-Test Grade	4 Stair Ascend - Test grade.	4 Stair Ascend - Test Grade
C141706	A4STR1-Time to Ascend 4 Stairs	A4STR1-Time to Ascend 4 Stairs	4 Stair Ascend - Time taken to ascend 4 stairs.	4 Stair Ascend - Time to Ascend 4 Stairs
C147590	A4STR1-Wear Orthoses	A4STR1-Wear Orthoses	4 Stair Ascend - Did subject wear orthoses?	4 Stair Ascend - Wear Orthoses

**ACGC01TC (Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Code)**

NCI Code: C103459, Codelist extensible: No

<b>C103459 ACGC01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103531	ACGC0101	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline

**ACGC01TN (Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire Test Name)**

NCI Code: C103458, Codelist extensible: No

<b>C103458 ACGC01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103531	ACGC01-Clinical Impression of Change	ACGC01-Clinical Impression of Change	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change - Clinical impression of change from baseline.	ADCS-CGIC - Clinical Impression of Change from Baseline



## ACN (Action Taken with Study Treatment)

NCI Code: C66767, Codelist extensible: No

C66767 ACN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C49503	DOSE INCREASED		An indication that a medication schedule was modified by addition; either by changing the frequency, strength or amount. (NCI)	Dose Increased
C49504	DOSE NOT CHANGED		An indication that a medication schedule was maintained. (NCI)	Dose Not Changed
C49505	DOSE REDUCED		An indication that a medication schedule was modified by subtraction, either by changing the frequency, strength or amount. (NCI)	Dose Reduced
C49501	DRUG INTERRUPTED		An indication that a medication schedule was modified by temporarily terminating a prescribed regimen of medication. (NCI)	Drug Interrupted
C49502	DRUG WITHDRAWN		An indication that a medication schedule was modified through termination of a prescribed regimen of medication. (NCI)	Drug Withdrawn
C48660	NOT APPLICABLE	NA;Not Applicable	Determination of a value is not relevant in the current context. (NCI)	Not Applicable
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## ACSPCAT (Acute Coronary Syndrome Presentation Category)

NCI Code: C101865, Codelist extensible: No

<b>C101865 ACSPCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80383	NON-ST ELEVATION MYOCARDIAL INFARCTION	NON-STEMI;NSTEMI	A myocardial infarction that does not produce elevation in the ST segments of the ECG.	Non-ST Elevation Myocardial Infarction by ECG Finding
C17649	OTHER	Other	Different than the one(s) previously specified or mentioned. (NCI)	Other
C101888	ST ELEVATION MYOCARDIAL INFARCTION	STEMI	A myocardial infarction that produces elevation in the ST segments of the ECG.	ST Elevation Myocardial Infarction by ECG Finding
C66914	STABLE ANGINA		Angina pectoris which has not recently changed in frequency, duration or intensity. Stable angina pectoris is relieved by rest or administration of oral, sublingual or transdermal antianginal medications.	Stable Angina
C66911	UNSTABLE ANGINA		Angina pectoris (or equivalent type of ischemic discomfort) which has recently changed in frequency, duration, intensity, or occurs at rest.	Unstable Angina

## ADCTC (Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Code)

NCI Code: C100132, Codelist extensible: No

C100132 ADCTC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100209	ADCCMD	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100210	ADCCMD01	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100211	ADCCMD02	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100212	ADCCMD03	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100213	ADCCMD04	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100214	ADCCMD05	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100278	ADCCMP	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	ADCCON	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	ADCCP	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100227	ADCCP01	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100228	ADCCP02	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100229	ADCCP03	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100230	ADCCP04	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100231	ADCCPS	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100277	ADCDIF	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech
C100215	ADCDRL	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100216	ADCDRL01	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	ADCDRL02	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	ADCDRL03	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	ADCDRL04	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4

<b>C100132 ADCTC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100220	ADCDRL05	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	ADCDRL06	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	ADCDRL07	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	ADCDRL08	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8
C100224	ADCDRL09	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9
C100225	ADCDRL10	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10
C100232	ADCIP	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score
C100233	ADCIP01	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold
C100234	ADCIP02	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert
C100235	ADCIP03	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal
C100236	ADCIP04	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address
C100237	ADCIP05	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp
C100284	ADCMZ	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score
C100285	ADCMZ01	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors
C100286	ADCMZ02	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time
C100280	ADCNC	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score
C100281	ADCNC01	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct
C100282	ADCNC02	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors
C100283	ADCNC03	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind
C100191	ADCOF	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score
C100204	ADCOFF01	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb

**C100132 ADCTC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100205	ADCOFF02	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer
C100206	ADCOFF03	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle
C100207	ADCOFF04	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring
C100208	ADCOFF05	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky
C100192	ADCOFO01	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1
C100193	ADCOFO02	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2
C100194	ADCOFO03	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3
C100195	ADCOFO04	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4
C100196	ADCOFO05	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5
C100197	ADCOFO06	Naming Objects and Fingers: 6	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6
C100198	ADCOFO07	Naming Objects and Fingers: 7	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7
C100199	ADCOFO08	Naming Objects and Fingers: 8	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8
C100200	ADCOFO09	Naming Objects and Fingers: 9	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9
C100201	ADCOFO10	Naming Objects and Fingers: 10	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10
C100202	ADCOFO11	Naming Objects and Fingers: 11	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11
C100203	ADCOFO12	Naming Objects and Fingers: 12	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12
C100238	ADCOR	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score
C100239	ADCOR01	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name
C100240	ADCOR02	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month
C100241	ADCOR03	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date
C100242	ADCOR04	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year

<b>C100132 ADCTC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100243	ADCOR05	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week
C100244	ADCOR06	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season
C100245	ADCOR07	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place
C100246	ADCOR08	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time
C100247	ADCRG	Word Recognition	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for word recognition across trials 1-3.	CDISC ADAS-Cog - Word Recognition Summary Score
C100248	ADCRGT01	Word Recognition Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 1.	CDISC ADAS-Cog - Word Recognition Trial 1 Summary Score
C100249	ADCRGT02	Word Recognition Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 2.	CDISC ADAS-Cog - Word Recognition Trial 2 Summary Score
C100250	ADCRGT03	Word Recognition Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 3.	CDISC ADAS-Cog - Word Recognition Trial 3 Summary Score
C100251	ADCRGW01	Word Recognition: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 1 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 1
C100252	ADCRGW02	Word Recognition: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 2 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 2
C100253	ADCRGW03	Word Recognition: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 3 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 3
C100254	ADCRGW04	Word Recognition: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 4 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 4
C100255	ADCRGW05	Word Recognition: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 5 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 5
C100256	ADCRGW06	Word Recognition: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 6 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 6
C100257	ADCRGW07	Word Recognition: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 7 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 7
C100258	ADCRGW08	Word Recognition: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 8 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 8
C100259	ADCRGW09	Word Recognition: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 9 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 9
C100260	ADCRGW10	Word Recognition: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 10 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 10
C100261	ADCRGW11	Word Recognition: Word [11]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 11 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 11
C100262	ADCRGW12	Word Recognition: Word [12]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 12 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 12
C100263	ADCRGW13	Word Recognition: Word [13]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 13 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 13
C100264	ADCRGW14	Word Recognition: Word [14]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 14 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 14
C100265	ADCRGW15	Word Recognition: Word [15]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 15 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 15
C100266	ADCRGW16	Word Recognition: Word [16]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 16 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 16
C100267	ADCRGW17	Word Recognition: Word [17]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 17 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 17

**C100132 ADCTC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100268	ADCRGW18	Word Recognition: Word [18]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 18 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 18
C100269	ADCRGW19	Word Recognition: Word [19]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 19 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 19
C100270	ADCRGW20	Word Recognition: Word [20]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 20 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 20
C100271	ADCRGW21	Word Recognition: Word [21]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 21 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 21
C100272	ADCRGW22	Word Recognition: Word [22]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 22 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 22
C100273	ADCRGW23	Word Recognition: Word [23]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 23 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 23
C100274	ADCRGW24	Word Recognition: Word [24]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recognition task for word 24 Trials 1, 2, 3.	CDISC ADAS-Cog - Word Recognition: Word 24
C100275	ADCRI	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions
C100177	ADCRL	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score
C100178	ADCRLT01	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore
C100179	ADCRLT02	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore
C100180	ADCRLT03	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore
C100181	ADCRLW01	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1
C100182	ADCRLW02	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2
C100183	ADCRLW03	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3
C100184	ADCRLW04	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4
C100185	ADCRLW05	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5
C100186	ADCRLW06	Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 6 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 6
C100187	ADCRLW07	Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 7 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 7
C100188	ADCRLW08	Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 8 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 8
C100189	ADCRLW09	Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 9 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 9
C100190	ADCRLW10	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10
C100276	ADCSL	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability

## ADCTN (Alzheimer's Disease Assessment Scale - Cognitive CDISC Version Questionnaire Test Name)

NCI Code: C100131, Codelist extensible: No

<b>C100131 ADCTN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100231	Attempt to Draw	Attempt to Draw	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis attempted to draw, but drew no forms correctly.	CDISC ADAS-Cog - Attempt to Draw
C100209	Commands	Commands	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for commands.	CDISC ADAS-Cog - Commands Summary Score
C100211	Commands: Ceiling	Commands: Ceiling	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for pointing to the ceiling then to the floor.	CDISC ADAS-Cog - Commands: Ceiling
C100210	Commands: Fist	Commands: Fist	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for making a fist.	CDISC ADAS-Cog - Commands: Fist
C100212	Commands: Pencil	Commands: Pencil	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the pencil on top of the card and then put it back.	CDISC ADAS-Cog - Commands: Pencil
C100214	Commands: Shoulder	Commands: Shoulder	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for tap each shoulder twice with two fingers keeping your eyes shut.	CDISC ADAS-Cog - Commands: Shoulder
C100213	Commands: Watch	Commands: Watch	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Commands task for put the watch on the other side of the pencil and then turn over the card.	CDISC ADAS-Cog - Commands: Watch
C100278	Comprehension	Comprehension	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to comprehend speech.	CDISC ADAS-Cog - Comprehension
C100279	Concentration/Distractibility	Concentration/Distractibility	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ability to concentrate or easily be distracted.	CDISC ADAS-Cog - Concentration/Distractibility
C100226	Constructional Praxis	Constructional Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for constructional praxis.	CDISC ADAS-Cog - Constructional Praxis Summary Score
C100228	Constructional Praxis: 2 Rectangles	Constructional Praxis: 2 Rectangles	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying two overlapping rectangles.	CDISC ADAS-Cog - Constructional Praxis: 2 Rectangles
C100227	Constructional Praxis: Circle	Constructional Praxis: Circle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a circle.	CDISC ADAS-Cog - Constructional Praxis: Circle
C100230	Constructional Praxis: Cube	Constructional Praxis: Cube	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a cube.	CDISC ADAS-Cog - Constructional Praxis: Cube
C100229	Constructional Praxis: Diamond	Constructional Praxis: Diamond	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Constructional praxis task for copying a diamond.	CDISC ADAS-Cog - Constructional Praxis: Diamond
C100215	Delayed Word Recall	Delayed Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for delayed word recall.	CDISC ADAS-Cog - Delayed Word Recall Summary Score
C100225	Delayed Word Recall: Word [10]	Delayed Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 10.	CDISC ADAS-Cog - Delayed Word Recall: Word 10
C100216	Delayed Word Recall: Word [1]	Delayed Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 1.	CDISC ADAS-Cog - Delayed Word Recall: Word 1
C100217	Delayed Word Recall: Word [2]	Delayed Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 2.	CDISC ADAS-Cog - Delayed Word Recall: Word 2
C100218	Delayed Word Recall: Word [3]	Delayed Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 3.	CDISC ADAS-Cog - Delayed Word Recall: Word 3
C100219	Delayed Word Recall: Word [4]	Delayed Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 4.	CDISC ADAS-Cog - Delayed Word Recall: Word 4



<b>C100131 ADCTN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100220	Delayed Word Recall: Word [5]	Delayed Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 5.	CDISC ADAS-Cog - Delayed Word Recall: Word 5
C100221	Delayed Word Recall: Word [6]	Delayed Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 6.	CDISC ADAS-Cog - Delayed Word Recall: Word 6
C100222	Delayed Word Recall: Word [7]	Delayed Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 7.	CDISC ADAS-Cog - Delayed Word Recall: Word 7
C100223	Delayed Word Recall: Word [8]	Delayed Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 8.	CDISC ADAS-Cog - Delayed Word Recall: Word 8
C100224	Delayed Word Recall: Word [9]	Delayed Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Delayed word recall task for word 9.	CDISC ADAS-Cog - Delayed Word Recall: Word 9
C100284	Executive Function Maze	Executive Function Maze	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the executive function maze tasks.	CDISC ADAS-Cog - Executive Function Maze Summary Score
C100285	Executive Function Maze: Errors	Executive Function Maze: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Errors
C100286	Executive Function Maze: Time	Executive Function Maze: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - The time in seconds stored in ISO 8601 time for the executive function maze task.	CDISC ADAS-Cog - Executive Function Maze: Time
C100232	Ideational Praxis	Ideational Praxis	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for ideational praxis.	CDISC ADAS-Cog - Ideational Praxis Summary Score
C100236	Ideational Praxis: Address	Ideational Praxis: Address	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for address the envelop to yourself.	CDISC ADAS-Cog - Ideational Praxis: Address
C100233	Ideational Praxis: Fold	Ideational Praxis: Fold	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for folding the paper.	CDISC ADAS-Cog - Ideational Praxis: Fold
C100234	Ideational Praxis: Insert	Ideational Praxis: Insert	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for put the paper in the envelop.	CDISC ADAS-Cog - Ideational Praxis: Insert
C100235	Ideational Praxis: Seal	Ideational Praxis: Seal	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for seal the envelop.	CDISC ADAS-Cog - Ideational Praxis: Seal
C100237	Ideational Praxis: Stamp	Ideational Praxis: Stamp	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Ideational praxis task for showing where the stamp goes.	CDISC ADAS-Cog - Ideational Praxis: Stamp
C100191	Naming Objects and Fingers	Naming Objects and Fingers	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task summary score for object and fingers.	CDISC ADAS-Cog - Naming Objects and Fingers Summary Score
C100192	Naming Objects and Fingers: 1	Naming Objects and Fingers: 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 1.	CDISC ADAS-Cog - Naming Objects and Fingers: 1
C100201	Naming Objects and Fingers: 10	Naming Objects and Fingers: 10	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 10.	CDISC ADAS-Cog - Naming Objects and Fingers: 10
C100202	Naming Objects and Fingers: 11	Naming Objects and Fingers: 11	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 11.	CDISC ADAS-Cog - Naming Objects and Fingers: 11
C100203	Naming Objects and Fingers: 12	Naming Objects and Fingers: 12	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 12.	CDISC ADAS-Cog - Naming Objects and Fingers: 12
C100193	Naming Objects and Fingers: 2	Naming Objects and Fingers: 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 2.	CDISC ADAS-Cog - Naming Objects and Fingers: 2
C100194	Naming Objects and Fingers: 3	Naming Objects and Fingers: 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 3.	CDISC ADAS-Cog - Naming Objects and Fingers: 3

**C100131 ADCTN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100195	Naming Objects and Fingers: 4	Naming Objects and Fingers: 4	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 4.	CDISC ADAS-Cog - Naming Objects and Fingers: 4
C100196	Naming Objects and Fingers: 5	Naming Objects and Fingers: 5	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 5.	CDISC ADAS-Cog - Naming Objects and Fingers: 5
C100197	Naming Objects and Fingers: 6	Naming Objects and Fingers: 6	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 6.	CDISC ADAS-Cog - Naming Objects and Fingers: 6
C100198	Naming Objects and Fingers: 7	Naming Objects and Fingers: 7	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 7.	CDISC ADAS-Cog - Naming Objects and Fingers: 7
C100199	Naming Objects and Fingers: 8	Naming Objects and Fingers: 8	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 8.	CDISC ADAS-Cog - Naming Objects and Fingers: 8
C100200	Naming Objects and Fingers: 9	Naming Objects and Fingers: 9	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for object 9.	CDISC ADAS-Cog - Naming Objects and Fingers: 9
C100206	Naming Objects and Fingers: Middle	Naming Objects and Fingers: Middle	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, middle finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Middle
C100208	Naming Objects and Fingers: Pinky	Naming Objects and Fingers: Pinky	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, little finger or pinky.	CDISC ADAS-Cog - Naming Objects and Fingers: Pinky
C100205	Naming Objects and Fingers: Pointer	Naming Objects and Fingers: Pointer	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, index, or pointer finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Pointer
C100207	Naming Objects and Fingers: Ring	Naming Objects and Fingers: Ring	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, ring finger.	CDISC ADAS-Cog - Naming Objects and Fingers: Ring
C100204	Naming Objects and Fingers: Thumb	Naming Objects and Fingers: Thumb	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Naming task for fingers of the dominant hand, thumb.	CDISC ADAS-Cog - Naming Objects and Fingers: Thumb
C100280	Number Cancellation	Number Cancellation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for the number cancellation tasks.	CDISC ADAS-Cog - Number Cancellation Summary Score
C100281	Number Cancellation: Correct	Number Cancellation: Correct	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of targets hit during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Correct
C100282	Number Cancellation: Errors	Number Cancellation: Errors	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of errors during the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Errors
C100283	Number Cancellation: Remind	Number Cancellation: Remind	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Number of times reminded for the number cancellation task.	CDISC ADAS-Cog - Number Cancellation: Remind
C100238	Orientation	Orientation	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for orientation.	CDISC ADAS-Cog - Orientation Summary Score
C100241	Orientation: Date	Orientation: Date	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day.	CDISC ADAS-Cog - Orientation: Date
C100243	Orientation: Day of Week	Orientation: Day of Week	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current day of the week.	CDISC ADAS-Cog - Orientation: Day of Week
C100239	Orientation: Full Name	Orientation: Full Name	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing one's own full name.	CDISC ADAS-Cog - Orientation: Full Name
C100240	Orientation: Month	Orientation: Month	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current month.	CDISC ADAS-Cog - Orientation: Month
C100245	Orientation: Place	Orientation: Place	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current place.	CDISC ADAS-Cog - Orientation: Place

**C100131 ADCTN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100244	Orientation: Season	Orientation: Season	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current season.	CDISC ADAS-Cog - Orientation: Season
C100246	Orientation: Time	Orientation: Time	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the approximate current clock time.	CDISC ADAS-Cog - Orientation: Time
C100242	Orientation: Year	Orientation: Year	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Orientation task for knowing the current year.	CDISC ADAS-Cog - Orientation: Year
C100275	Remembering Test Instructions	Remembering Test Instructions	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Remembering test instructions.	CDISC ADAS-Cog - Remembering Test Instructions
C100276	Spoken Language Ability	Spoken Language Ability	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Global rating of the quality of speech, or difficulty in making oneself understood.	CDISC ADAS-Cog - Spoken Language Ability
C100277	Word Finding Difficulty in Spont Speech	Word Finding Difficulty in Spont Speech	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Difficulty finding the desired word in spontaneous speech.	CDISC ADAS-Cog - Word Difficulty in Spontaneous Speech
C100177	Word Recall	Word Recall	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word average score of trials 1, 2, 3.	CDISC ADAS-Cog - Word Recall Average Score
C100178	Word Recall Trial 1	Word Recall Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 1.	CDISC ADAS-Cog - Word Recall Trial 1 Subscore
C100179	Word Recall Trial 2	Word Recall Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 2.	CDISC ADAS-Cog - Word Recall Trial 2 Subscore
C100180	Word Recall Trial 3	Word Recall Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recall task trial 3.	CDISC ADAS-Cog - Word Recall Trial 3 Subscore
C100190	Word Recall: Word [10]	Word Recall: Word [10]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 10 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 10
C100181	Word Recall: Word [1]	Word Recall: Word [1]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 1 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 1
C100182	Word Recall: Word [2]	Word Recall: Word [2]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 2 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 2
C100183	Word Recall: Word [3]	Word Recall: Word [3]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 3 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 3
C100184	Word Recall: Word [4]	Word Recall: Word [4]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 4 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 4
C100185	Word Recall: Word [5]	Word Recall: Word [5]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 5 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 5
C100186	Word Recall: Word [6]	Word Recall: Word [6]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 6 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 6
C100187	Word Recall: Word [7]	Word Recall: Word [7]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 7 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 7
C100188	Word Recall: Word [8]	Word Recall: Word [8]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 8 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 8
C100189	Word Recall: Word [9]	Word Recall: Word [9]	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Word recall task word 9 for trial 1, 2, 3.	CDISC ADAS-Cog - Word Recall: Word 9
C100247	Word Recognition	Word Recognition	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Summary score for word recognition across trials 1-3.	CDISC ADAS-Cog - Word Recognition Summary Score
C100248	Word Recognition Trial 1	Word Recognition Trial 1	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 1.	CDISC ADAS-Cog - Word Recognition Trial 1 Summary Score
C100249	Word Recognition Trial 2	Word Recognition Trial 2	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 2.	CDISC ADAS-Cog - Word Recognition Trial 2 Summary Score
C100250	Word Recognition Trial 3	Word Recognition Trial 3	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version - Sub-score for word recognition trial 3.	CDISC ADAS-Cog - Word Recognition Trial 3 Summary Score



## ADL01TC (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Code)

NCI Code: C105140, Codelist extensible: No

C105140 ADL01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105283	ADL0101	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105284	ADL0102	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking
C105285	ADL0103	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105286	ADL0104	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105287	ADL0105	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming
C105288	ADL0106	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105289	ADL0106A	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105290	ADL0106B	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105291	ADL0107	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105292	ADL0107A	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use
C105293	ADL0108	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105294	ADL0108A	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105295	ADL0108B	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL0108C	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105297	ADL0109	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105298	ADL0109A	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105299	ADL0110	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105300	ADL0110A	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes

<b>C105140 ADL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105301	ADL0111	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105302	ADL0111A	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home
C105303	ADL0112	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self
C105304	ADL0112A	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage
C105305	ADL0113	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home
C105306	ADL0113A	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105307	ADL0114	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105308	ADL0114A	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105309	ADL0115	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105310	ADL0115A	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105311	ADL0116	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping
C105312	ADL0116A	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items
C105313	ADL0116B	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105314	ADL0117	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others
C105315	ADL0117A	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105316	ADL0118	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own
C105317	ADL0118A	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer
C105318	ADL0118B	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left: at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer
C105319	ADL0118C	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour

**C105140 ADL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105320	ADL0119	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events
C105321	ADL0119A	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL0119B	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105323	ADL0119C	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part in or Watched
C105324	ADL0120	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105325	ADL0120A	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105326	ADL0120B	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105327	ADL0121	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down
C105328	ADL0121A	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings
C105329	ADL0122	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105330	ADL0122A	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games
C105331	ADL0122B	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo
C105332	ADL0122C	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords
C105333	ADL0122D	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art
C105334	ADL0122E	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument
C105335	ADL0122F	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting
C105336	ADL0122G	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105337	ADL0122H	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105338	ADL0122I	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening

<b>C105140 ADL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105339	ADL0122J	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf
C105340	ADL0122K	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL0122L	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105342	ADL0122M	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing
C105343	ADL0122N	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105344	ADL0122O	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105345	ADL0122P	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care
C105346	ADL0122Q	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105347	ADL0123	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores
C105348	ADL0123A	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105349	ADL0123B	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105350	ADL0123C	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105351	ADL0123D	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105352	ADL0123E	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105353	ADL0123F	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105354	ADL0123G	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105355	ADL0123H	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105356	ADL0123I	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105357	ADL0123J	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105358	ADL0123K	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105359	ADL0123L	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances
C105360	ADL0124	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105361	ADL0125	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses



**ADL01TN (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Questionnaire Test Name)**

NCI Code: C105139, Codelist extensible: No

<b>C105139 ADL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105351	ADL01-Appliance: Dishwasher	ADL01-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dishwasher.	ADCS-ADL - Appliance: Dishwasher
C105349	ADL01-Appliance: Dryer	ADL01-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: dryer.	ADCS-ADL - Appliance: Dryer
C105356	ADL01-Appliance: Food Processor	ADL01-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: food processor.	ADCS-ADL - Appliance: Food Processor
C105355	ADL01-Appliance: Microwave	ADL01-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: microwave.	ADCS-ADL - Appliance: Microwave
C105357	ADL01-Appliance: Other	ADL01-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other.	ADCS-ADL - Appliance: Other
C105358	ADL01-Appliance: Other Specify	ADL01-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: other specify.	ADCS-ADL - Appliance: Other Specify
C105354	ADL01-Appliance: Range	ADL01-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: range.	ADCS-ADL - Appliance: Range
C105352	ADL01-Appliance: Toaster	ADL01-Appliance: Toaster	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster.	ADCS-ADL - Appliance: Toaster
C105353	ADL01-Appliance: Toaster Oven	ADL01-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: toaster oven.	ADCS-ADL - Appliance: Toaster Oven
C105350	ADL01-Appliance: Vacuum	ADL01-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: vacuum.	ADCS-ADL - Appliance: Vacuum
C105348	ADL01-Appliance: Washer	ADL01-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Check all that were used: washer.	ADCS-ADL - Appliance: Washer
C105315	ADL01-Aware of Appointment Ahead of Time	ADL01-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL - Description of Awareness of Appointment Ahead of Time
C105299	ADL01-Clear Dishes	ADL01-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL - Clear Dishes After Meal or Snack
C105300	ADL01-Clear Dishes Usual Performance	ADL01-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Clearing Dishes
C105308	ADL01-Dispose Garbage Usual Performance	ADL01-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Garbage Disposal
C105307	ADL01-Dispose of Garbage	ADL01-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL - Dispose of Garbage in Appropriate Place at Home
C105301	ADL01-Find Belongings	ADL01-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL - Find Personal Belongings at Home
C105302	ADL01-Find Belongings Usual Performance	ADL01-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes how he/she usually performed.	ADCS-ADL - Description of Usual Performance of Finding Personal Belonging at Home
C105310	ADL01-Get Around Optimal Performance	ADL01-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Getting Around Outside of Home
C105309	ADL01-Get Around Outside Home	ADL01-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL - Get Around Outside Home
C105311	ADL01-Go Shopping	ADL01-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever go shopping?	ADCS-ADL - Go Shopping

**C105139 ADL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105306	ADL01-Highest Level of Food Preparation	ADL01-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL - Highest Level of Food Preparation
C105292	ADL01-Highest Telephone Use Performance	ADL01-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Telephone Use
C105345	ADL01-Hobbies Only at Day Care	ADL01-Hobbies Only at Day Care	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If {S} performs hobbies/pastimes only at day care, check here.	ADCS-ADL - Performed Hobbies Only at Day Care
C105312	ADL01-How Usually Selects Items	ADL01-How Usually Selects Items	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which one best describes how {S} usually selects items.	ADCS-ADL - How Subject Usually Selects Items
C105314	ADL01-Keep Appointments	ADL01-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL - Keep Appointments or Meetings with Others
C105318	ADL01-Left at Home for 1 Hour or Longer	ADL01-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left: at home, for an hour or longer, during the day?	ADCS-ADL - Left at Home for One Hour or Longer
C105319	ADL01-Left at Home for Less Than 1 Hour	ADL01-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL - Left at Home for Less Than One Hour
C105317	ADL01-Left Away From Home	ADL01-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL - Left Away From Home for Fifteen Minutes or Longer
C105316	ADL01-Left On His/Her Own	ADL01-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL - Subject Left on Their Own
C105305	ADL01-Make a Meal	ADL01-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL - Make a Meal or Snack at Home
C105328	ADL01-Most Complicated Writings	ADL01-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL - Description of Most Complicated Writings
C105361	ADL01-Number Don't Know Responses	ADL01-Number Don't Know Responses	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Number of 'Don't Know' Responses.	ADCS-ADL - Number of 'Don't Know' Responses
C105303	ADL01-Obtain Beverage	ADL01-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL - Obtain Beverage for Self
C105304	ADL01-Obtain Beverage Highest Perform	ADL01-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her highest level of performance.	ADCS-ADL - Description of Highest Performance of Obtaining Beverage
C105287	ADL01-Optimal Grooming Performance	ADL01-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding grooming, in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Grooming
C105284	ADL01-Optimal Walking Performance	ADL01-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding walking (or getting around in a wheelchair), in the past 4 weeks, which best describes his/her optimal performance.	ADCS-ADL - Description of Optimal Performance of Walking
C105333	ADL01-Pastime: Art	ADL01-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: art.	ADCS-ADL - Pastime: Art
C105331	ADL01-Pastime: Bingo	ADL01-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: bingo.	ADCS-ADL - Pastime: Bingo
C105330	ADL01-Pastime: Card or Board Games	ADL01-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: Card or board games.	ADCS-ADL - Pastime: Card or Board Games
C105332	ADL01-Pastime: Crosswords	ADL01-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: crosswords.	ADCS-ADL - Pastime: Crosswords
C105342	ADL01-Pastime: Fishing	ADL01-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: fishing.	ADCS-ADL - Pastime: Fishing

**C105139 ADL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105338	ADL01-Pastime: Gardening	ADL01-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: gardening.	ADCS-ADL - Pastime: Gardening
C105339	ADL01-Pastime: Golf	ADL01-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: golf.	ADCS-ADL - Pastime: Golf
C105335	ADL01-Pastime: Knitting	ADL01-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: knitting.	ADCS-ADL - Pastime: Knitting
C105334	ADL01-Pastime: Musical Instrument	ADL01-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: musical instrument.	ADCS-ADL - Pastime: Musical Instrument
C105343	ADL01-Pastime: Other	ADL01-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other.	ADCS-ADL - Pastime: Other
C105344	ADL01-Pastime: Other Specify	ADL01-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: other specify.	ADCS-ADL - Pastime: Other Specify
C105337	ADL01-Pastime: Reading	ADL01-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: reading.	ADCS-ADL - Pastime: Reading
C105336	ADL01-Pastime: Sewing	ADL01-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: sewing.	ADCS-ADL - Pastime: Sewing
C105340	ADL01-Pastime: Tennis	ADL01-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: tennis.	ADCS-ADL - Pastime: Tennis
C105341	ADL01-Pastime: Workshop	ADL01-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Which pastimes did he/she perform: workshop.	ADCS-ADL - Pastime: Workshop
C105297	ADL01-Pay Attention to Conversation	ADL01-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL - Pay Attention to Conversation
C105313	ADL01-Pay Without Supervision	ADL01-Pay Without Supervision	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually pay for items without supervision or physical help?	ADCS-ADL - Pay for Items Without Supervision or Physical Help
C105329	ADL01-Perform Pastime	ADL01-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL - Perform Pastime, Hobby or Game
C105324	ADL01-Read More Than 5 Minutes	ADL01-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL - Read for More Than Five Minutes
C105288	ADL01-Select First Clothes for the Day	ADL01-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding dressing in the past 4 weeks: Did {S} select his/her first set of clothes for the day?	ADCS-ADL - Select First Clothes for the Day
C105294	ADL01-Select Television Program	ADL01-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL - Select or Ask for Television Program
C105326	ADL01-Talk 1 Hour or More After Reading	ADL01-Talk 1 Hour or More After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about what he/she read 1 hour or longer after reading?	ADCS-ADL - Talk About What Subject Read More Than One Hour After Reading
C105323	ADL01-Talk About at Home Events	ADL01-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL - Talk About Events at Home that Subject Took Part in or Watched
C105320	ADL01-Talk About Current Events	ADL01-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL - Talk About Current Events

<b>C105139 ADL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105321	ADL01-Talk About Events Heard/Read About	ADL01-Talk About Events Heard/Read About	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she heard or read about or saw on TV but did not take part in?	ADCS-ADL - Talk About Events on TV that Subject Did not Take Part In
C105322	ADL01-Talk About Outside Events	ADL01-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about events that he/she took part in outside home involving family, friends, or neighbors?	ADCS-ADL - Talk About Events Outside of Home that Subject Took Part In
C105295	ADL01-Talk About TV Content While Watch	ADL01-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL - Talk About TV Content While Watching
C105296	ADL01-Talk About TV Content Within a Day	ADL01-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL - Talk About TV Content Within a Day After Watching
C105325	ADL01-Talk Within 1 Hour After Reading	ADL01-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Did {S} usually talk about details of what he/she read while or shortly (less than 1 hour) after reading?	ADCS-ADL - Talk About What Subject Read Less Than One Hour After Reading
C105360	ADL01-Total ADCS-ADL Score	ADL01-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Total Score.	ADCS-ADL - Total Score
C105291	ADL01-Use a Telephone	ADL01-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL - Use a Telephone
C105359	ADL01-Use Common Used Appliances	ADL01-Use Common Used Appliances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, for the most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL - Description of Usual Use of Commonly Used Appliances
C105347	ADL01-Use Household Appliance	ADL01-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL - Use Household Appliance to do Chores
C105286	ADL01-Usual Bathing Performance	ADL01-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bathing, in the past 4 weeks, which best describes his/her usual performance.	ADCS-ADL - Description of Usual Performance of Bathing
C105285	ADL01-Usual Bowel/Bladder Function	ADL01-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding bowel and bladder function at the toilet, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Usual Bowel and Bladder Function at Toilet
C105346	ADL01-Usual Common Pastimes Performance	ADL01-Usual Common Pastimes Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, how did {S} usually perform his/her most common pastimes.	ADCS-ADL - Description of Usual Performance of Common Pastimes
C105298	ADL01-Usual Conversation Participation	ADL01-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes his/her usual degree of participation.	ADCS-ADL - Usual Conversation Participation
C105289	ADL01-Usual Dressing Performance	ADL01-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - If yes, which best describes usual performance.	ADCS-ADL - Description of Usual Performance of Dressing
C105283	ADL01-Usual Eating Performance	ADL01-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding eating: which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL - Description of Usual Performance of Eating
C105290	ADL01-Usual Physically Dressing Perform	ADL01-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL - Description of Usual Performance of Physically Getting Dressed
C105293	ADL01-Watch Television	ADL01-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} watch television?	ADCS-ADL - Watch Television
C105327	ADL01-Write Things Down	ADL01-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL - Write Things Down

**ADL02TC (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Code)**

NCI Code: C106653, Codelist extensible: No

<b>C106653 ADL02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106979	ADL0201	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106980	ADL0202	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106981	ADL0203	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet
C106982	ADL0204	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?	ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing
C106983	ADL0205	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming
C106984	ADL0206	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106985	ADL0207	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL Severe Dementia - Use a Telephone
C106986	ADL0207A	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C106987	ADL0208	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL Severe Dementia - Watch Television
C106988	ADL0208A	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?	ADCS-ADL Severe Dementia - Select or Ask for Television Program
C106989	ADL0208B	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL0208C	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C106991	ADL0209	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation
C106992	ADL0209A	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.	ADCS-ADL Severe Dementia - Usual Conversation Participation
C106993	ADL0210	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C106994	ADL0210A	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes

**C106653 ADL02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106995	ADL0211	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C106996	ADL0211A	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C106997	ADL0212	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self
C106998	ADL0212A	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage
C106999	ADL0213	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C107000	ADL0213A	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C107001	ADL0214	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C107002	ADL0214A	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107003	ADL0215	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C107004	ADL0215A	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107005	ADL0215B	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL0215C	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107007	ADL0216	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?	ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C107008	ADL0217	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?	ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107009	ADL0218	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?	ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C107010	ADL0219	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?	ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107011	ADL0220	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.	ADCS-ADL Severe Dementia - Sum of Items 1-5

**C106653 ADL02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107012	ADL0221	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.	ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL0222	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.	ADCS-ADL Severe Dementia - Sum of Items 9-12
C107014	ADL0223	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.	ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL0224	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.	ADCS-ADL Severe Dementia - Sum of Items 16-19
C107016	ADL0225	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.	ADCS-ADL Severe Dementia - Total Score

**ADL02TN (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Version Questionnaire Test Name)**

NCI Code: C106652, Codelist extensible: No

<b>C106652 ADL02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106993	ADL02-Clear Dishes	ADL02-Clear Dishes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} clear the dishes from the table after a meal or snack?	ADCS-ADL Severe Dementia - Clear Dishes After Meal or Snack
C106994	ADL02-Clear Dishes Usual Performance	ADL02-Clear Dishes Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Clearing Dishes
C107000	ADL02-Dispose Garbage Usual Performance	ADL02-Dispose Garbage Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Garbage Disposal
C106999	ADL02-Dispose of Garbage	ADL02-Dispose of Garbage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} dispose of garbage or litter in an appropriate place or container at home?	ADCS-ADL Severe Dementia - Dispose of Garbage in Appropriate Place at Home
C106995	ADL02-Find Belongings	ADL02-Find Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL Severe Dementia - Find Personal Belongings at Home
C106996	ADL02-Find Belongings Usual Performance	ADL02-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes how {S} usually performed.	ADCS-ADL Severe Dementia - Description of Usual Performance of Finding Personal Belonging at Home
C107002	ADL02-Get Around Optimal Performance	ADL02-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} optimal performance.	ADCS-ADL Severe Dementia - Description of Optimal Performance of Getting Around Outside of Home
C107001	ADL02-Get Around Outside Home	ADL02-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL Severe Dementia - Get Around Outside Home
C106986	ADL02-Highest Telephone Use Performance	ADL02-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Telephone Use
C107005	ADL02-Left at Home for 1 Hour or Longer	ADL02-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for an hour or longer during the day?	ADCS-ADL Severe Dementia - Alone at Home for One Hour or Longer
C107006	ADL02-Left at Home for Less Than 1 Hour	ADL02-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: at home for less than 1 hour during the day?	ADCS-ADL Severe Dementia - Alone at Home for Less Than One Hour
C107004	ADL02-Left Away From Home	ADL02-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Was {S} left: away from home for 15 minutes or longer, during the day?	ADCS-ADL Severe Dementia - Alone Away From Home for Fifteen Minutes or Longer
C107003	ADL02-Left On His/Her Own	ADL02-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL Severe Dementia - Subject Left on Their Own
C106997	ADL02-Obtain Beverage	ADL02-Obtain Beverage	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} obtain a hot or cold beverage for him/herself?	ADCS-ADL Severe Dementia - Obtain Beverage for Self
C106998	ADL02-Obtain Beverage Highest Perform	ADL02-Obtain Beverage Highest Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} highest level of performance.	ADCS-ADL Severe Dementia - Description of Highest Performance of Obtaining Beverage
C106983	ADL02-Optimal Grooming Performance	ADL02-Optimal Grooming Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding grooming, in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Grooming



**C106652 ADL02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106980	ADL02-Optimal Walking Performance	ADL02-Optimal Walking Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding walking (or getting around in a wheelchair) in the past 4 weeks, which best describes {S} optimal performance?	ADCS-ADL Severe Dementia - Description of Optimal Performance of Walking
C106991	ADL02-Pay Attention to Conversation	ADL02-Pay Attention to Conversation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} ever appear to pay attention to conversation or small talk for at least 5 minutes?	ADCS-ADL Severe Dementia - Pay Attention to Conversation
C107007	ADL02-Run Water Faucet to Wash	ADL02-Run Water Faucet to Wash	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually run water from a faucet to wash {S} hands or face without help?	ADCS-ADL Severe Dementia - Turn On Faucet to Wash Without Help
C106988	ADL02-Select Television Program	ADL02-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually select or ask for different programs or {S} favorite show?	ADCS-ADL Severe Dementia - Select or Ask for Television Program
C107011	ADL02-Sum 1 to 5	ADL02-Sum 1 to 5	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 1-5.	ADCS-ADL Severe Dementia - Sum of Items 1-5
C107014	ADL02-Sum 13 to 15	ADL02-Sum 13 to 15	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 13-15.	ADCS-ADL Severe Dementia - Sum of Items 13-15
C107015	ADL02-Sum 16 to 19	ADL02-Sum 16 to 19	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 16-19.	ADCS-ADL Severe Dementia - Sum of Items 16-19
C107012	ADL02-Sum 6 to 8	ADL02-Sum 6 to 8	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 6-8.	ADCS-ADL Severe Dementia - Sum of Items 6-8
C107013	ADL02-Sum 9 to 12	ADL02-Sum 9 to 12	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Sum of Items 9-12.	ADCS-ADL Severe Dementia - Sum of Items 9-12
C106989	ADL02-Talk About TV Content While Watch	ADL02-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL Severe Dementia - Talk About TV Content While Watching
C106990	ADL02-Talk About TV Content Within a Day	ADL02-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL Severe Dementia - Talk About TV Content Within a Day After Watching
C107016	ADL02-Total ADCS-ADL Score	ADL02-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Total Score.	ADCS-ADL Severe Dementia - Total Score
C107008	ADL02-Turn Off Faucet	ADL02-Turn Off Faucet	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off the faucet after finishing running water without help?	ADCS-ADL Severe Dementia - Turn Off Faucet After Wash Without Help
C107010	ADL02-Turn Off Light	ADL02-Turn Off Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn off lights without help when leaving a room or going to sleep?	ADCS-ADL Severe Dementia - Turn Off Light Without Help Leaving Room
C107009	ADL02-Turn On Light	ADL02-Turn On Light	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} usually turn on a light without help when entering a dark room or area?	ADCS-ADL Severe Dementia - Turn On Light Without Help Entering Room
C106985	ADL02-Use a Telephone	ADL02-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL Severe Dementia - Use a Telephone
C106982	ADL02-Usual Bathing Performance	ADL02-Usual Bathing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bathing, in the past 4 weeks, which best describes {S} usual performance?	ADCS-ADL Severe Dementia - Description of Usual Performance of Bathing
C106981	ADL02-Usual Bowel/Bladder Function	ADL02-Usual Bowel/Bladder Function	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding bowel and bladder function at the toilet, which best describes {S} usual performance during the past 4 weeks?	ADCS-ADL Severe Dementia - Usual Bowel and Bladder Function at Toilet

**C106652 ADL02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106992	ADL02-Usual Conversation Participation	ADL02-Usual Conversation Participation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - If yes, which best describes {S} usual degree of participation.	ADCS-ADL Severe Dementia - Usual Conversation Participation
C106979	ADL02-Usual Eating Performance	ADL02-Usual Eating Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding eating, which best describes {S} usual performance during the last 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Eating
C106984	ADL02-Usual Physically Dressing Perform	ADL02-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - Regarding physically getting dressed, which best describes {S} usual performance in the past 4 weeks?	ADCS-ADL Severe Dementia - Description of Usual Performance of Physically Getting Dressed
C106987	ADL02-Watch Television	ADL02-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, Severe Dementia Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL Severe Dementia - Watch Television

**ADL03TC (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Code)**

NCI Code: C106651, Codelist extensible: No

<b>C106651 ADL03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106891	ADL0301	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106892	ADL0301A	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106893	ADL0302	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106894	ADL0302A	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL0303	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106896	ADL0304	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106897	ADL0304A	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Usual Performance of Cleaning Room
C106898	ADL0305	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106899	ADL0305A	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106900	ADL0306	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down
C106901	ADL0306A	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106902	ADL0307	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106903	ADL0307A	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106904	ADL0308	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106905	ADL0308A	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106906	ADL0309	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone
C106907	ADL0309A	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use

**C106651 ADL03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106908	ADL0310	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106909	ADL0310A	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation
C106910	ADL0311	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106911	ADL0311A	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106912	ADL0312	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106913	ADL0312A	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106914	ADL0312B	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events
C106915	ADL0312C	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106916	ADL0312D	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106917	ADL0313	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106918	ADL0313A	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106919	ADL0313B	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106920	ADL0313C	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106921	ADL0314	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106922	ADL0314A	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show
C106923	ADL0314B	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL0314C	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106925	ADL0315	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106926	ADL0315A	ADL03-Select Items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help

**C106651 ADL03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106927	ADL0315B	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106928	ADL0316	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106929	ADL0316A	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106930	ADL0316B	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour
C106931	ADL0316C	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106932	ADL0317	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C107089	ADL0317A	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C107090	ADL0317B	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C107091	ADL0317C	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C106933	ADL0317D	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C106934	ADL0317E	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106935	ADL0317F	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C106936	ADL0317G	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106937	ADL0317H	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106938	ADL0317I	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106939	ADL0317J	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106940	ADL0317K	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106941	ADL0317L	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106942	ADL0318	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106943	ADL0318A	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106944	ADL0318B	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo

<b>C106651 ADL03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106945	ADL0318C	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106946	ADL0318D	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art
C106947	ADL0318E	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106948	ADL0318F	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106949	ADL0318G	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing
C106950	ADL0318H	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106951	ADL0318I	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL0318J	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106953	ADL0318K	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL0318L	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop
C106955	ADL0318M	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106956	ADL0318N	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106957	ADL0318O	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106958	ADL0318P	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL0318Q	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106960	ADL0319	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106961	ADL0319A	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106962	ADL0320	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106963	ADL0320A	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106964	ADL0321	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion

**C106651 ADL03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106965	ADL0321A	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder
C106966	ADL0322	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106967	ADL0323	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106968	ADL0324	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106969	ADL0324A	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C107092	ADL0325	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'
C106970	ADL0326	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106971	ADL0327	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL0328	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106973	ADL0329	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL0330	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL0331	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106976	ADL0332	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL0333	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106978	ADL0334	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score

**ADL03TN (Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory MCI Version Questionnaire Test Name)**

NCI Code: C106650, Codelist extensible: No

<b>C106650 ADL03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106933	ADL03-Appliance: Dishwasher	ADL03-Appliance: Dishwasher	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dishwasher.	ADCS-ADL MCI - Use Household Appliance: Dishwasher
C107090	ADL03-Appliance: Dryer	ADL03-Appliance: Dryer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: dryer.	ADCS-ADL MCI - Use Household Appliance: Dryer
C106938	ADL03-Appliance: Food Processor	ADL03-Appliance: Food Processor	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: food processor.	ADCS-ADL MCI - Use Household Appliance: Food Processor
C106937	ADL03-Appliance: Microwave	ADL03-Appliance: Microwave	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: microwave.	ADCS-ADL MCI - Use Household Appliance: Microwave
C106939	ADL03-Appliance: Other	ADL03-Appliance: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other.	ADCS-ADL MCI - Use Household Appliance: Other
C106940	ADL03-Appliance: Other Specify	ADL03-Appliance: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: other specify.	ADCS-ADL MCI - Use Household Appliance: Other Specify
C106934	ADL03-Appliance: Power Tools	ADL03-Appliance: Power Tools	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: power tool (s).	ADCS-ADL MCI - Use Household Appliance: Power Tools
C106936	ADL03-Appliance: Range	ADL03-Appliance: Range	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: range.	ADCS-ADL MCI - Use Household Appliance: Range
C106935	ADL03-Appliance: Toaster Oven	ADL03-Appliance: Toaster Oven	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: toaster oven.	ADCS-ADL MCI - Use Household Appliance: Toaster Oven
C107091	ADL03-Appliance: Vacuum	ADL03-Appliance: Vacuum	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: vacuum.	ADCS-ADL MCI - Use Household Appliance: Vacuum
C107089	ADL03-Appliance: Washer	ADL03-Appliance: Washer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Check all that were used: washer.	ADCS-ADL MCI - Use Household Appliance: Washer
C106905	ADL03-Aware of Appointment Ahead of Time	ADL03-Aware of Appointment Ahead of Time	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her awareness of the meeting ahead of time.	ADCS-ADL MCI - Description of Awareness of the Meeting Ahead of Time
C106898	ADL03-Balance Checkbook	ADL03-Balance Checkbook	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} balance his/her checkbook or credit card statement?	ADCS-ADL MCI - Balance Checkbook
C106899	ADL03-Balance Checkbook Performance	ADL03-Balance Checkbook Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Balancing Checkbook
C106902	ADL03-Clean Laundry	ADL03-Clean Laundry	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a load of laundry?	ADCS-ADL MCI - Clean Laundry
C106896	ADL03-Clean Room	ADL03-Clean Room	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} clean a living-, sitting-, or family room?	ADCS-ADL MCI - Clean Room
C106897	ADL03-Clean Room Performance	ADL03-Clean Room Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Cleaning Room
C106964	ADL03-Complete Complex Activities	ADL03-Complete Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} usually carry through complex or time-consuming activities to completion?	ADCS-ADL MCI - Carry Through Complex Activities to Completion



**C106650 ADL03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106960	ADL03-Drive Car	ADL03-Drive Car	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} drive a car?	ADCS-ADL MCI - Drive a Car
C106961	ADL03-Drive Car Optimal Performance	ADL03-Drive Car Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Driving Car
C106969	ADL03-Explain Circumstance	ADL03-Explain Circumstance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, explain.	ADCS-ADL MCI - Explain Extenuating Circumstance
C106965	ADL03-Extent Needed Reminders	ADL03-Extent Needed Reminders	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes extent to which he/she needed reminders.	ADCS-ADL MCI - Description of Extent Needing Reminder
C106968	ADL03-Extenuating Circumstances	ADL03-Extenuating Circumstances	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Has an extenuating circumstance (such as a physical health problem, change in residence, change in support network, death of a family member, etc.) contributed to a recent alteration in the subject's activities of daily living?	ADCS-ADL MCI - Extenuating Circumstance
C106892	ADL03-Find Belongings Usual Performance	ADL03-Find Belongings Usual Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he /she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Finding Belongings
C106891	ADL03-Find Personal Belongings	ADL03-Find Personal Belongings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} usually manage to find his/her personal belongings at home?	ADCS-ADL MCI - Find Personal Belongings
C106911	ADL03-Get Around Optimal Performance	ADL03-Get Around Optimal Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her optimal performance.	ADCS-ADL MCI - Description of Optimal Performance of Travelling Outside Home
C106910	ADL03-Get Around Outside Home	ADL03-Get Around Outside Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} get around (or travel) outside of his/her home?	ADCS-ADL MCI - Travel Outside Home
C106925	ADL03-Go Shopping	ADL03-Go Shopping	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever go shopping at a store?	ADCS-ADL MCI - Go Shopping At a Store
C106909	ADL03-Highest Level of Food Preparation	ADL03-Highest Level of Food Preparation	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of food preparation.	ADCS-ADL MCI - Description of Highest Level of Food Preparation
C106907	ADL03-Highest Telephone Use Performance	ADL03-Highest Telephone Use Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her highest level of performance.	ADCS-ADL MCI - Description of Highest Level of Performance of Telephone Use
C106958	ADL03-Hobbies Needed Help (Q18a)	ADL03-Hobbies Needed Help (Q18a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} require supervision, or help, to perform any of these hobbies?	ADCS-ADL MCI - Require Help to Perform Hobbies
C106959	ADL03-Hobbies Unable to Perform (Q18b)	ADL03-Hobbies Unable to Perform (Q18b)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - List any hobby (ies) that the subject has lost the ability to perform.	ADCS-ADL MCI - List Hobbies Lost Ability to Perform
C106966	ADL03-Initiate Complex Activities	ADL03-Initiate Complex Activities	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, to what extent did {S} initiate complex daily activities or projects (e.g., hobbies, travel)?	ADCS-ADL MCI - Initiate Complex Daily Activities
C106904	ADL03-Keep Appointments	ADL03-Keep Appointments	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} keep appointments or meetings with other people, such as relatives, a doctor, the hairdresser, etc.?	ADCS-ADL MCI - Keep Appointments
C106903	ADL03-Laundry Cleaning Performance	ADL03-Laundry Cleaning Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes how he/she usually performed.	ADCS-ADL MCI - Description of Usual Performance of Clean Laundry
C106930	ADL03-Left at Home for 1 Hour or Longer	ADL03-Left at Home for 1 Hour or Longer	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for an hour or longer, during the day?	ADCS-ADL MCI - Left at Home Longer Than an Hour

**C106650 ADL03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106931	ADL03-Left at Home for Less Than 1 Hour	ADL03-Left at Home for Less Than 1 Hour	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left at home, for less than 1 hour, during the day?	ADCS-ADL MCI - Left at Home Less Than an Hour
C106929	ADL03-Left Away From Home	ADL03-Left Away From Home	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Was {S} left away from home, for 15 minutes or longer, during the day?	ADCS-ADL MCI - Left Away From Home Longer Than 15 Minutes
C106928	ADL03-Left On His/Her Own	ADL03-Left On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, was {S} ever left on his/her own?	ADCS-ADL MCI - Left on His or Her Own
C106908	ADL03-Make a Meal	ADL03-Make a Meal	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} make him/herself a meal or snack at home?	ADCS-ADL MCI - Make a Meal or Snack
C106901	ADL03-Most Complicated Writings	ADL03-Most Complicated Writings	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes the most complicated things that he/she wrote.	ADCS-ADL MCI - Description of Usual Performance of Most Complicated Things Written
C106946	ADL03-Pastime: Art	ADL03-Pastime: Art	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: art.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Art
C106944	ADL03-Pastime: Bingo	ADL03-Pastime: Bingo	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: bingo.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Bingo
C106943	ADL03-Pastime: Card or Board Games	ADL03-Pastime: Card or Board Games	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: card or board games.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Card or Board Games
C106945	ADL03-Pastime: Crosswords	ADL03-Pastime: Crosswords	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: crosswords.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Crosswords
C106955	ADL03-Pastime: Fishing	ADL03-Pastime: Fishing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: fishing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Fishing
C106951	ADL03-Pastime: Gardening	ADL03-Pastime: Gardening	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: gardening.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Gardening
C106952	ADL03-Pastime: Golf	ADL03-Pastime: Golf	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: golf.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Golf
C106948	ADL03-Pastime: Knitting	ADL03-Pastime: Knitting	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: knitting.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Knitting
C106947	ADL03-Pastime: Musical Instrument	ADL03-Pastime: Musical Instrument	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: musical instrument.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Musical Instrument
C106956	ADL03-Pastime: Other	ADL03-Pastime: Other	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other
C106957	ADL03-Pastime: Other Specify	ADL03-Pastime: Other Specify	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: other specify.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Other Specify
C106950	ADL03-Pastime: Reading	ADL03-Pastime: Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: reading.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Reading
C106949	ADL03-Pastime: Sewing	ADL03-Pastime: Sewing	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: sewing.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Sewing
C106953	ADL03-Pastime: Tennis	ADL03-Pastime: Tennis	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: tennis.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Tennis
C106954	ADL03-Pastime: Workshop	ADL03-Pastime: Workshop	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Which pastimes did he/she perform: workshop.	ADCS-ADL MCI - Perform Pastime, Hobby or Game: Workshop

<b>C106650 ADL03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106927	ADL03-Pay Items On His/Her Own	ADL03-Pay Items On His/Her Own	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually pay for items on his/her own?	ADCS-ADL MCI - Pay for Items on His or Her Own
C106942	ADL03-Perform Pastime	ADL03-Perform Pastime	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} perform a pastime, hobby or game?	ADCS-ADL MCI - Perform Pastime, Hobby or Game
C106917	ADL03-Read More Than 5 Minutes	ADL03-Read More Than 5 Minutes	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} read a magazine, newspaper or book for more than 5 minutes at a time?	ADCS-ADL MCI - Read More Than 5 Minutes
C106913	ADL03-Regional, National, International	ADL03-Regional, National, International	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, did {S} talk about regional, national or international events?	ADCS-ADL MCI - Talk About Regional, National or International Events
C106893	ADL03-Select First Clothes for the Day	ADL03-Select First Clothes for the Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} select his/her first set of clothes for the day?	ADCS-ADL MCI - Select First Clothes for the Day
C106926	ADL03-Select Items Without Help	ADL03-Select Items Without Help	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select correct items without supervision or help?	ADCS-ADL MCI - Select Correct Items Without Help
C106922	ADL03-Select Television Program	ADL03-Select Television Program	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for different programs or his/her favorite show?	ADCS-ADL MCI - Select or Ask for Programs or Show
C106918	ADL03-Select/Ask for Something to Read	ADL03-Select/Ask for Something to Read	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually select or ask for something to read?	ADCS-ADL MCI - Select or Ask for Something to Read
C106976	ADL03-Subscore for Item 17	ADL03-Subscore for Item 17	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 7.	ADCS-ADL MCI - Subscore for Item 17
C106977	ADL03-Subscore for Item 18	ADL03-Subscore for Item 18	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 8.	ADCS-ADL MCI - Subscore for Item 18
C106970	ADL03-Subscore for Items 1 to 3	ADL03-Subscore for Items 1 to 3	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 1.	ADCS-ADL MCI - Subscore for Items 1 to 3
C106973	ADL03-Subscore for Items 11 to 12d	ADL03-Subscore for Items 11 to 12d	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 4.	ADCS-ADL MCI - Subscore for Items 11 to 12
C106974	ADL03-Subscore for Items 13 to 14c	ADL03-Subscore for Items 13 to 14c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 5.	ADCS-ADL MCI - Subscore for Items 13 to 14
C106975	ADL03-Subscore for Items 15 to 16c	ADL03-Subscore for Items 15 to 16c	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 6.	ADCS-ADL MCI - Subscore for Items 15 to 16
C106971	ADL03-Subscore for Items 4 to 7	ADL03-Subscore for Items 4 to 7	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 2.	ADCS-ADL MCI - Subscore for Items 4 to 7
C106972	ADL03-Subscore for Items 8 to 10	ADL03-Subscore for Items 8 to 10	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Subscore for Page 3.	ADCS-ADL MCI - Subscore for Items 8 to 10
C106963	ADL03-Take Medications Performance	ADL03-Take Medications Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, was this.	ADCS-ADL MCI - Description of Taking Medications Regularly
C106962	ADL03-Take Medications Regularly	ADL03-Take Medications Regularly	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, did {S} take his/her medications regularly?	ADCS-ADL MCI - Take Medications Regularly
C106915	ADL03-Talk About at Home Events	ADL03-Talk About at Home Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events that occurred at home that he/she took part in or watched?	ADCS-ADL MCI - Talk About at Home Events
C106912	ADL03-Talk About Current Events	ADL03-Talk About Current Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} talk about current events?	ADCS-ADL MCI - Talk About Current Events
C106914	ADL03-Talk About Outside Events	ADL03-Talk About Outside Events	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about events outside home involving family, friends, or neighbors?	ADCS-ADL MCI - Talk About Outside Home Events

**C106650 ADL03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106923	ADL03-Talk About TV Content While Watch	ADL03-Talk About TV Content While Watch	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about the content of a program while watching it?	ADCS-ADL MCI - Talk About Content of Program While Watching
C106924	ADL03-Talk About TV Content Within a Day	ADL03-Talk About TV Content Within a Day	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} talk about the content of a program within a day (24 hours) after watching it?	ADCS-ADL MCI - Talk About Content of Program After Watching Within a Day
C106920	ADL03-Talk Within 1 Day After Reading	ADL03-Talk Within 1 Day After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read 1-24 hours after reading?	ADCS-ADL MCI - Talk Within 24 Hours After Reading
C106919	ADL03-Talk Within 1 Hour After Reading	ADL03-Talk Within 1 Hour After Reading	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} usually talk about what he/she read while or shortly after reading (less than 1 hour)?	ADCS-ADL MCI - Talk Within 1 Hour After Reading
C106916	ADL03-Talk Without Repeating	ADL03-Talk Without Repeating	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Did {S} converse without repeating him/herself, or asking the same questions repeatedly?	ADCS-ADL MCI - Converse Without Repeating
C106967	ADL03-Time to Complete Complex Tasks	ADL03-Time to Complete Complex Tasks	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - During the past 4 weeks, how long did it usually take {S} to complete complex or time-consuming tasks or activities?	ADCS-ADL MCI - Time Taken to Complete Complex Activities
C106978	ADL03-Total ADCS-ADL Score	ADL03-Total ADCS-ADL Score	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Total Score.	ADCS-ADL MCI - ADL Total Score
C107092	ADL03-Total Points for 'Don't Know'	ADL03-Total Points for 'Don't Know'	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Were any questions (1-18) answered 'Don't Know'? If yes, calculate total points for 'Don't Know'.	ADCS-ADL MCI - Points for Questions (1-18) Answered 'Don't Know'
C106906	ADL03-Use a Telephone	ADL03-Use a Telephone	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a telephone?	ADCS-ADL MCI - Use a Telephone
C106941	ADL03-Use Common Used Appliances (q17a)	ADL03-Use Common Used Appliances (q17a)	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - For the 1 or 2 most commonly used appliances, which best describes how {S} usually used them.	ADCS-ADL MCI - Description of Usual Use of Commonly Used Appliances
C106932	ADL03-Use Household Appliance	ADL03-Use Household Appliance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} use a household appliance to do chores?	ADCS-ADL MCI - Use Household Appliance
C106894	ADL03-Usual Dressing Performance	ADL03-Usual Dressing Performance	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - If yes, which best describes his/her usual performance.	ADCS-ADL MCI - Description of Usual Performance of Selecting First Clothes for the Day
C106895	ADL03-Usual Physically Dressing Perform	ADL03-Usual Physically Dressing Perform	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - Regarding physically getting dressed, which best describes his/her usual performance in the past 4 weeks.	ADCS-ADL MCI - Description of Usual Performance of Physically Getting Dressed
C106921	ADL03-Watch Television	ADL03-Watch Television	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} watch television?	ADCS-ADL MCI - Watch Television
C106900	ADL03-Write Things Down	ADL03-Write Things Down	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory, MCI Version - In the past 4 weeks, did {S} ever write things down?	ADCS-ADL MCI - Write Things Down

**ADT01TC (Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Code)**

NCI Code: C119060, Codelist extensible: No

<b>C119060 ADT01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119108	ADT0101	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119109	ADT0102	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119110	ADT0103	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119111	ADT0104	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119112	ADT0105	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119113	ADT0106	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119114	ADT0107	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119115	ADT0108	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before
C119116	ADT0109	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119117	ADT0110	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT0111	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total

## ADT01TN (Alcohol Use Disorder Identification Test: Self-Report Version Questionnaire Test Name)

NCI Code: C119059, Codelist extensible: No

C119059 ADT01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119109	ADT01-Alcohol Drinks on a Typical Day	ADT01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test: Self-Report Version - How many drinks containing alcohol do you have on a typical day when you are drinking?	AUDIT - How Many Alcohol Drinks on a Typical Day
C119112	ADT01-Failed to Do as Expected	ADT01-Failed to Do as Expected	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you failed to do what was normally expected of you because of drinking?	AUDIT - How Often Last Year You Failed to Do Normally Expected of You
C119114	ADT01-Feeling of Guilt or Remorse	ADT01-Feeling of Guilt or Remorse	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you had a feeling of guilt or remorse after drinking?	AUDIT - How Often Last Year You Feel Guilt or Remorse After Drinking
C119108	ADT01-How Often Drink Alcohol	ADT01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have a drink containing alcohol?	AUDIT - How Often Have Alcohol Drink
C119116	ADT01-Injured Because of Your Drinking	ADT01-Injured Because of Your Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - Have you or someone else been injured because of your drinking?	AUDIT - Injured Because of Drinking
C119113	ADT01-Need Drink Morning After Drinking	ADT01-Need Drink Morning After Drinking	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	AUDIT - How Often Last Year Need a Drink in the Morning to Get Going
C119111	ADT01-Not Able Stop Drinking Once Start	ADT01-Not Able Stop Drinking Once Start	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you found that you were not able to stop drinking once you had started?	AUDIT - How Often Last Year You Found Not Able to Stop Drinking
C119110	ADT01-Six or More Drinks One Occasion	ADT01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test: Self-Report Version - How often do you have six or more drinks on one occasion?	AUDIT - How Often Have Six or More Drinks
C119117	ADT01-Suggested to Cut Down	ADT01-Suggested to Cut Down	Alcohol Use Disorder Identification Test: Self-Report Version - Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	AUDIT - Concerned About Your Drinking
C119118	ADT01-Total	ADT01-Total	Alcohol Use Disorder Identification Test: Self-Report Version - Total.	AUDIT - Total
C119115	ADT01-Unable to Remember What Happened	ADT01-Unable to Remember What Happened	Alcohol Use Disorder Identification Test: Self-Report Version - How often during the last year have you been unable to remember what happened the night before because of your drinking?	AUDIT - How Often Last Year You Unable to Remember What Happened the Night Before

**ADTC01TC (Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Code)**

NCI Code: C119062, Codelist extensible: No

<b>C119062 ADTC01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119119	ADTC0101	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119120	ADTC0102	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119121	ADTC0103	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks

**ADTC01TN (Alcohol Use Disorder Identification Test-Consumption Questions Questionnaire Test Name)**

NCI Code: C119061, Codelist extensible: No

<b>C119061 ADTC01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119120	ADTC01-Alcohol Drinks on a Typical Day	ADTC01-Alcohol Drinks on a Typical Day	Alcohol Use Disorder Identification Test-Consumption questions - How many standard drinks containing alcohol do you have on a typical day?	AUDIT-C - How Many Alcohol Drinks on a Typical Day
C119119	ADTC01-How Often Drink Alcohol	ADTC01-How Often Drink Alcohol	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have a drink containing alcohol?	AUDIT-C - How Often Have Alcohol Drink
C119121	ADTC01-Six or More Drinks One Occasion	ADTC01-Six or More Drinks One Occasion	Alcohol Use Disorder Identification Test-Consumption questions - How often do you have six or more drinks on one occasion?	AUDIT-C - How Often Have Six or More Drinks



**ADTNQRS (Administration Technique Response)**

NCI Code: C132311, Codelist extensible: Yes

<b>C132311 ADTNQRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85996	HEAF		A multiple puncture tuberculin skin test in which a Heaf gun (device containing 6 needles arranged in a circular pattern) is dipped into tuberculin purified protein derivative and pushed into the skin of the flexor surface of the left forearm. (NCI)	Heaf Tuberculin Skin Test
C85997	MANTOUX		A single puncture tuberculin skin test in which a standard dose of 5 Tuberculin units of purified protein derivative is injected under the skin of the inner surface of the forearm.	Mantoux Tuberculin Skin Test
C85998	TINE		A multiple puncture tuberculin skin test in which tuberculin antigen (either purified protein derivative or old) is pushed into the skin via a device containing 4-6 needles that are coated in tuberculin antigen. (NCI)	Tine Tuberculin Skin Test

## AESEV (Severity/Intensity Scale for Adverse Events)

NCI Code: C66769, Codelist extensible: No

<b>C66769 AESEV</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C41338	MILD	1;Grade 1	A type of adverse event that is usually transient and may require only minimal treatment or therapeutic intervention. The event does not generally interfere with usual activities of daily living.	Mild Adverse Event
C41339	MODERATE	2;Grade 2	A type of adverse event that is usually alleviated with additional specific therapeutic intervention. The event interferes with usual activities of daily living, causing discomfort but poses no significant or permanent risk of harm to the research participant.	Moderate Adverse Event
C41340	SEVERE	3;Grade 3	A type of adverse event that interrupts usual activities of daily living, or significantly affects clinical status, or may require intensive therapeutic intervention.	Severe Adverse Event

**AGEU (Age Unit)**

NCI Code: C66781, Codelist extensible: No

<b>C66781 AGEU</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25301	DAYS		A unit of measurement of time equal to 24 hours.	Day
C25529	HOURS	Hours;h;hr	A unit of measurement of time equal to 60 minutes.	Hour
C29846	MONTHS	Month	One of the 12 divisions of a year as determined by a calendar. It corresponds to the unit of time of approximately to one cycle of the moon's phases, about 30 days or 4 weeks. (NCI)	Month
C29844	WEEKS	Week	Any period of seven consecutive days. (NCI)	Week
C29848	YEARS	Year	The period of time that it takes for Earth to make a complete revolution around the sun, approximately 365 days; a specific one year period. (NCI)	Year

## AIMS01TC (Abnormal Involuntary Movement Scale Questionnaire Test Code)

NCI Code: C101805, Codelist extensible: No

<b>C101805 AIMS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102034	AIMS0101	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102035	AIMS0102	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102036	AIMS0103	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102037	AIMS0104	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS0105	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities
C102039	AIMS0106	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102040	AIMS0107	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102041	AIMS0108	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102042	AIMS0109	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102043	AIMS0110	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102044	AIMS0111	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102045	AIMS0112	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures

**AIMS01TN (Abnormal Involuntary Movement Scale Questionnaire Test Name)**

NCI Code: C101806, Codelist extensible: No

<b>C101806 AIMS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102044	AIMS01-Current Problems Teeth/Dentures	AIMS01-Current Problems Teeth/Dentures	Abnormal Involuntary Movement Scale - Dental Status, Current problems with teeth and/or dentures.	AIMS - Current Teeth/Dentures Problems
C102042	AIMS01-Incapacitation due Abn Movements	AIMS01-Incapacitation due Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Incapacitation due to abnormal movements.	AIMS - Incapacitation Due to Abnormal Movements
C102036	AIMS01-Jaw	AIMS01-Jaw	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.	AIMS - Jaw
C102035	AIMS01-Lips and Perioral Area	AIMS01-Lips and Perioral Area	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Lips and perioral area, e.g., puckering, pouting, smacking.	AIMS - Lips and Perioral Area
C102039	AIMS01-Lower Extremities	AIMS01-Lower Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Lower (legs, knees, ankles, toes), e.g., lateral knee movement, foot tapping, heel dropping, foot squirming, inversion and eversion of foot.	AIMS - Lower Extremities
C102034	AIMS01-Muscles of Facial Expression	AIMS01-Muscles of Facial Expression	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.	AIMS - Muscles of Facial Expression
C102040	AIMS01-Neck, Shoulders, Hips	AIMS01-Neck, Shoulders, Hips	Abnormal Involuntary Movement Scale - Trunk Movements, Neck, shoulders, hips, e.g., rocking, twisting, squirming, pelvic gyrations. Include diaphragmatic movements.	AIMS - Neck, Shoulders, Hips
C102043	AIMS01-Patient Awareness Abn Movements	AIMS01-Patient Awareness Abn Movements	Abnormal Involuntary Movement Scale - Global Judgments, Patient's awareness of abnormal movements.	AIMS - Patient's Awareness of Abnormal Movements
C102045	AIMS01-Patient Usually Wear Dentures	AIMS01-Patient Usually Wear Dentures	Abnormal Involuntary Movement Scale - Dental Status, Does patient usually wear dentures?	AIMS - Patient Usually Wears Dentures
C102041	AIMS01-Severity of Abnormal Movements	AIMS01-Severity of Abnormal Movements	Abnormal Involuntary Movement Scale - Global Judgments, Severity of abnormal movements, based on the highest single score on the above items.	AIMS - Severity of Abnormal Movements
C102037	AIMS01-Tongue	AIMS01-Tongue	Abnormal Involuntary Movement Scale - Facial and Oral Movements, Tongue. Rate only increase in movement both in and out of mouth, not inability to sustain movement.	AIMS - Tongue
C102038	AIMS01-Upper Extremities	AIMS01-Upper Extremities	Abnormal Involuntary Movement Scale - Extremity Movements, Upper (arms, wrists, hands, fingers). Include movements that are choreic (rapid, objectively purposeless, irregular, spontaneous) or athetoid (slow, irregular, complex, serpentine). Do not include tremor (repetitive, regular, rhythmic movements).	AIMS - Upper Extremities

**AJCC1TC (AJCC TNM Staging System 7th Edition Clinical Classification Test Code)**

NCI Code: C141655, Codelist extensible: No

<b>C141655 AJCC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141696	AJCC101	AJCC1-Primary Tumor (T)	AJCC TNM Staging System 7th Edition - Primary tumor (T).	AJCC v7 - Primary Tumor (T)
C141697	AJCC102	AJCC1-Regional Lymph Nodes (N)	AJCC TNM Staging System 7th Edition - Regional lymph nodes (N).	AJCC v7 - Regional Lymph Nodes (N)
C141698	AJCC103	AJCC1-Distant Metastasis (M)	AJCC TNM Staging System 7th Edition - Distant metastasis (M).	AJCC v7 - Distant Metastasis (M)
C141699	AJCC104	AJCC1-Anatomic Stage	AJCC TNM Staging System 7th Edition - Anatomic stage.	AJCC v7 - Anatomic Stage

**AJCC1TN (AJCC TNM Staging System 7th Edition Clinical Classification Test Name)**

NCI Code: C141654, Codelist extensible: No

<b>C141654 AJCC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141699	AJCC1-Anatomic Stage	AJCC1-Anatomic Stage	AJCC TNM Staging System 7th Edition - Anatomic stage.	AJCC v7 - Anatomic Stage
C141698	AJCC1-Distant Metastasis (M)	AJCC1-Distant Metastasis (M)	AJCC TNM Staging System 7th Edition - Distant metastasis (M).	AJCC v7 - Distant Metastasis (M)
C141696	AJCC1-Primary Tumor (T)	AJCC1-Primary Tumor (T)	AJCC TNM Staging System 7th Edition - Primary tumor (T).	AJCC v7 - Primary Tumor (T)
C141697	AJCC1-Regional Lymph Nodes (N)	AJCC1-Regional Lymph Nodes (N)	AJCC TNM Staging System 7th Edition - Regional lymph nodes (N).	AJCC v7 - Regional Lymph Nodes (N)

**AJCCGRD (AJCC Tumor Grade Response)**

NCI Code: C135012, Codelist extensible: No

<b>C135012 AJCCGRD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C28077	GRADE 1	G1	A morphologic qualifier by the American Joint Cancer Committee (AJCC) indicating that a cancerous lesion is well differentiated. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	Grade 1
C28078	GRADE 2	G2	A morphologic qualifier by the American Joint Cancer Committee (AJCC) indicating that a cancerous lesion is moderately differentiated. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	Grade 2
C28079	GRADE 3	G3	A morphologic qualifier by the American Joint Cancer Committee (AJCC) indicating that a cancerous lesion is poorly differentiated. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	Grade 3
C28082	GRADE 4	G4	A morphologic qualifier by the American Joint Cancer Committee (AJCC) indicating that a cancerous lesion is undifferentiated. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	Grade 4
C113730	GRADE X	GX	A morphologic qualifier by the American Joint Cancer Committee (AJCC) indicating that the grade of a cancerous lesion cannot be assessed. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	Grade X



## APCH1TC (Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Code)

NCI Code: C120985, Codelist extensible: No

C120985 APCH1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121096	APCH101	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121097	APCH102	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mmHg.	APACHE II - Mean Arterial Pressure
C121098	APCH103	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121099	APCH104	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121100	APCH105A	APCH1-Oxygenation: A-aDO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 greater than or equal to 0.5 record A-aDO2.	APACHE II - Oxygenation, A-aDO2
C121101	APCH105B	APCH1-Oxygenation: PaO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 less than 0.5 record only PaO2.	APACHE II - Oxygenation, PaO2
C121102	APCH106A	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121103	APCH106B	APCH1-Serum HCO3	Acute Physiology and Chronic Health Evaluation II - Serum HCO3 (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO3
C121104	APCH107	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121105	APCH108	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121106	APCH109	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121107	APCH110	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121108	APCH111	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm3) (in 1,000s).	APACHE II - White Blood Count
C121109	APCH112	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH113	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121111	APCH114	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH115	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121113	APCH116	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score

## APCH1TN (Acute Physiology and Chronic Health Evaluation II Clinical Classification Test Name)

NCI Code: C120984, Codelist extensible: No

C120984 APCH1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121109	APCH1-15 Minus Glasgow Coma Score	APCH1-15 Minus Glasgow Coma Score	Acute Physiology and Chronic Health Evaluation II - Glasgow coma score: Score equals 15 minus actual GCS.	APACHE II - 15 Minus Glasgow Coma Score
C121110	APCH1-A: Total Acute Physiology Score	APCH1-A: Total Acute Physiology Score	Acute Physiology and Chronic Health Evaluation II - A: Total acute physiology score.	APACHE II - A, Total Acute Physiology Score
C121102	APCH1-Arterial pH	APCH1-Arterial pH	Acute Physiology and Chronic Health Evaluation II - Arterial pH (preferred).	APACHE II - Arterial pH
C121111	APCH1-B: Age Points	APCH1-B: Age Points	Acute Physiology and Chronic Health Evaluation II - B: Age points (years).	APACHE II - B, Age Points
C121112	APCH1-C: Chronic Health Points	APCH1-C: Chronic Health Points	Acute Physiology and Chronic Health Evaluation II - C: Chronic health points.	APACHE II - C, Chronic Health Points
C121098	APCH1-Heart Rate	APCH1-Heart Rate	Acute Physiology and Chronic Health Evaluation II - Heart rate (ventricular response).	APACHE II - Heart Rate
C121107	APCH1-Hematocrit	APCH1-Hematocrit	Acute Physiology and Chronic Health Evaluation II - Hematocrit (%).	APACHE II - Hematocrit
C121097	APCH1-Mean Arterial Pressure	APCH1-Mean Arterial Pressure	Acute Physiology and Chronic Health Evaluation II - Mean arterial pressure - mmHg.	APACHE II - Mean Arterial Pressure
C121100	APCH1-Oxygenation: A-aDO2	APCH1-Oxygenation: A-aDO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 greater than or equal to 0.5 record A-aDO2.	APACHE II - Oxygenation, A-aDO2
C121101	APCH1-Oxygenation: PaO2	APCH1-Oxygenation: PaO2	Acute Physiology and Chronic Health Evaluation II - Oxygenation (mmHg): FIO2 less than 0.5 record only PaO2.	APACHE II - Oxygenation, PaO2
C121099	APCH1-Respiratory Rate	APCH1-Respiratory Rate	Acute Physiology and Chronic Health Evaluation II - Respiratory rate (non-ventilated or ventilated).	APACHE II - Respiratory Rate
C121106	APCH1-Serum Creatinine	APCH1-Serum Creatinine	Acute Physiology and Chronic Health Evaluation II - Serum creatinine (mg/100 mL) (double point score for acute renal failure).	APACHE II - Serum Creatinine
C121103	APCH1-Serum HCO3	APCH1-Serum HCO3	Acute Physiology and Chronic Health Evaluation II - Serum HCO3 (venous mMol/L) (Not preferred, use if no ABGs).	APACHE II - Serum HCO3
C121105	APCH1-Serum Potassium	APCH1-Serum Potassium	Acute Physiology and Chronic Health Evaluation II - Serum potassium (mMol/L).	APACHE II - Serum Potassium
C121104	APCH1-Serum Sodium	APCH1-Serum Sodium	Acute Physiology and Chronic Health Evaluation II - Serum sodium (mMol/L).	APACHE II - Serum Sodium
C121096	APCH1-Temperature - Rectal	APCH1-Temperature - Rectal	Acute Physiology and Chronic Health Evaluation II - Temperature - rectal (degree C).	APACHE II - Temperature, Rectal
C121113	APCH1-Total APACHE II Score	APCH1-Total APACHE II Score	Acute Physiology and Chronic Health Evaluation II - Total APACHE II score.	APACHE II - Total APACHE II Score
C121108	APCH1-White Blood Count	APCH1-White Blood Count	Acute Physiology and Chronic Health Evaluation II - White blood count (total/mm3) (in 1,000s).	APACHE II - White Blood Count

## AQ01TC (Airway Questionnaire 20 Questionnaire Test Code)

NCI Code: C112435, Codelist extensible: No

C112435 AQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112529	AQ0101	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112530	AQ0102	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112531	AQ0103	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112532	AQ0104	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112533	AQ0105	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112534	AQ0106	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112535	AQ0107	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112536	AQ0108	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112537	AQ0109	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112538	AQ0110	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112539	AQ0111	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ0112	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112541	AQ0113	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ0114	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112543	AQ0115	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112544	AQ0116	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112545	AQ0117	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112546	AQ0118	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112547	AQ0119	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112548	AQ0120	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

## AQ01TN (Airway Questionnaire 20 Questionnaire Test Name)

NCI Code: C112434, Codelist extensible: No

C112434 AQ01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112539	AQ01-Breathless Carry out Work Activity	AQ01-Breathless Carry out Work Activity	Airway Questionnaire 20 - Does your chest problem make you breathless when you do things at work? (paid employment).	AQ20 - Chest Problem Make You Breathless at Work
C112540	AQ01-Breathless Walking Upstairs	AQ01-Breathless Walking Upstairs	Airway Questionnaire 20 - Does walking upstairs make you breathless?	AQ20 - Walking Upstairs Make You Breathless
C112535	AQ01-Breathless When Trying to Sleep	AQ01-Breathless When Trying to Sleep	Airway Questionnaire 20 - Do you feel breathless when trying to sleep?	AQ20 - Feel Breathless When Trying to Sleep
C112543	AQ01-Breathlessness When Laugh	AQ01-Breathlessness When Laugh	Airway Questionnaire 20 - Do you suffer from breathlessness when you laugh?	AQ20 - Suffer From Breathlessness When Laugh
C112533	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	AQ01-Chest Prob Smell/Fume/Smoke/Perfume	Airway Questionnaire 20 - Do you get chest problems when you come into contact with strong smells, exhaust fumes, cigarette smoke, perfume etc?	AQ20 - Get Chest Problems When Contact With Strong Smells
C112532	AQ01-Chest Upset at Friend House	AQ01-Chest Upset at Friend House	Airway Questionnaire 20 - Do you worry when going to a friend's house that there might be something there that will upset your chest?	AQ20 - Worry When Going to Friend House Something Will Upset Your Chest
C112529	AQ01-Cough Often During Day	AQ01-Cough Often During Day	Airway Questionnaire 20 - Do you cough often during the day?	AQ20 - Cough Often During the Day
C112538	AQ01-Difficulty Getting Around the House	AQ01-Difficulty Getting Around the House	Airway Questionnaire 20 - Are there times when you have difficulty getting around the house because of your chest trouble?	AQ20 - Difficulty Getting Around the House Because of Chest Trouble
C112546	AQ01-Drained After a Cold	AQ01-Drained After a Cold	Airway Questionnaire 20 - Do you feel drained after a cold because of your chest trouble?	AQ20 - Feel Drained After a Cold Because of Chest Trouble
C112537	AQ01-Emotional Upset Worse Chest Trouble	AQ01-Emotional Upset Worse Chest Trouble	Airway Questionnaire 20 - Does getting emotionally upset make your chest trouble worse?	AQ20 - Getting Emotionally Upset Make Chest Trouble Worse
C112530	AQ01-Feel Restless Due to Chest Trouble	AQ01-Feel Restless Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel restless?	AQ20 - Chest Trouble Make You Feel Restless
C112547	AQ01-Feeling of Chest Heaviness	AQ01-Feeling of Chest Heaviness	Airway Questionnaire 20 - Do you have a feeling of chest heaviness?	AQ20 - Feeling of Chest Heaviness
C112545	AQ01-Full Life Limited by Chest Trouble	AQ01-Full Life Limited by Chest Trouble	Airway Questionnaire 20 - Do you think the fullness of your life is limited by your chest trouble?	AQ20 - Fullness of Life is Limited by Chest Trouble
C112531	AQ01-Gardening Make You Breathless	AQ01-Gardening Make You Breathless	Airway Questionnaire 20 - Does gardening make you breathless?	AQ20 - Gardening Make You Breathless
C112541	AQ01-Get Breathless Doing Housework	AQ01-Get Breathless Doing Housework	Airway Questionnaire 20 - Do you get breathless doing housework?	AQ20 - Get Breathless Doing Housework
C112542	AQ01-Go Home Sooner Than Others	AQ01-Go Home Sooner Than Others	Airway Questionnaire 20 - Does your chest trouble make you go home sooner than others after a night out?	AQ20 - Chest Trouble Make You Go Home Sooner Than Others
C112544	AQ01-Impatient Due to Chest Trouble	AQ01-Impatient Due to Chest Trouble	Airway Questionnaire 20 - Does your chest trouble often make you feel impatient?	AQ20 - Chest Trouble Make You Feel Impatient
C112536	AQ01-Long Term Effects of Drugs	AQ01-Long Term Effects of Drugs	Airway Questionnaire 20 - Do you worry about the long term effects of the drugs you take for your chest trouble?	AQ20 - Worry About Long Term Effects of Drugs for Chest Trouble
C112534	AQ01-Partner Upset by Your Chest Trouble	AQ01-Partner Upset by Your Chest Trouble	Airway Questionnaire 20 - Does your partner find your chest trouble upsetting?	AQ20 - Partner Find Your Chest Trouble Upsetting
C112548	AQ01-Worry About Chest Trouble	AQ01-Worry About Chest Trouble	Airway Questionnaire 20 - Do you worry a lot about your chest trouble?	AQ20 - Worry a Lot About Chest Trouble

## ARMNULRS (Arm Null Reason)

NCI Code: C142179, Codelist extensible: Yes

<b>C142179 ARMNULRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142238	ASSIGNED, NOT TREATED		The subject, who met eligibility criteria, was assigned to an arm but was not treated. (NCI)	Subject Assigned to Arm But Not Treated
C142239	NOT ASSIGNED		The subject, who met eligibility criteria, was not assigned to an arm and was not treated. (NCI)	Subject Not Assigned to Arm
C49628	SCREEN FAILURE		The potential subject who does not meet one or more criteria required for participation in a trial.	Trial Screen Failure
C142240	UNPLANNED TREATMENT		The subject, who met eligibility criteria, was assigned to an arm but received treatment not associated with any of the planned arms.	Subject Received Unplanned Treatment

**ASCVD1TC (Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Code)**

NCI Code: C124666, Codelist extensible: No

<b>C124666 ASCVD1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124720	ASCVD101	ASCVD1-ASCVD 10-Year Risk Score	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator - Risk score.	ASCVD 10-Year Risk Estimator - Risk Score

**ASCVD1TN (Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification Test Name)**

NCI Code: C124665, Codelist extensible: No

<b>C124665 ASCVD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124720	ASCVD1-ASCVD 10-Year Risk Score	ASCVD1-ASCVD 10-Year Risk Score	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator - Risk score.	ASCVD 10-Year Risk Estimator - Risk Score

**ASEX01TC (Arizona Sexual Experiences Scale - Female Questionnaire Test Code)**

NCI Code: C125741, Codelist extensible: No

<b>C125741 ASEX01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125763	ASEX0101	ASEX01-Sex Drive	Arizona Sexual Experiences Scale Female - How strong is your sex drive?	ASEX-Female Version - Sex Drive
C125764	ASEX0102	ASEX01-Sexually Aroused	Arizona Sexual Experiences Scale Female - How easily are you sexually aroused (turned on)?	ASEX-Female Version - Sexually Aroused
C125765	ASEX0103	ASEX01-Vagina Become Moist	Arizona Sexual Experiences Scale Female - How easily does your vagina become moist or wet during sex?	ASEX-Female Version - Vagina Become Moist
C125766	ASEX0104	ASEX01-Reach Orgasm	Arizona Sexual Experiences Scale Female - How easily can you reach an orgasm?	ASEX-Female Version - Reach Orgasm
C125767	ASEX0105	ASEX01-Orgasms Satisfying	Arizona Sexual Experiences Scale Female - Are your orgasms satisfying?	ASEX-Female Version - Orgasms Satisfying
C129254	ASEX0106	ASEX01-Comments	Arizona Sexual Experiences Scale Female - Comments.	ASEX-Female Version - Comments



**ASEX01TN (Arizona Sexual Experiences Scale - Female Questionnaire Test Name)**

NCI Code: C125740, Codelist extensible: No

<b>C125740 ASEX01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129254	ASEX01-Comments	ASEX01-Comments	Arizona Sexual Experiences Scale Female - Comments.	ASEX-Female Version - Comments
C125767	ASEX01-Orgasms Satisfying	ASEX01-Orgasms Satisfying	Arizona Sexual Experiences Scale Female - Are your orgasms satisfying?	ASEX-Female Version - Orgasms Satisfying
C125766	ASEX01-Reach Orgasm	ASEX01-Reach Orgasm	Arizona Sexual Experiences Scale Female - How easily can you reach an orgasm?	ASEX-Female Version - Reach Orgasm
C125763	ASEX01-Sex Drive	ASEX01-Sex Drive	Arizona Sexual Experiences Scale Female - How strong is your sex drive?	ASEX-Female Version - Sex Drive
C125764	ASEX01-Sexually Aroused	ASEX01-Sexually Aroused	Arizona Sexual Experiences Scale Female - How easily are you sexually aroused (turned on)?	ASEX-Female Version - Sexually Aroused
C125765	ASEX01-Vagina Become Moist	ASEX01-Vagina Become Moist	Arizona Sexual Experiences Scale Female - How easily does your vagina become moist or wet during sex?	ASEX-Female Version - Vagina Become Moist

**ASEX02TC (Arizona Sexual Experiences Scale - Male Questionnaire Test Code)**

NCI Code: C125743, Codelist extensible: No

<b>C125743 ASEX02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125768	ASEX0201	ASEX02-Sex Drive	Arizona Sexual Experiences Scale Male - How strong is your sex drive?	ASEX-Male Version - Sex Drive
C125769	ASEX0202	ASEX02-Sexually Aroused	Arizona Sexual Experiences Scale Male - How easily are you sexually aroused (turned on)?	ASEX-Male Version - Sexually Aroused
C125770	ASEX0203	ASEX02-Keep Erection	Arizona Sexual Experiences Scale Male - Can you easily get and keep an erection?	ASEX-Male Version - Keep Erection
C125771	ASEX0204	ASEX02-Reach Orgasm	Arizona Sexual Experiences Scale Male - How easily can you reach an orgasm?	ASEX-Male Version - Reach Orgasm
C125772	ASEX0205	ASEX02-Orgasms Satisfying	Arizona Sexual Experiences Scale Male - Are your orgasms satisfying?	ASEX-Male Version - Orgasms Satisfying
C129256	ASEX0206	ASEX02-Comments	Arizona Sexual Experiences Scale Male - Comments.	ASEX-Male Version - Comments

**ASEX02TN (Arizona Sexual Experiences Scale - Male Questionnaire Test Name)**

NCI Code: C125742, Codelist extensible: No

<b>C125742 ASEX02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129256	ASEX02-Comments	ASEX02-Comments	Arizona Sexual Experiences Scale Male - Comments.	ASEX-Male Version - Comments
C125770	ASEX02-Keep Erection	ASEX02-Keep Erection	Arizona Sexual Experiences Scale Male - Can you easily get and keep an erection?	ASEX-Male Version - Keep Erection
C125772	ASEX02-Orgasms Satisfying	ASEX02-Orgasms Satisfying	Arizona Sexual Experiences Scale Male - Are your orgasms satisfying?	ASEX-Male Version - Orgasms Satisfying
C125771	ASEX02-Reach Orgasm	ASEX02-Reach Orgasm	Arizona Sexual Experiences Scale Male - How easily can you reach an orgasm?	ASEX-Male Version - Reach Orgasm
C125768	ASEX02-Sex Drive	ASEX02-Sex Drive	Arizona Sexual Experiences Scale Male - How strong is your sex drive?	ASEX-Male Version - Sex Drive
C125769	ASEX02-Sexually Aroused	ASEX02-Sexually Aroused	Arizona Sexual Experiences Scale Male - How easily are you sexually aroused (turned on)?	ASEX-Male Version - Sexually Aroused

## ASFATS (Asthma Findings About Test Name)

NCI Code: C132312, Codelist extensible: Yes

C132312 ASFATS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator

## ASFATSCD (Asthma Findings About Test Code)

NCI Code: C132313, Codelist extensible: Yes

<b>C132313 ASFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator

**ASSG01TC (ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code)**

NCI Code: C124668, Codelist extensible: No

<b>C124668 ASSG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124721	ASSG0101	ASSG01-ASSIGN Score	ASSIGN Cardiovascular Disease 10-Year Risk Score - ASSIGN score.	ASSIGN Score - Risk Score

**ASSG01TN (ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name)**

NCI Code: C124667, Codelist extensible: No

<b>C124667 ASSG01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124721	ASSG01-ASSIGN Score	ASSG01-ASSIGN Score	ASSIGN Cardiovascular Disease 10-Year Risk Score - ASSIGN score.	ASSIGN Score - Risk Score

**ATLAS1TC (ATLAS Clinical Classification Test Code)**

NCI Code: C147538, Codelist extensible: No

<b>C147538 ATLAS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147843	ATLAS101	ATLAS1-Age	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Age.	ATLAS - Age
C147844	ATLAS102	ATLAS1-Treatment With Antibiotics	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Treatment with systemic antibiotics during CDI therapy ( $\geq 1$ day).	ATLAS - Treatment With Antibiotics
C147845	ATLAS103	ATLAS1-Leukocyte Count	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Leukocyte count (total).	ATLAS - Leukocyte Count
C147846	ATLAS104	ATLAS1-Albumin	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Albumin (serum).	ATLAS - Albumin
C147847	ATLAS105	ATLAS1-Serum Creatinine	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Serum creatinine (as a measure of renal function).	ATLAS - Serum Creatinine
C147848	ATLAS106	ATLAS1-Score	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Score.	ATLAS - Score



**ATLAS1TN (ATLAS Clinical Classification Test Name)**

NCI Code: C147537, Codelist extensible: No

<b>C147537 ATLAS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147843	ATLAS1-Age	ATLAS1-Age	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Age.	ATLAS - Age
C147846	ATLAS1-Albumin	ATLAS1-Albumin	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Albumin (serum).	ATLAS - Albumin
C147845	ATLAS1-Leukocyte Count	ATLAS1-Leukocyte Count	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Leukocyte count (total).	ATLAS - Leukocyte Count
C147848	ATLAS1-Score	ATLAS1-Score	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Score.	ATLAS - Score
C147847	ATLAS1-Serum Creatinine	ATLAS1-Serum Creatinine	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Serum creatinine (as a measure of renal function).	ATLAS - Serum Creatinine
C147844	ATLAS1-Treatment With Antibiotics	ATLAS1-Treatment With Antibiotics	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function - Treatment with systemic antibiotics during CDI therapy ( $\geq 1$ day).	ATLAS - Treatment With Antibiotics

## AVL01TC (ADNI Auditory Verbal Learning Functional Test Test Code)

NCI Code: C101807, Codelist extensible: No

<b>C101807 AVL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101896	AVL01001	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLTL - List A Recall 1 Word 1
C101897	AVL01002	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLTL - List A Recall 1 Word 2
C101898	AVL01003	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLTL - List A Recall 1 Word 3
C101899	AVL01004	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLTL - List A Recall 1 Word 4
C101900	AVL01005	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLTL - List A Recall 1 Word 5
C101901	AVL01006	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLTL - List A Recall 1 Word 6
C101902	AVL01007	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLTL - List A Recall 1 Word 7
C101903	AVL01008	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLTL - List A Recall 1 Word 8
C101904	AVL01009	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLTL - List A Recall 1 Word 9
C101905	AVL01010	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLTL - List A Recall 1 Word 10
C101906	AVL01011	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLTL - List A Recall 1 Word 11
C101907	AVL01012	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLTL - List A Recall 1 Word 12
C101908	AVL01013	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLTL - List A Recall 1 Word 13
C101909	AVL01014	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLTL - List A Recall 1 Word 14
C101910	AVL01015	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLTL - List A Recall 1 Word 15
C101911	AVL01016	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLTL - List A Recall 1 Total
C101912	AVL01017	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLTL - List A Intrusions 1
C101913	AVL01018	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLTL - List A Recall 2 Word 1
C101914	AVL01019	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLTL - List A Recall 2 Word 2
C101915	AVL01020	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLTL - List A Recall 2 Word 3
C101916	AVL01021	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLTL - List A Recall 2 Word 4
C101917	AVL01022	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLTL - List A Recall 2 Word 5
C101918	AVL01023	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLTL - List A Recall 2 Word 6
C101919	AVL01024	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLTL - List A Recall 2 Word 7
C101920	AVL01025	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVLTL - List A Recall 2 Word 8
C101921	AVL01026	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVLTL - List A Recall 2 Word 9

**C101807 AVL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101922	AVL01027	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLTL - List A Recall 2 Word 10
C101923	AVL01028	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLTL - List A Recall 2 Word 11
C101924	AVL01029	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLTL - List A Recall 2 Word 12
C101925	AVL01030	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLTL - List A Recall 2 Word 13
C101926	AVL01031	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLTL - List A Recall 2 Word 14
C101927	AVL01032	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLTL - List A Recall 2 Word 15
C101928	AVL01033	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLTL - List A Recall 2 Total
C101929	AVL01034	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLTL - List A Intrusions 2
C101930	AVL01035	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVLTL - List A Recall 3 Word 1
C101931	AVL01036	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVLTL - List A Recall 3 Word 2
C101932	AVL01037	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVLTL - List A Recall 3 Word 3
C101933	AVL01038	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVLTL - List A Recall 3 Word 4
C101934	AVL01039	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVLTL - List A Recall 3 Word 5
C101935	AVL01040	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVLTL - List A Recall 3 Word 6
C101936	AVL01041	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVLTL - List A Recall 3 Word 7
C101937	AVL01042	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVLTL - List A Recall 3 Word 8
C101938	AVL01043	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVLTL - List A Recall 3 Word 9
C101939	AVL01044	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVLTL - List A Recall 3 Word 10
C101940	AVL01045	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVLTL - List A Recall 3 Word 11
C101941	AVL01046	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVLTL - List A Recall 3 Word 12
C101942	AVL01047	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVLTL - List A Recall 3 Word 13
C101943	AVL01048	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVLTL - List A Recall 3 Word 14
C101944	AVL01049	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVLTL - List A Recall 3 Word 15
C101945	AVL01050	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVLTL - List A Recall 3 Total
C101946	AVL01051	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLTL - List A Intrusions 3
C101947	AVL01052	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVLTL - List A Recall 4 Word 1
C101948	AVL01053	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVLTL - List A Recall 4 Word 2

**C101807 AVL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101949	AVL01054	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVLTL - List A Recall 4 Word 3
C101950	AVL01055	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVLTL - List A Recall 4 Word 4
C101951	AVL01056	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVLTL - List A Recall 4 Word 5
C101952	AVL01057	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVLTL - List A Recall 4 Word 6
C101953	AVL01058	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVLTL - List A Recall 4 Word 7
C101954	AVL01059	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVLTL - List A Recall 4 Word 8
C101955	AVL01060	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVLTL - List A Recall 4 Word 9
C101956	AVL01061	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVLTL - List A Recall 4 Word 10
C101957	AVL01062	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVLTL - List A Recall 4 Word 11
C101958	AVL01063	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVLTL - List A Recall 4 Word 12
C101959	AVL01064	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVLTL - List A Recall 4 Word 13
C101960	AVL01065	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVLTL - List A Recall 4 Word 14
C101961	AVL01066	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVLTL - List A Recall 4 Word 15
C101962	AVL01067	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVLTL - List A Recall 4 Total
C101963	AVL01068	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLTL - List A Intrusions 4
C101964	AVL01069	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVLTL - List A Recall 5 Word 1
C101965	AVL01070	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVLTL - List A Recall 5 Word 2
C101966	AVL01071	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVLTL - List A Recall 5 Word 3
C101967	AVL01072	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVLTL - List A Recall 5 Word 4
C101968	AVL01073	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVLTL - List A Recall 5 Word 5
C101969	AVL01074	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVLTL - List A Recall 5 Word 6
C101970	AVL01075	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVLTL - List A Recall 5 Word 7
C101971	AVL01076	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVLTL - List A Recall 5 Word 8
C101972	AVL01077	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVLTL - List A Recall 5 Word 9
C101973	AVL01078	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVLTL - List A Recall 5 Word 10
C101974	AVL01079	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVLTL - List A Recall 5 Word 11
C101975	AVL01080	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVLTL - List A Recall 5 Word 12

**C101807 AVL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101976	AVL01081	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVLTL - List A Recall 5 Word 13
C101977	AVL01082	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVLTL - List A Recall 5 Word 14
C101978	AVL01083	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVLTL - List A Recall 5 Word 15
C101979	AVL01084	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVLTL - List A Recall 5 Total
C101980	AVL01085	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLTL - List A Intrusions 5
C101981	AVL01086	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVLTL - List A Recall 6 (After B) Word 1
C101982	AVL01087	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLTL - List A Recall 6 (After B) Word 2
C101983	AVL01088	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLTL - List A Recall 6 (After B) Word 3
C101984	AVL01089	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLTL - List A Recall 6 (After B) Word 4
C101985	AVL01090	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLTL - List A Recall 6 (After B) Word 5
C101986	AVL01091	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLTL - List A Recall 6 (After B) Word 6
C101987	AVL01092	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLTL - List A Recall 6 (After B) Word 7
C101988	AVL01093	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLTL - List A Recall 6 (After B) Word 8
C101989	AVL01094	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLTL - List A Recall 6 (After B) Word 9
C101990	AVL01095	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVLTL - List A Recall 6 (After B) Word 10
C101991	AVL01096	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVLTL - List A Recall 6 (After B) Word 11
C101992	AVL01097	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLTL - List A Recall 6 (After B) Word 12
C101993	AVL01098	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLTL - List A Recall 6 (After B) Word 13
C101994	AVL01099	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLTL - List A Recall 6 (After B) Word 14
C101995	AVL01100	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLTL - List A Recall 6 (After B) Word 15
C101996	AVL01101	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVLTL - List A Recall 6 (After B) Total
C101997	AVL01102	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLTL - List A Intrusions 6
C101998	AVL01103	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLTL - List B Recall Word 1
C101999	AVL01104	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLTL - List B Recall Word 2
C102000	AVL01105	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLTL - List B Recall Word 3
C102001	AVL01106	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLTL - List B Recall Word 4
C102002	AVL01107	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLTL - List B Recall Word 5

**C101807 AVL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102003	AVL01108	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVLTL - List B Recall Word 6
C102004	AVL01109	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVLTL - List B Recall Word 7
C102005	AVL01110	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVLTL - List B Recall Word 8
C102006	AVL01111	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVLTL - List B Recall Word 9
C102007	AVL01112	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVLTL - List B Recall Word 10
C102008	AVL01113	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVLTL - List B Recall Word 11
C102009	AVL01114	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVLTL - List B Recall Word 12
C102010	AVL01115	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVLTL - List B Recall Word 13
C102011	AVL01116	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVLTL - List B Recall Word 14
C102012	AVL01117	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVLTL - List B Recall Word 15
C102013	AVL01118	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVLTL - List B Recall Total
C102014	AVL01119	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVLTL - List B Intrusions
C102015	AVL01120	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVLTL - List A 30 Min Delay Recall Word 1
C102016	AVL01121	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVLTL - List A 30 Min Delay Recall Word 2
C102017	AVL01122	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVLTL - List A 30 Min Delay Recall Word 3
C102018	AVL01123	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVLTL - List A 30 Min Delay Recall Word 4
C102019	AVL01124	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVLTL - List A 30 Min Delay Recall Word 5
C102020	AVL01125	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVLTL - List A 30 Min Delay Recall Word 6
C102021	AVL01126	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVLTL - List A 30 Min Delay Recall Word 7
C102022	AVL01127	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVLTL - List A 30 Min Delay Recall Word 8
C102023	AVL01128	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVLTL - List A 30 Min Delay Recall Word 9
C102024	AVL01129	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVLTL - List A 30 Min Delay Recall Word 10
C102025	AVL01130	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVLTL - List A 30 Min Delay Recall Word 11
C102026	AVL01131	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVLTL - List A 30 Min Delay Recall Word 12
C102027	AVL01132	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVLTL - List A 30 Min Delay Recall Word 13
C102028	AVL01133	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVLTL - List A 30 Min Delay Recall Word 14
C102029	AVL01134	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVLTL - List A 30 Min Delay Recall Word 15

**C101807 AVL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102030	AVL01135	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVL - List A 30 Min Delay Recall Total
C102031	AVL01136	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVL - List A 30 Min Delay Intrusions
C102032	AVL01137	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVL - List A Recognition Total
C102033	AVL01138	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVL - List A Recognition Intrusions

**AVL01TN (ADNI Auditory Verbal Learning Functional Test Test Name)**

NCI Code: C101808, Codelist extensible: No

<b>C101808 AVL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102031	AVL01-List A 30 Min Delay Intrusions	AVL01-List A 30 Min Delay Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, 30 Minute Delay.	ADNI AVLT - List A 30 Min Delay Intrusions
C102030	AVL01-List A 30 Min Delay Recall Total	AVL01-List A 30 Min Delay Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, 30 Minute Delay recall.	ADNI AVLT - List A 30 Min Delay Recall Total
C102015	AVL01-List A 30 Min Delay Recall Word 1	AVL01-List A 30 Min Delay Recall Word 1	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 1.	ADNI AVLT - List A 30 Min Delay Recall Word 1
C102024	AVL01-List A 30 Min Delay Recall Word 10	AVL01-List A 30 Min Delay Recall Word 10	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 10.	ADNI AVLT - List A 30 Min Delay Recall Word 10
C102025	AVL01-List A 30 Min Delay Recall Word 11	AVL01-List A 30 Min Delay Recall Word 11	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 11.	ADNI AVLT - List A 30 Min Delay Recall Word 11
C102026	AVL01-List A 30 Min Delay Recall Word 12	AVL01-List A 30 Min Delay Recall Word 12	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 12.	ADNI AVLT - List A 30 Min Delay Recall Word 12
C102027	AVL01-List A 30 Min Delay Recall Word 13	AVL01-List A 30 Min Delay Recall Word 13	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 13.	ADNI AVLT - List A 30 Min Delay Recall Word 13
C102028	AVL01-List A 30 Min Delay Recall Word 14	AVL01-List A 30 Min Delay Recall Word 14	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 14.	ADNI AVLT - List A 30 Min Delay Recall Word 14
C102029	AVL01-List A 30 Min Delay Recall Word 15	AVL01-List A 30 Min Delay Recall Word 15	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 15.	ADNI AVLT - List A 30 Min Delay Recall Word 15
C102016	AVL01-List A 30 Min Delay Recall Word 2	AVL01-List A 30 Min Delay Recall Word 2	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 2.	ADNI AVLT - List A 30 Min Delay Recall Word 2
C102017	AVL01-List A 30 Min Delay Recall Word 3	AVL01-List A 30 Min Delay Recall Word 3	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 3.	ADNI AVLT - List A 30 Min Delay Recall Word 3
C102018	AVL01-List A 30 Min Delay Recall Word 4	AVL01-List A 30 Min Delay Recall Word 4	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 4.	ADNI AVLT - List A 30 Min Delay Recall Word 4
C102019	AVL01-List A 30 Min Delay Recall Word 5	AVL01-List A 30 Min Delay Recall Word 5	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 5.	ADNI AVLT - List A 30 Min Delay Recall Word 5
C102020	AVL01-List A 30 Min Delay Recall Word 6	AVL01-List A 30 Min Delay Recall Word 6	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 6.	ADNI AVLT - List A 30 Min Delay Recall Word 6
C102021	AVL01-List A 30 Min Delay Recall Word 7	AVL01-List A 30 Min Delay Recall Word 7	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 7.	ADNI AVLT - List A 30 Min Delay Recall Word 7
C102022	AVL01-List A 30 Min Delay Recall Word 8	AVL01-List A 30 Min Delay Recall Word 8	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 8.	ADNI AVLT - List A 30 Min Delay Recall Word 8
C102023	AVL01-List A 30 Min Delay Recall Word 9	AVL01-List A 30 Min Delay Recall Word 9	Auditory Verbal Learning Test Version A - List A, 30 Minute Delay Recall, Word 9.	ADNI AVLT - List A 30 Min Delay Recall Word 9
C101912	AVL01-List A Intrusions 1	AVL01-List A Intrusions 1	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, first attempt.	ADNI AVLT - List A Intrusions 1
C101929	AVL01-List A Intrusions 2	AVL01-List A Intrusions 2	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, second attempt.	ADNI AVLT - List A Intrusions 2
C101946	AVL01-List A Intrusions 3	AVL01-List A Intrusions 3	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, third attempt.	ADNI AVLT - List A Intrusions 3
C101963	AVL01-List A Intrusions 4	AVL01-List A Intrusions 4	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fourth attempt.	ADNI AVLT - List A Intrusions 4
C101980	AVL01-List A Intrusions 5	AVL01-List A Intrusions 5	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, fifth attempt.	ADNI AVLT - List A Intrusions 5
C101997	AVL01-List A Intrusions 6	AVL01-List A Intrusions 6	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List A, sixth attempt (after List B recall).	ADNI AVLT - List A Intrusions 6
C101911	AVL01-List A Recall 1 Total	AVL01-List A Recall 1 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, first attempt.	ADNI AVLT - List A Recall 1 Total
C101896	AVL01-List A Recall 1 Word 1	AVL01-List A Recall 1 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 1.	ADNI AVLT - List A Recall 1 Word 1
C101905	AVL01-List A Recall 1 Word 10	AVL01-List A Recall 1 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 10.	ADNI AVLT - List A Recall 1 Word 10



**C101808 AVL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101906	AVL01-List A Recall 1 Word 11	AVL01-List A Recall 1 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 11.	ADNI AVLTL - List A Recall 1 Word 11
C101907	AVL01-List A Recall 1 Word 12	AVL01-List A Recall 1 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 12.	ADNI AVLTL - List A Recall 1 Word 12
C101908	AVL01-List A Recall 1 Word 13	AVL01-List A Recall 1 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 13.	ADNI AVLTL - List A Recall 1 Word 13
C101909	AVL01-List A Recall 1 Word 14	AVL01-List A Recall 1 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 14.	ADNI AVLTL - List A Recall 1 Word 14
C101910	AVL01-List A Recall 1 Word 15	AVL01-List A Recall 1 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 15.	ADNI AVLTL - List A Recall 1 Word 15
C101897	AVL01-List A Recall 1 Word 2	AVL01-List A Recall 1 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 2.	ADNI AVLTL - List A Recall 1 Word 2
C101898	AVL01-List A Recall 1 Word 3	AVL01-List A Recall 1 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 3.	ADNI AVLTL - List A Recall 1 Word 3
C101899	AVL01-List A Recall 1 Word 4	AVL01-List A Recall 1 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 4.	ADNI AVLTL - List A Recall 1 Word 4
C101900	AVL01-List A Recall 1 Word 5	AVL01-List A Recall 1 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 5.	ADNI AVLTL - List A Recall 1 Word 5
C101901	AVL01-List A Recall 1 Word 6	AVL01-List A Recall 1 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 6.	ADNI AVLTL - List A Recall 1 Word 6
C101902	AVL01-List A Recall 1 Word 7	AVL01-List A Recall 1 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 7.	ADNI AVLTL - List A Recall 1 Word 7
C101903	AVL01-List A Recall 1 Word 8	AVL01-List A Recall 1 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 8.	ADNI AVLTL - List A Recall 1 Word 8
C101904	AVL01-List A Recall 1 Word 9	AVL01-List A Recall 1 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 1, Word 9.	ADNI AVLTL - List A Recall 1 Word 9
C101928	AVL01-List A Recall 2 Total	AVL01-List A Recall 2 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, second attempt.	ADNI AVLTL - List A Recall 2 Total
C101913	AVL01-List A Recall 2 Word 1	AVL01-List A Recall 2 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 1.	ADNI AVLTL - List A Recall 2 Word 1
C101922	AVL01-List A Recall 2 Word 10	AVL01-List A Recall 2 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 10.	ADNI AVLTL - List A Recall 2 Word 10
C101923	AVL01-List A Recall 2 Word 11	AVL01-List A Recall 2 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 11.	ADNI AVLTL - List A Recall 2 Word 11
C101924	AVL01-List A Recall 2 Word 12	AVL01-List A Recall 2 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 12.	ADNI AVLTL - List A Recall 2 Word 12
C101925	AVL01-List A Recall 2 Word 13	AVL01-List A Recall 2 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 13.	ADNI AVLTL - List A Recall 2 Word 13
C101926	AVL01-List A Recall 2 Word 14	AVL01-List A Recall 2 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 14.	ADNI AVLTL - List A Recall 2 Word 14
C101927	AVL01-List A Recall 2 Word 15	AVL01-List A Recall 2 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 15.	ADNI AVLTL - List A Recall 2 Word 15
C101914	AVL01-List A Recall 2 Word 2	AVL01-List A Recall 2 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 2.	ADNI AVLTL - List A Recall 2 Word 2
C101915	AVL01-List A Recall 2 Word 3	AVL01-List A Recall 2 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 3.	ADNI AVLTL - List A Recall 2 Word 3
C101916	AVL01-List A Recall 2 Word 4	AVL01-List A Recall 2 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 4.	ADNI AVLTL - List A Recall 2 Word 4
C101917	AVL01-List A Recall 2 Word 5	AVL01-List A Recall 2 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 5.	ADNI AVLTL - List A Recall 2 Word 5
C101918	AVL01-List A Recall 2 Word 6	AVL01-List A Recall 2 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 6.	ADNI AVLTL - List A Recall 2 Word 6
C101919	AVL01-List A Recall 2 Word 7	AVL01-List A Recall 2 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 7.	ADNI AVLTL - List A Recall 2 Word 7

**C101808 AVL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101920	AVL01-List A Recall 2 Word 8	AVL01-List A Recall 2 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 8.	ADNI AVL T - List A Recall 2 Word 8
C101921	AVL01-List A Recall 2 Word 9	AVL01-List A Recall 2 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 2, Word 9.	ADNI AVL T - List A Recall 2 Word 9
C101945	AVL01-List A Recall 3 Total	AVL01-List A Recall 3 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, third attempt.	ADNI AVL T - List A Recall 3 Total
C101930	AVL01-List A Recall 3 Word 1	AVL01-List A Recall 3 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 1.	ADNI AVL T - List A Recall 3 Word 1
C101939	AVL01-List A Recall 3 Word 10	AVL01-List A Recall 3 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 10.	ADNI AVL T - List A Recall 3 Word 10
C101940	AVL01-List A Recall 3 Word 11	AVL01-List A Recall 3 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 11.	ADNI AVL T - List A Recall 3 Word 11
C101941	AVL01-List A Recall 3 Word 12	AVL01-List A Recall 3 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 12.	ADNI AVL T - List A Recall 3 Word 12
C101942	AVL01-List A Recall 3 Word 13	AVL01-List A Recall 3 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 13.	ADNI AVL T - List A Recall 3 Word 13
C101943	AVL01-List A Recall 3 Word 14	AVL01-List A Recall 3 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 14.	ADNI AVL T - List A Recall 3 Word 14
C101944	AVL01-List A Recall 3 Word 15	AVL01-List A Recall 3 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 15.	ADNI AVL T - List A Recall 3 Word 15
C101931	AVL01-List A Recall 3 Word 2	AVL01-List A Recall 3 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 2.	ADNI AVL T - List A Recall 3 Word 2
C101932	AVL01-List A Recall 3 Word 3	AVL01-List A Recall 3 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 3.	ADNI AVL T - List A Recall 3 Word 3
C101933	AVL01-List A Recall 3 Word 4	AVL01-List A Recall 3 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 4.	ADNI AVL T - List A Recall 3 Word 4
C101934	AVL01-List A Recall 3 Word 5	AVL01-List A Recall 3 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 5.	ADNI AVL T - List A Recall 3 Word 5
C101935	AVL01-List A Recall 3 Word 6	AVL01-List A Recall 3 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 6.	ADNI AVL T - List A Recall 3 Word 6
C101936	AVL01-List A Recall 3 Word 7	AVL01-List A Recall 3 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 7.	ADNI AVL T - List A Recall 3 Word 7
C101937	AVL01-List A Recall 3 Word 8	AVL01-List A Recall 3 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 8.	ADNI AVL T - List A Recall 3 Word 8
C101938	AVL01-List A Recall 3 Word 9	AVL01-List A Recall 3 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 3, Word 9.	ADNI AVL T - List A Recall 3 Word 9
C101962	AVL01-List A Recall 4 Total	AVL01-List A Recall 4 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fourth attempt.	ADNI AVL T - List A Recall 4 Total
C101947	AVL01-List A Recall 4 Word 1	AVL01-List A Recall 4 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 1.	ADNI AVL T - List A Recall 4 Word 1
C101956	AVL01-List A Recall 4 Word 10	AVL01-List A Recall 4 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 10.	ADNI AVL T - List A Recall 4 Word 10
C101957	AVL01-List A Recall 4 Word 11	AVL01-List A Recall 4 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 11.	ADNI AVL T - List A Recall 4 Word 11
C101958	AVL01-List A Recall 4 Word 12	AVL01-List A Recall 4 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 12.	ADNI AVL T - List A Recall 4 Word 12
C101959	AVL01-List A Recall 4 Word 13	AVL01-List A Recall 4 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 13.	ADNI AVL T - List A Recall 4 Word 13
C101960	AVL01-List A Recall 4 Word 14	AVL01-List A Recall 4 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 14.	ADNI AVL T - List A Recall 4 Word 14
C101961	AVL01-List A Recall 4 Word 15	AVL01-List A Recall 4 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 15.	ADNI AVL T - List A Recall 4 Word 15
C101948	AVL01-List A Recall 4 Word 2	AVL01-List A Recall 4 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 2.	ADNI AVL T - List A Recall 4 Word 2

**C101808 AVL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101949	AVL01-List A Recall 4 Word 3	AVL01-List A Recall 4 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 3.	ADNI AVL T - List A Recall 4 Word 3
C101950	AVL01-List A Recall 4 Word 4	AVL01-List A Recall 4 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 4.	ADNI AVL T - List A Recall 4 Word 4
C101951	AVL01-List A Recall 4 Word 5	AVL01-List A Recall 4 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 5.	ADNI AVL T - List A Recall 4 Word 5
C101952	AVL01-List A Recall 4 Word 6	AVL01-List A Recall 4 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 6.	ADNI AVL T - List A Recall 4 Word 6
C101953	AVL01-List A Recall 4 Word 7	AVL01-List A Recall 4 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 7.	ADNI AVL T - List A Recall 4 Word 7
C101954	AVL01-List A Recall 4 Word 8	AVL01-List A Recall 4 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 8.	ADNI AVL T - List A Recall 4 Word 8
C101955	AVL01-List A Recall 4 Word 9	AVL01-List A Recall 4 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 4, Word 9.	ADNI AVL T - List A Recall 4 Word 9
C101979	AVL01-List A Recall 5 Total	AVL01-List A Recall 5 Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, fifth attempt.	ADNI AVL T - List A Recall 5 Total
C101964	AVL01-List A Recall 5 Word 1	AVL01-List A Recall 5 Word 1	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 1.	ADNI AVL T - List A Recall 5 Word 1
C101973	AVL01-List A Recall 5 Word 10	AVL01-List A Recall 5 Word 10	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 10.	ADNI AVL T - List A Recall 5 Word 10
C101974	AVL01-List A Recall 5 Word 11	AVL01-List A Recall 5 Word 11	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 11.	ADNI AVL T - List A Recall 5 Word 11
C101975	AVL01-List A Recall 5 Word 12	AVL01-List A Recall 5 Word 12	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 12.	ADNI AVL T - List A Recall 5 Word 12
C101976	AVL01-List A Recall 5 Word 13	AVL01-List A Recall 5 Word 13	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 13.	ADNI AVL T - List A Recall 5 Word 13
C101977	AVL01-List A Recall 5 Word 14	AVL01-List A Recall 5 Word 14	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 14.	ADNI AVL T - List A Recall 5 Word 14
C101978	AVL01-List A Recall 5 Word 15	AVL01-List A Recall 5 Word 15	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 15.	ADNI AVL T - List A Recall 5 Word 15
C101965	AVL01-List A Recall 5 Word 2	AVL01-List A Recall 5 Word 2	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 2.	ADNI AVL T - List A Recall 5 Word 2
C101966	AVL01-List A Recall 5 Word 3	AVL01-List A Recall 5 Word 3	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 3.	ADNI AVL T - List A Recall 5 Word 3
C101967	AVL01-List A Recall 5 Word 4	AVL01-List A Recall 5 Word 4	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 4.	ADNI AVL T - List A Recall 5 Word 4
C101968	AVL01-List A Recall 5 Word 5	AVL01-List A Recall 5 Word 5	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 5.	ADNI AVL T - List A Recall 5 Word 5
C101969	AVL01-List A Recall 5 Word 6	AVL01-List A Recall 5 Word 6	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 6.	ADNI AVL T - List A Recall 5 Word 6
C101970	AVL01-List A Recall 5 Word 7	AVL01-List A Recall 5 Word 7	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 7.	ADNI AVL T - List A Recall 5 Word 7
C101971	AVL01-List A Recall 5 Word 8	AVL01-List A Recall 5 Word 8	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 8.	ADNI AVL T - List A Recall 5 Word 8
C101972	AVL01-List A Recall 5 Word 9	AVL01-List A Recall 5 Word 9	Auditory Verbal Learning Test Version A - List A, Recall 5, Word 9.	ADNI AVL T - List A Recall 5 Word 9
C101996	AVL01-List A Recall 6 (After B) Total	AVL01-List A Recall 6 (After B) Total	Auditory Verbal Learning Test Version A - The number of words recalled from List A, sixth attempt (after List B recall).	ADNI AVL T - List A Recall 6 (After B) Total
C101981	AVL01-List A Recall 6 (After B) Word 1	AVL01-List A Recall 6 (After B) Word 1	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 1.	ADNI AVL T - List A Recall 6 (After B) Word 1
C101990	AVL01-List A Recall 6 (After B) Word 10	AVL01-List A Recall 6 (After B) Word 10	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 10.	ADNI AVL T - List A Recall 6 (After B) Word 10
C101991	AVL01-List A Recall 6 (After B) Word 11	AVL01-List A Recall 6 (After B) Word 11	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 11.	ADNI AVL T - List A Recall 6 (After B) Word 11

**C101808 AVL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101992	AVL01-List A Recall 6 (After B) Word 12	AVL01-List A Recall 6 (After B) Word 12	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 12.	ADNI AVLTL - List A Recall 6 (After B) Word 12
C101993	AVL01-List A Recall 6 (After B) Word 13	AVL01-List A Recall 6 (After B) Word 13	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 13.	ADNI AVLTL - List A Recall 6 (After B) Word 13
C101994	AVL01-List A Recall 6 (After B) Word 14	AVL01-List A Recall 6 (After B) Word 14	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 14.	ADNI AVLTL - List A Recall 6 (After B) Word 14
C101995	AVL01-List A Recall 6 (After B) Word 15	AVL01-List A Recall 6 (After B) Word 15	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 15.	ADNI AVLTL - List A Recall 6 (After B) Word 15
C101982	AVL01-List A Recall 6 (After B) Word 2	AVL01-List A Recall 6 (After B) Word 2	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 2.	ADNI AVLTL - List A Recall 6 (After B) Word 2
C101983	AVL01-List A Recall 6 (After B) Word 3	AVL01-List A Recall 6 (After B) Word 3	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 3.	ADNI AVLTL - List A Recall 6 (After B) Word 3
C101984	AVL01-List A Recall 6 (After B) Word 4	AVL01-List A Recall 6 (After B) Word 4	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 4.	ADNI AVLTL - List A Recall 6 (After B) Word 4
C101985	AVL01-List A Recall 6 (After B) Word 5	AVL01-List A Recall 6 (After B) Word 5	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 5.	ADNI AVLTL - List A Recall 6 (After B) Word 5
C101986	AVL01-List A Recall 6 (After B) Word 6	AVL01-List A Recall 6 (After B) Word 6	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 6.	ADNI AVLTL - List A Recall 6 (After B) Word 6
C101987	AVL01-List A Recall 6 (After B) Word 7	AVL01-List A Recall 6 (After B) Word 7	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 7.	ADNI AVLTL - List A Recall 6 (After B) Word 7
C101988	AVL01-List A Recall 6 (After B) Word 8	AVL01-List A Recall 6 (After B) Word 8	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 8.	ADNI AVLTL - List A Recall 6 (After B) Word 8
C101989	AVL01-List A Recall 6 (After B) Word 9	AVL01-List A Recall 6 (After B) Word 9	Auditory Verbal Learning Test Version A - List A, Recall 6 (after B Recall), Word 9.	ADNI AVLTL - List A Recall 6 (After B) Word 9
C102033	AVL01-List A Recognition Intrusions	AVL01-List A Recognition Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions on recognition test.	ADNI AVLTL - List A Recognition Intrusions
C102032	AVL01-List A Recognition Total	AVL01-List A Recognition Total	Auditory Verbal Learning Test Version A - The number of words correct on recognition test.	ADNI AVLTL - List A Recognition Total
C102014	AVL01-List B Intrusions	AVL01-List B Intrusions	Auditory Verbal Learning Test Version A - The number of intrusions while recalling List B.	ADNI AVLTL - List B Intrusions
C102013	AVL01-List B Recall Total	AVL01-List B Recall Total	Auditory Verbal Learning Test Version A - The number of words recalled from List B.	ADNI AVLTL - List B Recall Total
C101998	AVL01-List B Recall Word 1	AVL01-List B Recall Word 1	Auditory Verbal Learning Test Version A - List B, Word 1.	ADNI AVLTL - List B Recall Word 1
C102007	AVL01-List B Recall Word 10	AVL01-List B Recall Word 10	Auditory Verbal Learning Test Version A - List B, Word 10.	ADNI AVLTL - List B Recall Word 10
C102008	AVL01-List B Recall Word 11	AVL01-List B Recall Word 11	Auditory Verbal Learning Test Version A - List B, Word 11.	ADNI AVLTL - List B Recall Word 11
C102009	AVL01-List B Recall Word 12	AVL01-List B Recall Word 12	Auditory Verbal Learning Test Version A - List B, Word 12.	ADNI AVLTL - List B Recall Word 12
C102010	AVL01-List B Recall Word 13	AVL01-List B Recall Word 13	Auditory Verbal Learning Test Version A - List B, Word 13.	ADNI AVLTL - List B Recall Word 13
C102011	AVL01-List B Recall Word 14	AVL01-List B Recall Word 14	Auditory Verbal Learning Test Version A - List B, Word 14.	ADNI AVLTL - List B Recall Word 14
C102012	AVL01-List B Recall Word 15	AVL01-List B Recall Word 15	Auditory Verbal Learning Test Version A - List B, Word 15.	ADNI AVLTL - List B Recall Word 15
C101999	AVL01-List B Recall Word 2	AVL01-List B Recall Word 2	Auditory Verbal Learning Test Version A - List B, Word 2.	ADNI AVLTL - List B Recall Word 2
C102000	AVL01-List B Recall Word 3	AVL01-List B Recall Word 3	Auditory Verbal Learning Test Version A - List B, Word 3.	ADNI AVLTL - List B Recall Word 3
C102001	AVL01-List B Recall Word 4	AVL01-List B Recall Word 4	Auditory Verbal Learning Test Version A - List B, Word 4.	ADNI AVLTL - List B Recall Word 4
C102002	AVL01-List B Recall Word 5	AVL01-List B Recall Word 5	Auditory Verbal Learning Test Version A - List B, Word 5.	ADNI AVLTL - List B Recall Word 5

**C101808 AVL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102003	AVL01-List B Recall Word 6	AVL01-List B Recall Word 6	Auditory Verbal Learning Test Version A - List B, Word 6.	ADNI AVLTL - List B Recall Word 6
C102004	AVL01-List B Recall Word 7	AVL01-List B Recall Word 7	Auditory Verbal Learning Test Version A - List B, Word 7.	ADNI AVLTL - List B Recall Word 7
C102005	AVL01-List B Recall Word 8	AVL01-List B Recall Word 8	Auditory Verbal Learning Test Version A - List B, Word 8.	ADNI AVLTL - List B Recall Word 8
C102006	AVL01-List B Recall Word 9	AVL01-List B Recall Word 9	Auditory Verbal Learning Test Version A - List B, Word 9.	ADNI AVLTL - List B Recall Word 9

**AVL02TC (Rey Auditory Verbal Learning Test Functional Test Test Code)**

NCI Code: C123655, Codelist extensible: No

<b>C123655 AVL02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123683	AVL0201	AVL02-List A Word 1	Auditory Verbal Learning Test - List A, Word 1.	AVLT-REY - List A Word 1
C123684	AVL0202	AVL02-List A Word 2	Auditory Verbal Learning Test - List A, Word 2.	AVLT-REY - List A Word 2
C123685	AVL0203	AVL02-List A Word 3	Auditory Verbal Learning Test - List A, Word 3.	AVLT-REY - List A Word 3
C123686	AVL0204	AVL02-List A Word 4	Auditory Verbal Learning Test - List A, Word 4.	AVLT-REY - List A Word 4
C123687	AVL0205	AVL02-List A Word 5	Auditory Verbal Learning Test - List A, Word 5.	AVLT-REY - List A Word 5
C123688	AVL0206	AVL02-List A Word 6	Auditory Verbal Learning Test - List A, Word 6.	AVLT-REY - List A Word 6
C123689	AVL0207	AVL02-List A Word 7	Auditory Verbal Learning Test - List A, Word 7.	AVLT-REY - List A Word 7
C123690	AVL0208	AVL02-List A Word 8	Auditory Verbal Learning Test - List A, Word 8.	AVLT-REY - List A Word 8
C123691	AVL0209	AVL02-List A Word 9	Auditory Verbal Learning Test - List A, Word 9.	AVLT-REY - List A Word 9
C123692	AVL0210	AVL02-List A Word 10	Auditory Verbal Learning Test - List A, Word 10.	AVLT-REY - List A Word 10
C123693	AVL0211	AVL02-List A Word 11	Auditory Verbal Learning Test - List A, Word 11.	AVLT-REY - List A Word 11
C123694	AVL0212	AVL02-List A Word 12	Auditory Verbal Learning Test - List A, Word 12.	AVLT-REY - List A Word 12
C123695	AVL0213	AVL02-List A Word 13	Auditory Verbal Learning Test - List A, Word 13.	AVLT-REY - List A Word 13
C123696	AVL0214	AVL02-List A Word 14	Auditory Verbal Learning Test - List A, Word 14.	AVLT-REY - List A Word 14
C123697	AVL0215	AVL02-List A Word 15	Auditory Verbal Learning Test - List A, Word 15.	AVLT-REY - List A Word 15
C123698	AVL0216	AVL02-List A Total	Auditory Verbal Learning Test - The number of List A words recalled from a trial.	AVLT-REY - List A Total
C123699	AVL0217	AVL02-List A Intrusions	Auditory Verbal Learning Test - The number of List A intrusions while recalling from a trial.	AVLT-REY - List A Intrusions
C123700	AVL0218	AVL02-List B Word 1	Auditory Verbal Learning Test - List B, Word 1.	AVLT-REY - List B Word 1
C123701	AVL0219	AVL02-List B Word 2	Auditory Verbal Learning Test - List B, Word 2.	AVLT-REY - List B Word 2
C123702	AVL0220	AVL02-List B Word 3	Auditory Verbal Learning Test - List B, Word 3.	AVLT-REY - List B Word 3
C123703	AVL0221	AVL02-List B Word 4	Auditory Verbal Learning Test - List B, Word 4.	AVLT-REY - List B Word 4
C123704	AVL0222	AVL02-List B Word 5	Auditory Verbal Learning Test - List B, Word 5.	AVLT-REY - List B Word 5
C123705	AVL0223	AVL02-List B Word 6	Auditory Verbal Learning Test - List B, Word 6.	AVLT-REY - List B Word 6
C123706	AVL0224	AVL02-List B Word 7	Auditory Verbal Learning Test - List B, Word 7.	AVLT-REY - List B Word 7
C123707	AVL0225	AVL02-List B Word 8	Auditory Verbal Learning Test - List B, Word 8.	AVLT-REY - List B Word 8
C123708	AVL0226	AVL02-List B Word 9	Auditory Verbal Learning Test - List B, Word 9.	AVLT-REY - List B Word 9
C123709	AVL0227	AVL02-List B Word 10	Auditory Verbal Learning Test - List B, Word 10.	AVLT-REY - List B Word 10
C123710	AVL0228	AVL02-List B Word 11	Auditory Verbal Learning Test - List B, Word 11.	AVLT-REY - List B Word 11
C123711	AVL0229	AVL02-List B Word 12	Auditory Verbal Learning Test - List B, Word 12.	AVLT-REY - List B Word 12
C123712	AVL0230	AVL02-List B Word 13	Auditory Verbal Learning Test - List B, Word 13.	AVLT-REY - List B Word 13
C123713	AVL0231	AVL02-List B Word 14	Auditory Verbal Learning Test - List B, Word 14.	AVLT-REY - List B Word 14
C123714	AVL0232	AVL02-List B Word 15	Auditory Verbal Learning Test - List B, Word 15.	AVLT-REY - List B Word 15

**C123655 AVL02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123715	AVL0233	AVL02- List B Total	Auditory Verbal Learning Test - The number of words recalled from List B trial.	AVLT-REY - List B Total
C123716	AVL0234	AVL02-List B Intrusions	Auditory Verbal Learning Test - The number of intrusions while recalling from List B trial.	AVLT-REY - List B Intrusions
C123717	AVL0235	AVL02-Recognition Total	Auditory Verbal Learning Test - The number of words correct on recognition test.	AVLT-REY - Recognition Total
C123718	AVL0236	AVL02-Recognition Intrusions	Auditory Verbal Learning Test - The number of intrusions on recognition test.	AVLT-REY - Recognition Intrusions

**AVL02TN (Rey Auditory Verbal Learning Test Functional Test Test Name)**

NCI Code: C123654, Codelist extensible: No

<b>C123654 AVL02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123715	AVL02- List B Total	AVL02- List B Total	Auditory Verbal Learning Test - The number of words recalled from List B trial.	AVLT-REY - List B Total
C123699	AVL02-List A Intrusions	AVL02-List A Intrusions	Auditory Verbal Learning Test - The number of List A intrusions while recalling from a trial.	AVLT-REY - List A Intrusions
C123698	AVL02-List A Total	AVL02-List A Total	Auditory Verbal Learning Test - The number of List A words recalled from a trial.	AVLT-REY - List A Total
C123683	AVL02-List A Word 1	AVL02-List A Word 1	Auditory Verbal Learning Test - List A, Word 1.	AVLT-REY - List A Word 1
C123692	AVL02-List A Word 10	AVL02-List A Word 10	Auditory Verbal Learning Test - List A, Word 10.	AVLT-REY - List A Word 10
C123693	AVL02-List A Word 11	AVL02-List A Word 11	Auditory Verbal Learning Test - List A, Word 11.	AVLT-REY - List A Word 11
C123694	AVL02-List A Word 12	AVL02-List A Word 12	Auditory Verbal Learning Test - List A, Word 12.	AVLT-REY - List A Word 12
C123695	AVL02-List A Word 13	AVL02-List A Word 13	Auditory Verbal Learning Test - List A, Word 13.	AVLT-REY - List A Word 13
C123696	AVL02-List A Word 14	AVL02-List A Word 14	Auditory Verbal Learning Test - List A, Word 14.	AVLT-REY - List A Word 14
C123697	AVL02-List A Word 15	AVL02-List A Word 15	Auditory Verbal Learning Test - List A, Word 15.	AVLT-REY - List A Word 15
C123684	AVL02-List A Word 2	AVL02-List A Word 2	Auditory Verbal Learning Test - List A, Word 2.	AVLT-REY - List A Word 2
C123685	AVL02-List A Word 3	AVL02-List A Word 3	Auditory Verbal Learning Test - List A, Word 3.	AVLT-REY - List A Word 3
C123686	AVL02-List A Word 4	AVL02-List A Word 4	Auditory Verbal Learning Test - List A, Word 4.	AVLT-REY - List A Word 4
C123687	AVL02-List A Word 5	AVL02-List A Word 5	Auditory Verbal Learning Test - List A, Word 5.	AVLT-REY - List A Word 5
C123688	AVL02-List A Word 6	AVL02-List A Word 6	Auditory Verbal Learning Test - List A, Word 6.	AVLT-REY - List A Word 6
C123689	AVL02-List A Word 7	AVL02-List A Word 7	Auditory Verbal Learning Test - List A, Word 7.	AVLT-REY - List A Word 7
C123690	AVL02-List A Word 8	AVL02-List A Word 8	Auditory Verbal Learning Test - List A, Word 8.	AVLT-REY - List A Word 8
C123691	AVL02-List A Word 9	AVL02-List A Word 9	Auditory Verbal Learning Test - List A, Word 9.	AVLT-REY - List A Word 9
C123716	AVL02-List B Intrusions	AVL02-List B Intrusions	Auditory Verbal Learning Test - The number of intrusions while recalling from List B trial.	AVLT-REY - List B Intrusions
C123700	AVL02-List B Word 1	AVL02-List B Word 1	Auditory Verbal Learning Test - List B, Word 1.	AVLT-REY - List B Word 1
C123709	AVL02-List B Word 10	AVL02-List B Word 10	Auditory Verbal Learning Test - List B, Word 10.	AVLT-REY - List B Word 10
C123710	AVL02-List B Word 11	AVL02-List B Word 11	Auditory Verbal Learning Test - List B, Word 11.	AVLT-REY - List B Word 11
C123711	AVL02-List B Word 12	AVL02-List B Word 12	Auditory Verbal Learning Test - List B, Word 12.	AVLT-REY - List B Word 12
C123712	AVL02-List B Word 13	AVL02-List B Word 13	Auditory Verbal Learning Test - List B, Word 13.	AVLT-REY - List B Word 13
C123713	AVL02-List B Word 14	AVL02-List B Word 14	Auditory Verbal Learning Test - List B, Word 14.	AVLT-REY - List B Word 14
C123714	AVL02-List B Word 15	AVL02-List B Word 15	Auditory Verbal Learning Test - List B, Word 15.	AVLT-REY - List B Word 15
C123701	AVL02-List B Word 2	AVL02-List B Word 2	Auditory Verbal Learning Test - List B, Word 2.	AVLT-REY - List B Word 2
C123702	AVL02-List B Word 3	AVL02-List B Word 3	Auditory Verbal Learning Test - List B, Word 3.	AVLT-REY - List B Word 3
C123703	AVL02-List B Word 4	AVL02-List B Word 4	Auditory Verbal Learning Test - List B, Word 4.	AVLT-REY - List B Word 4
C123704	AVL02-List B Word 5	AVL02-List B Word 5	Auditory Verbal Learning Test - List B, Word 5.	AVLT-REY - List B Word 5
C123705	AVL02-List B Word 6	AVL02-List B Word 6	Auditory Verbal Learning Test - List B, Word 6.	AVLT-REY - List B Word 6



**C123654 AVL02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123706	AVL02-List B Word 7	AVL02-List B Word 7	Auditory Verbal Learning Test - List B, Word 7.	AVLT-REY - List B Word 7
C123707	AVL02-List B Word 8	AVL02-List B Word 8	Auditory Verbal Learning Test - List B, Word 8.	AVLT-REY - List B Word 8
C123708	AVL02-List B Word 9	AVL02-List B Word 9	Auditory Verbal Learning Test - List B, Word 9.	AVLT-REY - List B Word 9
C123718	AVL02-Recognition Intrusions	AVL02-Recognition Intrusions	Auditory Verbal Learning Test - The number of intrusions on recognition test.	AVLT-REY - Recognition Intrusions
C123717	AVL02-Recognition Total	AVL02-Recognition Total	Auditory Verbal Learning Test - The number of words correct on recognition test.	AVLT-REY - Recognition Total

**AVOUTTRT (Anti-Viral Outcome of Treatment)**

NCI Code: C120521, Codelist extensible: Yes

<b>C120521 AVOUTTRT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120597	RAPID VIROLOGIC RESPONSE	RVR	A finding of aviremia at a specified timepoint, early during the treatment period.	Rapid Virologic Response
C120598	SUSTAINED VIROLOGIC RESPONSE	SVR	A finding of aviremia at a predetermined time point after the end of planned or actual treatment.	Sustained Virologic Response
C120599	VIRAL BREAKTHROUGH	VBT	The subject becomes viremic during the treatment period after a period of treatment-induced aviremia or has an increase in viral load from nadir above a predetermined threshold during the treatment period.	Viral Breakthrough
C120600	VIRAL RELAPSE		A recurrence of the same virus after a finding of aviremia at the end of planned or actual treatment.	Viral Relapse
C120601	VIROLOGIC END OF TREATMENT RESPONSE		A finding of aviremia at the end of the planned or actual end of treatment period.	Virologic End Of Treatment Response
C120602	VIROLOGIC FAILURE		A finding of viremia at or after end of planned or actual treatment, excluding treatment discontinuations for non-virologic reasons.	Virologic Failure
C120603	VIROLOGIC NON-RESPONSE		The subject remains viremic during the treatment period.	Virologic Non-Response
C120604	VIROLOGIC NULL-RESPONSE		The subject remains viremic during the treatment period and the decrease in viral load from baseline at a specified timepoint is below or equal to a predetermined threshold.	Virologic Null-Response
C120605	VIROLOGIC PARTIAL RESPONSE		The subject remains viremic during the treatment period and the decrease in viral load from baseline at a specified timepoint is above a predetermined threshold.	Virologic Partial Response

## BACS1TC (Brief Assessment of Cognition in Schizophrenia Functional Test Test Code)

NCI Code: C120983, Codelist extensible: No

C120983 BACS1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121050	BACS101	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Number of items recalled on each trial.	BACS - Number of Items Recalled
C121051	BACS101A	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Total number of items recalled.	BACS - Number of Items Recalled Total
C121052	BACS102	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121053	BACS103A	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121054	BACS103B	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121055	BACS103C	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121056	BACS103D	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121057	BACS104A	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS104B	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS104C	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121060	BACS104D	BACS1-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total
C121061	BACS105	BACS1-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121062	BACS106	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses

**BACS1TN (Brief Assessment of Cognition in Schizophrenia Functional Test Test Name)**

NCI Code: C120982, Codelist extensible: No

<b>C120982 BACS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121057	BACS1-Category Instances	BACS1-Category Instances	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Category instances.	BACS - Category Instances
C121058	BACS1-Letter Fluency 1	BACS1-Letter Fluency 1	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 1.	BACS - Letter Fluency 1
C121059	BACS1-Letter Fluency 2	BACS1-Letter Fluency 2	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Letter fluency 2.	BACS - Letter Fluency 2
C121052	BACS1-Number of Correct Sequences	BACS1-Number of Correct Sequences	Brief Assessment of Cognition in Schizophrenia - Digit Sequencing-Number of correct sequences.	BACS - Number of Correct Sequences
C121050	BACS1-Number of Items Recalled	BACS1-Number of Items Recalled	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Number of items recalled on each trial.	BACS - Number of Items Recalled
C121051	BACS1-Number of Items Recalled Total	BACS1-Number of Items Recalled Total	Brief Assessment of Cognition in Schizophrenia - Verbal Memory-Total number of items recalled.	BACS - Number of Items Recalled Total
C121056	BACS1-Number of Tokens Correctly Placed	BACS1-Number of Tokens Correctly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Number of tokens correctly placed.	BACS - Number of Tokens Correctly Placed
C121053	BACS1-Number of Tokens Left on the Table	BACS1-Number of Tokens Left on the Table	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens left on the table.	BACS - Number of Tokens Left on the Table
C121055	BACS1-Number Tokens Incorrectly Placed	BACS1-Number Tokens Incorrectly Placed	Brief Assessment of Cognition in Schizophrenia Questionnaire - Token Motor Task-Total number of tokens incorrectly placed in container.	BACS - Number Tokens Incorrectly Placed
C121061	BACS1-Symbol Coding Raw Score	BACS1-Symbol Coding Raw Score	Brief Assessment of Cognition in Schizophrenia Questionnaire - Symbol Coding-Raw score.	BACS - Symbol Coding Raw Score
C121054	BACS1-Total Number Tokens in Container	BACS1-Total Number Tokens in Container	Brief Assessment of Cognition in Schizophrenia - Token Motor Task-Total number of tokens placed in the container.	BACS - Total Number Tokens in Container
C121062	BACS1-Tower of London Correct Responses	BACS1-Tower of London Correct Responses	Brief Assessment of Cognition in Schizophrenia Questionnaire - Tower of London-Number of correct responses.	BACS - Tower of London Correct Responses
C121060	BACS1-Verbal Fluency Total	BACS1-Verbal Fluency Total	Brief Assessment of Cognition in Schizophrenia Questionnaire - Verbal Fluency-Total number of Verbal Fluency items.	BACS - Verbal Fluency Total

**BARS01TC (Barnes Akathisia Rating Scale Questionnaire Test Code)**

NCI Code: C101809, Codelist extensible: No

<b>C101809 BARS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102046	BARS0101	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS0102	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS0103	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress
C102049	BARS0104	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment

**BARS01TN (Barnes Akathisia Rating Scale Questionnaire Test Name)**

NCI Code: C101810, Codelist extensible: No

<b>C101810 BARS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102049	BARS01-Global Clinical Assessment	BARS01-Global Clinical Assessment	Barnes Akathisia Rating Scale - Global clinical assessment of akathisia.	BARS - Global Clinical Assessment
C102046	BARS01-Objective	BARS01-Objective	Barnes Akathisia Rating Scale - Objective.	BARS - Objective
C102047	BARS01-Subjective, Awareness	BARS01-Subjective, Awareness	Barnes Akathisia Rating Scale - Subjective, awareness of restlessness.	BARS - Subjective, Awareness
C102048	BARS01-Subjective, Distress	BARS01-Subjective, Distress	Barnes Akathisia Rating Scale - Subjective, distress related to restlessness.	BARS - Subjective, Distress

**BCR101TC (Borg CR10 Scale Questionnaire Test Code)**

NCI Code: C113846, Codelist extensible: No

<b>C113846 BCR101TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113888	BCR10101	BCR101-Rating	Borg CR10 Scale - Rating.	Borg CR10 - Rating

**BCR101TN (Borg CR10 Scale Questionnaire Test Name)**

NCI Code: C113845, Codelist extensible: No

<b>C113845 BCR101TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113888	BCR101-Rating	BCR101-Rating	Borg CR10 Scale - Rating.	Borg CR10 - Rating



**BDI01TC (Baseline Dyspnea Index Questionnaire Test Code)**

NCI Code: C106655, Codelist extensible: No

<b>C106655 BDI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106701	BDI0101	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106702	BDI0102	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task
C106703	BDI0103	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort

**BDI01TN (Baseline Dyspnea Index Questionnaire Test Name)**

NCI Code: C106654, Codelist extensible: No

<b>C106654 BDI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106701	BDI01-Functional Impairment	BDI01-Functional Impairment	Baseline Dyspnea Index - Functional impairment.	BDI - Functional Impairment
C106703	BDI01-Magnitude of Effort	BDI01-Magnitude of Effort	Baseline Dyspnea Index - Magnitude of effort.	BDI - Magnitude of Effort
C106702	BDI01-Magnitude of Task	BDI01-Magnitude of Task	Baseline Dyspnea Index - Magnitude of task.	BDI - Magnitude of Task

## BEBQ01TC (Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Code)

NCI Code: C135680, Codelist extensible: No

C135680 BEBQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135775	BEBQ0101	BEBQ01-Baby Seems Contented Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby seems contented while feeding.	BEBQ Concurrent Version - Baby Seems Contented Feeding
C135776	BEBQ0102	BEBQ01-Baby Frequently Wants More Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby frequently wants more milk than I provide.	BEBQ Concurrent Version - Baby Frequently Wants More Milk
C135777	BEBQ0103	BEBQ01-Baby Loves Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby loves milk.	BEBQ Concurrent Version - Baby Loves Milk
C135778	BEBQ0104	BEBQ01-Baby Has a Big Appetite	Baby Eating Behaviour Questionnaire - Concurrent - My baby has a big appetite.	BEBQ Concurrent Version - Baby Has a Big Appetite
C135779	BEBQ0105	BEBQ01-Baby Finishes Feeding Quickly	Baby Eating Behaviour Questionnaire - Concurrent - My baby finishes feeding quickly.	BEBQ Concurrent Version - Baby Finishes Feeding Quickly
C135780	BEBQ0106	BEBQ01-Baby Becomes Distressed Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby becomes distressed while feeding.	BEBQ Concurrent Version - Baby Becomes Distressed Feeding
C135781	BEBQ0107	BEBQ01-Baby Gets Full Up Easily	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full up easily.	BEBQ Concurrent Version - Baby Gets Full Up Easily
C135782	BEBQ0108	BEBQ01-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Concurrent - If allowed to, my baby would take too much milk.	BEBQ Concurrent Version - Baby Would Take Too Much Milk
C135783	BEBQ0109	BEBQ01-Baby Takes More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby takes more than 30 minutes to finish feeding.	BEBQ Concurrent Version - Baby Takes More Than 30 Minutes
C135784	BEBQ0110	BEBQ01-Gets Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full before taking all the milk I think he/she should have.	BEBQ Concurrent Version - Gets Full Before Taking All Milk
C135785	BEBQ0111	BEBQ01-Baby Feeds Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby feeds slowly.	BEBQ Concurrent Version - Baby Feeds Slowly
C135786	BEBQ0112	BEBQ01-Just Eaten Is Happy to Feed Again	Baby Eating Behaviour Questionnaire - Concurrent - Even when my baby has just eaten well he/she is happy to feed again if offered.	BEBQ Concurrent Version - Just Eaten Is Happy to Feed Again
C135787	BEBQ0113	BEBQ01-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby finds it difficult to manage a complete feed.	BEBQ Concurrent Version - Difficult Manage Complete Feed
C135788	BEBQ0114	BEBQ01-Baby Is Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby is always demanding a feed.	BEBQ Concurrent Version - Baby Is Always Demanding a Feed
C135789	BEBQ0115	BEBQ01-Baby Sucks More and More Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby sucks more and more slowly during the course of a feed.	BEBQ Concurrent Version - Baby Sucks More and More Slowly
C135790	BEBQ0116	BEBQ01-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Concurrent - If given the chance, my baby would always be feeding.	BEBQ Concurrent Version - Baby Would Always Be Feeding
C135791	BEBQ0117	BEBQ01-Baby Enjoys Feeding Time	Baby Eating Behaviour Questionnaire - Concurrent - My baby enjoys feeding time.	BEBQ Concurrent Version - Baby Enjoys Feeding Time
C135792	BEBQ0118	BEBQ01-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby can easily take a feed within 30 minutes of the last one.	BEBQ Concurrent Version - Take a Feed Within 30 Minutes

## BEBQ01TN (Baby Eating Behaviour Questionnaire Concurrent Version Questionnaire Test Name)

NCI Code: C135679, Codelist extensible: No

C135679 BEBQ01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135780	BEBQ01-Baby Becomes Distressed Feeding	BEBQ01-Baby Becomes Distressed Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby becomes distressed while feeding.	BEBQ Concurrent Version - Baby Becomes Distressed Feeding
C135791	BEBQ01-Baby Enjoys Feeding Time	BEBQ01-Baby Enjoys Feeding Time	Baby Eating Behaviour Questionnaire - Concurrent - My baby enjoys feeding time.	BEBQ Concurrent Version - Baby Enjoys Feeding Time
C135785	BEBQ01-Baby Feeds Slowly	BEBQ01-Baby Feeds Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby feeds slowly.	BEBQ Concurrent Version - Baby Feeds Slowly
C135779	BEBQ01-Baby Finishes Feeding Quickly	BEBQ01-Baby Finishes Feeding Quickly	Baby Eating Behaviour Questionnaire - Concurrent - My baby finishes feeding quickly.	BEBQ Concurrent Version - Baby Finishes Feeding Quickly
C135776	BEBQ01-Baby Frequently Wants More Milk	BEBQ01-Baby Frequently Wants More Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby frequently wants more milk than I provide.	BEBQ Concurrent Version - Baby Frequently Wants More Milk
C135781	BEBQ01-Baby Gets Full Up Easily	BEBQ01-Baby Gets Full Up Easily	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full up easily.	BEBQ Concurrent Version - Baby Gets Full Up Easily
C135778	BEBQ01-Baby Has a Big Appetite	BEBQ01-Baby Has a Big Appetite	Baby Eating Behaviour Questionnaire - Concurrent - My baby has a big appetite.	BEBQ Concurrent Version - Baby Has a Big Appetite
C135788	BEBQ01-Baby Is Always Demanding a Feed	BEBQ01-Baby Is Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby is always demanding a feed.	BEBQ Concurrent Version - Baby Is Always Demanding a Feed
C135777	BEBQ01-Baby Loves Milk	BEBQ01-Baby Loves Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby loves milk.	BEBQ Concurrent Version - Baby Loves Milk
C135775	BEBQ01-Baby Seems Contented Feeding	BEBQ01-Baby Seems Contented Feeding	Baby Eating Behaviour Questionnaire - Concurrent - My baby seems contented while feeding.	BEBQ Concurrent Version - Baby Seems Contented Feeding
C135789	BEBQ01-Baby Sucks More and More Slowly	BEBQ01-Baby Sucks More and More Slowly	Baby Eating Behaviour Questionnaire - Concurrent - My baby sucks more and more slowly during the course of a feed.	BEBQ Concurrent Version - Baby Sucks More and More Slowly
C135783	BEBQ01-Baby Takes More Than 30 Minutes	BEBQ01-Baby Takes More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby takes more than 30 minutes to finish feeding.	BEBQ Concurrent Version - Baby Takes More Than 30 Minutes
C135790	BEBQ01-Baby Would Always Be Feeding	BEBQ01-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Concurrent - If given the chance, my baby would always be feeding.	BEBQ Concurrent Version - Baby Would Always Be Feeding
C135782	BEBQ01-Baby Would Take Too Much Milk	BEBQ01-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Concurrent - If allowed to, my baby would take too much milk.	BEBQ Concurrent Version - Baby Would Take Too Much Milk
C135787	BEBQ01-Difficult Manage Complete Feed	BEBQ01-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Concurrent - My baby finds it difficult to manage a complete feed.	BEBQ Concurrent Version - Difficult Manage Complete Feed
C135784	BEBQ01-Gets Full Before Taking All Milk	BEBQ01-Gets Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Concurrent - My baby gets full before taking all the milk I think he/she should have.	BEBQ Concurrent Version - Gets Full Before Taking All Milk
C135786	BEBQ01-Just Eaten Is Happy to Feed Again	BEBQ01-Just Eaten Is Happy to Feed Again	Baby Eating Behaviour Questionnaire - Concurrent - Even when my baby has just eaten well he/she is happy to feed again if offered.	BEBQ Concurrent Version - Just Eaten Is Happy to Feed Again
C135792	BEBQ01-Take a Feed Within 30 Minutes	BEBQ01-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Concurrent - My baby can easily take a feed within 30 minutes of the last one.	BEBQ Concurrent Version - Take a Feed Within 30 Minutes

## BEBQ02TC (Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Code)

NCI Code: C135682, Codelist extensible: No

C135682 BEBQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135793	BEBQ0201	BEBQ02-Baby Seemed Contented Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby seemed contented while feeding.	BEBQ Retrospective Version - Baby Seemed Contented Feeding
C135794	BEBQ0202	BEBQ02-Baby Frequently Wanted More Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby frequently wanted more milk than I provided.	BEBQ Retrospective Version - Baby Frequently Wanted More Milk
C135795	BEBQ0203	BEBQ02-Baby Loved Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby loved milk.	BEBQ Retrospective Version - Baby Loved Milk
C135796	BEBQ0204	BEBQ02-Baby Had a Big Appetite	Baby Eating Behaviour Questionnaire - Retrospective - My baby had a big appetite.	BEBQ Retrospective Version - Baby Had a Big Appetite
C135797	BEBQ0205	BEBQ02-Baby Finished Feeding Quickly	Baby Eating Behaviour Questionnaire - Retrospective - My baby finished feeding quickly.	BEBQ Retrospective Version - Baby Finished Feeding Quickly
C135798	BEBQ0206	BEBQ02-Baby Became Distressed Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby became distressed while feeding.	BEBQ Retrospective Version - Baby Became Distressed Feeding
C135799	BEBQ0207	BEBQ02-Baby Got Full Up Easily	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full up easily.	BEBQ Retrospective Version - Baby Got Full Up Easily
C135800	BEBQ0208	BEBQ02-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Retrospective - If allowed to, my baby would take too much milk.	BEBQ Retrospective Version - Baby Would Take Too Much Milk
C135801	BEBQ0209	BEBQ02-Baby Took More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby took more than 30 minutes to finish feeding.	BEBQ Retrospective Version - Baby Took More Than 30 Minutes
C135802	BEBQ0210	BEBQ02-Got Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full before taking all the milk I think he/she should have.	BEBQ Retrospective Version - Got Full Before Taking All Milk
C135803	BEBQ0211	BEBQ02-Baby Fed Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby fed slowly.	BEBQ Retrospective Version - Baby Fed Slowly
C135804	BEBQ0212	BEBQ02-Just Eaten Happy to Feed Again	Baby Eating Behaviour Questionnaire - Retrospective - Even when my baby had just eaten well he/she was happy to feed again if offered.	BEBQ Retrospective Version - Just Eaten Happy to Feed Again
C135805	BEBQ0213	BEBQ02-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby found it difficult to manage a complete feed.	BEBQ Retrospective Version - Difficult Manage Complete Feed
C135806	BEBQ0214	BEBQ02-Baby Was Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby was always demanding a feed.	BEBQ Retrospective Version - Baby Was Always Demanding a Feed
C135807	BEBQ0215	BEBQ02-Baby Sucked More and More Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby sucked more and more slowly during the course of a feed.	BEBQ Retrospective Version - Baby Sucked More and More Slowly
C135808	BEBQ0216	BEBQ02-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Retrospective - If given the chance, my baby would always be feeding.	BEBQ Retrospective Version - Baby Would Always Be Feeding
C135809	BEBQ0217	BEBQ02-Baby Enjoyed Feeding Time	Baby Eating Behaviour Questionnaire - Retrospective - My baby enjoyed feeding time.	BEBQ Retrospective Version - Baby Enjoyed Feeding Time
C135810	BEBQ0218	BEBQ02-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby could easily take a feed within 30 minutes of the last one.	BEBQ Retrospective Version - Take a Feed Within 30 Minutes

## BEBQ02TN (Baby Eating Behaviour Questionnaire Retrospective Version Questionnaire Test Name)

NCI Code: C135681, Codelist extensible: No

C135681 BEBQ02TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135798	BEBQ02-Baby Became Distressed Feeding	BEBQ02-Baby Became Distressed Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby became distressed while feeding.	BEBQ Retrospective Version - Baby Became Distressed Feeding
C135809	BEBQ02-Baby Enjoyed Feeding Time	BEBQ02-Baby Enjoyed Feeding Time	Baby Eating Behaviour Questionnaire - Retrospective - My baby enjoyed feeding time.	BEBQ Retrospective Version - Baby Enjoyed Feeding Time
C135803	BEBQ02-Baby Fed Slowly	BEBQ02-Baby Fed Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby fed slowly.	BEBQ Retrospective Version - Baby Fed Slowly
C135797	BEBQ02-Baby Finished Feeding Quickly	BEBQ02-Baby Finished Feeding Quickly	Baby Eating Behaviour Questionnaire - Retrospective - My baby finished feeding quickly.	BEBQ Retrospective Version - Baby Finished Feeding Quickly
C135794	BEBQ02-Baby Frequently Wanted More Milk	BEBQ02-Baby Frequently Wanted More Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby frequently wanted more milk than I provided.	BEBQ Retrospective Version - Baby Frequently Wanted More Milk
C135799	BEBQ02-Baby Got Full Up Easily	BEBQ02-Baby Got Full Up Easily	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full up easily.	BEBQ Retrospective Version - Baby Got Full Up Easily
C135796	BEBQ02-Baby Had a Big Appetite	BEBQ02-Baby Had a Big Appetite	Baby Eating Behaviour Questionnaire - Retrospective - My baby had a big appetite.	BEBQ Retrospective Version - Baby Had a Big Appetite
C135795	BEBQ02-Baby Loved Milk	BEBQ02-Baby Loved Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby loved milk.	BEBQ Retrospective Version - Baby Loved Milk
C135793	BEBQ02-Baby Seemed Contented Feeding	BEBQ02-Baby Seemed Contented Feeding	Baby Eating Behaviour Questionnaire - Retrospective - My baby seemed contented while feeding.	BEBQ Retrospective Version - Baby Seemed Contented Feeding
C135807	BEBQ02-Baby Sucked More and More Slowly	BEBQ02-Baby Sucked More and More Slowly	Baby Eating Behaviour Questionnaire - Retrospective - My baby sucked more and more slowly during the course of a feed.	BEBQ Retrospective Version - Baby Sucked More and More Slowly
C135801	BEBQ02-Baby Took More Than 30 Minutes	BEBQ02-Baby Took More Than 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby took more than 30 minutes to finish feeding.	BEBQ Retrospective Version - Baby Took More Than 30 Minutes
C135806	BEBQ02-Baby Was Always Demanding a Feed	BEBQ02-Baby Was Always Demanding a Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby was always demanding a feed.	BEBQ Retrospective Version - Baby Was Always Demanding a Feed
C135808	BEBQ02-Baby Would Always Be Feeding	BEBQ02-Baby Would Always Be Feeding	Baby Eating Behaviour Questionnaire - Retrospective - If given the chance, my baby would always be feeding.	BEBQ Retrospective Version - Baby Would Always Be Feeding
C135800	BEBQ02-Baby Would Take Too Much Milk	BEBQ02-Baby Would Take Too Much Milk	Baby Eating Behaviour Questionnaire - Retrospective - If allowed to, my baby would take too much milk.	BEBQ Retrospective Version - Baby Would Take Too Much Milk
C135805	BEBQ02-Difficult Manage Complete Feed	BEBQ02-Difficult Manage Complete Feed	Baby Eating Behaviour Questionnaire - Retrospective - My baby found it difficult to manage a complete feed.	BEBQ Retrospective Version - Difficult Manage Complete Feed
C135802	BEBQ02-Got Full Before Taking All Milk	BEBQ02-Got Full Before Taking All Milk	Baby Eating Behaviour Questionnaire - Retrospective - My baby got full before taking all the milk I think he/she should have.	BEBQ Retrospective Version - Got Full Before Taking All Milk
C135804	BEBQ02-Just Eaten Happy to Feed Again	BEBQ02-Just Eaten Happy to Feed Again	Baby Eating Behaviour Questionnaire - Retrospective - Even when my baby had just eaten well he/she was happy to feed again if offered.	BEBQ Retrospective Version - Just Eaten Happy to Feed Again
C135810	BEBQ02-Take a Feed Within 30 Minutes	BEBQ02-Take a Feed Within 30 Minutes	Baby Eating Behaviour Questionnaire - Retrospective - My baby could easily take a feed within 30 minutes of the last one.	BEBQ Retrospective Version - Take a Feed Within 30 Minutes

**BEDECOD (Biospecimen Events Dictionary Derived Term)**

NCI Code: C124297, Codelist extensible: Yes

<b>C124297 BEDECOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124326	ALIQUOTING		The act of dividing a liquid item into multiple items of smaller volume.	Aliquotting
C25453	COLLECTING		The act of gathering an item.	Collection
C85856	CONCENTRATING		The act of increasing the density of a substance and decreasing its volume.	Concentrate
C17201	CULTURING		The act of maintaining and/or attempting to grow explanted cells in an in vitro environment.	Tissue Culture
C68769	DECONTAMINATING		The act of ridding of contamination.	Decontamination
C62100	DESTROYING		The act of demolishing an item to make it unusable or unanalyzable.	Destruction
C48163	EMBEDDING		To surround an object with a firm chemical substance such as wax or resin.	Embedding
C25219	FIXING		To chemically preserve so as to maintain structural and/or molecular features.	Fixation
C63521	FLASH FREEZING		To freeze rapidly so as to preserve structure and prevent ice crystal formation.	Quick Freeze
C48160	FREEZING		The process whereby cold changes the water component from a liquid to a solid.	Freezing
C128947	ISOLATING		The act of separating a molecular component from the original specimen.	Specimen Isolation
C25639	RECEIVING		Coming into possession of or acting as the receptacle or recipient of an item conveyed by an intermediary to the intended destination, from a sender.	Receive
C124327	SECTIONING		To cut a very thin slice of tissue or other substance.	Sectioning
C40353	SHIPPING		Being transported or conveyed by an intermediary to a destination, from the sender to the intended receiver.	Shipping
C23010	STAINING		To dye or tint tissues or other biological samples for the purpose of imaging structures.	Staining Method
C60824	STORING		The act of safekeeping items in a depository.	Storage
C48165	THAWING		The process whereby heat changes the water component from a solid to a liquid.	Thaw

**BLCS01TC (Bladder Control Scale Questionnaire Test Code)**

NCI Code: C113852, Codelist extensible: No

<b>C113852 BLCS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113953	BLCS0101	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder
C113954	BLCS0102	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder
C113955	BLCS0103	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems
C113956	BLCS0104	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle



**BLCS01TN (Bladder Control Scale Questionnaire Test Name)**

NCI Code: C113851, Codelist extensible: No

<b>C113851 BLCS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113954	BLCS01-Almost Lost Control of Bladder	BLCS01-Almost Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you almost lost control of your bladder or had an accident?	BLCS - Almost Lost Control of Your Bladder
C113955	BLCS01-Altered Activity Because Bladder	BLCS01-Altered Activity Because Bladder	Bladder Control Scale - During the past 4 weeks, how often have you altered your activities because of bladder problems?	BLCS - Altered Activities Because Bladder Problems
C113956	BLCS01-Bladder Restricted Lifestyle	BLCS01-Bladder Restricted Lifestyle	Bladder Control Scale - During the past 4 weeks, how much have bladder problems restricted your overall lifestyle?	BLCS - Bladder Problems Restrict Overall Lifestyle
C113953	BLCS01-Lost Control of Bladder	BLCS01-Lost Control of Bladder	Bladder Control Scale - During the past 4 weeks, how often have you lost control of your bladder or had an accident?	BLCS - Lost Control of Your Bladder

**BODE01TC (The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Code)**

NCI Code: C120987, Codelist extensible: No

<b>C120987 BODE01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121063	BODE0101	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121064	BODE0102	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE0103	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale
C121066	BODE0104	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121067	BODE0105	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score

**BODE01TN (The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index Clinical Classification Test Name)**

NCI Code: C120986, Codelist extensible: No

<b>C120986 BODE01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121067	BODE01-BODE Score	BODE01-BODE Score	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - BODE score.	BODE Index - Score
C121063	BODE01-Body-mass Index	BODE01-Body-mass Index	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Body-mass index.	BODE Index - Body-mass Index
C121066	BODE01-Distance Walked in 6 Minutes	BODE01-Distance Walked in 6 Minutes	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - Distance walked in 6 min (in meter).	BODE Index - Distance Walked in 6 Minutes
C121064	BODE01-FEV1 % Predicted	BODE01-FEV1 % Predicted	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - FEV1 (% of predicted).	BODE Index - FEV1 Percent Predicted
C121065	BODE01-MMRC Dyspnea Scale	BODE01-MMRC Dyspnea Scale	Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index - MMRC dyspnea scale.	BODE Index - MMRC Dyspnea Scale

## BPI1TC (Brief Pain Inventory Questionnaire Test Code)

NCI Code: C100162, Codelist extensible: No

C100162 BPI1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100287	BPI101	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100288	BPI102	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100289	BPI102A	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100290	BPI103	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100291	BPI104	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100292	BPI105	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100293	BPI106	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100294	BPI107	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100295	BPI108	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100296	BPI109	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100297	BPI109A	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100298	BPI110	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100299	BPI110A	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100300	BPI110B	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100301	BPI111A	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100302	BPI111B	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100303	BPI112	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100304	BPI113	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100305	BPI114	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100306	BPI115	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100307	BPI116	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI117	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100309	BPI118	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100310	BPI119	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100311	BPI120	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100312	BPI1211	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment

**C100162 BPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100313	BPI1212	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1213	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition
C100315	BPI1213A	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100316	BPI122A	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100317	BPI122B	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100318	BPI122C	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100319	BPI122D	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100320	BPI122E	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100321	BPI122F	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp
C100322	BPI122G	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100323	BPI122H	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100324	BPI122I	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100325	BPI122J	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100326	BPI122K	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100327	BPI122L	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100328	BPI122M	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb
C100329	BPI122N	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100330	BPI122O	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100331	BPI123A	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100332	BPI123B	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100333	BPI123C	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100334	BPI123D	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI123E	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI123F	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100337	BPI123G	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life

**C100162 BPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100338	BPI124	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100339	BPI125	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100340	BPI126	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100341	BPI127	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed
C100342	BPI128	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100343	BPI128A	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use
C100344	BPI129	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication
C100345	BPI129A	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100346	BPI130	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100347	BPI131A	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100348	BPI131B	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100349	BPI131C	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100350	BPI131D	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100351	BPI131E	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100352	BPI131F	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100353	BPI131G	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100354	BPI131H	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain
C100355	BPI132	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain

## BPI1TN (Brief Pain Inventory Questionnaire Test Name)

NCI Code: C100161, Codelist extensible: No

C100161 BPI1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100316	BPI1-Aching	BPI1-Aching	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: aching.	BPI - Aching
C100302	BPI1-Area Hurts Most	BPI1-Area Hurts Most	Brief Pain Inventory - On the diagram, put an X on the area that hurts the most.	BPI - Area Hurts Most
C100301	BPI1-Areas of Pain	BPI1-Areas of Pain	Brief Pain Inventory - On the diagram, shade in the areas where you feel pain.	BPI - Areas of Pain
C100351	BPI1-Biofeedback to Relieve Pain	BPI1-Biofeedback to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: biofeedback.	BPI - Biofeedback to Relieve Pain
C100323	BPI1-Burning	BPI1-Burning	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: burning.	BPI - Burning
C100348	BPI1-Cold Compresses to Relieve Pain	BPI1-Cold Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: cold compresses.	BPI - Cold Compresses to Relieve Pain
C100342	BPI1-Concerned Use Too Much Pain Med	BPI1-Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication?	BPI - Concerned with Too Much Pain Medication Use
C100292	BPI1-Current Job Status	BPI1-Current Job Status	Brief Pain Inventory - Which of the following best describes your current job status?	BPI - Current Job Status
C100290	BPI1-Current Occupation	BPI1-Current Occupation	Brief Pain Inventory - Current occupation.	BPI - Current Occupation
C100315	BPI1-Describe Unrelated Med Condition	BPI1-Describe Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease. Please describe condition.	BPI - Describe Unrelated Medical Condition
C100350	BPI1-Distraction to Relieve Pain	BPI1-Distraction to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: distraction.	BPI - Distraction to Relieve Pain
C100288	BPI1-Education	BPI1-Education	Brief Pain Inventory - Education.	BPI - Education
C100324	BPI1-Exhausting	BPI1-Exhausting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: exhausting.	BPI - Exhausting
C100320	BPI1-Gnawing	BPI1-Gnawing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: gnawing.	BPI - Gnawing
C100311	BPI1-Hours before Pain Returns	BPI1-Hours before Pain Returns	Brief Pain Inventory - If you take pain medication, how many hours does it take before the pain returns?	BPI - Hours before Pain Returns
C100293	BPI1-How Long Since Diagnosis	BPI1-How Long Since Diagnosis	Brief Pain Inventory - How long has it been since you first learned your diagnosis?	BPI - How Long Since Diagnosis
C100352	BPI1-Hypnosis to Relieve Pain	BPI1-Hypnosis to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: hypnosis.	BPI - Hypnosis to Relieve Pain
C100297	BPI1-Kind of Surgery in Past Month	BPI1-Kind of Surgery in Past Month	Brief Pain Inventory - What kind of surgery have you had in the past month?	BPI - Kind of Surgery in Past Month
C100287	BPI1-Marital Status	BPI1-Marital Status	Brief Pain Inventory - Marital status.	BPI - Marital Status
C100355	BPI1-Meds not Prescribed Taken for Pain	BPI1-Meds not Prescribed Taken for Pain	Brief Pain Inventory - Medications not prescribed by my doctor that I take for pain are.	BPI - Medications not Prescribed Taken for Pain
C100329	BPI1-Miserable	BPI1-Miserable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: miserable.	BPI - Miserable
C100327	BPI1-Nagging	BPI1-Nagging	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: nagging.	BPI - Nagging
C100346	BPI1-Need Further Info about Pain Med	BPI1-Need Further Info about Pain Med	Brief Pain Inventory - Do you feel you need to receive further information about your pain medication?	BPI - Need Further Information about Pain Medication
C100341	BPI1-Need more Pain Med than Prescribed	BPI1-Need more Pain Med than Prescribed	Brief Pain Inventory - Do you feel you need to take more of the pain medication than your doctor has prescribed?	BPI - Need more Pain Medication than Prescribed
C100340	BPI1-Need Stronger Type of Pain Med	BPI1-Need Stronger Type of Pain Med	Brief Pain Inventory - Do you feel you need a stronger type of pain medication?	BPI - Need Stronger Type of Pain Medication
C100328	BPI1-Numb	BPI1-Numb	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: numb.	BPI - Numb

**C100161 BPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100354	BPI1-Other specify to Relieve Pain	BPI1-Other specify to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other. Please specify.	BPI - Specified Other Method to Relieve Pain
C100353	BPI1-Other to Relieve Pain	BPI1-Other to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: other.	BPI - Other Methods to Relieve Pain
C100304	BPI1-Pain at its Least in Last Week	BPI1-Pain at its Least in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its least in the last week.	BPI - Pain at its Least in Last Week
C100303	BPI1-Pain at its Worst in Last Week	BPI1-Pain at its Worst in Last Week	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain at its worst in the last week.	BPI - Pain at its Worst in Last Week
C100312	BPI1-Pain Due to Effects of Treatment	BPI1-Pain Due to Effects of Treatment	Brief Pain Inventory - I believe my pain is due to the effects of treatment.	BPI - Pain Due to Effects of Treatment
C100294	BPI1-Pain Due to Present Disease	BPI1-Pain Due to Present Disease	Brief Pain Inventory - Have you ever had pain due to your present disease?	BPI - Pain Due to Present Disease
C100313	BPI1-Pain Due to Primary Disease	BPI1-Pain Due to Primary Disease	Brief Pain Inventory - I believe my pain is due to my primary disease.	BPI - Pain Due to Primary Disease
C100314	BPI1-Pain Due to Unrelated Med Condition	BPI1-Pain Due to Unrelated Med Condition	Brief Pain Inventory - I believe my pain is due to a medical condition unrelated to my primary disease.	BPI - Pain Due to Unrelated Medical Condition
C100337	BPI1-Pain Interfered Enjoyment of Life	BPI1-Pain Interfered Enjoyment of Life	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your enjoyment of life.	BPI - Pain Interfered with Enjoyment of Life
C100331	BPI1-Pain Interfered General Activity	BPI1-Pain Interfered General Activity	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your general activity.	BPI - Pain Interfered with General Activity
C100333	BPI1-Pain Interfered Walking Ability	BPI1-Pain Interfered Walking Ability	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your walking ability.	BPI - Pain Interfered with Walking Ability
C100332	BPI1-Pain Interfered with Mood	BPI1-Pain Interfered with Mood	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your mood.	BPI - Pain Interfered with Mood
C100334	BPI1-Pain Interfered with Normal Work	BPI1-Pain Interfered with Normal Work	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your normal work.	BPI - Pain Interfered with Normal Work
C100335	BPI1-Pain Interfered with Relations	BPI1-Pain Interfered with Relations	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your relations with other people.	BPI - Pain Interfered with Relations
C100336	BPI1-Pain Interfered with Sleep	BPI1-Pain Interfered with Sleep	Brief Pain Inventory - Circle the one number that describes how, during the past week, pain has interfered with your sleep.	BPI - Pain Interfered with Sleep
C100299	BPI1-Pain Medications in the Last 7 Days	BPI1-Pain Medications in the Last 7 Days	Brief Pain Inventory - Did you take pain medications in the last 7 days?	BPI - Pain Medications in the Last 7 Days
C100305	BPI1-Pain on the Average	BPI1-Pain on the Average	Brief Pain Inventory - Please rate your pain by circling the one number that best describes your pain on the average.	BPI - Pain on the Average
C100295	BPI1-Pain One of Your Symptoms	BPI1-Pain One of Your Symptoms	Brief Pain Inventory - When you first received your diagnosis, was pain one of your symptoms?	BPI - Pain as a Symptom
C100298	BPI1-Pain Other than Everyday Kinds	BPI1-Pain Other than Everyday Kinds	Brief Pain Inventory - Have you had pain other than these everyday kinds of pain during the last week?	BPI - Pain Other than Everyday Kinds
C100300	BPI1-Pain Requires Medication Daily	BPI1-Pain Requires Medication Daily	Brief Pain Inventory - I feel I have some form of pain that requires medication each and every day.	BPI - Pain Requires Medication Daily
C100306	BPI1-Pain Right Now	BPI1-Pain Right Now	Brief Pain Inventory - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI - Pain Right Now
C100326	BPI1-Penetrating	BPI1-Penetrating	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: penetrating.	BPI - Penetrating
C100338	BPI1-Prefer to Take Pain Medicine	BPI1-Prefer to Take Pain Medicine	Brief Pain Inventory - I prefer to take my pain medicine.	BPI - Prefer to Take Pain Medicine
C100344	BPI1-Problems with Side Effects Pain Med	BPI1-Problems with Side Effects Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication?	BPI - Problems with Side Effects Pain Medication



**C100161 BPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100289	BPI1-Professional Degree	BPI1-Professional Degree	Brief Pain Inventory - Education. Professional degree.	BPI - Professional Degree
C100349	BPI1-Relaxation Techniques Relieve Pain	BPI1-Relaxation Techniques Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: relaxation techniques.	BPI - Relaxation Techniques Relieve Pain
C100310	BPI1-Relief Pain Treatments Provided	BPI1-Relief Pain Treatments Provided	Brief Pain Inventory - In the last week, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI - Relief Pain Treatments Provided
C100321	BPI1-Sharp	BPI1-Sharp	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: sharp.	BPI - Sharp
C100318	BPI1-Shooting	BPI1-Shooting	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: shooting.	BPI - Shooting
C100291	BPI1-Spouse's Occupation	BPI1-Spouse's Occupation	Brief Pain Inventory - Spouse's occupation.	BPI - Spouse's Occupation
C100319	BPI1-Stabbing	BPI1-Stabbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: stabbing.	BPI - Stabbing
C100296	BPI1-Surgery in Past Month	BPI1-Surgery in Past Month	Brief Pain Inventory - Have you had surgery in the past month?	BPI - Surgery in Past Month
C100339	BPI1-Take my Pain Medicine	BPI1-Take my Pain Medicine	Brief Pain Inventory - I take my pain medicine (in a 24 hour period).	BPI - Take my Pain Medicine
C100322	BPI1-Tender	BPI1-Tender	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tender.	BPI - Tender
C100307	BPI1-Things that Make Pain Feel Better	BPI1-Things that Make Pain Feel Better	Brief Pain Inventory - What kinds of things make your pain feel better?	BPI - Things that Make Pain Feel Better
C100308	BPI1-Things that Make your Pain Worse	BPI1-Things that Make your Pain Worse	Brief Pain Inventory - What kinds of things make your pain feel worse?	BPI - Things that Make your Pain Worse
C100317	BPI1-Throbbing	BPI1-Throbbing	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: throbbing.	BPI - Throbbing
C100325	BPI1-Tiring	BPI1-Tiring	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: tiring.	BPI - Tiring
C100309	BPI1-Treatments Receiving for Pain	BPI1-Treatments Receiving for Pain	Brief Pain Inventory - What treatments or medications are you receiving for your pain?	BPI - Treatments Receiving for Pain
C100330	BPI1-Unbearable	BPI1-Unbearable	Brief Pain Inventory - Check Yes or No if the adjective applies to your pain: unbearable.	BPI - Unbearable
C100347	BPI1-Warm Compresses to Relieve Pain	BPI1-Warm Compresses to Relieve Pain	Brief Pain Inventory - Other methods I use to relieve pain include: warm compresses.	BPI - Warm Compresses to Relieve Pain
C100345	BPI1-Which Side Effects from Pain Med	BPI1-Which Side Effects from Pain Med	Brief Pain Inventory - Are you having problems with side effects from your pain medication? Which side effects?	BPI - What Side Effects from Pain Medication
C100343	BPI1-Why Concerned Use Too Much Pain Med	BPI1-Why Concerned Use Too Much Pain Med	Brief Pain Inventory - Are you concerned that you use too much pain medication? If Yes, why?	BPI - Why Concerned with Too Much Pain Medication Use

## BPI2TC (Brief Pain Inventory Short Form Questionnaire Test Code)

NCI Code: C100164, Codelist extensible: No

C100164 BPI2TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100356	BPI201	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100357	BPI202A	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100358	BPI202B	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100359	BPI203	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100360	BPI204	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100361	BPI205	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100362	BPI206	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100363	BPI207	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain
C100364	BPI208	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100365	BPI209A	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100366	BPI209B	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100367	BPI209C	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100368	BPI209D	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI209E	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI209F	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100371	BPI209G	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life

**BPI2TN (Brief Pain Inventory Short Form Questionnaire Test Name)**

NCI Code: C100163, Codelist extensible: No

<b>C100163 BPI2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100358	BPI2-Area Hurts Most	BPI2-Area Hurts Most	Brief Pain Inventory Short Form - On the diagram, put an X on the area that hurts the most.	BPI Short Form - Area that Hurts Most
C100357	BPI2-Areas of Pain	BPI2-Areas of Pain	Brief Pain Inventory Short Form - On the diagram, shade in the areas where you feel pain.	BPI Short Form - Areas of Pain
C100360	BPI2-Pain at its Least in Last 24 Hours	BPI2-Pain at its Least in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its least in the last 24 hours.	BPI Short Form - Pain at its Least in Last 24 Hours
C100359	BPI2-Pain at its Worst in Last 24 Hours	BPI2-Pain at its Worst in Last 24 Hours	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain at its worst in the last 24 hours.	BPI Short Form - Pain at its Worst in Last 24 Hours
C100371	BPI2-Pain Interfered Enjoyment of Life	BPI2-Pain Interfered Enjoyment of Life	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your enjoyment of life.	BPI Short Form - Pain Interfered with Enjoyment of Life
C100365	BPI2-Pain Interfered General Activity	BPI2-Pain Interfered General Activity	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your general activity.	BPI Short Form - Pain Interfered with General Activity
C100367	BPI2-Pain Interfered Walking Ability	BPI2-Pain Interfered Walking Ability	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your walking ability.	BPI Short Form - Pain Interfered with Walking Ability
C100366	BPI2-Pain Interfered with Mood	BPI2-Pain Interfered with Mood	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your mood.	BPI Short Form - Pain Interfered with Mood
C100368	BPI2-Pain Interfered with Normal Work	BPI2-Pain Interfered with Normal Work	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your normal work.	BPI Short Form - Pain Interfered with Normal Work
C100369	BPI2-Pain Interfered with Relations	BPI2-Pain Interfered with Relations	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your relations with other people.	BPI Short Form - Pain Interfered with Relations
C100370	BPI2-Pain Interfered with Sleep	BPI2-Pain Interfered with Sleep	Brief Pain Inventory Short Form - Circle the one number that describes how, during the past 24 hours, pain has interfered with your sleep.	BPI Short Form - Pain Interfered with Sleep
C100361	BPI2-Pain on the Average	BPI2-Pain on the Average	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that best describes your pain on the average.	BPI Short Form - Pain on the Average
C100356	BPI2-Pain Other Than Everyday Kinds	BPI2-Pain Other Than Everyday Kinds	Brief Pain Inventory Short Form - Have you had pain other than these everyday kinds of pain today?	BPI Short Form - Pain Other Than Everyday Kinds
C100362	BPI2-Pain Right Now	BPI2-Pain Right Now	Brief Pain Inventory Short Form - Please rate your pain by circling the one number that tells how much pain you have right now.	BPI Short Form - Pain Right Now
C100364	BPI2-Relief Pain Treatments Provided	BPI2-Relief Pain Treatments Provided	Brief Pain Inventory Short Form - In the last 24 hours, how much relief have pain treatments or medications provided? Please circle the one percentage that most shows how much relief you have received.	BPI Short Form - Relief from Pain Treatments Provided
C100363	BPI2-Treatments Receiving for Pain	BPI2-Treatments Receiving for Pain	Brief Pain Inventory Short Form - What treatments or medications are you receiving for your pain?	BPI Short Form - Treatments or Medications Receiving for Pain

**BPR01TC (Brief Psychiatric Rating Scale-A Questionnaire Test Code)**

NCI Code: C100134, Codelist extensible: No

<b>C100134 BPR01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100372	BPR0101	BPR01-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100373	BPR0102	BPR01-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100374	BPR0103	BPR01-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100375	BPR0104	BPR01-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100376	BPR0105	BPR01-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100377	BPR0106	BPR01-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100378	BPR0107	BPR01-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100379	BPR0108	BPR01-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100380	BPR0109	BPR01-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100381	BPR0110	BPR01-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100382	BPR0111	BPR01-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100383	BPR0112	BPR01-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100384	BPR0113	BPR01-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100385	BPR0114	BPR01-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPR0115	BPR01-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content
C100387	BPR0116	BPR01-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100388	BPR0117	BPR01-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100389	BPR0118	BPR01-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation

**BPR01TN (Brief Psychiatric Rating Scale-A Questionnaire Test Name)**

NCI Code: C100133, Codelist extensible: No

<b>C100133 BPR01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100373	BPR01-Anxiety	BPR01-Anxiety	Brief Psychiatric Rating Scale-A - Anxiety.	BPRS-A - Anxiety
C100387	BPR01-Blunted Affect	BPR01-Blunted Affect	Brief Psychiatric Rating Scale-A - Blunted Affect.	BPRS-A - Blunted Affect
C100375	BPR01-Conceptual Disorganization	BPR01-Conceptual Disorganization	Brief Psychiatric Rating Scale-A - Conceptual Disorganization.	BPRS-A - Conceptual Disorganization
C100380	BPR01-Depressive Mood	BPR01-Depressive Mood	Brief Psychiatric Rating Scale-A - Depressive Mood.	BPRS-A - Depressive Mood
C100389	BPR01-Disorientation	BPR01-Disorientation	Brief Psychiatric Rating Scale-A - Disorientation.	BPRS-A - Disorientation
C100374	BPR01-Emotional Withdrawal	BPR01-Emotional Withdrawal	Brief Psychiatric Rating Scale-A - Emotional Withdrawal.	BPRS-A - Emotional Withdrawal
C100388	BPR01-Excitement	BPR01-Excitement	Brief Psychiatric Rating Scale-A - Excitement.	BPRS-A - Excitement
C100379	BPR01-Grandiosity	BPR01-Grandiosity	Brief Psychiatric Rating Scale-A - Grandiosity.	BPRS-A - Grandiosity
C100376	BPR01-Guilt Feelings	BPR01-Guilt Feelings	Brief Psychiatric Rating Scale-A - Guilt Feelings.	BPRS-A - Guilt Feelings
C100383	BPR01-Hallucinatory Behavior	BPR01-Hallucinatory Behavior	Brief Psychiatric Rating Scale-A - Hallucinatory Behavior.	BPRS-A - Hallucinatory Behavior
C100381	BPR01-Hostility	BPR01-Hostility	Brief Psychiatric Rating Scale-A - Hostility.	BPRS-A - Hostility
C100378	BPR01-Mannerisms and Posturing	BPR01-Mannerisms and Posturing	Brief Psychiatric Rating Scale-A - Mannerisms and Posturing.	BPRS-A - Mannerisms and Posturing
C100384	BPR01-Motor Retardation	BPR01-Motor Retardation	Brief Psychiatric Rating Scale-A - Motor Retardation.	BPRS-A - Motor Retardation
C100372	BPR01-Somatic Concern	BPR01-Somatic Concern	Brief Psychiatric Rating Scale-A - Somatic Concern.	BPRS-A - Somatic Concern
C100382	BPR01-Suspiciousness	BPR01-Suspiciousness	Brief Psychiatric Rating Scale-A - Suspiciousness.	BPRS-A - Suspiciousness
C100377	BPR01-Tension	BPR01-Tension	Brief Psychiatric Rating Scale-A - Tension.	BPRS-A - Tension
C100385	BPR01-Uncooperativeness	BPR01-Uncooperativeness	Brief Psychiatric Rating Scale-A - Uncooperativeness.	BPRS-A - Uncooperativeness
C100386	BPR01-Unusual Thought Content	BPR01-Unusual Thought Content	Brief Psychiatric Rating Scale-A - Unusual Thought Content.	BPRS-A - Unusual Thought Content

**BRDGMOOD (BRIDG Activity Mood)**

NCI Code: C125923, Codelist extensible: Yes

<b>C125923 BRDGMOOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C38000	PERFORMED		To execute and carry through to completion.	Performed
C125937	SCHEDULED		To order a planned list of activities or events.	Scheduled

**BSTEST (Biospecimen Characteristics Test Name)**

NCI Code: C124299, Codelist extensible: Yes

<b>C124299 BSTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139281	A260/A230 Ratio	A260/A230 Ratio	An assessment of nucleic acid purity that is measured by determining the ratio of light absorbance of the nucleic acid sample at 260nm and 230nm respectively.	A260 to A230 Ratio
C139280	A260/A280 Ratio	A260/A280 Ratio	An assessment of nucleic acid purity that is measured by determining the ratio of light absorbance of the nucleic acid sample at 260nm and 280nm respectively.	A260 to A280 Ratio
C25244	Area	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C41185	Concentration	Concentration	The quantity of a specified substance in a unit volume or weight of another substance.	Concentration
C128948	Fixative Name	Fixative Name	The name of the substance or material that preserves tissues and cells for study.	Name of Fixative
C139282	Fluorescent Label	Fluorescent Label	The type of fluorescent label or dye that is used in a fluorescence-based assay.	Fluorescent Tag Type
C25334	Length	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C43246	Mass	Mass	The amount of matter in an object.	Mass
C25283	Quality	Quality	An assessment of excellence, worth, or fitness for use.	Quality
C63637	RNA Integrity Number	RNA Integrity Number	A numerical assessment of the integrity of RNA based on the entire electrophoretic trace of the RNA sample, including the presence or absence of degradation products. (NCI)	RNA Integrity Number
C139279	Sample Viability Indicator	Sample Viability Indicator	An indication as to whether the sample contains viable (capable of life or normal growth and development) cells or tissues.	Sample Viability Indicator
C139278	Sample Viability Percent	Sample Viability Percent	A measurement of the percent of a sample that is viable (capable of life or normal growth and development) for further processing or testing.	Sample Viability Percent Measurement
C25681	Size	Size	The physical magnitude of something. (NCI)	Size
C106569	Specimen Weight	Specimen Weight	A measurement of the weight of a biological specimen.	Specimen Weight Measurement
C25206	Temperature	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C135371	Tumor Tissue Origin	Tumor Tissue Origin	A characterization of the tumor tissue sample based upon whether it was taken from a tumor that originated after the disease spread.	Tumor Tissue Origin
C25335	Volume	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume
C25345	Width	Width	The extent or measurement of something from side to side. (NCI)	Width

**BSTESTCD (Biospecimen Characteristics Test Code)**

NCI Code: C124300, Codelist extensible: Yes

<b>C124300 BSTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139281	A260A230	A260/A230 Ratio	An assessment of nucleic acid purity that is measured by determining the ratio of light absorbance of the nucleic acid sample at 260nm and 230nm respectively.	A260 to A230 Ratio
C139280	A260A280	A260/A280 Ratio	An assessment of nucleic acid purity that is measured by determining the ratio of light absorbance of the nucleic acid sample at 260nm and 280nm respectively.	A260 to A280 Ratio
C25244	AREA	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C41185	CONC	Concentration	The quantity of a specified substance in a unit volume or weight of another substance.	Concentration
C128948	FIXNAM	Fixative Name	The name of the substance or material that preserves tissues and cells for study.	Name of Fixative
C139282	FLUORLBL	Fluorescent Label	The type of fluorescent label or dye that is used in a fluorescence-based assay.	Fluorescent Tag Type
C25334	LENGTH	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C43246	MASS	Mass	The amount of matter in an object.	Mass
C25283	QUALITY	Quality	An assessment of excellence, worth, or fitness for use.	Quality
C63637	RIN	RNA Integrity Number	A numerical assessment of the integrity of RNA based on the entire electrophoretic trace of the RNA sample, including the presence or absence of degradation products. (NCI)	RNA Integrity Number
C25681	SIZE	Size	The physical magnitude of something. (NCI)	Size
C106569	SPWEIGHT	Specimen Weight	A measurement of the weight of a biological specimen.	Specimen Weight Measurement
C25206	TEMP	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C41145	THICK	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C135371	TUMTORI	Tumor Tissue Origin	A characterization of the tumor tissue sample based upon whether it was taken from a tumor that originated after the disease spread.	Tumor Tissue Origin
C139279	VBLSIND	Sample Viability Indicator	An indication as to whether the sample contains viable (capable of life or normal growth and development) cells or tissues.	Sample Viability Indicator
C139278	VBLSPCT	Sample Viability Percent	A measurement of the percent of a sample that is viable (capable of life or normal growth and development) for further processing or testing.	Sample Viability Percent Measurement
C25335	VOLUME	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume
C25345	WIDTH	Width	The extent or measurement of something from side to side. (NCI)	Width



## BUERS1TC (Brooke Upper Extremity Rating Scale Clinical Classification Test Code)

NCI Code: C130239, Codelist extensible: No

<b>C130239 BUERS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130326	BUERS101	BUERS1-Brooke Upper Extremity Rating	Brooke Upper Extremity Rating Scale - Brooke upper extremity rating scale.	BUERS - Brooke Upper Extremity Rating Scale

**BUERS1TN (Brooke Upper Extremity Rating Scale Clinical Classification Test Name)**

NCI Code: C130238, Codelist extensible: No

<b>C130238 BUERS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130326	BUERS1-Brooke Upper Extremity Rating	BUERS1-Brooke Upper Extremity Rating	Brooke Upper Extremity Rating Scale - Brooke upper extremity rating scale.	BUERS - Brooke Upper Extremity Rating Scale

**BWCS01TC (Bowel Control Scale Questionnaire Test Code)**

NCI Code: C113854, Codelist extensible: No

<b>C113854 BWCS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113957	BWCS0101	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113958	BWCS0102	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels
C113959	BWCS0103	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS0104	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113961	BWCS0105	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle

**BWCS01TN (Bowel Control Scale Questionnaire Test Name)**

NCI Code: C113853, Codelist extensible: No

<b>C113853 BWCS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113959	BWCS01-Almost Lost Control of Bowels	BWCS01-Almost Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you almost lost control of your bowels or almost had an accident?	BWCS - Almost Lost Control of Your Bowels
C113960	BWCS01-Altered Activity Because Bowels	BWCS01-Altered Activity Because Bowels	Bowel Control Scale - During the past 4 weeks, how often have you altered your activities because of bowel control problems?	BWCS - Altered Activities Because Bowel Control Problems
C113957	BWCS01-Been Constipated	BWCS01-Been Constipated	Bowel Control Scale - During the past 4 weeks, how often have you been constipated?	BWCS - Been Constipated
C113961	BWCS01-Bowels Restricted Lifestyle	BWCS01-Bowels Restricted Lifestyle	Bowel Control Scale - During the past 4 weeks, how much have bowel problems restricted your overall lifestyle?	BWCS - Bowel Problems Restrict Overall Lifestyle
C113958	BWCS01-Lost Control of Bowels	BWCS01-Lost Control of Bowels	Bowel Control Scale - During the past 4 weeks, how often have you lost control of your bowels or had an accident?	BWCS - Lost Control of Your Bowels

## CACRDSC (Canadian Cardiovascular Society Classification)

NCI Code: C101842, Codelist extensible: No

<b>C101842 CACRDSC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C77265	CCS CLASS 1	Canadian Cardiovascular Society Classification 1	Ordinary physical activity, such as walking or climbing stairs, does not cause angina. Angina occurs with strenuous, rapid, or prolonged exertion at work or recreation.	Canadian Cardiovascular Society Grading Scale Class I
C77266	CCS CLASS 2	Canadian Cardiovascular Society Classification 2	Slight limitation of ordinary activity. Angina occurs on walking or climbing stairs rapidly, walking uphill, walking or climbing stairs after meals, or in cold, in wind, or under emotional stress, or only during the few hours after awakening. Angina occurs on walking more than 2 blocks on the level and climbing more than 1 flight of ordinary stairs at a normal pace and in normal conditions.	Canadian Cardiovascular Society Grading Scale Class II
C77267	CCS CLASS 3	Canadian Cardiovascular Society Classification 3	Marked limitations of ordinary physical activity. Angina occurs on walking 1 to 2 blocks on the level and climbing 1 flight of stairs in normal conditions and at a normal pace.	Canadian Cardiovascular Society Grading Scale Class III
C77268	CCS CLASS 4	Canadian Cardiovascular Society Classification 4	Inability to perform any physical activity without discomfort - anginal symptoms may be present at rest.	Canadian Cardiovascular Society Grading Scale Class IV

**CADG01TC (Coronary Artery Dissection NHLBI Grade Clinical Classification Test Code)**

NCI Code: C119076, Codelist extensible: No

<b>C119076 CADG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119196	CADG0101	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

**CADG01TN (Coronary Artery Dissection NHLBI Grade Clinical Classification Test Name)**

NCI Code: C119075, Codelist extensible: No

<b>C119075 CADG01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119196	CADG01-Coronary Dissection NHLBI Grade	CADG01-Coronary Dissection NHLBI Grade	Coronary Artery Dissection NHLBI Grade - A grading system to describe coronary artery dissection per the NHLBI, American College of Cardiology, American Heart Association.	NHLBI CAD Grade - Coronary Artery Dissection NHLBI Grade

## CADGRS (Coronary Artery Dissection NHLBI Grade Responses)

NCI Code: C119018, Codelist extensible: No

<b>C119018 CADGRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119588	CORONARY DISSECTION NHLBI GRADE A		Minor radiolucencies within the lumen during contrast injection with no persistence after dye clearance. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type A
C119589	CORONARY DISSECTION NHLBI GRADE B		Parallel tracts or double lumen separated by a radiolucent area during contrast injection with no persistence after dye clearance. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type B
C119590	CORONARY DISSECTION NHLBI GRADE C		Extraluminal cap with persistence of contrast after dye clearance from the lumen. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type C
C119591	CORONARY DISSECTION NHLBI GRADE D		Spiral luminal filling defect with delayed but complete distal flow. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type D
C119592	CORONARY DISSECTION NHLBI GRADE E		New persistent filling defect with delayed antegrade flow. May represent thrombus. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type E
C119593	CORONARY DISSECTION NHLBI GRADE F		Non-A-E types with total coronary occlusion and no distal antegrade flow. May represent thrombus. (Adapted from: Coronary artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9)	NHLBI Coronary Artery Dissection Type F



**CADPRSN (Coronary Artery Disease Presentation)**

NCI Code: C101843, Codelist extensible: No

<b>C101843 CADPRSN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80383	NON-ST ELEVATION MYOCARDIAL INFARCTION	NON-STEMI;NSTEMI	A myocardial infarction that does not produce elevation in the ST segments of the ECG.	Non-ST Elevation Myocardial Infarction by ECG Finding
C101888	ST ELEVATION MYOCARDIAL INFARCTION	STEMI	A myocardial infarction that produces elevation in the ST segments of the ECG.	ST Elevation Myocardial Infarction by ECG Finding
C66914	STABLE ANGINA		Angina pectoris which has not recently changed in frequency, duration or intensity. Stable angina pectoris is relieved by rest or administration of oral, sublingual or transdermal antianginal medications.	Stable Angina
C66911	UNSTABLE ANGINA		Angina pectoris (or equivalent type of ischemic discomfort) which has recently changed in frequency, duration, intensity, or occurs at rest.	Unstable Angina
C66915	VARIANT ANGINA		A variant form of angina pectoris caused by coronary artery vasospasm, usually occurring spontaneously and frequently associated with ST segment elevation.	Variant Angina

**CADRISK (Coronary Artery Disease Risk)**

NCI Code: C101849, Codelist extensible: No

<b>C101849 CADRISK</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99955	HIGH CAD RISK	High Coronary Artery Disease Risk	The likelihood an individual will develop coronary artery disease is almost certain or greater than 90%. (Gibbons RJ, Balady GJ, Bricker JT, Chaitman BR, Fletcher GF, Froelicher VF, Mark DB, McCallister BD, Mooss AN, O'Reilly MG, Winters WL Jr. ACC/AHA 2002 guideline update for exercise testing: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). 2002. American College of Cardiology Web site. Available at: <a href="http://www.acc.org/clinical/guidelines/exercise/dirIndex.htm">www.acc.org/clinical/guidelines/exercise/dirIndex.htm</a> .)	High Coronary Artery Disease Risk
C99966	INTERMEDIATE CAD RISK	Intermediate Coronary Artery Disease Risk	The likelihood an individual will develop coronary artery disease (CAD) is moderate or between 10% and 90%. (Gibbons RJ, Balady GJ, Bricker JT, Chaitman BR, Fletcher GF, Froelicher VF, Mark DB, McCallister BD, Mooss AN, O'Reilly MG, Winters WL Jr. ACC/AHA 2002 guideline update for exercise testing: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). 2002. American College of Cardiology Web site. Available at: <a href="http://www.acc.org/clinical/guidelines/exercise/dirIndex.htm">www.acc.org/clinical/guidelines/exercise/dirIndex.htm</a> .)	Intermediate Coronary Artery Disease Risk
C99968	KNOWN CAD	Known Coronary Artery Disease	The individual has coronary artery disease (CAD). (Gibbons RJ, Balady GJ, Bricker JT, Chaitman BR, Fletcher GF, Froelicher VF, Mark DB, McCallister BD, Mooss AN, O'Reilly MG, Winters WL Jr. ACC/AHA 2002 guideline update for exercise testing: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). 2002. American College of Cardiology Web site. Available at: <a href="http://www.acc.org/clinical/guidelines/exercise/dirIndex.htm">www.acc.org/clinical/guidelines/exercise/dirIndex.htm</a> .)	Known Coronary Artery Disease
C99978	LOW CAD RISK	Low Coronary Artery Disease Risk	The likelihood an individual will develop coronary artery disease (CAD) is minimal or less than 10%. (Gibbons RJ, Balady GJ, Bricker JT, Chaitman BR, Fletcher GF, Froelicher VF, Mark DB, McCallister BD, Mooss AN, O'Reilly MG, Winters WL Jr. ACC/AHA 2002 guideline update for exercise testing: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). 2002. American College of Cardiology Web site. Available at: <a href="http://www.acc.org/clinical/guidelines/exercise/dirIndex.htm">www.acc.org/clinical/guidelines/exercise/dirIndex.htm</a> .)	Low Coronary Artery Disease Risk

## CADSYMP (Coronary Artery Disease Symptoms)

NCI Code: C101844, Codelist extensible: No

<b>C101844 CADSYMP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99917	ATYPICAL CORONARY ARTERY DISEASE SYMPTOMS		Sharp stabbing chest pain or reproduction of pain on palpation. Less common isolated presentations, primarily in older adults, include nausea and vomiting, diaphoresis, and unexplained fatigue. J Am Coll Cardiol, 2007; 50:1-157, doi:10.1016/j.jacc.2007.02.013 (Published online 6 August 2007).	Atypical Coronary Artery Disease Symptom
C3833	NO SYMPTOMS		The finding of no indications of a particular disease or injury.	Asymptomatic
C78504	NON-CARDIAC CHEST PAIN		A discomfort in the chest area that is not related to the heart.	Non-Cardiac Chest Pain
C100024	TYPICAL CORONARY ARTERY DISEASE SYMPTOMS		Deep, poorly localized chest or arm discomfort that is reproducibly associated with physical exertion or emotional stress and is relieved promptly (ie, in less than 5 minutes) with rest and/or the use of sublingual nitroglycerin. Some patients may have no chest discomfort but present solely with jaw, neck, ear, arm, shoulder, back, or epigastric discomfort or with unexplained dyspnea without discomfort. If these symptoms have a clear relationship to exertion or stress or are relieved promptly with nitrates, they should be considered equivalent to angina. J Am Coll Cardiol, 2007; 50:1-157, doi:10.1016/j.jacc.2007.02.013 (Published online 6 August 2007).	Typical Coronary Artery Disease Symptom

## CARTDOM (Coronary Artery Dominance)

NCI Code: C101860, Codelist extensible: No

<b>C101860 CARTDOM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99941	CO-DOMINANT		The right coronary artery supplies the posterior descending artery and the circumflex supplies the posterolateral branches.	Co-Dominant Artery
C99971	LEFT DOMINANT		The left circumflex artery supplies the posterior descending artery and the posterolateral branches.	Left Cardiac Artery Dominance
C99942	RIGHT DOMINANT		The right coronary artery supplies the posterior descending artery and the posterolateral branches.	Coronary Artery Right Dominance

## CASEFIND (Case Finding)

NCI Code: C127263, Codelist extensible: Yes

<b>C127263 CASEFIND</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127515	ACTIVE CASE SEARCH		Purposefully looking for subjects with a particular characteristic or disease.	Active Case Search
C127516	PASSIVE CASE SEARCH		Finding subjects with a particular characteristic or disease without actively searching.	Passive Case Search

## CCCAT (Category of Clinical Classification)

NCI Code: C118971, Codelist extensible: Yes

C1189 CCCAT 71				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12575 5	AJCC V7	AJCC1	AJCC TNM Staging System 7th Edition (AJCC V7) (Edge SB, Byrd DR, Compton CC, Fritz AG, Greene FL, Trotti A, editors. AJCC cancer staging manual (7th ed). New York, NY: Springer; 2010).	AJCC Cancer Staging Manual 7th Edition
C12100 5	APACHE II	APCH1	Acute Physiology and Chronic Health Evaluation II (APACHE II) (Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. Critical Care Medicine 1985; 13(10):818-29).	Acute Physiology and Chronic Health Evaluation II Clinical Classification
C11910 7	ARC STC GRADE	STCG01	Stent Thrombosis Coronary ARC Grade (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351).	Stent Thrombosis Coronary ARC Grade Clinical Classification
C12470 5	ASCVD 10-YEAR RISK	ASCVD1	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator (Goff Jr DC et al. 2013 ACC/AHA Guideline on the Assessment of Cardiovascular Risk: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. Circulation 2014; 129: S49-S73).	Atherosclerotic Cardiovascular Disease 10-Year Risk Estimator Clinical Classification
C12470 6	ASSIGN CVD 10-YEAR RISK	ASSG01	ASSIGN Cardiovascular Disease 10-Year Risk Score (Woodward M, Brindle P, Tunstall-Pedoe H, for the SIGN group on risk estimation. Adding social deprivation and family history to cardiovascular risk assessment: the ASSIGN score from the Scottish Heart Health Extended Cohort (SHHEC). Heart 2007; 93: 172-176).	ASSIGN Cardiovascular Disease 10-Year Risk Score Clinical Classification
C14758 9	ATLAS	ATLAS1	Age, treatment with systemic antibiotics, leukocyte count, serum albumin, and serum creatinine as a measure of renal function (ATLAS) (Miller, M.A., Louie,T., Mullane, K., Weiss, K., Lentnek, A., Golan, Y., et al. (2013). Derivation and validation of a simple clinical bedside score (ATLAS) for Clostridium difficile infection which predicts response to therapy. BMC Infectious Diseases, 13: 148).	ATLAS Score Clinical Classification
C12100 6	BODE INDEX	BODE01	The Body-Mass Index, Airflow Obstruction, Dyspnea, and Exercise Capacity Index (BODE Index) (Bartolome R. Celli, M.D., Claudia G. Cote, M.D., Jose M. Marin, M.D., Ciro Casanova, M.D., Maria Montes de Oca, M.D., Reina A. Mendez, M.D., Victor Pinto Plata, M.D., and Howard J. Cabral, Ph.D.; N Engl J Med 2004;350:1005-12).	The Body-Mass Index, Airflow Obstruction, and Exercise Capacity Index Clinical Classification
C13030 4	BUERS	BUERS1	Brooke Upper Extremity Rating Scale (BUERS)(Brooke MG, Griggs RC, Mendell JR, Fenichel, GM, Shumate JB and Peggegrino RJ (1981). Clinical trial in duchenne dystrophy. I The Design of the Protocol. Muscle and Nerve: 4:186-197).	Brooke Upper Extremity Rating Scale Clinical Classification
C12471 5	CDC HIV CLASSIFICATION FOR ADULTS AND ADOLESCENTS	CHIVC1	CDC Classification System for HIV-Infected Adults and Adolescents (Centers for Disease Control and Prevention. 1993 Revised Classification System for HIV Infection and Expanded Surveillance Case Definition for AIDS Among Adolescents and Adults. MMWR Recomm Rep. 1992 Dec 18;41(RR-17):1-19).	Center for Disease Control and Prevention Classification System for HIV-Infected Adults and Adolescents Clinical Classification
C12100 7	CHILD-PUGH CLASSIFICATION	CPS01	Child-Pugh Classification (Guidance for Industry Pharmacokinetics in Patients with Impaired Hepatic Function: Study Design, Data Analysis, and Impact on Dosing and Labeling. U.S. Department of Health and Human Services; Food and Drug Administration; Center for Drug Evaluation and Research (CDER); Center for Biologics Evaluation and Research (CBER). May 2003, Clinical Pharmacology. <a href="http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072123.pdf">http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072123.pdf</a> ; <a href="http://www.halaven.com/sites/default/files/ChildPugh_FlashCard.pdf">http://www.halaven.com/sites/default/files/ChildPugh_FlashCard.pdf</a> ).	Child-Pugh Clinical Classification
C12471 1	CRS-R	CRSR01	JFK Coma Recovery Scale-Revised (CRS-R) (Joseph T. Giacino, Kathleen Kalmar, John Whyte. The JFK Coma Recovery Scale-Revised: Measurement Characteristics and Diagnostic Utility. Arch Phys Med Rehabil Vol 85, December 2004).	JFK Coma Recovery Scale-Revised Clinical Classification
C11799 7	ESRSA	ESRSA1	Extrapyramidal Symptom Rating Scale-Abbreviated (ESRS-A) (Copyright 2006 Larry Alphas, MD, PhD, Guy Chouinard, MD, All Rights Reserved).	Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification

**C1189 CCCAT  
71**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124707	FHS CVD 10-YEAR RISK	FCVD1	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score (D'Agostino Sr RB, Vasan RS, Pencina MJ, Wolf PA, Cobain M, Massaro JM, and Kannel WB. General Cardiovascular Risk Profile for Use in Primary Care: The Framingham Heart Study. <i>Circulation</i> 2008; 117: 743-753).	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification
C124710	GCS NINDS VERSION	GCS01	Glasgow Coma Scale (GCS) The National Institute of Neurological Disorders and Stroke (NINDS) Version (Graham Teasdale and Bryan Jennett. Assessment of coma and impaired consciousness. A practical scale. <i>Lancet</i> . 1974 Jul 13; 2(7872):81-4).	Glasgow Coma Scale-NINDS Version Clinical Classification
C102118	HAM-A	HAMA1	The Hamilton Anxiety Rating Scale (HAM-A) (Hamilton M. The assessment of anxiety states by rating. <i>Br J Med Psychol</i> 1959; 32:50-55).	Hamilton Anxiety Rating Scale Clinical Classification
C100767	HAMD 17	HAMD1	The Hamilton Depression Rating Scale 17-Item (HAMD 17) (Hamilton M. Development of a rating scale for primary depressive illness. <i>Br J Soc Clin Psychol</i> 1967; 6(4):278-96).	Hamilton Depression Rating Scale 17 Item Clinical Classification
C102119	HAMD 21	HAMD2	The Hamilton Depression Rating Scale 21-Item (HAMD 21) (Hedlund and Vieweg, The Hamilton rating scale for depression. <i>Journal of Operational Psychiatry</i> , 1979;10(2):149-165).	Hamilton Depression Rating Scale 21-Item Clinical Classification
C130307	HAMD 24	HAMD3	The Hamilton Depression Rating Scale 24-Item (HAM-D24) (Clinical Psychometrics: Per Bech, MD; John Wiley & Sons, Ltd. 2012).	Hamilton Depression Rating Scale-24 Item Clinical Classification
C130306	HAMD 6 CLINICIAN VERSION	HAMD4	The Hamilton Depression Rating Scale 6 - Clinician Version (HAM-D6 - Clinician Version) (Clinical Research: Rating scales in depression: limitations and pitfalls; Per Bech, MD; Copyright 2006 LLS SAS. All rights reserved).	Hamilton Depression Rating Scale 6 Clinician Version Clinical Classification
C138332	HAS-BLED	HSB01	HAS-BLED Bleeding Risk Score (HAS-BLED) (This image was published in <i>Chest</i> , 138 (5), Pisters R, Lane DA, Nieuwlaat R, de Vos CB, Crijns HJ, Lip GY, A Novel User-Friendly Score (HAS-BLED) To Assess 1-Year Risk of Major Bleeding in Patients With Atrial Fibrillation: The Euro Heart Survey, Copyright Elsevier (2010). <a href="http://www.sciencedirect.com/science/journal/00123692">http://www.sciencedirect.com/science/journal/00123692</a> ).	HAS-BLED Bleeding Risk Score Clinical Classification
C130308	IDS-C	IDSC1	Inventory of Depressive Symptomatology - Clinician-Rated (IDS-C) (Copyright UT Southwestern Medical Center at Dallas. Rush, A.J., Giles, D.E., Schlessler, M.A., Fulton, C.L., Weissenburger, J.E. and Burns, C.T. The Inventory of Depressive Symptomatology (IDS): Preliminary findings. <i>Psychiatry Research</i> , 18:65-87, 1986).	Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification
C130310	KDPI	KDPI01	Kidney Donor Profile Index (KDPI) (OPTN/UNOS. A guide to calculating and interpreting the Kidney Donor Profile Index (KDPI). [Accessed April 18, 2016]. Available at: <a href="https://optn.transplant.hrsa.gov/media/1512/guide_to_calculating_interpreting_kdpi.pdf">https://optn.transplant.hrsa.gov/media/1512/guide_to_calculating_interpreting_kdpi.pdf</a> . Rao PS, Schaubel DE, Guidinger MK, et al. A comprehensive risk quantification score for deceased donor kidneys: the kidney donor risk index. <i>Transplantation</i> 2009 Jul 27;88(2):231-6).	Kidney Donor Profile Index Clinical Classification
C138333	LPPS SCALE	LPPSS1	The Lansky Play-Performance Status Scale (LPSS) (Lansky SB, List MA, Lansky LL, Ritter-Sterr C, Miller DR. The measurement of performance in childhood cancer patients. <i>Cancer</i> . 1987 Oct 1;60(7):1651-6).	The Lansky Play-Performance Status Scale Clinical Classification
C121008	MELD	MELD01	Model for End Stage Liver Disease (MELD) (Malinchoc M, Kamath PS, Gordon FD, Peine CJ, Rank J, ter Borg PC (April 2000). A model to predict poor survival in patients undergoing transjugular intrahepatic portosystemic shunts. <i>Hepatology</i> 31 (4): 864-71).	Model for End Stage Liver Disease Clinical Classification
C119105	NHLBI CAD GRADE	CADG01	Coronary Artery Dissection NHLBI Grade (Coronary Artery angiographic changes after PTCA: Manual of Operations NHLBI PTCA Registry 1985-6:9).	Coronary Artery Dissection NHLBI Grade Clinical Classification
C121009	NSA-16	NSA01	Negative Symptom Assessment-16 (NSA-16) (Version 2.0, Copyright 2006, Larry Alphas, MD, PhD, All Right Reserved).	Negative Symptom Assessment-16 Clinical Classification

**C1189 CCCAT  
71**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C13253 1	NSAA	NSAA1	North Star Ambulatory Assessment (NSAA) (Copyright the North Star Clinical Network UK. Scott E, Eagle M, Mayhew A, Freeman J, Main M, Sheehan J, Manzur A, Muntoni F; North Star Clinical Network for Paediatric Neuromuscular Disease. Development of a functional assessment scale for ambulatory boys with Duchenne muscular dystrophy. Physiother Res Int. 2012 Jun;17(2):101-9. The support of Muscular Dystrophy United Kingdom in developing the North Star Ambulatory Assessment is gratefully acknowledged).	North Star Ambulatory Assessment Clinical Classification
C12471 2	PANSS	PANSS1	Positive and Negative Syndrome Scale (PANSS) (Copyright 1992 Multi-Health Systems Inc. All rights reserved).	Positive and Negative Syndrome Scale Clinical Classification
C13573 4	PASI	PASI01	Psoriasis Area and Severity Index (PASI) (Fredriksson T, Pettersson U. Severe psoriasis--Oral Therapy with a New Retinoid. Dermatologica. 1978;157(4):238-244).	Psoriasis Area and Severity Index Clinical Classification
C13030 9	QIDS-C	QIDSC1	Quick Inventory of Depressive Symptomatology - Clinician-Rated (QIDS-C) (Copyright UT Southwestern Medical Center at Dallas. Rush AJ, Trivedi MH, Ibrahim HM, Carmody TJ, Arnow B, Klein DN, Markowitz JC, Ninan PT, Kornstein S, Manber R, Thase ME, Kocsis JH, Keller MB. The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QIDS-C) and Self-Report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. Biological Psychiatry, 54:573-583, 2003).	Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification
C12470 8	REYNOLDS CVD 10-YEAR RISK	RCVD01	Reynolds Cardiovascular Disease 10-Year Risk Score (Ridker PM, Buring JE, Rifai N, Cook NR. Development and Validation of Improved Algorithms for the Assessment of Global Cardiovascular Risk in Women: The Reynolds Risk Score. Jama 2007; 297: 611-619), (Ridker PM, Paynter NP, Rifai N, Gaziano JM, Cook NR. C-Reactive Protein and Parental History Improve Global Cardiovascular Risk Prediction: The Reynolds Risk Score for Men. Circulation 2008; 118(22): 2243-2251).	Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification
C12470 3	TANNER SCALE BOY	TANN02	Tanner Scale Boy (Marshall WA, Tanner JM. Variations in pattern of pubertal changes in boys. Arch Dis Child 1970 Feb;45(239):13-23).	Tanner Scale Boy Version Clinical Classification
C12470 4	TANNER SCALE GIRL	TANN01	Tanner Scale Girl (Marshall WA, Tanner JM. Variations in pattern of pubertal changes in girls. Arch Dis Child 1969 Jun; 44(235): 291-303).	Tanner Scale Girl Version Clinical Classification
C11910 4	TIMI THROMBUS GRADE	TIMG01	Coronary Thrombus TIMI Grade (TIMI Definitions for Commonly Used Terms in Clinical Trials. Available at <a href="http://www.timi.org/wp-content/uploads/2010/10/TIMI-Definitions.pdf">http://www.timi.org/wp-content/uploads/2010/10/TIMI-Definitions.pdf</a> . Accessed November 30, 2013).	Coronary Thrombus TIMI Grade Clinical Classification
C14168 5	VALG	VALG01	Veterans Administration Lung Study Group (VALG) (Staging small cell lung cancer: Veterans Administration Lung Study Group versus International Association for the Study of Lung Cancer--what limits limited disease? Micke P, Faldum A, Metz T, Beeh K.-M, Bittinger F, Hengstler J.-G, Buhl R, Lung Cancer 2002;37:271-276).	Veterans Administration Lung Study Group Clinical Classification
C13030 5	VLERS	VLERS1	Vignos Lower Extremity Rating Scale (VLERS) (Vignos PJ, Spencer CE, Archibald KC. (1963) Management of progressive muscular dystrophy in childhood. JAMA 184:389-96. Brooke MG, Griggs RC, Mendell JR, Fenichel, GM, Shumate JB and Peggegrino RJ (1981). Clinical trial in duchenne dystrophy. I The Design of the Protocol. Muscle and Nerve: 4:186-197).	Vignos Lower Extremity Rating Scale Clinical Classification
C12470 9	WEST HAVEN HEPATIC ENCEPHALOPATHY GRADE	WHEG01	West Haven Hepatic Encephalopathy Grade (Blei AT, Cordoba J. Hepatic Encephalopathy. Am J Gastroenterol. 2001 Jul. 96(7):1968-76).	West Haven Hepatic Encephalopathy Grade Clinical Classification
C12471 3	WHO HIV STAGING FOR ADULTS AND ADOLESCENTS	WHIVS1	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents (Copyright World Health Organization 2007, World Health Organization. WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children; 2007. Retrieved from <a href="http://www.who.int/hiv/pub/vct/hivstaging/en/">http://www.who.int/hiv/pub/vct/hivstaging/en/</a> ).	World Health Organization Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification
C12471 4	WHO HIV STAGING FOR CHILDREN	WHIVS2	WHO Clinical Staging of HIV/AIDS for Children (Copyright World Health Organization 2007, World Health Organization. WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children; 2007. Retrieved from <a href="http://www.who.int/hiv/pub/vct/hivstaging/en/">http://www.who.int/hiv/pub/vct/hivstaging/en/</a> ).	World Health Organization Clinical Staging of HIV/AIDS for Children Clinical Classification



## CCINVTYP (Contact Case Investigation Contact Type)

NCI Code: C102575, Codelist extensible: Yes

<b>C102575 CCINVTYP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102606	CASUAL CONTACT		A way of contracting a disease through everyday interactions (nonsexual) with an infected person.	Casual Contact
C102609	CONTACT WITH EXPOSURE DURING MEDICAL PROCEDURE		A way of contracting a disease by interacting with an individual that has been exposed to the disease while undergoing a medical procedure.	Contact With Exposure During Medical Procedure
C102610	CONTACT WITH EXPOSURE IN CROWD SETTING		A way of contracting a disease by physically associating with an infected group of individuals.	Contact With Exposure In Crowd Setting
C102611	CONTACT WITH MEDICAL RISK FACTOR		A way of contracting a disease by interacting with an individual that is considered at high risk for having the disease.	Contact With Medical Risk Factor
C102646	HOUSEHOLD CONTACT		A way of contracting a disease through interactions with an infected person in the same residence.	Household Contact

## CCQ01TC (Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Code)

NCI Code: C119064, Codelist extensible: No

C119064 CCQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119122	CCQ0101	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ0102	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity
C119124	CCQ0103	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119125	CCQ0104	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119126	CCQ0105	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119127	CCQ0106	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119128	CCQ0107	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119129	CCQ0108	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119130	CCQ0109	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119131	CCQ0110	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity

**CCQ01TN (Clinical COPD Questionnaire 24 Hour Version Questionnaire Test Name)**

NCI Code: C119063, Codelist extensible: No

<b>C119063 CCQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119130	CCQ01-Breathing Limit Daily Activity	CCQ01-Breathing Limit Daily Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 24 Hour Version - Breathing Problems Limit Daily Activity
C119129	CCQ01-Breathing Limit Moderate Activity	CCQ01-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Moderate Activity
C119131	CCQ01-Breathing Limit Social Activity	CCQ01-Breathing Limit Social Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 24 Hour Version - Breathing Problems Limit Social Activity
C119128	CCQ01-Breathing Limit Strenuous Activity	CCQ01-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 24 Hour Version - Breathing Problems Limit Strenuous Activity
C119124	CCQ01-Concern About Breathing Get Worse	CCQ01-Concern About Breathing Get Worse	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 24 Hour Version - Concern About Breathing Get Worse
C119126	CCQ01-Cough	CCQ01-Cough	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you cough?	CCQ 24 Hour Version - Did You Cough
C119125	CCQ01-Depressed for Breathing Problem	CCQ01-Depressed for Breathing Problem	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Depressed because of your breathing problems?	CCQ 24 Hour Version - Depressed Because of Breathing Problem
C119127	CCQ01-Produce Sputum or Phlegm	CCQ01-Produce Sputum or Phlegm	Clinical COPD Questionnaire 24 Hour Version - In general, during the past 24 hours, how much of the time: Did you produce sputum or phlegm?	CCQ 24 Hour Version - Produce Sputum or Phlegm
C119122	CCQ01-Short of Breath at Rest	CCQ01-Short of Breath at Rest	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while at rest?	CCQ 24 Hour Version - Short of Breath at Rest
C119123	CCQ01-Short of Breath Physical Activity	CCQ01-Short of Breath Physical Activity	Clinical COPD Questionnaire 24 Hour Version - On average, during the past 24 hours, how often did you feel: Short of breath while doing physical activities?	CCQ 24 Hour Version - Short of Breath Doing Physical Activity

## CCQ02TC (Clinical COPD Questionnaire 1 Week Version Questionnaire Test Code)

NCI Code: C119066, Codelist extensible: No

C119066 CCQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119132	CCQ0201	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ0202	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity
C119134	CCQ0203	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119135	CCQ0204	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119136	CCQ0205	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119137	CCQ0206	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119138	CCQ0207	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119139	CCQ0208	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119140	CCQ0209	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119141	CCQ0210	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity

**CCQ02TN (Clinical COPD Questionnaire 1 Week Version Questionnaire Test Name)**

NCI Code: C119065, Codelist extensible: No

<b>C119065 CCQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119140	CCQ02-Breathing Limit Daily Activity	CCQ02-Breathing Limit Daily Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Daily activities at home?	CCQ 1 Week Version - Breathing Problems Limit Daily Activity
C119139	CCQ02-Breathing Limit Moderate Activity	CCQ02-Breathing Limit Moderate Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Moderate physical activities?	CCQ 1 Week Version - Breathing Problems Limit Moderate Activity
C119141	CCQ02-Breathing Limit Social Activity	CCQ02-Breathing Limit Social Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Social activities?	CCQ 1 Week Version - Breathing Problems Limit Social Activity
C119138	CCQ02-Breathing Limit Strenuous Activity	CCQ02-Breathing Limit Strenuous Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how limited were you in these activities because of your breathing problems: Strenuous physical activities?	CCQ 1 Week Version - Breathing Problems Limit Strenuous Activity
C119134	CCQ02-Concern About Breathing Get Worse	CCQ02-Concern About Breathing Get Worse	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Concerned about getting a cold or your breathing getting worse?	CCQ 1 Week Version - Concern About Breathing Get Worse
C119136	CCQ02-Cough	CCQ02-Cough	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you cough?	CCQ 1 Week Version - Did You Cough
C119135	CCQ02-Depressed for Breathing Problem	CCQ02-Depressed for Breathing Problem	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Depressed because of your breathing problems?	CCQ 1 Week Version - Depressed Because of Breathing Problem
C119137	CCQ02-Produce Sputum or Phlegm	CCQ02-Produce Sputum or Phlegm	Clinical COPD Questionnaire 1 Week Version - In general, during the past 7 days, how much of the time: Did you produce sputum or phlegm?	CCQ 1 Week Version - Produce Sputum or Phlegm
C119132	CCQ02-Short of Breath at Rest	CCQ02-Short of Breath at Rest	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while at rest?	CCQ 1 Week Version - Short of Breath at Rest
C119133	CCQ02-Short of Breath Physical Activity	CCQ02-Short of Breath Physical Activity	Clinical COPD Questionnaire 1 Week Version - On average, during the past 7 days, how often did you feel: Short of breath while doing physical activities?	CCQ 1 Week Version - Short of Breath Doing Physical Activity

**CCRCLS (Consensus Cardiac Classification System Test Name)**

NCI Code: C101837, Codelist extensible: Yes

<b>C101837 CCRCLS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100032	ACC/AHA Lesion Complexity Class	ACC/AHA Lesion Complexity Class	A classification system for coronary stenosis based upon characteristics that influence the difficulty of percutaneous coronary revascularization.	American College of Cardiology/American Heart Association Lesion Complexity Class
C66910	Canadian CV Society Grading Scale	Canadian CV Society Grading Scale	A finding associated with a patient based on the functional classification developed by the Canadian Cardiovascular Society (CCS), for categorizing patients with angina. The classification system comprises four classes, which are defined in terms of the level of physical activity associated with the subject's anginal symptoms.	Canadian Cardiovascular Society Grading Scale Class
C66916	Killip Class	Killip Class	A finding associated with a patient based on the classification developed by Killip and Kimball, which classifies patients with myocardial infarction based on routine physical examination parameters, such as the presence or absence of rales, or a decreased systolic blood pressure.	Killip Class
C66909	New York Heart Association Class	New York Heart Association Class	A finding associated with a patient based on the functional classification developed by the New York Heart Association (NYHA), for categorizing patients with defined or presumed cardiac disease. The classification system is based on the ability to engage in physical activity. The classification system comprises four classes, though NYHA Class III and Class IV are often aggregated for the purpose of outcomes analysis.	New York Heart Association Class
C100021	TIMI Flow	TIMI Flow	A grading system for coronary blood flow based on the classification developed by the Thrombolysis in Myocardial Infarction Group. It classifies coronary blood flow into four classes based upon the angiographic appearance of the blood vessels.	Thrombolysis in Myocardial Infarction Flow

**CCRCLSCD (Consensus Cardiac Classification System Test Code)**

NCI Code: C101838, Codelist extensible: Yes

<b>C101838 CCRCLSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C66910	CCSGRDS	Canadian CV Society Grading Scale	A finding associated with a patient based on the functional classification developed by the Canadian Cardiovascular Society (CCS), for categorizing patients with angina. The classification system comprises four classes, which are defined in terms of the level of physical activity associated with the subject's anginal symptoms.	Canadian Cardiovascular Society Grading Scale Class
C66916	KILLIPCL	Killip Class	A finding associated with a patient based on the classification developed by Killip and Kimball, which classifies patients with myocardial infarction based on routine physical examination parameters, such as the presence or absence of rales, or a decreased systolic blood pressure.	Killip Class
C100032	LSNCPCLS	ACC/AHA Lesion Complexity Class	A classification system for coronary stenosis based upon characteristics that influence the difficulty of percutaneous coronary revascularization.	American College of Cardiology/American Heart Association Lesion Complexity Class
C66909	NYHACLS	New York Heart Association Class	A finding associated with a patient based on the functional classification developed by the New York Heart Association (NYHA), for categorizing patients with defined or presumed cardiac disease. The classification system is based on the ability to engage in physical activity. The classification system comprises four classes, though NYHA Class III and Class IV are often aggregated for the purpose of outcomes analysis.	New York Heart Association Class
C100021	TIMIFLOW	TIMI Flow	A grading system for coronary blood flow based on the classification developed by the Thrombolysis in Myocardial Infarction Group. It classifies coronary blood flow into four classes based upon the angiographic appearance of the blood vessels.	Thrombolysis in Myocardial Infarction Flow

## CDR01TC (Clinical Dementia Rating Questionnaire Test Code)

NCI Code: C101811, Codelist extensible: No

<b>C101811 CDR01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102050	CDR0101	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR0102	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102052	CDR0103	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102053	CDR0104	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C102054	CDR0105	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102055	CDR0106	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR0107	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes
C113881	CDR0108	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR



**CDR01TN (Clinical Dementia Rating Questionnaire Test Name)**

NCI Code: C101812, Codelist extensible: No

<b>C101812 CDR01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102053	CDR01-Community Affairs	CDR01-Community Affairs	Clinical Dementia Rating - Community affairs.	CDR - Community Affairs
C113881	CDR01-Global CDR	CDR01-Global CDR	Clinical Dementia Rating - Global CDR.	CDR - Global CDR
C102054	CDR01-Home and Hobbies	CDR01-Home and Hobbies	Clinical Dementia Rating - Home and hobbies.	CDR - Home and Hobbies
C102052	CDR01-Judgment and Problem Solving	CDR01-Judgment and Problem Solving	Clinical Dementia Rating - Judgment and problem solving.	CDR - Judgment and Problem Solving
C102050	CDR01-Memory	CDR01-Memory	Clinical Dementia Rating - Memory.	CDR - Memory
C102051	CDR01-Orientation	CDR01-Orientation	Clinical Dementia Rating - Orientation.	CDR - Orientation
C102055	CDR01-Personal Care	CDR01-Personal Care	Clinical Dementia Rating - Personal care.	CDR - Personal Care
C113880	CDR01-Sum of Boxes	CDR01-Sum of Boxes	Clinical Dementia Rating - Sum of Boxes.	CDR - Sum of Boxes

## CES01TC (Combat Exposure Scale Questionnaire Test Code)

NCI Code: C132519, Codelist extensible: No

<b>C132519 CES01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132556	CES0101	CES01-Ever Combat Patrols/Dangerous Duty	Combat Exposure Scale - Did you ever go on combat patrols or have other dangerous duty?	CES - Ever Combat Patrols or Dangerous Duty
C132557	CES0102	CES01-Were You Ever Under Enemy Fire	Combat Exposure Scale - Were you ever under enemy fire?	CES - Were You Ever Under Enemy Fire
C132558	CES0103	CES01-Ever Surrounded by the Enemy	Combat Exposure Scale - Were you ever surrounded by the enemy?	CES - Ever Surrounded by the Enemy
C132559	CES0104	CES01-Soldiers in Unit KIA, Wounded, MIA	Combat Exposure Scale - What percentage of the soldiers in your unit were killed (KIA), wounded or missing in action (MIA)?	CES - Soldiers in Unit Killed (KIA), Wounded, Missing (MIA)
C132560	CES0105	CES01-How Often Fire Rounds at Enemy	Combat Exposure Scale - How often did you fire rounds at the enemy?	CES - How Often Fire Rounds at Enemy
C132561	CES0106	CES01-See Someone Hit by Rounds	Combat Exposure Scale - How often did you see someone hit by incoming or outgoing rounds?	CES - See Someone Hit by Rounds
C132562	CES0107	CES01-In Danger of Being Injured/Killed	Combat Exposure Scale - How often were you in danger of being injured or killed (i.e., being pinned down, overrun, ambushed, near miss, etc.)?	CES - In Danger of Being Injured or Killed

**CES01TN (Combat Exposure Scale Questionnaire Test Name)**

NCI Code: C132518, Codelist extensible: No

<b>C132518 CES01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132556	CES01-Ever Combat Patrols/Dangerous Duty	CES01-Ever Combat Patrols/Dangerous Duty	Combat Exposure Scale - Did you ever go on combat patrols or have other dangerous duty?	CES - Ever Combat Patrols or Dangerous Duty
C132558	CES01-Ever Surrounded by the Enemy	CES01-Ever Surrounded by the Enemy	Combat Exposure Scale - Were you ever surrounded by the enemy?	CES - Ever Surrounded by the Enemy
C132560	CES01-How Often Fire Rounds at Enemy	CES01-How Often Fire Rounds at Enemy	Combat Exposure Scale - How often did you fire rounds at the enemy?	CES - How Often Fire Rounds at Enemy
C132562	CES01-In Danger of Being Injured/Killed	CES01-In Danger of Being Injured/Killed	Combat Exposure Scale - How often were you in danger of being injured or killed (i.e., being pinned down, overrun, ambushed, near miss, etc.)?	CES - In Danger of Being Injured or Killed
C132561	CES01-See Someone Hit by Rounds	CES01-See Someone Hit by Rounds	Combat Exposure Scale - How often did you see someone hit by incoming or outgoing rounds?	CES - See Someone Hit by Rounds
C132559	CES01-Soldiers in Unit KIA, Wounded, MIA	CES01-Soldiers in Unit KIA, Wounded, MIA	Combat Exposure Scale - What percentage of the soldiers in your unit were killed (KIA), wounded or missing in action (MIA)?	CES - Soldiers in Unit Killed (KIA), Wounded, Missing (MIA)
C132557	CES01-Were You Ever Under Enemy Fire	CES01-Were You Ever Under Enemy Fire	Combat Exposure Scale - Were you ever under enemy fire?	CES - Were You Ever Under Enemy Fire

## CGGUY1TC (Clinical Global Impression Questionnaire Test Code)

NCI Code: C135684, Codelist extensible: No

<b>C135684 CGGUY1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135811	CGGUY101	CGGUY1-Severity of Illness	Clinical Global Impression Guy - Considering your total clinical experience with this particular population, how mentally ill is the patient at this time?	CGI Original Version - Severity of Illness
C135812	CGGUY102	CGGUY1-Global Improvement	Clinical Global Impression Guy - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to his condition at admission to the project, how much has he changed?	CGI Original Version - Global Improvement
C135813	CGGUY103	CGGUY1-Efficacy Index	Clinical Global Impression Guy - Rate this item on the basis of drug effect only. Select the terms which best describe the degrees of therapeutic effect and side effects.	CGI Original Version - Efficacy Index

**CGGUY1TN (Clinical Global Impression Questionnaire Test Name)**

NCI Code: C135683, Codelist extensible: No

<b>C135683 CGGUY1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135813	CGGUY1-Efficacy Index	CGGUY1-Efficacy Index	Clinical Global Impression Guy - Rate this item on the basis of drug effect only. Select the terms which best describe the degrees of therapeutic effect and side effects.	CGI Original Version - Efficacy Index
C135812	CGGUY1-Global Improvement	CGGUY1-Global Improvement	Clinical Global Impression Guy - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to his condition at admission to the project, how much has he changed?	CGI Original Version - Global Improvement
C135811	CGGUY1-Severity of Illness	CGGUY1-Severity of Illness	Clinical Global Impression Guy - Considering your total clinical experience with this particular population, how mentally ill is the patient at this time?	CGI Original Version - Severity of Illness

**CGI02TC (Clinical Global Impression Generic Modification Version Questionnaire Test Code)**

NCI Code: C135686, Codelist extensible: No

<b>C135686 CGI02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135814	CGI0201	CGI02-Severity	Clinical Global Impression - Considering your total clinical experience with this particular population, how severe is the subject's condition at this time?	CGI Generic Modification Version - Severity
C135815	CGI0202	CGI02-Change	Clinical Global Impression - Rate total change whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject changed?	CGI Generic Modification Version - Change
C135816	CGI0203	CGI02-Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject improved?	CGI Generic Modification Version - Improvement

**CGI02TN (Clinical Global Impression Generic Modification Version Questionnaire Test Name)**

NCI Code: C135685, Codelist extensible: No

<b>C135685 CGI02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135815	CGI02-Change	CGI02-Change	Clinical Global Impression - Rate total change whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject changed?	CGI Generic Modification Version - Change
C135816	CGI02-Improvement	CGI02-Improvement	Clinical Global Impression - Rate total improvement whether or not, in your judgement, it is due entirely to drug treatment. Compared to the subject's condition <at previously assessed protocol specified time point>, how much has the subject improved?	CGI Generic Modification Version - Improvement
C135814	CGI02-Severity	CGI02-Severity	Clinical Global Impression - Considering your total clinical experience with this particular population, how severe is the subject's condition at this time?	CGI Generic Modification Version - Severity

**CHIVC1TC (CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Code)**

NCI Code: C124678, Codelist extensible: No

<b>C124678 CHIVC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124779	CHIVC101	CHIVC1-CDC HIV Infection Category	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV infection category.	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV Infection Category



**CHIVC1TN (CDC Classification System for HIV-Infected Adults and Adolescents Clinical Classification Test Name)**

NCI Code: C124677, Codelist extensible: No

<b>C124677 CHIVC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124779	CHIVC1-CDC HIV Infection Category	CHIVC1-CDC HIV Infection Category	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV infection category.	CDC Classification System for HIV-Infected Adults and Adolescents - CDC HIV Infection Category

**CHSF1TC (Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Code)**

NCI Code: C117987, Codelist extensible: No

<b>C117987 CHSF1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117998	CHSF101A	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day
C117999	CHSF101B	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day
C118000	CHSF102	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118001	CHSF103	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118002	CHSF104	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118003	CHSF105	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118004	CHSF106	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118005	CHSF107A	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118006	CHSF107B	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work
C118007	CHSF108	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118008	CHSF109	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118009	CHSF110	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118010	CHSF111	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118011	CHSF112	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With
C118012	CHSF113	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other

**C117987 CHSF1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118013	CHSF114	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118014	CHSF115	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118015	CHSF116	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month
C118016	CHSF117	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month
C118017	CHSF118	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118018	CHSF119	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year

**CHSF1TN (Craig Handicap Assessment and Reporting Technique - Short Form Interview Version Questionnaire Test Name)**

NCI Code: C117986, Codelist extensible: No

<b>C117986 CHSF1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118014	CHSF1-Associates Contacted per Month	CHSF1-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Associates Contacted per Month
C118001	CHSF1-Away Cognitive Assistance per Day	CHSF1-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Interview Version - Cognitive Assistance Away From Home per Day
C118017	CHSF1-Combined Household Income Last Yr	CHSF1-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Interview Version - Combined Annual Household Income Last Year
C118003	CHSF1-Days Out of the House per Week	CHSF1-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Interview Version - Days Out of the House per Week
C118015	CHSF1-Friends Contacted per Month	CHSF1-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Interview Version - Friends Contacted per Month
C118000	CHSF1-Home Cognitive Assistance per Day	CHSF1-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Interview Version - Cognitive Assistance at Home per Day
C118009	CHSF1-Hours of Home Maintenance per Week	CHSF1-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Interview Version - Hours of Home Maintenance per Week
C118008	CHSF1-Hours of Homemaking per Week	CHSF1-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Interview Version - Hours of Homemaking per Week
C118005	CHSF1-Hours of Paid Work per Week	CHSF1-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Interview Version - Hours of Paid Work per Week
C118010	CHSF1-Hours of Recreation per Week	CHSF1-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Interview Version - Hours of Recreational Activities per Week
C118007	CHSF1-Hours of Schoolwork per Week	CHSF1-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Interview Version - Hours of Schoolwork per Week
C118002	CHSF1-Hours Out of Bed per Day	CHSF1-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - On a typical day, how many hours are you out of bed?	CHART-SF Interview Version - Hours Out of Bed per Day
C118012	CHSF1-Live With Spouse or Signif Other	CHSF1-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Is one of them your spouse or significant other?	CHART-SF Interview Version - Live With Spouse or Significant Other
C118018	CHSF1-Medical Care Expenses Last Year	CHSF1-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Interview Version - Medical Care Expense Last Year
C118004	CHSF1-Nights Away From Home Last Year	CHSF1-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - In the last year, how many nights have you spent away from your home?	CHART-SF Interview Version - Nights Away From Home Last Year
C118011	CHSF1-Number of People You Live With	CHSF1-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many people do you live with?	CHART-SF Interview Version - Number of People You Live With

**C117986 CHSF1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118013	CHSF1-Number of Relatives You Live With	CHSF1-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - Of the people you live with how many are relatives?	CHART-SF Interview Version - Number of Relatives You Live With
C118006	CHSF1-Occupation of Paid Work	CHSF1-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Interview Version - Occupation of Paid Work
C117998	CHSF1-Paid Personal Care per Day	CHSF1-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Interview Version - Paid Personal Care per Day
C118016	CHSF1-Strangers Spoke with Last Month	CHSF1-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Interview Version - Initiated Conversation With Strangers Last Month
C117999	CHSF1-Unpaid Personal Care per Day	CHSF1-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Interview Version - Unpaid Personal Care per Day

**CHSF2TC (Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Code)**

NCI Code: C119068, Codelist extensible: No

<b>C119068 CHSF2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119142	CHSF201A	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Paper Version - Paid Personal Care per Day
C119143	CHSF201B	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Paper Version - Unpaid Personal Care per Day
C119144	CHSF202	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119145	CHSF203	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119146	CHSF204	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119147	CHSF205	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119148	CHSF206	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119149	CHSF207A	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119150	CHSF207B	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work
C119151	CHSF208	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119152	CHSF209	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119153	CHSF210	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119154	CHSF211	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119155	CHSF212	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119156	CHSF213	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119157	CHSF214	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With

**C119068 CHSF2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119158	CHSF215	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119159	CHSF216	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month
C119160	CHSF217	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119161	CHSF218	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Paper Version - Combined Annual Household Income Last Year
C119162	CHSF219	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Paper Version - Medical Care Expense Last Year

**CHSF2TN (Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire Test Name)**

NCI Code: C119067, Codelist extensible: No

<b>C119067 CHSF2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119158	CHSF2-Associates Contacted per Month	CHSF2-Associates Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many business or organizational associates do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Associates Contacted per Month
C119145	CHSF2-Away Cognitive Assistance per Day	CHSF2-Away Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much of the time is someone with you to help you with remembering, decision making, or judgment when you go away from your home?	CHART-SF Paper Version - Cognitive Assistance Away From Home per Day
C119161	CHSF2-Combined Household Income Last Yr	CHSF2-Combined Household Income Last Yr	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately what was the combined annual income, in the last year, of all family members in your household?	CHART-SF Paper Version - Combined Annual Household Income Last Year
C119147	CHSF2-Days Out of the House per Week	CHSF2-Days Out of the House per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In a typical week, how many days do you get out of your house and go somewhere?	CHART-SF Paper Version - Days Out of the House per Week
C119159	CHSF2-Friends Contacted per Month	CHSF2-Friends Contacted per Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many friends do you visit, phone, or write to at least once a month?	CHART-SF Paper Version - Friends Contacted per Month
C119144	CHSF2-Home Cognitive Assistance per Day	CHSF2-Home Cognitive Assistance per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How much time is someone with you in your home to assist you with activities that require remembering, decision making, or judgment?	CHART-SF Paper Version - Cognitive Assistance at Home per Day
C119153	CHSF2-Hours of Home Maintenance per Week	CHSF2-Hours of Home Maintenance per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in home maintenance activities such as gardening, house repairs or home improvement?	CHART-SF Paper Version - Hours of Home Maintenance per Week
C119152	CHSF2-Hours of Homemaking per Week	CHSF2-Hours of Homemaking per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in active homemaking including parenting, housekeeping, and food preparation?	CHART-SF Paper Version - Hours of Homemaking per Week
C119149	CHSF2-Hours of Paid Work per Week	CHSF2-Hours of Paid Work per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid?	CHART-SF Paper Version - Hours of Paid Work per Week
C119154	CHSF2-Hours of Recreation per Week	CHSF2-Hours of Recreation per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in recreational activities such as sports, exercise, playing cards, or going to movies?	CHART-SF Paper Version - Hours of Recreational Activities per Week
C119151	CHSF2-Hours of Schoolwork per Week	CHSF2-Hours of Schoolwork per Week	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend in school working toward a degree or in an accredited technical training program?	CHART-SF Paper Version - Hours of Schoolwork per Week
C119146	CHSF2-Hours Out of Bed per Day	CHSF2-Hours Out of Bed per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - On a typical day, how many hours are you out of bed?	CHART-SF Paper Version - Hours Out of Bed per Day
C119156	CHSF2-Live With Spouse or Signif Other	CHSF2-Live With Spouse or Signif Other	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Is one of them your spouse or significant other?	CHART-SF Paper Version - Live With Spouse or Significant Other
C119162	CHSF2-Medical Care Expenses Last Year	CHSF2-Medical Care Expenses Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Approximately how much did you pay last year for medical care expenses?	CHART-SF Paper Version - Medical Care Expense Last Year
C119148	CHSF2-Nights Away From Home Last Year	CHSF2-Nights Away From Home Last Year	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - In the last year, how many nights have you spent away from your home?	CHART-SF Paper Version - Nights Away From Home Last Year
C119155	CHSF2-Number of People You Live With	CHSF2-Number of People You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many people do you live with?	CHART-SF Paper Version - Number of People You Live With
C119157	CHSF2-Number of Relatives You Live With	CHSF2-Number of Relatives You Live With	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - Of the people you live with how many are relatives?	CHART-SF Paper Version - Number of Relatives You Live With



**C119067 CHSF2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119150	CHSF2-Occupation of Paid Work	CHSF2-Occupation of Paid Work	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours per week do you spend working in a job for which you get paid? (occupation).	CHART-SF Paper Version - Occupation of Paid Work
C119142	CHSF2-Paid Personal Care per Day	CHSF2-Paid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? (hours paid assistance).	CHART-SF Paper Version - Paid Personal Care per Day
C119160	CHSF2-Strangers Spoke with Last Month	CHSF2-Strangers Spoke with Last Month	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - With how many strangers have you initiated a conversation in the last month?	CHART-SF Paper Version - Initiated Conversation With Strangers Last Month
C119143	CHSF2-Unpaid Personal Care per Day	CHSF2-Unpaid Personal Care per Day	Craig Handicap Assessment and Reporting Technique-Short Form Paper Version - How many hours in a typical 24-hour day do you have someone with you to provide physical assistance for personal care activities such as eating, bathing, dressing, toileting and mobility? hours unpaid (family, others).	CHART-SF Paper Version - Unpaid Personal Care per Day

## CLMETH (Specimen Collection Method)

NCI Code: C132314, Codelist extensible: Yes

<b>C132314 CLMETH</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15189	BIOPSY		The removal of tissue specimens or fluid from the living body for microscopic examination, performed to establish a diagnosis.	Biopsy
C85859	EXPECTORATION		A technique in which material is cleared from the throat or lungs by coughing it up and spitting it out.	Expectorate
C15361	FINE NEEDLE ASPIRATION		The removal of tissue specimens or fluid from the living body with a thin needle.	Fine-Needle Aspiration
C132353	INDUCED EXPECTORATION		A technique in which hypotonic saline is inhaled, followed by expectoration.	Induced Expectoration Technique
C51913	LAVAGE		A technique in which a cavity or organ is flushed with a fluid, which is then collected.	Bronchoalveolar Lavage
C113747	SWAB		A technique in which a tufted material on the end of a stick is rubbed against a surface.	Buccal Swab

## CLTMDTYP (Culture Medium Type)

NCI Code: C127264, Codelist extensible: Yes

C127264 CLTMDTYP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127517	BLOOD AGAR		A solid growth medium mainly consisting of peptones, sodium chloride, meat extracts, and mammalian blood, which is developed for the cultivation of fastidious organisms. The blood in the formulation promotes the presence and visualization of hemolytic reactions, enabling the detection and differentiation of hemolytic bacteria.	Blood Agar Growth Medium
C128949	KIRCHNER MEDIUM		A liquid growth medium mainly consisting of sodium dihydrogen phosphate, potassium dihydrogen phosphate, magnesium sulphate, trisodium citrate, L-asparagine and phenol red, which is developed for the culture and recovery of Mycobacteria.	Kirchner Growth Medium
C85507	LOWENSTEIN JENSEN MEDIUM	LJ medium	A growth medium mainly consisting of malachite green, glycerol, asparagine, coagulated eggs, and mineral salts which is developed especially for the cultivation of mycobacterium.	Lowenstein-Jensen Medium
C128950	MB REDOX BROTH		A liquid and selective growth medium that is modified based on the Kirchner medium by the addition of a mixture of antimicrobial agents (typically polymyxin B, amphotericin B, carbenicillin, and trimethoprim) and colorless tetrazolium salt as a growth indicator, which is developed for the cultivation of mycobacterium.	MB Redox Broth Growth Medium
C85509	MIDDLEBROOK 7H10 AGAR		A solid growth medium mainly consisting of oleic acid-albumin enrichment, glycerol, dextrose and inorganic compounds, which is developed especially for the primary and secondary cultivation of mycobacterium.	Middlebrook 7H10 Growth Medium
C127518	MIDDLEBROOK 7H10S AGAR	Middlebrook 7H10 Selective Agar	A solid and selective growth medium that is modified based on the Middlebrook 7H10 agar by the addition of four antimicrobial agents: polymyxin B, carbenicillin, amphotericin B and trimethoprim lactate.	Middlebrook 7H10S Growth Medium
C85510	MIDDLEBROOK 7H11 AGAR		A solid growth medium that is modified based on the Middlebrook 7H10 agar by the addition of pancreatic digest of casein.	Middlebrook 7H11 Growth Medium
C127519	MIDDLEBROOK 7H11S AGAR	Middlebrook 7H11 Selective Agar	A solid and selective growth medium that is modified based on the Middlebrook 7H11 agar by the addition of four antimicrobial agents: polymyxin B, carbenicillin, amphotericin B and trimethoprim lactate.	Middlebrook 7H11S Growth Medium
C127520	MIDDLEBROOK 7H12 BROTH		A liquid growth medium that is modified based on the Middlebrook 7H9 broth by the addition of bovine serum albumin, casein hydrolysate, catalase and 14C-labelled palmitic acid.	Middlebrook 7H12 Growth Medium
C127521	MIDDLEBROOK 7H9 BROTH		A liquid growth medium mainly consisting of albumin, glycerol, dextrose and inorganic compounds, which is developed especially for the primary and secondary cultivation of mycobacterium.	Middlebrook 7H9 Growth Medium

## COMM1TC (Current Opioid Misuse Measure Questionnaire Test Code)

NCI Code: C100158, Codelist extensible: No

C100158 COMM1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100958	COMM101	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100959	COMM102	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100960	COMM103	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100961	COMM104	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100962	COMM105	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100963	COMM106	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100964	COMM107	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100965	COMM108	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100966	COMM109	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100967	COMM110	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications
C100968	COMM111	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100969	COMM112	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM113	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100971	COMM114	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100972	COMM115	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100973	COMM116	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM117	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100975	COMM118	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score

**COMM1TN (Current Opioid Misuse Measure Questionnaire Test Name)**

NCI Code: C100157, Codelist extensible: No

<b>C100157 COMM1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100964	COMM1-Been in an Argument	COMM1-Been in an Argument	Current Opioid Misuse Measure - In the past 30 days, how often have you been in an argument?	COMM - Been in an Argument
C100972	COMM1-Borrowed Meds From Others	COMM1-Borrowed Meds From Others	Current Opioid Misuse Measure - In the past 30 days, how often have you borrowed pain medication from someone else?	COMM - Borrowed Medication From Others
C100959	COMM1-Complaints Not Completing Tasks	COMM1-Complaints Not Completing Tasks	Current Opioid Misuse Measure - In the past 30 days, how often do people complain that you are not completing necessary tasks? (i.e., doing things that need to be done, such as going to class, work or appointments)	COMM - Complaints Not Completing Tasks
C100969	COMM1-Emergency Phone Call/Clinic Visit	COMM1-Emergency Phone Call/Clinic Visit	Current Opioid Misuse Measure - In the past 30 days, how often have you had to make an emergency phone call or show up at the clinic without an appointment?	COMM - Emergency Phone Call or Clinic Visit
C100970	COMM1-Gotten Angry With People	COMM1-Gotten Angry With People	Current Opioid Misuse Measure - In the past 30 days, how often have you gotten angry with people?	COMM - Gotten Angry With People
C100960	COMM1-Other Sources For Pain Medication	COMM1-Other Sources For Pain Medication	Current Opioid Misuse Measure - In the past 30 days, how often have you had to go to someone other than your prescribing physician to get sufficient pain relief from medications? (i.e., another doctor, the Emergency Room, friends, street source)	COMM - Other Sources for Pain Medication
C100968	COMM1-Others Worry About Your Meds	COMM1-Others Worry About Your Meds	Current Opioid Misuse Measure - In the past 30 days, how often have others been worried about how you're handling your medications?	COMM - Others Worry About Your Medications
C100975	COMM1-Score	COMM1-Score	Current Opioid Misuse Measure - Score.	COMM - Score
C100962	COMM1-Seriously Thought of Hurting Self	COMM1-Seriously Thought of Hurting Self	Current Opioid Misuse Measure - In the past 30 days, how often have you seriously thought about hurting yourself?	COMM - Seriously Thought of Hurting Self
C100966	COMM1-Take Meds Belonging to Others	COMM1-Take Meds Belonging to Others	Current Opioid Misuse Measure - In the past 30 days, how often have you needed to take pain medications belonging to someone else?	COMM - Take Medications Belonging to Others
C100971	COMM1-Take More Meds Than Prescribed	COMM1-Take More Meds Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you had to take more of your medication than prescribed?	COMM - Take More Medication Than Prescribed
C100961	COMM1-Taken Meds Other Than Prescribed	COMM1-Taken Meds Other Than Prescribed	Current Opioid Misuse Measure - In the past 30 days, how often have you taken your medications differently from how they are prescribed?	COMM - Taken Medications Other Than Prescribed
C100963	COMM1-Time Spent Thinking About Opioids	COMM1-Time Spent Thinking About Opioids	Current Opioid Misuse Measure - In the past 30 days, how much of your time was spent thinking about opioid medications (having enough, taking them, dosing schedule, etc.)?	COMM - Time Spent Thinking About Opioids
C100965	COMM1-Trouble Controlling Anger	COMM1-Trouble Controlling Anger	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble controlling your anger (e.g., road rage, screaming, etc.)?	COMM - Trouble Controlling Anger
C100958	COMM1-Trouble Thinking Clearly/Memory	COMM1-Trouble Thinking Clearly/Memory	Current Opioid Misuse Measure - In the past 30 days, how often have you had trouble with thinking clearly or had memory problems?	COMM - Trouble Thinking Clearly or Memory Problems
C100973	COMM1-Used Pain Meds For Other Symptoms	COMM1-Used Pain Meds For Other Symptoms	Current Opioid Misuse Measure - In the past 30 days, how often have you used your pain medicine for symptoms other than for pain (e.g., to help you sleep, improve your mood, or relieve stress)?	COMM - Used Pain Medicine For Other Symptoms
C100974	COMM1-Visit Emergency Room	COMM1-Visit Emergency Room	Current Opioid Misuse Measure - In the past 30 days, how often have you had to visit the Emergency Room?	COMM - Visit Emergency Room
C100967	COMM1-Worry About Handling Meds	COMM1-Worry About Handling Meds	Current Opioid Misuse Measure - In the past 30 days, how often have you been worried about how you're handling your medications?	COMM - Worry About Handling Medications

## CONROL (Contact Role for Clinical Study)

NCI Code: C127257, Codelist extensible: Yes

C127257 CONROL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127522	CA APPLICANT		The person responsible for the competent authority application.	Competent Authority Applicant
C127523	CENTRAL CONTACT FOR RECRUITMENT		The contact person providing centralized, coordinated recruitment information for the entire study. (clinicaltrials.gov)	Central Contact for Recruitment
C127524	CENTRAL CONTACT FOR RECRUITMENT BACKUP		The secondary contact person providing centralized, coordinated recruitment information for the entire study. (clinicaltrials.gov)	Central Contact for Recruitment Backup
C127525	CLINICAL NETWORK CONTACT		The main or principal contact person for the clinical investigator network.	Clinical Investigator Network Contact
C127526	CONTACT FOR PUBLIC QUERIES		The study contact person who is responsible for questions from the public.	Public Queries Study Contact
C127527	CONTACT FOR SCIENTIFIC QUERIES		The study contact person who is responsible for questions from the scientific community.	Scientific Queries Study Contact
C127528	FACILITY CONTACT		The main or principal contact person at the facility.	Facility Contact
C127529	FACILITY CONTACT BACKUP		The secondary contact person at the facility.	Facility Contact Backup
C127530	FURTHER INFORMATION CONTACT		The contact person responsible for disseminating additional information about the study.	Study Further Information Contact
C127531	IEC APPLICANT		The person responsible for the independent ethics committee application.	Independent Ethics Committee Applicant
C127532	LEGAL REPRESENTATIVE FOR THE STUDY		An individual with expertise in the law who provides legal counsel and representation for a study.	Legal Representative for the Study
C127533	PRIMARY CONTACT		The main or principal contact person for the study.	Primary Study Contact
C51878	STUDY CHAIR	Study Director	A person who has overall responsibility for the technical conduct of a study, as well as for the interpretation, analysis, documentation and reporting of results, and represents the single point of study control. (FDA)	Study Chair
C127534	SUBCONTRACTOR CONTACT		The main or principal contact person for the subcontractor or subcontracting organization.	Subcontractor Contact
C54622	SUBINVESTIGATOR		Any member of the clinical trial team designated and supervised by the investigator at a trial site to perform critical trial-related procedures and/or to make important trial-related decisions (e.g., associates, residents, research fellows). (ICH)	Subinvestigator

**COWS1TC (Clinical Opiate Withdrawal Scale Questionnaire Test Code)**

NCI Code: C101813, Codelist extensible: No

<b>C101813 COWS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102056	COWS101	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C112467	COWS101A	COWS1-Resting Pulse Rate Beats/Minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102057	COWS102	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C102058	COWS103	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102059	COWS104	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C102060	COWS105	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102061	COWS106	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102062	COWS107	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102063	COWS108	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS109	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning
C102065	COWS110	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102066	COWS111	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C112468	COWS112	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score

**COWS1TN (Clinical Opiate Withdrawal Scale Questionnaire Test Name)**

NCI Code: C101814, Codelist extensible: No

<b>C101814 COWS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102065	COWS1-Anxiety or Irritability	COWS1-Anxiety or Irritability	Clinical Opiate Withdrawal Scale - Anxiety or irritability.	COWS - Anxiety or Irritability
C102060	COWS1-Bone or Joint Aches	COWS1-Bone or Joint Aches	Clinical Opiate Withdrawal Scale - Bone or joint aches.	COWS - Bone or Joint Aches
C102062	COWS1-GI Upset	COWS1-GI Upset	Clinical Opiate Withdrawal Scale - GI upset.	COWS - GI Upset
C102066	COWS1-Gooseflesh Skin	COWS1-Gooseflesh Skin	Clinical Opiate Withdrawal Scale - Gooseflesh skin.	COWS - Gooseflesh Skin
C102059	COWS1-Pupil Size	COWS1-Pupil Size	Clinical Opiate Withdrawal Scale - Pupil size.	COWS - Pupil Size
C102056	COWS1-Resting Pulse Rate	COWS1-Resting Pulse Rate	Clinical Opiate Withdrawal Scale - Resting pulse rate.	COWS - Resting Pulse Rate
C112467	COWS1-Resting Pulse Rate Beats/Minute	COWS1-Resting Pulse Rate Beats/Minute	Clinical Opiate Withdrawal Scale - Resting pulse rate: beats/minute.	COWS - Resting Pulse Rate: Beats/Minute
C102058	COWS1-Restlessness	COWS1-Restlessness	Clinical Opiate Withdrawal Scale - Restlessness.	COWS - Restlessness
C102061	COWS1-Runny Nose or Tearing	COWS1-Runny Nose or Tearing	Clinical Opiate Withdrawal Scale - Runny nose or tearing.	COWS - Runny Nose or Tearing
C102057	COWS1-Sweating	COWS1-Sweating	Clinical Opiate Withdrawal Scale - Sweating.	COWS - Sweating
C112468	COWS1-Total Score	COWS1-Total Score	Clinical Opiate Withdrawal Scale - Total score.	COWS - Total Score
C102063	COWS1-Tremor	COWS1-Tremor	Clinical Opiate Withdrawal Scale - Tremor.	COWS - Tremor
C102064	COWS1-Yawning	COWS1-Yawning	Clinical Opiate Withdrawal Scale - Yawning.	COWS - Yawning



**CPFATS (COPD Findings About Test Name)**

NCI Code: C122006, Codelist extensible: Yes

<b>C122006 CPFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C94596	Cumulative Exposure	Cumulative Exposure	The total amount that a subject is exposed to over time.	Cumulative Exposure
C124328	Number of Mild Episodes	Number of Mild Episodes	The number of times an event, which is classified as mild, occurred.	Number of Mild Episodes
C124329	Number of Moderate Episodes	Number of Moderate Episodes	The number of times an event, which is classified as moderate, occurred.	Number of Moderate Episodes
C124330	Number of Severe Episodes	Number of Severe Episodes	The number of times an event, which is classified as severe, occurred.	Number of Severe Episodes

## CPFATSCD (COPD Findings About Test Code)

NCI Code: C122007, Codelist extensible: Yes

<b>C122007 CPFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C94596	CUMEXP	Cumulative Exposure	The total amount that a subject is exposed to over time.	Cumulative Exposure
C124328	EPMLDNUM	Number of Mild Episodes	The number of times an event, which is classified as mild, occurred.	Number of Mild Episodes
C124329	EPMODNUM	Number of Moderate Episodes	The number of times an event, which is classified as moderate, occurred.	Number of Moderate Episodes
C124330	EPSEVNUM	Number of Severe Episodes	The number of times an event, which is classified as severe, occurred.	Number of Severe Episodes

**CPS01TC (Child-Pugh Classification Clinical Classification Test Code)**

NCI Code: C120989, Codelist extensible: No

<b>C120989 CPS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121068	CPS0101	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121069	CPS0102	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121070	CPS0103	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121071	CPS0104	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121072	CPS0105A	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121073	CPS0105B	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121074	CPS0106	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score
C121075	CPS0107	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade

**CPS01TN (Child-Pugh Classification Clinical Classification Test Name)**

NCI Code: C120988, Codelist extensible: No

<b>C120988 CPS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121069	CPS01-Ascites	CPS01-Ascites	Child-Pugh Classification - Ascites.	Child-Pugh - Ascites
C121068	CPS01-Encephalopathy Grade	CPS01-Encephalopathy Grade	Child-Pugh Classification - Encephalopathy grade.	Child-Pugh - Encephalopathy Grade
C121075	CPS01-Grade	CPS01-Grade	Child-Pugh Classification - Child-Pugh grade.	Child-Pugh - Grade
C121073	CPS01-PT, INR	CPS01-PT, INR	Child-Pugh Classification - Prothrombin time, international normalized ratio (INR).	Child-Pugh - PT, INR
C121072	CPS01-PT, Sec Prolonged	CPS01-PT, Sec Prolonged	Child-Pugh Classification - Prothrombin time, sec prolonged.	Child-Pugh - PT, Sec Prolonged
C121071	CPS01-Serum Albumin	CPS01-Serum Albumin	Child-Pugh Classification - Serum albumin, g/dL.	Child-Pugh - Serum Albumin
C121070	CPS01-Serum Bilirubin	CPS01-Serum Bilirubin	Child-Pugh Classification - Serum bilirubin, mg/dL.	Child-Pugh - Serum Bilirubin
C121074	CPS01-Total Score	CPS01-Total Score	Child-Pugh Classification - Child-Pugh total score.	Child-Pugh - Total Score

**CRQ01TC (Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Code)**

NCI Code: C120979, Codelist extensible: No

<b>C120979 CRQ01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121010	CRQ0101	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121011	CRQ0102	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ0103	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking
C121013	CRQ0104	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121014	CRQ0105	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities
C121015	CRQ0106	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121016	CRQ0107	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121017	CRQ0108	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121018	CRQ0109	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121019	CRQ0110	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121020	CRQ0111	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121021	CRQ0112	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121022	CRQ0113	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121023	CRQ0114	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121024	CRQ0115	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121025	CRQ0116	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down

**C120979 CRQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121026	CRQ0117	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish
C121027	CRQ0118	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life
C121028	CRQ0119	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121029	CRQ0120	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight

**CRQ01TN (Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire Test Name)**

NCI Code: C120978, Codelist extensible: No

<b>C120978 CRQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121019	CRQ01-Confident to Deal With Illness	CRQ01-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS First Administration Version - Feel Confident to Deal With Illness
C121022	CRQ01-Control of Breathing Problems	CRQ01-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS First Administration Version - Had Control of Breathing Problems
C121018	CRQ01-Embarrassed by Coughing	CRQ01-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS First Administration Version - Embarrassed by Coughing
C121020	CRQ01-Energy	CRQ01-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS First Administration Version - Energy
C121017	CRQ01-Fatigue	CRQ01-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS First Administration Version - Fatigue
C121023	CRQ01-Feel Relaxed and Free of Tension	CRQ01-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS First Administration Version - Feel Relaxed and Free of Tension
C121028	CRQ01-Feel Upset Diff Getting Breath	CRQ01-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feel Upset When Had Difficulty Getting Breath
C121021	CRQ01-Feel Upset, Worried or Depressed	CRQ01-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS First Administration Version - Feel Upset, Worried or Depressed
C121010	CRQ01-Feeling Emotional	CRQ01-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS First Administration Version - Feeling Emotional
C121016	CRQ01-Feeling of Fear or Panic	CRQ01-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS First Administration Version - Feeling of Fear or Panic
C121025	CRQ01-Felt Discouraged or Down	CRQ01-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS First Administration Version - Felt Discouraged or Down
C121015	CRQ01-Felt Frustrated or Impatient	CRQ01-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS First Administration Version - Felt Frustrated or Impatient
C121024	CRQ01-Felt Low in Energy	CRQ01-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS First Administration Version - Felt Low in Energy
C121029	CRQ01-Felt Restless, Tense or Uptight	CRQ01-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS First Administration Version - Felt Restless, Tense or Uptight
C121026	CRQ01-Felt Worn Out or Sluggish	CRQ01-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS First Administration Version - Felt Worn Out or Sluggish

**C120978 CRQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121027	CRQ01-Happy, Satisfied or Pleased	CRQ01-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS First Administration Version - Happy, Satisfied or Pleased With Life
C121014	CRQ01-Participate in Social Activities	CRQ01-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Participating in social activities.	CRQ-SAS First Administration Version - Participate in Social Activities
C121013	CRQ01-Performing Chores	CRQ01-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Performing chores.	CRQ-SAS First Administration Version - Performing Chores
C121011	CRQ01-Take Care of Basic Needs	CRQ01-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Taking care of your basic needs.	CRQ-SAS First Administration Version - Take Care of Basic Needs
C121012	CRQ01-Walking	CRQ01-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version - Walking.	CRQ-SAS First Administration Version - Walking



**CRQ02TC (Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Code)**

NCI Code: C120981, Codelist extensible: No

<b>C120981 CRQ02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121030	CRQ0201	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121031	CRQ0202	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ0203	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking
C121033	CRQ0204	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121034	CRQ0205	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities
C121035	CRQ0206	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121036	CRQ0207	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121037	CRQ0208	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121038	CRQ0209	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121039	CRQ0210	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121040	CRQ0211	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121041	CRQ0212	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121042	CRQ0213	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121043	CRQ0214	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121044	CRQ0215	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121045	CRQ0216	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down

**C120981 CRQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121046	CRQ0217	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish
C121047	CRQ0218	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121048	CRQ0219	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121049	CRQ0220	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight

**CRQ02TN (Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire Test Name)**

NCI Code: C120980, Codelist extensible: No

<b>C120980 CRQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121039	CRQ02-Confident to Deal With Illness	CRQ02-Confident to Deal With Illness	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In the last 2 weeks, how much of the time did you feel very confident and sure that you could deal with your illness?	CRQ-SAS Follow-Up Administration Version - Feel Confident to Deal With Illness
C121042	CRQ02-Control of Breathing Problems	CRQ02-Control of Breathing Problems	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel you had complete control of your breathing problems?	CRQ-SAS Follow-Up Administration Version - Had Control of Breathing Problems
C121038	CRQ02-Embarrassed by Coughing	CRQ02-Embarrassed by Coughing	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt embarrassed by your coughing or heavy breathing?	CRQ-SAS Follow-Up Administration Version - Embarrassed by Coughing
C121040	CRQ02-Energy	CRQ02-Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much energy have you had in the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Energy
C121037	CRQ02-Fatigue	CRQ02-Fatigue	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How about fatigue? How tired have you felt over the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Fatigue
C121043	CRQ02-Feel Relaxed and Free of Tension	CRQ02-Feel Relaxed and Free of Tension	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How much of the time during the last 2 weeks did you feel relaxed and free of tension?	CRQ-SAS Follow-Up Administration Version - Feel Relaxed and Free of Tension
C121048	CRQ02-Feel Upset Diff Getting Breath	CRQ02-Feel Upset Diff Getting Breath	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you feel upset or scared when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feel Upset When Had Difficulty Getting Breath
C121041	CRQ02-Feel Upset, Worried or Depressed	CRQ02-Feel Upset, Worried or Depressed	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time did you feel upset, worried, or depressed during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Feel Upset, Worried or Depressed
C121030	CRQ02-Feeling Emotional	CRQ02-Feeling Emotional	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Feeling emotional such as angry or upset.	CRQ-SAS Follow-Up Administration Version - Feeling Emotional
C121036	CRQ02-Feeling of Fear or Panic	CRQ02-Feeling of Fear or Panic	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks did you have a feeling of fear or panic when you had difficulty getting your breath?	CRQ-SAS Follow-Up Administration Version - Feeling of Fear or Panic
C121045	CRQ02-Felt Discouraged or Down	CRQ02-Felt Discouraged or Down	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt discouraged or down in the dumps?	CRQ-SAS Follow-Up Administration Version - Felt Discouraged or Down
C121035	CRQ02-Felt Frustrated or Impatient	CRQ02-Felt Frustrated or Impatient	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how much of the time during the last 2 weeks have you felt frustrated or impatient?	CRQ-SAS Follow-Up Administration Version - Felt Frustrated or Impatient
C121044	CRQ02-Felt Low in Energy	CRQ02-Felt Low in Energy	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt low in energy?	CRQ-SAS Follow-Up Administration Version - Felt Low in Energy
C121049	CRQ02-Felt Restless, Tense or Uptight	CRQ02-Felt Restless, Tense or Uptight	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - In general, how often during the last 2 weeks have you felt restless, tense, or uptight?	CRQ-SAS Follow-Up Administration Version - Felt Restless, Tense or Uptight
C121046	CRQ02-Felt Worn Out or Sluggish	CRQ02-Felt Worn Out or Sluggish	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How often during the last 2 weeks have you felt worn out or sluggish?	CRQ-SAS Follow-Up Administration Version - Felt Worn Out or Sluggish

**C120980 CRQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121047	CRQ02-Happy, Satisfied or Pleased	CRQ02-Happy, Satisfied or Pleased	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - How happy, satisfied, or pleased have you been with your personal life during the last 2 weeks?	CRQ-SAS Follow-Up Administration Version - Happy, Satisfied or Pleased With Life
C121034	CRQ02-Participate in Social Activities	CRQ02-Participate in Social Activities	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Participating in social activities.	CRQ-SAS Follow-Up Administration Version - Participate in Social Activities
C121033	CRQ02-Performing Chores	CRQ02-Performing Chores	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Performing chores.	CRQ-SAS Follow-Up Administration Version - Performing Chores
C121031	CRQ02-Take Care of Basic Needs	CRQ02-Take Care of Basic Needs	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Taking care of your basic needs.	CRQ-SAS Follow-Up Administration Version - Take Care of Basic Needs
C121032	CRQ02-Walking	CRQ02-Walking	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version - Walking.	CRQ-SAS Follow-Up Administration Version - Walking

**CRSR01TC (JFK Coma Recovery Scale-Revised Clinical Classification Test Code)**

NCI Code: C124684, Codelist extensible: No

<b>C124684 CRSR01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124736	CRSR0101	CRSR01-Diagnosis	JFK Coma Recovery Scale-Revised - Diagnosis.	CRS-R - Diagnosis
C124737	CRSR0102	CRSR01-Etiology	JFK Coma Recovery Scale-Revised - Etiology.	CRS-R - Etiology
C124738	CRSR0103	CRSR01-Date of Onset	JFK Coma Recovery Scale-Revised - Date of onset.	CRS-R - Date of Onset
C124739	CRSR0104	CRSR01-Date of Admission	JFK Coma Recovery Scale-Revised - Date of admission.	CRS-R - Date of Admission
C124740	CRSR0105	CRSR01-Auditory Function Scale	JFK Coma Recovery Scale-Revised - Auditory function scale.	CRS-R - Auditory Function Scale
C124741	CRSR0106	CRSR01-Visual Function Scale	JFK Coma Recovery Scale-Revised - Visual function scale.	CRS-R - Visual Function Scale
C124742	CRSR0107	CRSR01-Motor Function Scale	JFK Coma Recovery Scale-Revised - Motor function scale.	CRS-R - Motor Function Scale
C124743	CRSR0108	CRSR01-Oromotor/Verbal Function	JFK Coma Recovery Scale-Revised - Oromotor/verbal function scale.	CRS-R - Oromotor/Verbal Function
C124744	CRSR0109	CRSR01-Communication Scale	JFK Coma Recovery Scale-Revised - Communication scale.	CRS-R - Communication Scale
C124745	CRSR0110	CRSR01-Arousal Scale	JFK Coma Recovery Scale-Revised - Arousal scale.	CRS-R - Arousal Scale
C124746	CRSR0111	CRSR01-Total Score	JFK Coma Recovery Scale-Revised - Total score.	CRS-R - Total Score

**CRSR01TN (JFK Coma Recovery Scale-Revised Clinical Classification Test Name)**

NCI Code: C124683, Codelist extensible: No

<b>C124683 CRSR01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124745	CRSR01-Arousal Scale	CRSR01-Arousal Scale	JFK Coma Recovery Scale-Revised - Arousal scale.	CRS-R - Arousal Scale
C124740	CRSR01-Auditory Function Scale	CRSR01-Auditory Function Scale	JFK Coma Recovery Scale-Revised - Auditory function scale.	CRS-R - Auditory Function Scale
C124744	CRSR01-Communication Scale	CRSR01-Communication Scale	JFK Coma Recovery Scale-Revised - Communication scale.	CRS-R - Communication Scale
C124739	CRSR01-Date of Admission	CRSR01-Date of Admission	JFK Coma Recovery Scale-Revised - Date of admission.	CRS-R - Date of Admission
C124738	CRSR01-Date of Onset	CRSR01-Date of Onset	JFK Coma Recovery Scale-Revised - Date of onset.	CRS-R - Date of Onset
C124736	CRSR01-Diagnosis	CRSR01-Diagnosis	JFK Coma Recovery Scale-Revised - Diagnosis.	CRS-R - Diagnosis
C124737	CRSR01-Etiology	CRSR01-Etiology	JFK Coma Recovery Scale-Revised - Etiology.	CRS-R - Etiology
C124742	CRSR01-Motor Function Scale	CRSR01-Motor Function Scale	JFK Coma Recovery Scale-Revised - Motor function scale.	CRS-R - Motor Function Scale
C124743	CRSR01-Oromotor/Verbal Function	CRSR01-Oromotor/Verbal Function	JFK Coma Recovery Scale-Revised - Oromotor/verbal function scale.	CRS-R - Oromotor/Verbal Function
C124746	CRSR01-Total Score	CRSR01-Total Score	JFK Coma Recovery Scale-Revised - Total score.	CRS-R - Total Score
C124741	CRSR01-Visual Function Scale	CRSR01-Visual Function Scale	JFK Coma Recovery Scale-Revised - Visual function scale.	CRS-R - Visual Function Scale

## CRYDFMAN (Cardiac Rhythm Device Failure Manifestation)

NCI Code: C101866, Codelist extensible: Yes

<b>C101866 CRYDFMAN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99921	ATRIAL PACING MALFUNCTION		The cardiac rhythm device malfunction affected atrial pacing.	Cardiac Atrial Pacing Malfunction
C99923	DEFIBRILLATION MALFUNCTION		The cardiac rhythm device malfunction affected the defibrillator.	Cardiac Defibrillator Malfunction
C99973	LEFT VENTRICULAR PACING MALFUNCTION		The cardiac rhythm device malfunction affected the left ventricular (LV) pacing.	Left Cardiac Ventricular Pacing Malfunction
C100011	RIGHT VENTRICULAR PACING MALFUNCTION		The cardiac rhythm device malfunction affected the right ventricular (RV) pacing.	Right Cardiac Ventricle Pacing Malfunction

**CSLVLNIM (Reason CS/LV Lead Not Implanted)**

NCI Code: C101864, Codelist extensible: No

<b>C101864 CSLVLNIM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100025	COULD NOT OBTAIN ACCEPTABLE PACING THRESHOLDS		The coronary sinus/left ventricular lead was not implanted because the operator was unable to obtain acceptable pacing thresholds.	Unable to Obtain Acceptable Pacing Thresholds
C99933	LEAD POSITION RESULTS IN UNDESIRABLE STIMULATION OF THE DIAPHRAGM		The coronary sinus/left ventricular lead was not implanted because the lead position resulted in undesirable stimulation of the diaphragm.	Cardiac Lead Position Results in Undesirable Stimulation of Diaphragm
C100007	PREVIOUSLY IMPLANTED		The coronary sinus/left ventricular lead was not implanted because a lead had been previously implanted.	Previously Implanted Cardiac Lead
C100026	UNABLE TO OBTAIN SATISFACTORY CORONARY SINUS ACCESS		The coronary sinus/left ventricular lead was not implanted because the operator was unable to obtain satisfactory coronary sinus access.	Unable to Obtain Satisfactory Coronary Sinus Access
C100027	UNABLE TO OBTAIN SATISFACTORY VASCULAR ACCESS		The coronary sinus/left ventricular lead was not implanted because the operator was unable to obtain satisfactory vascular access.	Unable to Obtain Satisfactory Vascular Access
C100028	UNABLE TO POSITION LEAD DUE TO CORONARY SINUS DISSECTION		The coronary sinus/left ventricular lead was not implanted because the coronary sinus was dissected.	Unable to Position Lead Due to Coronary Sinus Dissection
C100029	UNABLE TO POSITION LEAD IN TRIBUTARY VEIN OF CORONARY SINUS		The coronary sinus/left ventricular lead was not implanted because the operator was unable to position the lead in the tributary vein of the coronary sinus.	Unable to Position Lead In tributary Vein of Coronary Sinus



**CSS01TC (Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Code)**

NCI Code: C100168, Codelist extensible: No

<b>C100168 CSS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100976	CSS0101	CSS01-Wish to be Dead	Columbia-Suicide Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS0101A	CSS01-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead
C100978	CSS0102	CSS01-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100979	CSS0102A	CSS01-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100980	CSS0103	CSS01-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS0103A	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C101014	CSS0104	CSS01-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C101015	CSS0104A	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C100982	CSS0105	CSS01-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS0105A	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100984	CSS0106	CSS01-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation
C100985	CSS0106A	CSS01-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation
C100986	CSS0107	CSS01-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100987	CSS0108	CSS01-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100988	CSS0109	CSS01-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100989	CSS0110	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100990	CSS0111	CSS01-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100991	CSS0112	CSS01-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100992	CSS0113	CSS01-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts

<b>C100168 CSS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100993	CSS0113A	CSS01-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C100994	CSS0114	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior
C100995	CSS0115	CSS01-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100996	CSS0116	CSS01-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C100997	CSS0116A	CSS01-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C100998	CSS0117	CSS01-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C100999	CSS0118	CSS01-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C101000	CSS0118A	CSS01-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C101001	CSS0119	CSS01-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS0119A	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS0120	CSS01-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C101004	CSS0121A	CSS01-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101005	CSS0121B	CSS01-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101006	CSS0121C	CSS01-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C101007	CSS0122A	CSS01-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101008	CSS0122B	CSS01-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101009	CSS0122C	CSS01-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101010	CSS0123A	CSS01-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101011	CSS0123B	CSS01-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101012	CSS0123C	CSS01-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential

**CSS01TN (Columbia-Suicide Severity Rating Scale Baseline Questionnaire Test Name)**

NCI Code: C100167, Codelist extensible: No

<b>C100167 CSS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100998	CSS01-Aborted Attempt	CSS01-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline - Aborted Suicide Attempt
C101000	CSS01-Aborted Attempt, Describe	CSS01-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of aborted attempt.	C-SSRS Baseline - Description of Aborted Suicide Attempt
C100991	CSS01-Actual Attempt	CSS01-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline - Actual Suicide Attempt
C100993	CSS01-Actual Attempt, Describe	CSS01-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of actual attempt.	C-SSRS Baseline - Description of Actual Suicide Attempts
C101011	CSS01-First Attempt Damage	CSS01-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline - First Suicide Attempt Damage
C101010	CSS01-First Attempt Date	CSS01-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt date.	C-SSRS Baseline - First Suicide Attempt Date
C101012	CSS01-First Attempt Potential	CSS01-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Initial/first attempt potential lethality.	C-SSRS Baseline - First Suicide Attempt Potential
C101015	CSS01-Ideation With Intent No Plan Descr	CSS01-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline - Description of Ideation With Intent, No Plan
C101014	CSS01-Ideation With Intent, No Plan	CSS01-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Baseline - Have you have these thoughts and had some intention of acting on them?	C-SSRS Baseline - Ideation With Intent, No Plan
C100982	CSS01-Ideation With Plan/Intent	CSS01-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Baseline - Ideation With Plan/Intent
C100983	CSS01-Ideation With Plan/Intent, Descr	CSS01-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline - Description of Ideation With Plan and Intent
C100995	CSS01-Interrupted Attempt	CSS01-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline - Interrupted Suicide Attempt
C100997	CSS01-Interrupted Attempt, Describe	CSS01-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of interrupted attempt.	C-SSRS Baseline - Description of Interrupted Suicide Attempt
C101008	CSS01-Most Lethal Attempt Damage	CSS01-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline - Most Lethal Suicide Attempt Damage
C101007	CSS01-Most Lethal Attempt Date	CSS01-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt date.	C-SSRS Baseline - Most Lethal Suicide Attempt Date
C101009	CSS01-Most Lethal Attempt Potential	CSS01-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most lethal attempt potential lethality.	C-SSRS Baseline - Most Lethal Suicide Attempt Potential
C101005	CSS01-Most Recent Attempt Damage	CSS01-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline - Most Recent Suicide Attempt Damage
C101004	CSS01-Most Recent Attempt Date	CSS01-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt date.	C-SSRS Baseline - Most Recent Suicide Attempt Date
C101006	CSS01-Most Recent Attempt Potential	CSS01-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline - Most recent attempt potential lethality.	C-SSRS Baseline - Most Recent Suicide Attempt Potential
C100984	CSS01-Most Severe Ideation	CSS01-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Baseline - Most severe ideation.	C-SSRS Baseline - Most Severe Ideation

**C100167 CSS01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100988	CSS01-Most Severe Ideation, Control	CSS01-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Baseline - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Baseline - Control over Most Severe Ideation
C100985	CSS01-Most Severe Ideation, Description	CSS01-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Baseline - Description of most severe ideation.	C-SSRS Baseline - Describe Most Severe Ideation
C100989	CSS01-Most Severe Ideation, Deterrents	CSS01-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Baseline - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Baseline - Deterrents to Most Severe Ideation
C100987	CSS01-Most Severe Ideation, Duration	CSS01-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Baseline - When you have the thoughts, how long do they last?	C-SSRS Baseline - Duration of Most Severe Ideation
C100986	CSS01-Most Severe Ideation, Frequency	CSS01-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Baseline - How many times have you had these thoughts?	C-SSRS Baseline - Frequency of Most Severe Ideation
C100990	CSS01-Most Severe Ideation, Reasons	CSS01-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Baseline - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Baseline - Reasons for Most Severe Ideation
C100979	CSS01-Non-Specific Suicid Thought, Descr	CSS01-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Baseline - Description of Non-Specific Suicide Thought
C100978	CSS01-Non-Specific Suicidal Thought	CSS01-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Baseline - Have you actually had any thoughts of killing yourself?	C-SSRS Baseline - Non-Specific Suicidal Thought
C100994	CSS01-Non-suicidal Self-injurious Behav	CSS01-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline - Non-suicidal Self-injurious Behavior
C100999	CSS01-Number of Aborted Attempts	CSS01-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of aborted attempts.	C-SSRS Baseline - Number of Aborted Suicide Attempts
C100992	CSS01-Number of Actual Attempts	CSS01-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of actual attempts.	C-SSRS Baseline - Number of Actual Suicide Attempts
C100996	CSS01-Number of Interrupted Attempts	CSS01-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline - Total number of interrupted attempts.	C-SSRS Baseline - Number of Interrupted Suicide Attempts
C101001	CSS01-Preparatory Acts/Behavior	CSS01-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C101002	CSS01-Preparatory Acts/Behavior, Descr	CSS01-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of preparatory acts or behavior.	C-SSRS Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C101003	CSS01-Suicidal Behavior	CSS01-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Baseline - Suicidal Behavior
C100980	CSS01-Suicidal Ideation-No Intent	CSS01-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Baseline - Have you been thinking about how you might do this?	C-SSRS Baseline - Suicidal Ideation-No Intent
C100981	CSS01-Suicidal Ideation-No Intent, Descr	CSS01-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline - Description of Suicidal Ideation-No Intent
C100976	CSS01-Wish to be Dead	CSS01-Wish to be Dead	Columbia-Suicide Severity Rating Scale Baseline - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Baseline - Wish to be Dead or go to Sleep and not Wake Up
C100977	CSS01-Wish to be Dead, Describe	CSS01-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline - Description of wishing to be dead.	C-SSRS Baseline - Description of Wish to be Dead

**CSS02TC (Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Code)**

NCI Code: C103461, Codelist extensible: No

<b>C103461 CSS02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103772	CSS0201	CSS02-Wish to be Dead	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up
C103773	CSS0201A	CSS02-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead
C103774	CSS0202	CSS02-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought
C103775	CSS0202A	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought
C103776	CSS0203	CSS02-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent
C103777	CSS0203A	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent
C103799	CSS0204	CSS02-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103800	CSS0204A	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103801	CSS0205	CSS02-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS0205A	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103779	CSS0206	CSS02-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103780	CSS0206A	CSS02-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103781	CSS0207	CSS02-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation
C103782	CSS0208	CSS02-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation
C103783	CSS0209	CSS02-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103784	CSS0210	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103785	CSS0211	CSS02-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation
C103786	CSS0212	CSS02-Actual Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt
C103787	CSS0213	CSS02-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts

**C103461 CSS02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103788	CSS0213A	CSS02-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts
C103789	CSS0214	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior
C103790	CSS0215	CSS02-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103791	CSS0216	CSS02-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts
C103792	CSS0216A	CSS02-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103793	CSS0217	CSS02-Aborted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103794	CSS0218	CSS02-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts
C103795	CSS0218A	CSS02-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103796	CSS0219	CSS02-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C103797	CSS0219A	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C103798	CSS0220	CSS02-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior
C103532	CSS0221	CSS02-Suicide	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide
C103533	CSS0222A	CSS02-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103534	CSS0222B	CSS02-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103535	CSS0222C	CSS02-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality

**CSS02TN (Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire Test Name)**

NCI Code: C103460, Codelist extensible: No

<b>C103460 CSS02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103793	CSS02-Aborted Attempt	CSS02-Aborted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Since Last Visit - Aborted Suicide Attempt
C103795	CSS02-Aborted Attempt, Describe	CSS02-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of aborted attempt.	C-SSRS Since Last Visit - Description of Aborted Suicide Attempt
C103786	CSS02-Actual Attempt	CSS02-Actual Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Since Last Visit - Actual Suicide Attempt
C103788	CSS02-Actual Attempt, Describe	CSS02-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of actual attempt.	C-SSRS Since Last Visit - Description of Actual Suicide Attempts
C103800	CSS02-Ideation With Intent No Plan Descr	CSS02-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Since Last Visit - Description of Ideation With Intent, No Plan
C103799	CSS02-Ideation With Intent, No Plan	CSS02-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you had these thoughts and had some intention of acting on them?	C-SSRS Since Last Visit - Ideation With Intent, No Plan
C103801	CSS02-Ideation With Plan/Intent	CSS02-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Since Last Visit - Ideation With Plan/Intent
C103778	CSS02-Ideation With Plan/Intent, Descr	CSS02-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Since Last Visit - Description of Ideation With Plan and Intent
C103790	CSS02-Interrupted Attempt	CSS02-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Since Last Visit - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Since Last Visit - Interrupted Suicide Attempt
C103792	CSS02-Interrupted Attempt, Describe	CSS02-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of interrupted attempt.	C-SSRS Since Last Visit - Description of Interrupted Suicide Attempt
C103534	CSS02-Most Lethal Attempt Damage	CSS02-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Lethality/Medical Damage
C103533	CSS02-Most Lethal Attempt Date	CSS02-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt date.	C-SSRS Since Last Visit - Most Lethal Attempt Date
C103535	CSS02-Most Lethal Attempt Potential	CSS02-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Since Last Visit - Most Lethal Actual Attempt Potential Lethality
C103779	CSS02-Most Severe Ideation	CSS02-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Since Last Visit - Most severe ideation.	C-SSRS Since Last Visit - Most Severe Ideation
C103783	CSS02-Most Severe Ideation, Control	CSS02-Most Severe Ideation, Control	Columbia-Suicide Severity Rating Scale Since Last Visit - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Since Last Visit - Control over Most Severe Ideation
C103780	CSS02-Most Severe Ideation, Description	CSS02-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of most severe ideation.	C-SSRS Since Last Visit - Describe Most Severe Ideation
C103784	CSS02-Most Severe Ideation, Deterrents	CSS02-Most Severe Ideation, Deterrents	Columbia-Suicide Severity Rating Scale Since Last Visit - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Since Last Visit - Deterrents to Most Severe Ideation
C103782	CSS02-Most Severe Ideation, Duration	CSS02-Most Severe Ideation, Duration	Columbia-Suicide Severity Rating Scale Since Last Visit - When you have the thoughts, how long do they last?	C-SSRS Since Last Visit - Duration of Most Severe Ideation
C103781	CSS02-Most Severe Ideation, Frequency	CSS02-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Since Last Visit - How many times have you had these thoughts?	C-SSRS Since Last Visit - Frequency of Most Severe Ideation

**C103460 CSS02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103785	CSS02-Most Severe Ideation, Reasons	CSS02-Most Severe Ideation, Reasons	Columbia-Suicide Severity Rating Scale Since Last Visit - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Since Last Visit - Reasons for Most Severe Ideation
C103775	CSS02-Non-Specific Suicid Thought, Descr	CSS02-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Since Last Visit - Description of Non-Specific Suicide Thought
C103774	CSS02-Non-Specific Suicidal Thought	CSS02-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you actually had any thoughts of killing yourself?	C-SSRS Since Last Visit - Non-Specific Suicidal Thought
C103789	CSS02-Non-suicidal Self-injurious Behav	CSS02-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Since Last Visit - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Since Last Visit - Non-suicidal Self-injurious Behavior
C103794	CSS02-Number of Aborted Attempts	CSS02-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of aborted attempts.	C-SSRS Since Last Visit - Number of Aborted Suicide Attempts
C103787	CSS02-Number of Actual Attempts	CSS02-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of actual attempts.	C-SSRS Since Last Visit - Number of Actual Suicide Attempts
C103791	CSS02-Number of Interrupted Attempts	CSS02-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Since Last Visit - Total number of interrupted attempts.	C-SSRS Since Last Visit - Number of Interrupted Suicide Attempts
C103796	CSS02-Preparatory Acts/Behavior	CSS02-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C103797	CSS02-Preparatory Acts/Behavior, Descr	CSS02-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C103798	CSS02-Suicidal Behavior	CSS02-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Since Last Visit - Suicidal Behavior
C103776	CSS02-Suicidal Ideation-No Intent	CSS02-Suicidal Ideation-No Intent	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you been thinking about how you might do this?	C-SSRS Since Last Visit - Suicidal Ideation-No Intent
C103777	CSS02-Suicidal Ideation-No Intent, Descr	CSS02-Suicidal Ideation-No Intent, Descr	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Since Last Visit - Description of Suicidal Ideation-No Intent
C103532	CSS02-Suicide	CSS02-Suicide	Columbia-Suicide Severity Rating Scale Since Last Visit - Suicide.	C-SSRS Since Last Visit - Suicide
C103772	CSS02-Wish to be Dead	CSS02-Wish to be Dead	Columbia-Suicide Severity Rating Scale Since Last Visit - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Since Last Visit - Wish to be Dead or go to Sleep and not Wake Up
C103773	CSS02-Wish to be Dead, Describe	CSS02-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Since Last Visit - Description of wishing to be dead.	C-SSRS Since Last Visit - Description of Wish to be Dead



**CSS03TC (Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Code)**

NCI Code: C105132, Codelist extensible: No

<b>C105132 CSS03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105210	CSS0301A	CSS03-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)
C105211	CSS0301B	CSS03-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)
C105212	CSS0301C	CSS03-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)
C105213	CSS0302A	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)
C105214	CSS0302B	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C105215	CSS0302C	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)
C105216	CSS0303A	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS0303B	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105218	CSS0303C	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105219	CSS0304A	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105220	CSS0304B	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)

**C105132 CSS03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105221	CSS0304C	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105222	CSS0305A	CSS03-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105223	CSS0305B	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C105224	CSS0305C	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105225	CSS0306A	CSS03-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)
C105226	CSS0306B	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)
C105227	CSS0306C	CSS03-Most Severe Idea-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)
C105228	CSS0306D	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)
C105229	CSS0307A	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)
C105230	CSS0307B	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)
C105231	CSS0308A	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)
C105232	CSS0308B	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)
C105233	CSS0309A	CSS03-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)

**C105132 CSS03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105234	CSS0309B	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)
C105235	CSS0310A	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)
C105236	CSS0310B	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)
C105237	CSS0311A	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)
C105238	CSS0311B	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)
C105239	CSS0312	CSS03-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105240	CSS0313	CSS03-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts
C105241	CSS0313A	CSS03-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105242	CSS0314	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior
C105243	CSS0315	CSS03-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt
C105244	CSS0316	CSS03-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts
C105245	CSS0316A	CSS03-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt

**C105132 CSS03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105246	CSS0317	CSS03-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105247	CSS0318	CSS03-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts
C105248	CSS0318A	CSS03-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105249	CSS0319	CSS03-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt
C105250	CSS0319A	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C105251	CSS0320	CSS03-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior
C105252	CSS0321A	CSS03-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date
C105253	CSS0321B	CSS03-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C105254	CSS0321C	CSS03-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality
C105255	CSS0322A	CSS03-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date
C105256	CSS0322B	CSS03-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C105257	CSS0322C	CSS03-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality
C105258	CSS0323A	CSS03-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date

**C105132 CSS03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105259	CSS0323B	CSS03-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105260	CSS0323C	CSS03-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality

**CSS03TN (Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study Questionnaire Test Name)**

NCI Code: C105131, Codelist extensible: No

<b>C105131 CSS03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105246	CSS03-Aborted Attempt	CSS03-Aborted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Aborted Suicide Attempt
C105248	CSS03-Aborted Attempt, Describe	CSS03-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of aborted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Aborted Suicide Attempt
C105239	CSS03-Actual Attempt	CSS03-Actual Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Baseline/Screening Version Phase 1 Study - Actual Suicide Attempt
C105241	CSS03-Actual Attempt, Describe	CSS03-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of actual attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Actual Suicide Attempt
C105259	CSS03-First Attempt Damage	CSS03-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Actual Lethality/Medical Damage
C105258	CSS03-First Attempt Date	CSS03-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Date
C105260	CSS03-First Attempt Potential	CSS03-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - First Suicide Attempt Potential Lethality
C105221	CSS03-Idea, Intent, No Plan, Describe	CSS03-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105219	CSS03-Idea, Intent, No Plan-Life	CSS03-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C105220	CSS03-Idea, Intent, No Plan-P6M	CSS03-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you had these thoughts and had some intention of acting on them? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C105218	CSS03-Idea, No Intent, No Plan, Describe	CSS03-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)

**C105131 CSS03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105216	CSS03-Idea, No Intent, No Plan-Life	CSS03-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C105217	CSS03-Idea, No Intent, No Plan-P6M	CSS03-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you been thinking about how you might do this? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C105224	CSS03-Idea, Plan, Intent, Describe	CSS03-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105222	CSS03-Idea, Plan, Intent-Life	CSS03-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C105223	CSS03-Idea, Plan, Intent-P6M	CSS03-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C105243	CSS03-Interrupted Attempt	CSS03-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything?	C-SSRS Baseline/Screening Version Phase 1 Study - Interrupted Suicide Attempt
C105245	CSS03-Interrupted Attempt, Describe	CSS03-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of interrupted attempt.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Interrupted Suicide Attempt
C105256	CSS03-Most Lethal Attempt Damage	CSS03-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C105255	CSS03-Most Lethal Attempt Date	CSS03-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Date
C105257	CSS03-Most Lethal Attempt Potential	CSS03-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Lethal Suicide Attempt Potential Lethality
C105253	CSS03-Most Recent Attempt Damage	CSS03-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C105252	CSS03-Most Recent Attempt Date	CSS03-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt date.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Date

**C105131 CSS03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105254	CSS03-Most Recent Attempt Potential	CSS03-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version Phase 1 Study - Most Recent Suicide Attempt Potential Lethality
C105233	CSS03-Most Severe Idea, Control-Life	CSS03-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Lifetime)
C105234	CSS03-Most Severe Idea, Control-P6M	CSS03-Most Severe Idea, Control-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Controllability of Most Severe Ideation (Past 6 Months)
C105226	CSS03-Most Severe Idea, Desc-Life	CSS03-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Lifetime)
C105228	CSS03-Most Severe Idea, Desc-P6M	CSS03-Most Severe Idea, Desc-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Describe Most Severe Ideation (Past 6 Months)
C105235	CSS03-Most Severe Idea, Deterrents-Life	CSS03-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Lifetime)
C105236	CSS03-Most Severe Idea, Deterrents-P6M	CSS03-Most Severe Idea, Deterrents-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Deterrents to Most Severe Ideation (Past 6 Months)
C105231	CSS03-Most Severe Idea, Duration-Life	CSS03-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Lifetime)
C105232	CSS03-Most Severe Idea, Duration-P6M	CSS03-Most Severe Idea, Duration-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - When you have the thoughts how long do they last? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Duration of Most Severe Ideation (Past 6 Months)
C105229	CSS03-Most Severe Idea, Frequency-Life	CSS03-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Lifetime)
C105230	CSS03-Most Severe Idea, Frequency-P6M	CSS03-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Frequency of Most Severe Ideation (Past 6 Months)
C105237	CSS03-Most Severe Idea, Reasons-Life	CSS03-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Lifetime)



**C105131 CSS03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105238	CSS03-Most Severe Idea, Reasons-P6M	CSS03-Most Severe Idea, Reasons-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Reasons for Most Severe Ideation (Past 6 Months)
C105225	CSS03-Most Severe Idea-Life	CSS03-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Lifetime)
C105227	CSS03-Most Severe Idea-P6M	CSS03-Most Severe Idea-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Most severe ideation. (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Most Severe Ideation (Past 6 Months)
C105215	CSS03-Non-Spec Suicid Thought, Describe	CSS03-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Non-Specific Active Suicidal Thoughts (Lifetime)
C105213	CSS03-Non-Spec Suicid Thought-Life	CSS03-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Lifetime)
C105214	CSS03-Non-Spec Suicid Thought-P6M	CSS03-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you actually had any thoughts of killing yourself? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C105242	CSS03-Non-suicidal Self-injurious Behav	CSS03-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Has the subject engaged in non-suicidal self-injurious behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Non-suicidal Self-injurious Behavior
C105247	CSS03-Number of Aborted Attempts	CSS03-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of aborted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Aborted Suicide Attempts
C105240	CSS03-Number of Actual Attempts	CSS03-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of actual attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Actual Suicide Attempts
C105244	CSS03-Number of Interrupted Attempts	CSS03-Number of Interrupted Attempts	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Total number of interrupted attempts.	C-SSRS Baseline/Screening Version Phase 1 Study - Number of Interrupted Suicide Attempts
C105249	CSS03-Preparatory Acts/Behavior	CSS03-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Baseline/Screening Version Phase 1 Study - Preparatory Acts or Behaviors Toward Suicide Attempt
C105250	CSS03-Preparatory Acts/Behavior, Descr	CSS03-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C105251	CSS03-Suicidal Behavior	CSS03-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Suicidal behavior was present during the assessment period?	C-SSRS Baseline/Screening Version Phase 1 Study - Suicidal Behavior

**C105131 CSS03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105212	CSS03-Wish to be Dead, Describe	CSS03-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Description of wishing to be dead.	C-SSRS Baseline/Screening Version Phase 1 Study - Description of Wish to be Dead (Lifetime)
C105210	CSS03-Wish to be Dead-Life	CSS03-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Lifetime)
C105211	CSS03-Wish to be Dead-P6M	CSS03-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 6 Months).	C-SSRS Baseline/Screening Version Phase 1 Study - Wish to be Dead (Past 6 Months)

**CSS04TC (Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Code)**

NCI Code: C106661, Codelist extensible: No

<b>C106661 CSS04TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106707	CSS0401A	CSS04-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS0401B	CSS04-Wish to be Dead-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)
C106709	CSS0401C	CSS04-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106710	CSS0402A	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS0402B	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106712	CSS0402C	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106713	CSS0403A	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS0403B	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106715	CSS0403C	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C107017	CSS0404A	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS0404B	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)
C107019	CSS0404C	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan

**C106661 CSS04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106716	CSS0405A	CSS04-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C106717	CSS0405B	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)
C106718	CSS0405C	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C106719	CSS0406A	CSS04-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)
C106720	CSS0406B	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)
C106721	CSS0406C	CSS04-Most Severe Idea-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106722	CSS0406D	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)
C106723	CSS0407A	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS0407B	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)
C106725	CSS0408A	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)
C106726	CSS0408B	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106727	CSS0409A	CSS04-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)
C106728	CSS0409B	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)
C106729	CSS0410A	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)

**C106661 CSS04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106730	CSS0410B	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)
C106731	CSS0411A	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)
C106732	CSS0411B	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106733	CSS0412A	CSS04-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS0412B	CSS04-Actual Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past _ Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106735	CSS0413A	CSS04-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS0413B	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)
C106737	CSS0413C	CSS04-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106738	CSS0414A	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS0414B	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106740	CSS0415A	CSS04-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)
C106741	CSS0415B	CSS04-Interrupted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)
C106742	CSS0416A	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)

**C106661 CSS04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106743	CSS0416B	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)
C106744	CSS0416C	CSS04-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt
C106745	CSS0417A	CSS04-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS0417B	CSS04-Aborted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106747	CSS0418A	CSS04-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS0418B	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106749	CSS0418C	CSS04-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106750	CSS0419A	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS0419B	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106752	CSS0419C	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106753	CSS0420A	CSS04-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS0420B	CSS04-Suicidal Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)
C106755	CSS0421A	CSS04-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date
C106756	CSS0421B	CSS04-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage

**C106661 CSS04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106757	CSS0421C	CSS04-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality
C106758	CSS0422A	CSS04-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date
C106759	CSS0422B	CSS04-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C106760	CSS0422C	CSS04-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality
C106761	CSS0423A	CSS04-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106762	CSS0423B	CSS04-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106763	CSS0423C	CSS04-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality

**CSS04TN (Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire Test Name)**

NCI Code: C106660, Codelist extensible: No

<b>C106660 CSS04TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106749	CSS04-Aborted Attempt, Describe	CSS04-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of aborted attempt.	C-SSRS Baseline/Screening Version - Description of Aborted Suicide Attempt
C106745	CSS04-Aborted Attempt-Life	CSS04-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Lifetime)
C106746	CSS04-Aborted Attempt-P_Y	CSS04-Aborted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Aborted Suicide Attempt (Past X Years)
C106737	CSS04-Actual Attempt, Describe	CSS04-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of actual attempt.	C-SSRS Baseline/Screening Version - Description of Actual Suicide Attempt
C106733	CSS04-Actual Attempt-Life	CSS04-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Lifetime)
C106734	CSS04-Actual Attempt-P_Y	CSS04-Actual Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past _ Years).	C-SSRS Baseline/Screening Version - Actual Suicide Attempt (Past X Years)
C106762	CSS04-First Attempt Damage	CSS04-First Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - First Suicide Attempt Actual Lethality/Medical Damage
C106761	CSS04-First Attempt Date	CSS04-First Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt date.	C-SSRS Baseline/Screening Version - First Suicide Attempt Date
C106763	CSS04-First Attempt Potential	CSS04-First Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Initial/first attempt potential lethality.	C-SSRS Baseline/Screening Version - First Suicide Attempt Potential Lethality
C107019	CSS04-Idea, Intent, No Plan, Describe	CSS04-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C107017	CSS04-Idea, Intent, No Plan-Life	CSS04-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C107018	CSS04-Idea, Intent, No Plan-P_M	CSS04-Idea, Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you had these thoughts and had some intention of acting on them? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past X Months)



**C106660 CSS04TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106715	CSS04-Idea, No Intent, No Plan, Describe	CSS04-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C106713	CSS04-Idea, No Intent, No Plan-Life	CSS04-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C106714	CSS04-Idea, No Intent, No Plan-P_M	CSS04-Idea, No Intent, No Plan-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you been thinking about how you might do this? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past X Months)
C106718	CSS04-Idea, Plan, Intent, Describe	CSS04-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Baseline/Screening Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C106716	CSS04-Idea, Plan, Intent-Life	CSS04-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C106717	CSS04-Idea, Plan, Intent-P_M	CSS04-Idea, Plan, Intent-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past _ Months).	C-SSRS Baseline/Screening Version - Active Suicidal Ideation with Specific Plan and Intent (Past X Months)
C106744	CSS04-Interrupted Attempt, Describe	CSS04-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of interrupted attempt.	C-SSRS Baseline/Screening Version - Description of Interrupted Suicide Attempt
C106740	CSS04-Interrupted Attempt-Life	CSS04-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Lifetime)
C106741	CSS04-Interrupted Attempt-P_Y	CSS04-Interrupted Attempt-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Past _ Years).	C-SSRS Baseline/Screening Version - Interrupted Suicide Attempt (Past X Years)
C106759	CSS04-Most Lethal Attempt Damage	CSS04-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C106758	CSS04-Most Lethal Attempt Date	CSS04-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt date.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Date
C106760	CSS04-Most Lethal Attempt Potential	CSS04-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most lethal attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Lethal Suicide Attempt Potential Lethality
C106756	CSS04-Most Recent Attempt Damage	CSS04-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt actual lethality/medical damage.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage

**C106660 CSS04TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106755	CSS04-Most Recent Attempt Date	CSS04-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt date.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Date
C106757	CSS04-Most Recent Attempt Potential	CSS04-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most recent attempt potential lethality.	C-SSRS Baseline/Screening Version - Most Recent Suicide Attempt Potential Lethality
C106727	CSS04-Most Severe Idea, Control-Life	CSS04-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Lifetime)
C106728	CSS04-Most Severe Idea, Control-P_M	CSS04-Most Severe Idea, Control-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past _ Months).	C-SSRS Baseline/Screening Version - Controllability of Most Severe Ideation (Past X Months)
C106720	CSS04-Most Severe Idea, Desc-Life	CSS04-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Lifetime)
C106722	CSS04-Most Severe Idea, Desc-P_M	CSS04-Most Severe Idea, Desc-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Describe Most Severe Ideation (Past X Months)
C106729	CSS04-Most Severe Idea, Deterrents-Life	CSS04-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Lifetime)
C106730	CSS04-Most Severe Idea, Deterrents-P_M	CSS04-Most Severe Idea, Deterrents-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past _ Months).	C-SSRS Baseline/Screening Version - Deterrents to Most Severe Ideation (Past X Months)
C106725	CSS04-Most Severe Idea, Duration-Life	CSS04-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Lifetime)
C106726	CSS04-Most Severe Idea, Duration-P_M	CSS04-Most Severe Idea, Duration-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - When you have the thoughts how long do they last? (Past _ Months).	C-SSRS Baseline/Screening Version - Duration of Most Severe Ideation (Past X Months)
C106723	CSS04-Most Severe Idea, Frequency-Life	CSS04-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Lifetime)
C106724	CSS04-Most Severe Idea, Frequency-P_M	CSS04-Most Severe Idea, Frequency-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - How many times have you had these thoughts? (Past _ Months).	C-SSRS Baseline/Screening Version - Frequency of Most Severe Ideation (Past X Months)
C106731	CSS04-Most Severe Idea, Reasons-Life	CSS04-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Lifetime)

## C106660 CSS04TN

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106732	CSS04-Most Severe Idea, Reasons-P_M	CSS04-Most Severe Idea, Reasons-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (In other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past _ Months).	C-SSRS Baseline/Screening Version - Reasons for Most Severe Ideation (Past X Months)
C106719	CSS04-Most Severe Idea-Life	CSS04-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Lifetime).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Lifetime)
C106721	CSS04-Most Severe Idea-P_M	CSS04-Most Severe Idea-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Most severe ideation. (Past _ Months).	C-SSRS Baseline/Screening Version - Most Severe Ideation (Past X Months)
C106712	CSS04-Non-Spec Suicid Thought, Describe	CSS04-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of non-specific active suicidal thoughts.	C-SSRS Baseline/Screening Version - Description of Non-Specific Active Suicidal Thoughts
C106710	CSS04-Non-Spec Suicid Thought-Life	CSS04-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C106711	CSS04-Non-Spec Suicid Thought-P_M	CSS04-Non-Spec Suicid Thought-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you actually had any thoughts of killing yourself? (Past _ Months).	C-SSRS Baseline/Screening Version - Non-Specific Active Suicidal Thoughts (Past X Months)
C106738	CSS04-Non-suicidal Self-injur Behav-Life	CSS04-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Lifetime).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Lifetime)
C106739	CSS04-Non-suicidal Self-injur Behav-P_Y	CSS04-Non-suicidal Self-injur Behav-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Has the subject engaged in non-suicidal self-injurious behavior. (Past _ Years).	C-SSRS Baseline/Screening Version - Non-suicidal Self-injurious Behavior (Past X Years)
C106747	CSS04-Number of Aborted Attempts-Life	CSS04-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Lifetime)
C106748	CSS04-Number of Aborted Attempts-P_Y	CSS04-Number of Aborted Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of aborted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Aborted Suicide Attempts (Past X Years)
C106735	CSS04-Number of Actual Attempts-Life	CSS04-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Lifetime)
C106736	CSS04-Number of Actual Attempts-P_Y	CSS04-Number of Actual Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of actual attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Actual Suicide Attempts (Past X Years)
C106742	CSS04-Number of Interrupt Attempts-Life	CSS04-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Lifetime)
C106743	CSS04-Number of Interrupt Attempts-P_Y	CSS04-Number of Interrupt Attempts-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Total number of interrupted attempts. (Past _ Years).	C-SSRS Baseline/Screening Version - Number of Interrupted Suicide Attempts (Past X Years)

**C106660 CSS04TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106752	CSS04-Preparatory Acts/Behav, Descr	CSS04-Preparatory Acts/Behav, Descr	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of preparatory acts or behavior.	C-SSRS Baseline/Screening Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C106750	CSS04-Preparatory Acts/Behavior-Life	CSS04-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C106751	CSS04-Preparatory Acts/Behavior-P_Y	CSS04-Preparatory Acts/Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past _ Years).	C-SSRS Baseline/Screening Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past X Years)
C106753	CSS04-Suicidal Behavior-Life	CSS04-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Lifetime)
C106754	CSS04-Suicidal Behavior-P_Y	CSS04-Suicidal Behavior-P_Y	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Suicidal behavior was present during the assessment period? (Past _ Years).	C-SSRS Baseline/Screening Version - Suicidal Behavior (Past X Years)
C106709	CSS04-Wish to be Dead, Describe	CSS04-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Description of wishing to be dead.	C-SSRS Baseline/Screening Version - Description of Wish to be Dead
C106707	CSS04-Wish to be Dead-Life	CSS04-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Baseline/Screening Version - Wish to be Dead (Lifetime)
C106708	CSS04-Wish to be Dead-P_M	CSS04-Wish to be Dead-P_M	Columbia-Suicide Severity Rating Scale Baseline/Screening Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past _ Months).	C-SSRS Baseline/Screening Version - Wish to be Dead (Past X Months)

**CSS05TC (Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Code)**

NCI Code: C106659, Codelist extensible: No

<b>C106659 CSS05TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107027	CSS0501A	CSS05-Wish to be Dead-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)
C107028	CSS0501B	CSS05-Wish to be Dead-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)
C107029	CSS0501C	CSS05-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead
C107030	CSS0502A	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)
C107031	CSS0502B	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107032	CSS0502C	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts
C107033	CSS0503A	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)
C107034	CSS0503B	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)
C107035	CSS0503C	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C107036	CSS0504A	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS0504B	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)
C107038	CSS0504C	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107039	CSS0505A	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)
C107040	CSS0505B	CSS05-Idea, Plan, Intent-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)

**C106659 CSS05TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107041	CSS0505C	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent
C107042	CSS0506A	CSS05-Most Severe Idea-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)
C107043	CSS0506B	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)
C107044	CSS0506C	CSS05-Most Severe Idea-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107045	CSS0506D	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)
C107046	CSS0507A	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS0507B	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107048	CSS0508A	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS0508B	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107050	CSS0509A	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)
C107051	CSS0509B	CSS05-Most Severe Idea, Control-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)
C107052	CSS0510A	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS0510B	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107054	CSS0511A	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)
C107055	CSS0511B	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)

**C106659 CSS05TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107056	CSS0512A	CSS05-Actual Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS0512B	CSS05-Actual Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107058	CSS0513A	CSS05-Number of Actual Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)
C107059	CSS0513B	CSS05-Number of Actual Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107060	CSS0513C	CSS05-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107061	CSS0514A	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS0514B	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107063	CSS0515A	CSS05-Interrupted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)
C107064	CSS0515B	CSS05-Interrupted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)
C107065	CSS0516A	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)
C107066	CSS0516B	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107067	CSS0516C	CSS05-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt
C107068	CSS0517A	CSS05-Aborted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)
C107069	CSS0517B	CSS05-Aborted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107070	CSS0518A	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS0518B	CSS05-Number of Aborted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)

**C106659 CSS05TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107072	CSS0518C	CSS05-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107073	CSS0519A	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS0519B	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107075	CSS0519C	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C107076	CSS0520A	CSS05-Suicidal Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS0520B	CSS05-Suicidal Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107078	CSS0521A	CSS05-Completed Suicide-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS0521B	CSS05-Completed Suicide-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107080	CSS0522A	CSS05-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date
C107081	CSS0522B	CSS05-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C107082	CSS0522C	CSS05-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality
C107083	CSS0523A	CSS05-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date
C107084	CSS0523B	CSS05-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C107085	CSS0523C	CSS05-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality
C107086	CSS0524A	CSS05-First Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107087	CSS0524B	CSS05-First Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107088	CSS0524C	CSS05-First Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality



**CSS05TN (Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire Test Name)**

NCI Code: C106658, Codelist extensible: No

<b>C106658 CSS05TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107072	CSS05-Aborted Attempt, Describe	CSS05-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of aborted attempt.	C-SSRS Already Enrolled Subjects - Description of Aborted Suicide Attempt
C107068	CSS05-Aborted Attempt-Prior	CSS05-Aborted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Prior to Study Entry)
C107069	CSS05-Aborted Attempt-Since	CSS05-Aborted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Aborted Suicide Attempt (Since Study Start)
C107060	CSS05-Actual Attempt, Describe	CSS05-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of actual attempt.	C-SSRS Already Enrolled Subjects - Description of Actual Suicide Attempt
C107056	CSS05-Actual Attempt-Prior	CSS05-Actual Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Prior to Study Entry)
C107057	CSS05-Actual Attempt-Since	CSS05-Actual Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Since Study Start).	C-SSRS Already Enrolled Subjects - Actual Suicide Attempt (Since Study Start)
C107078	CSS05-Completed Suicide-Prior	CSS05-Completed Suicide-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Completed Suicide (Prior to Study Entry)
C107079	CSS05-Completed Suicide-Since	CSS05-Completed Suicide-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Completed suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Completed Suicide (Since Study Start)
C107087	CSS05-First Attempt Damage	CSS05-First Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Actual Lethality/Medical Damage
C107086	CSS05-First Attempt Date	CSS05-First Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt date.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Date
C107088	CSS05-First Attempt Potential	CSS05-First Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Initial/first attempt potential lethality.	C-SSRS Already Enrolled Subjects - First Suicide Attempt Potential Lethality
C107038	CSS05-Idea, Intent, No Plan, Describe	CSS05-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C107036	CSS05-Idea, Intent, No Plan-Prior	CSS05-Idea, Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Prior to Study Entry)
C107037	CSS05-Idea, Intent, No Plan-Since	CSS05-Idea, Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you had these thoughts and had some intention of acting on them? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Since Study Start)
C107035	CSS05-Idea, No Intent, No Plan, Describe	CSS05-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act

**C106658 CSS05TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107033	CSS05-Idea, No Intent, No Plan-Prior	CSS05-Idea, No Intent, No Plan-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Prior to Study Entry)
C107034	CSS05-Idea, No Intent, No Plan-Since	CSS05-Idea, No Intent, No Plan-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you been thinking about how you might do this? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Since Study Start)
C107041	CSS05-Idea, Plan, Intent, Describe	CSS05-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of active suicidal ideation with specific plan and intent.	C-SSRS Already Enrolled Subjects - Description of Active Suicidal Ideation With Specific Plan and Intent
C107039	CSS05-Idea, Plan, Intent-Prior	CSS05-Idea, Plan, Intent-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Prior to Study Entry)
C107040	CSS05-Idea, Plan, Intent-Since	CSS05-Idea, Plan, Intent-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Since Study Start).	C-SSRS Already Enrolled Subjects - Active Suicidal Ideation With Specific Plan and Intent (Since Study Start)
C107067	CSS05-Interrupted Attempt, Describe	CSS05-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of interrupted attempt.	C-SSRS Already Enrolled Subjects - Description of Interrupted Suicide Attempt
C107063	CSS05-Interrupted Attempt-Prior	CSS05-Interrupted Attempt-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Prior to Study Entry)
C107064	CSS05-Interrupted Attempt-Since	CSS05-Interrupted Attempt-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has there been a time when you started to do something to try to end your life but someone or something stopped you before you actually did anything? (Since Study Start).	C-SSRS Already Enrolled Subjects - Interrupted Suicide Attempt (Since Study Start)
C107084	CSS05-Most Lethal Attempt Damage	CSS05-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C107083	CSS05-Most Lethal Attempt Date	CSS05-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt date.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Date
C107085	CSS05-Most Lethal Attempt Potential	CSS05-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most lethal attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Lethal Suicide Attempt Potential Lethality
C107081	CSS05-Most Recent Attempt Damage	CSS05-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt actual lethality/medical damage.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C107080	CSS05-Most Recent Attempt Date	CSS05-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt date.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Date
C107082	CSS05-Most Recent Attempt Potential	CSS05-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most recent attempt potential lethality.	C-SSRS Already Enrolled Subjects - Most Recent Suicide Attempt Potential Lethality
C107050	CSS05-Most Severe Idea, Control-Prior	CSS05-Most Severe Idea, Control-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Prior to Study Entry)

**C106658 CSS05TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107051	CSS05-Most Severe Idea, Control-Since	CSS05-Most Severe Idea, Control-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Since Study Start).	C-SSRS Already Enrolled Subjects - Controllability of Most Severe Ideation (Since Study Start)
C107043	CSS05-Most Severe Idea, Desc-Prior	CSS05-Most Severe Idea, Desc-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Prior to Study Entry)
C107045	CSS05-Most Severe Idea, Desc-Since	CSS05-Most Severe Idea, Desc-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Describe Most Severe Ideation (Since Study Start)
C107052	CSS05-Most Severe Idea, Deterrents-Prior	CSS05-Most Severe Idea, Deterrents-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Prior to Study Entry)
C107053	CSS05-Most Severe Idea, Deterrents-Since	CSS05-Most Severe Idea, Deterrents-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Since Study Start).	C-SSRS Already Enrolled Subjects - Deterrents to Most Severe Ideation (Since Study Start)
C107048	CSS05-Most Severe Idea, Duration-Prior	CSS05-Most Severe Idea, Duration-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Prior to Study Entry)
C107049	CSS05-Most Severe Idea, Duration-Since	CSS05-Most Severe Idea, Duration-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - When you have the thoughts how long do they last? (Since Study Start).	C-SSRS Already Enrolled Subjects - Duration of Most Severe Ideation (Since Study Start)
C107046	CSS05-Most Severe Idea, Frequency-Prior	CSS05-Most Severe Idea, Frequency-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Prior to Study Entry)
C107047	CSS05-Most Severe Idea, Frequency-Since	CSS05-Most Severe Idea, Frequency-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - How many times have you had these thoughts? (Since Study Start).	C-SSRS Already Enrolled Subjects - Frequency of Most Severe Ideation (Since Study Start)
C107054	CSS05-Most Severe Idea, Reasons-Prior	CSS05-Most Severe Idea, Reasons-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Prior to Study Entry)
C107055	CSS05-Most Severe Idea, Reasons-Since	CSS05-Most Severe Idea, Reasons-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Since Study Start).	C-SSRS Already Enrolled Subjects - Reasons For Most Severe Ideation (Since Study Start)
C107042	CSS05-Most Severe Idea-Prior	CSS05-Most Severe Idea-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Prior to Study Entry)
C107044	CSS05-Most Severe Idea-Since	CSS05-Most Severe Idea-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Most severe ideation. (Since Study Start).	C-SSRS Already Enrolled Subjects - Most Severe Ideation (Since Study Start)
C107032	CSS05-Non-Spec Suicid Thought, Describe	CSS05-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of non-specific active suicidal thoughts.	C-SSRS Already Enrolled Subjects - Description of Non-Specific Active Suicidal Thoughts
C107030	CSS05-Non-Spec Suicid Thought-Prior	CSS05-Non-Spec Suicid Thought-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Prior to Study Entry)

**C106658 CSS05TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107031	CSS05-Non-Spec Suicid Thought-Since	CSS05-Non-Spec Suicid Thought-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you actually had any thoughts of killing yourself? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-Specific Active Suicidal Thoughts (Since Study Start)
C107061	CSS05-Non-suicid Self-injur Behav-Prior	CSS05-Non-suicid Self-injur Behav-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Prior to Study Entry)
C107062	CSS05-Non-suicid Self-injur Behav-Since	CSS05-Non-suicid Self-injur Behav-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Has the subject engaged in non-suicidal self-injurious behavior? (Since Study Start).	C-SSRS Already Enrolled Subjects - Non-suicidal Self-injurious Behavior (Since Study Start)
C107065	CSS05-Num of Interrupted Attempts-Prior	CSS05-Num of Interrupted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Prior to Study Entry)
C107066	CSS05-Num of Interrupted Attempts-Since	CSS05-Num of Interrupted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of interrupted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Interrupted Suicide Attempts (Since Study Start)
C107070	CSS05-Number of Aborted Attempts-Prior	CSS05-Number of Aborted Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Prior to Study Entry)
C107071	CSS05-Number of Aborted Attempts-Since	CSS05-Number of Aborted Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of aborted attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Aborted Suicide Attempts (Since Study Start)
C107058	CSS05-Number of Actual Attempts-Prior	CSS05-Number of Actual Attempts-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Prior to Study Entry)
C107059	CSS05-Number of Actual Attempts-Since	CSS05-Number of Actual Attempts-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Total number of actual attempts. (Since Study Start).	C-SSRS Already Enrolled Subjects - Number of Actual Suicide Attempts (Since Study Start)
C107075	CSS05-Preparatory Acts/Behavior, Descr	CSS05-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of preparatory acts or behavior.	C-SSRS Already Enrolled Subjects - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C107073	CSS05-Preparatory Acts/Behavior-Prior	CSS05-Preparatory Acts/Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Prior to Study Entry)
C107074	CSS05-Preparatory Acts/Behavior-Since	CSS05-Preparatory Acts/Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Since Study Start).	C-SSRS Already Enrolled Subjects - Preparatory Acts or Behaviors Toward Suicide Attempt (Since Study Start)
C107076	CSS05-Suicidal Behavior-Prior	CSS05-Suicidal Behavior-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Prior to Study Entry)
C107077	CSS05-Suicidal Behavior-Since	CSS05-Suicidal Behavior-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Suicidal behavior was present during the assessment period? (Since Study Start).	C-SSRS Already Enrolled Subjects - Suicidal Behavior (Since Study Start)
C107029	CSS05-Wish to be Dead, Describe	CSS05-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Description of wishing to be dead.	C-SSRS Already Enrolled Subjects - Description of Wish to Be Dead
C107027	CSS05-Wish to be Dead-Prior	CSS05-Wish to be Dead-Prior	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Prior to Study Entry).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Prior to Study Entry)

**C106658 CSS05TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107028	CSS05-Wish to be Dead-Since	CSS05-Wish to be Dead-Since	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects - Have you wished you were dead or wished you could go to sleep and not wake up? (Since Study Start).	C-SSRS Already Enrolled Subjects - Wish to Be Dead (Since Study Start)

**CSS06TC (Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Code)**

NCI Code: C111336, Codelist extensible: No

<b>C111336 CSS06TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111527	CSS0601	CSS06-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS0601A	CSS06-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead
C111529	CSS0602	CSS06-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111530	CSS0602A	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111531	CSS0603	CSS06-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS0603A	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111533	CSS0604	CSS06-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111534	CSS0604A	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS0605	CSS06-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS0605A	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent
C111537	CSS0606	CSS06-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS0606A	CSS06-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS0607	CSS06-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111540	CSS0607A	CSS06-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response

**C111336 CSS06TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111541	CSS0608	CSS06-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111542	CSS0609	CSS06-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111543	CSS0609A	CSS06-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt
C111544	CSS0610	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111545	CSS0611	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111546	CSS0612	CSS06-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111547	CSS0613	CSS06-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111548	CSS0613A	CSS06-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111549	CSS0614	CSS06-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111550	CSS0615	CSS06-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111551	CSS0615A	CSS06-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111552	CSS0616	CSS06-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt
C111553	CSS0616A	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111554	CSS0617	CSS06-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111555	CSS0618A	CSS06-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111556	CSS0618B	CSS06-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111557	CSS0618C	CSS06-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality

**C111336 CSS06TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111558	CSS0619A	CSS06-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111559	CSS0619B	CSS06-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111560	CSS0619C	CSS06-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111561	CSS0620A	CSS06-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111562	CSS0620B	CSS06-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111563	CSS0620C	CSS06-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality



**CSS06TN (Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire Test Name)**

NCI Code: C111335, Codelist extensible: No

<b>C111335 CSS06TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111549	CSS06-Aborted Attempt	CSS06-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline - Aborted Suicide Attempt
C111551	CSS06-Aborted Attempt, Describe	CSS06-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of aborted attempt.	C-SSRS Children's Baseline - Description of Aborted Suicide Attempt
C111541	CSS06-Actual Attempt	CSS06-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline - Actual Suicide Attempt
C111543	CSS06-Actual Attempt, Describe	CSS06-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of actual attempt.	C-SSRS Children's Baseline - Description of Actual Suicide Attempt
C111562	CSS06-First Attempt Damage	CSS06-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline - First Suicide Attempt Actual Lethality/Medical Damage
C111561	CSS06-First Attempt Date	CSS06-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt date.	C-SSRS Children's Baseline - First Suicide Attempt Date
C111563	CSS06-First Attempt Potential	CSS06-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Initial/first attempt potential lethality.	C-SSRS Children's Baseline - First Suicide Attempt Potential Lethality
C111540	CSS06-Frequency, Write Response	CSS06-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline - Frequency, write response.	C-SSRS Children's Baseline - Frequency, Write Response
C111531	CSS06-Idea, No Intent, No Plan	CSS06-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Baseline - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111532	CSS06-Idea, No Intent, No Plan, Describe	CSS06-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111534	CSS06-Ideation With Intent No Plan Descr	CSS06-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111533	CSS06-Ideation With Intent, No Plan	CSS06-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Baseline - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Baseline - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111535	CSS06-Ideation With Plan/Intent	CSS06-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Baseline - Active Suicidal Ideation with Specific Plan and Intent
C111536	CSS06-Ideation With Plan/Intent, Descr	CSS06-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline - Description of Active Suicidal Ideation with Specific Plan and Intent

**C111335 CSS06TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111546	CSS06-Interrupted Attempt	CSS06-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline - Interrupted Suicide Attempt
C111548	CSS06-Interrupted Attempt, Describe	CSS06-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of interrupted attempt.	C-SSRS Children's Baseline - Description of Interrupted Suicide Attempt
C111559	CSS06-Most Lethal Attempt Damage	CSS06-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111558	CSS06-Most Lethal Attempt Date	CSS06-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt date.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Date
C111560	CSS06-Most Lethal Attempt Potential	CSS06-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most lethal attempt potential lethality.	C-SSRS Children's Baseline - Most Lethal Suicide Attempt Potential Lethality
C111556	CSS06-Most Recent Attempt Damage	CSS06-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111555	CSS06-Most Recent Attempt Date	CSS06-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt date.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Date
C111557	CSS06-Most Recent Attempt Potential	CSS06-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline - Most recent attempt potential lethality.	C-SSRS Children's Baseline - Most Recent Suicide Attempt Potential Lethality
C111537	CSS06-Most Severe Ideation	CSS06-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Baseline - Most severe ideation.	C-SSRS Children's Baseline - Most Severe Ideation
C111538	CSS06-Most Severe Ideation, Description	CSS06-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of most severe ideation.	C-SSRS Children's Baseline - Describe Most Severe Ideation
C111539	CSS06-Most Severe Ideation, Frequency	CSS06-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Baseline - How many times have you had these thoughts?	C-SSRS Children's Baseline - Frequency of Most Severe Ideation
C111530	CSS06-Non-Specific Suicid Thought, Descr	CSS06-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline - Description of Non-Specific Active Suicidal Thoughts
C111529	CSS06-Non-Specific Suicidal Thought	CSS06-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Baseline - Non-Specific Active Suicidal Thoughts
C111544	CSS06-Non-suicidal Self-injurious Behav	CSS06-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline - Non-suicidal Self-injurious Behavior
C111550	CSS06-Number of Aborted Attempts	CSS06-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of aborted attempts.	C-SSRS Children's Baseline - Number of Aborted Suicide Attempts
C111542	CSS06-Number of Actual Attempts	CSS06-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of actual attempts.	C-SSRS Children's Baseline - Number of Actual Suicide Attempts
C111547	CSS06-Number of Interrupt Attempts	CSS06-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline - Total number of interrupted attempts.	C-SSRS Children's Baseline - Number of Interrupted Suicide Attempts
C111552	CSS06-Preparatory Acts/Behavior	CSS06-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline - Preparatory Acts or Behaviors Toward Suicide Attempt

**C111335 CSS06TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111553	CSS06-Preparatory Acts/Behavior, Descr	CSS06-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of preparatory acts or behavior.	C-SSRS Children's Baseline - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111545	CSS06-Self-injur Behav, Intent Unknown	CSS06-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline - Self-injurious Behavior, Intent Unknown
C111554	CSS06-Suicidal Behavior	CSS06-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline - Suicidal Behavior
C111527	CSS06-Wish to be Dead	CSS06-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Baseline - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Baseline - Wish to be Dead
C111528	CSS06-Wish to be Dead, Describe	CSS06-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline - Description of wishing to be dead.	C-SSRS Children's Baseline - Description of Wish to be Dead

**CSS07TC (Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Code)**

NCI Code: C111338, Codelist extensible: No

<b>C111338 CSS07TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111385	CSS0701A	CSS07-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)
C111386	CSS0701B	CSS07-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)
C111387	CSS0701C	CSS07-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead
C111388	CSS0702A	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)
C111389	CSS0702B	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C111390	CSS0702C	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111391	CSS0703A	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C111392	CSS0703B	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111393	CSS0703C	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111394	CSS0704A	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS0704B	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C111396	CSS0704C	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan

**C111338 CSS07TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111397	CSS0705A	CSS07-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C111398	CSS0705B	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111399	CSS0705C	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111400	CSS0706A	CSS07-Most Severe Idea	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS0706B	CSS07-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation
C111402	CSS0707A	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS0707B	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111404	CSS0707C	CSS07-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111405	CSS0708	CSS07-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111406	CSS0709	CSS07-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts
C111407	CSS0709A	CSS07-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111408	CSS0710	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior
C111409	CSS0711	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown
C111410	CSS0712	CSS07-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111411	CSS0713	CSS07-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts

**C111338 CSS07TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111412	CSS0713A	CSS07-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111413	CSS0714	CSS07-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111414	CSS0715	CSS07-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts
C111415	CSS0715A	CSS07-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111416	CSS0716	CSS07-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111417	CSS0716A	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111418	CSS0717	CSS07-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior
C111419	CSS0718A	CSS07-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111420	CSS0718B	CSS07-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111421	CSS0718C	CSS07-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111422	CSS0719A	CSS07-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111423	CSS0719B	CSS07-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111424	CSS0719C	CSS07-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality
C111425	CSS0720A	CSS07-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111426	CSS0720B	CSS07-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111427	CSS0720C	CSS07-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality

**CSS07TN (Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire Test Name)**

NCI Code: C111337, Codelist extensible: No

<b>C111337 CSS07TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111413	CSS07-Aborted Attempt	CSS07-Aborted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Aborted Suicide Attempt
C111415	CSS07-Aborted Attempt, Describe	CSS07-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of aborted attempt.	C-SSRS Children's Baseline/Screening - Description of Aborted Suicide Attempt
C111405	CSS07-Actual Attempt	CSS07-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that?	C-SSRS Children's Baseline/Screening - Actual Suicide Attempt
C111407	CSS07-Actual Attempt, Describe	CSS07-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of actual attempt.	C-SSRS Children's Baseline/Screening - Description of Actual Suicide Attempt
C111426	CSS07-First Attempt Damage	CSS07-First Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111425	CSS07-First Attempt Date	CSS07-First Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt date.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Date
C111427	CSS07-First Attempt Potential	CSS07-First Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Initial/first attempt potential lethality.	C-SSRS Children's Baseline/Screening - First Suicide Attempt Potential Lethality
C111404	CSS07-Frequency, Write Response	CSS07-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Frequency, write response.	C-SSRS Children's Baseline/Screening - Frequency, Write Response
C111396	CSS07-Idea, Intent, No Plan, Describe	CSS07-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111394	CSS07-Idea, Intent, No Plan-Life	CSS07-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C111395	CSS07-Idea, Intent, No Plan-P6M	CSS07-Idea, Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 6 Months)
C111393	CSS07-Idea, No Intent, No Plan, Describe	CSS07-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111391	CSS07-Idea, No Intent, No Plan-Life	CSS07-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)

**C111337 CSS07TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111392	CSS07-Idea, No Intent, No Plan-P6M	CSS07-Idea, No Intent, No Plan-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 6 Months)
C111399	CSS07-Idea, Plan, Intent, Describe	CSS07-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Baseline/Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111397	CSS07-Idea, Plan, Intent-Life	CSS07-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C111398	CSS07-Idea, Plan, Intent-P6M	CSS07-Idea, Plan, Intent-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Active Suicidal Ideation with Specific Plan and Intent (Past 6 Months)
C111410	CSS07-Interrupted Attempt	CSS07-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Baseline/Screening - Interrupted Suicide Attempt
C111412	CSS07-Interrupted Attempt, Describe	CSS07-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of interrupted attempt.	C-SSRS Children's Baseline/Screening - Description of Interrupted Suicide Attempt
C111423	CSS07-Most Lethal Attempt Damage	CSS07-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111422	CSS07-Most Lethal Attempt Date	CSS07-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt date.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Date
C111424	CSS07-Most Lethal Attempt Potential	CSS07-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most lethal attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Lethal Suicide Attempt Potential Lethality
C111420	CSS07-Most Recent Attempt Damage	CSS07-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111419	CSS07-Most Recent Attempt Date	CSS07-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt date.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Date
C111421	CSS07-Most Recent Attempt Potential	CSS07-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most recent attempt potential lethality.	C-SSRS Children's Baseline/Screening - Most Recent Suicide Attempt Potential Lethality
C111400	CSS07-Most Severe Idea	CSS07-Most Severe Idea	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Most severe ideation.	C-SSRS Children's Baseline/Screening - Most Severe Ideation
C111401	CSS07-Most Severe Idea, Desc	CSS07-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of most severe ideation.	C-SSRS Children's Baseline/Screening - Describe Most Severe Ideation



**C111337 CSS07TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111402	CSS07-Most Severe Idea, Frequency-Life	CSS07-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Lifetime).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Lifetime)
C111403	CSS07-Most Severe Idea, Frequency-P6M	CSS07-Most Severe Idea, Frequency-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - How many times have you had these thoughts? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Frequency of Most Severe Ideation (Past 6 Months)
C111390	CSS07-Non-Spec Suicid Thought, Describe	CSS07-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of non-specific active suicidal thoughts.	C-SSRS Children's Baseline/Screening - Description of Non-Specific Active Suicidal Thoughts
C111388	CSS07-Non-Spec Suicid Thought-Life	CSS07-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Lifetime)
C111389	CSS07-Non-Spec Suicid Thought-P6M	CSS07-Non-Spec Suicid Thought-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Non-Specific Active Suicidal Thoughts (Past 6 Months)
C111408	CSS07-Non-suicidal Self-injur Behav	CSS07-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Baseline/Screening - Non-suicidal Self-injurious Behavior
C111414	CSS07-Number of Aborted Attempts	CSS07-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of aborted attempts.	C-SSRS Children's Baseline/Screening - Number of Aborted Suicide Attempts
C111406	CSS07-Number of Actual Attempts	CSS07-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of actual attempts.	C-SSRS Children's Baseline/Screening - Number of Actual Suicide Attempts
C111411	CSS07-Number of Interrupt Attempts	CSS07-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Total number of interrupted attempts.	C-SSRS Children's Baseline/Screening - Number of Interrupted Suicide Attempts
C111416	CSS07-Preparatory Acts/Behavior	CSS07-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Baseline/Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111417	CSS07-Preparatory Acts/Behavior, Descr	CSS07-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of preparatory acts or behavior.	C-SSRS Children's Baseline/Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111409	CSS07-Self-injur Behav, Intent Unknown	CSS07-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Baseline - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Baseline/Screening - Self-injurious Behavior, Intent Unknown
C111418	CSS07-Suicidal Behavior	CSS07-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Suicidal behavior was present during the assessment period?	C-SSRS Children's Baseline/Screening - Suicidal Behavior
C111387	CSS07-Wish to be Dead, Describe	CSS07-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Description of wishing to be dead.	C-SSRS Children's Baseline/Screening - Description of Wish to be Dead
C111385	CSS07-Wish to be Dead-Life	CSS07-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Lifetime)

**C111337 CSS07TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111386	CSS07-Wish to be Dead-P6M	CSS07-Wish to be Dead-P6M	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 6 Months).	C-SSRS Children's Baseline/Screening - Wish to be Dead (Past 6 Months)

**CSS08TC (Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Code)**

NCI Code: C111340, Codelist extensible: No

<b>C111340 CSS08TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111428	CSS0801	CSS08-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS0801A	CSS08-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead
C111430	CSS0802	CSS08-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111431	CSS0802A	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111432	CSS0803	CSS08-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS0803A	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111434	CSS0804	CSS08-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111435	CSS0804A	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS0805	CSS08-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS0805A	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111438	CSS0806	CSS08-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS0806A	CSS08-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS0807	CSS08-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111441	CSS0807A	CSS08-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response

**C111340 CSS08TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111442	CSS0808	CSS08-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111443	CSS0809	CSS08-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts
C111444	CSS0809A	CSS08-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111445	CSS0810	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111446	CSS0811	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111447	CSS0812	CSS08-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt
C111448	CSS0813	CSS08-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111449	CSS0813A	CSS08-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt
C111450	CSS0814	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111451	CSS0815	CSS08-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111452	CSS0815A	CSS08-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111453	CSS0816	CSS08-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS0816A	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111455	CSS0817	CSS08-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS0818	CSS08-Suicide	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide
C111457	CSS0819A	CSS08-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date
C111458	CSS0819B	CSS08-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage

**C111340 CSS08TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111459	CSS0819C	CSS08-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality

**CSS08TN (Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire Test Name)**

NCI Code: C111339, Codelist extensible: No

<b>C111339 CSS08TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111452	CSS08-Aborted Attempt, Describe	CSS08-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of aborted attempt or self-interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Aborted or Self-interrupted Suicide Attempt
C111450	CSS08-Aborted/Self-Interrupted Attempt	CSS08-Aborted/Self-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Aborted or Self-interrupted Suicide Attempt
C111442	CSS08-Actual Attempt	CSS08-Actual Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Did you do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you hurt yourself on purpose? Why did you do that?	C-SSRS Children's Since Last Visit - Actual Suicide Attempt
C111444	CSS08-Actual Attempt, Describe	CSS08-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of actual attempt.	C-SSRS Children's Since Last Visit - Description of Actual Suicide Attempt
C111441	CSS08-Frequency, Write Response	CSS08-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Frequency, write response.	C-SSRS Children's Since Last Visit - Frequency, Write Response
C111432	CSS08-Idea, No Intent, No Plan	CSS08-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111433	CSS08-Idea, No Intent, No Plan, Describe	CSS08-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111435	CSS08-Ideation With Intent No Plan Descr	CSS08-Ideation With Intent No Plan Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111434	CSS08-Ideation With Intent, No Plan	CSS08-Ideation With Intent, No Plan	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it.	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111436	CSS08-Ideation With Plan/Intent	CSS08-Ideation With Plan/Intent	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you decided how or when you would make yourself not alive anymore/kill yourself? Have you planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it?	C-SSRS Children's Since Last Visit - Active Suicidal Ideation with Specific Plan and Intent
C111437	CSS08-Ideation With Plan/Intent, Descr	CSS08-Ideation With Plan/Intent, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of active suicidal ideation with specific plan and intent.	C-SSRS Children's Since Last Visit - Description of Active Suicidal Ideation with Specific Plan and Intent
C111447	CSS08-Interrupted Attempt	CSS08-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do?	C-SSRS Children's Since Last Visit - Interrupted Suicide Attempt
C111449	CSS08-Interrupted Attempt, Describe	CSS08-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of interrupted attempt.	C-SSRS Children's Since Last Visit - Description of Interrupted Suicide Attempt

**C111339 CSS08TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111458	CSS08-Most Lethal Attempt Damage	CSS08-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt actual lethality/medical damage.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111457	CSS08-Most Lethal Attempt Date	CSS08-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt date.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Date
C111459	CSS08-Most Lethal Attempt Potential	CSS08-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most lethal attempt potential lethality.	C-SSRS Children's Since Last Visit - Most Lethal Suicide Attempt Potential Lethality
C111438	CSS08-Most Severe Ideation	CSS08-Most Severe Ideation	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Most severe ideation.	C-SSRS Children's Since Last Visit - Most Severe Ideation
C111439	CSS08-Most Severe Ideation, Description	CSS08-Most Severe Ideation, Description	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of most severe ideation.	C-SSRS Children's Since Last Visit - Describe Most Severe Ideation
C111440	CSS08-Most Severe Ideation, Frequency	CSS08-Most Severe Ideation, Frequency	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - How many times have you had these thoughts?	C-SSRS Children's Since Last Visit - Frequency of Most Severe Ideation
C111431	CSS08-Non-Specific Suicid Thought, Descr	CSS08-Non-Specific Suicid Thought, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of non-specific active suicidal thoughts.	C-SSRS Children's Since Last Visit - Description of Non-Specific Active Suicidal Thoughts
C111430	CSS08-Non-Specific Suicidal Thought	CSS08-Non-Specific Suicidal Thought	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself?	C-SSRS Children's Since Last Visit - Non-Specific Active Suicidal Thoughts
C111445	CSS08-Non-suicidal Self-injurious Behav	CSS08-Non-suicidal Self-injurious Behav	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Children's Since Last Visit - Non-suicidal Self-injurious Behavior
C111451	CSS08-Number of Aborted Attempts	CSS08-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of aborted or self-interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Aborted or Self-interrupted Suicide Attempts
C111443	CSS08-Number of Actual Attempts	CSS08-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of actual attempts.	C-SSRS Children's Since Last Visit - Number of Actual Suicide Attempts
C111448	CSS08-Number of Interrupt Attempts	CSS08-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Total number of interrupted attempts.	C-SSRS Children's Since Last Visit - Number of Interrupted Suicide Attempts
C111453	CSS08-Preparatory Acts/Behavior	CSS08-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself?	C-SSRS Children's Since Last Visit - Preparatory Acts or Behaviors Toward Suicide Attempt
C111454	CSS08-Preparatory Acts/Behavior, Descr	CSS08-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of preparatory acts or behavior.	C-SSRS Children's Since Last Visit - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111446	CSS08-Self-injur Behav, Intent Unknown	CSS08-Self-injur Behav, Intent Unknown	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Has subject engaged in self-injurious behavior, intent unknown?	C-SSRS Children's Since Last Visit - Self-injurious Behavior, Intent Unknown
C111455	CSS08-Suicidal Behavior	CSS08-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicidal behavior was present during the assessment period?	C-SSRS Children's Since Last Visit - Suicidal Behavior
C111456	CSS08-Suicide	CSS08-Suicide	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Suicide.	C-SSRS Children's Since Last Visit - Suicide

**C111339 CSS08TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111428	CSS08-Wish to be Dead	CSS08-Wish to be Dead	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore?	C-SSRS Children's Since Last Visit - Wish to be Dead
C111429	CSS08-Wish to be Dead, Describe	CSS08-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Children's Since Last Visit - Description of wishing to be dead.	C-SSRS Children's Since Last Visit - Description of Wish to be Dead



## CSS09TC (Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Code)

NCI Code: C111342, Codelist extensible: No

C111342 CSS09TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111460	CSS0901	CSS09-Wish to be Dead	Columbia-Suicide Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS0901A	CSS09-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead
C111462	CSS0902	CSS09-Non-Spec Suicid Thought	Columbia-Suicide Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS0902A	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111464	CSS0903	CSS09-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS0903A	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111466	CSS0904	CSS09-Idea, Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS0904A	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111468	CSS0905	CSS09-Idea, Plan, Intent	Columbia-Suicide Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS0905A	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111470	CSS0906	CSS09-Most Severe Idea	Columbia-Suicide Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111471	CSS0906A	CSS09-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111472	CSS0907	CSS09-Most Severe Idea, Frequency	Columbia-Suicide Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111473	CSS0908	CSS09-Most Severe Idea, Duration	Columbia-Suicide Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111474	CSS0909	CSS09-Most Severe Idea, Controllability	Columbia-Suicide Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111475	CSS0910	CSS09-Most Severe Idea, Deterrents	Columbia-Suicide Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation

**C111342 CSS09TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111476	CSS0911	CSS09-Most Severe Idea, Reasons	Columbia-Suicide Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111477	CSS0912	CSS09-Actual Attempt	Columbia-Suicide Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt
C111478	CSS0913	CSS09-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts
C111479	CSS0913A	CSS09-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt
C111480	CSS0914	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior
C111481	CSS0915	CSS09-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt
C111482	CSS0916	CSS09-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts
C111483	CSS0916A	CSS09-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt
C111484	CSS0917	CSS09-Aborted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt
C111485	CSS0918	CSS09-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts
C111486	CSS0918A	CSS09-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt
C111487	CSS0919	CSS09-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111488	CSS0919A	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C111489	CSS0920	CSS09-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior
C111490	CSS0921A	CSS09-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date
C111491	CSS0921B	CSS09-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111492	CSS0921C	CSS09-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality
C111493	CSS0922A	CSS09-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date

**C111342 CSS09TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111494	CSS0922B	CSS09-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111495	CSS0922C	CSS09-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality
C111496	CSS0923A	CSS09-First Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date
C111497	CSS0923B	CSS09-First Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111498	CSS0923C	CSS09-First Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality

## CSS09TN (Columbia-Suicide Severity Rating Scale Screening Questionnaire Test Name)

NCI Code: C111341, Codelist extensible: No

C111341 CSS09TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111484	CSS09-Aborted Attempt	CSS09-Aborted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything?	C-SSRS Screening - Aborted Suicide Attempt
C111486	CSS09-Aborted Attempt, Describe	CSS09-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of aborted attempt.	C-SSRS Screening - Description of Aborted Suicide Attempt
C111477	CSS09-Actual Attempt	CSS09-Actual Attempt	Columbia-Suicide Severity Rating Scale Screening - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died?	C-SSRS Screening - Actual Suicide Attempt
C111479	CSS09-Actual Attempt, Describe	CSS09-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of actual attempt.	C-SSRS Screening - Description of Actual Suicide Attempt
C111497	CSS09-First Attempt Damage	CSS09-First Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt actual lethality/medical damage.	C-SSRS Screening - First Suicide Attempt Actual Lethality/Medical Damage
C111496	CSS09-First Attempt Date	CSS09-First Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt date.	C-SSRS Screening - First Suicide Attempt Date
C111498	CSS09-First Attempt Potential	CSS09-First Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Initial/first attempt potential lethality.	C-SSRS Screening - First Suicide Attempt Potential Lethality
C111466	CSS09-Idea, Intent, No Plan	CSS09-Idea, Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you had these thoughts and had some intention of acting on them?	C-SSRS Screening - Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111467	CSS09-Idea, Intent, No Plan, Describe	CSS09-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Screening - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C111464	CSS09-Idea, No Intent, No Plan	CSS09-Idea, No Intent, No Plan	Columbia-Suicide Severity Rating Scale Screening - Have you been thinking about how you might do this?	C-SSRS Screening - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111465	CSS09-Idea, No Intent, No Plan, Describe	CSS09-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Screening - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C111468	CSS09-Idea, Plan, Intent	CSS09-Idea, Plan, Intent	Columbia-Suicide Severity Rating Scale Screening - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	C-SSRS Screening - Active Suicidal Ideation with Specific Plan and Intent
C111469	CSS09-Idea, Plan, Intent, Describe	CSS09-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of active suicidal ideation with specific plan and intent.	C-SSRS Screening - Description of Active Suicidal Ideation with Specific Plan and Intent
C111481	CSS09-Interrupted Attempt	CSS09-Interrupted Attempt	Columbia-Suicide Severity Rating Scale Screening - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything?	C-SSRS Screening - Interrupted Suicide Attempt
C111483	CSS09-Interrupted Attempt, Describe	CSS09-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of interrupted attempt.	C-SSRS Screening - Description of Interrupted Suicide Attempt
C111494	CSS09-Most Lethal Attempt Damage	CSS09-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt actual lethality/medical damage.	C-SSRS Screening - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C111493	CSS09-Most Lethal Attempt Date	CSS09-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt date.	C-SSRS Screening - Most Lethal Suicide Attempt Date

**C111341 CSS09TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111495	CSS09-Most Lethal Attempt Potential	CSS09-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most lethal attempt potential lethality.	C-SSRS Screening - Most Lethal Suicide Attempt Potential Lethality
C111491	CSS09-Most Recent Attempt Damage	CSS09-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt actual lethality/medical damage.	C-SSRS Screening - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C111490	CSS09-Most Recent Attempt Date	CSS09-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt date.	C-SSRS Screening - Most Recent Suicide Attempt Date
C111492	CSS09-Most Recent Attempt Potential	CSS09-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Screening - Most recent attempt potential lethality.	C-SSRS Screening - Most Recent Suicide Attempt Potential Lethality
C111470	CSS09-Most Severe Idea	CSS09-Most Severe Idea	Columbia-Suicide Severity Rating Scale Screening - Most severe ideation.	C-SSRS Screening - Most Severe Ideation
C111474	CSS09-Most Severe Idea, Controllability	CSS09-Most Severe Idea, Controllability	Columbia-Suicide Severity Rating Scale Screening - Could/can you stop thinking about killing yourself or wanting to die if you want to?	C-SSRS Screening - Controllability of Most Severe Ideation
C111471	CSS09-Most Severe Idea, Desc	CSS09-Most Severe Idea, Desc	Columbia-Suicide Severity Rating Scale Screening - Description of most severe ideation.	C-SSRS Screening - Describe Most Severe Ideation
C111475	CSS09-Most Severe Idea, Deterrents	CSS09-Most Severe Idea, Deterrents	Columbia-Suicide Severity Rating Scale Screening - Are there things-anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide?	C-SSRS Screening - Deterrents to Most Severe Ideation
C111473	CSS09-Most Severe Idea, Duration	CSS09-Most Severe Idea, Duration	Columbia-Suicide Severity Rating Scale Screening - When you have the thoughts, how long do they last?	C-SSRS Screening - Duration of Most Severe Ideation
C111472	CSS09-Most Severe Idea, Frequency	CSS09-Most Severe Idea, Frequency	Columbia-Suicide Severity Rating Scale Screening - How many times have you had these thoughts?	C-SSRS Screening - Frequency of Most Severe Ideation
C111476	CSS09-Most Severe Idea, Reasons	CSS09-Most Severe Idea, Reasons	Columbia-Suicide Severity Rating Scale Screening - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both?	C-SSRS Screening - Reasons for Most Severe Ideation
C111462	CSS09-Non-Spec Suicid Thought	CSS09-Non-Spec Suicid Thought	Columbia-Suicide Severity Rating Scale Screening - Have you actually had any thoughts of killing yourself?	C-SSRS Screening - Non-Specific Active Suicidal Thoughts
C111463	CSS09-Non-Spec Suicid Thought, Describe	CSS09-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of non-specific active suicidal thoughts.	C-SSRS Screening - Description of Non-Specific Active Suicidal Thoughts
C111480	CSS09-Non-suicidal Self-injur Behav	CSS09-Non-suicidal Self-injur Behav	Columbia-Suicide Severity Rating Scale Screening - Has subject engaged in non-suicidal self-injurious behavior?	C-SSRS Screening - Non-suicidal Self-injurious Behavior
C111485	CSS09-Number of Aborted Attempts	CSS09-Number of Aborted Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of aborted attempts.	C-SSRS Screening - Number of Aborted Suicide Attempts
C111478	CSS09-Number of Actual Attempts	CSS09-Number of Actual Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of actual attempts.	C-SSRS Screening - Number of Actual Suicide Attempts
C111482	CSS09-Number of Interrupt Attempts	CSS09-Number of Interrupt Attempts	Columbia-Suicide Severity Rating Scale Screening - Total number of interrupted attempts.	C-SSRS Screening - Number of Interrupted Suicide Attempts
C111487	CSS09-Preparatory Acts/Behavior	CSS09-Preparatory Acts/Behavior	Columbia-Suicide Severity Rating Scale Screening - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)?	C-SSRS Screening - Preparatory Acts or Behaviors Toward Suicide Attempt
C111488	CSS09-Preparatory Acts/Behavior, Descr	CSS09-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Screening - Description of preparatory acts or behavior.	C-SSRS Screening - Description of Preparatory Acts or Behaviors Toward Suicide Attempt

**C111341 CSS09TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111489	CSS09-Suicidal Behavior	CSS09-Suicidal Behavior	Columbia-Suicide Severity Rating Scale Screening - Suicidal behavior was present during the assessment period?	C-SSRS Screening - Suicidal Behavior
C111460	CSS09-Wish to be Dead	CSS09-Wish to be Dead	Columbia-Suicide Severity Rating Scale Screening - Have you wished you were dead or wished you could go to sleep and not wake up?	C-SSRS Screening - Wish to be Dead
C111461	CSS09-Wish to be Dead, Describe	CSS09-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Screening - Description of wishing to be dead.	C-SSRS Screening - Description of Wish to be Dead

**CSS10TC (Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Code)**

NCI Code: C113848, Codelist extensible: No

<b>C113848 CSS10TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113889	CSS1001A	CSS10-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS1001B	CSS10-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)
C113891	CSS1001C	CSS10-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113892	CSS1002A	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS1002B	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113894	CSS1002C	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts
C113895	CSS1003A	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)
C113896	CSS1003B	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)
C113897	CSS1003C	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C113898	CSS1004A	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)
C113899	CSS1004B	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)

**C113848 CSS10TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113900	CSS1004C	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan
C113901	CSS1005A	CSS10-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)
C113902	CSS1005B	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)
C113903	CSS1005C	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent
C113904	CSS1006A	CSS10-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)
C113905	CSS1006B	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113906	CSS1006C	CSS10-Most Severe Idea-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113907	CSS1006D	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS1007A	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS1007B	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113910	CSS1007C	CSS10-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response
C113911	CSS1008A	CSS10-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)



**C113848 CSS10TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113912	CSS1008B	CSS10-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113913	CSS1009A	CSS10-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS1009B	CSS10-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113915	CSS1009C	CSS10-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113916	CSS1010A	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS1010B	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)
C113918	CSS1011A	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS1011B	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113920	CSS1012A	CSS10-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)
C113921	CSS1012B	CSS10-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)
C113922	CSS1013A	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)
C113923	CSS1013B	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)

**C113848 CSS10TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113924	CSS1013C	CSS10-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt
C113925	CSS1014A	CSS10-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS1014B	CSS10-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113927	CSS1015A	CSS10-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS1015B	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113929	CSS1015C	CSS10-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113930	CSS1016A	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C113931	CSS1016B	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113932	CSS1016C	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C113933	CSS1017A	CSS10-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)
C113934	CSS1017B	CSS10-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113935	CSS1018A	CSS10-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date

**C113848 CSS10TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113936	CSS1018B	CSS10-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C113937	CSS1018C	CSS10-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality
C113938	CSS1019A	CSS10-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date
C113939	CSS1019B	CSS10-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C113940	CSS1019C	CSS10-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality
C113941	CSS1020A	CSS10-First Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113942	CSS1020B	CSS10-First Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113943	CSS1020C	CSS10-First Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality

**CSS10TN (Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire Test Name)**

NCI Code: C113847, Codelist extensible: No

<b>C113847 CSS10TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113929	CSS10-Aborted Attempt, Describe	CSS10-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of aborted or self-interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Aborted Suicide Attempt
C113925	CSS10-Aborted Attempt-Life	CSS10-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113926	CSS10-Aborted Attempt-P3M	CSS10-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but you changed your mind (stopped yourself) before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113915	CSS10-Actual Attempt, Describe	CSS10-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of actual attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Actual Suicide Attempt
C113911	CSS10-Actual Attempt-Life	CSS10-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Lifetime)
C113912	CSS10-Actual Attempt-P3M	CSS10-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Did you ever do anything to try to kill yourself or make yourself not alive anymore? What did you do? Did you ever hurt yourself on purpose? Why did you do that? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Actual Suicide Attempt (Past 3 Month)
C113942	CSS10-First Attempt Damage	CSS10-First Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Actual Lethality/Medical Damage
C113941	CSS10-First Attempt Date	CSS10-First Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Date
C113943	CSS10-First Attempt Potential	CSS10-First Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Initial/first attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - First Suicide Attempt Potential Lethality
C113910	CSS10-Frequency, Write Response	CSS10-Frequency, Write Response	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Frequency, write response.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency Write Response
C113900	CSS10-Idea, Intent, No Plan, Describe	CSS10-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Some Intent to Act, Without Specific Plan

**C113847 CSS10TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113898	CSS10-Idea, Intent, No Plan-Life	CSS10-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Lifetime)
C113899	CSS10-Idea, Intent, No Plan-P1M	CSS10-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - When you thought about making yourself not alive anymore (or killing yourself), did you think that this was something you might actually do? This is different from (as opposed to) having the thoughts but knowing you wouldn't do anything about it. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Some Intent to Act, Without Specific Plan (Past 1 Month)
C113897	CSS10-Idea, No Intent, No Plan, Describe	CSS10-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act
C113895	CSS10-Idea, No Intent, No Plan-Life	CSS10-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Lifetime)
C113896	CSS10-Idea, No Intent, No Plan-P1M	CSS10-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about how you would do that or how you would make yourself not alive anymore (kill yourself)? What did you think about? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Any Methods (Not Plan) Without Intent to Act (Past 1 Month)
C113903	CSS10-Idea, Plan, Intent, Describe	CSS10-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of active suicidal ideation with specific plan and intent.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Active Suicidal Ideation With Specific Plan and Intent
C113901	CSS10-Idea, Plan, Intent-Life	CSS10-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Lifetime)
C113902	CSS10-Idea, Plan, Intent-P1M	CSS10-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you ever decided how or when you would make yourself not alive anymore/kill yourself? Have you ever planned out (worked out the details of) how you would do it? What was your plan? When you made this plan (or worked out these details), was any part of you thinking about actually doing it? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Active Suicidal Ideation With Specific Plan and Intent (Past 1 Month)
C113924	CSS10-Interrupted Attempt, Describe	CSS10-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of interrupted attempt.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Interrupted Suicide Attempt
C113920	CSS10-Interrupted Attempt-Life	CSS10-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Lifetime)
C113921	CSS10-Interrupted Attempt-P3M	CSS10-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has there been a time when you started to do something to make yourself not alive anymore (end your life or kill yourself) but someone or something stopped you before you actually did anything? What did you do? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Interrupted Suicide Attempt (Past 3 Months)

**C113847 CSS10TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113939	CSS10-Most Lethal Attempt Damage	CSS10-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C113938	CSS10-Most Lethal Attempt Date	CSS10-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Date
C113940	CSS10-Most Lethal Attempt Potential	CSS10-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most lethal attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Lethal Suicide Attempt Potential Lethality
C113936	CSS10-Most Recent Attempt Damage	CSS10-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt actual lethality/medical damage.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C113935	CSS10-Most Recent Attempt Date	CSS10-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt date.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Date
C113937	CSS10-Most Recent Attempt Potential	CSS10-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most recent attempt potential lethality.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Recent Suicide Attempt Potential Lethality
C113905	CSS10-Most Severe Idea, Desc-Life	CSS10-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Lifetime)
C113907	CSS10-Most Severe Idea, Desc-P1M	CSS10-Most Severe Idea, Desc-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Describe Most Severe Ideation (Past 1 Month)
C113908	CSS10-Most Severe Idea, Frequency-Life	CSS10-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Lifetime)
C113909	CSS10-Most Severe Idea, Frequency-P1M	CSS10-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Frequency (Past 1 Month)
C113904	CSS10-Most Severe Idea-Life	CSS10-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Lifetime)
C113906	CSS10-Most Severe Idea-P1M	CSS10-Most Severe Idea-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Most severe ideation. (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Most Severe Ideation (Past 1 Month)
C113894	CSS10-Non-Spec Suicid Thought, Describe	CSS10-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of non-specific active suicidal thoughts.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Non-Specific Active Suicidal Thoughts

**C113847 CSS10TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113892	CSS10-Non-Spec Suicid Thought-Life	CSS10-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Lifetime)
C113893	CSS10-Non-Spec Suicid Thought-P1M	CSS10-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about doing something to make yourself not alive anymore? Have you had any thoughts about killing yourself? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-Specific Active Suicidal Thoughts (Past 1 Month)
C113916	CSS10-Non-suicidal Self-injur Behav-Life	CSS10-Non-suicidal Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Lifetime)
C113917	CSS10-Non-suicidal Self-injur Behav-P3M	CSS10-Non-suicidal Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Non-suicidal Self-injurious Behavior (Past 3 Months)
C113927	CSS10-Number of Aborted Attempts-Life	CSS10-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Lifetime)
C113928	CSS10-Number of Aborted Attempts-P3M	CSS10-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Aborted or Self-interrupted Suicide Attempt (Past 3 Months)
C113913	CSS10-Number of Actual Attempts-Life	CSS10-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Lifetime)
C113914	CSS10-Number of Actual Attempts-P3M	CSS10-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of actual attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Actual Suicide Attempts (Past 3 Months)
C113922	CSS10-Number of Interrupt Attempts-Life	CSS10-Number of Interrupt Attempts-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Lifetime)
C113923	CSS10-Number of Interrupt Attempts-P3M	CSS10-Number of Interrupt Attempts-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Number of Interrupted Suicide Attempts (Past 3 Months)
C113932	CSS10-Preparatory Acts/Behavior, Descr	CSS10-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of preparatory acts or behavior.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C113930	CSS10-Preparatory Acts/Behavior-Life	CSS10-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)

**C113847 CSS10TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113931	CSS10-Preparatory Acts/Behavior-P3M	CSS10-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you done anything to get ready to make yourself not alive anymore (to end your life or kill yourself) - like giving things away, writing a goodbye note, getting things you need to kill yourself? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C113918	CSS10-Self-injur Behav, Intent Unk-Life	CSS10-Self-injur Behav, Intent Unk-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Lifetime)
C113919	CSS10-Self-injur Behav, Intent Unk-P3M	CSS10-Self-injur Behav, Intent Unk-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Has subject engaged in self-injurious behavior, intent unknown? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Self-injurious Behavior, Intent Unknown (Past 3 Months)
C113933	CSS10-Suicidal Behavior-Life	CSS10-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Lifetime)
C113934	CSS10-Suicidal Behavior-P3M	CSS10-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Suicidal Behavior (Past 3 Months)
C113891	CSS10-Wish to be Dead, Describe	CSS10-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Description of wishing to be dead.	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Description of Wish to be Dead
C113889	CSS10-Wish to be Dead-Life	CSS10-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Lifetime).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Lifetime)
C113890	CSS10-Wish to be Dead-P1M	CSS10-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent - Have you thought about being dead or what it would be like to be dead? Have you wished you were dead or wished you could go to sleep and never wake up? Do you ever wish you weren't alive anymore? (Past 1 Month).	C-SSRS Pediatric/Cognitively Impaired Lifetime/Recent - Wish to be Dead (Past 1 Month)



**CSS11TC (Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Code)**

NCI Code: C117989, Codelist extensible: No

<b>C117989 CSS11TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118019	CSS1101A	CSS11-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)
C118020	CSS1101B	CSS11-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)
C118021	CSS1101C	CSS11-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118022	CSS1102A	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C118023	CSS1102B	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118024	CSS1102C	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118025	CSS1103A	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)
C118026	CSS1103B	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)
C118027	CSS1103C	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C118028	CSS1104A	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C118029	CSS1104B	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)
C118030	CSS1104C	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C118031	CSS1105A	CSS11-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C118032	CSS1105B	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)

**C117989 CSS11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118033	CSS1105C	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C118034	CSS1106A	CSS11-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)
C118035	CSS1106B	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)
C118036	CSS1106C	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118037	CSS1106D	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)
C118038	CSS1107A	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS1107B	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118040	CSS1108A	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)
C118041	CSS1108B	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118042	CSS1109A	CSS11-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)
C118043	CSS1109B	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)
C118044	CSS1110A	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)
C118045	CSS1110B	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)
C118046	CSS1111A	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)
C118047	CSS1111B	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)

**C117989 CSS11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118048	CSS1112A	CSS11-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)
C118049	CSS1112B	CSS11-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)
C118050	CSS1113A	CSS11-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)
C118051	CSS1113B	CSS11-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)
C118052	CSS1113C	CSS11-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt
C118053	CSS1114A	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)
C118054	CSS1114B	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118055	CSS1115A	CSS11-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)
C118056	CSS1115B	CSS11-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)
C118057	CSS1116A	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS1116B	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118059	CSS1116C	CSS11-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt
C118060	CSS1117A	CSS11-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)
C118061	CSS1117B	CSS11-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)
C118062	CSS1118A	CSS11-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS1118B	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118064	CSS1118C	CSS11-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt

**C117989 CSS11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118065	CSS1119A	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS1119B	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118067	CSS1119C	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118068	CSS1120A	CSS11-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS1120B	CSS11-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)
C118070	CSS1121A	CSS11-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date
C118071	CSS1121B	CSS11-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C118072	CSS1121C	CSS11-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality
C118073	CSS1122A	CSS11-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date
C118074	CSS1122B	CSS11-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C118075	CSS1122C	CSS11-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality
C118076	CSS1123A	CSS11-First Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date
C118077	CSS1123B	CSS11-First Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage
C118078	CSS1123C	CSS11-First Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality

**CSS11TN (Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire Test Name)**

NCI Code: C117988, Codelist extensible: No

<b>C117988 CSS11TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118064	CSS11-Aborted Attempt, Describe	CSS11-Aborted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of aborted or self-interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Aborted Suicide Attempt
C118060	CSS11-Aborted Attempt-Life	CSS11-Aborted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Lifetime)
C118061	CSS11-Aborted Attempt-P3M	CSS11-Aborted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to try to end your life but you stopped yourself before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Aborted Suicide Attempt (Past 3 Months)
C118052	CSS11-Actual Attempt, Describe	CSS11-Actual Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of actual attempt.	C-SSRS Lifetime/Recent Version - Description of Actual Suicide Attempt
C118048	CSS11-Actual Attempt-Life	CSS11-Actual Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Lifetime).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Lifetime)
C118049	CSS11-Actual Attempt-P3M	CSS11-Actual Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you made a suicide attempt? Have you done anything to harm yourself? Have you done anything dangerous where you could have died? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Actual Suicide Attempt (Past 3 Months)
C118077	CSS11-First Attempt Damage	CSS11-First Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Actual Lethality/Medical Damage
C118076	CSS11-First Attempt Date	CSS11-First Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt date.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Date
C118078	CSS11-First Attempt Potential	CSS11-First Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Initial/first attempt potential lethality.	C-SSRS Lifetime/Recent Version - First Suicide Attempt Potential Lethality
C118030	CSS11-Idea, Intent, No Plan, Describe	CSS11-Idea, Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with some intent to act, without specific plan.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Some Intent to Act, without Specific Plan
C118028	CSS11-Idea, Intent, No Plan-Life	CSS11-Idea, Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Lifetime)
C118029	CSS11-Idea, Intent, No Plan-P1M	CSS11-Idea, Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you had these thoughts and had some intention of acting on them? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Some Intent to Act, without Specific Plan (Past 1 Month)
C118027	CSS11-Idea, No Intent, No Plan, Describe	CSS11-Idea, No Intent, No Plan, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with any methods (not plan) without intent to act.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act
C118025	CSS11-Idea, No Intent, No Plan-Life	CSS11-Idea, No Intent, No Plan-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Lifetime)

**C117988 CSS11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118026	CSS11-Idea, No Intent, No Plan-P1M	CSS11-Idea, No Intent, No Plan-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you been thinking about how you might do this? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Any Methods (Not Plan) without Intent to Act (Past 1 Month)
C118033	CSS11-Idea, Plan, Intent, Describe	CSS11-Idea, Plan, Intent, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of active suicidal ideation with specific plan and intent.	C-SSRS Lifetime/Recent Version - Description of Active Suicidal Ideation with Specific Plan and Intent
C118031	CSS11-Idea, Plan, Intent-Life	CSS11-Idea, Plan, Intent-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Lifetime).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Lifetime)
C118032	CSS11-Idea, Plan, Intent-P1M	CSS11-Idea, Plan, Intent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Active Suicidal Ideation with Specific Plan and Intent (Past 1 Month)
C118059	CSS11-Interrupted Attempt, Describe	CSS11-Interrupted Attempt, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of interrupted attempt.	C-SSRS Lifetime/Recent Version - Description of Interrupted Suicide Attempt
C118055	CSS11-Interrupted Attempt-Life	CSS11-Interrupted Attempt-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Lifetime).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Lifetime)
C118056	CSS11-Interrupted Attempt-P3M	CSS11-Interrupted Attempt-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has there been a time when you started to do something to end your life but someone or something stopped you before you actually did anything? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Interrupted Suicide Attempt (Past 3 Months)
C118074	CSS11-Most Lethal Attempt Damage	CSS11-Most Lethal Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Actual Lethality/Medical Damage
C118073	CSS11-Most Lethal Attempt Date	CSS11-Most Lethal Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt date.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Date
C118075	CSS11-Most Lethal Attempt Potential	CSS11-Most Lethal Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most lethal attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Lethal Suicide Attempt Potential Lethality
C118071	CSS11-Most Recent Attempt Damage	CSS11-Most Recent Attempt Damage	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt actual lethality/medical damage.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Actual Lethality/Medical Damage
C118070	CSS11-Most Recent Attempt Date	CSS11-Most Recent Attempt Date	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt date.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Date
C118072	CSS11-Most Recent Attempt Potential	CSS11-Most Recent Attempt Potential	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most recent attempt potential lethality.	C-SSRS Lifetime/Recent Version - Most Recent Suicide Attempt Potential Lethality
C118042	CSS11-Most Severe Idea, Control-Life	CSS11-Most Severe Idea, Control-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Lifetime).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Lifetime)
C118043	CSS11-Most Severe Idea, Control-P1M	CSS11-Most Severe Idea, Control-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Could/can you stop thinking about killing yourself or wanting to die if you want to? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Controllability of Most Severe Ideation (Past 1 Month)
C118035	CSS11-Most Severe Idea, Desc-Life	CSS11-Most Severe Idea, Desc-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Describe Most Severe Ideation (Lifetime)

**C117988 CSS11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118037	CSS11-Most Severe Idea, Desc-Recent-P1M	CSS11-Most Severe Idea, Desc-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Describe Recent Most Severe Ideation (Past 1 Month)
C118044	CSS11-Most Severe Idea, Deterrents-Life	CSS11-Most Severe Idea, Deterrents-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Lifetime).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Lifetime)
C118045	CSS11-Most Severe Idea, Deterrents-P1M	CSS11-Most Severe Idea, Deterrents-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Are there things - anyone or anything (e.g., family, religion, pain of death) - that stopped you from wanting to die or acting on thoughts of committing suicide? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Deterrents to Most Severe Ideation (Past 1 Month)
C118040	CSS11-Most Severe Idea, Duration-Life	CSS11-Most Severe Idea, Duration-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Lifetime).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Lifetime)
C118041	CSS11-Most Severe Idea, Duration-P1M	CSS11-Most Severe Idea, Duration-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - When you have the thoughts how long do they last? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Duration of Most Severe Ideation (Past 1 Month)
C118038	CSS11-Most Severe Idea, Frequency-Life	CSS11-Most Severe Idea, Frequency-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Lifetime).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Lifetime)
C118039	CSS11-Most Severe Idea, Frequency-P1M	CSS11-Most Severe Idea, Frequency-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - How many times have you had these thoughts? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Frequency of Most Severe Ideation (Past 1 Month)
C118046	CSS11-Most Severe Idea, Reasons-Life	CSS11-Most Severe Idea, Reasons-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Lifetime).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Lifetime)
C118047	CSS11-Most Severe Idea, Reasons-P1M	CSS11-Most Severe Idea, Reasons-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - What sort of reasons did you have for thinking about wanting to die or killing yourself? Was it to end the pain or stop the way you were feeling (in other words you couldn't go on living with this pain or how you were feeling) or was it to get attention, revenge or a reaction from others? Or both? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Reasons for Most Severe Ideation (Past 1 Month)
C118034	CSS11-Most Severe Idea-Life	CSS11-Most Severe Idea-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Lifetime).	C-SSRS Lifetime/Recent Version - Most Severe Ideation (Lifetime)
C118036	CSS11-Most Severe Idea-Recent-P1M	CSS11-Most Severe Idea-Recent-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Most severe ideation. (Recent - Past 1 Month).	C-SSRS Lifetime/Recent Version - Recent Most Severe Ideation (Past 1 Month)
C118024	CSS11-Non-Spec Suicid Thought, Describe	CSS11-Non-Spec Suicid Thought, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of non-specific active suicidal thoughts.	C-SSRS Lifetime/Recent Version - Description of Non-Specific Active Suicidal Thoughts
C118022	CSS11-Non-Spec Suicid Thought-Life	CSS11-Non-Spec Suicid Thought-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Lifetime)
C118023	CSS11-Non-Spec Suicid Thought-P1M	CSS11-Non-Spec Suicid Thought-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you actually had any thoughts of killing yourself? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Non-Specific Active Suicidal Thoughts (Past 1 Months)
C118053	CSS11-Non-suicid Self-injur Behav-Life	CSS11-Non-suicid Self-injur Behav-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Lifetime).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Lifetime)

**C117988 CSS11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118054	CSS11-Non-suicid Self-injur Behav-P3M	CSS11-Non-suicid Self-injur Behav-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Has subject engaged in non-suicidal self-injurious behavior? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Non-suicidal Self-injurious Behavior (Past 3 Months)
C118057	CSS11-Num of Interrupted Attempts-Life	CSS11-Num of Interrupted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Lifetime)
C118058	CSS11-Num of Interrupted Attempts-P3M	CSS11-Num of Interrupted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Interrupted Suicide Attempts (Past 3 Months)
C118062	CSS11-Number of Aborted Attempts-Life	CSS11-Number of Aborted Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Lifetime)
C118063	CSS11-Number of Aborted Attempts-P3M	CSS11-Number of Aborted Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of aborted or self-interrupted attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Aborted Suicide Attempts (Past 3 Months)
C118050	CSS11-Number of Actual Attempts-Life	CSS11-Number of Actual Attempts-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Lifetime).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Lifetime)
C118051	CSS11-Number of Actual Attempts-P3M	CSS11-Number of Actual Attempts-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Total number of actual attempts. (Past 3 Months).	C-SSRS Lifetime/Recent Version - Number of Actual Suicide Attempts (Past 3 Months)
C118067	CSS11-Preparatory Acts/Behavior, Descr	CSS11-Preparatory Acts/Behavior, Descr	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of preparatory acts or behavior.	C-SSRS Lifetime/Recent Version - Description of Preparatory Acts or Behaviors Toward Suicide Attempt
C118065	CSS11-Preparatory Acts/Behavior-Life	CSS11-Preparatory Acts/Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Lifetime).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Lifetime)
C118066	CSS11-Preparatory Acts/Behavior-P3M	CSS11-Preparatory Acts/Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you taken any steps towards making a suicide attempt or preparing to kill yourself (such as collecting pills, getting a gun, giving valuables away or writing a suicide note)? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Preparatory Acts or Behaviors Toward Suicide Attempt (Past 3 Months)
C118068	CSS11-Suicidal Behavior-Life	CSS11-Suicidal Behavior-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Lifetime).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Lifetime)
C118069	CSS11-Suicidal Behavior-P3M	CSS11-Suicidal Behavior-P3M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Suicidal behavior was present during the assessment period? (Past 3 Months).	C-SSRS Lifetime/Recent Version - Suicidal Behavior (Past 3 Months)
C118021	CSS11-Wish to be Dead, Describe	CSS11-Wish to be Dead, Describe	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Description of wishing to be dead.	C-SSRS Lifetime/Recent Version - Description of Wish to be Dead
C118019	CSS11-Wish to be Dead-Life	CSS11-Wish to be Dead-Life	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Lifetime).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Lifetime)
C118020	CSS11-Wish to be Dead-P1M	CSS11-Wish to be Dead-P1M	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version - Have you wished you were dead or wished you could go to sleep and not wake up? (Past 1 Month).	C-SSRS Lifetime/Recent Version - Wish to be Dead (Past 1 Month)



## CTTIMIRS (Coronary Thrombus TIMI Grade Responses)

NCI Code: C119017, Codelist extensible: No

C119017 CTTIMIRS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119583	CORONARY THROMBUS TIMI GRADE 1		Possible thrombus present - angiography demonstrates characteristics such as reduced contrast density, haziness, irregular lesion contour or a smooth convex 'meniscus' at the site of total occlusion suggestive but not diagnostic of thrombus. (Gibson, C. M., de Lemos, J. A., Murphy, S. A., Marble, S. J., McCabe, C. H., Cannon, C. P., Antman, E. M., Braunwald, E. Combination therapy with abciximab reduces angiographically evident thrombus in acute myocardial infarction: a TIMI 14 substudy Circulation. 2001;103(21):2550-4.)	TIMI Coronary Thrombus Grade 1
C119584	CORONARY THROMBUS TIMI GRADE 2		Small size definite thrombus, with greatest dimensions less than or equal to 1/2 vessel diameter. (Gibson, C. M., de Lemos, J. A., Murphy, S. A., Marble, S. J., McCabe, C. H., Cannon, C. P., Antman, E. M., Braunwald, E. Combination therapy with abciximab reduces angiographically evident thrombus in acute myocardial infarction: a TIMI 14 substudy Circulation. 2001;103(21):2550-4.)	TIMI Coronary Thrombus Grade 2
C119585	CORONARY THROMBUS TIMI GRADE 3		Moderate size definite thrombus, with greatest linear dimension greater than 1/2 but less than 2 vessel diameters. (Gibson, C. M., de Lemos, J. A., Murphy, S. A., Marble, S. J., McCabe, C. H., Cannon, C. P., Antman, E. M., Braunwald, E. Combination therapy with abciximab reduces angiographically evident thrombus in acute myocardial infarction: a TIMI 14 substudy Circulation. 2001;103(21):2550-4.)	TIMI Coronary Thrombus Grade 3
C119586	CORONARY THROMBUS TIMI GRADE 4		Large size definite thrombus, with the largest dimension greater than or equal to 2 vessel diameters. (Gibson, C. M., de Lemos, J. A., Murphy, S. A., Marble, S. J., McCabe, C. H., Cannon, C. P., Antman, E. M., Braunwald, E. Combination therapy with abciximab reduces angiographically evident thrombus in acute myocardial infarction: a TIMI 14 substudy Circulation. 2001;103(21):2550-4.)	TIMI Coronary Thrombus Grade 4
C119587	CORONARY THROMBUS TIMI GRADE 5		Total vessel occlusion. (Gibson, C. M., de Lemos, J. A., Murphy, S. A., Marble, S. J., McCabe, C. H., Cannon, C. P., Antman, E. M., Braunwald, E. Combination therapy with abciximab reduces angiographically evident thrombus in acute myocardial infarction: a TIMI 14 substudy Circulation. 2001;103(21):2550-4.)	TIMI Coronary Thrombus Grade 5

## CVFARS (Cardiovascular Findings About Results)

NCI Code: C119016, Codelist extensible: No

C119016 CVFARS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C20080	ANGIOGRAPHY		A method used to create an image of blood vessels.	Angiography
C119199	AUGMENTATION OF ORAL DIURETIC THERAPY		Initiation or intensification of orally administered medication(s) that promote diuresis to treat heart failure.	Oral Diuretic Therapy Augmentation for Heart Failure
C25153	AUTOPSY		A postmortem examination of the body.	Autopsy
C119200	CLINICALLY SIGNIFICANT OR RAPID WEIGHT GAIN		Weight gain thought to be related to fluid retention.	Weight Gain Due to Fluid Retention
C119201	CORONARY LESION ON ANGIOGRAPHY		Angiographic evidence of new or worse greater than or equal to 70 percent lesion and/or thrombus in an epicardial coronary artery believed to be responsible for the myocardial ischemic symptoms/signs. (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Coronary Lesion by Angiographic Finding
C119202	CORONARY REVASCULARIZATION		Need for coronary revascularization procedure (PCI or CABG) for the presumed culprit lesion(s). This criterion would be fulfilled if revascularization was undertaken during the unscheduled hospitalization, or subsequent to transfer to another institution without interceding home discharge. (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Coronary Revascularization Procedure
C119203	DECREASED EXERCISE TOLERANCE		Reduced ability to withstand or participate in activities that induce physical or mental exertion.	Decreased Exercise Tolerance
C2998	DYSPNEA		Includes dyspnea on exertion, dyspnea at rest, orthopnea, and paroxysmal nocturnal dyspnea.	Dyspnea
C3036	FATIGUE		Unusual tiredness and inability to perform usual activities.	Fatigue
C119204	HEART FAILURE HOSPITALIZATION		An event where the patient is admitted to the hospital with a primary diagnosis of heart failure (HF), where the length of stay is at least 24 hours (or extends over a calendar date), where the patient exhibits new or worsening symptoms of HF on presentation, has objective evidence of new or worsening HF, and receives initiation or intensification of treatment specifically for HF. (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Hospitalization Due to Heart Failure

**C119016 CVFARS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C95803	HEMORRHAGIC STROKE		An acute episode of focal or global cerebral or spinal dysfunction caused by intraparenchymal, intraventricular, or subarachnoid hemorrhage.	Hemorrhagic Cerebrovascular Accident
C119205	INCREASE IN HEART FAILURE BIOMARKER		Biomarker increase (B-type natriuretic peptide (BNP)/ N-terminal pro-BNP (NT-proBNP)) consistent with decompensation of heart failure (such as BNP greater than 500 pg/mL or NT-proBNP greater than 2,000 pg/mL). In patients with chronically elevated natriuretic peptides, a significant increase above baseline is required. (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Increase in B-type Natriuretic Peptide or N-terminal pro-B-type Natriuretic Peptide
C119206	INCREASED JUGULAR VENOUS PRESSURE OR HEPATOJUGULAR REFLUX		Increase in the estimated height of the mean jugular venous waveform above the right atrium in cm.	Increase in Jugular Venous Pressure
C2885	INCREASING ABDOMINAL DISTENTION OR ASCITES		Abnormal collection of fluid in the peritoneal cavity.	Ascites
C119207	INDUCIBLE MYOCARDIAL ISCHEMIA		Definite evidence of inducible myocardial ischemia believed to be responsible for the myocardial ischemic symptoms/signs, demonstrated by any of the following: a) an early positive exercise stress test, defined as ST elevation of greater than or equal to 2 mm ST depression prior to 5 mets, b) stress echocardiography (reversible wall motion abnormality), c) myocardial scintigraphy (reversible perfusion defect), d) MRI (myocardial perfusion deficit under pharmacologic stress). (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Inducible Myocardial Ischemia
C119208	INTRAVENOUS DIURETIC, INOTROPE, OR VASODILATOR THERAPY		Initiation or intensification of medication(s) administered by vein to treat heart failure, to increase the production of urine, increase cardiac performance, and/or reduce cardiac preload or afterload.	Intravenous Diuretic, Inotropic or Vasodilator Augmentation for Heart Failure
C119209	INVASIVE DIAGNOSTIC EVIDENCE OF HEART FAILURE		Invasive diagnostic evidence with right heart catheterization showing a pulmonary capillary wedge pressure (pulmonary artery occlusion pressure) greater than or equal to 18 mmHg, central venous pressure greater than or equal to 12 mmHg, or a cardiac index less than 2.2 L/min/m <sup>2</sup> . (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Heart Failure by Invasive Diagnostic Technique
C95802	ISCHEMIC STROKE		Ischemic stroke is defined as an acute episode of focal cerebral, spinal, or retinal dysfunction caused by infarction of central nervous system tissue.	Ischemic Cerebrovascular Accident

**C119016 CVFARS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119210	LOSS OF A SIDE BRANCH		Angiographic loss of patency of a side branch.	Loss of Patency of Side Branch
C119211	LOSS OF MAJOR CORONARY		Angiographic loss of patency of a major epicardial vessel.	Loss of Patency of Major Vessel
C119212	MECHANICAL OR SURGICAL INTERVENTION		Mechanical circulatory support (e.g., intra-aortic balloon pump, ventricular assist device, extracorporeal membrane oxygenation, total artificial heart) or mechanical fluid removal (e.g., ultrafiltration, hemofiltration, dialysis). (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Vasculature Mechanical or Surgical Intervention
C119213	NEW LOSS OF VIABLE MYOCARDIUM		Non-invasive imaging evidence of a loss of viable myocardium when compared with the most recent previous non-invasive imaging study.	New Loss of Viable Myocardium by Non-invasive Imaging Technique
C119214	NEW REGIONAL WALL MOTION ABNORMALITY		Non-invasive imaging evidence of a decrease in regional wall motion contractility compared with the most recent previous non-invasive imaging study.	New Regional Wall Motion Abnormality by Non-invasive Imaging Technique
C119215	NON-INVASIVE DIAGNOSTIC EVIDENCE OF HEART FAILURE		Non-invasive diagnostic evidence of clinically significant elevated left- or right-sided ventricular filling pressure or low cardiac output. For example, echocardiographic criteria could include: E/e' greater than 15 or D-dominant pulmonary venous inflow pattern, plethoric inferior vena cava with minimal collapse on inspiration, or decreased left ventricular outflow tract (LVOT) minute stroke distance (time velocity integral (TVI)). (Hicks KA, Tcheng JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	Heart Failure by Non-invasive Diagnostic Technique
C78262	PERIPHERAL EDEMA		Increased tissue fluid indicated by perceptible pitting indentation on lower leg, foot or sacrum after palpation.	Edema Limbs
C119216	PULMONARY RALES/CRACKLES/CREPITATIONS		Abnormal breath sounds caused by the accumulation of fluid in the lungs.	Rales
C119217	RADIOLOGICAL EVIDENCE OF PULMONARY CONGESTION		Imaging findings consistent with increased intravascular blood volume in the lungs.	Pulmonary Congestion by Radiological Technique
C119218	RESTING ECG CHANGES		New or worsening ST or T wave changes on resting ECG (in the absence of confounders, such as LBBB or LVH), defined as either: a) Transient ST elevation (duration less than 20 minutes): new ST elevation at the J point in any two contiguous leads (other than leads V2-V3) of greater than or equal to 0.1 mV. In leads V2-V3, the following cut-points apply: greater than or equal to 0.2 mV in men greater than or equal to 40 years, greater than or equal to 0.25 mV in men less than 40 years, and greater than or equal to 0.15 mV in women, or b) ST depression and T-wave changes: new horizontal or down-sloping ST depression greater than or equal to 0.05 mV in two contiguous leads and/or new T inversion greater than or equal to 0.3 mV in two contiguous leads with prominent R wave or R/S ratio greater than 1.	Resting ECG Changes

**C119016 CVFARS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C61455	S3 GALLOP		Presence of mid-diastolic heart sound.	S3 Gallop
C119219	SLOW-FLOW/NO-FLOW/EMBOLIZATION		Angiographic reduction of flow into the coronary microcirculation.	Flow Reduced in Coronary Microcirculation
C123439	STENT THROMBOSIS ARC ACUTE		0 to 24 hours after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	Academic Research Council Acute Stent Thrombosis
C123440	STENT THROMBOSIS ARC LATE		Greater than 30 days to 1 year after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	Academic Research Council Late Stent Thrombosis
C123441	STENT THROMBOSIS ARC SUBACUTE		Greater than 24 hours to 30 days after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	Academic Research Council Subacute Stent Thrombosis
C123442	STENT THROMBOSIS ARC VERY LATE		Greater than 1 year after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	Academic Research Council Very Late Stent Thrombosis
C119220	TYPE 1 MYOCARDIAL INFARCTION		Spontaneous clinical syndrome related to atherosclerotic plaque rupture, ulceration, fissuring, erosion, or dissection, with resulting intraluminal thrombus, and leading to decreased myocardial blood flow or distal platelet emboli with ensuing myocyte necrosis. This classification requires a) detection of a rise and/or fall of cardiac biomarker values [preferably cardiac troponin (cTn)] with at least one value greater than 99th percentile of the upper reference limit (URL) and b) at least one of the following: symptoms of myocardial ischemia; new or presumed new significant ST-segment-T wave (ST-T) changes or new left bundle branch block (LBBB) on the ECG; development of pathological Q waves on the ECG; imaging evidence of new loss of viable myocardium or new regional wall motion abnormality; identification of an intracoronary thrombus by angiography or autopsy. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 1 Myocardial Infarction
C119221	TYPE 2 MYOCARDIAL INFARCTION		Ischemic imbalance: Spontaneous clinical syndrome where a condition other than coronary artery disease contributes to an imbalance between myocardial oxygen supply and/or demand, e.g. coronary endothelial dysfunction, coronary artery spasm, coronary embolism, tachy-/brady-arrhythmias, anemia, respiratory failure, hypotension, and hypertension with or without left ventricular hypertrophy. This classification requires detection of a rise and/or fall of cardiac biomarker values [preferably cardiac troponin (cTn)] with at least one value greater than 99th percentile of the upper reference limit (URL) and b) at least one of the following: symptoms of myocardial ischemia; new or presumed new significant ST-segment-T wave (ST-T) changes or new left bundle branch block (LBBB) on the ECG; development of pathological Q waves on the ECG; imaging evidence of new loss of viable myocardium or new regional wall motion abnormality. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 2 Myocardial Infarction

**C119016 CVFARS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119222	TYPE 3 MYOCARDIAL INFARCTION		Death, No Biomarkers: Death where symptoms suggestive of myocardial ischemia are present, and with (presumed) new ischemic changes or new LBBB on ECG, but where death occurs before cardiac biomarkers can be obtained, or before cardiac biomarker values could rise. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 3 Myocardial Infarction
C119223	TYPE 4A MYOCARDIAL INFARCTION		PCI Related: PCI Related Myocardial infarction associated with and occurring within 48h of percutaneous coronary intervention, with elevation of cardiac biomarker values to greater than 5x 99th percentile of the upper reference limit (URL) in patients with normal baseline values (less than or equal to 99th percentile URL), or a rise of cardiac biomarker values greater than or equal to 20% if the baseline values are elevated and are stable or falling. This classification also requires at least one of the following: symptoms of myocardial ischemia; new ischemic ECG changes or new LBBB; angiographic loss of patency of a major coronary artery or a side branch or persistent slow- or no-flow or embolization; imaging evidence of new loss of viable myocardium or new regional wall motion abnormality. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 4A Myocardial Infarction
C119224	TYPE 4B MYOCARDIAL INFARCTION		Stent Thrombosis: Myocardial infarction associated with stent thrombosis as detected by coronary angiography or at autopsy, where symptoms suggestive of myocardial ischemia are present, and with a rise and/or fall of cardiac biomarkers values, with at least one value greater than 99th percentile of the upper reference limit. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 4B Myocardial Infarction
C119225	TYPE 4C MYOCARDIAL INFARCTION		Stent Restenosis: Myocardial infarction associated with stent restenosis as detected by coronary angiography or at autopsy, occurring more than 48h after percutaneous coronary intervention, without evidence of stent thrombosis but with symptoms suggestive of myocardial ischemia, and with elevation of cardiac biomarker values to greater than 99th percentile of the upper reference limit (URL). This classification also requires the following: does not meet criteria for any other classification of myocardial infarction; presence of a greater than or equal to 50 percent stenosis at the site of previous successful stent PCI. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 4C Myocardial Infarction

## C119016 CVFARS

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119226	TYPE 5 MYOCARDIAL INFARCTION		CABG Related: Myocardial infarction associated with and occurring within 48h of coronary artery bypass graft surgery, with elevation of cardiac biomarker values to greater than 10x 99th percentile of the upper reference limit (URL) in patients with normal baseline cardiac biomarker values (less than or equal to 99th percentile URL). This classification also requires at least one of the following: new pathologic Q waves or new LBBB on ECG; angiographic new graft or new native coronary artery occlusion; imaging evidence of new loss of viable myocardium or new regional wall motion abnormality. (Universal definition of myocardial infarction, Kristian Thygesen, Joseph S. Alpert and Harvey D. White on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction, Eur Heart J (2007) 28 (20): 2525-2538.)	Joint Task Force Type 5 Myocardial Infarction
C3390	UNDETERMINED STROKE		An acute episode of focal or global neurological dysfunction caused by presumed brain, spinal cord, or retinal vascular injury as a result of hemorrhage or infarction but with insufficient information to allow categorization as ischemic or hemorrhagic.	Cerebrovascular Accident
C119227	URGENT HEART FAILURE VISIT		An event where the patient has an urgent, unscheduled office/practice or emergency department visit for a primary diagnosis of heart failure (HF) but is not admitted to the hospital, where the patient exhibits new or worsening symptoms of HF on presentation, has objective evidence of new or worsening HF, and receives initiation or intensification of treatment specifically for HF, with the exception that changes to oral diuretic therapy do not qualify as initiation or intensification of treatment. (Hicks KA, Tchong JE, Bozkurt B, Chaitman BR, Cutlip DE, Farb A, Fonarow GC, Jacobs JP, Jaff MR, Lichtman JH, Limacher MC, Mahaffey KW, Mehran, R, Nissen SE, Smith EE, Targum SL. 2014 ACC/AHA Key Data Elements and Definitions For Cardiovascular Endpoint Events In Clinical Trials: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular End Points Data Standards) J Am Coll Cardiol 2014; In Press)	ER or Office Visit Due to Heart Failure
C50591	VOLUME OVERLOAD		Excessive accumulation of intravascular fluid resulting from compromised regulatory mechanisms.	Hypervolemia
C119228	WORSENERD END-ORGAN PERFUSION		Decreased blood supply to the vital organs (kidney, liver, lungs, heart, brain).	Worsened End-Organ Perfusion

## CVFATS (Cardiovascular Findings About Test Name)

NCI Code: C119014, Codelist extensible: No

C119014 CVFATS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118936	Acute Myocardial Infarction Type	Acute Myocardial Infarction Type	Categorization of the type of acute myocardial infarction.	Acute Myocardial Infarction Type
C119229	Coronary Artery Thrombosis Method Ident	Coronary Artery Thrombosis Method Ident	The method by which the coronary artery thrombosis event is determined or diagnosed.	Coronary Artery Thrombosis Method of Identification
C119230	Endpoint Event Indicator	Endpoint Event Indicator	An indication as to whether the event meets the criteria for being a clinical endpoint.	Endpoint Event Indicator
C119237	Exclusion of Type 1 and Type 2 MI	Exclusion of Type 1 and Type 2 MI	An indication of whether a Type 1 and Type 2 myocardial infarction is excluded as a diagnosis.	Exclusion of Type 1 and Type 2 Myocardial Infarction Diagnosis Indicator
C119231	Healthcare Encounter Type	Healthcare Encounter Type	Categorization of the type of healthcare encounter.	Healthcare Encounter Type
C119232	Heart Failure New/Worsening Lab Findings	Heart Failure New/Worsening Lab Findings	Categorization of the type(s) of new and/or worsening laboratory findings of heart failure present at the time of patient presentation.	Lab Findings of New or Worsening Heart Failure
C119233	Heart Failure New/Worsening PE Findings	Heart Failure New/Worsening PE Findings	Categorization of the type(s) of new and/or worsening physical exam findings of heart failure present at the time of patient presentation.	Physical Examination Findings of New or Worsening Heart Failure
C119234	Heart Failure Therapy, Intensification	Heart Failure Therapy, Intensification	Categorization of the type(s) of new and/or intensified treatment administered for heart failure management.	Heart Failure Therapy Intensification Type
C119235	Ischemic Discomfort Indicator	Ischemic Discomfort Indicator	An indicator as to whether the subject has symptoms of ischemic discomfort.	Ischemic Discomfort Indicator
C119236	Ischemic Evidence Type	Ischemic Evidence Type	Categorization of the type of objective evidence of new or worsening ischemia.	Ischemic Evidence Type
C119238	New or Worsening Symptoms	New or Worsening Symptoms	A description of the new or worsening symptoms related to a clinical event.	New or Worsening Symptom
C123443	Non-Invasive Imaging Change	Non-Invasive Imaging Change	A description of the clinical change to the subject after a non-invasive imaging procedure.	Clinical Change by Non-Invasive Imaging Procedure
C119239	PCI Acute Angiographic Complication	PCI Acute Angiographic Complication	Categorization of the type of acute PCI angiographic complication resulting in acute myocardial ischemia.	Acute Myocardial Infarction From PCI Complication Type
C119240	Procedure Success Indicator	Procedure Success Indicator	An indication as to whether the procedure is considered successful.	Procedure Success Indicator
C101230	Procedure Urgency Status Type	Procedure Urgency Status Type	The degree of urgency in which a medical procedure must be performed.	Triage Status
C123424	Stent Thrombosis, Coronary, ARC Timing	Stent Thrombosis, Coronary, ARC Timing	Categorization of the timing of coronary stent thrombosis occurrence per the classification schema described by the Academic Research Consortium (ARC).	Academic Research Council Coronary Stent Thrombosis Timing
C119579	Stroke Type	Stroke Type	Categorization of the type of stroke.	Stroke Type
C119241	Symptom Indicator	Symptom Indicator	An indication as to whether the subject had symptoms related to the clinical event.	Symptom Indicator
C119242	Symptom Onset Date	Symptom Onset Date	The date time of the onset of symptoms of the clinical event.	Symptom Onset Date
C119243	Vessel Occlusion After CABG 48 Ind	Vessel Occlusion After CABG 48 Ind	An indication as to whether vessel occlusion, in the native or bypass graft, occurred within 48 hours after the coronary artery bypass graft procedure.	Vessel Occlusion 48 Hours after CABG Indicator



## CVFATSCD (Cardiovascular Findings About Test Code)

NCI Code: C119015, Codelist extensible: No

C119015 CVFATSCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118936	ACMITYPE	Acute Myocardial Infarction Type	Categorization of the type of acute myocardial infarction.	Acute Myocardial Infarction Type
C119229	CATMTHID	Coronary Artery Thrombosis Method Ident	The method by which the coronary artery thrombosis event is determined or diagnosed.	Coronary Artery Thrombosis Method of Identification
C119230	ENDPTIND	Endpoint Event Indicator	An indication as to whether the event meets the criteria for being a clinical endpoint.	Endpoint Event Indicator
C119231	HETYPE	Healthcare Encounter Type	Categorization of the type of healthcare encounter.	Healthcare Encounter Type
C119232	HFLBFNW	Heart Failure New/Worsening Lab Findings	Categorization of the type(s) of new and/or worsening laboratory findings of heart failure present at the time of patient presentation.	Lab Findings of New or Worsening Heart Failure
C119233	HFPEFNW	Heart Failure New/Worsening PE Findings	Categorization of the type(s) of new and/or worsening physical exam findings of heart failure present at the time of patient presentation.	Physical Examination Findings of New or Worsening Heart Failure
C119234	HFOTHERIN	Heart Failure Therapy, Intensification	Categorization of the type(s) of new and/or intensified treatment administered for heart failure management.	Heart Failure Therapy Intensification Type
C119235	ISCDIND	Ischemic Discomfort Indicator	An indicator as to whether the subject has symptoms of ischemic discomfort.	Ischemic Discomfort Indicator
C119236	ISCETYP	Ischemic Evidence Type	Categorization of the type of objective evidence of new or worsening ischemia.	Ischemic Evidence Type
C119237	MI12EXC	Exclusion of Type 1 and Type 2 MI	An indication of whether a Type 1 and Type 2 myocardial infarction is excluded as a diagnosis.	Exclusion of Type 1 and Type 2 Myocardial Infarction Diagnosis Indicator
C123443	NINVIMGC	Non-Invasive Imaging Change	A description of the clinical change to the subject after a non-invasive imaging procedure.	Clinical Change by Non-Invasive Imaging Procedure
C119238	NWSYMP	New or Worsening Symptoms	A description of the new or worsening symptoms related to a clinical event.	New or Worsening Symptom
C119239	PCIAAC	PCI Acute Angiographic Complication	Categorization of the type of acute PCI angiographic complication resulting in acute myocardial ischemia.	Acute Myocardial Infarction From PCI Complication Type
C119240	PRSUCIND	Procedure Success Indicator	An indication as to whether the procedure is considered successful.	Procedure Success Indicator
C101230	PRUSTAT	Procedure Urgency Status Type	The degree of urgency in which a medical procedure must be performed.	Triage Status
C123424	STCTIMNG	Stent Thrombosis, Coronary, ARC Timing	Categorization of the timing of coronary stent thrombosis occurrence per the classification schema described by the Academic Research Consortium (ARC).	Academic Research Council Coronary Stent Thrombosis Timing
C119579	STROKTYP	Stroke Type	Categorization of the type of stroke.	Stroke Type
C119241	SYMPINDC	Symptom Indicator	An indication as to whether the subject had symptoms related to the clinical event.	Symptom Indicator
C119242	SYMSTDTC	Symptom Onset Date	The date time of the onset of symptoms of the clinical event.	Symptom Onset Date
C119243	VOC48IND	Vessel Occlusion After CABG 48 Ind	An indication as to whether vessel occlusion, in the native or bypass graft, occurred within 48 hours after the coronary artery bypass graft procedure.	Vessel Occlusion 48 Hours after CABG Indicator

## CVPRCIND (Cardiac Procedure Indication)

NCI Code: C101859, Codelist extensible: Yes

C101859 CVPRCIND				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C99919	CANDIDATE TO RECEIVE CARDIAC TRANSPLANT		The intended recipient of a heart transplant.	Candidate to Receive Cardiac Transplant
C100033	CARDIAC ARREST/ARRHYTHMIA ETIOLOGY UNKNOWN		An episode of cardiac arrest or arrhythmia where the etiology was unknown.	Cardiac Arrest/Arrhythmia Etiology Unknown
C34830	CARDIOMYOPATHY		A disease of the heart muscle or myocardium proper. Cardiomyopathies may be classified as either primary or secondary, on the basis of etiology, or on the pathophysiology of the lesion: hypertrophic, dilated, or restrictive.	Cardiomyopathy
C99938	CHRONIC TOTAL OCCLUSION		A longstanding, complete blockage of a vessel.	Chronic Total Occlusion Vessel
C99947	DONOR FOR CARDIAC TRANSPLANT		The subject contributing a heart for a cardiac transplant.	Donor for Cardiac Transplant
C99949	END OF EXPECTED BATTERY LIFE		The battery that supplies the device has reached the end of its life.	End of Expected Battery Life
C100035	FAULTY CONNECTOR/HEADER		There is a faulty connector/header in the device.	Faulty Device Connector/Header
C99925	GENERATOR IS BEING REPLACED AT THE TIME OF LEAD REVISION		A cardiac lead requires revision, at which time the generator to the device will be replaced.	Cardiac Device Generator is Being Replaced at Time of Lead Revision
C99943	GENERATOR MALFUNCTION		The device has a generator malfunction.	Device Generator Malfunction
C99961	IMMEDIATE PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR ST ELEVATION MYOCARDIAL INFARCTION (STEMI)		An immediate percutaneous coronary intervention is necessary for a myocardial infarction that presents with ST segment elevation.	Immediate Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction
C26726	INFECTION		A disorder resulting from the presence and activity of a microbial, viral, or parasitic agent. It can be transmitted by direct or indirect contact. (NCI)	Infectious Disorder
C99931	LEAD EROSION		A cardiac lead has damaged local tissue enough to require treatment.	Cardiac Lead Erosion
C64251	LEFT VENTRICULAR SYSTOLIC DYSFUNCTION		The degree of impairment of the left cardiac ventricle to contract efficiently.	Left Ventricular Systolic Dysfunction
C100045	MANUFACTURER RECALL		An imperative issued by the manufacturer of a device that the device needs to be returned to a designated source for repair or replacement.	Manufacturer Recall
C99980	MANUFACTURER RECOGNIZED A RECURRING PERFORMANCE FAILURE		The device manufacturer had recognized a recurrent performance failure in the device.	Manufacturer Recognized a Recurring Performance Failure
C99982	MEDICAL CONDITION OR PROCEDURE AFFECTS IMPLANTATION SITE		The medical condition or the procedure affects the device implantation site.	Medical Condition or Procedure Affects Implantation Site
C99983	MEDICAL OR SURGICAL PROCEDURE REQUIRING RELOCATION OF LEAD		An intended medical or surgical procedure necessitates the relocation of a cardiac lead.	Medical or Surgical Procedure Requiring Relocation of Lead

**C101859 CVPRCIND**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99999	PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR HIGH RISK NON-ST ELEVATION MYOCARDIAL INFARCTION OR UNSTABLE ANGINA		Includes patients with unstable angina or Non-STEMI who have high risk features for short-term risk of death or nonfatal MI. High risk features includes at least one of the following: history of accelerating tempo of ischemic symptoms in preceding 48 hours; character of pain - prolonged ongoing (greater than 20 minutes) rest pain; clinical findings - pulmonary edema, most likely due to ischemia or new or worsening mitral regurgitation murmur; or S3 or new worsening rales or Hypotension, bradycardia, tachycardia or age greater than 75 years; ECG - angina at rest with transient ST-segment changes greater than 0.5 mm or bundle-branch block, new or presumed new or sustained ventricular tachycardia; cardiac markers - NSTEMI patients with elevated cardiac TnT, Tnl, or CK-MB.	Percutaneous Coronary Intervention for High Risk Non-ST Elevation Myocardial Infarction or Unstable Angina
C100001	PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR ST ELEVATION MYOCARDIAL INFARCTION (STEMI) (STABLE AFTER SUCCESSFUL FULL-DOSE THROMBOLYTICS)		A percutaneous coronary intervention is necessary for a myocardial infarction that presents with ST segment elevation and the subject does not have recurrent or persistent symptoms, symptoms of heart failure or ventricular arrhythmia after a successful dose of thrombolytic therapy.	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable After Successful Full-Dose Thrombolytic Therapy
C100000	PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR ST ELEVATION MYOCARDIAL INFARCTION (STEMI) (STABLE, >12 HRS FROM SYMPTOM ONSET)		A percutaneous coronary intervention is necessary for a myocardial infarction that presents with ST segment elevation and the subject does not have recurrent or persistent symptoms, symptoms of heart failure or ventricular arrhythmia. The presentation is past twelve hours since onset of symptoms.	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable-Over 12 Hours From Symptom Onset
C100002	PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR ST ELEVATION MYOCARDIAL INFARCTION (STEMI) (UNSTABLE, >12 HRS FROM SYMPTOM ONSET)		A percutaneous coronary intervention is necessary for a myocardial infarction that presents with ST segment elevation and the subject has recurrent or persistent symptoms, symptoms of heart failure or ventricular arrhythmia. The presentation is past twelve hours since onset of symptoms.	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Unstable-Over 12 Hours From Symptom Onset
C100005	POST-CARDIAC TRANSPLANT		A procedure to evaluate the health of the an individual after receiving a heart transplant.	Post-Cardiac Transplant Evaluation
C100006	PRE-OPERATIVE EVALUATION FOR NON-CARDIOVASCULAR SURGERY		A procedure to evaluate the health of the cardiac system to determine feasibility of a non-cardiac related surgical procedure.	Pre-Operative Evaluation for Non-Cardiovascular Surgery
C15306	PRIMARY PREVENTION		A procedure performed to avoid the first occurrence of a disease condition.	Primary Prevention
C100008	RESCUE PERCUTANEOUS CORONARY INTERVENTION (PCI) FOR ST ELEVATION MYOCARDIAL INFARCTION (STEMI) (AFTER FAILED FULL-DOSE THROMBOLYTICS)		A percutaneous coronary intervention is imperative for a myocardial infarction that presents with ST segment elevation after an unsatisfactory response to a full dose of thrombolytic therapy.	Rescue Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction After Failed Full-Dose Thrombolytic Therapy
C15712	SECONDARY PREVENTION		A procedure performed to avoid a subsequent occurrence of a disease condition.	Secondary Prevention
C100014	SPONTANEOUS SUSTAINED VENTRICULAR TACHYCARDIA		Ventricular tachycardia that occurs without provocation and does not resolve spontaneously.	Spontaneous Sustained Ventricular Tachycardia by ECG Finding
C100015	STAGED PERCUTANEOUS CORONARY INTERVENTION (PCI)		A subsequent Percutaneous Coronary Intervention in a planned series of procedures, where the first PCI could have been during a prior admission, or during this admission.	Staged Percutaneous Coronary Intervention
C100018	SYNCOPE WITH HIGH RISK CHARACTERISTICS		A sudden loss of consciousness with loss of postural tone not related to anesthesia with high risk characteristics. High risk characteristics include non-ischemic dilated cardiomyopathy, or ischemic heart disease with significant ventricular dysfunction, hypertrophic cardiomyopathy, Brugada Syndrome, or Long QT Syndrome.	Syncope with High Risk Cardiac Characteristics

**C101859 CVPRCIND**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100019	SYNCOPE WITH INDUCIBLE VENTRICULAR TACHYCARDIA		Sudden loss of consciousness with loss of postural tone not related to anesthesia with ventricular tachycardia (VT) that can be induced during an electrophysiological study.	Syncope with Inducible Ventricular Tachycardia by ECG Finding
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown
C100030	UPGRADE TO A DEVICE WITH ADDITIONAL PACING CAPABILITIES		A device with additional pacing capabilities is replacing the current device.	Upgrade to Cardiac Device with Additional Pacing Capabilities
C50799	VENTRICULAR FIBRILLATION		Ventricular Fibrillation is characterized by rapid, usually more than 300 bpm (cycle length: 180 ms or less), grossly irregular ventricular rhythm with marked variability in QRS cycle length, morphology, and amplitude.	Ventricular Fibrillation

**CVSLDEXT (Coronary Vessel Disease Extent)**

NCI Code: C101850, Codelist extensible: No

<b>C101850 CVSLDEXT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C48658	INDETERMINATE	Inconclusive	Cannot distinguish between two or more possible values in the current context. (NCI)	Indeterminate
C119244	INSIGNIFICANT DISEASE		A finding of stenosis of less than 70 percent reduction in diameter (or 50 percent reduction in cross-sectional area) in a major epicardial vessel, without stenosis of greater than or equal to 70 percent reduction in diameter (or 50 percent reduction in cross-sectional area) in any major epicardial vessel. (NCI)	Insignificant Disease by ECG Finding
C99993	NO DISEASE		There was no stenosis in any coronary artery or branch vessel.	No Evidence of Coronary Artery Disease
C99997	ONE VESSEL DISEASE		There was stenosis of greater than or equal to 70 percent reduction in diameter (or 50 percent reduction in cross-sectional area) in one major epicardial vessel or its major branches.	One Vessel Coronary Disease
C100020	THREE VESSEL DISEASE		There was one of the following: Stenosis of greater than or equal to 70 percent reduction in diameter (or 50 percent reduction in cross-sectional area) in all three major epicardial vessels (anterior descending, posterior descending, circumflex) or their major branches; Stenosis of greater than or equal to 50 percent reduction in diameter of the left main and greater than or equal to 70 percent reduction in diameter, or 50 percent reduction in cross-sectional area of the right coronary artery with a right dominant or co-dominant circulation; Stenosis of greater than or equal to 50 percent reduction in diameter of the left main with a left dominant circulation.	Three Vessel Coronary Disease
C100023	TWO VESSEL DISEASE		There was one of the following: Stenosis of greater than or equal to 70 percent reduction in diameter (or 50 percent reduction in cross-sectional area) in two major epicardial vessels or their major branches; Stenosis of greater than or equal to 50 percent reduction in diameter of the left main with a right dominant or co-dominant circulation, and no stenosis of greater than or equal to 70 percent reduction in diameter, or 50 percent reduction in cross-sectional area in the right coronary artery.	Two Vessel Coronary Disease
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## CVTEST (Cardiovascular Test Name)

NCI Code: C101846, Codelist extensible: Yes

C101846 CVTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C139038	Aneurysm Indicator	Aneurysm Indicator	An indication as to whether there is the presence of one or more aneurysms.	Aneurysm Indicator
C127535	Annular a' Velocity	Annular a' Velocity	The peak velocity of the annular motion during late ventricular diastole (the active filling of the ventricle).	Annular a' Velocity
C127536	Annular e' Velocity	Annular e' Velocity	The peak velocity of the annular motion during early ventricular diastole (the passive filling of the ventricle).	Annular e' Velocity
C139042	Annular Plane Systolic Excursion	Annular Plane Systolic Excursion	The longitudinal displacement of a cardiac valve annulus toward the apex of the heart.	Annular Plane Systolic Excursion
C139045	Annular S' Velocity	Annular S' Velocity	The peak velocity of the annular motion during ventricular systole.	Annular S' Velocity
C122038	Aortic Augmentation Index	Aortic Augmentation Index	The augmentation pressure divided by the aortic pulse pressure (aortic systolic minus aortic diastolic pressure) multiplied by 100, expressed as a percentage.	Aortic Augmentation Index
C122083	Aortic Augmentation Index at 75bpm	Aortic Augmentation Index at 75bpm	The aortic augmentation index normalized to a heart rate of 75 beats per minute.	Aortic Augmentation Index at 75bpm
C122084	Aortic Augmentation Pressure	Aortic Augmentation Pressure	The difference between the second pressure peak in the aortic wave, secondary to the pressure wave reflection from the sites of peripheral arterial impedance mismatch (P2) and the first pressure peak in the aortic wave form, secondary to ventricular ejection (P1).	Aortic Augmentation Pressure
C122085	Aortic Augmentation Pressure Peak P1	Aortic Augmentation Pressure Peak P1	The first pressure peak in the aortic wave form secondary to ventricular ejection.	Augmentation Pressure Point P1
C122086	Aortic Augmentation Pressure Peak P2	Aortic Augmentation Pressure Peak P2	The second pressure peak in the aortic waveform secondary to pressure wave reflection from the periphery.	Augmentation Pressure Point P2
C139033	Aortic Coarctation Indicator	Aortic Coarctation Indicator	An indication as to whether there is coarctation of the aorta.	Aortic Coarctation Indicator
C139037	Aortic Coarctation Severity	Aortic Coarctation Severity	The assessment of the severity of aortic coarctation.	Aortic Coarctation Severity
C139035	Aortic Ductal Coarctation Severity	Aortic Ductal Coarctation Severity;Aortic Juxta-ductal Coarctation Severity	The assessment of the severity of ductal aortic coarctation.	Aortic Juxta-ductal Coarctation Severity
C139036	Aortic Postductal Coarctation Severity	Aortic Postductal Coarctation Severity	The assessment of the severity of postductal aortic coarctation.	Aortic Postductal Coarctation Severity
C139034	Aortic Preductal Coarctation Severity	Aortic Preductal Coarctation Severity	The assessment of the severity of preductal aortic coarctation.	Aortic Preductal Coarctation Severity
C127539	Aortic Regur Jet Width LVOT Diam Rt	Aortic Regur Jet Width LVOT Diam Rt;Aortic Regurgitant Jet Width to Left Ventricular Outflow Tract Diameter Ratio	A relative measurement (ratio) of the aortic regurgitant jet width to left ventricular outflow tract (LVOT) diameter.	Aortic Regurgitant Jet Width to Left Ventricular Outflow Tract Diameter Ratio
C127540	Aortic Valve Regurgitant Fraction	Aortic Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the aortic valve expressed as a percentage of the anterograde flow volume.	Aortic Valve Regurgitant Fraction
C127541	Aortic Valve Regurgitant Jet Width	Aortic Valve Regurgitant Jet Width	The measured width of the regurgitant jet of blood into the left ventricular outflow tract.	Aortic Valve Regurgitant Jet Width
C127542	Aortic Valve Regurgitant Volume	Aortic Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the aortic valve.	Aortic Valve Regurgitant Volume
C127543	Aortic Valve Vena Contracta Area	Aortic Valve Vena Contracta Area	The area of the vena contracta of the aortic valve.	Aortic Valve Vena Contracta Area
C127544	Aortic Valve Vena Contracta Width	Aortic Valve Vena Contracta Width	The width of the vena contracta of the aortic valve.	Aortic Valve Vena Contracta Width
C127537	Area, End Ventricular Diastole	Area, End Ventricular Diastole	The 2-dimensional surface enclosed within a boundary of a cardiovascular structure and measured at end ventricular diastole.	Area at End Ventricular Diastole

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127538	Area, End Ventricular Systole	Area, End Ventricular Systole	The 2-dimensional surface enclosed within a boundary of a cardiovascular structure and measured at end ventricular systole.	Area at End Ventricular Systole
C94866	Blood Flow Rate	Blood Flow Rate	The volume of blood per unit time passing through a specified location, such as a point in a blood vessel or an entire organ.	Blood Flow Rate
C119245	Cardiac Index	Cardiac Index	The measure of an individual's cardiac output divided by the individual's body surface area (CI= CO/BSA).	Cardiac Index
C139063	Cardiac Muscle Hypertrophy Indicator	Cardiac Muscle Hypertrophy Indicator	An indication as to whether there is a hypertrophied cardiac muscle.	Heart Chamber Hypertrophy Indicator
C119246	Cardiac Output	Cardiac Output	The total volume of blood pumped by the heart over a set period of time, conventionally one minute; it is calculated as heart rate times stroke volume (CO= HR x SV).	Cardiac Output
C127563	Cardiac Valve Regur Jet Direction	Cardiac Valve Regur Jet Direction;Cardiac Valve Regurgitation Jet Direction	The trajectory of the retrograde blood flow from a cardiac valve.	Cardiac Valve Regurgitant Jet Direction
C142245	Cardiac Valve Stenosis Likely Etiology	Cardiac Valve Stenosis Likely Etiology	A description of the likely cause of the pathology responsible for the cardiac valve stenosis.	Cardiac Valve Stenosis Likely Etiology
C139056	Cardiac Valvular Regur Likely Etiology	Cardiac Valvular Regur Likely Etiology;Cardiac Valvular Regurgitation Likely Etiology	An estimation as to the cause of the pathology responsible for the cardiac valve regurgitation.	Cardiac Valvular Regurgitation Likely Etiology
C139055	Cardiac Valvular Regurgitation Indicator	Cardiac Valvular Regurgitation Indicator	An indication as to whether a specific cardiac valve is regurgitant.	Cardiac Valvular Regurgitation Indicator
C102244	Cardiac Valvular Regurgitation Severity	Cardiac Valvular Regurgitation Severity	The qualitative measurement of the severity of cardiac valvular regurgitation.	Cardiac Valvular Regurgitation Severity
C142244	Cardiac Valvular Stenosis Indicator	Cardiac Valvular Stenosis Indicator	An indication as to whether the cardiac valve in question has stenosis.	Cardiac Valvular Stenosis Indicator
C102245	Cardiac Valvular Stenosis Severity	Cardiac Valvular Stenosis Severity	The qualitative measurement of the severity of cardiac valvular stenosis.	Cardiac Valvular Stenosis Severity
C127564	Cardiac Wall Motion Type	Cardiac Wall Motion Type	The assessment of the movement of the cardiac muscle, either as a whole or at one or more specific anatomical locations.	Cardiac Wall Motion Type
C127562	Chordae Tendineae Prolapse Indicator	Chordae Tendineae Prolapse Indicator	An indication as to whether there is prolapsing of a cardiac valve chordae tendinae.	Chordae Tendineae Prolapse Indicator
C100086	Coronary Artery Dominance	Coronary Artery Dominance	The pattern of the epicardial vessels supplying the posterolateral and posterior descending coronary arteries.	Coronary Artery Dominance
C119331	Coronary Artery No Reflow Indicator	Coronary Artery No Reflow Indicator	An indication as to whether there is a new acute reduction in coronary flow (TIMI grade 0-1) in the absence of dissection, thrombus, spasm, or high-grade residual stenosis at the original PCI lesion site.	Coronary No Reflow at PCI Site Indicator
C127545	Cross-sec Diameter, EVD	Cross-sec Diameter, EVD;Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured at end ventricular diastole.	Cross-sectional Diameter at End Ventricular Diastole
C127546	Cross-sec Diameter, EVS	Cross-sec Diameter, EVS;Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured at end ventricular systole.	Cross-sectional Diameter at End Ventricular Systole
C127547	Cross-sec Diameter, MVS	Cross-sec Diameter, MVS;Cross-sectional Diameter, Mid Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured at mid ventricular systole.	Cross-sectional Diameter at Mid Ventricular Systole
C127595	Cross-sec Thickness, EVD	Cross-sec Thickness, EVD;Cross-sectional Thickness, End Ventricular Diastole	The cross-sectional thickness of a cardiovascular structure measured at end ventricular diastole.	Cross-sectional Thickness at End Ventricular Diastole
C127596	Cross-sec Thickness, EVS	Cross-sec Thickness, EVS;Cross-sectional Thickness, End Ventricular Systole	The cross-sectional thickness of a cardiovascular structure measured at end ventricular systole.	Cross-sectional Thickness at End Ventricular Systole

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139032	Cross-sectional Diameter	Cross-sectional Diameter	A measurement of a structure taken along the plane that is perpendicular to the long axis.	Cross-sectional Diameter
C127548	Cusp Doming Indicator	Cusp Doming Indicator	An indication as to whether there is doming of a cardiac valve cusp.	Cusp Doming Indicator
C127549	Cusp Doming Severity	Cusp Doming Severity	The assessment of the severity of doming of a cardiac valve cusp.	Cusp Doming Severity
C127550	Cusp Flail Indicator	Cusp Flail Indicator	An indication as to whether there is a flailing cardiac valve cusp.	Cusp Flail Indicator
C127551	Cusp Flail Severity	Cusp Flail Severity	The assessment of the severity of a flailing cardiac valve cusp.	Cusp Flail Severity
C127552	Cusp Flail Timing	Cusp Flail Timing	The time point during the cardiac cycle when the flail of one or more cardiac valve cusps occurs.	Cusp Flail Timing
C127553	Cusp Prolapse Indicator	Cusp Prolapse Indicator	An indication as to whether there is a prolapsing cardiac valve cusp.	Cusp Prolapse Indicator
C127554	Cusp Prolapse Severity	Cusp Prolapse Severity	The assessment of the severity of a prolapsing cardiac valve cusp.	Cusp Prolapse Severity
C127555	Cusp Prolapse Timing	Cusp Prolapse Timing	The time point during the cardiac cycle when the prolapse of one or more cardiac valve cusps occurs.	Cusp Prolapse Timing
C127556	Cusp Restricted Motion Indicator	Cusp Restricted Motion Indicator	An indication as to whether there is restricted motion of a cardiac valve cusp.	Cusp Restricted Motion Indicator
C127557	Cusp Restricted Motion Severity	Cusp Restricted Motion Severity	The assessment of the severity of restricted motion of a cardiac valve cusp.	Cusp Restricted Motion Severity
C127558	Cusp Tethering Indicator	Cusp Tethering Indicator	An indication as to whether there is tethering of a cardiac valve cusp.	Cusp Tethering Indicator
C127559	Cusp Tethering Severity	Cusp Tethering Severity	The assessment of the severity of tethering of a cardiac valve cusp.	Cusp Tethering Severity
C127560	Cusp Thickening Indicator	Cusp Thickening Indicator	An indication as to whether there is a thickened cardiac valve cusp.	Cusp Thickening Indicator
C127561	Cusp Thickening Severity	Cusp Thickening Severity	The assessment of the severity of a thickening cardiac cusp.	Cusp Thickening Severity
C139041	DeBakey AoD Classification	DeBakey AoD Classification;DeBakey Aortic Dissection Classification	The type of aortic dissection present as defined by the DeBakey Classification System (DeBakey ME, Henly WS, Cooley DA, Morris GC Jr, Crawford ES, Beall AC Jr. Surgical management of dissecting aneurysms of the aorta. J Thorac Cardiovasc Surg. 1965 Jan;49:130-49).	DeBakey Aortic Dissection Classification
C25333	Depth	Depth	The extent downward or inward; the perpendicular measurement from the surface downward to determine deepness. (NCI)	Depth
C147148	Dimensionless Index	Dimensionless Index;Dimensionless Velocity Index	The ratio of the blood velocity in the left ventricular outflow tract (LVOT) to the maximum blood velocity across the aortic valve.	Dimensionless Index
C139039	Dissection Indicator	Dissection Indicator	An indication as to whether there is the presence of blood vessel dissection.	Dissection Indicator
C139057	Eccentric Regurgitant Jet Indicator	Eccentric Regurgitant Jet Indicator	An indication as to whether an eccentric regurgitant jet direction is present.	Eccentric Regurgitant Jet Indicator
C147149	Effective Orifice Area	Effective Orifice Area	The calculated estimate of the area of a cardiac valve at the point of maximum opening.	Effective Orifice Area
C147150	Effective Orifice Area Index	Effective Orifice Area Index	The ratio of the effective orifice area (EOA) to the body surface area (BSA).	Effective Orifice Area Index
C127565	Effective Regurgitant Orifice Area	Effective Regurgitant Orifice Area	A measurement of the effective regurgitant orifice area of the valve.	Effective Regurgitant Orifice Area
C122088	Ejection Wave Amplitude	Ejection Wave Amplitude	The magnitude of the ejection wave that occurs when blood is ejected into the aorta by the left ventricle.	Ejection Wave Amplitude
C142241	Fractional Area Change	Fractional Area Change	The percent reduction in the area of a given structure with the following formula: (EDA-ESA)/EDA times 100, where EDA is end diastolic area and ESA is end systolic area.	Fractional Area Change



**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139062	Heart Chamber Enlargement Indicator	Heart Chamber Enlargement Indicator	An indication as to whether there is an enlarged heart chamber.	Heart Chamber Enlargement Indicator
C135372	Heart Chamber Volume, EVD	Heart Chamber Volume, EVD;Heart Chamber Volume, End Ventricular Diastole	The volume of blood remaining in a heart chamber at end ventricular diastole.	Heart Chamber Volume at End Ventricular Diastole
C135373	Heart Chamber Volume, EVS	Heart Chamber Volume, EVS;Heart Chamber Volume, End Ventricular Systole	The volume of blood remaining in a heart chamber at end ventricular systole.	Heart Chamber Volume at End Ventricular Systole
C116148	In-Stent Restenosis Indicator	In-Stent Restenosis Indicator	An indication as to whether there is re-narrowing of a stent implanted at a lesion site to treat a prior stenosis, to a diameter stenosis of greater than 50% within the stent.	In-Stent Restenosis Indicator
C130055	Inferior Vena Cava Collapse Sniff Ind	Inferior Vena Cava Collapse Indicator;Inferior Vena Cava Collapse Sniff Ind	An indication as to whether inferior vena cava collapse occurred with sniff.	Inferior Vena Cava Collapse Due to Sniff Test Indicator
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C80494	Ischemic Myocardium Percentage	Ischemic Myocardium Percentage	The percentage of myocardial tissue which exhibits characteristics of inadequate blood flow (ischemia).	Ischemic Myocardium Percentage
C127566	Largest Cross-sec Diameter, EVD	Largest Cross-sec Diameter, EVD;Largest Cross-sectional Diameter, End Ventricular Diastole	The largest cross sectional diameter of a vascular structure measured at end ventricular diastole.	Largest Cross-sectional Diameter at End Ventricular Diastole
C127567	Largest Cross-sec Thickness	Largest Cross-sec Thickness;Largest Cross-sectional Thickness	The assessment of the largest cross-sectional thickness of a tissue.	Largest Cross-sectional Thickness
C116146	Late Lumen Loss	Late Lumen Loss	The difference between the mean minimum lumen diameter (MLD) assessed immediately after an index procedure and the MLD assessed at follow-up angiography.	Late Lumen Loss Measurement
C99524	Left Ventricular Ejection Fraction	Left Ventricular Ejection Fraction	The percent or fraction of the left ventricular end diastolic volume ejected during systole that can be measured by visual estimation or calculation.	Left Ventricular Ejection Fraction
C135374	Left Ventricular Ejection Fraction, Cal	Left Ventricular Ejection Fraction, Cal;Left Ventricular Ejection Fraction, Calculated	A calculated estimation of the percent or fraction of the volume of blood ejected from the left ventricle during left ventricular systole, calculated as the left ventricular stroke volume divided by the left ventricular end diastolic volume.	Calculated Left Ventricular Ejection Fraction
C135375	Left Ventricular Ejection Fraction, Est	Left Ventricular Ejection Fraction, Est;Left Ventricular Ejection Fraction, Estimated	A visual estimation of the percent or fraction of the volume of blood ejected from the left ventricle during left ventricular systole.	Estimated Left Ventricular Ejection Fraction
C38020	Left Ventricular Fractional Shortening	Left Ventricular Fractional Shortening	The reduction in the length of the end-diastolic diameter dimension that occurs between end-systole and end-diastole, expressed as a fraction of the end-diastolic dimension. Calculation of the left ventricular fractional shortening is per the following formula: [(end-diastolic dimension minus end-systolic dimension) divided by end-diastolic dimension] multiplied by 100.	Left Ventricular Fractional Shortening
C142243	Left Ventricular Mass Index	Left Ventricular Mass Index	The left ventricular mass divided by the subject's body surface area.	Left Ventricular Mass Index
C142242	Left Ventricular Mass, Estimated	Left Ventricular Mass, Estimated	The weight of the left ventricle in grams as estimated by a formula that uses estimated measurements from echocardiographic exams, as well as constants like the specific gravity of the myocardium. Left ventricular mass is estimated using the following equation, LV Mass (g) = 0.8 {1.04{[(LVEDD + IVSd + PWd]^3 - LVEDD^3)}} + 0.6, where LVEDD is LV end-diastolic dimension, IVSd is interventricular septal thickness at end-diastole, and PWd is posterior wall thickness at end-diastole.	Estimated Mass of Left Ventricle

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25334	Length	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C116147	Lesion Restenosis Indicator	Lesion Restenosis Indicator	An indication as to whether there is re-narrowing of a lesion site following treatment of a prior stenosis, to a diameter stenosis of greater than 50% at the previously treated lesion site.	Lesion Restenosis Indicator
C127568	LVOT Peak Velocity	LVOT Peak Velocity;Left Ventricular Outflow Tract Peak Velocity	A measurement of the maximum velocity of blood flow measured in the left ventricular outflow tract during left ventricular systole.	Left Ventricular Outflow Tract Peak Velocity
C127569	LVOT Velocity Time Integral	LVOT Velocity Time Integral;Left Ventricular Outflow Tract Velocity Time Integral	The integral of all of the instantaneous flow velocities within the left ventricular outflow tract during left ventricular systole.	Left Ventricular Outflow Tract Velocity Time Integral
C127573	Major Axis Cross-sec Diameter, EVD	Major Axis Cross-sec Diameter, EVD;Major Axis Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured along its major axis at end ventricular diastole.	Major Axis Cross-sectional Diameter at End Ventricular Diastole
C127574	Major Axis Cross-sec Diameter, EVS	Major Axis Cross-sec Diameter, EVS;Major Axis Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured along its major axis at end ventricular systole.	Major Axis Cross-sectional Diameter at End Ventricular Systole
C135377	Major Axis Cross-sec. Diameter	Major Axis Cross-sec. Diameter;Major Axis Cross-sectional Diameter	The cross sectional diameter of a tissue, organ, or structure measured along its major axis. (NCI)	Major Axis Cross-sectional Diameter
C139053	Major Axis Cross-sec. Diameter, MVS	Major Axis Cross-sec. Diameter, MVS;Major Axis Cross-sectional Diameter, Mid Ventricular Systole	The cross-sectional diameter of a cardiovascular structure measured along its major axis at mid ventricular systole.	Major Axis Cross-sectional Diameter at Mid Ventricular Systole
C139059	Major Axis Internal Diameter, EVD	Major Axis Internal Diameter, EVD;Major Axis Internal Diameter, End Ventricular Diastole	The internal diameter of a cardiovascular structure measured along its major axis at end ventricular diastole.	Major Axis Internal Diameter at End Ventricular Diastole
C139058	Major Axis Internal Diameter, EVS	Major Axis Internal Diameter, EVS;Major Axis Internal Diameter, End Ventricular Systole	The internal diameter of a cardiovascular structure measured along its major axis at end ventricular systole.	Major Axis Internal Diameter at End Ventricular Systole
C43246	Mass	Mass	The amount of matter in an object.	Mass
C139048	Maximal Pericardial Effusion Width	Maximal Pericardial Effusion Width	The quantitative measurement of the maximum separation between the parietal and visceral pericardia during diastole.	Maximal Pericardial Effusion Width
C127570	Mean Blood Flow Velocity	Mean Blood Flow Velocity	A measurement of the mean velocity of blood across an area or tissue.	Mean Blood Flow Velocity
C135376	Mean Blood Pressure, Estimated	Mean Blood Pressure, Estimated	The estimated average blood pressure. (NCI)	Estimated Mean Blood Pressure
C147152	Mean Pressure Gradient	Mean Pressure Gradient	A value that represents the mean pressure gradient that exists between two points across a structure.	Mean Pressure Gradient
C116143	Mean Vessel Diameter	Mean Vessel Diameter	The mean of the inside diameters of the normal blood vessel segments.	Mean Vessel Diameter
C116144	Minimum Vessel Lumen Diameter	Minimum Vessel Lumen Diameter	The minimum diameter of the inside of a blood vessel (lumen) derived quantitatively in a single view.	Minimum Vessel Lumen Diameter
C127575	Minor Axis Cross-sec Diameter, EVD	Minor Axis Cross-sec Diameter, EVD;Minor Axis Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured along its minor axis at end ventricular diastole.	Minor Axis Cross-sectional Diameter at End Ventricular Diastole
C127576	Minor Axis Cross-sec Diameter, EVS	Minor Axis Cross-sec Diameter, EVS;Minor Axis Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured along its minor axis at end ventricular systole.	Minor Axis Cross-sectional Diameter at End Ventricular Systole
C135378	Minor Axis Cross-sec. Diameter	Minor Axis Cross-sec. Diameter;Minor Axis Cross-sectional Diameter	The cross sectional diameter of a tissue, organ, or structure measured along its minor axis. (NCI)	Minor Axis Cross-sectional Diameter

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139052	Minor Axis Cross-sec. Diameter, MVS	Minor Axis Cross-sec. Diameter, MVS; Minor Axis Cross-sectional Diameter, Mid Ventricular Systole	The cross-sectional diameter of a cardiovascular structure measured along its minor axis at mid ventricular systole.	Minor Axis Cross-sectional Diameter at Mid Ventricular Systole
C139061	Minor Axis Internal Diameter, EVD	Minor Axis Internal Diameter, EVD; Minor Axis Internal Diameter, End Ventricular Diastole	The internal diameter of a cardiovascular structure measured along its minor axis at end ventricular diastole.	Minor Axis Internal Diameter at End Ventricular Diastole
C139060	Minor Axis Internal Diameter, EVS	Minor Axis Internal Diameter, EVS; Minor Axis Internal Diameter, End Ventricular Systole	The internal diameter of a cardiovascular structure measured along its minor axis at end ventricular systole.	Minor Axis Internal Diameter at End Ventricular Systole
C127571	Mitral E/A Ratio	Mitral E/A Ratio	The ratio of the peak early ventricular diastolic (E) transmitral velocity to the peak late ventricular diastolic (A) transmitral velocity.	Mitral E/A Ratio
C127572	Mitral E/e' Ratio	Mitral E/e' Ratio	The ratio of the peak early ventricular diastolic (E) transmitral velocity to the peak early mitral annular motion velocity (e').	Mitral E/e' Ratio
C127577	Mitral Regur Jet Area L Atrial Area Rt	Mitral Regur Jet Area L Atrial Area Rt; Mitral Regurgitant Jet Area to Left Atrial Area Ratio	A relative measurement (ratio) of the mitral regurgitant jet area to left atrial area.	Mitral Regurgitant Jet Area to Left Atrial Area Ratio
C127578	Mitral Valve Regurgitant Fraction	Mitral Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the mitral valve expressed as a percentage of the anterograde flow volume.	Mitral Valve Regurgitant Fraction
C127579	Mitral Valve Regurgitant Jet Area	Mitral Valve Regurgitant Jet Area	The measured area of the regurgitant jet of blood into the left atrium.	Mitral Valve Regurgitant Jet Area
C127580	Mitral Valve Regurgitant Volume	Mitral Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the mitral valve.	Mitral Valve Regurgitant Volume
C127581	Mitral Valve Vena Contracta Area	Mitral Valve Vena Contracta Area	The area of the vena contracta of the mitral valve.	Mitral Valve Vena Contracta Area
C127582	Mitral Valve Vena Contracta Width	Mitral Valve Vena Contracta Width	The width of the vena contracta of the mitral valve.	Mitral Valve Vena Contracta Width
C139043	Myocardial Performance Index	Myocardial Performance Index	A calculated result that uses the following base formula to quantify both systolic and diastolic ventricular function: $MPI = (IVCT + IVRT)/VET$ , where IVCT is isovolumetric contraction time, IVRT is isovolumetric relaxation time, and VET is ventricular ejection time.	Myocardial Performance Index
C139050	Native Cardiac Valve Intervention Type	Native Cardiac Valve Intervention Type	A description of what kind of intervention has been performed on a native cardiac valve.	Native Cardiac Valve Intervention Type
C139054	Number of Cusps	Number of Cusps	A quantitative determination of the number of cusps composing a given cardiac valve.	Number of Cardiac Valve Cusps
C99996	Number of Diseased Coronary Vessels	Number of Diseased Coronary Vessels	Number of major epicardial vessels with greater than or equal to 70% reduction in diameter or greater than or equal to 50% reduction in cross-sectional area.	Number of Diseased Coronary Artery Vessels
C146994	Obs Med Device Type In Intended Loc	Obs Med Device Type In Intended Loc; Observed Medical Device In The Intended Location	A description of the type of medical device that is found in a subject and is in its intended location.	Observed Medical Device Type In Intended Location
C147153	Obs Med Device Type Not In Intended Loc	Obs Med Device Type Not In Intended Loc	A description of the type of medical device that is found in a subject but is not in its intended location.	Observed Medical Device Type Not Present In Intended Location Type
C147151	Observed Foreign Body Indicator	Observed Foreign Body Indicator	An indication as to whether a medical or non-medical foreign body is present in a subject.	Observed Foreign Body Indicator
C147154	Observed Non-Medical Foreign Body Type	Observed Non-Medical Foreign Body Type	A description of the type of non-medical foreign body that is found in a subject.	Observed Non-Medical Foreign Body Type
C127584	Peak A Velocity	Peak A Velocity	The peak velocity of blood flow across a cardiac valve during late ventricular diastole (the active filling of the ventricle).	Peak A Velocity
C127583	Peak Blood Flow Velocity	Peak Blood Flow Velocity	A measurement of the maximum velocity of blood across an area or tissue.	Peak Blood Flow Velocity

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127585	Peak E Velocity	Peak E Velocity	The peak velocity of blood flow across a cardiac valve during early ventricular diastole (the passive filling of the ventricle).	Peak E Velocity
C147155	Peak Pressure Gradient	Peak Pressure Gradient	A value that represents the maximum pressure gradient that exists between two points across a structure.	Peak Pressure Gradient
C139044	Peak Pressure Rise Rate	Peak Pressure Rise Rate	The greatest rate of increase in peak pressure.	Peak Pressure Rise Rate
C116145	Percent Diameter Stenosis	Percent Diameter Stenosis	The value calculated as $100 \times (1 - \text{MLD}/\text{RVD})$ , using the mean quantitative values for minimum lumen diameter (MLD) and reference vessel diameter (RVD).	Percent Diameter Stenosis Measurement
C139046	Pericardial Effusion Indicator	Pericardial Effusion Indicator	An indication as to whether there is effusion between the parietal and visceral pericardia.	Pericardial Effusion Indicator
C139047	Pericardial Effusion Size	Pericardial Effusion Size	The qualitative description of the overall size of a pericardial effusion as assessed at the point of greatest separation between the parietal and visceral pericardia during diastole.	Pericardial Effusion Size
C147156	Pressure Half Time	Pressure Half Time	The amount of time required for the peak transvalvular pressure gradient to decrease to one half of the value.	Pressure Half Time
C139051	Prosthetic Cardiac Valve Type	Prosthetic Cardiac Valve Type	A description of the type of artificial cardiac valve in use.	Prosthetic Cardiac Valve Type
C135379	Pulmonary Arterial Hypertension Ind	Pulmonary Arterial Hypertension Ind;Pulmonary Arterial Hypertension Indicator	An indication as to whether pulmonary arterial hypertension is present.	Pulmonary Arterial Hypertension Indicator
C127588	Pulmonary Valve Regurgitant Fraction	Pulmonary Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the pulmonic valve expressed as a percentage of the anterograde flow volume.	Pulmonary Valve Regurgitant Fraction
C127590	Pulmonary Valve Regurgitant Volume	Pulmonary Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the pulmonic valve.	Pulmonary Valve Regurgitant Volume
C127591	Pulmonary Valve Vena Contracta Area	Pulmonary Valve Vena Contracta Area	The area of the vena contracta of the pulmonic valve.	Pulmonary Valve Vena Contracta Area
C127592	Pulmonary Valve Vena Contracta Width	Pulmonary Valve Vena Contracta Width	The width of the vena contracta of the pulmonic valve.	Pulmonary Valve Vena Contracta Width
C119247	Pulmonary Vascular Resistance	Pulmonary Vascular Resistance	The resistance to blood flow through the pulmonary vasculature.	Pulmonary Vascular Resistance
C127587	Pulmonary Vein Dominance	Pulmonary Vein Dominance	The determination of whether blood flow in the pulmonary veins is greater during ventricular systole or diastole.	Pulmonary Vein Dominance
C127586	Pulmonic Regur Jet Width RVOT Diam Rt	Pulmonic Regur Jet Width RVOT Diam Rt;Pulmonic Regurgitant Jet Width to Right Ventricular Outflow Tract Diameter Ratio	A relative measurement (ratio) of the pulmonic regurgitant jet width to right ventricular outflow tract (RVOT) diameter.	Pulmonic Regurgitant Jet Width to Right Ventricular Outflow Tract Diameter Ratio
C127589	Pulmonic Valve Regurgitant Jet Width	Pulmonic Valve Regurgitant Jet Width	The measured width of the regurgitant jet of blood into the right ventricular outflow tract.	Pulmonic Valve Regurgitant Jet Width
C122087	Pulse Wave Velocity	Pulse Wave Velocity	The distance traveled by the peak of the ventricular ejection pressure wave per unit of time.	Pulse Wave Velocity
C122089	Reflection Magnitude	Reflection Magnitude	The reflected-to-forward pressure wave amplitude ratio. (Hashimoto J et al, J Hypertens. 2008 May;26(5):1017-24)	Reflection Magnitude
C122090	Reflection Wave Amplitude	Reflection Wave Amplitude	The summation of the numerous waves being reflected by sites of impedance mismatch where central elastic arteries join more muscular arteries.	Reflection Wave Amplitude
C135380	Right Ventricular Ejection Fraction, Cal	Right Ventricular Ejection Fraction, Cal;Right Ventricular Ejection Fraction, Calculated	A calculated estimation of the percent or fraction of the volume of blood ejected from the right ventricle during right ventricular systole, calculated as the right ventricular stroke volume divided by the right ventricular end diastolic volume.	Calculated Right Ventricular Ejection Fraction
C135381	Right Ventricular Ejection Fraction, Est	Right Ventricular Ejection Fraction, Est;Right Ventricular Ejection Fraction, Estimated	A visual estimation of the percent or fraction of the volume of blood ejected from the right ventricle during right ventricular systole.	Estimated Right Ventricular Ejection Fraction

**C101846 CVTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139040	Stanford AoD Classification	Stanford AoD Classification;Stanford Aortic Dissection Classification	The type of aortic dissection present as defined by the Stanford Classification System (Daily PO, Trueblood HW, Stinson EB, Wuerflein RD, Shumway NE. Management of acute aortic dissections. Ann Thorac Surg. 1970 Sep;10(3):237-47).	Stanford Aortic Dissection Classification
C94989	Stroke Volume	Stroke Volume	The difference in the volumes of blood between the points of maximum dilation and maximum contraction. This is the end diastolic volume minus the end systolic volume.	Stroke Volume
C119248	Systemic Vascular Resistance	Systemic Vascular Resistance;Total Peripheral Resistance	The resistance to blood flow through the systemic vasculature.	Systemic Vascular Resistance
C127593	Systolic Anterior Motion Indicator	SAM Indicator;Systolic Anterior Motion Indicator	An indication as to whether there is systolic anterior motion of a cardiac valve and its associated structures.	Systolic Anterior Motion Indicator
C127594	Systolic Anterior Motion Severity	SAM Severity;Systolic Anterior Motion Severity	The assessment of the severity of the systolic anterior motion of a cardiac valve and its associated structures.	Systolic Anterior Motion Severity
C139031	Systolic Pressure, Estimated	Systolic Pressure, Estimated	A quantitative estimate of the pressure in a given cardiovascular structure during ventricular systole.	Estimated Systolic Blood Pressure
C127597	Tricus Regur Jet Area R Atrial Area Rt	Tricus Regur Jet Area R Atrial Area Rt;Tricuspid Regurgitant Jet Area to Right Atrial Area Ratio	A relative measurement (ratio) of the tricuspid regurgitant jet area to the right atrial area.	Tricuspid Regurgitant Jet Area to Right Atrial Area Ratio
C127598	Tricuspid Valve Regurgitant Fraction	Tricuspid Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the tricuspid valve expressed as a percentage of the anterograde flow volume.	Tricuspid Valve Regurgitant Fraction
C127599	Tricuspid Valve Regurgitant Jet Area	Tricuspid Valve Regurgitant Jet Area	The measured area of the regurgitant jet of blood into the right atrium.	Tricuspid Valve Regurgitant Jet Area
C127600	Tricuspid Valve Regurgitant Volume	Tricuspid Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the tricuspid valve.	Tricuspid Valve Regurgitant Volume
C127601	Tricuspid Valve Vena Contracta Area	Tricuspid Valve Vena Contracta Area	The area of the vena contracta of the tricuspid valve.	Tricuspid Valve Vena Contracta Area
C127602	Tricuspid Valve Vena Contracta Width	Tricuspid Valve Vena Contracta Width	The width of the vena contracta of the tricuspid valve.	Tricuspid Valve Vena Contracta Width
C147158	Valve Area	Valve Area	The quantitative measurement estimating the surface area of a valve.	Valve Area
C147157	Valve Area Index	Valve Area Index	The ratio of the valve area to the body surface area.	Valve Area Index
C127603	Velocity Time Integral, Blood Flow	Velocity Time Integral, Blood Flow	The integral of all of the forward flow velocities during the time of blood flow across or within a specified area.	Blood Flow Velocity Time Integral
C25208	Weight	Weight	The vertical force exerted by a mass as a result of gravity. (NCI)	Weight
C25345	Width	Width	The extent or measurement of something from side to side. (NCI)	Width

## CVTESTCD (Cardiovascular Test Code)

NCI Code: C101847, Codelist extensible: Yes

C101847 CVTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122038	AAUGIX	Aortic Augmentation Index	The augmentation pressure divided by the aortic pulse pressure (aortic systolic minus aortic diastolic pressure) multiplied by 100, expressed as a percentage.	Aortic Augmentation Index
C122083	AAUGIX75	Aortic Augmentation Index at 75bpm	The aortic augmentation index normalized to a heart rate of 75 beats per minute.	Aortic Augmentation Index at 75bpm
C122084	AAUGPR	Aortic Augmentation Pressure	The difference between the second pressure peak in the aortic wave, secondary to the pressure wave reflection from the sites of peripheral arterial impedance mismatch (P2) and the first pressure peak in the aortic wave form, secondary to ventricular ejection (P1).	Aortic Augmentation Pressure
C122085	AAUGPRP1	Aortic Augmentation Pressure Peak P1	The first pressure peak in the aortic wave form secondary to ventricular ejection.	Augmentation Pressure Point P1
C122086	AAUGPRP2	Aortic Augmentation Pressure Peak P2	The second pressure peak in the aortic waveform secondary to pressure wave reflection from the periphery.	Augmentation Pressure Point P2
C139033	ACRCTIND	Aortic Coarctation Indicator	An indication as to whether there is coarctation of the aorta.	Aortic Coarctation Indicator
C139037	ACRCTSEV	Aortic Coarctation Severity	The assessment of the severity of aortic coarctation.	Aortic Coarctation Severity
C139035	ADUCSEV	Aortic Ductal Coarctation Severity;Aortic Juxta-ductal Coarctation Severity	The assessment of the severity of ductal aortic coarctation.	Aortic Juxta-ductal Coarctation Severity
C139038	ANEURIND	Aneurysm Indicator	An indication as to whether there is the presence of one or more aneurysms.	Aneurysm Indicator
C127535	ANNAVEL	Annular a' Velocity	The peak velocity of the annular motion during late ventricular diastole (the active filling of the ventricle).	Annular a' Velocity
C127536	ANNEVEL	Annular e' Velocity	The peak velocity of the annular motion during early ventricular diastole (the passive filling of the ventricle).	Annular e' Velocity
C139045	ANNSVEL	Annular S' Velocity	The peak velocity of the annular motion during ventricular systole.	Annular S' Velocity
C139036	APOSCSEV	Aortic Postductal Coarctation Severity	The assessment of the severity of postductal aortic coarctation.	Aortic Postductal Coarctation Severity
C139034	APRECSEV	Aortic Preductal Coarctation Severity	The assessment of the severity of preductal aortic coarctation.	Aortic Preductal Coarctation Severity
C139042	APSE	Annular Plane Systolic Excursion	The longitudinal displacement of a cardiac valve annulus toward the apex of the heart.	Annular Plane Systolic Excursion
C127537	AREAEVD	Area, End Ventricular Diastole	The 2-dimensional surface enclosed within a boundary of a cardiovascular structure and measured at end ventricular diastole.	Area at End Ventricular Diastole
C127538	AREAEVS	Area, End Ventricular Systole	The 2-dimensional surface enclosed within a boundary of a cardiovascular structure and measured at end ventricular systole.	Area at End Ventricular Systole
C127539	ARGJWLVD	Aortic Regur Jet Width LVOT Diam Rt;Aortic Regurgitant Jet Width to Left Ventricular Outflow Tract Diameter Ratio	A relative measurement (ratio) of the aortic regurgitant jet width to left ventricular outflow tract (LVOT) diameter.	Aortic Regurgitant Jet Width to Left Ventricular Outflow Tract Diameter Ratio
C127540	AVRGF	Aortic Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the aortic valve expressed as a percentage of the anterograde flow volume.	Aortic Valve Regurgitant Fraction
C127541	AVRGJW	Aortic Valve Regurgitant Jet Width	The measured width of the regurgitant jet of blood into the left ventricular outflow tract.	Aortic Valve Regurgitant Jet Width
C127542	AVRGVOL	Aortic Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the aortic valve.	Aortic Valve Regurgitant Volume
C127543	AVVCA	Aortic Valve Vena Contracta Area	The area of the vena contracta of the aortic valve.	Aortic Valve Vena Contracta Area

**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127544	AVVCW	Aortic Valve Vena Contracta Width	The width of the vena contracta of the aortic valve.	Aortic Valve Vena Contracta Width
C94866	BLDFLRT	Blood Flow Rate	The volume of blood per unit time passing through a specified location, such as a point in a blood vessel or an entire organ.	Blood Flow Rate
C119331	CANRFIND	Coronary Artery No Reflow Indicator	An indication as to whether there is a new acute reduction in coronary flow (TIMI grade 0-1) in the absence of dissection, thrombus, spasm, or high-grade residual stenosis at the original PCI lesion site.	Coronary No Reflow at PCI Site Indicator
C119245	CARDIDX	Cardiac Index	The measure of an individual's cardiac output divided by the individual's body surface area (CI= CO/BSA).	Cardiac Index
C119246	CARDOUT	Cardiac Output	The total volume of blood pumped by the heart over a set period of time, conventionally one minute; it is calculated as heart rate times stroke volume (CO= HR x SV).	Cardiac Output
C139063	CMHYIND	Cardiac Muscle Hypertrophy Indicator	An indication as to whether there is a hypertrophied cardiac muscle.	Heart Chamber Hypertrophy Indicator
C100086	COARTDOM	Coronary Artery Dominance	The pattern of the epicardial vessels supplying the posterolateral and posterior descending coronary arteries.	Coronary Artery Dominance
C139032	CSDIA	Cross-sectional Diameter	A measurement of a structure taken along the plane that is perpendicular to the long axis.	Cross-sectional Diameter
C127545	CSDIAEVD	Cross-sec Diameter, EVD;Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured at end ventricular diastole.	Cross-sectional Diameter at End Ventricular Diastole
C127546	CSDIAEVS	Cross-sec Diameter, EVS;Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured at end ventricular systole.	Cross-sectional Diameter at End Ventricular Systole
C127547	CSDIAMVS	Cross-sec Diameter, MVS;Cross-sectional Diameter, Mid Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured at mid ventricular systole.	Cross-sectional Diameter at Mid Ventricular Systole
C127548	CSPDIND	Cusp Doming Indicator	An indication as to whether there is doming of a cardiac valve cusp.	Cusp Doming Indicator
C127549	CSPDSEV	Cusp Doming Severity	The assessment of the severity of doming of a cardiac valve cusp.	Cusp Doming Severity
C127550	CSPFIND	Cusp Flail Indicator	An indication as to whether there is a flailing cardiac valve cusp.	Cusp Flail Indicator
C127551	CSPFSEV	Cusp Flail Severity	The assessment of the severity of a flailing cardiac valve cusp.	Cusp Flail Severity
C127552	CSPFT	Cusp Flail Timing	The time point during the cardiac cycle when the flail of one or more cardiac valve cusps occurs.	Cusp Flail Timing
C127553	CSPPIND	Cusp Prolapse Indicator	An indication as to whether there is a prolapsing cardiac valve cusp.	Cusp Prolapse Indicator
C127554	CSPPSEV	Cusp Prolapse Severity	The assessment of the severity of a prolapsing cardiac valve cusp.	Cusp Prolapse Severity
C127555	CSPPT	Cusp Prolapse Timing	The time point during the cardiac cycle when the prolapse of one or more cardiac valve cusps occurs.	Cusp Prolapse Timing
C127556	CSPRMIND	Cusp Restricted Motion Indicator	An indication as to whether there is restricted motion of a cardiac valve cusp.	Cusp Restricted Motion Indicator
C127557	CSPRMSEV	Cusp Restricted Motion Severity	The assessment of the severity of restricted motion of a cardiac valve cusp.	Cusp Restricted Motion Severity
C127558	CSPTEIND	Cusp Tethering Indicator	An indication as to whether there is tethering of a cardiac valve cusp.	Cusp Tethering Indicator
C127559	CSPTSEV	Cusp Tethering Severity	The assessment of the severity of tethering of a cardiac valve cusp.	Cusp Tethering Severity
C127560	CSPTIND	Cusp Thickening Indicator	An indication as to whether there is a thickened cardiac valve cusp.	Cusp Thickening Indicator

**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127561	CSPTSEV	Cusp Thickening Severity	The assessment of the severity of a thickening cardiac cusp.	Cusp Thickening Severity
C127562	CTPIND	Chordae Tendineae Prolapse Indicator	An indication as to whether there is prolapsing of a cardiac valve chordae tendinae.	Chordae Tendineae Prolapse Indicator
C102244	CVLREGTS	Cardiac Valvular Regurgitation Severity	The qualitative measurement of the severity of cardiac valvular regurgitation.	Cardiac Valvular Regurgitation Severity
C102245	CVLSTNS	Cardiac Valvular Stenosis Severity	The qualitative measurement of the severity of cardiac valvular stenosis.	Cardiac Valvular Stenosis Severity
C139055	CVRGIND	Cardiac Valvular Regurgitation Indicator	An indication as to whether a specific cardiac valve is regurgitant.	Cardiac Valvular Regurgitation Indicator
C127563	CVRGJDR	Cardiac Valve Regur Jet Direction;Cardiac Valve Regurgitation Jet Direction	The trajectory of the retrograde blood flow from a cardiac valve.	Cardiac Valve Regurgitant Jet Direction
C139056	CVRGLE	Cardiac Valvular Regur Likely Etiology;Cardiac Valvular Regurgitation Likely Etiology	An estimation as to the cause of the pathology responsible for the cardiac valve regurgitation.	Cardiac Valvular Regurgitation Likely Etiology
C127564	CWMTYP	Cardiac Wall Motion Type	The assessment of the movement of the cardiac muscle, either as a whole or at one or more specific anatomical locations.	Cardiac Wall Motion Type
C139041	DEBAKADC	DeBakey AoD Classification;DeBakey Aortic Dissection Classification	The type of aortic dissection present as defined by the DeBakey Classification System (DeBakey ME, Henly WS, Cooley DA, Morris GC Jr, Crawford ES, Beall AC Jr. Surgical management of dissecting aneurysms of the aorta. J Thorac Cardiovasc Surg. 1965 Jan;49:130-49).	DeBakey Aortic Dissection Classification
C25333	DEPTH	Depth	The extent downward or inward; the perpendicular measurement from the surface downward to determine deepness. (NCI)	Depth
C147148	DIMSSNDX	Dimensionless Index;Dimensionless Velocity Index	The ratio of the blood velocity in the left ventricular outflow tract (LVOT) to the maximum blood velocity across the aortic valve.	Dimensionless Index
C139039	DISECIND	Dissection Indicator	An indication as to whether there is the presence of blood vessel dissection.	Dissection Indicator
C127565	EFFRGOA	Effective Regurgitant Orifice Area	A measurement of the effective regurgitant orifice area of the valve.	Effective Regurgitant Orifice Area
C122088	EJWAMP	Ejection Wave Amplitude	The magnitude of the ejection wave that occurs when blood is ejected into the aorta by the left ventricle.	Ejection Wave Amplitude
C147149	EOA	Effective Orifice Area	The calculated estimate of the area of a cardiac valve at the point of maximum opening.	Effective Orifice Area
C147150	EOAINDEX	Effective Orifice Area Index	The ratio of the effective orifice area (EOA) to the body surface area (BSA).	Effective Orifice Area Index
C139057	ERGJIND	Eccentric Regurgitant Jet Indicator	An indication as to whether an eccentric regurgitant jet direction is present.	Eccentric Regurgitant Jet Indicator
C142241	FAC	Fractional Area Change	The percent reduction in the area of a given structure with the following formula: (EDA-ESA)/EDA times 100, where EDA is end diastolic area and ESA is end systolic area.	Fractional Area Change
C147151	FBODYIND	Observed Foreign Body Indicator	An indication as to whether a medical or non-medical foreign body is present in a subject.	Observed Foreign Body Indicator
C139062	HCENLIND	Heart Chamber Enlargement Indicator	An indication as to whether there is an enlarged heart chamber.	Heart Chamber Enlargement Indicator
C135372	HCVOLEVD	Heart Chamber Volume, EVD;Heart Chamber Volume, End Ventricular Diastole	The volume of blood remaining in a heart chamber at end ventricular diastole.	Heart Chamber Volume at End Ventricular Diastole
C135373	HCVOLEVS	Heart Chamber Volume, EVS;Heart Chamber Volume, End Ventricular Systole	The volume of blood remaining in a heart chamber at end ventricular systole.	Heart Chamber Volume at End Ventricular Systole



**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C116148	INRSTIND	In-Stent Restenosis Indicator	An indication as to whether there is re-narrowing of a stent implanted at a lesion site to treat a prior stenosis, to a diameter stenosis of greater than 50% within the stent.	In-Stent Restenosis Indicator
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C80494	ISHMYOP	Ischemic Myocardium Percentage	The percentage of myocardial tissue which exhibits characteristics of inadequate blood flow (ischemia).	Ischemic Myocardium Percentage
C130055	IVCCSIND	Inferior Vena Cava Collapse Indicator; Inferior Vena Cava Collapse Sniff Ind	An indication as to whether inferior vena cava collapse occurred with sniff.	Inferior Vena Cava Collapse Due to Sniff Test Indicator
C127566	LCDIAEVD	Largest Cross-sec Diameter, EVD; Largest Cross-sectional Diameter, End Ventricular Diastole	The largest cross sectional diameter of a vascular structure measured at end ventricular diastole.	Largest Cross-sectional Diameter at End Ventricular Diastole
C25334	LENGTH	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C127567	LGTHCK	Largest Cross-sec Thickness; Largest Cross-sectional Thickness	The assessment of the largest cross-sectional thickness of a tissue.	Largest Cross-sectional Thickness
C116146	LLMLOSS	Late Lumen Loss	The difference between the mean minimum lumen diameter (MLD) assessed immediately after an index procedure and the MLD assessed at follow-up angiography.	Late Lumen Loss Measurement
C116147	LRSTIND	Lesion Restenosis Indicator	An indication as to whether there is re-narrowing of a lesion site following treatment of a prior stenosis, to a diameter stenosis of greater than 50% at the previously treated lesion site.	Lesion Restenosis Indicator
C99524	LVEF	Left Ventricular Ejection Fraction	The percent or fraction of the left ventricular end diastolic volume ejected during systole that can be measured by visual estimation or calculation.	Left Ventricular Ejection Fraction
C135374	LVEF_C	Left Ventricular Ejection Fraction, Cal; Left Ventricular Ejection Fraction, Calculated	A calculated estimation of the percent or fraction of the volume of blood ejected from the left ventricle during left ventricular systole, calculated as the left ventricular stroke volume divided by the left ventricular end diastolic volume.	Calculated Left Ventricular Ejection Fraction
C135375	LVEF_E	Left Ventricular Ejection Fraction, Est; Left Ventricular Ejection Fraction, Estimated	A visual estimation of the percent or fraction of the volume of blood ejected from the left ventricle during left ventricular systole.	Estimated Left Ventricular Ejection Fraction
C38020	LVFS	Left Ventricular Fractional Shortening	The reduction in the length of the end-diastolic diameter dimension that occurs between end-systole and end-diastole, expressed as a fraction of the end-diastolic dimension. Calculation of the left ventricular fractional shortening is per the following formula: [(end-diastolic dimension minus end-systolic dimension) divided by end-diastolic dimension] multiplied by 100.	Left Ventricular Fractional Shortening
C142242	LVMAS_E	Left Ventricular Mass, Estimated	The weight of the left ventricle in grams as estimated by a formula that uses estimated measurements from echocardiographic exams, as well as constants like the specific gravity of the myocardium. Left ventricular mass is estimated using the following equation, LV Mass (g) = 0.8 {1.04[(LVEDD + IVSd + PWd]^3 - LVEDD^3]} + 0.6, where LVEDD is LV end-diastolic dimension, IVSd is interventricular septal thickness at end-diastole, and PWd is posterior wall thickness at end-diastole.	Estimated Mass of Left Ventricle
C142243	LVMASIDX	Left Ventricular Mass Index	The left ventricular mass divided by the subject's body surface area.	Left Ventricular Mass Index
C127568	LVOTPVEL	LVOT Peak Velocity; Left Ventricular Outflow Tract Peak Velocity	A measurement of the maximum velocity of blood flow measured in the left ventricular outflow tract during left ventricular systole.	Left Ventricular Outflow Tract Peak Velocity

**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127569	LVOTVTI	LVOT Velocity Time Integral;Left Ventricular Outflow Tract Velocity Time Integral	The integral of all of the instantaneous flow velocities within the left ventricular outflow tract during left ventricular systole.	Left Ventricular Outflow Tract Velocity Time Integral
C43246	MASS	Mass	The amount of matter in an object.	Mass
C139048	MAXPEFFW	Maximal Pericardial Effusion Width	The quantitative measurement of the maximum separation between the parietal and visceral pericardia during diastole.	Maximal Pericardial Effusion Width
C127570	MBFVEL	Mean Blood Flow Velocity	A measurement of the mean velocity of blood across an area or tissue.	Mean Blood Flow Velocity
C135376	MEANBP_E	Mean Blood Pressure, Estimated	The estimated average blood pressure. (NCI)	Estimated Mean Blood Pressure
C116143	MEANVDIA	Mean Vessel Diameter	The mean of the inside diameters of the normal blood vessel segments.	Mean Vessel Diameter
C147152	MGPRES	Mean Pressure Gradient	A value that represents the mean pressure gradient that exists between two points across a structure.	Mean Pressure Gradient
C116144	MINLNDIAM	Minimum Vessel Lumen Diameter	The minimum diameter of the inside of a blood vessel (lumen) derived quantitatively in a single view.	Minimum Vessel Lumen Diameter
C127571	MITRALEA	Mitral E/A Ratio	The ratio of the peak early ventricular diastolic (E) transmitral velocity to the peak late ventricular diastolic (A) transmitral velocity.	Mitral E/A Ratio
C127572	MITRALEE	Mitral E/e' Ratio	The ratio of the peak early ventricular diastolic (E) transmitral velocity to the peak early mitral annular motion velocity (e').	Mitral E/e' Ratio
C135377	MJDIA	Major Axis Cross-sec. Diameter;Major Axis Cross-sectional Diameter	The cross sectional diameter of a tissue, organ, or structure measured along its major axis. (NCI)	Major Axis Cross-sectional Diameter
C127573	MJDIAEVD	Major Axis Cross-sec Diameter, EVD;Major Axis Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured along its major axis at end ventricular diastole.	Major Axis Cross-sectional Diameter at End Ventricular Diastole
C127574	MJDIAEVS	Major Axis Cross-sec Diameter, EVS;Major Axis Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured along its major axis at end ventricular systole.	Major Axis Cross-sectional Diameter at End Ventricular Systole
C139053	MJDIAMVS	Major Axis Cross-sec. Diameter, MVS;Major Axis Cross-sectional Diameter, Mid Ventricular Systole	The cross-sectional diameter of a cardiovascular structure measured along its major axis at mid ventricular systole.	Major Axis Cross-sectional Diameter at Mid Ventricular Systole
C139059	MJIDEVD	Major Axis Internal Diameter, EVD;Major Axis Internal Diameter, End Ventricular Diastole	The internal diameter of a cardiovascular structure measured along its major axis at end ventricular diastole.	Major Axis Internal Diameter at End Ventricular Diastole
C139058	MJIDEVS	Major Axis Internal Diameter, EVS;Major Axis Internal Diameter, End Ventricular Systole	The internal diameter of a cardiovascular structure measured along its major axis at end ventricular systole.	Major Axis Internal Diameter at End Ventricular Systole
C135378	MNDIA	Minor Axis Cross-sec. Diameter;Minor Axis Cross-sectional Diameter	The cross sectional diameter of a tissue, organ, or structure measured along its minor axis. (NCI)	Minor Axis Cross-sectional Diameter
C127575	MNDIAEVD	Minor Axis Cross-sec Diameter, EVD;Minor Axis Cross-sectional Diameter, End Ventricular Diastole	The cross sectional diameter of a cardiovascular structure measured along its minor axis at end ventricular diastole.	Minor Axis Cross-sectional Diameter at End Ventricular Diastole
C127576	MNDIAEVS	Minor Axis Cross-sec Diameter, EVS;Minor Axis Cross-sectional Diameter, End Ventricular Systole	The cross sectional diameter of a cardiovascular structure measured along its minor axis at end ventricular systole.	Minor Axis Cross-sectional Diameter at End Ventricular Systole
C139052	MNDIAMVS	Minor Axis Cross-sec. Diameter, MVS;Minor Axis Cross-sectional Diameter, Mid Ventricular Systole	The cross-sectional diameter of a cardiovascular structure measured along its minor axis at mid ventricular systole.	Minor Axis Cross-sectional Diameter at Mid Ventricular Systole

## C101847 CVTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C139061	MNIDEVD	Minor Axis Internal Diameter, EVD;Minor Axis Internal Diameter, End Ventricular Diastole	The internal diameter of a cardiovascular structure measured along its minor axis at end ventricular diastole.	Minor Axis Internal Diameter at End Ventricular Diastole
C139060	MNIDEVS	Minor Axis Internal Diameter, EVS;Minor Axis Internal Diameter, End Ventricular Systole	The internal diameter of a cardiovascular structure measured along its minor axis at end ventricular systole.	Minor Axis Internal Diameter at End Ventricular Systole
C139043	MPI	Myocardial Performance Index	A calculated result that uses the following base formula to quantify both systolic and diastolic ventricular function: $MPI = (IVCT + IVRT)/VET$ , where IVCT is isovolumetric contraction time, IVRT is isovolumetric relaxation time, and VET is ventricular ejection time.	Myocardial Performance Index
C127577	MRGJALA	Mitral Regur Jet Area L Atrial Area Rt;Mitral Regurgitant Jet Area to Left Atrial Area Ratio	A relative measurement (ratio) of the mitral regurgitant jet area to left atrial area.	Mitral Regurgitant Jet Area to Left Atrial Area Ratio
C127578	MVRGF	Mitral Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the mitral valve expressed as a percentage of the anterograde flow volume.	Mitral Valve Regurgitant Fraction
C127579	MVRGJA	Mitral Valve Regurgitant Jet Area	The measured area of the regurgitant jet of blood into the left atrium.	Mitral Valve Regurgitant Jet Area
C127580	MVRGVOL	Mitral Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the mitral valve.	Mitral Valve Regurgitant Volume
C127581	MVVCA	Mitral Valve Vena Contracta Area	The area of the vena contracta of the mitral valve.	Mitral Valve Vena Contracta Area
C127582	MVVCW	Mitral Valve Vena Contracta Width	The width of the vena contracta of the mitral valve.	Mitral Valve Vena Contracta Width
C139050	NCVALTYP	Native Cardiac Valve Intervention Type	A description of what kind of intervention has been performed on a native cardiac valve.	Native Cardiac Valve Intervention Type
C139054	NUMCUSPS	Number of Cusps	A quantitative determination of the number of cusps composing a given cardiac valve.	Number of Cardiac Valve Cusps
C99996	NUMDCAV	Number of Diseased Coronary Vessels	Number of major epicardial vessels with greater than or equal to 70% reduction in diameter or greater than or equal to 50% reduction in cross-sectional area.	Number of Diseased Coronary Artery Vessels
C146994	OBMDILOC	Obs Med Device Type In Intended Loc;Observed Medical Device In The Intended Location	A description of the type of medical device that is found in a subject and is in its intended location.	Observed Medical Device Type In Intended Location
C147153	OBMDNLOC	Obs Med Device Type Not In Intended Loc	A description of the type of medical device that is found in a subject but is not in its intended location.	Observed Medical Device Type Not Present In Intended Location Type
C147154	OBNMFBT	Observed Non-Medical Foreign Body Type	A description of the type of non-medical foreign body that is found in a subject.	Observed Non-Medical Foreign Body Type
C135379	PAHTNIND	Pulmonary Arterial Hypertension Ind;Pulmonary Arterial Hypertension Indicator	An indication as to whether pulmonary arterial hypertension is present.	Pulmonary Arterial Hypertension Indicator
C127583	PBFVEL	Peak Blood Flow Velocity	A measurement of the maximum velocity of blood across an area or tissue.	Peak Blood Flow Velocity
C116145	PCTDIAS	Percent Diameter Stenosis	The value calculated as $100 \times (1 - MLD/RVD)$ , using the mean quantitative values for minimum lumen diameter (MLD) and reference vessel diameter (RVD).	Percent Diameter Stenosis Measurement
C139051	PCVALTYP	Prosthetic Cardiac Valve Type	A description of the type of artificial cardiac valve in use.	Prosthetic Cardiac Valve Type
C139046	PEFFIND	Pericardial Effusion Indicator	An indication as to whether there is effusion between the parietal and visceral pericardia.	Pericardial Effusion Indicator
C139047	PEFFSIZE	Pericardial Effusion Size	The qualitative description of the overall size of a pericardial effusion as assessed at the point of greatest separation between the parietal and visceral pericardia during diastole.	Pericardial Effusion Size

**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147155	PGPRES	Peak Pressure Gradient	A value that represents the maximum pressure gradient that exists between two points across a structure.	Peak Pressure Gradient
C127584	PKAVEL	Peak A Velocity	The peak velocity of blood flow across a cardiac valve during late ventricular diastole (the active filling of the ventricle).	Peak A Velocity
C127585	PKEVEL	Peak E Velocity	The peak velocity of blood flow across a cardiac valve during early ventricular diastole (the passive filling of the ventricle).	Peak E Velocity
C139044	PPRR	Peak Pressure Rise Rate	The greatest rate of increase in peak pressure.	Peak Pressure Rise Rate
C147156	PRESHT	Pressure Half Time	The amount of time required for the peak transvalvular pressure gradient to decrease to one half of the value.	Pressure Half Time
C127586	PRGJWRVD	Pulmonic Regur Jet Width RVOT Diam Rt;Pulmonic Regurgitant Jet Width to Right Ventricular Outflow Tract Diameter Ratio	A relative measurement (ratio) of the pulmonic regurgitant jet width to right ventricular outflow tract (RVOT) diameter.	Pulmonic Regurgitant Jet Width to Right Ventricular Outflow Tract Diameter Ratio
C127587	PVEINDOM	Pulmonary Vein Dominance	The determination of whether blood flow in the pulmonary veins is greater during ventricular systole or diastole.	Pulmonary Vein Dominance
C119247	PVR	Pulmonary Vascular Resistance	The resistance to blood flow through the pulmonary vasculature.	Pulmonary Vascular Resistance
C127588	PVRGF	Pulmonary Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the pulmonic valve expressed as a percentage of the anterograde flow volume.	Pulmonary Valve Regurgitant Fraction
C127589	PVRGJW	Pulmonic Valve Regurgitant Jet Width	The measured width of the regurgitant jet of blood into the right ventricular outflow tract.	Pulmonic Valve Regurgitant Jet Width
C127590	PVRGVOL	Pulmonary Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the pulmonic valve.	Pulmonary Valve Regurgitant Volume
C127591	PVVCA	Pulmonary Valve Vena Contracta Area	The area of the vena contracta of the pulmonic valve.	Pulmonary Valve Vena Contracta Area
C127592	PVVCW	Pulmonary Valve Vena Contracta Width	The width of the vena contracta of the pulmonic valve.	Pulmonary Valve Vena Contracta Width
C122087	PWV	Pulse Wave Velocity	The distance traveled by the peak of the ventricular ejection pressure wave per unit of time.	Pulse Wave Velocity
C122089	RFLMAG	Reflection Magnitude	The reflected-to-forward pressure wave amplitude ratio. (Hashimoto J et al, J Hypertens. 2008 May;26(5):1017-24)	Reflection Magnitude
C122090	RFLWAMP	Reflection Wave Amplitude	The summation of the numerous waves being reflected by sites of impedance mismatch where central elastic arteries join more muscular arteries.	Reflection Wave Amplitude
C135380	RVEF_C	Right Ventricular Ejection Fraction, Cal;Right Ventricular Ejection Fraction, Calculated	A calculated estimation of the percent or fraction of the volume of blood ejected from the right ventricle during right ventricular systole, calculated as the right ventricular stroke volume divided by the right ventricular end diastolic volume.	Calculated Right Ventricular Ejection Fraction
C135381	RVEF_E	Right Ventricular Ejection Fraction, Est;Right Ventricular Ejection Fraction, Estimated	A visual estimation of the percent or fraction of the volume of blood ejected from the right ventricle during right ventricular systole.	Estimated Right Ventricular Ejection Fraction
C127593	SAMIND	SAM Indicator;Systolic Anterior Motion Indicator	An indication as to whether there is systolic anterior motion of a cardiac valve and its associated structures.	Systolic Anterior Motion Indicator
C127594	SAMSEV	SAM Severity;Systolic Anterior Motion Severity	The assessment of the severity of the systolic anterior motion of a cardiac valve and its associated structures.	Systolic Anterior Motion Severity
C139040	STANFADC	Stanford AoD Classification;Stanford Aortic Dissection Classification	The type of aortic dissection present as defined by the Stanford Classification System (Daily PO, Trueblood HW, Stinson EB, Wuerflein RD, Shumway NE. Management of acute aortic dissections. Ann Thorac Surg. 1970 Sep;10(3):237-47).	Stanford Aortic Dissection Classification
C94989	STROKVOL	Stroke Volume	The difference in the volumes of blood between the points of maximum dilation and maximum contraction. This is the end diastolic volume minus the end systolic volume.	Stroke Volume

**C101847 CVTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119248	SVR	Systemic Vascular Resistance;Total Peripheral Resistance	The resistance to blood flow through the systemic vasculature.	Systemic Vascular Resistance
C139031	SYSPRS_E	Systolic Pressure, Estimated	A quantitative estimate of the pressure in a given cardiovascular structure during ventricular systole.	Estimated Systolic Blood Pressure
C127595	THCKEVD	Cross-sec Thickness, EVD;Cross-sectional Thickness, End Ventricular Diastole	The cross-sectional thickness of a cardiovascular structure measured at end ventricular diastole.	Cross-sectional Thickness at End Ventricular Diastole
C127596	THCKEVS	Cross-sec Thickness, EVS;Cross-sectional Thickness, End Ventricular Systole	The cross-sectional thickness of a cardiovascular structure measured at end ventricular systole.	Cross-sectional Thickness at End Ventricular Systole
C127597	TRGJARA	Tricus Regur Jet Area R Atrial Area Rt;Tricuspid Regurgitant Jet Area to Right Atrial Area Ratio	A relative measurement (ratio) of the tricuspid regurgitant jet area to the right atrial area.	Tricuspid Regurgitant Jet Area to Right Atrial Area Ratio
C127598	TVRGF	Tricuspid Valve Regurgitant Fraction	A measurement of the volume of retrograde blood flow across the orifice of the tricuspid valve expressed as a percentage of the anterograde flow volume.	Tricuspid Valve Regurgitant Fraction
C127599	TVRGJA	Tricuspid Valve Regurgitant Jet Area	The measured area of the regurgitant jet of blood into the right atrium.	Tricuspid Valve Regurgitant Jet Area
C127600	TVRGVOL	Tricuspid Valve Regurgitant Volume	A measurement of the volume of retrograde blood flow across the orifice of the tricuspid valve.	Tricuspid Valve Regurgitant Volume
C127601	TVVCA	Tricuspid Valve Vena Contracta Area	The area of the vena contracta of the tricuspid valve.	Tricuspid Valve Vena Contracta Area
C127602	TVVCW	Tricuspid Valve Vena Contracta Width	The width of the vena contracta of the tricuspid valve.	Tricuspid Valve Vena Contracta Width
C147157	VAREANDX	Valve Area Index	The ratio of the valve area to the body surface area.	Valve Area Index
C127603	VELTI	Velocity Time Integral, Blood Flow	The integral of all of the forward flow velocities during the time of blood flow across or within a specified area.	Blood Flow Velocity Time Integral
C142244	VLSTNIND	Cardiac Valvular Stenosis Indicator	An indication as to whether the cardiac valve in question has stenosis.	Cardiac Valvular Stenosis Indicator
C142245	VLSTNSLE	Cardiac Valve Stenosis Likely Etiology	A description of the likely cause of the pathology responsible for the cardiac valve stenosis.	Cardiac Valve Stenosis Likely Etiology
C147158	VLVAREA	Valve Area	The quantitative measurement estimating the surface area of a valve.	Valve Area
C25208	WEIGHT	Weight	The vertical force exerted by a mass as a result of gravity. (NCI)	Weight
C25345	WIDTH	Width	The extent or measurement of something from side to side. (NCI)	Width

## D4STR1TC (Descend 4 Stairs Functional Test Test Code)

NCI Code: C141661, Codelist extensible: No

<b>C141661 D4STR1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141704	D4STR101	D4STR1-Time to Descend 4 Stairs	4 Stair Descend - Time taken to descend 4 stairs.	4 Stair Descend - Time to Descend 4 Stairs
C141705	D4STR102	D4STR1-Test Grade	4 Stair Descend - Test grade.	4 Stair Descend - Test Grade
C147591	D4STR103	D4STR1-Wear Orthoses	4 Stair Descend - Did subject wear orthoses?	4 Stair Descend - Wear Orthoses

**D4STR1TN (Descend 4 Stairs Functional Test Test Name)**

NCI Code: C141660, Codelist extensible: No

<b>C141660 D4STR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141705	D4STR1-Test Grade	D4STR1-Test Grade	4 Stair Descend - Test grade.	4 Stair Descend - Test Grade
C141704	D4STR1-Time to Descend 4 Stairs	D4STR1-Time to Descend 4 Stairs	4 Stair Descend - Time taken to descend 4 stairs.	4 Stair Descend - Time to Descend 4 Stairs
C147591	D4STR1-Wear Orthoses	D4STR1-Wear Orthoses	4 Stair Descend - Did subject wear orthoses?	4 Stair Descend - Wear Orthoses

## DAD01TC (Disability Assessment for Dementia Questionnaire Test Code)

NCI Code: C105130, Codelist extensible: No

C105130 DAD01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105170	DAD0101	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105171	DAD0102	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD0103	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105173	DAD0104	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105174	DAD0105	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105175	DAD0106	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105176	DAD0107	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105177	DAD0108	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105178	DAD0109	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105179	DAD0110	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105180	DAD0111	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105181	DAD0112	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD0113	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD0114	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105184	DAD0115	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105185	DAD0116	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105186	DAD0117	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C105187	DAD0118	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105188	DAD0119	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105189	DAD0120	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105190	DAD0121	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time



**C105130 DAD01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105191	DAD0122	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly
C105192	DAD0123	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105193	DAD0124	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately
C105194	DAD0125	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105195	DAD0126	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105196	DAD0127	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105197	DAD0128	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105198	DAD0129	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105199	DAD0130	DAD01-Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105200	DAD0131	DAD01-Organize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C105201	DAD0132	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105202	DAD0133	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C105203	DAD0134	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105204	DAD0135	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105205	DAD0136	DAD01-Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105206	DAD0137	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105207	DAD0138	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105208	DAD0139	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105209	DAD0140	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111577	DAD0141	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111578	DAD0142	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items

**C105130 DAD01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111579	DAD0143	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C111617	DAD0144	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C111580	DAD0145	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111581	DAD0146	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C111582	DAD0147	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C111583	DAD0148	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items
C111584	DAD0149	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent

## DAD01TN (Disability Assessment for Dementia Questionnaire Test Name)

NCI Code: C105129, Codelist extensible: No

C105129 DAD01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105195	DAD01-Adequately Organize an Outing	DAD01-Adequately Organize an Outing	Disability Assessment for Dementia - Adequately organize an outing with respect to transportation, keys, destination, weather, necessary money, shopping list?	DAD - Adequately Organize an Outing with Respect to Transportation, Keys, Destination, Weather, Money, Shopping List
C105201	DAD01-Adequately Organize Correspondence	DAD01-Adequately Organize Correspondence	Disability Assessment for Dementia - Adequately organize his/her correspondence with respect to stationery, address, stamps?	DAD - Adequately Organize Correspondence
C105188	DAD01-Adequately Plan Light Meal Snack	DAD01-Adequately Plan Light Meal Snack	Disability Assessment for Dementia - Adequately plan a light meal or snack (ingredients, cookware)?	DAD - Adequately Plan a Light Meal or Snack
C105175	DAD01-Brush Teeth Take Care of Dentures	DAD01-Brush Teeth Take Care of Dentures	Disability Assessment for Dementia - Brush his/her teeth or take care of his/her dentures appropriately?	DAD - Brush Teeth or Take Care of Dentures Appropriately
C105192	DAD01-Carry Out Telephone Conversation	DAD01-Carry Out Telephone Conversation	Disability Assessment for Dementia - Carry out an appropriate telephone conversation?	DAD - Carry Out an Appropriate Telephone Conversation
C105178	DAD01-Choose Appropriate Clothing	DAD01-Choose Appropriate Clothing	Disability Assessment for Dementia - Choose appropriate clothing (with regard to the occasion, neatness, the weather and color combination)?	DAD - Choose Appropriate Clothing
C105185	DAD01-Choose Appropriate Utensils	DAD01-Choose Appropriate Utensils	Disability Assessment for Dementia - Choose appropriate utensils and seasonings when eating?	DAD - Choose Appropriate Utensils and Seasonings When Eating
C105208	DAD01-Complete Household Chores	DAD01-Complete Household Chores	Disability Assessment for Dementia - Complete household chores adequately as he/she used to perform in the past?	DAD - Complete Household Chores Adequately as in the Past
C105184	DAD01-Decide That He/She Needs to Eat	DAD01-Decide That He/She Needs to Eat	Disability Assessment for Dementia - Decide that he/she needs to eat?	DAD - Decide That He/She Needs to Eat
C105171	DAD01-Decide to Brush Teeth Dentures	DAD01-Decide to Brush Teeth Dentures	Disability Assessment for Dementia - Decide to brush his/her teeth or care for his/her dentures?	DAD - Decide to Brush Teeth or Care for Dentures
C105172	DAD01-Decide to Care For Hair	DAD01-Decide to Care For Hair	Disability Assessment for Dementia - Decide to care for his/her hair (wash and comb)?	DAD - Decide to Care for His/Her Hair
C105177	DAD01-Decide to Dress	DAD01-Decide to Dress	Disability Assessment for Dementia - Decide to dress himself/herself?	DAD - Decide to Dress Himself/Herself
C105194	DAD01-Decide to Go Out	DAD01-Decide to Go Out	Disability Assessment for Dementia - Decide to go out (walk, visit, shop) at an appropriate time?	DAD - Decide to Go Out at an Appropriate Time
C105187	DAD01-Decide to Prepare Meal Snack	DAD01-Decide to Prepare Meal Snack	Disability Assessment for Dementia - Decide to prepare a light meal or snack for himself/herself?	DAD - Decide to Prepare a Light Meal or Snack for Himself/Herself
C105170	DAD01-Decide to Wash	DAD01-Decide to Wash	Disability Assessment for Dementia - Decide to wash himself/herself or to take a bath or shower?	DAD - Decide to Wash or Take a Bath or Shower
C105180	DAD01-Dress Completely	DAD01-Dress Completely	Disability Assessment for Dementia - Dress himself/herself completely?	DAD - Dress Himself/Herself Completely
C105179	DAD01-Dress in Appropriate Order	DAD01-Dress in Appropriate Order	Disability Assessment for Dementia - Dress himself/herself in the appropriate order (undergarments, pant/dress, shoes)?	DAD - Dress in the Appropriate Order
C105186	DAD01-Eat at Normal Pace With Manners	DAD01-Eat at Normal Pace With Manners	Disability Assessment for Dementia - Eat his/her meals at a normal pace and with appropriate manners?	DAD - Eat Meals at a Normal Pace and with Appropriate Manners
C111581	DAD01-Effective Perf Num Applic Items	DAD01-Effective Perf Num Applic Items	Disability Assessment for Dementia - Sub-Total Effective Performance Number of Applicable Items.	DAD - Sub-Total Effective Performance Number of Applicable Items
C105191	DAD01-Find and Dial Telephone Number	DAD01-Find and Dial Telephone Number	Disability Assessment for Dementia - Find and dial a telephone number correctly?	DAD - Find and Dial a Telephone Number Correctly

**C105129 DAD01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105196	DAD01-Go Out Without Getting Lost	DAD01-Go Out Without Getting Lost	Disability Assessment for Dementia - Go out and reach a familiar destination without getting lost?	DAD - Go Out and Reach a Familiar Destination Without Getting Lost
C105202	DAD01-Handle Money Adequately	DAD01-Handle Money Adequately	Disability Assessment for Dementia - Handle his/her money adequately (deal with cash)?	DAD - Handle Money Adequately
C111578	DAD01-Initiation Num Applic Items	DAD01-Initiation Num Applic Items	Disability Assessment for Dementia - Sub-Total Initiation Number of Applicable Items.	DAD - Total Initiation Number of Applicable Items
C105200	DAD01-Organize Finances to Pay Bills	DAD01-Organize Finances to Pay Bills	Disability Assessment for Dementia - Organize his/her finances to pay his/her bills (checks, bank statement, bills)?	DAD - Organize Finances to Pay Bills
C111617	DAD01-Plan & Org Num Applic Items	DAD01-Plan & Org Num Applic Items	Disability Assessment for Dementia - Sub-Total Planning & Organization Number of Applicable Items.	DAD - Plan and Organize Number of Applicable Items
C105207	DAD01-Plan Organize Household Chores	DAD01-Plan Organize Household Chores	Disability Assessment for Dementia - Plan and organize adequately household chores that he/she used to perform in the past?	DAD - Plan and Organize Adequately Household Chores as in the Past
C105173	DAD01-Prepare For Washing Bath Shower	DAD01-Prepare For Washing Bath Shower	Disability Assessment for Dementia - Prepare the water, towels, and soap for washing, taking a bath or a shower?	DAD - Prepare the Water, Towels, and Soap for Washing, Taking a Bath or Shower
C105189	DAD01-Prepare or Cook Light Meal Snack	DAD01-Prepare or Cook Light Meal Snack	Disability Assessment for Dementia - Prepare or cook a light meal or a snack safely?	DAD - Safely Prepare or Cook a Light Meal or Snack
C105198	DAD01-Return From Store With Items	DAD01-Return From Store With Items	Disability Assessment for Dementia - Return from the store with the appropriate items?	DAD - Return From the Store with Appropriate Items
C105197	DAD01-Safely Take Transportation	DAD01-Safely Take Transportation	Disability Assessment for Dementia - Safely take the adequate mode of transportation (car, bus, taxi)?	DAD - Safely Take the Adequate Mode of Transportation
C105205	DAD01-Show Interest in Leisure Activity	DAD01-Show Interest in Leisure Activity	Disability Assessment for Dementia - Show an interest in leisure activity(ies)?	DAD - Show an Interest in Leisure Activities
C105199	DAD01-Show Interest in Personal Affairs	DAD01-Show Interest in Personal Affairs	Disability Assessment for Dementia - Show an interest in his/her personal affairs such as his/her finances and written correspondence?	DAD - Show an Interest in Personal Affairs such as Finances and Written Correspondence
C105209	DAD01-Stay Safely at Home When Needed	DAD01-Stay Safely at Home When Needed	Disability Assessment for Dementia - Stay safely at home by himself/herself when needed?	DAD - Stay Safely at Home When Needed
C111580	DAD01-Sub-Total Effective Performance	DAD01-Sub-Total Effective Performance	Disability Assessment for Dementia - Sub-Total Effective Performance.	DAD - Sub-Total Effective Performance
C111577	DAD01-Sub-Total Initiation	DAD01-Sub-Total Initiation	Disability Assessment for Dementia - Sub-Total Initiation.	DAD - Sub-Total Initiation
C111579	DAD01-Sub-Total Planning & Organization	DAD01-Sub-Total Planning & Organization	Disability Assessment for Dementia - Sub-Total Planning & Organization.	DAD - Sub-Total Planning and Organization
C105176	DAD01-Take Care of Hair	DAD01-Take Care of Hair	Disability Assessment for Dementia - Take care of his/her hair (wash and comb)?	DAD - Take Care of His/Her Hair
C105206	DAD01-Take Interest in Household Chores	DAD01-Take Interest in Household Chores	Disability Assessment for Dementia - Take an interest in household chores that he/she used to perform in the past?	DAD - Take an Interest in Household Chores as in the Past
C105204	DAD01-Take Medications as Prescribed	DAD01-Take Medications as Prescribed	Disability Assessment for Dementia - Take his/her medications as prescribed (according to the right dosage)?	DAD - Take Medications as Prescribed
C105203	DAD01-Take Medications at Correct Time	DAD01-Take Medications at Correct Time	Disability Assessment for Dementia - Decide to take his/her medications at the correct time?	DAD - Decide to Take Medications at the Correct Time
C105190	DAD01-Telephone Someone at Suitable Time	DAD01-Telephone Someone at Suitable Time	Disability Assessment for Dementia - Attempt to telephone someone at a suitable time?	DAD - Attempt to Telephone Someone at a Suitable Time
C111584	DAD01-Total %	DAD01-Total %	Disability Assessment for Dementia - Total %.	DAD - Total Percent
C111583	DAD01-Total Num of Applic Items	DAD01-Total Num of Applic Items	Disability Assessment for Dementia - Total Number of Applicable Items.	DAD - Total Number of Applicable Items

**C105129 DAD01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111582	DAD01-Total Score	DAD01-Total Score	Disability Assessment for Dementia - Total Score.	DAD - Total Score
C105181	DAD01-Undress Completely	DAD01-Undress Completely	Disability Assessment for Dementia - Undress himself/herself completely?	DAD - Undress Himself/Herself Completely
C105182	DAD01-Use Toilet at Appropriate Times	DAD01-Use Toilet at Appropriate Times	Disability Assessment for Dementia - Decide to use the toilet at appropriate times?	DAD - Decide to Use the Toilet at Appropriate Times
C105183	DAD01-Use Toilet Without Accidents	DAD01-Use Toilet Without Accidents	Disability Assessment for Dementia - Use the toilet without 'accidents'?	DAD - Use the Toilet Without Accidents
C105174	DAD01-Wash and Dry Body Safely	DAD01-Wash and Dry Body Safely	Disability Assessment for Dementia - Wash and dry all parts of his/her body safely and completely?	DAD - Wash and Dry All Parts of Body Safely and Completely
C105193	DAD01-Write Convey Telephone Message	DAD01-Write Convey Telephone Message	Disability Assessment for Dementia - Write and convey a telephone message adequately?	DAD - Write and Convey a Telephone Message Adequately

## DATEST (Drug Accountability Test Name)

NCI Code: C78731, Codelist extensible: Yes

C78731 DATEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C78721	Dispensed Amount	Dispensed Amount	The quantity of a product that has been dispensed. (NCI)	Dispensed Amount
C78722	Returned Amount	Returned Amount	The quantity of a product that has been returned. (NCI)	Returned Amount

## DATESTCD (Drug Accountability Test Code)

NCI Code: C78732, Codelist extensible: Yes

<b>C78732 DATESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C78721	DISPAMT	Dispensed Amount	The quantity of a product that has been dispensed. (NCI)	Dispensed Amount
C78722	RETAMT	Returned Amount	The quantity of a product that has been returned. (NCI)	Returned Amount

## DEACNDEV (Device Events Action Taken with Device)

NCI Code: C111110, Codelist extensible: Yes

C111110 DEACNDEV				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C69187	CALIBRATION		The act of checking or adjusting (by comparison with a standard) the accuracy of a measuring instrument. (NCI)	Calibration
C61575	REMOVAL		The act of taking out, extracting, or withdrawing an entity from a location.	Extraction
C111306	REPROGRAMMING		The act of rewriting program code or application software. (NCI)	Reprogram



## DECAT (Category of Device Events)

NCI Code: C111109, Codelist extensible: Yes

<b>C111109 DECAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62994	CALIBRATION FAILURE	Calibrate, Failure To;Failure to Calibrate	Issue associated with the failure of the device to perform a self-calibration procedure or process designed to assure the accuracy and proper performance of the device. (FDA)	Failure to Calibrate Problem
C63269	COMPUTER SOFTWARE ISSUE	Software Malfunction	Issue associated with written programs, codes, and/or software system that affects device performance or communication with another device. (NCI)	Computer Software Problem
C116121	DATA STORAGE FAILURE		Issue associated with the failure of the software to store collected data.	Data Storage Failure
C62954	DEVICE OPERATIONAL ISSUE	Device Operational Malfunction	Issue associated with any deviations from specifications relating to device operations (e.g. deployment, connection, electrical, computer software, infusion/flow, output, protective-measure, and incompatibility issues).	Medical Device Operational Issue
C112361	NON-STUDY EQUIPMENT ISSUE	Non-Study Equipment Malfunction	Issue associated with any deviations from specifications relating to non-study device or equipment operations.	Non-Study Device Issue
C111309	SCHEDULED MAINTENANCE		An inspection and/or surveillance activity that has been anticipated to occur and was assigned a time or date when that activity is to be performed. (NCI)	Scheduled Maintenance
C67227	SOFTWARE UPDATE		All program coding after initial deployment to correct coding errors, enhance the functionality of the software, and perfect the functioning of the software. (NCI)	Software Maintenance

## DIABTHPY (Diabetes Therapy)

NCI Code: C101857, Codelist extensible: Yes

<b>C101857 DIABTHPY</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15383	DIET		A form of therapy which includes dietary approaches and special diets.	Special Diet Therapy
C581	INSULIN		A synthetic or animal-derived form of insulin used in the treatment of diabetes mellitus.	Therapeutic Insulin
C99994	NO TREATMENT		No treatment for diabetes.	No Treatment for Diabetes
C102246	ORAL MEDICATION		A pharmacological medication intended for administration through the mouth.	Oral Medication

**DICTIONAM (Dictionary Name)**

NCI Code: C66788, Codelist extensible: Yes

<b>C66788 DICTIONAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49471	COSTART	Coding Symbols for a Thesaurus of Adverse Reaction Terms	A terminology developed and used by the Food and Drug Administration (FDA) for the coding, filing and retrieving of post marketing adverse reaction reports. (NCI)	Thesaurus of Adverse Reaction Term Coding Symbols
C49474	ICD	International Classification of Diseases	A system of categories to which morbid entries are assigned according to established criteria. Included is the entire range of conditions in a manageable number of categories, grouped to facilitate mortality reporting. It is produced by the World Health Organization (from ICD-10, p1). The Clinical Modifications, produced by the United States Dept. of Health and Human Services, are larger extensions used for morbidity and general epidemiological purposes, primarily in the U.S. (MSH2005_2004_10_12)	International Classification of Diseases
C49476	LOINC	Logical Observation Identifiers Names and Codes	Published by The Regenstrief Institute, the Logical Observation Identifiers Names and Codes covers clinical and clinical laboratory terminology. (NCI)	Logical Observation Identifiers Names and Codes
C43820	MedDRA	Medical Dictionary for Regulatory Activities	MedDRA is an international medical terminology designed to support the classification, retrieval, presentation, and communication of medical information throughout the medical product regulatory cycle. MedDRA was developed under the auspices of the International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH). The MedDRA Maintenance and Support Services Organization (MSSO) holds a contract with the International Federation of Pharmaceutical Manufacturers Associations (IFPMA) to maintain and support the implementation of the terminology. (NCI)	MedDRA
C53489	SNOMED	Systematized Nomenclature of Medicine	A multi-axial, hierarchical classification system for diseases in man developed by the College of American Pathologists. (NCI)	Systematized Nomenclature of Medicine
C49468	WHOART	World Health Organization Adverse Reaction Terms	A terminology implemented by the World Health Organization to describe adverse reactions to a prescribed medication or treatment regimen. (NCI)	World Health Organization Adverse Reaction Terminology
C49475	WHODD	World Health Organization Drug Dictionary	A reference source of drugs and drug associated information maintained by the World Health Organization. (NCI)	World Health Organization Drug Dictionary

## DIPARM (Device Identifier Long Name)

NCI Code: C106480, Codelist extensible: Yes

<b>C106480 DIPARM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C104504	Batch Number	Batch Identifier;Batch Number	A distinctive alpha-numeric identification code assigned by the manufacturer or distributor to a specific quantity of manufactured material or product that is produced in a manner that is expected to render it homogeneous.	Batch Number
C99286	Catalog Number	Catalog Number	A unique manufacturer-assigned identifier used to distinguish a specific product from others in a catalog of products offered.	Catalog Number
C53265	Device Type	Device Type	Generic category of medical device within the device classification established by a regulatory authority.	Type of Device
C112279	FDA Unique Device Identification	FDA Unique Device Identification	A UDI is a unique numeric or alphanumeric code that includes a device identifier, which is specific to a device model, and a production identifier, which includes the current production information for that specific device, such as the lot or batch number, the serial number and/or expiration date. (FDA)	FDA Unique Device Identifier
C70848	Lot Number	Lot Identifier;Lot Number	A distinctive alpha-numeric identification code assigned by the manufacturer or distributor to a specific quantity of manufactured material or product within a batch.	Lot Number
C25392	Manufacturer	Manufacturer	The organization defined as being responsible for creating the product as stated on the package in which the product is supplied. (BRIDG)	Manufacturer
C99285	Model Number	Model Identifier;Model Number	The identifier assigned to a particular design of a device, usually an alphanumeric text string.	Model Number
C111191	Secure Lead Type	Secure Lead Type	The type of locking device used to securely fasten the electrical leads to the device. (NCI)	Electrical Lead Locking Type
C73518	Serial Number	Serial Number	A unique identifier assigned to an individual object.	Serial Number
C106570	Stereotactic Surgery Frame Type	Stereotactic Surgery Frame Type	The classification of the cage structure used to immobilize the head or other body part in preparation for stereotactic surgery. (NCI)	Stereotactic Surgery Frame Type
C71898	Trade Name	Trade Name	The part of the name or logo associated with a specific product or service identifying and distinguishing it from varieties of the same product or service marketed by competing companies.	Proprietary Name

**DIPARMCD (Device Identifier Short Name)**

NCI Code: C106481, Codelist extensible: Yes

<b>C106481 DIPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C104504	BATCH	Batch Identifier;Batch Number	A distinctive alpha-numeric identification code assigned by the manufacturer or distributor to a specific quantity of manufactured material or product that is produced in a manner that is expected to render it homogeneous.	Batch Number
C99286	CATNUM	Catalog Number	A unique manufacturer-assigned identifier used to distinguish a specific product from others in a catalog of products offered.	Catalog Number
C53265	DEVTYPE	Device Type	Generic category of medical device within the device classification established by a regulatory authority.	Type of Device
C112279	FDAUDI	FDA Unique Device Identification	A UDI is a unique numeric or alphanumeric code that includes a device identifier, which is specific to a device model, and a production identifier, which includes the current production information for that specific device, such as the lot or batch number, the serial number and/or expiration date. (FDA)	FDA Unique Device Identifier
C70848	LOT	Lot Identifier;Lot Number	A distinctive alpha-numeric identification code assigned by the manufacturer or distributor to a specific quantity of manufactured material or product within a batch.	Lot Number
C25392	MANUF	Manufacturer	The organization defined as being responsible for creating the product as stated on the package in which the product is supplied. (BRIDG)	Manufacturer
C99285	MODEL	Model Identifier;Model Number	The identifier assigned to a particular design of a device, usually an alphanumeric text string.	Model Number
C111191	SECURLD	Secure Lead Type	The type of locking device used to securely fasten the electrical leads to the device. (NCI)	Electrical Lead Locking Type
C73518	SERIAL	Serial Number	A unique identifier assigned to an individual object.	Serial Number
C106570	SFMTYP	Stereotactic Surgery Frame Type	The classification of the cage structure used to immobilize the head or other body part in preparation for stereotactic surgery. (NCI)	Stereotactic Surgery Frame Type
C71898	TRADENAM	Trade Name	The part of the name or logo associated with a specific product or service identifying and distinguishing it from varieties of the same product or service marketed by competing companies.	Proprietary Name

## DIR (Directionality)

NCI Code: C99074, Codelist extensible: Yes

C99074 DIR				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25231	ANTERIOR		Denoting the front portion of the body or a structure.	Anterior
C147159	ANTEROMEDIAL		Denoting the front portion of the body towards the median plane.	Anteromedial
C25423	APICAL		Relating to or located at the apex.	Apical
C90067	BASAL		Relating to or located at the lowest portion of a structure.	Basal
C73851	CAUDAL		Toward the tail in a body.	Caudal
C25445	CENTRAL		A point or area that is approximately central within some larger region or structure. (NCI)	Center
C37936	CRANIAL		Toward the head in a body.	Cranial
C25240	DEEP		Extending relatively far inward. (NCI)	Deep
C25237	DISTAL		Situated farthest from a point of reference.	Distal
C147160	DISTAL VOLAR		Pertaining to the farthest portion from the palm side of a hand or the sole side of a foot.	Distal Volar
C45874	DORSAL		Pertaining to the back or upper surface of the body.	Dorsal
C90376	DORSOLATERAL		Toward the back and side of a body.	Dorsolateral
C90386	FORE		Of or involving the front of a main body. (NCI)	Fore
C90393	HIND		Of or involving the back of a main body. (NCI)	Hind
C25353	INFERIOR		Pertaining to a point below a given reference point.	Inferior
C37980	INNER		Inside or closer to the inside of the body or object. (NCI)	Inner
C73705	INTERMEDIATE		Located between two points or extremes.	Intermediate
C25230	LATERAL		Situated at or extending to the side.	Lateral
C25309	LOWER		The bottom one of two. (NCI)	Lower
C147161	LOWER EXTENSOR SURFACE		Pertaining to the lower portion of the surface on the opposite side of the joint when it bends.	Lower Extensor Surface
C147162	LOWER FLEXOR SURFACE		Pertaining to the lower portion of the surface on the same side of the joint when it bends.	Lower Flexor Surface
C147163	LOWER MEDIAL		Denoting the lower portion of the body towards the median plane.	Lower Medial
C25232	MEDIAL		Toward the middle or in a limb toward the median plane.	Medial
C81170	MIDLINE		A medial line, especially the medial line or medial plane of the body (or some part of the body).	Midline
C27958	NASAL		Of, or related to, or in the direction of the nose.	Nasal
C38166	OUTER		Being on or toward the outside of the body or object. (NCI)	Outer
C25233	PERIPHERAL		On or near an edge or constituting an outer boundary; the outer area. (NCI)	Peripheral
C25622	POSTERIOR		Denoting the back portion of the body or a structure.	Posterior
C25236	PROXIMAL		Situated nearest to a point of reference.	Proximal
C147164	PROXIMAL VOLAR		Pertaining to the nearest portion from the palm side of a hand or the sole side of a foot.	Proximal Volar
C94393	ROSTRAL		Toward the muzzle in the head.	Rostral
C25239	SUPERFICIAL		Of or pertaining to the exterior surface. (NCI)	Superficial
C25235	SUPERIOR		Pertaining to a point above a given reference point.	Superior

<b>C99074 DIR</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25245	SURFACE		The extended two-dimensional outer layer or area of a three-dimensional object. (NCI)	Surface
C117754	TEMPORAL		Of, or related to, or in the direction of the anatomic sites that are located in the temple.	Temporal Anatomic Qualifier
C90069	TIP		The pointed end of a structure.	Tip
C25355	UPPER		The top one of two.	Upper
C147165	UPPER EXTENSOR SURFACE		Pertaining to the upper portion of the surface on the opposite side of the joint when it bends.	Upper Extensor Surface
C147166	UPPER FLEXOR SURFACE		Pertaining to the upper portion of the surface on the same side of the joint when it bends.	Upper Flexor Surface
C45875	VENTRAL		Pertaining to the front or lower surface of the body.	Ventral
C98798	VENTROLATERAL		Of or pertaining to the front and side of a main body. (NCI)	Ventrolateral
C147167	VOLAR		Pertaining to the palm side of a hand or the sole side of a foot.	Volar

## DISCHDX (Discharge Disposition)

NCI Code: C101863, Codelist extensible: Yes

C101863 DISCHDX				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C28554	EXPIRED	Died	The absence of life or state of being dead. (NCI)	Dead
C99944	EXPIRED IN A MEDICAL FACILITY		The patient died while in a medical center such as a hospital, skilled nursing facility (SNF), intermediate care facility (ICF), or a freestanding hospice center.	Died in a Medical Facility
C99909	FEDERAL HEALTH CARE FACILITY		The patient will be admitted to a medical center that is funded by the federal government (e.g. Veterans Affairs Hospital).	Federal Health Care Facility
C99959	HOME UNDER CARE OF ORGANIZED HOME HEALTH SERVICE ORGANIZATION IN ANTICIPATION OF COVERED SKILLED CARE		The patient will return home but personal health maintenance will be administered and monitored by a member of a healthcare organization that is eligible to receive Medicare funding.	Home Under Care of Organized Home Health Service Organization in Anticipation of Covered Skilled Care
C99958	HOME, HOSPICE		The patient will receive end-of-life care which will be administered in the patient's home.	Home Hospice
C99957	HOME, SELF CARE		A routine discharge where personal health maintenance will be administered and monitored by the patient from their home.	Home Care
C99910	HOSPICE - MEDICAL FACILITY		The patient will receive end-of-life care which will be administered in a medical center.	Hospice Care at Medical Facility
C99960	HOSPITAL-BASED MEDICARE-APPROVED SWING BED		The patient will be admitted into a medical center and receive a type of hospital bed that will be paid for my Medicare.	Hospital with Medicare Approved Swing Bed
C99911	INPATIENT REHABILITATION FACILITY (IRF) INCLUDING REHABILITATION DISTINCT PART UNITS OF A HOSPITAL		The patient will be admitted full time into a free standing rehabilitation center or a rehabilitation center within a general medical facility.	Inpatient Rehabilitation Facility Including Rehabilitation distinct Part Units of a Hospital
C102247	INSTITUTION NOT DEFINED		The patient will be admitted into an alternative facility not listed.	Institution Not Defined
C99912	INTERMEDIATE CARE FACILITY		The patient will be admitted into a medical center that provides care 24 hours per day.	Intermediate Care Facility
C99969	LEFT AGAINST MEDICAL ADVICE OR DISCONTINUED CARE		The patient vacated the medical center or ceased medical care contrary to the recommendation of a trained healthcare provider.	Left Against Medical Advice
C135382	LONG TERM CARE HOSPITAL		The patient will be admitted into a hospital equipped and staffed to provide prolonged care to patients.	Long Term Care Hospital
C99984	MEDICARE-CERTIFIED LONG TERM CARE HOSPITAL (LTCH)		The patient will be admitted into a Medicare funded medical center for a considerable length of time.	Medicare Certified Long Term Care Hospital
C99913	NURSING FACILITY CERTIFIED UNDER MEDICAID BUT NOT CERTIFIED UNDER MEDICARE		The patient will be admitted into a medical center which is eligible to receive funding from Medicaid but not Medicare.	Nursing Facility Certified Under Medicaid but Not Certified Under Medicare
C53536	PSYCHIATRIC HOSPITAL OR A PSYCHIATRIC-DISTINCT PART UNIT OF A HOSPITAL		The patient will be admitted into a free standing medical facility or a unit within a general medical facility used for the treatment of mental health disorders.	Psychiatric Facility
C102248	SHORT TERM GENERAL HOSPITAL		The patient will remain in a basic hospital environment for a brief time.	Short Term General Hospital
C99914	SKILLED NURSING FACILITY (SNF) WITH MEDICARE CERTIFICATION IN ANTICIPATION OF COVERED SKILLED CARE		The patient will be admitted into a medical center equipped with a trained nursing staff that is eligible to receive Medicare funding.	Skilled Nursing Facility with Medicare Certification in Anticipation of Covered Skilled Care



## DKFATS (Diabetic Kidney Disease Findings About Test Name)

NCI Code: C129939, Codelist extensible: Yes

C129939 DKFATS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130057	Number of Events	Number of Events	The total number of events that have occurred.	Number of Events

## DKFATSCD (Diabetic Kidney Disease Findings About Test Code)

NCI Code: C129940, Codelist extensible: Yes

C129940 DKFATSCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130057	EVENTNUM	Number of Events	The total number of events that have occurred.	Number of Events

## DLQI1TC (Dermatology Life Quality Index Questionnaire Test Code)

NCI Code: C119070, Codelist extensible: No

C119070 DLQI1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119163	DLQI101	DLQI1-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119164	DLQI102	DLQI1-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119165	DLQI103	DLQI1-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119166	DLQI104	DLQI1-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119167	DLQI105	DLQI1-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119168	DLQI106	DLQI1-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI107	DLQI1-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI107A	DLQI1-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI108	DLQI1-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives
C119172	DLQI109	DLQI1-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119173	DLQI110	DLQI1-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119174	DLQI111	DLQI-Score	Dermatology Life Quality Index - Score.	DLQI - Score

## DLQI1TN (Dermatology Life Quality Index Questionnaire Test Name)

NCI Code: C119069, Codelist extensible: No

C119069 DLQI1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119174	DLQI-Score	DLQI-Score	Dermatology Life Quality Index - Score.	DLQI - Score
C119167	DLQI1-Affected Social, Leisure Activity	DLQI1-Affected Social, Leisure Activity	Dermatology Life Quality Index - Over the last week, how much has your skin affected any social or leisure activities?	DLQI - Skin Affect Social or Leisure Activities
C119172	DLQI1-Caused Any Sexual Difficulties	DLQI1-Caused Any Sexual Difficulties	Dermatology Life Quality Index - Over the last week, how much has your skin caused any sexual difficulties?	DLQI - Skin Cause Sexual Difficulties
C119164	DLQI1-How Embarrassed, Self Conscious	DLQI1-How Embarrassed, Self Conscious	Dermatology Life Quality Index - Over the last week, how embarrassed or self conscious have you been because of your skin?	DLQI - Embarrassed Because of Skin
C119163	DLQI1-How Itchy, Sore, Painful, Stinging	DLQI1-How Itchy, Sore, Painful, Stinging	Dermatology Life Quality Index - Over the last week, how itchy, sore, painful or stinging has your skin been?	DLQI - Itchy, Sore, Painful or Stinging Skin
C119173	DLQI1-How Much a Problem is Treatment	DLQI1-How Much a Problem is Treatment	Dermatology Life Quality Index - Over the last week, how much of a problem has the treatment for your skin been, for example by making your home messy, or by taking up time?	DLQI - Treatment for Skin Make Home Messy
C119166	DLQI1-Influenced Clothes You Wear	DLQI1-Influenced Clothes You Wear	Dermatology Life Quality Index - Over the last week, how much has your skin influenced the clothes you wear?	DLQI - Skin Influence Clothes You Wear
C119165	DLQI1-Interfered Shopping, Home, Yard	DLQI1-Interfered Shopping, Home, Yard	Dermatology Life Quality Index - Over the last week, how much has your skin interfered with you going shopping or looking after your home or yard?	DLQI - Skin Interfere With Shopping, Looking After Home or Yard
C119168	DLQI1-Made It Difficult to Do Any Sports	DLQI1-Made It Difficult to Do Any Sports	Dermatology Life Quality Index - Over the last week, how much has your skin made it difficult for you to do any sport?	DLQI - Skin Made Difficult to Do Sport
C119169	DLQI1-Prevented Working or Studying	DLQI1-Prevented Working or Studying	Dermatology Life Quality Index - Over the last week, has your skin prevented you from working or studying?	DLQI - Skin Prevent Work or Study
C119170	DLQI1-Problem at Work or Studying	DLQI1-Problem at Work or Studying	Dermatology Life Quality Index - If 'No', over the last week how much has your skin been a problem at work or studying?	DLQI - Skin Has Been a Problem at Work or Study
C119171	DLQI1-Problem Partner, Friends, Relative	DLQI1-Problem Partner, Friends, Relative	Dermatology Life Quality Index - Over the last week, how much has your skin created problems with your partner or any of your close friends or relatives?	DLQI - Skin Create Problem With Partner, Friends or Relatives

## DMFATS (Duchenne Muscular Dystrophy Findings About Test Name)

NCI Code: C139019, Codelist extensible: Yes

<b>C139019 DMFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139175	Age at Full-Time Use	Age at Full-Time Use	The age at which the full-time use of a pre-specified object first occurred.	Age at Full-Time Use

## DMFATSCD (Duchenne Muscular Dystrophy Findings About Test Code)

NCI Code: C139018, Codelist extensible: Yes

<b>C139018 DMFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139175	AGEFTUSE	Age at Full-Time Use	The age at which the full-time use of a pre-specified object first occurred.	Age at Full-Time Use

## DOMAIN (SDTM Domain Abbreviation)

NCI Code: C66734, Codelist extensible: Yes

C66734 DOMAIN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C49563	AD	Analysis Dataset	A two-letter prefix used to denote ADaM-compliant analysis datasets used for statistical analysis and reporting by the sponsor. These are submitted in addition to the data tabulation datasets.	Analysis Dataset Domain
C49562	AE	Adverse Events	An events domain that contains data describing untoward medical occurrences in a patient or subjects that are administered a pharmaceutical product and which may not necessarily have a causal relationship with the treatment.	Adverse Event Domain
C117755	AG	Procedure Agents	An interventions domain that contains the agents administered to the subject as part of a procedure or assessment, as opposed to drugs, medications and therapies administered with therapeutic intent.	Procedure Agents Domain
C147168	APAE	Associated Persons Adverse Events	The adverse events domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Adverse Events Domain
C147169	APBS	Associated Persons Biospecimen	The biospecimen domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Biospecimen Domain
C147170	APDD	Associated Persons Death Details	The death details domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Death Details Domain
C132354	APDM	Associated Persons Demographics	The demographics domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Demographics Submission Domain
C147171	APEX	Associated Persons Exposure	The exposure domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Exposure Domain
C147172	APLB	Associated Persons Laboratory Test Results	The laboratory test results domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Laboratory Test Results Domain
C147173	APMH	Associated Persons Medical History	The medical history domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Medical History Domain
C147174	APQS	Associated Persons Questionnaires	The questionnaires domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Questionnaires Domain
C147175	APRELSUB	Relationship between Associated Persons and Subjects	A dataset used to represent relationships between associated persons (individuals who are not study subjects, but about whom data is collected) and study subjects.	Relationship between Associated Persons and Subjects Domain
C147176	APRP	Associated Persons Reproductive System Findings	The reproductive system findings domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Reproductive System Findings Domain
C147177	APSC	Associated Persons Subject Characteristics	The subject characteristics domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Subject Characteristics Domain
C147178	APSS	Associated Persons Subject Status	The subject status domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Subject Status Domain
C147179	APSU	Associated Persons Substance Use	The substance use domain for those persons associated with the study itself, a particular study subject, or a device used in the study.	Associated Persons Substance Use Domain
C111282	AX	Non-Compliant ADaM Dataset	A two-letter prefix used to denote an analysis dataset that is not compliant with a defined ADaM structure.	Non-Compliant ADaM Datasets Domain
C111138	BE	Biospecimen Events	An events domain that documents biospecimen collection and storage information.	Biospecimen Events Domain
C111137	BS	Biospecimen Findings	A findings domain that documents biospecimen handling information.	Biospecimen Domain

C66734 DOMAIN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85441	CE	Clinical Events	An events domain that contains clinical events of interest that would not be classified as adverse events.	Clinical Events Domain
C49568	CM	Concomitant/Prior Medications	An interventions domain that contains concomitant and prior medications used by the subject, such as those given on an as needed basis or condition-appropriate medications.	Concomitant Medication Domain
C49569	CO	Comments	A special-purpose domain that contains comments that may be collected alongside other data.	Comment Domain
C102605	CV	Cardiovascular System Findings	A findings domain that contains physiological and morphological findings related to the cardiovascular system, including the heart, blood vessels and lymphatic vessels.	Cardiovascular System Findings Domain
C49578	DA	Drug Accountability	An events domain that contains the accountability of study drug, such as information on the receipt, dispensing, return, and packaging.	Drug Accountability Domain
C95087	DD	Death Details;Death Diagnosis and Details	An events domain that contains the diagnosis of the cause of death for a subject.	Death Diagnosis Domain
C102616	DE	Device Events	An events domain that contains data for device-related events.	Device Events Domain
C102618	DI	Device Identifiers	A special-purpose domain containing information that identifies a specific device unit.	Device Identifiers Domain
C49572	DM	Demographics	A special-purpose domain that includes a set of essential standard variables that describe each subject in a clinical study. It is the parent domain for all other observations for human clinical subjects.	Demographics Domain
C102619	DO	Device Properties	A findings domain that contains the device characteristics that do not vary over the course of the study.	Device Properties Domain
C102620	DR	Device-Subject Relationships	A special-purpose domain that contains the linkage of each subject to the device(s) to which they may have been exposed during the study.	Device to Subject Relationship Domain
C49576	DS	Disposition	An events domain that contains information encompassing and representing data related to subject disposition.	Disposition Domain
C102621	DT	Device Tracking and Disposition	A events domain that contains the logistics and disposition information specific to a given device.	Device Tracking and Disposition Domain
C102622	DU	Device In-Use	A findings domain that contains the measurements and settings that are intentionally set on a device when it is in use. These are characteristics that exist for the device, and have a specific setting for a use instance.	Device-In-Use Domain
C49585	DV	Protocol Deviations	An events domain that contains protocol violations and deviations during the course of the study.	Protocol Deviations Domain
C102617	DX	Device Exposure	An interventions domain that contains a subject's exposure to a medical device under study.	Device Exposure Domain
C117466	EC	Exposure as Collected	An interventions domain that contains information about protocol-specified study treatment administrations, as collected.	Exposure as Collected Domain
C102630	ED	Endocrine System Findings	A findings domain that contains physiological and morphological findings related to the endocrine system, including the glands and cells that make hormones that are released directly into the blood and travel to tissues and organs all over the body.	Endocrine System Findings Domain
C49626	EG	ECG Test Results	A findings domain that contains ECG data, including position of the subject, method of evaluation, all cycle measurements and all findings from the ECG including an overall interpretation if collected or derived.	Electrocardiogram Domain
C49587	EX	Exposure	An interventions domain that contains the details of a subject's exposure to protocol-specified study treatment. Study treatment may be any intervention that is prospectively defined as a test material within a study, and is typically but not always supplied to the subject.	Exposure Domain
C85442	FA	Findings About Events or Interventions	A findings domain that contains the findings about an event or intervention that cannot be represented within an events or interventions domain record or as a supplemental qualifier.	Findings About Events or Interventions Domain



<b>C66734 DOMAIN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117756	FT	Functional Tests	A findings domain that contains data for named, stand-alone, task-based evaluations designed to provide an assessment of mobility, dexterity, or cognitive ability.	Functional Tests Domain
C102640	GI	Gastrointestinal System Findings	A findings domain that contains physiological and morphological findings related to the gastrointestinal system, including the esophagus, stomach, small and large intestine, anus, liver, biliary tract and pancreas.	Digestive System Findings Domain
C102641	HM	Hematopoietic System Findings	A findings domain that contains physiological and morphological findings related to the hematopoietic system, including the bone marrow and lymph nodes involved in the production of blood.	Hematopoietic System Findings Domain
C117757	HO	Healthcare Encounters	A events domain that contains data for inpatient and outpatient healthcare events (e.g., hospitalization, nursing home stay, rehabilitation facility stay, ambulatory surgery).	Healthcare Encounters Domain
C61536	IE	Inclusion/Exclusion Criteria Not Met	A findings domain that contains those criteria that cause the subject to be in violation of the inclusion/exclusion criteria.	Inclusion Exclusion Criteria Not Met Domain
C112320	IS	Immunogenicity Specimen Assessments	A findings domain for assessments that determine whether a therapy induced an immune response.	Immunogenicity Specimen Assessments Domain
C49592	LB	Laboratory Test Results	A findings domain that contains laboratory test data such as hematology, clinical chemistry and urinalysis. This domain does not include microbiology or pharmacokinetic data, which are stored in separate domains.	Laboratory Data Domain
C49602	MB	Microbiology Specimen	A findings domain that represents non-host organisms identified including bacteria, viruses, parasites, protozoa and fungi.	Microbiology Specimen Domain
C49603	MH	Medical History	An events domain that contains data that includes the subject's prior medical history at the start of the trial.	Medical History Domain
C95095	MI	Microscopic Findings	A findings domain that contains histopathology findings and microscopic evaluations.	Microscopic Findings Domain
C102674	MK	Musculoskeletal System Findings	A findings domain that contains physiological and morphological findings related to the system of muscles, tendons, ligaments, bones, joints, and associated tissues.	Musculoskeletal Findings, Connective and Soft Tissue Findings Domain
C49604	ML	Meal Data	An interventions domain that contains information describing a subject's food product consumption.	Meal Data Domain
C61531	MS	Microbiology Susceptibility	A findings domain that represents drug susceptibility testing results only. This includes phenotypic testing (where drug is added directly to a culture of organisms) and genotypic tests that provide results in terms of susceptible or resistant. Drug susceptibility testing may occur on a wide variety of non-host organisms, including bacteria, viruses, fungi, protozoa and parasites.	Microbiology Susceptibility Domain
C102677	NV	Nervous System Findings	A findings domain that contains physiological and morphological findings related to the nervous system, including the brain, spinal cord, the cranial and spinal nerves, autonomic ganglia and plexuses.	Nervous System Findings Domain
C147180	OE	Ophthalmic Examinations	A findings domain that contains tests that measure a person's ocular health and visual status, to detect abnormalities in the components of the visual system, and to determine how well the person can see.	Ophthalmic Examinations Domain
C106552	PB	Pharmacogenomics Biomarker	A special-purpose domain that relates a set of genetic variations to an inference about the medical meaning of that set of genetic variations.	Pharmacogenomics Biomarker Domain
C49606	PC	Pharmacokinetics Concentrations	A findings domain that contains concentrations of drugs or metabolites in fluids or tissues as a function of time.	Pharmacokinetic Concentration Domain
C49608	PE	Physical Examination	A findings domain that contains findings observed during a physical examination where the body is evaluated by inspection, palpation, percussion, and auscultation.	Physical Exam Domain
C111289	PF	Pharmacogenomics/Genetics Findings	A findings domain for gene expression and genetic variation assessments.	Pharmacogenomics Findings Domain
C61529	PG	Pharmacogenomics/Genetics Methods and Supporting Information	A findings domain that contains supporting information for pharmacogenomics/genetics findings that applies to the entire test and not an individual findings result.	Pharmacogenomics Domain

<b>C66734 DOMAIN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147181	POOLDEF	Pool Definition	A dataset that identifies individual subjects included in a pool of subjects for which a single observation record (pool level) is captured.	Pool Definition Dataset
C49607	PP	Pharmacokinetic Parameters	A findings domain that contains pharmacokinetic parameters derived from pharmacokinetic concentration-time (PC) data.	Pharmacokinetic Parameters Domain
C102700	PR	Procedures	An interventions domain that contains interventional activity intended to have diagnostic, preventive, therapeutic, or palliative effects.	Procedure Domain
C49609	QS	Questionnaires	A findings domain that contains data for named, stand-alone instruments designed to provide an assessment of a concept. Questionnaires have a defined standard structure, format, and content; consist of conceptually related items that are typically scored; and have documented methods for administration and analysis.	Questionnaire Domain
C95098	RE	Respiratory System Findings	A findings domain that contains physiological and morphological findings related to the respiratory system, including the organs that are involved in breathing such as the nose, throat, larynx, trachea, bronchi and lungs.	Respiratory Domain
C147182	RELREC	Related Records	A dataset used to describe relationships between records for a subject within or across domains, and relationships of records across datasets.	Related Records Dataset
C147183	RELSUB	Related Subjects	A dataset used to represent relationships between study subjects.	Related Subjects Dataset
C102707	RP	Reproductive System Findings	A findings domain that contains physiological and morphological findings related to the male and female reproductive systems.	Reproductive System Findings Domain
C107097	RS	Disease Response and Clin Classification	A findings domain for the assessment of disease response to therapy, or clinical classification based on published criteria.	Disease Response Domain
C106571	SB	Subject Biomarker	A special purpose domain that associates the subject with the medical conclusions contained in the pharmacogenomics biological state (PB) domain based on the observations reported in pharmacogenomics findings (PF) domain.	Subject Biomarker Domain
C49610	SC	Subject Characteristics	A findings domain that contains subject-related data not collected in other domains.	Subject Characteristics Domain
C49616	SE	Subject Elements	A special-purpose domain that contains the actual order of elements followed by the subject, together with the start date/time and end date/time for each element.	Subject Element Domain
C147184	SM	Subject Disease Milestones	A special-purpose domain that is designed to record the timing, for each subject, of disease milestones that have been defined in the Trial Disease Milestones (TM) domain.	Subject Disease Milestones Domain
C112420	SR	Skin Response	A findings about domain for submitting dermal responses to antigens.	Skin Response Domain
C117655	SS	Subject Status	A findings domain that contains general subject characteristics that are evaluated periodically to determine if they have changed.	Subject Status Domain
C49615	SU	Substance Use	An interventions domain that contains substance use information that may be used to assess the efficacy and/or safety of therapies that look to mitigate the effects of chronic substance use.	Substance Use Domain
C147185	SUPPAE	Supplemental Qualifiers for Adverse Events	A dataset used to represent non-standard variables and their association to parent records in the Adverse Events domain.	Adverse Events Supplemental Qualifiers Dataset
C147186	SUPPAG	Supplemental Qualifiers for Procedure Agents	A dataset used to represent non-standard variables and their association to parent records in the Procedure Agents domain.	Procedure Agents Supplemental Qualifiers Dataset
C147187	SUPPBE	Supplemental Qualifiers for Biospecimen Events	A dataset used to represent non-standard variables and their association to parent records in the Biospecimen Events domain.	Biospecimen Events Supplemental Qualifiers Dataset
C147188	SUPPBG	Supplemental Qualifiers for Body Weight Gain	A dataset used to represent non-standard variables and their association to parent records in the Body Weight Gain domain.	Body Weight Gain Supplemental Qualifiers Dataset

C66734 DOMAIN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147189	SUPPBS	Supplemental Qualifiers for Biospecimen Findings	A dataset used to represent non-standard variables and their association to parent records in the Biospecimen Findings domain.	Biospecimen Findings Supplemental Qualifiers Dataset
C147190	SUPPBW	Supplemental Qualifiers for Body Weight	A dataset used to represent non-standard variables and their association to parent records in the Body Weight domain.	Body Weight Supplemental Qualifiers Dataset
C147191	SUPPCE	Supplemental Qualifiers for Clinical Events	A dataset used to represent non-standard variables and their association to parent records in the Clinical Events domain.	Clinical Events Supplemental Qualifiers Dataset
C147192	SUPPCL	Supplemental Qualifiers for Clinical Observations	A dataset used to represent non-standard variables and their association to parent records in the Clinical Observations domain.	Clinical Observations Supplemental Qualifiers Dataset
C147193	SUPPCM	Supplemental Qualifiers for Concomitant/Prior Medications	A dataset used to represent non-standard variables and their association to parent records in the Concomitant/Prior Medications domain.	Concomitant and Prior Medications Supplemental Qualifiers Dataset
C147194	SUPPCO	Supplemental Qualifiers for Comments	A dataset used to represent non-standard variables and their association to parent records in the Comments domain.	Comments Supplemental Qualifiers Dataset
C147195	SUPPCV	Supplemental Qualifiers for Cardiovascular System Findings	A dataset used to represent non-standard variables and their association to parent records in the Cardiovascular System Findings (human clinical trials) domain.	Cardiovascular System Findings Supplemental Qualifiers Dataset
C147196	SUPPDA	Supplemental Qualifiers for Drug Accountability	A dataset used to represent non-standard variables and their association to parent records in the Drug Accountability domain.	Drug Accountability Supplemental Qualifiers Dataset
C147197	SUPPDD	Supplemental Qualifiers for Death Details (human clinical trials)	A dataset used to represent non-standard variables and their association to parent records in the Death Details (human clinical trials) domain.	Death Details (human clinical trials) Supplemental Qualifiers Dataset
C147198	SUPPDE	Supplemental Qualifiers for Device Events	A dataset used to represent non-standard variables and their association to parent records in the Device Events domain.	Device Events Supplemental Qualifiers Dataset
C147199	SUPPDI	Supplemental Qualifiers for Device Identifiers	A dataset used to represent non-standard variables and their association to parent records in the Device Identifiers domain.	Device Identifiers Supplemental Qualifiers Dataset
C147200	SUPPDM	Supplemental Qualifiers for Demographics	A dataset used to represent non-standard variables and their association to parent records in the Demographics domain.	Demographics Supplemental Qualifiers Dataset
C147201	SUPPDO	Supplemental Qualifiers for Device Properties	A dataset used to represent non-standard variables and their association to parent records in the Device Properties domain.	Device Properties Supplemental Qualifiers Dataset
C147202	SUPPDR	Supplemental Qualifiers for Device Subject Relationships	A dataset used to represent non-standard variables and their association to parent records in the Device Subject Relationships domain.	Device Subject Relationships Supplemental Qualifiers Dataset
C147203	SUPPDS	Supplemental Qualifiers for Disposition	A dataset used to represent non-standard variables and their association to parent records in the Disposition domain.	Disposition Supplemental Qualifiers Dataset
C147204	SUPPDT	Supplemental Qualifiers for Device Tracking and Disposition	A dataset used to represent non-standard variables and their association to parent records in the Device Tracking and Disposition domain.	Device Tracking and Disposition Supplemental Qualifiers Dataset
C147205	SUPPDU	Supplemental Qualifiers for Device In-Use	A dataset used to represent non-standard variables and their association to parent records in the Device In-Use domain.	Device In-Use Supplemental Qualifiers Dataset
C147206	SUPPDV	Supplemental Qualifiers for Protocol Deviations	A dataset used to represent non-standard variables and their association to parent records in the Protocol Deviations domain.	Protocol Deviations Supplemental Qualifiers Dataset
C147207	SUPPDX	Supplemental Qualifiers for Device Exposure	A dataset used to represent non-standard variables and their association to parent records in the Device Exposure domain.	Device Exposure Supplemental Qualifiers Dataset
C147208	SUPPEC	Supplemental Qualifiers for Exposure as Collected	A dataset used to represent non-standard variables and their association to parent records in the Exposure as Collected domain.	Exposure as Collected Supplemental Qualifiers Dataset

<b>C66734 DOMAIN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147209	SUPPEG	Supplemental Qualifiers for ECG Test Results	A dataset used to represent non-standard variables and their association to parent records in the ECG Test Results domain.	ECG Test Results Supplemental Qualifiers Dataset
C147210	SUPPER	Supplemental Qualifiers for Environmental and Social Factors	A dataset used to represent non-standard variables and their association to parent records in the Environmental and Social Factors domain.	Environmental and Social Factors Supplemental Qualifiers Dataset
C147211	SUPPEX	Supplemental Qualifiers for Exposure	A dataset used to represent non-standard variables and their association to parent records in the Exposure domain.	Exposure Supplemental Qualifiers Dataset
C147212	SUPPFA	Supplemental Qualifiers for Findings About Events or Interventions	A dataset used to represent non-standard variables and their association to parent records in the Findings About Events or Interventions domain.	Findings About Events or Interventions Supplemental Qualifiers Dataset
C147213	SUPPFM	Supplemental Qualifiers for Fetal Measurements	A dataset used to represent non-standard variables and their association to parent records in the Fetal Measurements domain.	Fetal Measurements Supplemental Qualifiers Dataset
C147214	SUPPFW	Supplemental Qualifiers for Food and Water Consumption	A dataset used to represent non-standard variables and their association to parent records in the Food and Water Consumption domain.	Food and Water Consumption Supplemental Qualifiers Dataset
C147215	SUPPFX	Supplemental Qualifiers for Fetal Pathology Findings	A dataset used to represent non-standard variables and their association to parent records in the Fetal Pathology Findings domain.	Fetal Pathology Findings Supplemental Qualifiers Dataset
C147216	SUPPHO	Supplemental Qualifiers for Healthcare Encounters	A dataset used to represent non-standard variables and their association to parent records in the Healthcare Encounters domain.	Healthcare Encounters Supplemental Qualifiers Dataset
C147217	SUPPIC	Supplemental Qualifiers for Implantation Classification	A dataset used to represent non-standard variables and their association to parent records in the Implantation Classification domain.	Implantation Classification Supplemental Qualifiers Dataset
C147218	SUPPIE	Supplemental Qualifiers for Inclusion/Exclusion Criteria Not Met	A dataset used to represent non-standard variables and their association to parent records in the Inclusion/Exclusion Criteria Not Met domain.	Inclusion/Exclusion Criteria Not Met Supplemental Qualifiers Dataset
C147219	SUPPIS	Supplemental Qualifiers for Immunogenicity Specimen Assessments	A dataset used to represent non-standard variables and their association to parent records in the Immunogenicity Specimen Assessments domain.	Immunogenicity Specimen Assessments Supplemental Qualifiers Dataset
C147220	SUPPLB	Supplemental Qualifiers for Laboratory Test Results	A dataset used to represent non-standard variables and their association to parent records in the Laboratory Test Results domain.	Laboratory Test Results Supplemental Qualifiers Dataset
C147221	SUPPMA	Supplemental Qualifiers for Macroscopic Findings	A dataset used to represent non-standard variables and their association to parent records in the Macroscopic Findings domain.	Macroscopic Findings Supplemental Qualifiers Dataset
C147222	SUPPMB	Supplemental Qualifiers for Microbiology Specimen	A dataset used to represent non-standard variables and their association to parent records in the Microbiology Specimen domain.	Microbiology Specimen Supplemental Qualifiers Dataset
C147223	SUPPMH	Supplemental Qualifiers for Medical History	A dataset used to represent non-standard variables and their association to parent records in the Medical History domain.	Medical History Supplemental Qualifiers Dataset
C147224	SUPPMI	Supplemental Qualifiers for Microscopic Findings	A dataset used to represent non-standard variables and their association to parent records in the Microscopic Findings domain.	Microscopic Findings Supplemental Qualifiers Dataset
C147225	SUPPMK	Supplemental Qualifiers for Musculoskeletal System Findings	A dataset used to represent non-standard variables and their association to parent records in the Musculoskeletal System Findings domain.	Musculoskeletal System Findings Supplemental Qualifiers Dataset
C147226	SUPPML	Supplemental Qualifiers for Meal Data	A dataset used to represent non-standard variables and their association to parent records in the Meal Data domain.	Meal Data Supplemental Qualifiers Dataset
C147227	SUPPMS	Supplemental Qualifiers for Microbiology Susceptibility	A dataset used to represent non-standard variables and their association to parent records in the Microbiology Susceptibility domain.	Microbiology Susceptibility Supplemental Qualifiers Dataset

C66734 DOMAIN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147228	SUPPNV	Supplemental Qualifiers for Nervous System Findings	A dataset used to represent non-standard variables and their association to parent records in the Nervous System Findings domain.	Nervous System Findings Supplemental Qualifiers Dataset
C147229	SUPPOE	Supplemental Qualifiers for Ophthalmic Examinations	A dataset used to represent non-standard variables and their association to parent records in the Ophthalmic Examinations domain.	Ophthalmic Examinations Supplemental Qualifiers Dataset
C147230	SUPPOI	Supplemental Qualifiers for Non-Host Organism Identifiers	A dataset used to represent non-standard variables and their association to parent records in the Non-Host Organism Identifiers domain.	Non-Host Organism Identifiers Supplemental Qualifiers Dataset
C147231	SUPPOM	Supplemental Qualifiers for Organ Measurements	A dataset used to represent non-standard variables and their association to parent records in the Organ Measurements domain.	Organ Measurements Supplemental Qualifiers Dataset
C147232	SUPPPB	Supplemental Qualifiers for Pharmacogenomics/Genetics Biomarker	A dataset used to represent non-standard variables and their association to parent records in the Pharmacogenomics/Genetics Biomarker domain.	Pharmacogenomics/Genetics Biomarker Supplemental Qualifiers Dataset
C147233	SUPPPC	Supplemental Qualifiers for Pharmacokinetics Concentrations	A dataset used to represent non-standard variables and their association to parent records in the Pharmacokinetics Concentrations domain.	Pharmacokinetics Concentrations Supplemental Qualifiers Dataset
C147234	SUPPPE	Supplemental Qualifiers for Physical Examination	A dataset used to represent non-standard variables and their association to parent records in the Physical Examination domain.	Physical Examination Supplemental Qualifiers Dataset
C147235	SUPPPF	Supplemental Qualifiers for Pharmacogenomics/Genetics Findings	A dataset used to represent non-standard variables and their association to parent records in the Pharmacogenomics/Genetics Findings domain.	Pharmacogenomics/Genetics Findings Supplemental Qualifiers Dataset
C147236	SUPPPG	Supplemental Qualifiers for Pharmacogenomics/Genetics Methods and Supporting Information	A dataset used to represent non-standard variables and their association to parent records in the Pharmacogenomics/Genetics Methods and Supporting Information domain.	Pharmacogenomics/Genetics Methods and Supporting Information Supplemental Qualifiers Dataset
C147237	SUPPPM	Supplemental Qualifiers for Palpable Masses	A dataset used to represent non-standard variables and their association to parent records in the Palpable Masses domain.	Palpable Masses Supplemental Qualifiers Dataset
C147238	SUPPPP	Supplemental Qualifiers for Pharmacokinetic Parameters	A dataset used to represent non-standard variables and their association to parent records in the Pharmacokinetic Parameters domain.	Pharmacokinetic Parameters Supplemental Qualifiers Dataset
C147239	SUPPPR	Supplemental Qualifiers for Procedures	A dataset used to represent non-standard variables and their association to parent records in the Procedures domain.	Procedures Supplemental Qualifiers Dataset
C147240	SUPPQS	Supplemental Qualifiers for Questionnaires	A dataset used to represent non-standard variables and their association to parent records in the Questionnaires domain.	Questionnaires Supplemental Qualifiers Dataset
C147241	SUPPQT	Supplemental Qualifiers for ECG QT Correction Model Data	A dataset used to represent non-standard variables and their association to parent records in the ECG QT Correction Model Data domain.	ECG QT Correction Model Data Supplemental Qualifiers Dataset
C147242	SUPPRE	Supplemental Qualifiers for Respiratory Test Results	A dataset used to represent non-standard variables and their association to parent records in the Respiratory Test Results domain.	Respiratory Test Results Supplemental Qualifiers Dataset
C147243	SUPPRP	Supplemental Qualifiers for Reproductive System Findings	A dataset used to represent non-standard variables and their association to parent records in the Reproductive System Findings domain.	Reproductive System Findings Supplemental Qualifiers Dataset
C147244	SUPPRS	Supplemental Qualifiers for Disease Response	A dataset used to represent non-standard variables and their association to parent records in the Disease Response domain.	Disease Response Supplemental Qualifiers Dataset
C147245	SUPPSB	Supplemental Qualifiers for Subject Biomarker	A dataset used to represent non-standard variables and their association to parent records in the Subject Biomarker domain.	Subject Biomarker Supplemental Qualifiers Dataset
C147246	SUPPSC	Supplemental Qualifiers for Subject Characteristics	A dataset used to represent non-standard variables and their association to parent records in the Subject Characteristics domain.	Subject Characteristics Supplemental Qualifiers Dataset
C147247	SUPPSE	Supplemental Qualifiers for Subject Elements	A dataset used to represent non-standard variables and their association to parent records in the Subject Elements domain.	Subject Elements Supplemental Qualifiers Dataset

C66734 DOMAIN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147248	SUPPSJ	Supplemental Qualifiers for Subject Stages	A dataset used to represent non-standard variables and their association to parent records in the Subject Stages domain.	Subject Stages Supplemental Qualifiers Dataset
C147249	SUPPSM	Supplemental Qualifiers for Subject Disease Milestones	A dataset used to represent non-standard variables and their association to parent records in the Subject Disease Milestones domain.	Subject Disease Milestones Supplemental Qualifiers Dataset
C147250	SUPPSR	Supplemental Qualifiers for Skin Response	A dataset used to represent non-standard variables and their association to parent records in the Skin Response domain.	Skin Response Supplemental Qualifiers Dataset
C147251	SUPPSS	Supplemental Qualifiers for Subject Status	A dataset used to represent non-standard variables and their association to parent records in the Subject Status domain.	Subject Status Supplemental Qualifiers Dataset
C147252	SUPPSU	Supplemental Qualifiers for Substance Use	A dataset used to represent non-standard variables and their association to parent records in the Substance Use domain.	Substance Use Supplemental Qualifiers Dataset
C147253	SUPPSV	Supplemental Qualifiers for Subject Visits	A dataset used to represent non-standard variables and their association to parent records in the Subject Visits domain.	Subject Visits Supplemental Qualifiers Dataset
C147254	SUPPTA	Supplemental Qualifiers for Trial Arms	A dataset used to represent non-standard variables and their association to parent records in the Trial Arms domain.	Trial Arms Supplemental Qualifiers Dataset
C147255	SUPPTD	Supplemental Qualifiers for Trial Disease Assessments	A dataset used to represent non-standard variables and their association to parent records in the Trial Disease Assessments domain.	Trial Disease Assessments Supplemental Qualifiers Dataset
C147256	SUPPTE	Supplemental Qualifiers for Trial Elements	A dataset used to represent non-standard variables and their association to parent records in the Trial Elements domain.	Trial Elements Supplemental Qualifiers Dataset
C147257	SUPPTF	Supplemental Qualifiers for Tumor Findings	A dataset used to represent non-standard variables and their association to parent records in the Tumor Findings domain.	Tumor Findings Supplemental Qualifiers Dataset
C147258	SUPPTI	Supplemental Qualifiers for Trial Inclusion/Exclusion Criteria	A dataset used to represent non-standard variables and their association to parent records in the Trial Inclusion/Exclusion Criteria domain.	Trial Inclusion and Exclusion Criteria Supplemental Qualifiers Dataset
C147259	SUPPTM	Supplemental Qualifiers for Trial Disease Milestones	A dataset used to represent non-standard variables and their association to parent records in the Trial Disease Milestones domain.	Trial Disease Milestones Supplemental Qualifiers Dataset
C147260	SUPPTP	Supplemental Qualifiers for Trial Paths	A dataset used to represent non-standard variables and their association to parent records in the Trial Paths domain.	Trial Paths Supplemental Qualifiers Dataset
C147261	SUPPTR	Supplemental Qualifiers for Tumor Response	A dataset used to represent non-standard variables and their association to parent records in the Tumor Response domain.	Tumor Response Supplemental Qualifiers Dataset
C147262	SUPPTS	Supplemental Qualifiers for Trial Summary	A dataset used to represent non-standard variables and their association to parent records in the Trial Summary domain.	Trial Summary Supplemental Qualifiers Dataset
C147263	SUPPTT	Supplemental Qualifiers for Trial Stages	A dataset used to represent non-standard variables and their association to parent records in the Trial Stages domain.	Trial Stages Supplemental Qualifiers Dataset
C147264	SUPPTU	Supplemental Qualifiers for Tumor/Lesion Identification	A dataset used to represent non-standard variables and their association to parent records in the Tumor/Lesion Identification domain.	Tumor/Lesion Identification Supplemental Qualifiers Dataset
C147265	SUPPTV	Supplemental Qualifiers for Trial Visits	A dataset used to represent non-standard variables and their association to parent records in the Trial Visits domain.	Trial Visits Supplemental Qualifiers Dataset
C147266	SUPPTX	Supplemental Qualifiers for Trial Sets	A dataset used to represent non-standard variables and their association to parent records in the Trial Sets domain.	Trial Sets Supplemental Qualifiers Dataset
C147267	SUPPUR	Supplemental Qualifiers for Urinary System Findings	A dataset used to represent non-standard variables and their association to parent records in the Urinary System Findings domain.	Urinary System Findings Supplemental Qualifiers Dataset

<b>C66734 DOMAIN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147268	SUPPVS	Supplemental Qualifiers for Vital Signs	A dataset used to represent non-standard variables and their association to parent records in the Vital Signs domain.	Vital Signs Supplemental Qualifiers Dataset
C147269	SUPPWB	Supplemental Qualifiers for Whole Body Findings	A dataset used to represent non-standard variables and their association to parent records in the Whole Body Findings domain.	Whole Body Findings Supplemental Qualifiers Dataset
C49617	SV	Subject Visits	A special-purpose domain that contains the actual start and end data/time for each visit of each individual subject.	Subject Visits Domain
C49618	TA	Trial Arms	A trial design domain that contains each planned arm in the trial.	Trial Arms Domain
C117699	TD	Trial Disease Assessments	A trial design domain that provides information on the protocol-specified disease assessment schedule, to be used for comparison with the actual occurrence of the efficacy assessments in order to determine whether there was good compliance with the schedule.	Trial Disease Assessments Domain
C49619	TE	Trial Elements	A trial design domain that contains the element code that is unique for each element, the element description, and the rules for starting and ending an element.	Trial Elements Domain
C49620	TI	Trial Inclusion/Exclusion Criteria	A trial design domain that contains one record for each of the inclusion and exclusion criteria for the trial. This domain is not subject oriented.	Trial Inclusion and Exclusion Criteria Domain
C147270	TM	Trial Disease Milestones	A trial design domain that is used to describe disease milestones, which are observations or activities anticipated to occur in the course of the disease under study, and which trigger the collection of data.	Trial Disease Milestones Domain
C106578	TR	Tumor/Lesion Results	A findings domain that represents quantitative measurements and/or qualitative assessments of the tumors or lesions identified in the tumor/lesion identification (TU) domain.	Tumor Results Domain
C53483	TS	Trial Summary	A trial design domain that contains one record for each trial summary characteristic. This domain is not subject oriented.	Trial Summary Domain
C106577	TU	Tumor/Lesion Identification	A findings domain that represents data that uniquely identifies tumors or lesions under study.	Tumor Identifier Domain
C49621	TV	Trial Visits	A trial design domain that contains the planned order and number of visits in the study within each arm.	Trial Visits Domain
C95103	TX	Trial Sets	A trial design domain that contains one record for each trial set characteristic including experimental factors, treatment factors, inherent characteristics, or distinct sponsor designations. This domain is not subject oriented.	Trial Sets Domain
C102726	UR	Urinary System Findings	A findings domain that contains physiological and morphological findings related to the urinary tract, including the organs involved in the creation and excretion of urine such as the kidneys, ureters, bladder and urethra.	Urinary System Findings Domain
C49622	VS	Vital Signs	A findings domain that contains measurements including but not limited to blood pressure, temperature, respiration, body surface area, body mass index, height and weight.	Vital Signs Domain

**DOTEST (Device Properties Test Name)**

NCI Code: C111112, Codelist extensible: Yes

<b>C111112 DOTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C53414	Composition	Composition	The materials from which something is made.	Composition
C142234	Digital Sampling Rate	Digital Sampling Rate	The number of digital samples taken or recorded per unit of time.	Digital Sampling Rate
C142235	Electrical Current Sensor Type	Electrical Current Sensor Type	A description of the sensor used to detect electrical current.	Type of Electrical Current Sensor
C112278	FDA Device Classification	FDA Device Classification	The class of medical device as determined by the US Food and Drug Administration, based upon the level of control necessary to ensure safety and effectiveness (21 CFR 860).	FDA Device Classification
C41184	Indication for Use	Indication for Use	A general description of the disease or condition the product will diagnose, treat, prevent, cure, or mitigate.	Indication
C120606	Luminescence Type	Luminescence Type	A classification of light emission.	Luminescence Type
C116119	MRI Coil Type	MRI Coil Type	The classification of the coil that is used in an magnetic resonance imaging procedure. Usually refers to the anatomical location for where the coil is placed such as head, body or breast.	MRI Coil Type
C116118	Multiplex Probe Parameter	Multiplex Probe Parameter	A descriptor referring to the number of unique molecular probes contained in each assay component from which results are obtained, such as each well in a 96-well plate.	Multiplex Probe Parameter
C112332	Pore Size	Pore Size	A quantitative or qualitative measurement of the physical dimensions of the pores in a material.	Material Pore Size
C112406	Reagent Lot	Reagent Lot	The lot number of the reagent.	Reagent Lot Number
C116120	Scintillation Crystal Type	Scintillation Crystal Type	The classification of the crystalline material, which emits light in response to radiation exposure, used in the imaging procedure.	Scintillation Crystal Type
C70855	Shelf Life	Shelf Life	The period during which a medical product retains its properties and stated performance within specified limits if stored under defined conditions. The stability period is determined from the date the product was manufactured.	Medical Product Shelf Life
C25681	Size	Size	The physical magnitude of something. (NCI)	Size
C111093	Software Version	Software Version	A form or variant of software; one of a sequence of copies of a software program, each incorporating new modifications. (NCI)	Software Version
C112421	Surgical Mesh Open Area	Surgical Mesh Open Area	A quantitative or qualitative measurement of the physical dimensions of the open spaces in a loosely woven sheet of inorganic or biological materials, which is used to physically support organs or tissue during a surgical procedure.	Surgical Mesh Open Area
C25206	Temperature	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness



## DOTESTCD (Device Properties Test Code)

NCI Code: C111111, Codelist extensible: Yes

C111111 DOTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C53414	COMPOS	Composition	The materials from which something is made.	Composition
C142234	DIGSMPRT	Digital Sampling Rate	The number of digital samples taken or recorded per unit of time.	Digital Sampling Rate
C142235	ECSNRTP	Electrical Current Sensor Type	A description of the sensor used to detect electrical current.	Type of Electrical Current Sensor
C112278	FDADEVCL	FDA Device Classification	The class of medical device as determined by the US Food and Drug Administration, based upon the level of control necessary to ensure safety and effectiveness (21 CFR 860).	FDA Device Classification
C41184	INDC	Indication for Use	A general description of the disease or condition the product will diagnose, treat, prevent, cure, or mitigate.	Indication
C120606	LUMNCTYP	Luminescence Type	A classification of light emission.	Luminescence Type
C116119	MRICTYPE	MRI Coil Type	The classification of the coil that is used in an magnetic resonance imaging procedure. Usually refers to the anatomical location for where the coil is placed such as head, body or breast.	MRI Coil Type
C116118	MULTPLEX	Multiplex Probe Parameter	A descriptor referring to the number of unique molecular probes contained in each assay component from which results are obtained, such as each well in a 96-well plate.	Multiplex Probe Parameter
C112332	PORESIZE	Pore Size	A quantitative or qualitative measurement of the physical dimensions of the pores in a material.	Material Pore Size
C112406	REAGLOT	Reagent Lot	The lot number of the reagent.	Reagent Lot Number
C116120	SCRYSTYP	Scintillation Crystal Type	The classification of the crystalline material, which emits light in response to radiation exposure, used in the imaging procedure.	Scintillation Crystal Type
C111093	SFTWRVER	Software Version	A form or variant of software; one of a sequence of copies of a software program, each incorporating new modifications. (NCI)	Software Version
C70855	SHLFLIFE	Shelf Life	The period during which a medical product retains its properties and stated performance within specified limits if stored under defined conditions. The stability period is determined from the date the product was manufactured.	Medical Product Shelf Life
C25681	SIZE	Size	The physical magnitude of something. (NCI)	Size
C112421	SRGMSHOA	Surgical Mesh Open Area	A quantitative or qualitative measurement of the physical dimensions of the open spaces in a loosely woven sheet of inorganic or biological materials, which is used to physically support organs or tissue during a surgical procedure.	Surgical Mesh Open Area
C25206	TEMP	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C41145	THICKNSS	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness

## DRRI1TC (Deployment Risk and Resilience Inventory-2 Questionnaire Test Code)

NCI Code: C141673, Codelist extensible: No

C141673 DRRI1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C141867	DRRI1A01	DRRI1-A: Someone Close to Me Died	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me died.	DRRI-2 - A: Someone Close to Me Died
C141868	DRRI1A02	DRRI1-A: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Before deployment: I went through a divorce or was left by a significant other.	DRRI-2 - A: Went Through Divorce/Was Left
C141869	DRRI1A03	DRRI1-A: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Before deployment: I was robbed or had my home broken into.	DRRI-2 - A: Robbed/Had My Home Broken Into
C141870	DRRI1A04	DRRI1-A: Saw/Heard Physical Fight Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I saw or heard physical fighting between my parents or caregivers.	DRRI-2 - A: Saw/Heard Physical Fight Parent
C141871	DRRI1A05	DRRI1-A: Physically Punished by Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I was physically punished by a parent or primary caregiver.	DRRI-2 - A: Physically Punished by Parent
C141872	DRRI1A06	DRRI1-A: Unwanted Sex Activity Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during childhood (before age 18).	DRRI-2 - A: Unwanted Sex Activity Childhood
C141873	DRRI1A07	DRRI1-A: Unwanted Sex Activity Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during adulthood (age 18 or later).	DRRI-2 - A: Unwanted Sex Activity Adulthood
C141874	DRRI1A08	DRRI1-A: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - A: Experienced Natural Disaster
C141875	DRRI1A09	DRRI1-A: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - A: Someone Close Serious Illness
C141876	DRRI1A10	DRRI1-A: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Before deployment: I witnessed someone being seriously assaulted or killed.	DRRI-2 - A: Witnessed Someone Assaulted
C141877	DRRI1A11	DRRI1-A: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Before deployment: I lost my job or had serious trouble finding a job.	DRRI-2 - A: Lost My Job/Trouble Finding Job
C141878	DRRI1A12	DRRI1-A: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Before deployment: I was emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - A: Emotionally Mistreated
C141879	DRRI1A13	DRRI1-A: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious financial problems.	DRRI-2 - A: Serious Financial Problems
C141880	DRRI1A14	DRRI1-A: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious physical or mental health problems.	DRRI-2 - A: Serious Physical Health Problem
C141881	DRRI1A15	DRRI1-A: Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - Before deployment: I participated in dangerous military duties.	DRRI-2 - A: Dangerous Military Duties
C141882	DRRI1A16	DRRI1-A: Injured by Person - Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during childhood (before age 18).	DRRI-2 - A: Injured by Person - Childhood
C141883	DRRI1A17	DRRI1-A: Injured by Person - Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during adulthood (age 18 or later).	DRRI-2 - A: Injured by Person - Adulthood
C141884	DRRI1A18	DRRI1-A: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - A: Stressful Legal Problems
C141885	DRRI1B01	DRRI1-B: Got Along Well With My Family	Deployment Risk & Resilience Inventory-2 - During childhood: I got along well with my family members.	DRRI-2 - B: Got Along Well With My Family

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141886	DRRI1B02	DRRI1-B: Felt Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like I fit in with my family.	DRRI-2 - B: Felt Like I Fit in With Family
C141887	DRRI1B03	DRRI1-B: Family Knew What I Thought/Felt	Deployment Risk & Resilience Inventory-2 - During childhood: family members knew what I thought and how I felt about things.	DRRI-2 - B: Family Knew What I Thought/Felt
C141888	DRRI1B04	DRRI1-B: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like my contributions to my family were appreciated.	DRRI-2 - B: Contribution Family Appreciated
C141889	DRRI1B05	DRRI1-B: Shared Interests With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I shared many common interests and activities with family members.	DRRI-2 - B: Shared Interests With Family
C141890	DRRI1B06	DRRI1-B: Opinions Were Valued by Family	Deployment Risk & Resilience Inventory-2 - During childhood: my opinions were valued by other family members.	DRRI-2 - B: Opinions Were Valued by Family
C141891	DRRI1B07	DRRI1-B: I Was Affectionate With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I was affectionate with family members.	DRRI-2 - B: I Was Affectionate With Family
C141892	DRRI1B08	DRRI1-B: Played Important Role in Family	Deployment Risk & Resilience Inventory-2 - During childhood: I played an important role in my family.	DRRI-2 - B: Played Important Role in Family
C141893	DRRI1B09	DRRI1-B: Spent My Free Time With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I spent as much of my free time with family members as possible.	DRRI-2 - B: Spent My Free Time With Family
C141894	DRRI1B10	DRRI1-B: Family Told Me When Problem	Deployment Risk & Resilience Inventory-2 - During childhood: family members told me when they were having a problem.	DRRI-2 - B: Family Told Me When Problem
C141895	DRRI1B11	DRRI1-B: I Could Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - During childhood: I could be myself around family members.	DRRI-2 - B: I Could Be Myself Around Family
C141896	DRRI1B12	DRRI1-B: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - During childhood: my input was sought on important family decisions.	DRRI-2 - B: Input Sought Family Decisions
C141897	DRRI1C01	DRRI1-C: Climate Was Uncomfortable	Deployment Risk & Resilience Inventory-2 - During deployment: the climate was uncomfortable.	DRRI-2 - C: Climate Was Uncomfortable
C141898	DRRI1C02	DRRI1-C: Deal With Annoying Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I had to deal with annoying animals, insects, or plants.	DRRI-2 - C: Deal With Annoying Animals
C141899	DRRI1C03	DRRI1-C: Food Was of Very Poor Quality	Deployment Risk & Resilience Inventory-2 - During deployment: the food I had to eat was of very poor quality (for example, bad or old MREs).	DRRI-2 - C: Food Was of Very Poor Quality
C141900	DRRI1C04	DRRI1-C: Conditions Extremely Unsanitary	Deployment Risk & Resilience Inventory-2 - During deployment: the conditions I lived in were extremely unsanitary.	DRRI-2 - C: Conditions Extremely Unsanitary
C141901	DRRI1C05	DRRI1-C: Didn't Have Bathrooms	Deployment Risk & Resilience Inventory-2 - During deployment: I didn't have access to bathrooms or showers when I needed them.	DRRI-2 - C: Didn't Have Bathrooms
C141902	DRRI1C06	DRRI1-C: Wasn't Able to Get Privacy	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get as much privacy as I needed.	DRRI-2 - C: Wasn't Able to Get Privacy
C141903	DRRI1C07	DRRI1-C: I Was Exposed to Awful Smells	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to awful smells.	DRRI-2 - C: I Was Exposed to Awful Smells
C141904	DRRI1C08	DRRI1-C: I Was Subjected to Loud Noises	Deployment Risk & Resilience Inventory-2 - During deployment: I was subjected to loud noises.	DRRI-2 - C: I Was Subjected to Loud Noises
C141905	DRRI1C09	DRRI1-C: Restricted Because Local Custom	Deployment Risk & Resilience Inventory-2 - During deployment: my daily activities were restricted because of local religious or ethnic customs.	DRRI-2 - C: Restricted Because Local Custom
C141906	DRRI1C10	DRRI1-C: Wasn't Able to Rest	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get rest when I needed it.	DRRI-2 - C: Wasn't Able to Rest
C141907	DRRI1C11	DRRI1-C: Wasn't Able to Contact Home	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to contact home when I needed to.	DRRI-2 - C: Wasn't Able to Contact Home
C141908	DRRI1C12	DRRI1-C: Hassle With Heavy/Annoying Gear	Deployment Risk & Resilience Inventory-2 - During deployment: I had to hassle with putting on and taking off heavy or annoying gear.	DRRI-2 - C: Hassle With Heavy/Annoying Gear

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141909	DRRI1C13	DRRI1-C: Not Allowed to Get Job Done	Deployment Risk & Resilience Inventory-2 - During deployment: I was not allowed to do the things I needed to do to get my job done.	DRRI-2 - C: Not Allowed to Get Job Done
C141910	DRRI1C14	DRRI1-C: Not Have Adequate Shelter	Deployment Risk & Resilience Inventory-2 - During deployment: I did not have adequate shelter from uncomfortable living conditions (for example, heat, cold, wet, etc.).	DRRI-2 - C: Not Have Adequate Shelter
C141911	DRRI1D01	DRRI1-D: Went on Combat Patrols/Missions	Deployment Risk & Resilience Inventory-2 - During deployment: I went on combat patrols or missions.	DRRI-2 - D: Went on Combat Patrols/Missions
C141912	DRRI1D02	DRRI1-D: Assault on Entrenched Positions	Deployment Risk & Resilience Inventory-2 - During deployment: I took part in an assault on entrenched or fortified positions that involved naval and/or land forces.	DRRI-2 - D: Assault on Entrenched Positions
C141913	DRRI1D03	DRRI1-D: Witnessed Someone Unit Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed someone from my unit or an ally unit being seriously wounded or killed.	DRRI-2 - D: Witnessed Someone Unit Wounded
C141914	DRRI1D04	DRRI1-D: Encountered Land Mines	Deployment Risk & Resilience Inventory-2 - During deployment: I encountered land or water mines, booby traps, or roadside bombs (for example, IEDs).	DRRI-2 - D: Encountered Land Mines
C141915	DRRI1D05	DRRI1-D: Exposed Hostile Incoming Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to hostile incoming fire.	DRRI-2 - D: Exposed Hostile Incoming Fire
C141916	DRRI1D06	DRRI1-D: Exposed to Friendly Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to "friendly" fire.	DRRI-2 - D: Exposed to Friendly Fire
C141917	DRRI1D07	DRRI1-D: Vehicle/Part of Convoy Attacked	Deployment Risk & Resilience Inventory-2 - During deployment: I was in a vehicle (for example, a "humvee", helicopter, or boat) or part of a convoy that was attacked.	DRRI-2 - D: Vehicle/Part of Convoy Attacked
C141918	DRRI1D08	DRRI1-D: Part of Unit Fired on Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was part of a land or naval artillery unit that fired on enemy combatants.	DRRI-2 - D: Part of Unit Fired on Enemy
C141919	DRRI1D09	DRRI1-D: Witnessed Enemy Wounded/Killed	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed enemy combatants being seriously wounded or killed.	DRRI-2 - D: Witnessed Enemy Wounded/Killed
C141920	DRRI1D10	DRRI1-D: Witnessed Civilians Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed civilians (for example, women and children) being seriously wounded or killed.	DRRI-2 - D: Witnessed Civilians Wounded
C141921	DRRI1D11	DRRI1-D: Injured Combat-Related Incident	Deployment Risk & Resilience Inventory-2 - During deployment: I was injured in a combat-related incident.	DRRI-2 - D: Injured Combat-Related Incident
C141922	DRRI1D12	DRRI1-D: Fired My Weapon Enemy Combatant	Deployment Risk & Resilience Inventory-2 - During deployment: I fired my weapon at enemy combatants.	DRRI-2 - D: Fired My Weapon Enemy Combatant
C141923	DRRI1D13	DRRI1-D: Think I Wounded/Killed Someone	Deployment Risk & Resilience Inventory-2 - During deployment: I think I wounded or killed someone during combat operations.	DRRI-2 - D: Think I Wounded/Killed Someone
C141924	DRRI1D14	DRRI1-D: Locating Explosive Devices	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in locating or disarming explosive devices.	DRRI-2 - D: Locating Explosive Devices
C141925	DRRI1D15	DRRI1-D: Searching Homes/Buildings	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching or clearing homes, buildings, or other locations.	DRRI-2 - D: Searching Homes/Buildings
C141926	DRRI1D16	DRRI1-D: Participate Hand-to-hand Combat	Deployment Risk & Resilience Inventory-2 - During deployment: I participated in hand-to-hand combat.	DRRI-2 - D: Participate Hand-to-hand Combat
C141927	DRRI1D17	DRRI1-D: Search/Disarm Potential Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching and/or disarming potential enemy combatants.	DRRI-2 - D: Search/Disarm Potential Enemy
C141928	DRRI1E01	DRRI1-E: Saw People Begging for Food	Deployment Risk & Resilience Inventory-2 - During deployment: I saw people begging for food.	DRRI-2 - E: Saw People Begging for Food
C141929	DRRI1E02	DRRI1-E: Saw Refugees Who Had Lost Homes	Deployment Risk & Resilience Inventory-2 - During deployment: I saw refugees who had lost their homes or belongings.	DRRI-2 - E: Saw Refugees Who Had Lost Homes
C141930	DRRI1E03	DRRI1-E: Observed Homes Been Destroyed	Deployment Risk & Resilience Inventory-2 - During deployment: I observed homes or communities that had been destroyed.	DRRI-2 - E: Observed Homes Been Destroyed

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141931	DRRI1E04	DRRI1-E: Took Care Injured/Dying People	Deployment Risk & Resilience Inventory-2 - During deployment: I took care of injured or dying people.	DRRI-2 - E: Took Care Injured/Dying People
C141932	DRRI1E05	DRRI1-E: Saw Civilians After Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw civilians after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Civilians After Wounded
C141933	DRRI1E06	DRRI1-E: Saw Combatants Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw enemy combatants after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Combatants Had Been Wounded
C141934	DRRI1E07	DRRI1-E: Saw Americans Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw Americans or allies after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Americans Had Been Wounded
C141935	DRRI1E08	DRRI1-E: Saw Bodies of Dead Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead enemy combatants.	DRRI-2 - E: Saw Bodies of Dead Enemy
C141936	DRRI1E09	DRRI1-E: Saw Bodies of Dead Americans	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead Americans or allies.	DRRI-2 - E: Saw Bodies of Dead Americans
C141937	DRRI1E10	DRRI1-E: Saw Bodies of Dead Civilians	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead civilians.	DRRI-2 - E: Saw Bodies of Dead Civilians
C141938	DRRI1E11	DRRI1-E: Interacted With Detainees	Deployment Risk & Resilience Inventory-2 - During deployment: I interacted with detainees or prisoners of war.	DRRI-2 - E: Interacted With Detainees
C141939	DRRI1E12	DRRI1-E: Sight/Sound/Smell Dead Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to the sight, sound, or smell of dead or dying animals.	DRRI-2 - E: Sight/Sound/Smell Dead Animals
C141940	DRRI1E13	DRRI1-E: Involved Handling Human Remains	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in handling human remains.	DRRI-2 - E: Involved Handling Human Remains
C141941	DRRI1F01	DRRI1-F: Took Preventative Pills	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I took preventative pills (for example, to protect against nerve gas).	DRRI-2 - F: Took Preventative Pills
C141942	DRRI1F02	DRRI1-F: Received Vaccinations	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I received preventative vaccinations by injection (for example, to prevent anthrax or botulism).	DRRI-2 - F: Received Vaccinations
C141943	DRRI1F03	DRRI1-F: Exposed to Nerve Gas Agents	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nerve gas agents (for example, sarin).	DRRI-2 - F: Exposed to Nerve Gas Agents
C141944	DRRI1F04	DRRI1-F: Exposed to Mustard Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to mustard gas or other blistering agents.	DRRI-2 - F: Exposed to Mustard Gas
C141945	DRRI1F05	DRRI1-F: Exposed Government-issued DEET	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to government-issued DEET-containing insect repellents.	DRRI-2 - F: Exposed Government-issued DEET
C141946	DRRI1F06	DRRI1-F: Exposed to Other Pesticides	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to other pesticides (for example, in flea collars, uniforms, or the environment).	DRRI-2 - F: Exposed to Other Pesticides
C141947	DRRI1F07	DRRI1-F: Exposed to Smoke/Air Pollution	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to smoke or other air pollution.	DRRI-2 - F: Exposed to Smoke/Air Pollution
C141948	DRRI1F08	DRRI1-F: Exposed to Diesel/Fuel on Skin	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to diesel or other petrochemical fuel on my skin.	DRRI-2 - F: Exposed to Diesel/Fuel on Skin
C141949	DRRI1F09	DRRI1-F: Exposed to Fumes From Heaters	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to fumes or exhaust from heaters or generators, including heaters in tents.	DRRI-2 - F: Exposed to Fumes From Heaters
C141950	DRRI1F10	DRRI1-F: Exposed to Depleted Uranium	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to depleted uranium in munitions.	DRRI-2 - F: Exposed to Depleted Uranium
C141951	DRRI1F11	DRRI1-F: Exposed to Burning Trash/Feces	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to burning trash or burning feces.	DRRI-2 - F: Exposed to Burning Trash/Feces

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141952	DRRI1F12	DRRI1-F: Exposed to Chlorine Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to chlorine gas.	DRRI-2 - F: Exposed to Chlorine Gas
C141953	DRRI1F13	DRRI1-F: Exposed to Nuclear Weapons	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nuclear, biological, or chemical weapons.	DRRI-2 - F: Exposed to Nuclear Weapons
C141954	DRRI1G01	DRRI1-G: Concerned Infectious Disease	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about getting an infectious disease.	DRRI-2 - G: Concerned Infectious Disease
C141955	DRRI1G02	DRRI1-G: Health Might Suffer NBC Agents	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that my health might suffer due to exposure to nuclear, biological, or chemical (NBC) agents.	DRRI-2 - G: Health Might Suffer NBC Agents
C141956	DRRI1G03	DRRI1-G: Felt in Danger of Being Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I felt I was in great danger of being wounded (for example, losing a limb).	DRRI-2 - G: Felt in Danger of Being Wounded
C141957	DRRI1G04	DRRI1-G: Concerned Medicine Make Me Sick	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the medicine I was given to protect me from illness would make me sick.	DRRI-2 - G: Concerned Medicine Make Me Sick
C141958	DRRI1G05	DRRI1-G: Concerned Encounter Explosive	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I would encounter an explosive device (for example, a roadside bomb, mine, or booby trap).	DRRI-2 - G: Concerned Encounter Explosive
C141959	DRRI1G06	DRRI1-G: Feared Sick From Pesticides	Deployment Risk & Resilience Inventory-2 - During deployment: I feared that I would become sick from pesticides (for example, bug spray) or other routinely used chemicals.	DRRI-2 - G: Feared Sick From Pesticides
C141960	DRRI1G07	DRRI1-G: Concern Rocket/Mortar Would Hit	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that a rocket or mortar would hit our living quarters.	DRRI-2 - G: Concern Rocket/Mortar Would Hit
C141961	DRRI1G08	DRRI1-G: Concerned Depleted Uranium	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be exposed to depleted uranium in munitions.	DRRI-2 - G: Concerned Depleted Uranium
C141962	DRRI1G09	DRRI1-G: Thought I Would Never Survive	Deployment Risk & Resilience Inventory-2 - During deployment: I thought I would never survive.	DRRI-2 - G: Thought I Would Never Survive
C141963	DRRI1G10	DRRI1-G: Concerned Taken Hostage	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be taken hostage.	DRRI-2 - G: Concerned Taken Hostage
C141964	DRRI1G11	DRRI1-G: Concerned Locals Against Us	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the locals who were supposed to be helping us were actually working against us.	DRRI-2 - G: Concerned Locals Against Us
C141965	DRRI1G12	DRRI1-G: Concerned Trapped in Crossfire	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about being trapped in the crossfire of rival factions.	DRRI-2 - G: Concerned Trapped in Crossfire
C141966	DRRI1H01	DRRI1-H: Had All Supplies Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had all the supplies and equipment needed to get my job done.	DRRI-2 - H: Had All Supplies Needed
C141967	DRRI1H02	DRRI1-H: Confident Ability Use Equipment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to use my equipment.	DRRI-2 - H: Confident Ability Use Equipment
C141968	DRRI1H03	DRRI1-H: Prepared to Deal With Climate	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received prepared me to deal with the region's climate.	DRRI-2 - H: Prepared to Deal With Climate
C141969	DRRI1H04	DRRI1-H: Accurately Informed About Role	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I was accurately informed about the role my unit was expected to play in the deployment.	DRRI-2 - H: Accurately Informed About Role
C141970	DRRI1H05	DRRI1-H: Had Enough Gear in Case Attack	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had enough gear to protect myself in case of an attack.	DRRI-2 - H: Had Enough Gear in Case Attack
C141971	DRRI1H06	DRRI1-H: Training for Deployment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I received appropriate training for the nature of the deployment I experienced.	DRRI-2 - H: Training for Deployment

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141972	DRRI1H07	DRRI1-H: Military Duties What I Expected	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my military duties and assignments were what I expected.	DRRI-2 - H: Military Duties What I Expected
C141973	DRRI1H08	DRRI1-H: Prepared to Operate as Team	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my unit was well-prepared to operate as a team during deployment.	DRRI-2 - H: Prepared to Operate as Team
C141974	DRRI1H09	DRRI1-H: Confident to Perform Tasks	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to perform tasks assigned to me during deployment.	DRRI-2 - H: Confident to Perform Tasks
C141975	DRRI1H10	DRRI1-H: Taught Me Everything I Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received taught me everything I needed to know for deployment.	DRRI-2 - H: Taught Me Everything I Needed
C141976	DRRI1I01	DRRI1-I: Family Sincerely Interested	Deployment Risk & Resilience Inventory-2 - During deployment: family members and/or friends at home were sincerely interested in hearing what was going on with me.	DRRI-2 - I: Family Sincerely Interested
C141977	DRRI1I02	DRRI1-I: Had Family I Could Talk To	Deployment Risk & Resilience Inventory-2 - During deployment: I had family members or friends at home I could talk to when I had a problem.	DRRI-2 - I: Had Family I Could Talk To
C141978	DRRI1I03	DRRI1-I: Could Count on Family Advice	Deployment Risk & Resilience Inventory-2 - During deployment: I could count on my family members or friends at home for good advice.	DRRI-2 - I: Could Count on Family Advice
C141979	DRRI1I04	DRRI1-I: Relatives Look Out for Family	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to look out for the well-being of my family or other dependents (including pets).	DRRI-2 - I: Relatives Look Out for Family
C141980	DRRI1I05	DRRI1-I: Relatives Take Care of Finances	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to take care of my finances, property, or belongings if needed.	DRRI-2 - I: Relatives Take Care of Finances
C141981	DRRI1I06	DRRI1-I: Happy Communication From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of communication I received from people at home.	DRRI-2 - I: Happy Communication From Home
C141982	DRRI1I07	DRRI1-I: Happy With Support From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of support I received from people at home.	DRRI-2 - I: Happy With Support From Home
C141983	DRRI1I08	DRRI1-I: People at Home Show They Cared	Deployment Risk & Resilience Inventory-2 - During deployment: people at home did things to show they cared about me.	DRRI-2 - I: People at Home Show They Cared
C141984	DRRI1J01	DRRI1-J: My Unit Was Like Family to Me	Deployment Risk & Resilience Inventory-2 - During deployment: my unit was like family to me.	DRRI-2 - J: My Unit Was Like Family to Me
C141985	DRRI1J02	DRRI1-J: People in Unit Were Trustworthy	Deployment Risk & Resilience Inventory-2 - During deployment: people in my unit were trustworthy.	DRRI-2 - J: People in Unit Were Trustworthy
C141986	DRRI1J03	DRRI1-J: Fellow Unit Appreciated Efforts	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members appreciated my efforts.	DRRI-2 - J: Fellow Unit Appreciated Efforts
C141987	DRRI1J04	DRRI1-J: Felt Valued Fellow Unit Members	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by my fellow unit members.	DRRI-2 - J: Felt Valued Fellow Unit Members
C141988	DRRI1J05	DRRI1-J: Unit Interested My Well-being	Deployment Risk & Resilience Inventory-2 - During deployment: members of my unit were interested in my well-being.	DRRI-2 - J: Unit Interested My Well-being
C141989	DRRI1J06	DRRI1-J: Unit Interested What I Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members were interested in what I thought and how I felt about things.	DRRI-2 - J: Unit Interested What I Thought
C141990	DRRI1J07	DRRI1-J: Leader Interested What Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my unit leader(s) were interested in what I thought and how I felt about things.	DRRI-2 - J: Leader Interested What Thought
C141991	DRRI1J08	DRRI1-J: Felt Like My Efforts Counted	Deployment Risk & Resilience Inventory-2 - During deployment: I felt like my efforts really counted to the leaders in my unit.	DRRI-2 - J: Felt Like My Efforts Counted
C141992	DRRI1J09	DRRI1-J: Service Appreciated by Leaders	Deployment Risk & Resilience Inventory-2 - During deployment: my service was appreciated by the leaders in my unit.	DRRI-2 - J: Service Appreciated by Leaders

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141993	DRRI1J10	DRRI1-J: Could Go to Leaders If Problem	Deployment Risk & Resilience Inventory-2 - During deployment: I could go to unit leaders for help if I had a problem or concern.	DRRI-2 - J: Could Go to Leaders If Problem
C141994	DRRI1J11	DRRI1-J: Leaders Interested in Welfare	Deployment Risk & Resilience Inventory-2 - During deployment: the leaders of my unit were interested in my personal welfare.	DRRI-2 - J: Leaders Interested in Welfare
C141995	DRRI1J12	DRRI1-J: Felt Valued by Leaders of Unit	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by the leaders of my unit.	DRRI-2 - J: Felt Valued by Leaders of Unit
C141996	DRRI1K01	DRRI1-K: Treated in Overly Critical Way	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me in an overly critical way.	DRRI-2 - K: Treated in Overly Critical Way
C141997	DRRI1K02	DRRI1-K: Uncooperative Working With Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: behaved in way that was uncooperative when working with me.	DRRI-2 - K: Uncooperative Working With Me
C141998	DRRI1K03	DRRI1-K: Had to Work Harder Prove Myself	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me as if I had to work harder than others to prove myself.	DRRI-2 - K: Had to Work Harder Prove Myself
C141999	DRRI1K04	DRRI1-K: Questioned My Abilities Perform	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: questioned my abilities or commitment to perform my job effectively.	DRRI-2 - K: Questioned My Abilities Perform
C142000	DRRI1K05	DRRI1-K: My Mistakes Worse Than Others	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: acted as though my mistakes were worse than others'.	DRRI-2 - K: My Mistakes Worse Than Others
C142001	DRRI1K06	DRRI1-K: Make My Job More Difficult	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to make my job more difficult to do.	DRRI-2 - K: Make My Job More Difficult
C142002	DRRI1K07	DRRI1-K: Put Me Down	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: "put me down" or treated me in a condescending way.	DRRI-2 - K: Put Me Down
C142003	DRRI1K08	DRRI1-K: Threatened My Physical Safety	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened my physical safety.	DRRI-2 - K: Threatened My Physical Safety
C142004	DRRI1K09	DRRI1-K: Made Crude Sexual Remarks at Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: made crude and offensive sexual remarks directed at me, either publicly or privately.	DRRI-2 - K: Made Crude Sexual Remarks at Me
C142005	DRRI1K10	DRRI1-K: Spread Rumors Sexual Activities	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: spread negative rumors about my sexual activities.	DRRI-2 - K: Spread Rumors Sexual Activities
C142006	DRRI1K11	DRRI1-K: Tried to Talk into Sexual Acts	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to talk me into participating in sexual acts when I didn't want to.	DRRI-2 - K: Tried to Talk into Sexual Acts
C142007	DRRI1K12	DRRI1-K: Authority Pressure Unwanted Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: used a position of authority to pressure me into unwanted sexual activity.	DRRI-2 - K: Authority Pressure Unwanted Sex
C142008	DRRI1K13	DRRI1-K: Offered Reward Take Part in Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: offered me a specific reward or special treatment to take part in sexual behavior.	DRRI-2 - K: Offered Reward Take Part in Sex
C142009	DRRI1K14	DRRI1-K: Threatened Me If Not Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened me with some sort of retaliation if I was not sexually cooperative (for example, the threat of negative review or physical violence).	DRRI-2 - K: Threatened Me If Not Sex
C142010	DRRI1K15	DRRI1-K: Touched Sexual Way Against Will	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: touched me in a sexual way against my will.	DRRI-2 - K: Touched Sexual Way Against Will
C142011	DRRI1K16	DRRI1-K: Physically Forced to Have Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: physically forced me to have sex.	DRRI-2 - K: Physically Forced to Have Sex
C142012	DRRI1L01	DRRI1-L: Effect Deployment Relationship	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my spouse or significant other.	DRRI-2 - L: Effect Deployment Relationship



**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142013	DRRI1L02	DRRI1-L: Missing Out on Children Growth	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing out on my children's growth and development.	DRRI-2 - L: Missing Out on Children Growth
C142014	DRRI1L03	DRRI1-L: Missing Family Events at Home	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing important family events at home such as birthdays, weddings, funerals, graduations, etc.	DRRI-2 - L: Missing Family Events at Home
C142015	DRRI1L04	DRRI1-L: Safety and Well-being of Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my spouse or significant other.	DRRI-2 - L: Safety and Well-being of Spouse
C142016	DRRI1L05	DRRI1-L: Safety and Well-being of Child	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my child(ren).	DRRI-2 - L: Safety and Well-being of Child
C142017	DRRI1L06	DRRI1-L: Unable to Help Family If Crisis	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being unable to help my family if there was some kind of crisis or emergency.	DRRI-2 - L: Unable to Help Family If Crisis
C142018	DRRI1L07	DRRI1-L: Inability Manage Family Affairs	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my inability to directly manage or control family affairs.	DRRI-2 - L: Inability Manage Family Affairs
C142019	DRRI1L08	DRRI1-L: Damaging Career Because Deploy	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: damaging my career because of the deployment.	DRRI-2 - L: Damaging Career Because Deploy
C142020	DRRI1L09	DRRI1-L: Care Child/Dependents Receiving	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the care that my child(ren) or other dependents were receiving.	DRRI-2 - L: Care Child/Dependents Receiving
C142021	DRRI1L10	DRRI1-L: Being Cheated on by My Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being cheated on by my spouse or significant other.	DRRI-2 - L: Being Cheated on by My Spouse
C142022	DRRI1L11	DRRI1-L: Family Ability Cope With Stress	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's ability to cope with the stress of the deployment.	DRRI-2 - L: Family Ability Cope With Stress
C142023	DRRI1L12	DRRI1-L: Spouse Ability Manage Household	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my spouse or significant other's ability to manage the household (for example, chores, bills, home repairs, etc.).	DRRI-2 - L: Spouse Ability Manage Household
C142024	DRRI1L13	DRRI1-L: Losing My Civilian Job	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: losing my civilian job because of the deployment.	DRRI-2 - L: Losing My Civilian Job
C142025	DRRI1L14	DRRI1-L: Effect Relationship My Children	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my child(ren).	DRRI-2 - L: Effect Relationship My Children
C142026	DRRI1L15	DRRI1-L: My Family Financial Situation	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's financial situation.	DRRI-2 - L: My Family Financial Situation
C142027	DRRI1M01	DRRI1-M: Problems Get in Touch Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had problems getting in touch with a family member or other loved one.	DRRI-2 - M: Problems Get in Touch Family
C142028	DRRI1M02	DRRI1-M: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - During deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - M: Someone Close Serious Illness
C142029	DRRI1M03	DRRI1-M: Family Member Passed Away	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one passed away.	DRRI-2 - M: Family Member Passed Away
C142030	DRRI1M04	DRRI1-M: My Family Had Money Problems	Deployment Risk & Resilience Inventory-2 - During deployment: my family had money problems.	DRRI-2 - M: My Family Had Money Problems
C142031	DRRI1M05	DRRI1-M: Spouse Cheated on Me	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other cheated on me.	DRRI-2 - M: Spouse Cheated on Me
C142032	DRRI1M06	DRRI1-M: Spouse Suspected I Cheated	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other suspected that I had cheated on him/her.	DRRI-2 - M: Spouse Suspected I Cheated
C142033	DRRI1M07	DRRI1-M: Relationship With Spouse Ended	Deployment Risk & Resilience Inventory-2 - During deployment: my relationship with a spouse or significant other ended.	DRRI-2 - M: Relationship With Spouse Ended

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142034	DRRI1M08	DRRI1-M: Had Major Conflict With Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had a major conflict with a family member or other loved one.	DRRI-2 - M: Had Major Conflict With Family
C142035	DRRI1M09	DRRI1-M: Family Had Difficulty Adjusting	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one had serious difficulty adjusting to my absence.	DRRI-2 - M: Family Had Difficulty Adjusting
C142036	DRRI1M10	DRRI1-M: My Home Was Robbed	Deployment Risk & Resilience Inventory-2 - During deployment: my home was robbed and/or my belongings were stolen.	DRRI-2 - M: My Home Was Robbed
C142037	DRRI1M11	DRRI1-M: Family Member Wasted Money	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other person I trusted wasted or mismanaged my money.	DRRI-2 - M: Family Member Wasted Money
C142038	DRRI1M12	DRRI1-M: Loved One Things I Disapproved	Deployment Risk & Resilience Inventory-2 - During deployment: I learned that a loved one was doing things I disapproved of.	DRRI-2 - M: Loved One Things I Disapproved
C142039	DRRI1M13	DRRI1-M: Fam Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one participated in dangerous military duties.	DRRI-2 - M: Fam Dangerous Military Duties
C142040	DRRI1M14	DRRI1-M: Family Got Into Trouble	Deployment Risk & Resilience Inventory-2 - During deployment: a family member got into trouble at home, at school, or in the community.	DRRI-2 - M: Family Got Into Trouble
C142041	DRRI1N01	DRRI1-N: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Since returning: I was robbed or had my home broken into.	DRRI-2 - N: Robbed/Had My Home Broken Into
C142042	DRRI1N02	DRRI1-N: Unwanted Sexual Activity	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced unwanted sexual activity as a result of force, threat or harm, or manipulation.	DRRI-2 - N: Unwanted Sexual Activity
C142043	DRRI1N03	DRRI1-N: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Since returning: I went through a divorce or have been left by a partner or significant other.	DRRI-2 - N: Went Through Divorce/Was Left
C142044	DRRI1N04	DRRI1-N: Problems Getting Healthcare	Deployment Risk & Resilience Inventory-2 - Since returning: I had problems getting access to adequate healthcare.	DRRI-2 - N: Problems Getting Healthcare
C142045	DRRI1N05	DRRI1-N: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - N: Experienced Natural Disaster
C142046	DRRI1N06	DRRI1-N: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - N: Someone Close Serious Illness
C142047	DRRI1N07	DRRI1-N: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Since returning: I have witnessed someone being seriously assaulted or killed.	DRRI-2 - N: Witnessed Someone Assaulted
C142048	DRRI1N08	DRRI1-N: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Since returning: I lost my job or had serious trouble finding a job.	DRRI-2 - N: Lost My Job/Trouble Finding Job
C142049	DRRI1N09	DRRI1-N: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Since returning: I have been emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - N: Emotionally Mistreated
C142050	DRRI1N10	DRRI1-N: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious financial problems.	DRRI-2 - N: Serious Financial Problems
C142051	DRRI1N11	DRRI1-N: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious physical or mental health problems.	DRRI-2 - N: Serious Physical Health Problem
C142052	DRRI1N12	DRRI1-N: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - N: Stressful Legal Problems
C142053	DRRI1N13	DRRI1-N: Injured by Another Person	Deployment Risk & Resilience Inventory-2 - Since returning: I have been seriously physically injured by another person (for example, hit or beaten up).	DRRI-2 - N: Injured by Another Person
C142054	DRRI1N14	DRRI1-N: Someone Close to Me Has Died	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has died.	DRRI-2 - N: Someone Close to Me Has Died

**C141673 DRR11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142055	DRRI1001	DRRI1-O: People Made Me Feel at Home	Deployment Risk & Resilience Inventory-2 - Since returning: the American people made me feel at home.	DRRI-2 - O: People Made Me Feel at Home
C142056	DRRI1002	DRRI1-O: People Made Me Feel Proud	Deployment Risk & Resilience Inventory-2 - Since returning: people made me feel proud to have served my country in the Armed Forces.	DRRI-2 - O: People Made Me Feel Proud
C142057	DRRI1003	DRRI1-O: Family Make Me Better When Down	Deployment Risk & Resilience Inventory-2 - Since returning: my family members and/or friends make me feel better when I am down.	DRRI-2 - O: Family Make Me Better When Down
C142058	DRRI1004	DRRI1-O: Go to Family When Need Advice	Deployment Risk & Resilience Inventory-2 - Since returning: I can go to family members or friends when I need good advice.	DRRI-2 - O: Go to Family When Need Advice
C142059	DRRI1005	DRRI1-O: Family/Friends Understand	Deployment Risk & Resilience Inventory-2 - Since returning: my family and friends understand what I have been through in the Armed Forces.	DRRI-2 - O: Family/Friends Understand
C142060	DRRI1006	DRRI1-O: I Can Talk About My Deployment	Deployment Risk & Resilience Inventory-2 - Since returning: there are family and/or friends with whom I can talk about my deployment experiences.	DRRI-2 - O: I Can Talk About My Deployment
C142061	DRRI1007	DRRI1-O: Family Would Lend Money	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would lend me money if I needed it.	DRRI-2 - O: Family Would Lend Money
C142062	DRRI1008	DRRI1-O: Family Would Help Move	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would help me move my belongings if I needed help.	DRRI-2 - O: Family Would Help Move
C142063	DRRI1009	DRRI1-O: Someone Would Help With Tasks	Deployment Risk & Resilience Inventory-2 - Since returning: if I were unable to attend to daily chores, there is someone who would help me with these tasks.	DRRI-2 - O: Someone Would Help With Tasks
C142064	DRRI1010	DRRI1-O: When Ill Family Will Help Out	Deployment Risk & Resilience Inventory-2 - Since returning: when I am ill, family members or friends will help out until I am well.	DRRI-2 - O: When Ill Family Will Help Out
C142065	DRRI1P01	DRRI1-P: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - Since returning: my input is sought on important family decisions.	DRRI-2 - P: Input Sought Family Decisions
C142066	DRRI1P02	DRRI1-P: Feel Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like I fit in with my family.	DRRI-2 - P: Feel Like I Fit in With Family
C142067	DRRI1P03	DRRI1-P: Family Know What I Think/Feel	Deployment Risk & Resilience Inventory-2 - Since returning: family members know what I think and how I feel about things.	DRRI-2 - P: Family Know What I Think/Feel
C142068	DRRI1P04	DRRI1-P: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like my contributions to my family are appreciated.	DRRI-2 - P: Contribution Family Appreciated
C142069	DRRI1P05	DRRI1-P: Share Interests With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I share many common interests and activities with family members.	DRRI-2 - P: Share Interests With Family
C142070	DRRI1P06	DRRI1-P: Opinions Valued by Family	Deployment Risk & Resilience Inventory-2 - Since returning: my opinions are valued by other family members.	DRRI-2 - P: Opinions Valued by Family
C142071	DRRI1P07	DRRI1-P: I am Affectionate With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I am affectionate with family members.	DRRI-2 - P: I am Affectionate With Family
C142072	DRRI1P08	DRRI1-P: Play Important Role in Family	Deployment Risk & Resilience Inventory-2 - Since returning: I play an important role in my family.	DRRI-2 - P: Play Important Role in Family
C142073	DRRI1P09	DRRI1-P: Spend My Free Time With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I spend as much of my free time with family members as possible.	DRRI-2 - P: Spend My Free Time With Family
C142074	DRRI1P10	DRRI1-P: Family Tell Me When Problem	Deployment Risk & Resilience Inventory-2 - Since returning: family members tell me when they are having a problem.	DRRI-2 - P: Family Tell Me When Problem
C142075	DRRI1P11	DRRI1-P: Can Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - Since returning: I can be myself around family members.	DRRI-2 - P: Can Be Myself Around Family
C142076	DRRI1P12	DRRI1-P: I Get Along Well With My Family	Deployment Risk & Resilience Inventory-2 - Since returning: I get along well with my family members.	DRRI-2 - P: I Get Along Well With My Family

## DRRI1TN (Deployment Risk and Resilience Inventory-2 Questionnaire Test Name)

NCI Code: C141672, Codelist extensible: No

C141672 DRRI1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C141881	DRRI1-A: Dangerous Military Duties	DRRI1-A: Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - Before deployment: I participated in dangerous military duties.	DRRI-2 - A: Dangerous Military Duties
C141878	DRRI1-A: Emotionally Mistreated	DRRI1-A: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Before deployment: I was emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - A: Emotionally Mistreated
C141874	DRRI1-A: Experienced Natural Disaster	DRRI1-A: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - A: Experienced Natural Disaster
C141883	DRRI1-A: Injured by Person - Adulthood	DRRI1-A: Injured by Person - Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during adulthood (age 18 or later).	DRRI-2 - A: Injured by Person - Adulthood
C141882	DRRI1-A: Injured by Person - Childhood	DRRI1-A: Injured by Person - Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I was seriously physically injured by another person (for example, hit or beaten up) during childhood (before age 18).	DRRI-2 - A: Injured by Person - Childhood
C141877	DRRI1-A: Lost My Job/Trouble Finding Job	DRRI1-A: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Before deployment: I lost my job or had serious trouble finding a job.	DRRI-2 - A: Lost My Job/Trouble Finding Job
C141871	DRRI1-A: Physically Punished by Parent	DRRI1-A: Physically Punished by Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I was physically punished by a parent or primary caregiver.	DRRI-2 - A: Physically Punished by Parent
C141869	DRRI1-A: Robbed/Had My Home Broken Into	DRRI1-A: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Before deployment: I was robbed or had my home broken into.	DRRI-2 - A: Robbed/Had My Home Broken Into
C141870	DRRI1-A: Saw/Heard Physical Fight Parent	DRRI1-A: Saw/Heard Physical Fight Parent	Deployment Risk & Resilience Inventory-2 - Before deployment: I saw or heard physical fighting between my parents or caregivers.	DRRI-2 - A: Saw/Heard Physical Fight Parent
C141879	DRRI1-A: Serious Financial Problems	DRRI1-A: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious financial problems.	DRRI-2 - A: Serious Financial Problems
C141880	DRRI1-A: Serious Physical Health Problem	DRRI1-A: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced serious physical or mental health problems.	DRRI-2 - A: Serious Physical Health Problem
C141875	DRRI1-A: Someone Close Serious Illness	DRRI1-A: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - A: Someone Close Serious Illness
C141867	DRRI1-A: Someone Close to Me Died	DRRI1-A: Someone Close to Me Died	Deployment Risk & Resilience Inventory-2 - Before deployment: someone close to me died.	DRRI-2 - A: Someone Close to Me Died
C141884	DRRI1-A: Stressful Legal Problems	DRRI1-A: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - A: Stressful Legal Problems
C141873	DRRI1-A: Unwanted Sex Activity Adulthood	DRRI1-A: Unwanted Sex Activity Adulthood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during adulthood (age 18 or later).	DRRI-2 - A: Unwanted Sex Activity Adulthood
C141872	DRRI1-A: Unwanted Sex Activity Childhood	DRRI1-A: Unwanted Sex Activity Childhood	Deployment Risk & Resilience Inventory-2 - Before deployment: I experienced unwanted sexual activity as a result of force, threat of harm, or manipulation during childhood (before age 18).	DRRI-2 - A: Unwanted Sex Activity Childhood
C141868	DRRI1-A: Went Through Divorce/Was Left	DRRI1-A: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Before deployment: I went through a divorce or was left by a significant other.	DRRI-2 - A: Went Through Divorce/Was Left
C141876	DRRI1-A: Witnessed Someone Assaulted	DRRI1-A: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Before deployment: I witnessed someone being seriously assaulted or killed.	DRRI-2 - A: Witnessed Someone Assaulted
C141888	DRRI1-B: Contribution Family Appreciated	DRRI1-B: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like my contributions to my family were appreciated.	DRRI-2 - B: Contribution Family Appreciated

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141887	DRRI1-B: Family Knew What I Thought/Felt	DRRI1-B: Family Knew What I Thought/Felt	Deployment Risk & Resilience Inventory-2 - During childhood: family members knew what I thought and how I felt about things.	DRRI-2 - B: Family Knew What I Thought/Felt
C141894	DRRI1-B: Family Told Me When Problem	DRRI1-B: Family Told Me When Problem	Deployment Risk & Resilience Inventory-2 - During childhood: family members told me when they were having a problem.	DRRI-2 - B: Family Told Me When Problem
C141886	DRRI1-B: Felt Like I Fit in With Family	DRRI1-B: Felt Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I felt like I fit in with my family.	DRRI-2 - B: Felt Like I Fit in With Family
C141885	DRRI1-B: Got Along Well With My Family	DRRI1-B: Got Along Well With My Family	Deployment Risk & Resilience Inventory-2 - During childhood: I got along well with my family members.	DRRI-2 - B: Got Along Well With My Family
C141895	DRRI1-B: I Could Be Myself Around Family	DRRI1-B: I Could Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - During childhood: I could be myself around family members.	DRRI-2 - B: I Could Be Myself Around Family
C141891	DRRI1-B: I Was Affectionate With Family	DRRI1-B: I Was Affectionate With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I was affectionate with family members.	DRRI-2 - B: I Was Affectionate With Family
C141896	DRRI1-B: Input Sought Family Decisions	DRRI1-B: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - During childhood: my input was sought on important family decisions.	DRRI-2 - B: Input Sought Family Decisions
C141890	DRRI1-B: Opinions Were Valued by Family	DRRI1-B: Opinions Were Valued by Family	Deployment Risk & Resilience Inventory-2 - During childhood: my opinions were valued by other family members.	DRRI-2 - B: Opinions Were Valued by Family
C141892	DRRI1-B: Played Important Role in Family	DRRI1-B: Played Important Role in Family	Deployment Risk & Resilience Inventory-2 - During childhood: I played an important role in my family.	DRRI-2 - B: Played Important Role in Family
C141889	DRRI1-B: Shared Interests With Family	DRRI1-B: Shared Interests With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I shared many common interests and activities with family members.	DRRI-2 - B: Shared Interests With Family
C141893	DRRI1-B: Spent My Free Time With Family	DRRI1-B: Spent My Free Time With Family	Deployment Risk & Resilience Inventory-2 - During childhood: I spent as much of my free time with family members as possible.	DRRI-2 - B: Spent My Free Time With Family
C141897	DRRI1-C: Climate Was Uncomfortable	DRRI1-C: Climate Was Uncomfortable	Deployment Risk & Resilience Inventory-2 - During deployment: the climate was uncomfortable.	DRRI-2 - C: Climate Was Uncomfortable
C141900	DRRI1-C: Conditions Extremely Unsanitary	DRRI1-C: Conditions Extremely Unsanitary	Deployment Risk & Resilience Inventory-2 - During deployment: the conditions I lived in were extremely unsanitary.	DRRI-2 - C: Conditions Extremely Unsanitary
C141898	DRRI1-C: Deal With Annoying Animals	DRRI1-C: Deal With Annoying Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I had to deal with annoying animals, insects, or plants.	DRRI-2 - C: Deal With Annoying Animals
C141901	DRRI1-C: Didn't Have Bathrooms	DRRI1-C: Didn't Have Bathrooms	Deployment Risk & Resilience Inventory-2 - During deployment: I didn't have access to bathrooms or showers when I needed them.	DRRI-2 - C: Didn't Have Bathrooms
C141899	DRRI1-C: Food Was of Very Poor Quality	DRRI1-C: Food Was of Very Poor Quality	Deployment Risk & Resilience Inventory-2 - During deployment: the food I had to eat was of very poor quality (for example, bad or old MREs).	DRRI-2 - C: Food Was of Very Poor Quality
C141908	DRRI1-C: Hassle With Heavy/Annoying Gear	DRRI1-C: Hassle With Heavy/Annoying Gear	Deployment Risk & Resilience Inventory-2 - During deployment: I had to hassle with putting on and taking off heavy or annoying gear.	DRRI-2 - C: Hassle With Heavy/Annoying Gear
C141903	DRRI1-C: I Was Exposed to Awful Smells	DRRI1-C: I Was Exposed to Awful Smells	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to awful smells.	DRRI-2 - C: I Was Exposed to Awful Smells
C141904	DRRI1-C: I Was Subjected to Loud Noises	DRRI1-C: I Was Subjected to Loud Noises	Deployment Risk & Resilience Inventory-2 - During deployment: I was subjected to loud noises.	DRRI-2 - C: I Was Subjected to Loud Noises
C141909	DRRI1-C: Not Allowed to Get Job Done	DRRI1-C: Not Allowed to Get Job Done	Deployment Risk & Resilience Inventory-2 - During deployment: I was not allowed to do the things I needed to do to get my job done.	DRRI-2 - C: Not Allowed to Get Job Done
C141910	DRRI1-C: Not Have Adequate Shelter	DRRI1-C: Not Have Adequate Shelter	Deployment Risk & Resilience Inventory-2 - During deployment: I did not have adequate shelter from uncomfortable living conditions (for example, heat, cold, wet, etc.).	DRRI-2 - C: Not Have Adequate Shelter
C141905	DRRI1-C: Restricted Because Local Custom	DRRI1-C: Restricted Because Local Custom	Deployment Risk & Resilience Inventory-2 - During deployment: my daily activities were restricted because of local religious or ethnic customs.	DRRI-2 - C: Restricted Because Local Custom

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141907	DRRI1-C: Wasn't Able to Contact Home	DRRI1-C: Wasn't Able to Contact Home	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to contact home when I needed to.	DRRI-2 - C: Wasn't Able to Contact Home
C141902	DRRI1-C: Wasn't Able to Get Privacy	DRRI1-C: Wasn't Able to Get Privacy	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get as much privacy as I needed.	DRRI-2 - C: Wasn't Able to Get Privacy
C141906	DRRI1-C: Wasn't Able to Rest	DRRI1-C: Wasn't Able to Rest	Deployment Risk & Resilience Inventory-2 - During deployment: I wasn't able to get rest when I needed it.	DRRI-2 - C: Wasn't Able to Rest
C141912	DRRI1-D: Assault on Entrenched Positions	DRRI1-D: Assault on Entrenched Positions	Deployment Risk & Resilience Inventory-2 - During deployment: I took part in an assault on entrenched or fortified positions that involved naval and/or land forces.	DRRI-2 - D: Assault on Entrenched Positions
C141914	DRRI1-D: Encountered Land Mines	DRRI1-D: Encountered Land Mines	Deployment Risk & Resilience Inventory-2 - During deployment: I encountered land or water mines, booby traps, or roadside bombs (for example, IEDs).	DRRI-2 - D: Encountered Land Mines
C141915	DRRI1-D: Exposed Hostile Incoming Fire	DRRI1-D: Exposed Hostile Incoming Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to hostile incoming fire.	DRRI-2 - D: Exposed Hostile Incoming Fire
C141916	DRRI1-D: Exposed to Friendly Fire	DRRI1-D: Exposed to Friendly Fire	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to "friendly" fire.	DRRI-2 - D: Exposed to Friendly Fire
C141922	DRRI1-D: Fired My Weapon Enemy Combatant	DRRI1-D: Fired My Weapon Enemy Combatant	Deployment Risk & Resilience Inventory-2 - During deployment: I fired my weapon at enemy combatants.	DRRI-2 - D: Fired My Weapon Enemy Combatant
C141921	DRRI1-D: Injured Combat-Related Incident	DRRI1-D: Injured Combat-Related Incident	Deployment Risk & Resilience Inventory-2 - During deployment: I was injured in a combat-related incident.	DRRI-2 - D: Injured Combat-Related Incident
C141924	DRRI1-D: Locating Explosive Devices	DRRI1-D: Locating Explosive Devices	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in locating or disarming explosive devices.	DRRI-2 - D: Locating Explosive Devices
C141918	DRRI1-D: Part of Unit Fired on Enemy	DRRI1-D: Part of Unit Fired on Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was part of a land or naval artillery unit that fired on enemy combatants.	DRRI-2 - D: Part of Unit Fired on Enemy
C141926	DRRI1-D: Participate Hand-to-hand Combat	DRRI1-D: Participate Hand-to-hand Combat	Deployment Risk & Resilience Inventory-2 - During deployment: I participated in hand-to-hand combat.	DRRI-2 - D: Participate Hand-to-hand Combat
C141927	DRRI1-D: Search/Disarm Potential Enemy	DRRI1-D: Search/Disarm Potential Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching and/or disarming potential enemy combatants.	DRRI-2 - D: Search/Disarm Potential Enemy
C141925	DRRI1-D: Searching Homes/Buildings	DRRI1-D: Searching Homes/Buildings	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in searching or clearing homes, buildings, or other locations.	DRRI-2 - D: Searching Homes/Buildings
C141923	DRRI1-D: Think I Wounded/Killed Someone	DRRI1-D: Think I Wounded/Killed Someone	Deployment Risk & Resilience Inventory-2 - During deployment: I think I wounded or killed someone during combat operations.	DRRI-2 - D: Think I Wounded/Killed Someone
C141917	DRRI1-D: Vehicle/Part of Convoy Attacked	DRRI1-D: Vehicle/Part of Convoy Attacked	Deployment Risk & Resilience Inventory-2 - During deployment: I was in a vehicle (for example, a "humvee", helicopter, or boat) or part of a convoy that was attacked.	DRRI-2 - D: Vehicle/Part of Convoy Attacked
C141911	DRRI1-D: Went on Combat Patrols/Missions	DRRI1-D: Went on Combat Patrols/Missions	Deployment Risk & Resilience Inventory-2 - During deployment: I went on combat patrols or missions.	DRRI-2 - D: Went on Combat Patrols/Missions
C141920	DRRI1-D: Witnessed Civilians Wounded	DRRI1-D: Witnessed Civilians Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed civilians (for example, women and children) being seriously wounded or killed.	DRRI-2 - D: Witnessed Civilians Wounded
C141919	DRRI1-D: Witnessed Enemy Wounded/Killed	DRRI1-D: Witnessed Enemy Wounded/Killed	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed enemy combatants being seriously wounded or killed.	DRRI-2 - D: Witnessed Enemy Wounded/Killed
C141913	DRRI1-D: Witnessed Someone Unit Wounded	DRRI1-D: Witnessed Someone Unit Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I personally witnessed someone from my unit or an ally unit being seriously wounded or killed.	DRRI-2 - D: Witnessed Someone Unit Wounded
C141938	DRRI1-E: Interacted With Detainees	DRRI1-E: Interacted With Detainees	Deployment Risk & Resilience Inventory-2 - During deployment: I interacted with detainees or prisoners of war.	DRRI-2 - E: Interacted With Detainees
C141940	DRRI1-E: Involved Handling Human Remains	DRRI1-E: Involved Handling Human Remains	Deployment Risk & Resilience Inventory-2 - During deployment: I was involved in handling human remains.	DRRI-2 - E: Involved Handling Human Remains

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141930	DRRI1-E: Observed Homes Been Destroyed	DRRI1-E: Observed Homes Been Destroyed	Deployment Risk & Resilience Inventory-2 - During deployment: I observed homes or communities that had been destroyed.	DRRI-2 - E: Observed Homes Been Destroyed
C141934	DRRI1-E: Saw Americans Had Been Wounded	DRRI1-E: Saw Americans Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw Americans or allies after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Americans Had Been Wounded
C141936	DRRI1-E: Saw Bodies of Dead Americans	DRRI1-E: Saw Bodies of Dead Americans	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead Americans or allies.	DRRI-2 - E: Saw Bodies of Dead Americans
C141937	DRRI1-E: Saw Bodies of Dead Civilians	DRRI1-E: Saw Bodies of Dead Civilians	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead civilians.	DRRI-2 - E: Saw Bodies of Dead Civilians
C141935	DRRI1-E: Saw Bodies of Dead Enemy	DRRI1-E: Saw Bodies of Dead Enemy	Deployment Risk & Resilience Inventory-2 - During deployment: I saw the bodies of dead enemy combatants.	DRRI-2 - E: Saw Bodies of Dead Enemy
C141932	DRRI1-E: Saw Civilians After Wounded	DRRI1-E: Saw Civilians After Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw civilians after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Civilians After Wounded
C141933	DRRI1-E: Saw Combatants Had Been Wounded	DRRI1-E: Saw Combatants Had Been Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I saw enemy combatants after they had been severely wounded or disfigured.	DRRI-2 - E: Saw Combatants Had Been Wounded
C141928	DRRI1-E: Saw People Begging for Food	DRRI1-E: Saw People Begging for Food	Deployment Risk & Resilience Inventory-2 - During deployment: I saw people begging for food.	DRRI-2 - E: Saw People Begging for Food
C141929	DRRI1-E: Saw Refugees Who Had Lost Homes	DRRI1-E: Saw Refugees Who Had Lost Homes	Deployment Risk & Resilience Inventory-2 - During deployment: I saw refugees who had lost their homes or belongings.	DRRI-2 - E: Saw Refugees Who Had Lost Homes
C141939	DRRI1-E: Sight/Sound/Smell Dead Animals	DRRI1-E: Sight/Sound/Smell Dead Animals	Deployment Risk & Resilience Inventory-2 - During deployment: I was exposed to the sight, sound, or smell of dead or dying animals.	DRRI-2 - E: Sight/Sound/Smell Dead Animals
C141931	DRRI1-E: Took Care Injured/Dying People	DRRI1-E: Took Care Injured/Dying People	Deployment Risk & Resilience Inventory-2 - During deployment: I took care of injured or dying people.	DRRI-2 - E: Took Care Injured/Dying People
C141945	DRRI1-F: Exposed Government-issued DEET	DRRI1-F: Exposed Government-issued DEET	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to government-issued DEET-containing insect repellents.	DRRI-2 - F: Exposed Government-issued DEET
C141951	DRRI1-F: Exposed to Burning Trash/Feces	DRRI1-F: Exposed to Burning Trash/Feces	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to burning trash or burning feces.	DRRI-2 - F: Exposed to Burning Trash/Feces
C141952	DRRI1-F: Exposed to Chlorine Gas	DRRI1-F: Exposed to Chlorine Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to chlorine gas.	DRRI-2 - F: Exposed to Chlorine Gas
C141950	DRRI1-F: Exposed to Depleted Uranium	DRRI1-F: Exposed to Depleted Uranium	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to depleted uranium in munitions.	DRRI-2 - F: Exposed to Depleted Uranium
C141948	DRRI1-F: Exposed to Diesel/Fuel on Skin	DRRI1-F: Exposed to Diesel/Fuel on Skin	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to diesel or other petrochemical fuel on my skin.	DRRI-2 - F: Exposed to Diesel/Fuel on Skin
C141949	DRRI1-F: Exposed to Fumes From Heaters	DRRI1-F: Exposed to Fumes From Heaters	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to fumes or exhaust from heaters or generators, including heaters in tents.	DRRI-2 - F: Exposed to Fumes From Heaters
C141944	DRRI1-F: Exposed to Mustard Gas	DRRI1-F: Exposed to Mustard Gas	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to mustard gas or other blistering agents.	DRRI-2 - F: Exposed to Mustard Gas
C141943	DRRI1-F: Exposed to Nerve Gas Agents	DRRI1-F: Exposed to Nerve Gas Agents	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nerve gas agents (for example, sarin).	DRRI-2 - F: Exposed to Nerve Gas Agents
C141953	DRRI1-F: Exposed to Nuclear Weapons	DRRI1-F: Exposed to Nuclear Weapons	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to nuclear, biological, or chemical weapons.	DRRI-2 - F: Exposed to Nuclear Weapons
C141946	DRRI1-F: Exposed to Other Pesticides	DRRI1-F: Exposed to Other Pesticides	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to other pesticides (for example, in flea collars, uniforms, or the environment).	DRRI-2 - F: Exposed to Other Pesticides

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141947	DRRI1-F: Exposed to Smoke/Air Pollution	DRRI1-F: Exposed to Smoke/Air Pollution	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I was exposed to smoke or other air pollution.	DRRI-2 - F: Exposed to Smoke/Air Pollution
C141942	DRRI1-F: Received Vaccinations	DRRI1-F: Received Vaccinations	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I received preventative vaccinations by injection (for example, to prevent anthrax or botulism).	DRRI-2 - F: Received Vaccinations
C141941	DRRI1-F: Took Preventative Pills	DRRI1-F: Took Preventative Pills	Deployment Risk & Resilience Inventory-2 - Either in preparation for or during my deployment: I took preventative pills (for example, to protect against nerve gas).	DRRI-2 - F: Took Preventative Pills
C141960	DRRI1-G: Concern Rocket/Mortar Would Hit	DRRI1-G: Concern Rocket/Mortar Would Hit	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that a rocket or mortar would hit our living quarters.	DRRI-2 - G: Concern Rocket/Mortar Would Hit
C141961	DRRI1-G: Concerned Depleted Uranium	DRRI1-G: Concerned Depleted Uranium	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be exposed to depleted uranium in munitions.	DRRI-2 - G: Concerned Depleted Uranium
C141958	DRRI1-G: Concerned Encounter Explosive	DRRI1-G: Concerned Encounter Explosive	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I would encounter an explosive device (for example, a roadside bomb, mine, or booby trap).	DRRI-2 - G: Concerned Encounter Explosive
C141954	DRRI1-G: Concerned Infectious Disease	DRRI1-G: Concerned Infectious Disease	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about getting an infectious disease.	DRRI-2 - G: Concerned Infectious Disease
C141964	DRRI1-G: Concerned Locals Against Us	DRRI1-G: Concerned Locals Against Us	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the locals who were supposed to be helping us were actually working against us.	DRRI-2 - G: Concerned Locals Against Us
C141957	DRRI1-G: Concerned Medicine Make Me Sick	DRRI1-G: Concerned Medicine Make Me Sick	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that the medicine I was given to protect me from illness would make me sick.	DRRI-2 - G: Concerned Medicine Make Me Sick
C141963	DRRI1-G: Concerned Taken Hostage	DRRI1-G: Concerned Taken Hostage	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that I might be taken hostage.	DRRI-2 - G: Concerned Taken Hostage
C141965	DRRI1-G: Concerned Trapped in Crossfire	DRRI1-G: Concerned Trapped in Crossfire	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned about being trapped in the crossfire of rival factions.	DRRI-2 - G: Concerned Trapped in Crossfire
C141959	DRRI1-G: Feared Sick From Pesticides	DRRI1-G: Feared Sick From Pesticides	Deployment Risk & Resilience Inventory-2 - During deployment: I feared that I would become sick from pesticides (for example, bug spray) or other routinely used chemicals.	DRRI-2 - G: Feared Sick From Pesticides
C141956	DRRI1-G: Felt in Danger of Being Wounded	DRRI1-G: Felt in Danger of Being Wounded	Deployment Risk & Resilience Inventory-2 - During deployment: I felt I was in great danger of being wounded (for example, losing a limb).	DRRI-2 - G: Felt in Danger of Being Wounded
C141955	DRRI1-G: Health Might Suffer NBC Agents	DRRI1-G: Health Might Suffer NBC Agents	Deployment Risk & Resilience Inventory-2 - During deployment: I was concerned that my health might suffer due to exposure to nuclear, biological, or chemical (NBC) agents.	DRRI-2 - G: Health Might Suffer NBC Agents
C141962	DRRI1-G: Thought I Would Never Survive	DRRI1-G: Thought I Would Never Survive	Deployment Risk & Resilience Inventory-2 - During deployment: I thought I would never survive.	DRRI-2 - G: Thought I Would Never Survive
C141969	DRRI1-H: Accurately Informed About Role	DRRI1-H: Accurately Informed About Role	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I was accurately informed about the role my unit was expected to play in the deployment.	DRRI-2 - H: Accurately Informed About Role
C141967	DRRI1-H: Confident Ability Use Equipment	DRRI1-H: Confident Ability Use Equipment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to use my equipment.	DRRI-2 - H: Confident Ability Use Equipment
C141974	DRRI1-H: Confident to Perform Tasks	DRRI1-H: Confident to Perform Tasks	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received made me feel confident in my ability to perform tasks assigned to me during deployment.	DRRI-2 - H: Confident to Perform Tasks
C141966	DRRI1-H: Had All Supplies Needed	DRRI1-H: Had All Supplies Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had all the supplies and equipment needed to get my job done.	DRRI-2 - H: Had All Supplies Needed



**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141970	DRRI1-H: Had Enough Gear in Case Attack	DRRI1-H: Had Enough Gear in Case Attack	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I had enough gear to protect myself in case of an attack.	DRRI-2 - H: Had Enough Gear in Case Attack
C141972	DRRI1-H: Military Duties What I Expected	DRRI1-H: Military Duties What I Expected	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my military duties and assignments were what I expected.	DRRI-2 - H: Military Duties What I Expected
C141968	DRRI1-H: Prepared to Deal With Climate	DRRI1-H: Prepared to Deal With Climate	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received prepared me to deal with the region's climate.	DRRI-2 - H: Prepared to Deal With Climate
C141973	DRRI1-H: Prepared to Operate as Team	DRRI1-H: Prepared to Operate as Team	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: my unit was well-prepared to operate as a team during deployment.	DRRI-2 - H: Prepared to Operate as Team
C141975	DRRI1-H: Taught Me Everything I Needed	DRRI1-H: Taught Me Everything I Needed	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: the training I received taught me everything I needed to know for deployment.	DRRI-2 - H: Taught Me Everything I Needed
C141971	DRRI1-H: Training for Deployment	DRRI1-H: Training for Deployment	Deployment Risk & Resilience Inventory-2 - In preparation for deployment: I received appropriate training for the nature of the deployment I experienced.	DRRI-2 - H: Training for Deployment
C141978	DRRI1-I: Could Count on Family Advice	DRRI1-I: Could Count on Family Advice	Deployment Risk & Resilience Inventory-2 - During deployment: I could count on my family members or friends at home for good advice.	DRRI-2 - I: Could Count on Family Advice
C141976	DRRI1-I: Family Sincerely Interested	DRRI1-I: Family Sincerely Interested	Deployment Risk & Resilience Inventory-2 - During deployment: family members and/or friends at home were sincerely interested in hearing what was going on with me.	DRRI-2 - I: Family Sincerely Interested
C141977	DRRI1-I: Had Family I Could Talk To	DRRI1-I: Had Family I Could Talk To	Deployment Risk & Resilience Inventory-2 - During deployment: I had family members or friends at home I could talk to when I had a problem.	DRRI-2 - I: Had Family I Could Talk To
C141981	DRRI1-I: Happy Communication From Home	DRRI1-I: Happy Communication From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of communication I received from people at home.	DRRI-2 - I: Happy Communication From Home
C141982	DRRI1-I: Happy With Support From Home	DRRI1-I: Happy With Support From Home	Deployment Risk & Resilience Inventory-2 - During deployment: I was happy with the amount of support I received from people at home.	DRRI-2 - I: Happy With Support From Home
C141983	DRRI1-I: People at Home Show They Cared	DRRI1-I: People at Home Show They Cared	Deployment Risk & Resilience Inventory-2 - During deployment: people at home did things to show they cared about me.	DRRI-2 - I: People at Home Show They Cared
C141979	DRRI1-I: Relatives Look Out for Family	DRRI1-I: Relatives Look Out for Family	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to look out for the well-being of my family or other dependents (including pets).	DRRI-2 - I: Relatives Look Out for Family
C141980	DRRI1-I: Relatives Take Care of Finances	DRRI1-I: Relatives Take Care of Finances	Deployment Risk & Resilience Inventory-2 - During deployment: relatives or friends at home could be counted on to take care of my finances, property, or belongings if needed.	DRRI-2 - I: Relatives Take Care of Finances
C141993	DRRI1-J: Could Go to Leaders If Problem	DRRI1-J: Could Go to Leaders If Problem	Deployment Risk & Resilience Inventory-2 - During deployment: I could go to unit leaders for help if I had a problem or concern.	DRRI-2 - J: Could Go to Leaders If Problem
C141986	DRRI1-J: Fellow Unit Appreciated Efforts	DRRI1-J: Fellow Unit Appreciated Efforts	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members appreciated my efforts.	DRRI-2 - J: Fellow Unit Appreciated Efforts
C141991	DRRI1-J: Felt Like My Efforts Counted	DRRI1-J: Felt Like My Efforts Counted	Deployment Risk & Resilience Inventory-2 - During deployment: I felt like my efforts really counted to the leaders in my unit.	DRRI-2 - J: Felt Like My Efforts Counted
C141995	DRRI1-J: Felt Valued by Leaders of Unit	DRRI1-J: Felt Valued by Leaders of Unit	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by the leaders of my unit.	DRRI-2 - J: Felt Valued by Leaders of Unit
C141987	DRRI1-J: Felt Valued Fellow Unit Members	DRRI1-J: Felt Valued Fellow Unit Members	Deployment Risk & Resilience Inventory-2 - During deployment: I felt valued by my fellow unit members.	DRRI-2 - J: Felt Valued Fellow Unit Members
C141990	DRRI1-J: Leader Interested What Thought	DRRI1-J: Leader Interested What Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my unit leader(s) were interested in what I thought and how I felt about things.	DRRI-2 - J: Leader Interested What Thought
C141994	DRRI1-J: Leaders Interested in Welfare	DRRI1-J: Leaders Interested in Welfare	Deployment Risk & Resilience Inventory-2 - During deployment: the leaders of my unit were interested in my personal welfare.	DRRI-2 - J: Leaders Interested in Welfare

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141984	DRRI1-J: My Unit Was Like Family to Me	DRRI1-J: My Unit Was Like Family to Me	Deployment Risk & Resilience Inventory-2 - During deployment: my unit was like family to me.	DRRI-2 - J: My Unit Was Like Family to Me
C141985	DRRI1-J: People in Unit Were Trustworthy	DRRI1-J: People in Unit Were Trustworthy	Deployment Risk & Resilience Inventory-2 - During deployment: people in my unit were trustworthy.	DRRI-2 - J: People in Unit Were Trustworthy
C141992	DRRI1-J: Service Appreciated by Leaders	DRRI1-J: Service Appreciated by Leaders	Deployment Risk & Resilience Inventory-2 - During deployment: my service was appreciated by the leaders in my unit.	DRRI-2 - J: Service Appreciated by Leaders
C141988	DRRI1-J: Unit Interested My Well-being	DRRI1-J: Unit Interested My Well-being	Deployment Risk & Resilience Inventory-2 - During deployment: members of my unit were interested in my well-being.	DRRI-2 - J: Unit Interested My Well-being
C141989	DRRI1-J: Unit Interested What I Thought	DRRI1-J: Unit Interested What I Thought	Deployment Risk & Resilience Inventory-2 - During deployment: my fellow unit members were interested in what I thought and how I felt about things.	DRRI-2 - J: Unit Interested What I Thought
C142007	DRRI1-K: Authority Pressure Unwanted Sex	DRRI1-K: Authority Pressure Unwanted Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: used a position of authority to pressure me into unwanted sexual activity.	DRRI-2 - K: Authority Pressure Unwanted Sex
C141998	DRRI1-K: Had to Work Harder Prove Myself	DRRI1-K: Had to Work Harder Prove Myself	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me as if I had to work harder than others to prove myself.	DRRI-2 - K: Had to Work Harder Prove Myself
C142004	DRRI1-K: Made Crude Sexual Remarks at Me	DRRI1-K: Made Crude Sexual Remarks at Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: made crude and offensive sexual remarks directed at me, either publicly or privately.	DRRI-2 - K: Made Crude Sexual Remarks at Me
C142001	DRRI1-K: Make My Job More Difficult	DRRI1-K: Make My Job More Difficult	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to make my job more difficult to do.	DRRI-2 - K: Make My Job More Difficult
C142000	DRRI1-K: My Mistakes Worse Than Others	DRRI1-K: My Mistakes Worse Than Others	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: acted as though my mistakes were worse than others'.	DRRI-2 - K: My Mistakes Worse Than Others
C142008	DRRI1-K: Offered Reward Take Part in Sex	DRRI1-K: Offered Reward Take Part in Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: offered me a specific reward or special treatment to take part in sexual behavior.	DRRI-2 - K: Offered Reward Take Part in Sex
C142011	DRRI1-K: Physically Forced to Have Sex	DRRI1-K: Physically Forced to Have Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: physically forced me to have sex.	DRRI-2 - K: Physically Forced to Have Sex
C142002	DRRI1-K: Put Me Down	DRRI1-K: Put Me Down	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: "put me down" or treated me in a condescending way.	DRRI-2 - K: Put Me Down
C141999	DRRI1-K: Questioned My Abilities Perform	DRRI1-K: Questioned My Abilities Perform	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: questioned my abilities or commitment to perform my job effectively.	DRRI-2 - K: Questioned My Abilities Perform
C142005	DRRI1-K: Spread Rumors Sexual Activities	DRRI1-K: Spread Rumors Sexual Activities	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: spread negative rumors about my sexual activities.	DRRI-2 - K: Spread Rumors Sexual Activities
C142009	DRRI1-K: Threatened Me If Not Sex	DRRI1-K: Threatened Me If Not Sex	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened me with some sort of retaliation if I was not sexually cooperative (for example, the threat of negative review or physical violence).	DRRI-2 - K: Threatened Me If Not Sex
C142003	DRRI1-K: Threatened My Physical Safety	DRRI1-K: Threatened My Physical Safety	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: threatened my physical safety.	DRRI-2 - K: Threatened My Physical Safety
C142010	DRRI1-K: Touched Sexual Way Against Will	DRRI1-K: Touched Sexual Way Against Will	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: touched me in a sexual way against my will.	DRRI-2 - K: Touched Sexual Way Against Will
C141996	DRRI1-K: Treated in Overly Critical Way	DRRI1-K: Treated in Overly Critical Way	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: treated me in an overly critical way.	DRRI-2 - K: Treated in Overly Critical Way
C142006	DRRI1-K: Tried to Talk into Sexual Acts	DRRI1-K: Tried to Talk into Sexual Acts	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: tried to talk me into participating in sexual acts when I didn't want to.	DRRI-2 - K: Tried to Talk into Sexual Acts

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141997	DRRI1-K: Uncooperative Working With Me	DRRI1-K: Uncooperative Working With Me	Deployment Risk & Resilience Inventory-2 - During deployment, the people I worked with: behaved in way that was uncooperative when working with me.	DRRI-2 - K: Uncooperative Working With Me
C142021	DRRI1-L: Being Cheated on by My Spouse	DRRI1-L: Being Cheated on by My Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being cheated on by my spouse or significant other.	DRRI-2 - L: Being Cheated on by My Spouse
C142020	DRRI1-L: Care Child/Dependents Receiving	DRRI1-L: Care Child/Dependents Receiving	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the care that my child(ren) or other dependents were receiving.	DRRI-2 - L: Care Child/Dependents Receiving
C142019	DRRI1-L: Damaging Career Because Deploy	DRRI1-L: Damaging Career Because Deploy	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: damaging my career because of the deployment.	DRRI-2 - L: Damaging Career Because Deploy
C142012	DRRI1-L: Effect Deployment Relationship	DRRI1-L: Effect Deployment Relationship	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my spouse or significant other.	DRRI-2 - L: Effect Deployment Relationship
C142025	DRRI1-L: Effect Relationship My Children	DRRI1-L: Effect Relationship My Children	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the effect of the deployment on my relationship with my child(ren).	DRRI-2 - L: Effect Relationship My Children
C142022	DRRI1-L: Family Ability Cope With Stress	DRRI1-L: Family Ability Cope With Stress	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's ability to cope with the stress of the deployment.	DRRI-2 - L: Family Ability Cope With Stress
C142018	DRRI1-L: Inability Manage Family Affairs	DRRI1-L: Inability Manage Family Affairs	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my inability to directly manage or control family affairs.	DRRI-2 - L: Inability Manage Family Affairs
C142024	DRRI1-L: Losing My Civilian Job	DRRI1-L: Losing My Civilian Job	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: losing my civilian job because of the deployment.	DRRI-2 - L: Losing My Civilian Job
C142014	DRRI1-L: Missing Family Events at Home	DRRI1-L: Missing Family Events at Home	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing important family events at home such as birthdays, weddings, funerals, graduations, etc.	DRRI-2 - L: Missing Family Events at Home
C142013	DRRI1-L: Missing Out on Children Growth	DRRI1-L: Missing Out on Children Growth	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: missing out on my children's growth and development.	DRRI-2 - L: Missing Out on Children Growth
C142026	DRRI1-L: My Family Financial Situation	DRRI1-L: My Family Financial Situation	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my family's financial situation.	DRRI-2 - L: My Family Financial Situation
C142016	DRRI1-L: Safety and Well-being of Child	DRRI1-L: Safety and Well-being of Child	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my child(ren).	DRRI-2 - L: Safety and Well-being of Child
C142015	DRRI1-L: Safety and Well-being of Spouse	DRRI1-L: Safety and Well-being of Spouse	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: the safety and well-being of my spouse or significant other.	DRRI-2 - L: Safety and Well-being of Spouse
C142023	DRRI1-L: Spouse Ability Manage Household	DRRI1-L: Spouse Ability Manage Household	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: my spouse or significant other's ability to manage the household (for example, chores, bills, home repairs, etc.).	DRRI-2 - L: Spouse Ability Manage Household
C142017	DRRI1-L: Unable to Help Family If Crisis	DRRI1-L: Unable to Help Family If Crisis	Deployment Risk & Resilience Inventory-2 - During deployment, I was concerned about: being unable to help my family if there was some kind of crisis or emergency.	DRRI-2 - L: Unable to Help Family If Crisis
C142039	DRRI1-M: Fam Dangerous Military Duties	DRRI1-M: Fam Dangerous Military Duties	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one participated in dangerous military duties.	DRRI-2 - M: Fam Dangerous Military Duties
C142040	DRRI1-M: Family Got Into Trouble	DRRI1-M: Family Got Into Trouble	Deployment Risk & Resilience Inventory-2 - During deployment: a family member got into trouble at home, at school, or in the community.	DRRI-2 - M: Family Got Into Trouble
C142035	DRRI1-M: Family Had Difficulty Adjusting	DRRI1-M: Family Had Difficulty Adjusting	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one had serious difficulty adjusting to my absence.	DRRI-2 - M: Family Had Difficulty Adjusting
C142029	DRRI1-M: Family Member Passed Away	DRRI1-M: Family Member Passed Away	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other loved one passed away.	DRRI-2 - M: Family Member Passed Away

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142037	DRRI1-M: Family Member Wasted Money	DRRI1-M: Family Member Wasted Money	Deployment Risk & Resilience Inventory-2 - During deployment: a family member or other person I trusted wasted or mismanaged my money.	DRRI-2 - M: Family Member Wasted Money
C142034	DRRI1-M: Had Major Conflict With Family	DRRI1-M: Had Major Conflict With Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had a major conflict with a family member or other loved one.	DRRI-2 - M: Had Major Conflict With Family
C142038	DRRI1-M: Loved One Things I Disapproved	DRRI1-M: Loved One Things I Disapproved	Deployment Risk & Resilience Inventory-2 - During deployment: I learned that a loved one was doing things I disapproved of.	DRRI-2 - M: Loved One Things I Disapproved
C142030	DRRI1-M: My Family Had Money Problems	DRRI1-M: My Family Had Money Problems	Deployment Risk & Resilience Inventory-2 - During deployment: my family had money problems.	DRRI-2 - M: My Family Had Money Problems
C142036	DRRI1-M: My Home Was Robbed	DRRI1-M: My Home Was Robbed	Deployment Risk & Resilience Inventory-2 - During deployment: my home was robbed and/or my belongings were stolen.	DRRI-2 - M: My Home Was Robbed
C142027	DRRI1-M: Problems Get in Touch Family	DRRI1-M: Problems Get in Touch Family	Deployment Risk & Resilience Inventory-2 - During deployment: I had problems getting in touch with a family member or other loved one.	DRRI-2 - M: Problems Get in Touch Family
C142033	DRRI1-M: Relationship With Spouse Ended	DRRI1-M: Relationship With Spouse Ended	Deployment Risk & Resilience Inventory-2 - During deployment: my relationship with a spouse or significant other ended.	DRRI-2 - M: Relationship With Spouse Ended
C142028	DRRI1-M: Someone Close Serious Illness	DRRI1-M: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - During deployment: someone close to me experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - M: Someone Close Serious Illness
C142031	DRRI1-M: Spouse Cheated on Me	DRRI1-M: Spouse Cheated on Me	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other cheated on me.	DRRI-2 - M: Spouse Cheated on Me
C142032	DRRI1-M: Spouse Suspected I Cheated	DRRI1-M: Spouse Suspected I Cheated	Deployment Risk & Resilience Inventory-2 - During deployment: a spouse or significant other suspected that I had cheated on him/her.	DRRI-2 - M: Spouse Suspected I Cheated
C142049	DRRI1-N: Emotionally Mistreated	DRRI1-N: Emotionally Mistreated	Deployment Risk & Resilience Inventory-2 - Since returning: I have been emotionally mistreated (for example, ignored or repeatedly told I was no good).	DRRI-2 - N: Emotionally Mistreated
C142045	DRRI1-N: Experienced Natural Disaster	DRRI1-N: Experienced Natural Disaster	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced a natural disaster (for example, a hurricane), a fire, or an accident in which I or someone close to me was hurt or had serious property damage.	DRRI-2 - N: Experienced Natural Disaster
C142053	DRRI1-N: Injured by Another Person	DRRI1-N: Injured by Another Person	Deployment Risk & Resilience Inventory-2 - Since returning: I have been seriously physically injured by another person (for example, hit or beaten up).	DRRI-2 - N: Injured by Another Person
C142048	DRRI1-N: Lost My Job/Trouble Finding Job	DRRI1-N: Lost My Job/Trouble Finding Job	Deployment Risk & Resilience Inventory-2 - Since returning: I lost my job or had serious trouble finding a job.	DRRI-2 - N: Lost My Job/Trouble Finding Job
C142044	DRRI1-N: Problems Getting Healthcare	DRRI1-N: Problems Getting Healthcare	Deployment Risk & Resilience Inventory-2 - Since returning: I had problems getting access to adequate healthcare.	DRRI-2 - N: Problems Getting Healthcare
C142041	DRRI1-N: Robbed/Had My Home Broken Into	DRRI1-N: Robbed/Had My Home Broken Into	Deployment Risk & Resilience Inventory-2 - Since returning: I was robbed or had my home broken into.	DRRI-2 - N: Robbed/Had My Home Broken Into
C142050	DRRI1-N: Serious Financial Problems	DRRI1-N: Serious Financial Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious financial problems.	DRRI-2 - N: Serious Financial Problems
C142051	DRRI1-N: Serious Physical Health Problem	DRRI1-N: Serious Physical Health Problem	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced serious physical or mental health problems.	DRRI-2 - N: Serious Physical Health Problem
C142046	DRRI1-N: Someone Close Serious Illness	DRRI1-N: Someone Close Serious Illness	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has experienced a serious illness, injury, or mental health problem (for example, cancer, alcohol/drug problem).	DRRI-2 - N: Someone Close Serious Illness
C142054	DRRI1-N: Someone Close to Me Has Died	DRRI1-N: Someone Close to Me Has Died	Deployment Risk & Resilience Inventory-2 - Since returning: someone close to me has died.	DRRI-2 - N: Someone Close to Me Has Died
C142052	DRRI1-N: Stressful Legal Problems	DRRI1-N: Stressful Legal Problems	Deployment Risk & Resilience Inventory-2 - Since returning: I have experienced stressful legal problems (for example, being sued, suing someone else, or being in a custody battle).	DRRI-2 - N: Stressful Legal Problems

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142042	DRRI1-N: Unwanted Sexual Activity	DRRI1-N: Unwanted Sexual Activity	Deployment Risk & Resilience Inventory-2 - Since returning: I experienced unwanted sexual activity as a result of force, threat or harm, or manipulation.	DRRI-2 - N: Unwanted Sexual Activity
C142043	DRRI1-N: Went Through Divorce/Was Left	DRRI1-N: Went Through Divorce/Was Left	Deployment Risk & Resilience Inventory-2 - Since returning: I went through a divorce or have been left by a partner or significant other.	DRRI-2 - N: Went Through Divorce/Was Left
C142047	DRRI1-N: Witnessed Someone Assaulted	DRRI1-N: Witnessed Someone Assaulted	Deployment Risk & Resilience Inventory-2 - Since returning: I have witnessed someone being seriously assaulted or killed.	DRRI-2 - N: Witnessed Someone Assaulted
C142057	DRRI1-O: Family Make Me Better When Down	DRRI1-O: Family Make Me Better When Down	Deployment Risk & Resilience Inventory-2 - Since returning: my family members and/or friends make me feel better when I am down.	DRRI-2 - O: Family Make Me Better When Down
C142062	DRRI1-O: Family Would Help Move	DRRI1-O: Family Would Help Move	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would help me move my belongings if I needed help.	DRRI-2 - O: Family Would Help Move
C142061	DRRI1-O: Family Would Lend Money	DRRI1-O: Family Would Lend Money	Deployment Risk & Resilience Inventory-2 - Since returning: my family members or friends would lend me money if I needed it.	DRRI-2 - O: Family Would Lend Money
C142059	DRRI1-O: Family/Friends Understand	DRRI1-O: Family/Friends Understand	Deployment Risk & Resilience Inventory-2 - Since returning: my family and friends understand what I have been through in the Armed Forces.	DRRI-2 - O: Family/Friends Understand
C142058	DRRI1-O: Go to Family When Need Advice	DRRI1-O: Go to Family When Need Advice	Deployment Risk & Resilience Inventory-2 - Since returning: I can go to family members or friends when I need good advice.	DRRI-2 - O: Go to Family When Need Advice
C142060	DRRI1-O: I Can Talk About My Deployment	DRRI1-O: I Can Talk About My Deployment	Deployment Risk & Resilience Inventory-2 - Since returning: there are family and/or friends with whom I can talk about my deployment experiences.	DRRI-2 - O: I Can Talk About My Deployment
C142055	DRRI1-O: People Made Me Feel at Home	DRRI1-O: People Made Me Feel at Home	Deployment Risk & Resilience Inventory-2 - Since returning: the American people made me feel at home.	DRRI-2 - O: People Made Me Feel at Home
C142056	DRRI1-O: People Made Me Feel Proud	DRRI1-O: People Made Me Feel Proud	Deployment Risk & Resilience Inventory-2 - Since returning: people made me feel proud to have served my country in the Armed Forces.	DRRI-2 - O: People Made Me Feel Proud
C142063	DRRI1-O: Someone Would Help With Tasks	DRRI1-O: Someone Would Help With Tasks	Deployment Risk & Resilience Inventory-2 - Since returning: if I were unable to attend to daily chores, there is someone who would help me with these tasks.	DRRI-2 - O: Someone Would Help With Tasks
C142064	DRRI1-O: When Ill Family Will Help Out	DRRI1-O: When Ill Family Will Help Out	Deployment Risk & Resilience Inventory-2 - Since returning: when I am ill, family members or friends will help out until I am well.	DRRI-2 - O: When Ill Family Will Help Out
C142075	DRRI1-P: Can Be Myself Around Family	DRRI1-P: Can Be Myself Around Family	Deployment Risk & Resilience Inventory-2 - Since returning: I can be myself around family members.	DRRI-2 - P: Can Be Myself Around Family
C142068	DRRI1-P: Contribution Family Appreciated	DRRI1-P: Contribution Family Appreciated	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like my contributions to my family are appreciated.	DRRI-2 - P: Contribution Family Appreciated
C142067	DRRI1-P: Family Know What I Think/Feel	DRRI1-P: Family Know What I Think/Feel	Deployment Risk & Resilience Inventory-2 - Since returning: family members know what I think and how I feel about things.	DRRI-2 - P: Family Know What I Think/Feel
C142074	DRRI1-P: Family Tell Me When Problem	DRRI1-P: Family Tell Me When Problem	Deployment Risk & Resilience Inventory-2 - Since returning: family members tell me when they are having a problem.	DRRI-2 - P: Family Tell Me When Problem
C142066	DRRI1-P: Feel Like I Fit in With Family	DRRI1-P: Feel Like I Fit in With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I feel like I fit in with my family.	DRRI-2 - P: Feel Like I Fit in With Family
C142071	DRRI1-P: I am Affectionate With Family	DRRI1-P: I am Affectionate With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I am affectionate with family members.	DRRI-2 - P: I am Affectionate With Family
C142076	DRRI1-P: I Get Along Well With My Family	DRRI1-P: I Get Along Well With My Family	Deployment Risk & Resilience Inventory-2 - Since returning: I get along well with my family members.	DRRI-2 - P: I Get Along Well With My Family
C142065	DRRI1-P: Input Sought Family Decisions	DRRI1-P: Input Sought Family Decisions	Deployment Risk & Resilience Inventory-2 - Since returning: my input is sought on important family decisions.	DRRI-2 - P: Input Sought Family Decisions
C142070	DRRI1-P: Opinions Valued by Family	DRRI1-P: Opinions Valued by Family	Deployment Risk & Resilience Inventory-2 - Since returning: my opinions are valued by other family members.	DRRI-2 - P: Opinions Valued by Family

**C141672 DRR11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142072	DRRI1-P: Play Important Role in Family	DRRI1-P: Play Important Role in Family	Deployment Risk & Resilience Inventory-2 - Since returning: I play an important role in my family.	DRRI-2 - P: Play Important Role in Family
C142069	DRRI1-P: Share Interests With Family	DRRI1-P: Share Interests With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I share many common interests and activities with family members.	DRRI-2 - P: Share Interests With Family
C142073	DRRI1-P: Spend My Free Time With Family	DRRI1-P: Spend My Free Time With Family	Deployment Risk & Resilience Inventory-2 - Since returning: I spend as much of my free time with family members as possible.	DRRI-2 - P: Spend My Free Time With Family

**DRS01TC (Disability Rating Scale Questionnaire Test Code)**

NCI Code: C115402, Codelist extensible: No

<b>C115402 DRS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115820	DRS0101	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115821	DRS0102	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115822	DRS0103	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115823	DRS0104	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115824	DRS0105	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting
C115825	DRS0106	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS0107	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115827	DRS0108	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability

**DRS01TN (Disability Rating Scale Questionnaire Test Name)**

NCI Code: C115401, Codelist extensible: No

<b>C115401 DRS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115821	DRS01-Communication Ability	DRS01-Communication Ability	Disability Rating Scale - Communication ability.	DRS - Communication Ability
C115827	DRS01-Employability	DRS01-Employability	Disability Rating Scale - Employability (as a full time worker, homemaker, or student).	DRS - Employability
C115820	DRS01-Eye Opening	DRS01-Eye Opening	Disability Rating Scale - Eye opening.	DRS - Eye Opening
C115823	DRS01-Feeding	DRS01-Feeding	Disability Rating Scale - Feeding (cognitive ability only).	DRS - Feeding
C115825	DRS01-Grooming	DRS01-Grooming	Disability Rating Scale - Grooming (cognitive ability only).	DRS - Grooming
C115826	DRS01-Level of Functioning	DRS01-Level of Functioning	Disability Rating Scale - Level of functioning (physical, mental, emotional or social function).	DRS - Level of Functioning
C115822	DRS01-Motor Response	DRS01-Motor Response	Disability Rating Scale - Motor response.	DRS - Motor Response
C115824	DRS01-Toileting	DRS01-Toileting	Disability Rating Scale - Toileting (cognitive ability only).	DRS - Toileting



## DRSTAT (Drug Resistance Status)

NCI Code: C102577, Codelist extensible: Yes

<b>C102577 DRSTAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102633	EXTENSIVE DRUG RESISTANCE	XDR	Resistance to nearly all known drugs, particularly the most efficacious or non-first line drugs, used in the treatment of a particular disease.	Extensively Drug Resistance Process
C17745	MULTIPLE DRUG RESISTANCE	MDR	Simultaneous resistance to a spectrum of unrelated drugs following exposure to a single agent. Mechanisms involve expression of multidrug efflux pumps (p-glycoprotein), altered glutathione metabolism, decreased topoisomerase II activity, and changes in various cellular proteins.	Multidrug Resistance Process
C85563	SUSCEPTIBLE	Susceptible	The growth of microorganisms are inhibited by the usually achievable concentrations of antimicrobial agent when the recommended dosage is used for the site of infection.	Antimicrobial Susceptibility Result

## DS01TC (Disease Steps Questionnaire Test Code)

NCI Code: C112437, Codelist extensible: No

C112437 DS01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112549	DS0101	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

## DS01TN (Disease Steps Questionnaire Test Name)

NCI Code: C112436, Codelist extensible: No

C112436 DS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112549	DS01-Disease Steps Classification	DS01-Disease Steps Classification	Disease Steps - Methods: For Disease Steps, classification of a patient is determined by history and neurologic examination as well as course of MS.	DS - Disease Steps Classification

## DSCAT (Category for Disposition Event)

NCI Code: C74558, Codelist extensible: No

C74558 DSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C74590	DISPOSITION EVENT	Disposition Event	The group of incidents that occur during a clinical trial and describe whether a subject completed the study epoch or the reason this event did not occur. The subject's disposition is often described for each phase of the study.	Protocol Disposition Event
C74589	OTHER EVENT	Other Event	Other important events that occur during a trial but are not driven by protocol requirements.	Protocol Event
C74588	PROTOCOL MILESTONE	Protocol Milestone	Occurrences within some epochs that are initiated by a protocol-specified event. The most common protocol milestone is "Informed Consent Obtained" which usually documents the start of the study.	Protocol Milestone

## DSPRTYP (Disease Presentation Type)

NCI Code: C127268, Codelist extensible: Yes

<b>C127268 DSPRTYP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127606	COMPLEX CYSTIC LESION		A lesion that demonstrates both cystic and solid components; the solid components can range from thin walls (septae) to a solid tissue mass.	Complex Cystic Lesion
C3003	EFFUSION		Abnormal collection of fluid in a body cavity.	Effusion
C2885	INCREASING ABDOMINAL DISTENTION OR ASCITES		Abnormal collection of fluid in the peritoneal cavity.	Ascites
C4958	LEPTOMENINGEAL DISEASE		A malignant neoplasm that has spread from its original site to the arachnoid mater and the pia mater, the two innermost layers of tissue that cover the brain and spinal cord.	Leptomeningeal Neoplasm

## DSSOUT (Disease Outcome)

NCI Code: C102578, Codelist extensible: Yes

<b>C102578 DSSOUT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102600	BACTERIOLOGICAL CURE		There are no indicators of bacterial infection in an individual who previously had an infection.	Bacteriological Cure
C102601	BACTERIOLOGICAL FAILURE		There are indicators of bacterial infection in the individual who previously had an infection.	Bacteriological Failure
C102607	CLINICAL CURE		There are no signs or symptoms of disease in the individual who previously had a disease.	Clinical Cure
C102608	CLINICAL FAILURE		There are still signs or symptoms of disease in the individual who previously had an infection.	Clinical Failure
C38155	RECURRENT DISEASE	Recurrent Disease	The return of a disease after a period of remission.	Recurrent Disease

## DTDECOD (Device Tracking and Disposition Event Dictionary Derived Term)

NCI Code: C112037, Codelist extensible: Yes

<b>C112037 DTDECOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101231	DEPLOYED		The act of instantiating, positioning or activating a medical device inside of the body.	Medical Device Deployment
C112270	DESTROYED		A finding referring to a product that has been demolished.	Destroyed Medical Device
C114146	EXPLANTED		A status indicating that a device is removed from a surgically or naturally formed cavity of the human body.	Explanted Medical Device
C80457	IMPLANTED		A status indicating that a device is placed into a surgically or naturally formed cavity of the human body.	Implanted Medical Device
C117758	INTENDED BUT NOT USED		A status indicating that a device was introduced to the subject for use but did not meet its intended goal and was removed. (NCI)	Device Intended But Not Used
C112329	LOST		A finding referring to a product that is no longer held or possessed; incapable of being recovered or regained.	Lost Medical Device
C25639	RECEIVED		Coming into possession of or acting as the receptacle or recipient of an item conveyed by an intermediary to the intended destination, from a sender.	Receive
C40353	SHIPPED		Being transported or conveyed by an intermediary to a destination, from the sender to the intended receiver.	Shipping

**DTHDX (SDTM Death Diagnosis and Details Test Name)**

NCI Code: C116107, Codelist extensible: Yes

<b>C116107 DTHDX</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135383	Age at Death	Age at Death	The age at which death occurred. (NCI)	Age at Death
C135384	Autopsy Indicator	Autopsy Indicator	An indication as to whether an autopsy was performed. (NCI)	Autopsy Indicator
C135385	Death Certificate Obtained Indicator	Death Certificate Obtained Indicator	An indication as to whether a death certificate was obtained. (NCI)	Death Certification Indicator
C135386	Hospital Medical Record Obtained Ind	Hospital Medical Record Obtained Ind;Hospital Medical Record Obtained Indicator	An indication as to whether a hospital medical record was obtained.	Hospital Medical Record Indicator
C124331	Location of Death	Location of Death	The physical location at which the subject ceased to live.	Location of Death
C99531	Primary Cause of Death	Primary Cause of Death	The primary significant event which ultimately led to death.	Primary Cause of Death
C116142	Secondary Cause of Death	Secondary Cause of Death	The secondary significant event which ultimately led to death.	Secondary Cause of Death



**DTHDXCD (SDTM Death Diagnosis and Details Test Code)**

NCI Code: C116108, Codelist extensible: Yes

<b>C116108 DTHDXCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135383	AGEDTH	Age at Death	The age at which death occurred. (NCI)	Age at Death
C135384	AUTOPIND	Autopsy Indicator	An indication as to whether an autopsy was performed. (NCI)	Autopsy Indicator
C135385	DTHCOIND	Death Certificate Obtained Indicator	An indication as to whether a death certificate was obtained. (NCI)	Death Certification Indicator
C135386	HMROIND	Hospital Medical Record Obtained Ind;Hospital Medical Record Obtained Indicator	An indication as to whether a hospital medical record was obtained.	Hospital Medical Record Indicator
C124331	LOCPTH	Location of Death	The physical location at which the subject ceased to live.	Location of Death
C99531	PRCDTH	Primary Cause of Death	The primary significant event which ultimately led to death.	Primary Cause of Death
C116142	SECDTH	Secondary Cause of Death	The secondary significant event which ultimately led to death.	Secondary Cause of Death

**DURS (Device-In-Use Response)**

NCI Code: C129938, Codelist extensible: Yes

<b>C129938 DURS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130058	2-DIMENSIONAL BIPLANE MODE		An ultrasound imaging setting that uses a probe with two 2-dimensional (2D) planes set perpendicularly to each other, allowing for better detection and localization of objects/structures.	2-Dimensional Biplane Ultrasound Mode
C130059	2-DIMENSIONAL SINGLE PLANE MODE		An ultrasound imaging setting that uses a linear pattern of beams to produce a standard, 2-dimensional (2-D) image.	2-Dimensional Single Plane Ultrasound Mode
C130060	3-DIMENSIONAL MODE		An ultrasound imaging setting that reconstructs planar ultrasound data into three dimensional images of the structure being scanned.	3-Dimensional Ultrasound Mode
C130061	COLOR TISSUE DOPPLER MODE	Color Flow Tissue Doppler Mode	An ultrasound imaging setting that uses pulsed wave Doppler signals to depict tissue motion direction and velocity in color images that are superimposed over normal, 2-dimensional (2-D) images.	Color Tissue Doppler Ultrasound Mode
C130062	CONTINUOUS-WAVE DOPPLER MODE	CW Doppler; Continuous Doppler Mode	An ultrasound imaging setting that uses Doppler signals that are continuously sent and received along a single line to measure both direction and velocity of blood flow.	Continuous-Wave Doppler Ultrasound Mode
C130063	M-MODE	Motion Mode	An ultrasound imaging setting that uses a single ultrasound beam to provide high temporal resolution of tissue motion.	M-Mode Ultrasound Mode
C130064	PULSED-WAVE DOPPLER MODE	PW Doppler; Pulsed Doppler Mode	An ultrasound imaging setting that uses intermittent Doppler signals to measure both direction and velocity of blood flow.	Pulsed-Wave Doppler Ultrasound Mode
C130065	PULSED-WAVE TISSUE DOPPLER MODE	Pulsed Tissue Doppler Mode	An ultrasound imaging setting that uses pulsed wave Doppler signals to measure velocity of tissue movement.	Pulsed-Wave Tissue Doppler Ultrasound Mode
C130066	TISSUE DOPPLER MODE		An ultrasound imaging setting that uses intermittent Doppler signals to measure velocity of tissue movement.	Tissue Doppler Ultrasound Mode

## DUTEST (Device-In-Use Test Name)

NCI Code: C106482, Codelist extensible: Yes

<b>C106482 DUTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102516	Anatomical Plane	Anatomical Plane	The position and orientation of the image slice relative to the patient-based coordinate system. (NCI)	Image Plane
C94862	Attenuation Correction Type	Attenuation Correction Type	The adjustment for the effect of tissue thicknesses through which gamma's travel from an activity concentration origin to the scanner's detectors. The count rates of a detector are adjusted to values as if there were no attenuation along the gamma's path. This makes possible accurate quantitation in image analysis. (NCI)	Attenuation Correction
C117759	Checkerboard Square Size	Checkerboard Square Size	A visual stimulus that uses a checkerboard pattern which reverses every half-second (or other specified frequency). The check size can be changed to allow for testing of specific segments of the visual pathway.	Checkerboard Square Size
C106510	Coil Strength	Coil Strength	The maximum voltage allowable to pass through an electromagnetic coil. (NCI)	Coil Strength
C142236	Continuous Audio Recording Indicator	Continuous Audio Recording Indicator	An indication as to whether a continuous audio recording is made during the assessment.	Continuous Audio Recording Made Indicator
C116127	Decay Correction Indicator	Decay Correction Indicator	An indication as to whether the image reconstruction took into account the time-activity curve during which the radiolabeled tracer decayed as it spread through the body during the image acquisition.	Decay Correction Indicator
C82331	Echo Time	Echo Time	The time in milliseconds between the application of the excitation pulse and the recording of the peak echo signal. (NCI)	Echo Time
C74298	Field of View	Field of View	The extent of an area that is visible. (NCI)	Field of View
C73792	Flip Angle	Flip Angle	In magnetic resonance imaging, the rotation of the average axis of the protons, relative to the main magnetic field direction, induced by radiofrequency signals. (NCI)	Flip Angle
C116126	Image Acquisition Dimensionality	Image Acquisition Dimensionality	The number of dimensions that the acquired image(s) are presented in.	Image Acquisition Dimensionality
C106533	Image Acquisition Matrix Size	Image Acquisition Matrix Size	A measurement of the number of data fields, pixels or data points assigned to each linear dimension in a digital image. (NCI)	Image Acquisition Matrix Size
C116122	Image Weighting Type	Image Weighting Type	A classification of the technique used to enhance image contrast based on differences in magnetic resonance tissue properties. This can be achieved by changing the echo time or repetition time after the tissue has returned to its equilibrium state.	Image Weighting Type
C116123	Interslice Distance	Interslice Distance	A measurement of the distance between slices within an image sequence, calculated by subtracting the nominal slice thickness from the couch increment.	Interslice Distance Measurement
C116124	Inversion Time	Inversion Time	The time between the inversion and excitation pulses in an inversion recovery pulse sequence.	Inversion Time
C112364	Number of Coil Channels	Number of Coil Channels	The number of channels, or elements, in the coil component of the device.	Number of Coil Channels
C116125	Number of Slices	Number of Slices	The number of planar cross-sections in an imaging sequence; each slice corresponds to a single image.	Number of Slices
C142237	Pulse Oximeter Indicator	Pulse Oximeter Indicator	An indication as to whether a pulse oximeter is used in the assessment.	Pulse Oximeter Use Indicator
C106562	Pulse Sequence	Pulse Sequence	A serially recurrent arrangement of radiofrequency pulses that are applied to the sample. (NCI)	Pulse Sequence
C116128	Randoms Correction Indicator	Randoms Correction Indicator	An indication as to whether the device was set to correct for random noise generated by deflected positrons.	Randoms Correction Indicator
C106563	Receiver Bandwidth	Receiver Bandwidth	The range between the minimum and maximum cut-off frequencies for a particular receiver, commonly measured in Hertz. (NCI)	Receiver Bandwidth
C106564	Reconstruction Filter Type	Reconstruction Filter Type	A classification of the reconstruction filter used to suppress noise, enhance edges, resolution recovery and smooth an image.	Reconstruction Filter Type

**C106482 DUTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111303	Reconstruction of Raw Data Type	Reconstruction of Raw Data Type	The type of mathematical process used to produce the displayed image from the raw k-space data obtained from the receiver circuitry. (NCI)	Reconstruction of Raw Data Type
C82330	Repetition Time	Repetition Time	The amount of time in milliseconds between successive pulse sequences applied to the same slice.	Repetition Time
C112416	Signal Amplitude	Signal Amplitude	A measurement of the height of the signal.	Signal Amplitude
C112417	Signal Frequency	Signal Frequency	A measurement of the number of cycles of a periodic wave or pulse per unit of time.	Signal Frequency
C112418	Signal Width	Signal Width	A measurement of the range of values seen in the time interval between the beginning and end of the pulse wave.	Signal Width
C111314	Slice Number	Slice Number	The numeric identifier used to identify an image slice. (NCI)	Slice Number
C106534	Slice Thickness	Slice Thickness	The dimension between two surfaces of an imaging plane. (NCI)	Image Slice Thickness
C111093	Software Version	Software Version	A form or variant of software; one of a sequence of copies of a software program, each incorporating new modifications. (NCI)	Software Version
C114145	Stimulation Parameter	Stimulation Parameter	The type of electrode (monopolar or bipolar) used on the subject during electrical stimulation of the body or organ.	Electrical Stimulation Electrode Type
C130045	Ultrasound Mode	Ultrasound Mode	The image acquisition settings of an ultrasound-based imaging modality, based on parameters including transducer design, ultrasound frequency, and ultrasound signal processing.	Ultrasound Mode
C69201	X-axis Pixel Spacing	X-axis Pixel Spacing	A measurement of the distance between the centers of two adjacent pixels located along the X-axis.	Horizontal Pixel Spacing
C69210	Y-axis Pixel Spacing	Y-axis Pixel Spacing	A measurement of the distance between the centers of two adjacent pixels located along the Y-axis.	Vertical Pixel Spacing

## DUTESTCD (Device-In-Use Test Code)

NCI Code: C106483, Codelist extensible: Yes

C106483 DUTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102516	ANTPLANE	Anatomical Plane	The position and orientation of the image slice relative to the patient-based coordinate system. (NCI)	Image Plane
C106533	AQMTRXSZ	Image Acquisition Matrix Size	A measurement of the number of data fields, pixels or data points assigned to each linear dimension in a digital image. (NCI)	Image Acquisition Matrix Size
C94862	ATTCRCT	Attenuation Correction Type	The adjustment for the effect of tissue thicknesses through which gamma's travel from an activity concentration origin to the scanner's detectors. The count rates of a detector are adjusted to values as if there were no attenuation along the gamma's path. This makes possible accurate quantitation in image analysis. (NCI)	Attenuation Correction
C142236	CAUDRIND	Continuous Audio Recording Indicator	An indication as to whether a continuous audio recording is made during the assessment.	Continuous Audio Recording Made Indicator
C117759	CHCKSIZE	Checkerboard Square Size	A visual stimulus that uses a checkerboard pattern which reverses every half-second (or other specified frequency). The check size can be changed to allow for testing of specific segments of the visual pathway.	Checkerboard Square Size
C112364	COILNUM	Number of Coil Channels	The number of channels, or elements, in the coil component of the device.	Number of Coil Channels
C106510	COILSTR	Coil Strength	The maximum voltage allowable to pass through an electromagnetic coil. (NCI)	Coil Strength
C116127	DECCORR	Decay Correction Indicator	An indication as to whether the image reconstruction took into account the time-activity curve during which the radiolabeled tracer decayed as it spread through the body during the image acquisition.	Decay Correction Indicator
C82331	ECHOTIME	Echo Time	The time in milliseconds between the application of the excitation pulse and the recording of the peak echo signal. (NCI)	Echo Time
C74298	FLDVIEW	Field of View	The extent of an area that is visible. (NCI)	Field of View
C73792	FLIPANGL	Flip Angle	In magnetic resonance imaging, the rotation of the average axis of the protons, relative to the main magnetic field direction, induced by radiofrequency signals. (NCI)	Flip Angle
C116126	IMAQDIM	Image Acquisition Dimensionality	The number of dimensions that the acquired image(s) are presented in.	Image Acquisition Dimensionality
C116122	IMWGTTYP	Image Weighting Type	A classification of the technique used to enhance image contrast based on differences in magnetic resonance tissue properties. This can be achieved by changing the echo time or repetition time after the tissue has returned to its equilibrium state.	Image Weighting Type
C116123	INTDISTM	Interslice Distance	A measurement of the distance between slices within an image sequence, calculated by subtracting the nominal slice thickness from the couch increment.	Interslice Distance Measurement
C116124	INVRTIME	Inversion Time	The time between the inversion and excitation pulses in an inversion recovery pulse sequence.	Inversion Time
C116125	NUMSLICE	Number of Slices	The number of planar cross-sections in an imaging sequence; each slice corresponds to a single image.	Number of Slices
C69201	PIXSPCX	X-axis Pixel Spacing	A measurement of the distance between the centers of two adjacent pixels located along the X-axis.	Horizontal Pixel Spacing
C69210	PIXSPCY	Y-axis Pixel Spacing	A measurement of the distance between the centers of two adjacent pixels located along the Y-axis.	Vertical Pixel Spacing
C142237	PULOXIND	Pulse Oximeter Indicator	An indication as to whether a pulse oximeter is used in the assessment.	Pulse Oximeter Use Indicator
C106562	PULSSEQ	Pulse Sequence	A serially recurrent arrangement of radiofrequency pulses that are applied to the sample. (NCI)	Pulse Sequence
C116128	RANDCORR	Randoms Correction Indicator	An indication as to whether the device was set to correct for random noise generated by deflected positrons.	Randoms Correction Indicator

**C106483 DUTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106563	RCBDWDTH	Receiver Bandwidth	The range between the minimum and maximum cut-off frequencies for a particular receiver, commonly measured in Hertz. (NCI)	Receiver Bandwidth
C106564	RCFLTRTP	Reconstruction Filter Type	A classification of the reconstruction filter used to suppress noise, enhance edges, resolution recovery and smooth an image.	Reconstruction Filter Type
C111303	RECONDAT	Reconstruction of Raw Data Type	The type of mathematical process used to produce the displayed image from the raw k-space data obtained from the receiver circuitry. (NCI)	Reconstruction of Raw Data Type
C82330	REPTIME	Repetition Time	The amount of time in milliseconds between successive pulse sequences applied to the same slice.	Repetition Time
C111093	SFTWRVER	Software Version	A form or variant of software; one of a sequence of copies of a software program, each incorporating new modifications. (NCI)	Software Version
C112416	SIGAMP	Signal Amplitude	A measurement of the height of the signal.	Signal Amplitude
C112417	SIGFREQ	Signal Frequency	A measurement of the number of cycles of a periodic wave or pulse per unit of time.	Signal Frequency
C112418	SIGW	Signal Width	A measurement of the range of values seen in the time interval between the beginning and end of the pulse wave.	Signal Width
C111314	SLICNUM	Slice Number	The numeric identifier used to identify an image slice. (NCI)	Slice Number
C106534	STHICK	Slice Thickness	The dimension between two surfaces of an imaging plane. (NCI)	Image Slice Thickness
C114145	STIMPARM	Stimulation Parameter	The type of electrode (monopolar or bipolar) used on the subject during electrical stimulation of the body or organ.	Electrical Stimulation Electrode Type
C130045	ULTRMODE	Ultrasound Mode	The image acquisition settings of an ultrasound-based imaging modality, based on parameters including transducer design, ultrasound frequency, and ultrasound signal processing.	Ultrasound Mode

## EBFATS (Ebola Virus Findings About Test Name)

NCI Code: C132315, Codelist extensible: Yes

C132315 EBFATS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25285	Diameter	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	Severity/Intensity	Severity/Intensity	The degree of something undesirable.	Severity

## EBFATSCD (Ebola Virus Findings About Test Code)

NCI Code: C132316, Codelist extensible: Yes

<b>C132316 EBFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25285	DIAMETER	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	SEV	Severity/Intensity	The degree of something undesirable.	Severity



## ECOG1TC (Eastern Cooperative Oncology Group Performance Status Questionnaire Test Code)

NCI Code: C101815, Codelist extensible: No

<b>C101815 ECOG1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102408	ECOG101	ECOG1-Performance Status	ECOG Performance Status - Performance Status.	ECOG - Performance Status

## ECOG1TN (Eastern Cooperative Oncology Group Performance Status Questionnaire Test Name)

NCI Code: C101816, Codelist extensible: No

<b>C101816 ECOG1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102408	ECOG1-Performance Status	ECOG1-Performance Status	ECOG Performance Status - Performance Status.	ECOG - Performance Status

## ED1TC (Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Code)

NCI Code: C125745, Codelist extensible: No

C125745 ED1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C125773	ED102_1	ED1-Able to Communicate Clearly	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to communicate with you in a way that you and others clearly understand?	Expanded DRS-PI Caregiver Version - Able to Communicate Clearly
C125774	ED102_2	ED1-How They Communicate Primarily	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How do they communicate primarily?	Expanded DRS-PI Caregiver Version - How They Communicate Primarily
C125775	ED102_3	ED1-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Caregiver Version - Give Correct Date and Time When Asked
C125776	ED102_4	ED1-Few Words or Random Answers/Shouting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] have only a few words that [s/he] uses over and over or does [s/he] express him/herself only through random answers, shouting or swearing?	Expanded DRS-PI Caregiver Version - Use Few Words or Random Shouting
C125777	ED102_5	ED1-Moan/Groan/Sounds Not Understandable	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] only moan, groan or make other sounds that are not understandable?	Expanded DRS-PI Caregiver Version - Make Sounds Not Understandable
C125778	ED104_1	ED1-Food Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] feed him/herself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Feed Independently Without Help
C125779	ED104_2	ED1-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Caregiver Version - Understand Feeding Utensils
C125780	ED104_3	ED1-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when meal or feeding times are?	Expanded DRS-PI Caregiver Version - Know Meal Times
C125781	ED105_1	ED1-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] use the toilet or manage their bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Use Toilet Independently
C125782	ED105_2	ED1-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand how to manage their clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Caregiver Version - Manage Clothing When Toileting
C125783	ED105_3	ED1-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Caregiver Version - Know When to Use Toilet
C125784	ED106_1	ED1-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] dress and groom him/herself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Caregiver Version - Can Dress and Groom Self Independently
C125785	ED106_2	ED1-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] know how to bathe and wash?	Expanded DRS-PI Caregiver Version - Know How to Bathe and Wash
C125786	ED106_3	ED1-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] understand how to get dressed?	Expanded DRS-PI Caregiver Version - Understand How to Get Dressed
C125787	ED106_4	ED1-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [s/he] start and finish these grooming activities without prompting?	Expanded DRS-PI Caregiver Version - Start and Finish Grooming Activities
C125788	ED107_1	ED1-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] function completely independently? That is, [s/he] does not require any physical assistance, supervision, equipment, devices or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Caregiver Version - Function Completely Independently

**C125745 ED1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125789	ED107_2	ED1-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] REQUIRE special aids or equipment such as a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Caregiver Version - Require Special Aids or Equipment
C125790	ED107_3	ED1-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] require physical assistance from another person to meet daily needs?	Expanded DRS-PI Caregiver Version - Require Physical Assistance
C125791	ED107_4	ED1-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Caregiver Version - Require Assistance Thinking Tasks
C125792	ED107_5	ED1-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Caregiver Version - Require Assistance Managing Emotions
C125793	ED107_6A	ED1-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] take care of some of their needs but also need a helper who is always close by?	Expanded DRS-PI Caregiver Version - Need a Helper Always Close By
C125794	ED107_6B	ED1-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Caregiver Version - Need Help With All Major Activities
C125795	ED107_6C	ED1-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need 24-hour care and is not able to help with their own care at all?	Expanded DRS-PI Caregiver Version - Need 24-Hour Care
C125796	ED108_1	ED1-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] function with complete independence in work or social situations?	Expanded DRS-PI Caregiver Version - Function With Independent Work or Social Situations
C125797	ED108_2	ED1-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] understand, remember, and follow directions?	Expanded DRS-PI Caregiver Version - Understand and Follow Directions
C125798	ED108_3	ED1-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] keep track of time, schedules and appointments?	Expanded DRS-PI Caregiver Version - Keep Track of Time
C125799	ED108_4	ED1-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can perform in a wide variety of jobs of [his/her] choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Caregiver Version - Perform Jobs or Manage a Home Independently
C125800	ED108_5	ED1-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Accommodations
C125801	ED108_6	ED1-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Limited Choices
C125802	ED108_7	ED1-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Caregiver Version - Work With Frequent Supervision and Support

## ED1TN (Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire Test Name)

NCI Code: C125744, Codelist extensible: No

C125744 ED1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C125773	ED1-Able to Communicate Clearly	ED1-Able to Communicate Clearly	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to communicate with you in a way that you and others clearly understand?	Expanded DRS-PI Caregiver Version - Able to Communicate Clearly
C125784	ED1-Can Dress/Groom Independently	ED1-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] dress and groom him/herself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Caregiver Version - Can Dress and Groom Self Independently
C125775	ED1-Correct Date and Time	ED1-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Is [name] able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Caregiver Version - Give Correct Date and Time When Asked
C125778	ED1-Fed Independently Without Help	ED1-Fed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] feed him/herself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Feed Independently Without Help
C125776	ED1-Few Words or Random Answers/Shouting	ED1-Few Words or Random Answers/Shouting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] have only a few words that [s/he] uses over and over or does [s/he] express him/herself only through random answers, shouting or swearing?	Expanded DRS-PI Caregiver Version - Use Few Words or Random Shouting
C125788	ED1-Function Completely Independently	ED1-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] function completely independently? That is, [s/he] does not require any physical assistance, supervision, equipment, devices or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Caregiver Version - Function Completely Independently
C125774	ED1-How They Communicate Primarily	ED1-How They Communicate Primarily	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How do they communicate primarily?	Expanded DRS-PI Caregiver Version - How They Communicate Primarily
C125796	ED1-Independent Work/Social Situations	ED1-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] function with complete independence in work or social situations?	Expanded DRS-PI Caregiver Version - Function With Independent Work or Social Situations
C125798	ED1-Keep Track of Time/Schedules	ED1-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] keep track of time, schedules and appointments?	Expanded DRS-PI Caregiver Version - Keep Track of Time
C125785	ED1-Know How to Bathe/Wash	ED1-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] know how to bathe and wash?	Expanded DRS-PI Caregiver Version - Know How to Bathe and Wash
C125780	ED1-Know Meal Times	ED1-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when meal or feeding times are?	Expanded DRS-PI Caregiver Version - Know Meal Times
C125783	ED1-Know When to Use Toilet	ED1-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Caregiver Version - Know When to Use Toilet
C125782	ED1-Manage Clothing When Toileting	ED1-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand how to manage their clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Caregiver Version - Manage Clothing When Toileting
C125777	ED1-Moan/Groan/Sounds Not Understandable	ED1-Moan/Groan/Sounds Not Understandable	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] only moan, groan or make other sounds that are not understandable?	Expanded DRS-PI Caregiver Version - Make Sounds Not Understandable
C125795	ED1-Need 24-Hour Care	ED1-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need 24-hour care and is not able to help with their own care at all?	Expanded DRS-PI Caregiver Version - Need 24-Hour Care
C125793	ED1-Need a Helper Always Close By	ED1-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] take care of some of their needs but also need a helper who is always close by?	Expanded DRS-PI Caregiver Version - Need a Helper Always Close By

**C125744 ED1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125794	ED1-Need Help With All Major Activities	ED1-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Caregiver Version - Need Help With All Major Activities
C125799	ED1-Perform Jobs, Manage Home/School	ED1-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can perform in a wide variety of jobs of [his/her] choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Caregiver Version - Perform Jobs or Manage a Home Independently
C125792	ED1-Require Assistance Managing Emotions	ED1-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Caregiver Version - Require Assistance Managing Emotions
C125791	ED1-Require Assistance Thinking Tasks	ED1-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Caregiver Version - Require Assistance Thinking Tasks
C125790	ED1-Require Physical Assistance	ED1-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] require physical assistance from another person to meet daily needs?	Expanded DRS-PI Caregiver Version - Require Physical Assistance
C125789	ED1-Require Specific Aids/Equipment	ED1-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] REQUIRE special aids or equipment such as a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Caregiver Version - Require Special Aids or Equipment
C125787	ED1-Start/Finish Grooming Activities	ED1-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [s/he] start and finish these grooming activities without prompting?	Expanded DRS-PI Caregiver Version - Start and Finish Grooming Activities
C125800	ED1-Successful With Accommodations	ED1-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Accommodations
C125801	ED1-Successful With Limited Choices	ED1-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Caregiver Version - Successful With Limited Choices
C125779	ED1-Understand Feeding Utensils	ED1-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [name] understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Caregiver Version - Understand Feeding Utensils
C125786	ED1-Understand How to Get Dressed	ED1-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Does [s/he] understand how to get dressed?	Expanded DRS-PI Caregiver Version - Understand How to Get Dressed
C125797	ED1-Understand/Follow Directions	ED1-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] understand, remember, and follow directions?	Expanded DRS-PI Caregiver Version - Understand and Follow Directions
C125781	ED1-Use Toilet Independently	ED1-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - Can [name] use the toilet or manage their bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Caregiver Version - Use Toilet Independently
C125802	ED1-Work With Frequent Support	ED1-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Caregiver Version - How certain are you that [name] can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Caregiver Version - Work With Frequent Supervision and Support

## ED2TC (Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Code)

NCI Code: C125747, Codelist extensible: No

C125747 ED2TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C125803	ED202_3	ED2-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Are you able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Survivor Version - Give Correct Date and Time When Asked
C125804	ED204_1	ED2-Fed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you feed yourself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Feed Yourself Independently Without Help
C125805	ED204_2	ED2-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Survivor Version - Understand Feeding Utensils
C125806	ED204_3	ED2-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when meal or feeding times are?	Expanded DRS-PI Survivor Version - Know Meal Times
C125807	ED205_1	ED2-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you use the toilet or manage your bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Use Toilet Independently
C125808	ED205_2	ED2-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to manage your clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Survivor Version - Manage Clothing When Toileting
C125809	ED205_3	ED2-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Survivor Version - Know When to Use Toilet
C125810	ED206_1	ED2-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you dress and groom yourself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Survivor Version - Can Dress and Groom Self Independently
C125811	ED206_2	ED2-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know how to bathe and wash?	Expanded DRS-PI Survivor Version - Know How to Bathe and Wash
C125812	ED206_3	ED2-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to get dressed?	Expanded DRS-PI Survivor Version - Understand How to Get Dressed
C125813	ED206_4	ED2-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you start and finish these grooming activities without prompting?	Expanded DRS-PI Survivor Version - Start and Finish Grooming Activities
C125814	ED207_1	ED2-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you function completely independently? That is, you do not require any physical assistance, supervision, equipment, devices, or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Survivor Version - Function Completely Independently
C125815	ED207_2	ED2-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you REQUIRE special aids or equipment, such as, a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Survivor Version - Require Special Aids or Equipment
C125816	ED207_3	ED2-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require physical assistance from another person to meet daily needs?	Expanded DRS-PI Survivor Version - Require Physical Assistance
C125817	ED207_4	ED2-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Survivor Version - Require Assistance Thinking Tasks
C125818	ED207_5	ED2-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Survivor Version - Require Assistance Managing Emotions

**C125747 ED2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125819	ED207_6A	ED2-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you take care of some of your needs but also need a helper who is always close by?	Expanded DRS-PI Survivor Version - Need a Helper Always Close By
C125820	ED207_6B	ED2-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Survivor Version - Need Help With All Major Activities
C125821	ED207_6C	ED2-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need 24-hour care and are not able to help with your own care at all?	Expanded DRS-PI Survivor Version - Need 24-Hour Care
C125822	ED208_1	ED2-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you function with complete independence in work or social situations?	Expanded DRS-PI Survivor Version - Function With Independent Work or Social Situations
C125823	ED208_2	ED2-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you understand, remember, and follow directions?	Expanded DRS-PI Survivor Version - Understand and Follow Directions
C125824	ED208_3	ED2-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you keep track of time, schedules and appointments?	Expanded DRS-PI Survivor Version - Keep Track of Time
C125825	ED208_4	ED2-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can perform in a wide variety of jobs of your choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Survivor Version - Perform Jobs or Manage a Home Independently
C125826	ED208_5	ED2-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Accommodations
C125827	ED208_6	ED2-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Limited Choices
C125828	ED208_7	ED2-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Survivor Version - Work With Frequent Supervision and Support



## ED2TN (Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire Test Name)

NCI Code: C125746, Codelist extensible: No

C125746 ED2TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C125810	ED2-Can Dress/Groom Independently	ED2-Can Dress/Groom Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you dress and groom yourself independently and appropriately or direct someone else in these activities without help or reminders?	Expanded DRS-PI Survivor Version - Can Dress and Groom Self Independently
C125803	ED2-Correct Date and Time	ED2-Correct Date and Time	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Are you able to give the correct date and time within a few seconds of being asked?	Expanded DRS-PI Survivor Version - Give Correct Date and Time When Asked
C125804	ED2-Feed Independently Without Help	ED2-Feed Independently Without Help	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you feed yourself independently or manage tube feedings appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Feed Yourself Independently Without Help
C125814	ED2-Function Completely Independently	ED2-Function Completely Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you function completely independently? That is, you do not require any physical assistance, supervision, equipment, devices, or reminders for cognitive, social, behavioral, emotional, and physical function?	Expanded DRS-PI Survivor Version - Function Completely Independently
C125822	ED2-Independent Work/Social Situations	ED2-Independent Work/Social Situations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you function with complete independence in work or social situations?	Expanded DRS-PI Survivor Version - Function With Independent Work or Social Situations
C125824	ED2-Keep Track of Time/Schedules	ED2-Keep Track of Time/Schedules	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you keep track of time, schedules and appointments?	Expanded DRS-PI Survivor Version - Keep Track of Time
C125811	ED2-Know How to Bathe/Wash	ED2-Know How to Bathe/Wash	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know how to bathe and wash?	Expanded DRS-PI Survivor Version - Know How to Bathe and Wash
C125806	ED2-Know Meal Times	ED2-Know Meal Times	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when meal or feeding times are?	Expanded DRS-PI Survivor Version - Know Meal Times
C125809	ED2-Know When to Use Toilet	ED2-Know When to Use Toilet	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you know when to use the toilet or to conduct bowel and bladder management?	Expanded DRS-PI Survivor Version - Know When to Use Toilet
C125808	ED2-Manage Clothing When Toileting	ED2-Manage Clothing When Toileting	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to manage your clothing or special equipment when toileting or in bowel and bladder management?	Expanded DRS-PI Survivor Version - Manage Clothing When Toileting
C125821	ED2-Need 24-Hour Care	ED2-Need 24-Hour Care	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need 24-hour care and are not able to help with your own care at all?	Expanded DRS-PI Survivor Version - Need 24-Hour Care
C125819	ED2-Need a Helper Always Close By	ED2-Need a Helper Always Close By	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you take care of some of your needs but also need a helper who is always close by?	Expanded DRS-PI Survivor Version - Need a Helper Always Close By
C125820	ED2-Need Help With All Major Activities	ED2-Need Help With All Major Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you need help with all major activities and the assistance of another person all the time?	Expanded DRS-PI Survivor Version - Need Help With All Major Activities
C125825	ED2-Perform Jobs, Manage Home/School	ED2-Perform Jobs, Manage Home/School	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can perform in a wide variety of jobs of your choosing or manage a home independently or participate in school full-time?	Expanded DRS-PI Survivor Version - Perform Jobs or Manage a Home Independently
C125818	ED2-Require Assistance Managing Emotions	ED2-Require Assistance Managing Emotions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person to manage emotions and behavior?	Expanded DRS-PI Survivor Version - Require Assistance Managing Emotions
C125817	ED2-Require Assistance Thinking Tasks	ED2-Require Assistance Thinking Tasks	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require assistance from another person in tasks that require thinking abilities?	Expanded DRS-PI Survivor Version - Require Assistance Thinking Tasks

**C125746 ED2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125816	ED2-Require Physical Assistance	ED2-Require Physical Assistance	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you require physical assistance from another person to meet daily needs?	Expanded DRS-PI Survivor Version - Require Physical Assistance
C125815	ED2-Require Specific Aids/Equipment	ED2-Require Specific Aids/Equipment	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you REQUIRE special aids or equipment, such as, a brace, walker, wheelchair, memory notebook, day planner, verbal reminders, prompts, cues, or alarm watch because of a disability?	Expanded DRS-PI Survivor Version - Require Special Aids or Equipment
C125813	ED2-Start/Finish Grooming Activities	ED2-Start/Finish Grooming Activities	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you start and finish these grooming activities without prompting?	Expanded DRS-PI Survivor Version - Start and Finish Grooming Activities
C125826	ED2-Successful With Accommodations	ED2-Successful With Accommodations	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management with some reduction in the work load or with other accommodations due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Accommodations
C125827	ED2-Successful With Limited Choices	ED2-Successful With Limited Choices	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be successful at work, school or in home management but with limited choices in jobs or school courses due to disabilities?	Expanded DRS-PI Survivor Version - Successful With Limited Choices
C125805	ED2-Understand Feeding Utensils	ED2-Understand Feeding Utensils	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand what eating or feeding utensils or equipment are for and how they should be used?	Expanded DRS-PI Survivor Version - Understand Feeding Utensils
C125812	ED2-Understand How to Get Dressed	ED2-Understand How to Get Dressed	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Do you understand how to get dressed?	Expanded DRS-PI Survivor Version - Understand How to Get Dressed
C125823	ED2-Understand/Follow Directions	ED2-Understand/Follow Directions	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you understand, remember, and follow directions?	Expanded DRS-PI Survivor Version - Understand and Follow Directions
C125807	ED2-Use Toilet Independently	ED2-Use Toilet Independently	Expanded Disability Rating Scale - Postacute Interview Survivor Version - Can you use the toilet or manage your bowel and bladder routine independently and appropriately without help or reminders?	Expanded DRS-PI Survivor Version - Use Toilet Independently
C125828	ED2-Work With Frequent Support	ED2-Work With Frequent Support	Expanded Disability Rating Scale - Postacute Interview Survivor Version - How certain are you that you can be able to work at home or in a special setting like a sheltered workshop in which the work is very routine and there is very frequent supervision and support?	Expanded DRS-PI Survivor Version - Work With Frequent Supervision and Support

## EDSS01TC (Kurtzke Expanded Disability Status Scale Questionnaire Test Code)

NCI Code: C112439, Codelist extensible: No

<b>C112439 EDSS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112550	EDSS0101	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score

## EDSS01TN (Kurtzke Expanded Disability Status Scale Questionnaire Test Name)

NCI Code: C112438, Codelist extensible: No

C112438 EDSS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112550	EDSS01-Expanded Disability Score	EDSS01-Expanded Disability Score	Kurtzke Expanded Disability Status Scale - Expanded disability score.	EDSS - Expanded Disability Score

## EGLEAD (ECG Lead)

NCI Code: C90013, Codelist extensible: Yes

C90013 EGGLEAD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C90403	LEAD aV6		An augmented unipolar lead placed at the sixth intercostal space on the midaxillary line. (NCI)	Lead Site aV6
C90360	LEAD aVF		An augmented unipolar electrocardiogram limb lead in which the positive (red) electrode is situated on the left pelvic limb and the negative electrode is a combination of the right thoracic limb (white) electrode and the left thoracic limb (black) electrode. Measures the electrical activity of the electrode on the left pelvic limb.	Augmented Vector Foot
C135387	LEAD aVF-VENTRAL		An augmented unipolar electrocardiogram limb lead in which the positive electrode is situated at the hindquarters proximal to the sacrum and the negative electrode is a combination of the electrode behind the right ear near the right mastoid process and the electrode near the apex of the heart (located in the ICS of left 5-6 rib close to the sternum).	Lead Site aVF-Ventral
C90361	LEAD aVL		An augmented unipolar electrocardiogram limb lead in which the positive (black) electrode is situated on the left thoracic limb and the negative electrode is a combination of the right thoracic limb (white) electrode and the left pelvic limb (red) electrode. Measures the electrical activity of the electrode on the left thoracic limb. (NCI)	Augmented Vector Left
C135388	LEAD aVL-AXIAL		An augmented unipolar electrocardiogram limb lead in which the positive electrode is near the apex of the heart (located in the ICS of left 5-6 rib close to the sternum) and the negative electrode is a combination of the electrode behind the right ear near the right mastoid process and the electrode on hindquarters proximal to the sacrum.	Lead Site aVL-Axial
C90362	LEAD aVR		An augmented unipolar electrocardiogram limb lead in which the positive (white) electrode is situated on the right thoracic limb and the negative electrode is a combination of the left thoracic limb (black) electrode and the left pelvic limb (red) electrode. Measures the electrical activity of the electrode on the right thoracic limb. (NCI)	Augmented Vector Right
C135389	LEAD aVR-DORSAL		An augmented unipolar electrocardiogram limb lead in which the positive electrode is behind the right ear near the right mastoid process and the negative electrode is a combination of the electrode at the hindquarters proximal to the sacrum and the electrode near the apex of the heart (located in the ICS of left 5-6 rib close to the sternum).	Lead Site aVR-Dorsal
C135390	LEAD AXIAL		A bipolar electrocardiogram limb lead which records the voltage between the positive electrode near the apex of the heart (located in the ICS of left 5-6 rib close to the sternum) and the negative electrode behind the right ear near the right mastoid process.	Lead Site Axial
C90404	LEAD CM5		A bipolar EKG lead with the right thoracic limb electrode placed on the manubrium and left thoracic limb electrode placed at the surface marking of the V5 position (just above the 5th interspace in the anterior axillary line). The left pelvic limb lead acts as a neutral and may be placed anywhere. The C refers to 'clavicle' where it is often placed. (NCI)	Lead Site CM5
C90405	LEAD CV5RL		A unipolar chest lead used mostly in large animals. Placed on the sixth ICS on the right side of the thorax along a line parallel to the level of the point of the humeralradial joint.	Lead Site CV5RL
C90406	LEAD CV6LL		V1 electrode (+) placed in the 6th intercostal space on the left side of the thorax along a line parallel to the level of the point of the humeralradial joint.	Lead Site CV6LL
C90407	LEAD CV6LU		V2 electrode (+) placed in the 6th intercostal space on the left side of the thorax along a line parallel to the level of the point of the shoulder. (NCI)	Lead Site CV6LU
C135391	LEAD DORSAL		A bipolar electrocardiogram limb lead which records the voltage between the negative electrode behind the right ear near the right mastoid process and the positive electrode on the hindquarters proximal to the sacrum.	Lead Site Dorsal

C90013 EGLEAD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C90408	LEAD I		A bipolar electrocardiogram limb lead which records the voltage between the negative electrode on the right thoracic limb and the positive electrode on the left thoracic limb. (NCI)	Lead Site I
C90409	LEAD II		A bipolar electrocardiogram limb lead which records the voltage between the negative electrode on the right thoracic limb and the positive electrode on the left pelvic limb. (NCI)	Lead Site II
C90410	LEAD III		A bipolar electrocardiogram limb lead which records the voltage between the negative electrode on the left thoracic limb and the positive electrode on the left pelvic limb. (NCI)	Lead Site III
C90411	LEAD rV2		A unipolar precordial lead placed at the second intercostal space to the left of the sternum. (NCI)	Lead Site rV2
C90412	LEAD V1	Lead C1	A unipolar electrocardiogram lead site; the electrode is placed at the fourth intercostal space on the anterior chest wall (between ribs 4 and 5) to the right of the sternal border. In small animals, it is placed at the right fifth intercostal space near the sternum. (NCI)	Lead Site V1
C90413	LEAD V10		A unipolar chest lead at which the electrode is placed over the dorsal spinous process of 7th thoracic vertebra. (NCI)	Lead Site V10
C90414	LEAD V2	Lead C2	A unipolar electrocardiogram lead site; the electrode is placed on the anterior chest wall at the fourth intercostal space (between ribs 4 and 5) to the left of the sternal border. In small animals it corresponds to V2-V3 where it is placed at the 6th left intercostal space near the sternum. In large animals it is placed over the 6th rib at the level of the costochondral junction on the left side of the thorax.	Lead Site V2
C90415	LEAD V3	Lead C3	A unipolar electrocardiogram lead site; the electrode is placed on the anterior chest wall midway between leads V2 and V4. In large and small animals, it is placed over the dorsal spinous process of the 7th thoracic vertebra. (NCI)	Lead Site V3
C90416	LEAD V4	Lead C4	A unipolar electrocardiogram lead site; the electrode is placed at the fifth intercostal space on the anterior chest wall (between ribs 5 and 6) at the left midclavicular line. In small animals it corresponds to V4-V6 where it is placed at the 6th left intercostal space near the costochondral junction. In large animals it is placed over the 6th rib at the level of a horizontal line drawn through the scapulohumeral articulation on the left side of the thorax. (NCI)	Lead Site V4
C90417	LEAD V5	Lead C5	A unipolar electrocardiogram lead site; the electrode is placed on the anterior chest wall level with lead V4 at the left anterior axillary line. In large animals it is placed on the sixth ICS on the right side of the thorax along a line parallel to the level of the point of the shoulder corresponding to the electrical center of the heart (central terminal). (NCI)	Lead Site V5
C90418	LEAD V6	Lead C6	A unipolar electrocardiogram lead site at which the electrode is placed on the anterior chest wall level with lead V5 at the left midaxillary line .	Lead Site V6
C135392	LEAD VENTRAL		A bipolar electrocardiogram limb lead which records the voltage with the positive electrode on the hindquarters proximal to the sacrum and the negative electrode near the apex of the heart (located in the ICS of left 5-6 rib close to the sternum).	Lead Site Ventral
C117760	SML	Global Median Beat;Superimposition of Multiple Leads	Measurement methodology using multiple leads for the determination of an ECG parameter. This is often visually represented as a superimposition of the median beats from multiple leads.	Superimposition of Multiple Leads

## EGMETHOD (ECG Test Method)

NCI Code: C71151, Codelist extensible: Yes

C71151 EGMETHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C90349	10 LEAD STANDARD	10 Lead Standard	An electrocardiogram lead placement on the subject using a ten electrode lead set to synthesize standard 12 lead electrocardiograph data to elicit an electrical view of the heart.	10 Lead Standard
C71125	12 LEAD 1 LEAD MISSING	12 Lead 1 Lead Missing	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but one standard lead position is missing therefore requiring a Mortara source consistency filter. (NCI)	12 Lead Placement 1 Lead Missing
C71116	12 LEAD CABRERA	12 Lead Cabrera	An electrocardiogram (ECG) lead placement whereby the display of the 12 standard ECG leads is in an orderly sequence in a single horizontal display of: aVL, I, -aVR, II, aVF, III, V1 to V6. In the Cabrera display the limb lead aVR is inverted (-aVR) to obtain the same positive leftward orientation as the other 5 limbs. (NCI)	12 Lead Placement Cabrera
C123444	12 LEAD CONTINUOUS ECG		A continuous electrocardiographic (ECG) recording utilizing 12 leads. The positioning of the electrodes may vary from the standard 12 lead ECG placement. Examples include but are not limited to 12 lead Holter with modified Mason-Likar lead placements, 12 lead exercise ECGs, and 12 lead telemetry systems.	12 Lead Continuous ECG
C71123	12 LEAD EASI DOWER TRANSFORMATION	12 Lead EASI Dower Transformation	An electrocardiogram (ECG) lead placement whereby 4 chest electrodes and 1 reference electrode are used to allow for continuous monitoring at the clinical level. This placement creates a 12 lead ECG that allows the acquisition of simultaneous events in the frontal, horizontal and sagittal heart planes with the linear transformation of vectors. This system provides a three-dimensional portrayal of the heart and uses mathematical and fixed coefficients for each lead. (NCI)	Lead Placement EASI Dower Transformation
C123445	12 LEAD ECG EXTRACTED FROM 12 LEAD CONTINUOUS ECG RECORDING		A standard duration (typically 10 seconds) 12 lead electrocardiogram (ECG) extracted from a 12 lead continuous ECG.	12 Lead ECG Extracted From 12 Lead Continuous ECG Recording
C71103	12 LEAD MASON LIKAR	12 Lead Mason Likar	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the standard lead positions have been modified for ECG recording during exercise. Exercise stress testing requires moving the limb electrodes to more central positions on the thorax. The electrodes are placed in bony prominences close to the bases of the respective limbs in order to avoid skeletal muscle artifact, provide stability for recording electrodes and to record waveforms similar to the standard limb sites. (NCI)	12 Lead Placement Mason Likar
C71110	12 LEAD MODIFIED MASON LIKAR	12 Lead Modified Mason Likar	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the Mason Likar lead positions have been modified so that V1 to V6 on the chest are part of a single electrode pad. In addition, lead CM5 is substituted for lead aVR. (NCI)	12 Lead Placement Mason Likar Modified
C71114	12 LEAD NON-STANDARD	12 Lead Non-Standard	An electrocardiogram (ECG) lead placement whereby the limb leads are placed on the torso for easier and faster application in emergency situations. (NCI)	12 Lead Placement Non-Standard
C116139	12 LEAD RIGHT-SIDED PRECORDIAL LEADS	12 Lead Right-sided Precordial Leads; Right-sided Chest Leads	An electrocardiogram (ECG) lead placement whereby the precordial leads are intentionally placed on the right side of the chest.	12 Lead Placement Right-sided Precordial Leads
C71112	12 LEAD SINGLE PAD	12 Lead Single Pad	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the standard lead positions have been modified so that all leads on the chest are part of a single electrode pad. (NCI)	12 Lead Placement Chest

<b>C71151 EGMETHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71102	12 LEAD STANDARD	12 Lead Standard	An electrocardiogram (ECG) lead placement whereby 12 leads are recorded, with each lead representing an electrical view of the heart. The six leads recorded in the frontal plane are derived from the placement of 3 electrodes (RA or Right Arm, LA, or Left Arm, and LL or Left Leg). These bipolar frontal leads form the basis of Einthoven's triangle, and are represented by leads I, II, and III. Three other derived (or augmented) bipolar frontal vectors are also recorded on a standard 12-lead EKG, aVR, aVF, and aVL. 6 unipolar leads, corresponding to V1 - V6 measure the electrical activity in the horizontal plane. The placement for the V leads is as follows: V1: right 4th intercostal space, V2: left 4th intercostal space, V3: halfway between V2 and V4, V4: left 5th intercostal space, mid-clavicular line, V5: horizontal to V4, anterior axillary line, V6: horizontal to V5, mid-axillary line. (NCI)	12 Lead Placement Standard
C71101	12 LEAD UNSPECIFIED	12 Lead Unspecified	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the position of the leads is unspecified. (NCI)	12 Lead Placement Unspecified
C132355	6 LEAD NEHB-SPORI		An electrocardiogram (ECG) lead configuration that is primarily used to record ECGs in non-human animals, and which uses six (6) electrodes to generate eight (8) ECG leads (ECG wave forms). The six electrode configuration includes the following: four (4) limb electrodes, which are placed analogous to an Einthoven configuration in humans, and two (2) chest electrodes. The eight (8) ECG leads recorded comprise three standard limb leads (leads I, II, and III), three augmented leads (Leads aVR, aVF, and aVL), and two chest leads, which are generated using two unipolar chest leads, typically CV5RL [rV2] and CV6LL [V2] for canines, or MV1 and MV2 for primates.	6 Lead NEHB-SPORI
C90350	6 LEAD STANDARD	6 Lead Standard	An electrocardiogram lead placement on the subject using a six electrode lead set with three standard leads and three augmented derived leads to elicit an electrical view of the heart.	6 Lead Standard
C132356	8 LEAD STANDARD		An electrocardiogram (ECG) recorded using 6 electrodes to generate 8 ECG leads (ECG wave forms). The 6 electrode configuration includes 4 limb electrodes in an Einthoven configuration and two chest electrodes. The 8 ECG leads recorded consist of three standard limb leads (leads I, II, and III), three augmented leads (leads aVR, aVF, and aVL), and two chest leads (which are generated using two unipolar chest leads (typically CV5RL [rV2] and CV6LL [V2] for canines or MV1 and MV2 for non-human primates). This lead configuration is typically used to record ECGs in non-human animals.	8 Lead Standard
C71121	BIPOLAR UNCORRECTED XYZ LEAD SYSTEM	Bipolar uncorrected XYZ lead system	An electrocardiogram (ECG) lead placement whereby the X+ lead is placed at the right mid-axillary line at the 4th intercostal space, X- at the left mid-axillary line at the 4th intercostal space, Y+ at the proximal left leg, Y- at the superior aspect of the manubrium, Z+ at the direct posterior to Z- and Z- at the 4th intercostal space at the left sternal margin. (NCI)	Lead Placement Bipolar Uncorrected XYZ
C123446	CONTINUOUS AMBULATORY ECG		A continuous electrocardiographic (ECG) recording utilizing 1 or more leads that records and stores data directly to the device. The subject need not be restricted to a medical facility, and may be able to participate in their customary activities of daily living.	Continuous Ambulatory ECG
C71120	CUBE LEAD SYSTEM	Cube lead system	An electrocardiogram (ECG) lead placement that is a type of uncorrected vectorcardiograph. This lead system is based on a rectangular body axis. It uses an extra number of electrodes to make it three-dimensional. (NCI)	Lead Placement Cube
C71118	FRANK LEAD SYSTEM	Frank lead system	An electrocardiogram (ECG) lead placement for determining 3 orthogonal components X (right to left direction), Y (foot to head direction) and Z (back to front direction) of the heart. For this method a minimum of 4 electrodes are needed that represent the right arm, left arm, left leg and back. However, usually 7 electrodes are used to avoid dependence on the dipole location and facilitate interpretation. (NCI)	Lead Placement Frank
C38064	HOLTER CONTINUOUS ECG RECORDING		An electrocardiographic method for collecting continuous ECG waveforms with a variable number of discrete leads with duration longer than the standard 10 second ECG. Holter recording may be performed in patients who are ambulatory, and may collect data for 24 hours or longer.	Holter Monitoring



<b>C71151 EGMETHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71119	MCFEE-PARUNGAO LEAD SYSTEM	McFee-Parungao lead system	An electrocardiogram (ECG) lead placement for determining 3 orthogonal components X (back to front), Y (right to left) and Z (foot to head) of the heart. This system places the electrodes closer to the heart to achieve better orthogonality and a homogeneous lead field. (NCI)	Lead Placement McFee-Parungao
C71122	PSEUDO-ORTHOGONAL XYZ LEAD SYSTEM	Pseudo-orthogonal XYZ lead system	An electrocardiogram (ECG) lead placement that allows monitoring and recording of cardiac electrical activity. A V1-type lead is used whose positive electrode is localized in the 4th intercostal space, 2.5cm from the sternum. Its negative electrode is placed below the left clavicle. An addition of lead V5 and aVF can be made to facilitate interpretation. (NCI)	Lead Placement Pseudo Orthogonal XYZ
C71128	STANDARD 12-LEAD AND CC5-CM5-ML	Standard 12-lead and CC5-CM5-ML	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the standard lead positions have been modified so that the negative reference is at CM5 and the active electrode is at the left leg position. (NCI)	12 Lead Placement Standard And CC5-CM5-ML
C71126	STANDARD 12-LEAD AND CM5-CC5-CH5	Standard 12-lead and CM5-CC5-CH5	An electrocardiogram (ECG) lead placement whereby 12 leadpoints are recorded but the standard lead positions have been modified so that the bipolar lead groups place the negative of the reference electrode over the manubrium (CM5), the right scapula (CB5), V5R (CC5) or on the forehead (CH5) and the active electrode at V5. (NCI)	12 Lead Placement Standard And CC5-CM5-CH5
C71131	STANDARD 12-LEAD EXTENDED LEFT	Standard 12-lead extended to the left by V7, V8, V9	An electrocardiogram (ECG) lead placement whereby the standard lead placement is modified by having leads V7, V8 and V9. (NCI)	12 Lead Placement Standard Extended Left
C71130	STANDARD 12-LEAD EXTENDED RIGHT	Standard 12-lead extended to the right by V5R, V4R, V3R	An electrocardiogram (ECG) lead placement whereby the rightward oriented V leads progress from V1R, placed instead of the standard V2, to V6R. The V3 lead in the standard placement is replaced by V4R. (NCI)	12 Lead Placement Standard Extended Right
C71115	STANDARD LEADS FOR BICYCLE EXERCISE		Limb leads on the back (shoulder and on the hips). (NCI)	Lead Placement Bicycle
C71117	STANDARD LEADS ONE INTERCOSTAL SPACE HIGHER	Standard leads one intercostal space higher	An electrocardiographic lead placement schema in which the V leads are placed one intercostal space cephalad to the position they would have in the standard lead placement schema. (NCI)	Lead Placement Standard Intercostal Space Higher
C71092	VECTORCARDIOGRAPH CORRECTED	Vectorcardiograph Corrected	A recording of the electrical activity of the heart displayed in the form of a vector loop, corrected for anatomic inconsistencies. (NCI)	Vectorcardiograph Corrected
C71093	VECTORCARDIOGRAPH UNCORRECTED	Vectorcardiograph Uncorrected	A recording of the electrical activity of the heart displayed in the form of a vector loop, uncorrected for anatomic inconsistencies. (NCI)	Vectorcardiograph Uncorrected

## EGSTRESC (ECG Result)

NCI Code: C71150, Codelist extensible: Yes

C71150 EGSTRESC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111088	1ST DEGREE AV BLOCK	1st degree AV block;PR Prolongation;Prolonged PR interval	An electrocardiographic finding of prolonged PR interval for a specific population. For adults one common threshold is a PR interval greater than 0.20 seconds. Note that other thresholds may be applicable.	AV Block First Degree by ECG Finding
C71044	2:1 AV BLOCK	2:1 AV block	An electrocardiographic finding of a supraventricular rhythm where the ratio of impulses generated above the atrioventricular node to the number of impulses conducted through to the ventricles is 2:1. This is manifest on the ECG as 2 P waves per QRS complex.	2:1 Atrioventricular Block by ECG Finding
C62016	2ND DEGREE AV BLOCK	Second Degree AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles. This is manifest on the ECG by regular P waves which intermittently are not followed by QRS complexes.	AV Block Second Degree by ECG Finding
C111091	3RD DEGREE AV BLOCK	3rd Degree Heart Block;AV block, complete (third-degree);Complete Heart Block	An electrocardiographic finding of complete failure of atrial electrical impulse conduction to the ventricles. This is manifest on the ECG by disassociation of atrial and ventricular rhythms. The atrial rate must be faster than the ventricular rate.	AV Block Third Degree by ECG Finding
C114165	50 Hz NOISE	50 Hz Artifact;50 Hz Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (50 Hz).	50 Hertz Noise by ECG Finding
C114164	60 Hz NOISE	60 Hz Artifact;60 Hz Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (60 Hz).	60 Hertz Noise by ECG Finding
C116132	ABERRANTLY CONDUCTED COMPLEXES	Aberrantly Conducted Beats	An electrocardiographic finding of an abnormally wide QRS complex(es) of supraventricular origin with prolonged QRS duration due to aberrant AV conduction.	Aberrantly Conducted Complexes by ECG Finding
C114149	AC NOISE	AC Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (usually 50 Hz or 60 Hz).	Alternating Current Noise by ECG Finding
C62266	ACCELERATED IDIOVENTRICULAR RHYTHM	Accelerated idioventricular rhythm	An electrocardiographic finding of idioventricular rhythm with a rate greater than 50 beats per minute.	Accelerated Idioventricular Rhythm by ECG Finding
C71065	ACUTE ANTERIOR WALL MYOCARDIAL INFARCTION	Acute Anterior MI;Acute Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V3 and V4, which is suggestive of acute myocardial infarction of the anterior wall of the left ventricle.	Acute Anterior Myocardial Infarction by ECG Finding
C102591	ACUTE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Acute Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V3 through V6, which is suggestive of acute myocardial infarction of the anterolateral wall of the left ventricle.	Acute Anterolateral Myocardial Infarction by ECG Finding
C102592	ACUTE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Acute Anteroseptal Wall Myocardial Infarction;Acute anteroseptal MI	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1 through V4, which is suggestive of acute myocardial infarction of the anteroseptal wall of the left ventricle.	Acute Anteroseptal Myocardial Infarction by ECG Finding
C106496	ACUTE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1 to V6, I and aVL, which is suggestive of acute myocardial infarction involving the anterior and anterolateral walls of the left ventricle.	Acute Extensive Anterior Wall Myocardial Infarction by ECG Finding
C102593	ACUTE HIGH LATERAL WALL MYOCARDIAL INFARCTION	Acute High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads I and aVL, which is suggestive of acute myocardial infarction of the high lateral wall of the left ventricle.	Acute High Lateral Myocardial Infarction by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71066	ACUTE INFERIOR WALL MYOCARDIAL INFARCTION	Acute Inferior MI;Acute Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads III, aVF and often II, which is suggestive of acute myocardial infarction of the inferior wall of the left ventricle.	Acute Inferior Myocardial Infarction by ECG Finding
C71067	ACUTE LATERAL WALL MYOCARDIAL INFARCTION	Acute Lateral MI;Acute Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V5, V6, I and aVL, which is suggestive of acute myocardial infarction of the lateral wall of the left ventricle.	Acute Lateral Myocardial Infarction by ECG Finding
C101596	ACUTE MYOCARDIAL INFARCTION	Acute Myocardial Infarction	An electrocardiographic finding showing a current of injury with ST elevation. No specification is provided for localization.	Acute Myocardial Infarction by ECG Finding
C71068	ACUTE POSTERIOR WALL MYOCARDIAL INFARCTION	Acute Posterior MI;Acute Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, upright T wave, with accompanying ST elevation, which is suggestive of acute myocardial infarction of the posterior wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present.	Acute Posterior Myocardial Infarction by ECG Finding
C102594	ACUTE RIGHT VENTRICULAR WALL MYOCARDIAL INFARCTION	Acute Right Ventricular Wall Myocardial Infarction;Acute Right ventricular MI	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, upright T wave, with accompanying ST elevation, which is suggestive of acute myocardial infarction of the ventricular wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present. Additional criteria include ST elevation > 100 microvolts in the right precordial leads V4R through V6R.	Acute Right Ventricular Myocardial Infarction by ECG Finding
C102595	ACUTE SEPTAL WALL MYOCARDIAL INFARCTION	Acute Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1, V2 and often V3, which is suggestive of acute myocardial infarction of the intraventricular septum.	Acute Septal Myocardial Infarction by ECG Finding
C102642	ADVANCED/HIGH GRADE AV BLOCK	Advanced/High Grade AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by two or more consecutive non-conducted P waves.	High Grade Atrioventricular Block by ECG Finding
C114159	ALL PRECORDIAL ELECTRODES DISCONNECTED		An electrocardiographic recording in which all precordial electrodes are disconnected resulting in missing waveforms (flat line) of all leads V1 - V6.	All Precordial Electrodes Are Disconnected by ECG Finding
C71069	ANTERIOR WALL MYOCARDIAL INFARCTION	Anterior MI;Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle.	Anterior Myocardial Infarction by ECG Finding
C35303	ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle.	Anterolateral Myocardial Infarction by ECG Finding
C35304	ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Anteroseptal MI;Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle.	Anteroseptal Myocardial Infarction by ECG Finding
C114162	ARTIFACT		An electrocardiographic recording in which one or more leads display extraneous signals which do not represent cardiac electrical activity.	Artifact Lead Signal by ECG Finding
C116130	ASYSTOLE		An electrocardiographic finding showing no cardiac electrical activity on the ECG for the entire duration of the recording.	Asystole by ECG Finding
C102596	ATRIAL BIGEMINY		An electrocardiographic finding of a sinus beat followed by a premature atrial complex for three or more consecutive cycles; a regularly irregular rhythm of normal and abnormal P waves in a 1-1 ratio.	Atrial Bigeminy by ECG Finding
C102597	ATRIAL COUPLETS	Atrial Couplets	An electrocardiographic finding in which two premature atrial complexes occur sequentially; there may be one or more occurrences during an electrocardiographic recording.	Atrial Couplet by ECG Finding

**C71150 EGSTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71039	ATRIAL ENLARGEMENT	Atrial Enlargement	An electrocardiographic finding which comprises left, right or bilateral atrial enlargement. This is may be characterized by prolonged P wave duration, increased P wave amplitude, or multi-component P waves.	Atrial Enlargement by ECG Finding
C111092	ATRIAL FIBRILLATION	Atrial fibrillation	An electrocardiographic finding of a supraventricular arrhythmia characterized by the replacement of consistent P waves by rapid oscillations or fibrillatory waves that vary in size, shape and timing and are accompanied by an irregularly irregular ventricular response.	Atrial Fibrillation by ECG Finding
C111094	ATRIAL FLUTTER	Atrial flutter	An electrocardiographic finding of an organized, regular atrial rhythm with atrial rate of 240-340 beats per minute. Multiple P waves typically appear in the inferior leads in a saw tooth like pattern between the QRS complexes.	Atrial Flutter by ECG Finding
C111105	ATRIAL TACHYCARDIA	Atrial tachycardia	An electrocardiographic finding of an organized, regular atrial rhythm with atrial rate between 101 and 240 beats per minute. The P wave morphology must be distinct from the sinus P wave morphology.	Atrial Tachycardia by ECG Finding
C119249	ATRIAL TACHYCARDIA WITH AV BLOCK		An electrocardiographic finding of an atrial tachycardia which does not display 1:1 AV conduction.	Atrial Tachycardia With AV Block by ECG Finding
C102598	ATRIAL TRIGEMINY	Atrial Trigeminy	An electrocardiographic finding of two sinus beats followed by a premature atrial complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal P waves in a 2-1 ratio.	Atrial Trigeminy by ECG Finding
C71045	ATRIOVENTRICULAR DISSOCIATION	AV Dissociation;Atrioventricular dissociation	An electrocardiographic finding in which the electrical activity of the atria and ventricles are independent of one another.	Atrioventricular Dissociation by ECG Finding
C111089	AV MOBITZ I	AV Mobitz I;Mobitz I Second Degree AV Block;Second degree AV block- Mobitz type I;Second-degree AV block, Mobitz type I (Wenckebach);Type 1 2nd degree AV Block;Wenckebach	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by a progressively lengthening PR interval prior to the block of an atrial impulse.	AV Block Second Degree Mobitz Type I by ECG Finding
C111090	AV MOBITZ II	Mobitz II AV Block;Mobitz II Second Degree AV Block;Type 2 2nd degree AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by a relatively constant PR interval prior to the block of an atrial impulse.	AV Block Second Degree Mobitz Type II by ECG Finding
C35058	AV NODE RE-ENTRY	AV Node Reentrant Supraventricular Tachycardia	An electrocardiographic finding of a regular supraventricular tachycardia due to reentry within the AV node. It is characterized by P waves which typically occurs nearly simultaneously with the QRS complex, resulting in a P wave which is obscured by the QRS, merged with the QRS or which may follow the QRS.	Atrioventricular Nodal Reentry Tachycardia by ECG Finding
C62261	AV RE-ENTRANT TACHYCARDIA	AV Reentrant Supraventricular Tachycardia	An electrocardiographic finding of a regular supraventricular tachycardia which utilizes an atrioventricular bypass tract as its retrograde limb (orthodromic tachycardia) or as its antegrade limb (antidromic tachycardia). QRS complexes during sinus rhythm may show preexcitation. During orthodromic tachycardia the preexcitation is not present and a retrograde P wave may appear after the QRS complex. During antidromic tachycardia the QRS complex is preexcited.	Atrioventricular Reentrant Tachycardia by ECG Finding
C114147	BASELINE WANDER		An electrocardiographic recording in which the isoelectric line in one or more leads is vertically displaced resulting in low frequency upward and downward movements of the signal with varying amplitudes.	Baseline Wander by ECG Finding
C71046	BIFASCICULAR BLOCK	Bifascicular block	An electrocardiographic finding comprising right bundle branch block and left anterior fascicular block, or right bundle branch block and left posterior fascicular block. Defects occurring in two of the three divisions of the conduction system of the heart are considered bifascicular blocks. Technically left bundle branch block may be considered a bifascicular block. (NCI)	Bifascicular Block by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106502	BIVENTRICULAR HYPERTROPHY		An electrocardiographic finding suggestive of enlargement or thickening of both ventricles, with a combination of findings which are related to LVH and RVH, such as voltage criteria for LVH in the presence of marked right axis deviation.	Biventricular Hypertrophy by ECG Finding
C92228	BORDERLINE QTcB	Borderline QTcB	An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is slightly prolonged. Thresholds for different age, gender, and patient populations exist.	Borderline QTcB
C92229	BORDERLINE QTcF	Borderline QTcF	An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is slightly prolonged. Thresholds for different age, gender, and patient populations exist.	Borderline QTcF
C111120	BRADYCARDIA	Bradycardia	An electrocardiographic finding of abnormally slow heart rate. Thresholds for different age, gender, and patient populations exist.	Bradycardia by ECG Finding
C106503	BRUGADA SYNDROME PATTERN		An electrocardiographic finding of complete or incomplete right bundle branch block accompanied by ST elevation in leads V1-V3. This may be noted at rest or can be provoked by medication challenge.	Brugada Syndrome Pattern by ECG Finding
C116138	CV ENDPOINTS ISCHEMIC ECG CHANGES		An electrocardiographic finding, in the absence of left ventricular hypertrophy (LVH) and left bundle branch block pattern on ECG, of either a) new (or presumed new) ST elevation at the J point in two contiguous leads with the following cut-points: greater than or equal to 0.1 mV in all leads other than leads V2-V3 where the following cut points apply: greater than or equal to 0.2 mV in men greater than or equal to 40 years; greater than or equal to 0.25 mV in men less than 40 years, or greater than or equal to 0.15 mV in women; or b) new (or presumed new) horizontal or down-sloping ST depression greater than or equal to 0.05 mV in two contiguous leads and/or T inversion greater than or equal to 0.1 mV in two contiguous leads with prominent R wave or R/S ratio greater than 1. (Thygesen K, Alpert JS, Jaffe AS, Simoons ML, et al.; Joint ESC/ACCF/AHA/WHF Task Force for Universal Definition of Myocardial Infarction. Third universal definition of myocardial infarction. J Am Coll Cardiol. 2012 Oct 16;60(16):1581-98).	ACC/AHA Ischemic ECG Changes
C62258	DELTA WAVE	Delta wave	An electrocardiographic finding of initial slurring (delta wave) of the QRS complex due to the presence of an accessory pathway. This characteristic ECG pattern is typically seen in Wolff-Parkinson-White syndrome.	Delta Wave by ECG Finding
C102623	DEXTROCARDIA	Dextrocardia	An electrocardiographic finding suggestive of dextrocardia with situs inversus, characterized by reversal of normal anterior R wave progression and the appearance of reversal of the right and left arm electrodes.	Dextrocardia by ECG Finding
C102628	EARLY R WAVE TRANSITION	Early R Wave Progression; Early R Wave Transition	An electrocardiographic finding where the amplitude of the R wave becomes greater than the amplitude of the S wave in the QRS complex at an unusually early point in the precordial leads, usually in leads V1 or V2.	Early R Wave Transition by ECG Finding
C102629	EARLY REPOLARIZATION	Early Repolarization	An electrocardiographic finding of J point and ST segment elevation in the absence of other signs of acute ischemia or pericarditis.	Early Repolarization
C114175	ECG ACQUIRED WITH PRECORDIAL ELECTRODES PLACED ON RIGHT CHEST		An electrocardiographic recording in which the precordial electrodes have been placed over the right chest and record a right sided ECG.	ECG Acquired with Precordial Electrodes Placed on the Right Chest
C114181	ECG EVALUATION NOT PERFORMED DUE TO CORRUPTED DIGITAL ECG FILE		A digital electrocardiographic recording which is corrupted (i.e. ECG signal cannot be restored) such that measurements and/or interpretation cannot be performed.	ECG Evaluation Not Performed Due to Corrupted Digital ECG File
C114180	ECG EVALUATION NOT PERFORMED DUE TO POOR QUALITY OF PRINTED ECG		A printed electrocardiographic recording with poor printout quality (e.g. a faded paper ECG tracing or ECG with inconsistent printing speed) such that measurements and/or interpretation cannot be performed.	ECG Evaluation Not Performed Due to Poor Quality of Printed ECG

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114178	ECG EVALUATION NOT PERFORMED DUE TO UNKNOWN ECG AMPLITUDE GAIN OR RECORDING SPEED		An electrocardiographic recording in which measurements and/or interpretation are not performed because the ECG amplitude gain and/or recording speed are not known.	ECG Evaluation Not Performed Due to Unknown ECG Amplitude Gain or Recording Speed
C62245	ECTOPIC ATRIAL RHYTHM	Ectopic atrial rhythm	An electrocardiographic finding of a regular atrial rhythm with atrial rate of less than 101 beats per minute which does not originate in the sinus node, and which is characterized by P waves whose morphology differs from the P wave morphology during sinus rhythm.	Ectopic Atrial Rhythm by ECG Finding
C71042	ECTOPIC VENTRICULAR RHYTHM	Ectopic ventricular rhythm	An electrocardiographic finding of three or more consecutive complexes of ventricular origin. The QRS complexes are wide and have an abnormal morphology.	Ectopic Ventricular Rhythm by ECG Finding
C71035	ELECTRICAL ALTERNANS	Electrical alternans	An electrocardiographic finding in which there is an alternating pattern of any of the waveform components. (NCI)	Electrical Alternans by ECG Finding
C106520	EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle.	Extensive Anterior Wall Myocardial Infarction by ECG Finding
C102639	FUSION COMPLEX	Fusion Beat;Fusion Complexes	An electrocardiographic finding that occurs when electrical activation of the atria or ventricles occurs from two separate sites. This results in a P wave or QRS complex that displays merged characteristics of beats originating from the two different sites; there may be one or more occurrences during an electrocardiographic recording.	Fusion Complex
C102643	HIGH LATERAL WALL MYOCARDIAL INFARCTION	High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle.	High Lateral Myocardial Infarction by ECG Finding
C50599	IDIOVENTRICULAR RHYTHM	Idioventricular Rhythm	An electrocardiographic finding of three or more consecutive complexes of ventricular origin with a rate less than a certain threshold (100 or 120 beats per minute are commonly used). The QRS complexes are wide and have an abnormal morphology.	Idioventricular Rhythm
C114167	INCOMPLETE ECG		An electrocardiographic recording which is limited in duration or which does not display all of the expected leads.	Incomplete ECG
C71047	INCOMPLETE LEFT BUNDLE BRANCH BLOCK	Incomplete left bundle branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the left ventricle, manifest as a widened initial portion of the QRS complex in leads V5, V6, I and aVL and with QRS duration less than 120 ms.	Incomplete Left Bundle Branch Block by ECG Finding
C114179	INCOMPLETE MEASUREMENTS DUE TO TRUNCATION OF QRS COMPLEXES		An electrocardiographic recording in which measurements (particularly of QRS amplitudes) and/or interpretations are not performed because QRS complexes have been truncated.	Incomplete ECG Measurements Due to Truncation of QRS Complexes
C71048	INCOMPLETE RIGHT BUNDLE BRANCH BLOCK	Incomplete right bundle branch block;Incomplete right bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the right ventricle, manifest by a widened initial portion of the QRS in V1 and V2, a widened S wave in V5, V6, I and aVL, and with QRS duration less than 120 ms.	Incomplete Right Bundle Branch Block by ECG Finding
C114169	INCOMPLETELY DIGITIZED ECG LEAD(S)		A digital electrocardiographic recording which was digitized from paper ECG tracings and which does not contain all leads present on the original paper printout.	Incompletely Digitized ECG Leads
C114168	INCORRECTLY SCALED ECG		An electrocardiographic recording in which the ECG signal is not displayed at the indicated recording speed and/or amplitude resolution.	Incorrectly Scaled ECG
C102701	INDETERMINATE QRS AXIS	Indeterminate Axis;Indeterminate QRS Axis;QRS Axis Indeterminate	An electrocardiographic finding in which the frontal plane QRS axis cannot be calculated.	QRS Axis Indeterminate

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C35398	INFERIOR WALL MYOCARDIAL INFARCTION	Inferior MI;Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle.	Inferior Myocardial Infarction by ECG Finding
C114177	INSUFFICIENT NUMBER OF BEATS TO COMPLETELY EVALUATE ECG		An electrocardiographic recording in which fewer than the required number of cardiac complexes are available for measurement and/or interpretation due to a shorter than planned recording or due to cardiac complexes which are present but are not suitable for measurement and/or interpretation.	Insufficient Number of Beats for Complete ECG Evaluation
C71073	INTRAATRIAL CONDUCTION DELAY	Intraatrial Conduction Delay	An electrocardiographic finding of a delay in impulse propagation through the atria. This is characterized by broad P waves which are often biphasic in V1.	Intra-Atrial Conduction Delay by ECG Finding
C62271	INTRAVENTRICULAR CONDUCTION DELAY, NONSPECIFIC	Intraventricular Conduction Defect;Intraventricular conduction delay	An electrocardiographic finding of a widened QRS duration typically greater than 110 ms which does not meet the morphologic criteria for any of the standard bundle branch or fascicular block patterns.	Nonspecific Intraventricular Conduction Delay by ECG Finding
C114171	INVALID ECG WAVEFORMS		An electrocardiographic recording for which the displayed leads do not represent the individual's true ECG lead information.	Invalid ECG Waveforms
C62248	ISORHYTHMIC DISSOCIATION	Isorhythmic dissociation	An electrocardiographic finding of a type of atrioventricular dissociation characterized by the atria (P waves) and ventricles (QRS complexes) beating at similar rates, although independently.	Isorhythmic Atrioventricular Dissociation
C71030	J POINT ELEVATION	J point elevation	An electrocardiographic finding of a significant elevation above the baseline of the J point.	J Point Elevation
C71074	JUNCTIONAL BRADYCARDIA	Junctional bradycardia	An electrocardiographic finding of a junctional rhythm with a heart rate which is abnormally low.	Junctional Bradycardia by ECG Finding
C116129	JUNCTIONAL ESCAPE COMPLEXES	Junctional Escape Beat;Junctional Escape Complex	An electrocardiographic finding of an escape beat following a pause which originates in the AV junction. This is manifest as a QRS complex of supraventricular origin not preceded by a P wave; there may be one or more occurrences during an electrocardiographic recording.	Junctional Escape Complexes by ECG Finding
C135393	JUNCTIONAL ESCAPE RHYTHM		An electrocardiographic finding of a junctional rhythm that arises as a physiologic response to extreme slowing or arrest of sinus node activity. In this setting, a faster junctional rhythm may be a normal response to a very slow or absent sinus rate.	Junctional Escape Rhythm by ECG Finding
C102652	JUNCTIONAL PREMATURE COMPLEX	Junctional Extra Beat;Junctional Premature Complexes	An electrocardiographic finding of an ectopic impulse originating in the AV junction presenting as a QRS complex of supraventricular origin which is not preceded by a P wave; there may be one or more occurrences during an electrocardiographic recording.	Junctional Premature Complex by ECG Finding
C71051	JUNCTIONAL RHYTHM	Junctional rhythm	An electrocardiographic finding of a rhythm which originates in the AV junction and results in a normal heart rate. It is characterized by retrograde P waves which may be obscured by or may follow the QRS complexes. The QRS complexes may be narrow or may demonstrate aberration.	Junctional Rhythm by ECG Finding
C35059	JUNCTIONAL TACHYCARDIA	Junctional tachycardia	An electrocardiographic finding of a junctional rhythm with a heart rate which is abnormally elevated.	Junctional Tachycardia by ECG Finding
C102653	LATE R WAVE TRANSITION	Late R Wave Transition	An electrocardiographic finding where the amplitude of the R wave does not become greater than the amplitude of the S wave until an unusually late point in the precordial leads, usually in leads V4 to V6.	Late R Wave Transition by ECG Finding
C35586	LATERAL WALL MYOCARDIAL INFARCTION	Lateral MI;Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle.	Lateral Myocardial Infarction by ECG Finding
C62267	LEFT ANTERIOR FASCICULAR BLOCK	Left Anterior Hemiblock;Left anterior fascicular block	An electrocardiographic finding of a slightly widened QRS duration (typically less than 120 ms) with leftward frontal plane QRS axis and typically small Q waves in leads I and aVL.	Left Anterior Fascicular Block by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71040	LEFT ATRIAL ABNORMALITY	Left Atrial Enlargement;P-mitrale	An electrocardiographic finding suggesting underlying hypertrophy or dilatation of the left atrium. Electrocardiographic criteria used for the diagnosis of left atrial abnormality may include a bifid p wave, a biphasic p wave and/or a p wave duration of greater than 0.12 seconds. (NCI)	P-mitrale by ECG Finding
C62269	LEFT BUNDLE BRANCH BLOCK	Complete LBBB;Left bundle branch block;Left bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the left ventricle, manifest as a widened initial portion of the QRS complex in leads V5, V6, I and aVL and with QRS duration greater than or equal to 120 ms.	Left Bundle Branch Block by ECG Finding
C62268	LEFT POSTERIOR FASCICULAR BLOCK	Left Posterior Hemiblock;Left posterior fascicular block	An electrocardiographic finding of an S1Q3 pattern and QRS axis greater than or equal to 120 degrees. It is usually seen in association with other abnormalities (e.g. RBBB or RVH).	Left Posterior Fascicular Block by ECG Finding
C92231	LEFT VENTRICULAR CONDUCTION DELAY	Left Ventricular Conduction Delay	An electrocardiographic finding in which there is evidence that electrical transmission through the left ventricle is impaired.	Left Ventricular Conduction Delay by ECG Finding
C71076	LEFT VENTRICULAR HYPERTROPHY	Left Ventricular Hypertrophy	An electrocardiographic finding suggestive of a hypertrophied left ventricle, characterized by large QRS amplitudes and secondary findings of left atrial enlargement, left axis deviation, or typical pattern of ST depression and T wave inversion.	Left Ventricular Hypertrophy by ECG Finding
C102655	LEFT VENTRICULAR HYPERTROPHY WITH STRAIN	Left Ventricular Hypertrophy With Strain	An electrocardiographic finding suggestive of a hypertrophied left ventricle, characterized by large QRS amplitudes, ST depression and T wave inversion.	Left Ventricular Hypertrophy with Strain by ECG Finding
C114151	LIMB ELECTRODE(S) DISCONNECTED		An electrocardiographic recording in which one or more of the limb electrodes are disconnected resulting in missing waveforms (often flat lines) of the respective leads.	Disconnected Limb Electrodes by ECG Finding
C114150	LIMB ELECTRODES INTERCHANGED	Limb Lead Reversal	An electrocardiographic recording in which two or more of the limb electrodes are switched resulting in improper representation of the affected leads.	Interchanged Limb Electrodes by ECG Finding
C114166	LOW AMPLITUDE SIGNAL	Low Amplitude QRS Complex	An electrocardiographic recording showing smaller than usual QRS complexes in one or more leads. This may represent a technical issue with the ECG acquisition or characteristics of the individual.	Low Amplitude QRS Complex by ECG Finding
C71078	LOW QRS VOLTAGE	Low QRS voltage	An electrocardiographic finding of a QRS amplitude less than or equal to 0.5 mV in the limb leads or QRS amplitude less than or equal to 1 mV in the precordial leads.	Low QRS Voltage by ECG Finding
C116133	LOW VOLTAGE - LIMB LEADS ONLY		An electrocardiographic finding of small QRS amplitudes (less than 500 microvolts) in all limb leads.	Low Voltage in Limb Leads Only by ECG Finding
C71050	MULTIFOCAL ATRIAL TACHYCARDIA	Multifocal atrial tachycardia	An electrocardiographic finding of a supraventricular arrhythmia characterized by 3 or more distinct P wave morphologies with an isoelectric baseline, variable PR intervals and no predominant atrial rhythm. The ventricular rate is typically 100-150 beats per minute.	Multifocal Atrial Tachycardia by ECG Finding
C114148	MUSCLE TREMOR		An electrocardiographic recording with intermittent mid to high frequency artifact in one or more leads due to muscular tremor or movement rather than cardiac activity.	Muscle Tremor Artifact
C101589	MYOCARDIAL INFARCTION	Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart. No specification is provided for localization.	Myocardial Infarction by ECG Finding
C102732	NEW ANTERIOR WALL MYOCARDIAL INFARCTION	New Anterior MI;New Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle and which is new compared to prior ECGs.	New Anterior Myocardial Infarction by ECG Finding
C102733	NEW ANTEROLATERAL WALL MYOCARDIAL INFARCTION	New Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle and which is new compared to prior ECGs.	New Anterolateral Myocardial Infarction by ECG Finding



<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102734	NEW ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	New Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle and which is new compared to prior ECGs.	New Anteroseptal Myocardial Infarction by ECG Finding
C102735	NEW EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	New Extensive Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle and which is new compared to prior ECGs.	New Extensive Anterior Myocardial Infarction by ECG Finding
C102736	NEW HIGH LATERAL WALL MYOCARDIAL INFARCTION	New High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle and which is new compared to prior ECGs.	New High Lateral Myocardial Infarction by ECG Finding
C102737	NEW INFERIOR WALL MYOCARDIAL INFARCTION	New Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle and which is new compared to prior ECGs.	New Inferior Myocardial Infarction by ECG Finding
C102738	NEW LATERAL WALL MYOCARDIAL INFARCTION	New Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle and which is new compared to prior ECGs.	New Lateral Myocardial Infarction by ECG Finding
C102731	NEW MYOCARDIAL INFARCTION	New Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart and which is new compared to prior ECGs. No specification is provided for localization.	New Myocardial Infarction by ECG Finding
C106548	NEW POSTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle, and which is new compared to prior ECGs. Evidence of inferior or lateral myocardial infarction is usually also present.	New Posterior Wall Myocardial Infarction by ECG Finding
C102739	NEW SEPTAL WALL MYOCARDIAL INFARCTION	New Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1, V2 and often V3, which is suggestive of myocardial infarction of the intraventricular septum and which is new compared to prior ECGs.	New Septal Myocardial Infarction by ECG Finding
C114163	NO ECG WAVEFORMS PRESENT		An electrocardiographic recording that displays flat lines (no waveforms are visible) in all leads present.	ECG Waveforms Not Present
C71080	NON Q WAVE MYOCARDIAL INFARCTION	Non Q Wave Myocardial Infarction	An electrocardiographic finding of ST and T wave abnormalities in the absence of pathologic Q waves, which is suggestive of myocardial infarction in one or more regions of the heart.	Non Q Wave Myocardial Infarction by ECG Finding
C116134	NON-DIAGNOSTIC Q WAVES		An electrocardiographic finding of Q waves which are insufficient for the diagnosis of myocardial infarction. In such cases a myocardial infarction may be suspected, even though ECG criteria are not met.	Non-Diagnostic Q Waves by ECG Finding
C71031	NON-SPECIFIC ST-T CHANGES	Non-specific ST-T changes	An electrocardiographic finding of changes in the ST segment and T wave that do not meet criteria for ischemia or infarction. (NCI)	Non-Specific ST-T Changes by ECG Finding
C102680	NON-SUSTAINED ATRIAL TACHYCARDIA	Non-Sustained Atrial Tachycardia	An electrocardiographic finding of an atrial tachycardia which terminates in less than 30 seconds.	Non-Sustained Atrial Tachycardia by ECG Finding
C71053	NON-SUSTAINED VENTRICULAR TACHYCARDIA	Non-sustained ventricular tachycardia;Ventricular tachycardia, unsustained	An electrocardiographic finding of ventricular tachycardia less than 30 seconds in duration. (NCI)	Non-Sustained Ventricular Tachycardia by ECG Finding
C135394	NONCONDUCTED P WAVE PHYSIOLOGY NOT DEFINED		An electrocardiographic finding of a P wave that does not conduct to the ventricle or result in ventricular activation.	Nonconducted P Wave Physiology Not Defined by ECG Finding
C102681	NORMAL SINUS RHYTHM	Normal Sinus Rhythm	An electrocardiographic finding of an atrial rhythm which originates from the sinoatrial node that is considered normal for the population. There are no extra beats or conduction abnormalities.	Normal Sinus Rhythm

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102634	NORTHWEST AXIS	Northwest Axis;Right superior axis	An electrocardiographic finding of a frontal plane QRS axis from -90 to +180 degrees.	Extreme Right Axis Deviation
C71032	NOTCHED T WAVES	Notched T Waves	An electrocardiographic finding of an irregular, u or v shaped deflection within the contour of the T wave.	T Wave Notched by ECG Finding
C102684	OLD OR AGE INDETERMINATE ANTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anterior Myocardial Infarction by ECG Finding
C102685	OLD OR AGE INDETERMINATE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anterolateral Myocardial Infarction by ECG Finding
C102686	OLD OR AGE INDETERMINATE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anteroseptal Myocardial Infarction by ECG Finding
C102687	OLD OR AGE INDETERMINATE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Extensive Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Extensive Anterior Myocardial Infarction by ECG Finding
C102688	OLD OR AGE INDETERMINATE HIGH LATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate High Lateral Myocardial Infarction by ECG Finding
C102689	OLD OR AGE INDETERMINATE INFERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Inferior Myocardial Infarction by ECG Finding
C102690	OLD OR AGE INDETERMINATE LATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Lateral Myocardial Infarction by ECG Finding
C102691	OLD OR AGE INDETERMINATE POSTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle, without evidence of current or ongoing acute infarction. Evidence of inferior or lateral myocardial infarction is usually also present.	Old or Age Indeterminate Posterior Myocardial Infarction by ECG Finding
C102693	OLD OR AGE INDETERMINATE SEPTAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1, V2 and often V3, which is suggestive of myocardial infarction of the intraventricular septum, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Septal Myocardial Infarction by ECG Finding
C101597	OLD OR AGE INDETERMINATE WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart, without evidence of current or ongoing acute infarction. No specification is provided for localization.	Old Myocardial Infarction by ECG Finding
C102692	OLD OR AGE UNDETERMINED RIGHT VENTRICULAR MYOCARDIAL INFARCTION		An electrocardiographic finding, in the presence of an old or age indeterminate inferior wall myocardial infarction, of Q waves greater than or equal to 40 ms in duration in the right ventricular leads V4R through V6R.	Old or Age Indeterminate Right Ventricular Myocardial Infarction by ECG Finding
C114176	OTHER INCORRECT ELECTRODE PLACEMENT		An electrocardiographic recording in which one or more electrodes are incorrectly placed but further details are not provided.	Other Incorrect Electrode Placement

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C90430	P WAVE ABNORMALITY	P Wave Abnormality	An electrocardiographic finding for the P wave that is atypical either for the shape, duration, amplitude, axis or polarity. Abnormality of the P wave signifies aberrant propagation of the electrical impulse through the atria. (NCI)	P Wave Abnormality by ECG Finding
C90431	P WAVE NOTCHED	P Wave Notched	An electrocardiographic finding of P waves with two peaks longer in duration than normal and amplitude greater than normal.	P Wave Notched by ECG Finding
C92232	PACED ATRIAL AND VENTRICULAR RHYTHM	AV dual-paced complex(es) or rhythm;Paced Atrial And Ventricular Rhythm	An electrocardiographic finding in which both the atrial and ventricular rhythm are controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Atrial And Ventricular Rhythm
C92233	PACED ATRIAL RHYTHM	Atrial-paced complex(es) or rhythm;Paced Atrial Rhythm	An electrocardiographic finding in which the atrial rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Atrial Rhythm
C88140	PACED RHYTHM	Atrial and/or Ventricular Paced Rhythm;Paced Rhythm	An electrocardiographic finding in which the cardiac rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Rhythm
C92234	PACED VENTRICULAR RHYTHM	Paced Ventricular Rhythm;Ventricular-paced complex(es) or rhythm	An electrocardiographic finding in which the ventricular rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Ventricular Rhythm
C62250	PAROXYSMAL AV BLOCK	Paroxysmal AV block	An electrocardiographic finding of the sudden onset of transient AV block, which is often associated with preexisting conduction disorders.	Paroxysmal Atrioventricular Block by ECG Finding
C34902	PAROXYSMAL VENTRICULAR TACHYCARDIA	Paroxysmal Ventricular Tachycardia	An episodic form of ventricular tachycardia, with abrupt onset and termination. (NCI)	Paroxysmal Ventricular Tachycardia by ECG Finding
C119250	PAUSE		An electrocardiographic finding of an RR interval which exceeds a predefined duration threshold, regardless of the underlying rhythm.	Pause by ECG Finding
C119251	PAUSE GREATER THAN 3.0 SECONDS		An electrocardiographic finding of an RR interval with duration greater than 3.0 seconds, regardless of the underlying rhythm.	Pause Greater Than Three Seconds by ECG Finding
C114172	POOR QUALITY ECG		An electrocardiographic recording that does not show proper quality for reasons that are not otherwise described.	Poor Quality ECG
C71033	POOR R WAVE PROGRESSION	Poor R Wave Progression	An electrocardiographic finding of a lack of progression of R wave height across precordial leads.	Poor R Wave Progression by ECG Finding
C35399	POSTERIOR WALL MYOCARDIAL INFARCTION	Posterior MI;Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present.	Posterior Myocardial Infarction by ECG Finding
C116135	PR SEGMENT DEPRESSION	PR Depression	An electrocardiographic finding of PR segment depression below the iso-electric line in multiple precordial and/or limb leads.	PR Segment Depression by ECG Finding
C34940	PRE-EXCITATION	Pre-excitation;Ventricular preexcitation	An electrocardiographic finding characterized by a premature activation of the whole or some part of the ventricle. The PR interval is usually shortened and delta waves are frequently present.	Pre-Excitation Syndrome
C114153	PRECARDIAL ELECTRODE V1 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V1 is disconnected resulting in missing waveforms (flat line) for lead V1.	Disconnected Precordial Electrode V1 by ECG Finding
C114154	PRECARDIAL ELECTRODE V2 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V2 is disconnected resulting in missing waveforms (flat line) for lead V2.	Disconnected Precordial Electrode V2 by ECG Finding
C114155	PRECARDIAL ELECTRODE V3 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V3 is disconnected resulting in missing waveforms (flat line) for lead V3.	Disconnected Precordial Electrode V3 by ECG Finding
C114156	PRECARDIAL ELECTRODE V4 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V4 is disconnected resulting in missing waveforms (flat line) for lead V4.	Disconnected Precordial Electrode V4 by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114157	PRECARDIAL ELECTRODE V5 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V5 is disconnected resulting in missing waveforms (flat line) for lead V5.	Disconnected Precordial Electrode V5 by ECG Finding
C114158	PRECARDIAL ELECTRODE V6 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V6 is disconnected resulting in missing waveforms (flat line) for lead V6.	Disconnected Precordial Electrode V6 by ECG Finding
C114160	PRECARDIAL ELECTRODE(S) POSITIONED INCORRECTLY		An electrocardiographic recording in which one or more precordial electrodes are placed incorrectly with respect to the standard chest electrode positions resulting in improper representation of the affected leads.	Incorrectly Positioned Precordial Electrodes by ECG Finding
C114152	PRECARDIAL ELECTRODES INTERCHANGED	Precordial Lead Reversal	An electrocardiographic recording in which two or more of the precordial electrodes are switched resulting in improper representation of the affected leads.	Interchanged Precordial Electrodes by ECG Finding
C62257	PREMATURE ATRIAL COMPLEXES	APC;Atrial premature complex(es);PAC;Premature atrial complex;SVE;Supraventricular Extra Beat;Supraventricular Premature Beat	An electrocardiographic finding of an ectopic impulse originating in the atria and not specifically in the sinus node. The P wave morphology of these complexes is often different from a sinus P wave and the RR intervals preceding these complexes is also shorter than those of the regular beats; there may be one or more occurrences during an electrocardiographic recording.	Atrial Premature Complex by ECG Finding
C102603	PREMATURE ATRIAL COMPLEXES BLOCKED	Atrial premature complexes, nonconducted;Non-conducted SVE;Premature Atrial Complex Blocked;Premature Atrial Complexes Non-conducted	An electrocardiographic finding of a premature atrial complexes that are is not conducted to the ventricles, and that are is not followed by a QRS complex; there may be one or more occurrences during an electrocardiographic recording.	Blocked Atrial Premature Complex by ECG Finding
C102672	PREMATURE ATRIAL COMPLEXES MULTIFOCAL	Multifocal SVE;Multifocal Supraventricular Extra Beats;Premature Atrial Complexes Multifocal	An electrocardiographic finding of premature atrial complexes which have 2 or more distinct morphologies, suggesting origin at more than one atrial site.	Multifocal Atrial Premature Complex by ECG Finding
C102724	PREMATURE ATRIAL COMPLEXES UNIFOCAL	Premature Atrial Complexes Unifocal	An electrocardiographic finding of premature atrial complexes which have a single distinct morphology, suggesting origin at one atrial site.	Unifocal Atrial Premature Complex by ECG Finding
C62256	PREMATURE VENTRICULAR COMPLEX	PVC;Premature Ventricular Complexes;VE;VES;VPC;Ventricular Extra Beat;Ventricular Premature Complexes	An electrocardiographic finding of an ectopic impulse originating in the ventricles. The QRS morphology of these complexes is different from those of supraventricular origin. The QRS duration is often longer and the RR interval preceding the complexes is usually shorter than that of supraventricular beats; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Premature Complex by ECG Finding
C107100	PREMATURE VENTRICULAR COMPLEX INTERPOLATED	Interpolated VE;Interpolated VES;Interpolated VPC;Interpolated Ventricular Extra Beat;Premature Ventricular Complexes Interpolated	An electrocardiographic finding of a premature ventricular complex which occurs between two normal QRS complexes which have normal timing; there may be one or more occurrences during an electrocardiographic recording.	Interpolated Premature Ventricular Complex by ECG Finding
C102673	PREMATURE VENTRICULAR COMPLEXES MULTIFOCAL	Multifocal VES;Multifocal VPCS;Multifocal Ventricular Extra Beats;Premature Ventricular Complexes Multifocal	An electrocardiographic finding of premature ventricular complexes which have two or more distinct morphologies, suggesting origin at more than one ventricular site.	Multifocal Ventricular Premature Complex by ECG Finding
C102725	PREMATURE VENTRICULAR COMPLEXES UNIFOCAL	Premature Ventricular Complexes Unifocal;Unifocal VES;Unifocal VPCS;Unifocal Ventricular Extra Beats	An electrocardiographic finding of premature ventricular complexes which have a single distinct morphology, suggesting origin at one ventricular site.	Unifocal Ventricular Premature Complex by ECG Finding
C71034	PROLONGED QT	Prolonged QT;Prolonged QT interval	An electrocardiographic finding in which the QT interval not corrected for heart rate is prolonged. Thresholds for different age, gender, and patient populations exist.	Prolonged QT Interval by ECG Finding
C116137	PROLONGED ST SEGMENT		An electrocardiographic finding of a prolonged ST segment, resulting in a long QT interval, without lengthening of the T wave duration.	Prolonged ST Segment by ECG Finding
C71094	Q AXIS, LEFT AXIS DEVIATION	Left-axis deviation;Q Axis, Left axis deviation;QRS axis, left axis deviation	An electrocardiographic finding of a frontal plane QRS axis from -30 to -90 degrees.	Q Axis Left Axis Deviation

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71095	Q AXIS, RIGHT AXIS DEVIATION	Q Axis, Right axis deviation;QRS axis, right axis deviation;Right-axis deviation	An electrocardiographic finding of a frontal plane QRS axis from +90 to +180 degrees.	Q Axis Right Axis Deviation
C90440	QRS COMPLEX ABNORMALITY	QRS Complex Abnormality	An electrocardiographic finding of a non-specific abnormality of the QRS complex, which is atypical in shape, duration, amplitude, axis or polarity.	QRS Complex Abnormality by ECG Finding
C83817	QTC PROLONGATION	QTc Prolongation	An electrocardiographic finding in which the QTc interval corrected for heart rate is prolonged. Thresholds for different age, gender, and patient populations exist.	Corrected Prolonged QT Interval by ECG Finding
C107098	QTCB PROLONGATION	PROLONGED QTcB	An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is prolonged. Thresholds for different age, gender, and patient populations exist.	QTcB Prolongation
C107099	QTCF PROLONGATION	PROLONGED QTcF	An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is prolonged. Thresholds for different age, gender, and patient populations exist.	QTcF Prolongation
C114161	QUALITY PROBLEM NOT OTHERWISE SPECIFIED	Unknown Quality Problem	An electrocardiographic artifact or recording error with unknown origin or which is not described otherwise.	Quality Problem Not Otherwise Specified by ECG Finding
C61395	R ON T PHENOMENON	R on T phenomenon	An electrocardiographic finding in which the R wave of a premature ventricular complex occurs on top of the T wave of the preceding beat.	R On T Phenomenon by ECG Finding
C90444	R WAVE NOTCHED	R Wave Notched	An electrocardiographic finding of an R wave variant in which there is a small deflection of the R wave, with changing polarity, within the QRS complex. (NCI)	R Wave Notched by ECG Finding
C102574	REPOLARIZATION ABNORMALITY	Repolarization Abnormality	An electrocardiographic finding of an abnormality of T wave duration or morphology or of early repolarization.	Ventricular Repolarization Abnormality
C102706	REPOLARIZATION ABNORMALITY SECONDARY TO VENTRICULAR HYPERTROPHY	Repolarization Abnormality Secondary To Ventricular Hypertrophy;ST-T change due to ventricular hypertrophy	An electrocardiographic finding of ST depression and T wave inversion in the presence of increased QRS amplitude which are thought to be due to left ventricular hypertrophy.	Repolarization Abnormality Secondary To Ventricular Hypertrophy
C71041	RIGHT ATRIAL ABNORMALITY	P-pulmonale;Right Atrial Enlargement	An electrocardiographic finding suggesting underlying hypertrophy or dilatation of the right atrium. Electrocardiographic criteria used for the diagnosis of right atrial abnormality may include a peaked p wave greater than 2.5 millimeters in amplitude in the inferior leads. (NCI)	P-pulmonale by ECG Finding
C62270	RIGHT BUNDLE BRANCH BLOCK	Complete RBBB;Right bundle branch block;Right bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the right ventricle, manifest by a widened initial portion of the QRS in V1 and V2, a widened S wave in V5, V6, I and aVL, and with QRS duration greater than or equal to 120 ms. An RsR' complex is typically present in leads V1 and V2.	Right Bundle Branch Block by ECG Finding
C92235	RIGHT VENTRICULAR CONDUCTION DELAY	Right Ventricular Conduction Delay;Right Ventricular Delay	An electrocardiographic finding in which there is evidence that electrical transmission through the right ventricle is impaired with a maximal QRS duration of 110 ms and which does not meet the criteria for Incomplete Right Bundle Branch Block.	Right Ventricular Conduction Delay by ECG Finding
C71077	RIGHT VENTRICULAR HYPERTROPHY	Right ventricular Hypertrophy	An electrocardiographic finding suggestive of a hypertrophied right ventricle, characterized by large R wave amplitudes in the right precordial leads and secondary findings of right atrial enlargement, right axis deviation, and typical pattern of ST depression and T wave inversion in the right precordial leads.	Right Ventricular Hypertrophy by ECG Finding
C92227	RSR PRIME	RSR'	An electrocardiographic finding in which there are two R waves, which are two deflections above the baseline resulting from a single ventricular depolarization. The first upward deflection in the complex is the R wave. The S is the first downward deflection. A second upward deflection is called the R-prime wave.	RSR' by ECG Finding
C35519	SEPTAL MYOCARDIAL INFARCTION	Septal myocardial infarction	An electrocardiographic finding suggesting an infarction in the anatomic location of the cardiac septum. (NCI)	Septal Myocardial Infarction by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62246	SHORT PR INTERVAL	Short PR interval	An electrocardiographic finding of an abnormally short PR interval. Thresholds for different age, gender, and patient populations exist.	Short PR Interval by ECG Finding
C102709	SHORT QTC INTERVAL	Short QTc Interval	An electrocardiographic finding of a QT interval corrected for heart rate that is shorter than the lower limit of normal. Thresholds for different age, gender, and patient populations exist.	Short QTc Interval
C112402	SHORT QTcB		An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is shortened. Thresholds for different age, gender, and patient populations exist.	QTcB Shortened
C112403	SHORT QTcF		An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is shortened. Thresholds for different age, gender, and patient populations exist.	QTcF Shortened
C116136	SHORT ST SEGMENT		An electrocardiographic finding of a short or absent ST segment, resulting in a short QT interval, without changes in T wave morphology.	Short ST Segment by ECG Finding
C50553	SINOATRIAL EXIT BLOCK	SA Block;Sinoatrial Block;Sinoatrial exit block	An electrocardiographic finding in which impaired conduction or automaticity within the sinus node results in the failure of impulse transmission from the sinoatrial node. This is manifest as dropped P waves during sinus rhythm.	Exit Block by ECG Finding
C62242	SINUS ARREST/PAUSE	Sinus arrest/pause;Sinus pause or arrest	An electrocardiographic finding in which a failure of impulse formation or conduction in the sinus node produces prolongation of the P-P interval or dropped P waves. The threshold for the prolongation of the P-P interval is not well defined.	Sinus Arrest by ECG Finding
C62239	SINUS ARRHYTHMIA	Respiratory Sinus Arrhythmia;Sinus arrhythmia	An electrocardiographic finding in which the sinus rate fluctuates with the respiratory cycle.	Sinus Arrhythmia by ECG Finding
C111097	SINUS BRADYCARDIA	Sinus bradycardia	An electrocardiographic finding of abnormally slow heart rate with its origin in the sinus node. Thresholds for different age, gender, and patient populations exist.	Sinus Bradycardia by ECG Finding
C100076	SINUS RHYTHM	Sinus Rhythm	An electrocardiographic finding of an atrial rhythm which originates from the sinoatrial node that is considered normal for the population.	Sinus Rhythm
C111104	SINUS TACHYCARDIA	Sinus tachycardia	An electrocardiographic finding of abnormally rapid heart rate with its origin in the sinus node. Thresholds for different age, gender, and patient populations exist.	Sinus Tachycardia by ECG Finding
C41330	ST DEPRESSION	ST depression	An electrocardiographic finding of ST segment depression below the baseline, often described as up sloping, down sloping or horizontal. (NCI)	ST Segment Depression by ECG Finding
C50540	ST ELEVATION	ST elevation	An electrocardiographic finding of ST segment elevation above the baseline. (NCI)	ST Segment Elevation by ECG Finding
C71029	ST ELEVATION PERICARDITIS	ST elevation pericarditis	An electrocardiographic finding of ST elevation which is concave upwards, and which is often accompanied by PR segment depression.	ST Elevation Pericarditis by ECG Finding
C119252	SUPRAVENTRICULAR COUPLET		An electrocardiographic finding in which two premature atrial complexes occur sequentially.	Supraventricular Couplet by ECG Finding
C135395	SUPRAVENTRICULAR ESCAPE BEAT	Supraventricular Escape Complex;Supraventricular Escape Complexes	An electrocardiographic finding of a compensatory supraventricular complex that occurs following a prolonged RR interval.	Supraventricular Escape Beat by ECG Finding
C142246	SUPRAVENTRICULAR PREMATURE COMPLEX, ORIGIN UNKNOWN	Supraventricular Premature Complexes, Origin Unknown	An electrocardiographic finding of an ectopic impulse originating from the atria or AV junction for which the site of origin cannot be determined from the surface electrocardiographic recording; there may be one or more occurrences during an electrocardiographic recording.	Supraventricular Premature Complex With Unknown Origin by ECG Finding
C111100	SUPRAVENTRICULAR TACHYCARDIA	Supraventricular tachycardia	An electrocardiographic finding of a tachycardia which does not originate in the ventricles or His Purkinje system. There is an abnormally high heart rate and QRS complexes are typically narrow, but aberration or preexcitation may be present.	Supraventricular Tachycardia by ECG Finding

<b>C71150 EGSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114173	SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES NO REVERSAL		An electrocardiographic recording in which an interchange of one or more limb lead electrodes is suspected, but for which an interpretation is performed as though the lead placement is correct.	Suspicion of Limb Electrodes Reversal But Interpretation Assumes No Reversal by ECG Finding
C114174	SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES REVERSAL		An electrocardiographic recording in which an interchange of one or more limb lead electrodes is suspected, and for which an interpretation is performed as though the leads have in fact been interchanged.	Suspicion of Limb Electrodes Reversal But Interpretation Assumes Reversal by ECG Finding
C71052	SUSTAINED VENTRICULAR TACHYCARDIA	Sustained ventricular tachycardia	An electrocardiographic finding of ventricular tachycardia greater than 30 seconds in duration. (NCI)	Sustained Ventricular Tachycardia by ECG Finding
C102718	T WAVE ALTERNANS	T Wave Alternans	An electrocardiographic finding in which there are variations in the shape, amplitude, or direction of the T wave from one beat to the next.	T Wave Alternans by ECG Finding
C71085	T WAVE INVERSION	T Wave Inversion	An electrocardiographic finding of an inversion of the T wave from the expected axis. (NCI)	T Wave Inversion by ECG Finding
C71086	T WAVE PEAKED	T wave peaked	An electrocardiographic finding in which the T wave appears increased in amplitude and cresting at a point. (NCI)	T Wave Peaked by ECG Finding
C71087	T WAVES BIPHASIC	T waves biphasic	An electrocardiographic finding of a T wave with both positive and negative components.	T Waves Biphasic by ECG Finding
C71088	T WAVES FLAT	T waves flat	An electrocardiographic finding in which the T wave appears decreased in amplitude. (NCI)	T Waves Flat by ECG Finding
C111121	TACHYCARDIA	Tachycardia	An electrocardiographic finding of abnormally rapid heart rate. Thresholds for different age, gender, and patient populations exist.	Tachycardia by ECG Finding
C50779	TORSADES DE POINTES	Torsades de pointes;Ventricular tachycardia, torsades de pointes	An electrocardiographic finding of an atypical rapid polymorphic ventricular tachycardia with a characteristic rotation of the QRS complex around the isoelectric baseline, occurring in the setting of a prolonged QT interval. In addition, the QRS complex displays a periodic waxing and waning of amplitude on the electrogram.	Torsades De Pointes by ECG Finding
C106579	U WAVE ABNORMALITY	Abnormal U Wave	An electrocardiographic finding of U waves which have increased amplitude, are inverted, or merged with the preceding T wave.	U Wave Abnormality by ECG Finding
C114170	UNABLE TO DIGITIZE ECG LEADS		A statement indicating the inability to digitize a paper ECG.	Inability to Digitize ECG Leads
C116131	UNDETERMINED RHYTHM		An electrocardiographic finding of a cardiac rhythm whose mechanism cannot be determined from the ECG.	Undetermined Rhythm by ECG Finding
C120607	UNDETERMINED SUPRAVENTRICULAR RHYTHM		An electrocardiographic finding of a rhythm which does not originate in the ventricles or His Purkinje system, but whose specific electrophysiologic mechanism cannot be determined from the ECG. The QRS complexes are typically narrow, but aberration or preexcitation may be present.	Undetermined Supraventricular Rhythm by ECG Finding
C71054	VENTRICULAR BIGEMINY	Bigeminy	An electrocardiographic finding of a normal QRS complex followed by a premature ventricular complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal QRS complexes in a 1-1 ratio.	Ventricular Bigeminy by ECG Finding
C62259	VENTRICULAR COUPLET	Ventricular Couplets;Ventricular Pair	An electrocardiographic finding in which two premature ventricular complexes occur sequentially; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Couplet by ECG Finding
C90483	VENTRICULAR ESCAPE BEAT	Ventricular Escape Beats;Ventricular Escape Complex;Ventricular Escape Complexes	An electrocardiographic finding of a compensatory ventricular complex that occurs following a prolonged RR interval; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Escape Beat by ECG Finding
C111102	VENTRICULAR FIBRILLATION	Ventricular fibrillation	An electrocardiographic finding of a rapid grossly irregular ventricular rhythm with marked variability in QRS cycle length, morphology, and amplitude. The rate is typically greater than 300 bpm.	Ventricular Fibrillation by ECG Finding

**C71150 EGSTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111115	VENTRICULAR FLUTTER	Ventricular flutter	A ventricular tachyarrhythmia characterized by a high ventricular rate (180 to 250 beats per minute) with a regular rhythm. The electrocardiogram shows large oscillating sine wave-like complexes occurring as a result of QRS complexes and T waves being merged. The P wave is not visible. (NCI)	Ventricular Flutter by ECG Finding
C102728	VENTRICULAR PARASYSTOLE	Parasystole;Ventricular Parasystole	An electrocardiographic finding of normal sinus rhythm coexisting with a regular ectopic ventricular rhythm.	Ventricular Parasystole by ECG Finding
C111103	VENTRICULAR TACHYCARDIA	Ventricular tachycardia	An electrocardiographic finding of three or more consecutive complexes of ventricular origin with a rate greater than a certain threshold (100 or 120 beats per minute are commonly used). The QRS complexes are wide and have an abnormal morphology.	Ventricular Tachycardia by ECG Finding
C62234	VENTRICULAR TACHYCARDIA, MONOMORPHIC	Ventricular tachycardia, monomorphic	An electrocardiographic finding of a ventricular tachycardia in which the QRS complexes have a uniform morphology.	Monomorphic Ventricular Tachycardia by ECG Finding
C62236	VENTRICULAR TACHYCARDIA, POLYMORPHIC	Ventricular tachycardia, polymorphic;Ventricular tachycardia, polymorphous	An electrocardiographic finding of a ventricular tachycardia in which the QRS complexes have a variable morphology and often rate.	Polymorphic Ventricular Tachycardia by ECG Finding
C71055	VENTRICULAR TRIGEMINY	Trigeminy	An electrocardiographic finding of two normal QRS complexes followed by a premature ventricular complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal QRS complexes in a 2-1 ratio.	Ventricular Trigeminy by ECG Finding
C130067	VOLTAGE CRITERIA SUGGESTING LEFT VENTRICULAR HYPERTROPHY, WITHOUT SECONDARY ECG FINDINGS		An electrocardiographic finding of large QRS amplitudes which may indicate left ventricular hypertrophy, but in the absence of any of the secondary findings which are typical of this diagnosis (left atrial enlargement, left axis deviation, or typical pattern of ST depression and T wave inversion).	Voltage Criteria Suggesting Left Ventricular Hypertrophy, Without Secondary ECG Findings
C62240	WANDERING ATRIAL PACEMAKER	Wandering atrial pacemaker	An electrocardiographic finding of a supraventricular arrhythmia characterized by 3 or more distinct P wave morphologies with an isoelectric baseline, variable PR intervals and no predominant atrial rhythm. The ventricular rate is typically below 100 beats per minute.	Wandering Atrial Pacemaker by ECG Finding
C71090	WIDE QRS TACHYCARDIA	Wide QRS tachycardia;Wide-QRS tachycardia	An electrocardiographic finding of three or more consecutive wide QRS complexes of uncertain origin with a rate greater than a certain threshold (100 or 120 beats per minute are commonly used).	Wide QRS Tachycardia by ECG Finding
C35132	WOLFF-PARKINSON-WHITE SYNDROME	WPW;Wolff-Parkinson-White syndrome	An electrocardiographic finding of ventricular pre-excitation. The syndrome is characterized by a short PR interval and a long QRS interval with a delta wave.	Wolff-Parkinson-White Syndrome



## EGTEST (ECG Test Name)

NCI Code: C71152, Codelist extensible: Yes

C71152 EGTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C116140	Acute Myocardial Ischemia ECG Change	Acute Myocardial Ischemia ECG Change	An electrocardiographic finding assessment of new or presumed new significant ST-segment-T wave (ST-T) changes or new left bundle branch block consistent with acute myocardial ischemia. (Thygesen K, Alpert JS, Jaffe AS, Simoons ML, et al.; Joint ESC/ACCF/AHA/WHF Task Force for Universal Definition of Myocardial Infarction. Third universal definition of myocardial infarction. J Am Coll Cardiol. 2012 Oct 16;60(16):1581-98).	Acute Myocardial Ischemia by ECG Assessment
C111131	Atrioventricular Conduction	Atrioventricular Conduction	An electrocardiographic assessment of cardiac atrioventricular conduction.	Atrioventricular Conduction ECG Assessment
C111132	Axis and Voltage	Axis and Voltage	An electrocardiographic assessment of mean cardiac electrical vector and the ECG voltage.	Axis and Voltage ECG Assessment
C111155	Chamber Hypertrophy or Enlargement	Chamber Hypertrophy or Enlargement	An electrocardiographic assessment of chamber hypertrophy or enlargement.	Chamber Hypertrophy or Enlargement ECG Assessment
C117761	Comparison to a Prior ECG	Comparison to a Prior ECG	A comparative interpretation of an ECG relative to a previous (comparator) ECG. The definition of the comparator ECG may be specified elsewhere. Common comparator result values include improved, no change, deteriorated.	Comparison to a Prior ECG
C119253	ECG Maximum Atrial Rate	ECG Maximum Atrial Rate	An electrocardiographic measurement of the maximum rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Maximum Atrial Rate by Electrocardiogram
C119257	ECG Maximum Heart Rate	ECG Maximum Heart Rate	An electrocardiographic measurement of the maximum rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the maximum ventricular rate.	Maximum Heart Rate by Electrocardiogram
C119260	ECG Maximum Ventricular Rate	ECG Maximum Ventricular Rate	An electrocardiographic measurement of the maximum rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Maximum Ventricular Rate by Electrocardiogram
C119256	ECG Mean Atrial Rate	ECG Mean Atrial Rate	An electrocardiographic measurement of the average rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Mean Atrial Rate by Electrocardiogram
C119259	ECG Mean Heart Rate	ECG Mean Heart Rate	An electrocardiographic measurement of the average rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the mean ventricular rate.	Mean Heart Rate by Electrocardiogram
C119263	ECG Mean Ventricular Rate	ECG Mean Ventricular Rate	An electrocardiographic measurement of the average rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Mean Ventricular Rate by Electrocardiogram
C119254	ECG Median Atrial Rate	ECG Median Atrial Rate	An electrocardiographic measurement of the median rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Median Atrial Rate by Electrocardiogram
C123447	ECG Median Heart Rate	ECG Median Heart Rate	An electrocardiographic measurement of the median rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the median ventricular rate.	ECG Median Heart Rate
C119261	ECG Median Ventricular Rate	ECG Median Ventricular Rate	An electrocardiographic measurement of the median rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Median Ventricular Rate by Electrocardiogram
C119255	ECG Minimum Atrial Rate	ECG Minimum Atrial Rate	An electrocardiographic measurement of the minimum rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Minimum Atrial Rate by Electrocardiogram

<b>C71152 EGTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119258	ECG Minimum Heart Rate	ECG Minimum Heart Rate	An electrocardiographic measurement of the minimum rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the minimum ventricular rate.	Minimum Heart Rate by Electrocardiogram
C119262	ECG Minimum Ventricular Rate	ECG Minimum Ventricular Rate	An electrocardiographic measurement of the minimum rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Minimum Ventricular Rate by Electrocardiogram
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C111238	Intraventricular-Intraatrial Conduction	Intraventricular-Intraatrial Conduction	An electrocardiographic assessment of intraventricular and intra-atrial conduction.	Intraventricular and Intraatrial Conduction ECG Assessment
C117767	J-Tpeak Interval, Aggregate	J-Tpeak Interval, Aggregate	An aggregate J-Tpeak value based on the measurement of J-Tpeak intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate J-T Peak Interval
C117768	J-Tpeak Interval, Single Beat	J-Tpeak Interval, Single Beat	An electrocardiographic interval measured from the J point to the peak of the T wave of a single beat utilizing one or more leads.	Single Beat J-T Peak Interval
C117762	JT Interval, Aggregate	JT Interval, Aggregate	An aggregate JT value based on the measurement of JT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JT Interval
C117769	JT Interval, Single Beat	JT Interval, Single Beat	An electrocardiographic interval measured from the J point to the offset of the T wave of a single beat utilizing one or more leads.	Single Beat JT Interval
C117763	JTcB Interval, Aggregate	JTcB Interval, Aggregate	A JT aggregate interval that is corrected for heart rate using Bazett's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JTcB Interval
C117764	JTcB Interval, Single Beat	JTcB Interval, Single Beat	A JT single beat interval that is corrected for heart rate using Bazett's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat JTcB Interval
C117765	JTcF Interval, Aggregate	JTcF Interval, Aggregate	A JT aggregate interval that is corrected for heart rate using Fridericia's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JTcF Interval
C117766	JTcF Interval, Single Beat	JTcF Interval, Single Beat	A JT single beat interval that is corrected for heart rate using Fridericia's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat JTcF Interval
C111280	Myocardial Infarction	Myocardial Infarction	An electrocardiographic assessment of findings suggestive of myocardial infarction.	Myocardial Infarction ECG Assessment
C117770	New Q Wave	New Q Wave	An electrocardiographic finding assessment of new or presumed new pathologic Q waves suggestive of myocardial infarction. (Thygesen K, Alpert JS, Jaffe AS, Simoons ML, et al.; Joint ESC/ACCF/AHA/WHF Task Force for Universal Definition of Myocardial Infarction. Third universal definition of myocardial infarction. J Am Coll Cardiol. 2012 Oct 16;60(16):1581-98).	New Q Wave
C117777	P Wave Amplitude, Aggregate	P Wave Amplitude, Aggregate	An aggregate P wave amplitude value based on the measurement of P wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate P Wave Amplitude

**C71152 EGTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117778	P Wave Amplitude, Single Beat	P Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the P wave measured from the isoelectric baseline to the peak of the P wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	Single Beat P Wave Amplitude
C118164	P Wave Axis	P Wave Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the P wave from the isoelectric baseline, usually reported for the frontal plane.	P Wave Axis
C117775	P Wave Duration, Aggregate	P Wave Duration, Aggregate	An aggregate P wave duration value based on the measurement of P wave duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate P Wave Duration
C117776	P Wave Duration, Single Beat	P Wave Duration, Single Beat	An electrocardiographic interval measured from the onset of the P wave to the offset of the P wave of a single beat utilizing one or more leads.	Single Beat P Wave Duration
C111285	Pacemaker	Pacemaker	An electrocardiographic assessment of presence of artificial electronic pacing.	Pacemaker ECG Assessment
C117771	PP Interval, Aggregate	PP Interval, Aggregate	An aggregate PP value based on the measurement of PP intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate PP Interval
C117772	PP Interval, Single Measurement	PP Interval, Single Measurement	An electrocardiographic measurement of the interval between the onsets of two consecutive P waves.	Single Measurement PP Interval
C117773	PR Interval, Aggregate	PR Interval, Aggregate	An aggregate PR value based on the measurement of PR intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate PR Interval
C117774	PR Interval, Single Beat	PR Interval, Single Beat	An electrocardiographic interval measured from the onset of the P wave to the onset of the QRS complex of a single beat utilizing one or more leads.	Single Beat PR Interval
C117789	Q Wave Amplitude, Aggregate	Q Wave Amplitude, Aggregate	An aggregate Q wave amplitude value based on the measurement of Q wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate Q Wave Amplitude
C117790	Q Wave Amplitude, Single Beat	Q Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the Q wave measured from the isoelectric baseline to the peak of the Q wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	Single Beat Q Wave Amplitude
C118165	QRS Axis	QRS Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the QRS complex from the isoelectric baseline, usually reported for the frontal plane.	QRS Axis
C117779	QRS Duration, Aggregate	QRS Duration, Aggregate	An aggregate QRS value based on the measurement of QRS intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QRS Duration
C117780	QRS Duration, Single Beat	QRS Duration, Single Beat	An electrocardiographic interval measured from the onset of the QRS complex to the offset of the QRS complex of a single beat utilizing one or more leads.	Single Beat QRS Duration
C117781	QRS Duration, Ventr. Paced, Aggregate	QRS Duration, Ventr. Paced, Aggregate	An aggregate paced QRS duration value based on the measurement of paced QRS duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Paced Ventricular Aggregate QRS Duration
C117782	QRS Duration, Ventr. Paced, Single Beat	QRS Duration, Ventr. Paced, Single Beat	An electrocardiographic interval measured from the onset of the paced QRS complex to the offset of the QRS complex of a single beat utilizing one or more leads.	Paced Ventricular Single Beat QRS Duration
C117783	QT Interval, Aggregate	QT Interval, Aggregate	An aggregate QT value based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QT Interval

<b>C71152 EGTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117788	QT Interval, Single Beat	QT Interval, Single Beat	An electrocardiographic interval measured from the onset of the QRS complex to the offset of the T wave of a single beat utilizing one or more leads.	Single Beat QT Interval
C100391	QTc Correction Method Unspecified	QTc Correction Method Unspecified	A QT interval that is corrected for heart rate by unspecified correction method.	Corrected QT Interval
C124332	QTca Interval, Aggregate	QTca Interval, Aggregate	A QT Aggregate interval that is corrected for heart rate using individual probabilistic QT/RR slopes for each subject, based on the measurement of QT intervals from multiple beats within a single ECG or period of a continuous ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTca Interval
C124333	QTca Interval, Single Beat	QTca Interval, Single Beat	A QT interval that is corrected for heart rate using individual probabilistic QT/RR slopes for each subject, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTca Interval
C117784	QTcB Interval, Aggregate	QTcB Interval, Aggregate	A QT aggregate interval that is corrected for heart rate using Bazett's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTcB Interval
C117785	QTcB Interval, Single Beat	QTcB Interval, Single Beat	A QT single beat interval that is corrected for heart rate using Bazett's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTcB Interval
C117786	QTcF Interval, Aggregate	QTcF Interval, Aggregate	A QT aggregate interval that is corrected for heart rate using Fridericia's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTcF Interval
C117787	QTcF Interval, Single Beat	QTcF Interval, Single Beat	A QT single beat interval that is corrected for heart rate using Fridericia's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTcF Interval
C123448	QTcL Interval, Aggregate	QTcL Interval, Aggregate	A QT aggregate interval corrected for heart rate using a linear correction formula.	Aggregate QTcL Interval
C123449	QTcL Interval, Single Beat	QTcL Interval, Single Beat	A QT single beat interval corrected for heart rate using a linear correction formula.	Single Beat QTcL Interval
C123450	QTcV Interval, Aggregate	QTcV Interval, Aggregate	A QT aggregate interval corrected for heart rate using the Van der Water's correction formula.	Aggregate QTcV Interval
C123451	QTcV Interval, Single Beat	QTcV Interval, Single Beat	A QT single beat interval corrected for heart rate using the Van der Water's correction formula.	Single Beat QTcV Interval
C117795	R Wave Amplitude, Aggregate	R Wave Amplitude, Aggregate	An aggregate R wave amplitude value based on the measurement of R wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	R Wave Amplitude Aggregate
C117796	R Wave Amplitude, Single Beat	R Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the R wave measured from the isoelectric baseline to the peak of the R wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	R Wave Amplitude Single Beat
C111307	Rhythm Not Otherwise Specified	Rhythm Not Otherwise Specified	An electrocardiographic assessment of cardiac rhythm not otherwise specified.	Rhythm Not Otherwise Specified ECG Assessment
C117791	RR Interval, Aggregate	RR Interval, Aggregate	An aggregate RR value based on the measurement of RR intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate RR Interval
C117792	RR Interval, Single Measurement	RR Interval, Single Measurement	An electrocardiographic measurement of the interval between two consecutive R waves. If R waves are not present, this measurement may utilize the interval between the most easily identified components of the QRS complex within two consecutive beats.	RR Interval Single Measurement

<b>C71152 EGTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117793	RS Wave Amplitude, Aggregate	RS Wave Amplitude, Aggregate	An aggregate RS wave amplitude value based on measurements from multiple beats from a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	RS Wave Amplitude Aggregate
C117794	RS Wave Amplitude, Single Beat	RS Wave Amplitude, Single Beat	An electrocardiographic measurement of the sum of the amplitudes of the R and S waves, obtained from a single beat in one particular lead or set of leads.	RS Wave Amplitude Single Beat
C117805	S Wave Amplitude, Aggregate	S Wave Amplitude, Aggregate	An aggregate S wave amplitude value based on the measurement of S wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	S Wave Amplitude Aggregate
C117806	S Wave Amplitude, Single Beat	S Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the S wave measured from the isoelectric baseline to the peak of the S wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	S Wave Amplitude Single Beat
C120608	Single RR Heart Rate	Single RR Heart Rate	An electrocardiographic measurement of a heart rate derived from a single RR interval (interval between two consecutive QRS complexes).	Single Beat RR Extrapolated Heart Rate by ECG Assessment
C111312	Sinus Node Rhythms and Arrhythmias	Sinus Node Rhythms and Arrhythmias	An electrocardiographic assessment of sinus node rhythms and arrhythmias.	Sinus Node Rhythm and Arrhythmia ECG Assessment
C117797	ST Segment Depression, Aggregate	ST Segment Depression, Aggregate	An aggregate ST segment depression value based on the measurement of ST segment depression from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Depression Aggregate
C117798	ST Segment Depression, Single Beat	ST Segment Depression, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment depression below the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Depression Single Beat
C117799	ST Segment Deviation, Aggregate	ST Segment Deviation, Aggregate	An aggregate ST segment deviation value based on the measurement of ST segment deviation from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Deviation Aggregate
C117800	ST Segment Deviation, Single Beat	ST Segment Deviation, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment deviation above or below the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Deviation Single Beat
C117803	ST Segment Duration, Aggregate	ST Segment Duration, Aggregate	An aggregate ST segment duration value based on the measurement of ST segment duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Duration Aggregate
C117804	ST Segment Duration, Single Beat	ST Segment Duration, Single Beat	An electrocardiographic interval measured from the J point to the onset of the T wave of a single beat utilizing one or more leads.	ST Segment Duration Single Beat
C117801	ST Segment Elevation, Aggregate	ST Segment Elevation, Aggregate	An aggregate ST segment elevation value based on the measurement of ST segment elevation from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Elevation Aggregate
C117802	ST Segment Elevation, Single Beat	ST Segment Elevation, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment elevation above the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Elevation Single Beat
C111363	ST Segment, T wave, and U wave	ST Segment, T wave, and U wave	An electrocardiographic assessment of the characteristics of the ST segment, T wave, and U wave.	ST Segment, T wave, and U wave ECG Assessment

C71152 EGTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C62117	Summary (Max) JT Interval	Summary (Max) JT Interval	The maximum duration (time) of the JT interval, obtained from a set of measurements of the JT interval. The JT interval is defined as the time from the J point (end of ventricular depolarization, the point at which the QRS meets the ST segment) to the end of the T wave (representing the end of ventricular repolarization). (NCI)	Maximum JT Duration
C62131	Summary (Max) PR Duration	Summary (Max) PR Duration	The maximum duration (time) of the PR interval, obtained from a set of measurements of the PR interval. The PR interval is defined as the time from the beginning of the P wave (representing the onset of atrial depolarization) to the beginning of the R wave (representing the onset of ventricular depolarization). In some cases, a Q wave will precede the R wave, in which case the PR interval is measured from the beginning of the P wave to the beginning of the Q wave. (NCI)	Maximum PR Duration
C62135	Summary (Max) QT Duration	Summary (Max) QT Duration	The maximum duration (time) of the QT interval, obtained from a set of measurements of the QT interval. The QT interval is defined as the time from the beginning of the QRS complex to the end of the T wave, representing the time it takes for the ventricles to depolarize and subsequently repolarize. In some cases, the Q wave will be absent, in which case the QT interval is measured from the beginning of the R wave to the end of the T wave. (NCI)	Maximum QT Duration
C62094	Summary (Max) RR Duration	Summary (Max) RR Duration	The maximum duration (time) between successive peaks of R waves in a particular set of RR intervals. (NCI)	Maximum RR Duration
C62163	Summary (Max) ST Depression	Summary (Max) ST Depression	The maximum depression (negative deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the depression of the ST segment. (NCI)	Maximum ST Segment Depression by ECG Finding
C62157	Summary (Max) ST Deviation	Summary (Max) ST Deviation	The maximum deviation (distance from baseline, positive or negative, usually measured in mm) of the ST segment, obtained from a set of measurements of the deviation of the ST segment. (NCI)	Maximum ST Deviation
C62160	Summary (Max) ST Elevation	Summary (Max) ST Elevation	The maximum elevation (positive deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the elevation of the ST segment. (NCI)	Maximum ST Segment Elevation
C62116	Summary (Min) JT Interval	Summary (Min) JT Interval	The minimum duration (time) of the JT interval, obtained from a set of measurements of the JT interval. The JT interval is defined as the time from the J point (end of ventricular depolarization, the point at which the QRS meets the ST segment) to the end of the T wave (representing the end of ventricular repolarization). (NCI)	Minimum JT Duration
C62125	Summary (Min) PR Duration	Summary (Min) PR Duration	The minimum duration (time) of the PR interval, obtained from a set of measurements of the PR interval. The PR interval is defined as the time from the beginning of the P wave (representing the onset of atrial depolarization) to the beginning of the R wave (representing the onset of ventricular depolarization). In some cases, a Q wave will precede the R wave, in which case the PR interval is measured from the beginning of the P wave to the beginning of the Q wave. (NCI)	Minimum PR Duration
C62133	Summary (Min) QT Duration	Summary (Min) QT Duration	The minimum duration (time) of the QT interval, obtained from a set of measurements of the QT interval. The QT interval is defined as the time from the beginning of the QRS complex to the end of the T wave, representing the time it takes for the ventricles to depolarize and subsequently repolarize. In some cases, the Q wave will be absent, in which case the QT interval is measured from the beginning of the R wave to the end of the T wave. (NCI)	Minimum QT Duration
C62093	Summary (Min) RR Duration	Summary (Min) RR Duration	The minimum duration (time) between successive peaks of R waves in a particular set of RR intervals. (NCI)	Minimum RR Duration
C62162	Summary (Min) ST Depression	Summary (Min) ST Depression	The minimum depression (negative deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the depression of the ST segment. (NCI)	Minimum ST Segment Depression by ECG Finding
C62156	Summary (Min) ST Deviation	Summary (Min) ST Deviation	The minimum deviation (distance from baseline, positive or negative, usually measured in mm) of the ST segment, obtained from a set of measurements of the deviation of the ST segment. (NCI)	Minimum ST Deviation

**C71152 EGTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62159	Summary (Min) ST Elevation	Summary (Min) ST Elevation	The minimum elevation (positive deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the elevation of the ST segment. (NCI)	Minimum ST Segment Elevation
C111320	Supraventricular Arrhythmias	Supraventricular Arrhythmias	An electrocardiographic assessment of supraventricular arrhythmias excluding tachycardias.	Supraventricular Arrhythmia ECG Assessment
C111321	Supraventricular Tachyarrhythmias	Supraventricular Tachyarrhythmias	An electrocardiographic assessment of supraventricular tachyarrhythmias.	Supraventricular Tachyarrhythmia ECG Assessment
C117814	T Wave Amplitude, Aggregate	T Wave Amplitude, Aggregate	An aggregate T wave amplitude value based on the measurement of T wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Amplitude Aggregate
C117815	T Wave Amplitude, Single Beat	T Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the T wave measured from the isoelectric baseline to the peak of the T wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	T Wave Amplitude Single Beat
C117810	T Wave Area, Aggregate	T Wave Area, Aggregate	An aggregate T wave area value based on the measurement of T wave areas from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Area Aggregate
C117811	T Wave Area, Single Beat	T Wave Area, Single Beat	An electrocardiographic measurement of the area of the T wave of a single beat utilizing one or more leads.	T Wave Area Single Beat
C118166	T Wave Axis	T Wave Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the T wave from the isoelectric baseline, usually reported for the frontal plane.	T Wave Axis
C117812	T Wave Duration, Aggregate	T Wave Duration, Aggregate	An aggregate T wave duration value based on the measurement of T wave duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Duration Aggregate
C117813	T Wave Duration, Single Beat	T Wave Duration, Single Beat	An electrocardiographic interval measured from the onset of the T wave to the offset of the T wave of a single beat utilizing one or more leads.	T Wave Duration Single Beat
C117807	Technical Quality	Technical Quality	A statement about an electrocardiographic recording describing technical issues or interference during the recording, processing, or transmission of the data. This does not represent an electrocardiographic diagnosis.	ECG Technical Quality
C117808	Tpeak-Tend Interval, Aggregate	Tpeak-Tend Interval, Aggregate	An aggregate Tpeak-Tend value based on the measurement of Tpeak-Tend from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Peak-T End Interval Aggregate
C117809	Tpeak-Tend Interval, Single Beat	Tpeak-Tend Interval, Single Beat	An electrocardiographic interval measured from the peak of the T wave to the offset of the T wave of a single beat utilizing one or more leads.	T Peak-T End Interval Single Beat
C111330	Ventricular Arrhythmias	Ventricular Arrhythmias	An electrocardiographic assessment of ventricular arrhythmias excluding tachycardias.	Ventricular Arrhythmia ECG Assessment
C111331	Ventricular Tachyarrhythmias	Ventricular Tachyarrhythmias	An electrocardiographic assessment of ventricular tachyarrhythmias.	Ventricular Tachyarrhythmia ECG Assessment

## EGTESTCD (ECG Test Code)

NCI Code: C71153, Codelist extensible: Yes

C71153 EGTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C116140	AMIEGCHG	Acute Myocardial Ischemia ECG Change	An electrocardiographic finding assessment of new or presumed new significant ST-segment-T wave (ST-T) changes or new left bundle branch block consistent with acute myocardial ischemia. (Thygesen K, Alpert JS, Jaffe AS, Simoons ML, et al.; Joint ESC/ACCF/AHA/WHF Task Force for Universal Definition of Myocardial Infarction. Third universal definition of myocardial infarction. J Am Coll Cardiol. 2012 Oct 16;60(16):1581-98).	Acute Myocardial Ischemia by ECG Assessment
C111131	AVCOND	Atrioventricular Conduction	An electrocardiographic assessment of cardiac atrioventricular conduction.	Atrioventricular Conduction ECG Assessment
C111132	AXISVOLT	Axis and Voltage	An electrocardiographic assessment of mean cardiac electrical vector and the ECG voltage.	Axis and Voltage ECG Assessment
C111155	CHYPTENL	Chamber Hypertrophy or Enlargement	An electrocardiographic assessment of chamber hypertrophy or enlargement.	Chamber Hypertrophy or Enlargement ECG Assessment
C119253	EGARMAX	ECG Maximum Atrial Rate	An electrocardiographic measurement of the maximum rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Maximum Atrial Rate by Electrocardiogram
C119254	EGARMED	ECG Median Atrial Rate	An electrocardiographic measurement of the median rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Median Atrial Rate by Electrocardiogram
C119255	EGARMIN	ECG Minimum Atrial Rate	An electrocardiographic measurement of the minimum rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Minimum Atrial Rate by Electrocardiogram
C119256	EGARMN	ECG Mean Atrial Rate	An electrocardiographic measurement of the average rate of atrial depolarizations (P waves) recorded during an interval of time, usually expressed in beats per minute.	Mean Atrial Rate by Electrocardiogram
C117761	EGCOMP	Comparison to a Prior ECG	A comparative interpretation of an ECG relative to a previous (comparator) ECG. The definition of the comparator ECG may be specified elsewhere. Common comparator result values include improved, no change, deteriorated.	Comparison to a Prior ECG
C119257	EGHRMAX	ECG Maximum Heart Rate	An electrocardiographic measurement of the maximum rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the maximum ventricular rate.	Maximum Heart Rate by Electrocardiogram
C123447	EGHRMED	ECG Median Heart Rate	An electrocardiographic measurement of the median rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the median ventricular rate.	ECG Median Heart Rate
C119258	EGHRMIN	ECG Minimum Heart Rate	An electrocardiographic measurement of the minimum rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the minimum ventricular rate.	Minimum Heart Rate by Electrocardiogram
C119259	EGHRMN	ECG Mean Heart Rate	An electrocardiographic measurement of the average rate of depolarization of a specific region of the heart during an interval of time, usually expressed in beats per minute. Unless otherwise specified, this is usually the mean ventricular rate.	Mean Heart Rate by Electrocardiogram
C120608	EGHRSI	Single RR Heart Rate	An electrocardiographic measurement of a heart rate derived from a single RR interval (interval between two consecutive QRS complexes).	Single Beat RR Extrapolated Heart Rate by ECG Assessment
C119260	EGVRMAX	ECG Maximum Ventricular Rate	An electrocardiographic measurement of the maximum rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Maximum Ventricular Rate by Electrocardiogram



<b>C71153 EGTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119261	EGVRMED	ECG Median Ventricular Rate	An electrocardiographic measurement of the median rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Median Ventricular Rate by Electrocardiogram
C119262	EGVRMIN	ECG Minimum Ventricular Rate	An electrocardiographic measurement of the minimum rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Minimum Ventricular Rate by Electrocardiogram
C119263	EGVRMN	ECG Mean Ventricular Rate	An electrocardiographic measurement of the average rate of ventricular depolarizations (QRS complexes) recorded during an interval of time, usually expressed in beats per minute.	Mean Ventricular Rate by Electrocardiogram
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C111238	IVTIACD	Intraventricular-Intraatrial Conduction	An electrocardiographic assessment of intraventricular and intra-atrial conduction.	Intraventricular and Intraatrial Conduction ECG Assessment
C117762	JTAG	JT Interval, Aggregate	An aggregate JT value based on the measurement of JT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JT Interval
C117763	JTCBAG	JTcB Interval, Aggregate	A JT aggregate interval that is corrected for heart rate using Bazett's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JTCB Interval
C117764	JTCBSB	JTcB Interval, Single Beat	A JT single beat interval that is corrected for heart rate using Bazett's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat JTCB Interval
C117765	JTCFAG	JTcF Interval, Aggregate	A JT aggregate interval that is corrected for heart rate using Fridericia's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate JTCF Interval
C117766	JTCFSB	JTcF Interval, Single Beat	A JT single beat interval that is corrected for heart rate using Fridericia's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat JTCF Interval
C62117	JTMAX	Summary (Max) JT Interval	The maximum duration (time) of the JT interval, obtained from a set of measurements of the JT interval. The JT interval is defined as the time from the J point (end of ventricular depolarization, the point at which the QRS meets the ST segment) to the end of the T wave (representing the end of ventricular repolarization). (NCI)	Maximum JT Duration
C62116	JTMIN	Summary (Min) JT Interval	The minimum duration (time) of the JT interval, obtained from a set of measurements of the JT interval. The JT interval is defined as the time from the J point (end of ventricular depolarization, the point at which the QRS meets the ST segment) to the end of the T wave (representing the end of ventricular repolarization). (NCI)	Minimum JT Duration
C117767	JTPAG	J-Tpeak Interval, Aggregate	An aggregate J-Tpeak value based on the measurement of J-Tpeak intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate J-T Peak Interval
C117768	JTPSB	J-Tpeak Interval, Single Beat	An electrocardiographic interval measured from the J point to the peak of the T wave of a single beat utilizing one or more leads.	Single Beat J-T Peak Interval
C117769	JTSB	JT Interval, Single Beat	An electrocardiographic interval measured from the J point to the offset of the T wave of a single beat utilizing one or more leads.	Single Beat JT Interval
C111280	MI	Myocardial Infarction	An electrocardiographic assessment of findings suggestive of myocardial infarction.	Myocardial Infarction ECG Assessment

**C71153 EGTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117770	NEWQWAVE	New Q Wave	An electrocardiographic finding assessment of new or presumed new pathologic Q waves suggestive of myocardial infarction. (Thygesen K, Alpert JS, Jaffe AS, Simoons ML, et al.; Joint ESC/ACCF/AHA/WHF Task Force for Universal Definition of Myocardial Infarction. Third universal definition of myocardial infarction. J Am Coll Cardiol. 2012 Oct 16;60(16):1581-98).	New Q Wave
C118164	P_AXIS	P Wave Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the P wave from the isoelectric baseline, usually reported for the frontal plane.	P Wave Axis
C111285	PACEMAKR	Pacemaker	An electrocardiographic assessment of presence of artificial electronic pacing.	Pacemaker ECG Assessment
C117771	PPAG	PP Interval, Aggregate	An aggregate PP value based on the measurement of PP intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate PP Interval
C117772	PPSM	PP Interval, Single Measurement	An electrocardiographic measurement of the interval between the onsets of two consecutive P waves.	Single Measurement PP Interval
C117773	PRAG	PR Interval, Aggregate	An aggregate PR value based on the measurement of PR intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate PR Interval
C62131	PRMAX	Summary (Max) PR Duration	The maximum duration (time) of the PR interval, obtained from a set of measurements of the PR interval. The PR interval is defined as the time from the beginning of the P wave (representing the onset of atrial depolarization) to the beginning of the R wave (representing the onset of ventricular depolarization). In some cases, a Q wave will precede the R wave, in which case the PR interval is measured from the beginning of the P wave to the beginning of the Q wave. (NCI)	Maximum PR Duration
C62125	PRMIN	Summary (Min) PR Duration	The minimum duration (time) of the PR interval, obtained from a set of measurements of the PR interval. The PR interval is defined as the time from the beginning of the P wave (representing the onset of atrial depolarization) to the beginning of the R wave (representing the onset of ventricular depolarization). In some cases, a Q wave will precede the R wave, in which case the PR interval is measured from the beginning of the P wave to the beginning of the Q wave. (NCI)	Minimum PR Duration
C117774	PRSB	PR Interval, Single Beat	An electrocardiographic interval measured from the onset of the P wave to the onset of the QRS complex of a single beat utilizing one or more leads.	Single Beat PR Interval
C117775	PWDURAG	P Wave Duration, Aggregate	An aggregate P wave duration value based on the measurement of P wave duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate P Wave Duration
C117776	PWDURSB	P Wave Duration, Single Beat	An electrocardiographic interval measured from the onset of the P wave to the offset of the P wave of a single beat utilizing one or more leads.	Single Beat P Wave Duration
C117777	PWHTAG	P Wave Amplitude, Aggregate	An aggregate P wave amplitude value based on the measurement of P wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate P Wave Amplitude
C117778	PWHTSB	P Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the P wave measured from the isoelectric baseline to the peak of the P wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	Single Beat P Wave Amplitude
C118165	QRS_AXIS	QRS Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the QRS complex from the isoelectric baseline, usually reported for the frontal plane.	QRS Axis
C117779	QRSAG	QRS Duration, Aggregate	An aggregate QRS value based on the measurement of QRS intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QRS Duration

<b>C71153 EGTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117780	QRSSB	QRS Duration, Single Beat	An electrocardiographic interval measured from the onset of the QRS complex to the offset of the QRS complex of a single beat utilizing one or more leads.	Single Beat QRS Duration
C117781	QRVDVPAG	QRS Duration, Vent. Paced, Aggregate	An aggregate paced QRS duration value based on the measurement of paced QRS duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Paced Ventricular Aggregate QRS Duration
C117782	QRVDVPSB	QRS Duration, Vent. Paced, Single Beat	An electrocardiographic interval measured from the onset of the paced QRS complex to the offset of the QRS complex of a single beat utilizing one or more leads.	Paced Ventricular Single Beat QRS Duration
C117783	QTAG	QT Interval, Aggregate	An aggregate QT value based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QT Interval
C124332	QTCAAG	QTca Interval, Aggregate	A QT Aggregate interval that is corrected for heart rate using individual probabilistic QT/RR slopes for each subject, based on the measurement of QT intervals from multiple beats within a single ECG or period of a continuous ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTca Interval
C124333	QTCASB	QTca Interval, Single Beat	A QT interval that is corrected for heart rate using individual probabilistic QT/RR slopes for each subject, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTca Interval
C117784	QTCBAG	QTcB Interval, Aggregate	A QT aggregate interval that is corrected for heart rate using Bazett's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTcB Interval
C117785	QTCBSB	QTcB Interval, Single Beat	A QT single beat interval that is corrected for heart rate using Bazett's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTcB Interval
C117786	QTCFAG	QTcF Interval, Aggregate	A QT aggregate interval that is corrected for heart rate using Fridericia's formula, based on the measurement of QT intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate QTcF Interval
C117787	QTCFSB	QTcF Interval, Single Beat	A QT single beat interval that is corrected for heart rate using Fridericia's formula, based on a QT interval measured on a single beat utilizing one or more ECG leads.	Single Beat QTcF Interval
C123448	QTCLAG	QTcL Interval, Aggregate	A QT aggregate interval corrected for heart rate using a linear correction formula.	Aggregate QTcL Interval
C123449	QTCLSB	QTcL Interval, Single Beat	A QT single beat interval corrected for heart rate using a linear correction formula.	Single Beat QTcL Interval
C100391	QTCUNS	QTc Correction Method Unspecified	A QT interval that is corrected for heart rate by unspecified correction method.	Corrected QT Interval
C123450	QTCVAG	QTcV Interval, Aggregate	A QT aggregate interval corrected for heart rate using the Van der Water's correction formula.	Aggregate QTcV Interval
C123451	QTCVSB	QTcV Interval, Single Beat	A QT single beat interval corrected for heart rate using the Van der Water's correction formula.	Single Beat QTcV Interval
C62135	QTMAX	Summary (Max) QT Duration	The maximum duration (time) of the QT interval, obtained from a set of measurements of the QT interval. The QT interval is defined as the time from the beginning of the QRS complex to the end of the T wave, representing the time it takes for the ventricles to depolarize and subsequently repolarize. In some cases, the Q wave will be absent, in which case the QT interval is measured from the beginning of the R wave to the end of the T wave. (NCI)	Maximum QT Duration

<b>C71153 EGTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62133	QTMIN	Summary (Min) QT Duration	The minimum duration (time) of the QT interval, obtained from a set of measurements of the QT interval. The QT interval is defined as the time from the beginning of the QRS complex to the end of the T wave, representing the time it takes for the ventricles to depolarize and subsequently repolarize. In some cases, the Q wave will be absent, in which case the QT interval is measured from the beginning of the R wave to the end of the T wave. (NCI)	Minimum QT Duration
C117788	QTSB	QT Interval, Single Beat	An electrocardiographic interval measured from the onset of the QRS complex to the offset of the T wave of a single beat utilizing one or more leads.	Single Beat QT Interval
C117789	QWAAG	Q Wave Amplitude, Aggregate	An aggregate Q wave amplitude value based on the measurement of Q wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate Q Wave Amplitude
C117790	QWASB	Q Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the Q wave measured from the isoelectric baseline to the peak of the Q wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	Single Beat Q Wave Amplitude
C111307	RHYNOS	Rhythm Not Otherwise Specified	An electrocardiographic assessment of cardiac rhythm not otherwise specified.	Rhythm Not Otherwise Specified ECG Assessment
C117791	RRAG	RR Interval, Aggregate	An aggregate RR value based on the measurement of RR intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	Aggregate RR Interval
C62094	RRMAX	Summary (Max) RR Duration	The maximum duration (time) between successive peaks of R waves in a particular set of RR intervals. (NCI)	Maximum RR Duration
C62093	RRMIN	Summary (Min) RR Duration	The minimum duration (time) between successive peaks of R waves in a particular set of RR intervals. (NCI)	Minimum RR Duration
C117792	RRSM	RR Interval, Single Measurement	An electrocardiographic measurement of the interval between two consecutive R waves. If R waves are not present, this measurement may utilize the interval between the most easily identified components of the QRS complex within two consecutive beats.	RR Interval Single Measurement
C117793	RSAAG	RS Wave Amplitude, Aggregate	An aggregate RS wave amplitude value based on measurements from multiple beats from a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	RS Wave Amplitude Aggregate
C117794	RSASB	RS Wave Amplitude, Single Beat	An electrocardiographic measurement of the sum of the amplitudes of the R and S waves, obtained from a single beat in one particular lead or set of leads.	RS Wave Amplitude Single Beat
C117795	RWAAG	R Wave Amplitude, Aggregate	An aggregate R wave amplitude value based on the measurement of R wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	R Wave Amplitude Aggregate
C117796	RWASB	R Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the R wave measured from the isoelectric baseline to the peak of the R wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	R Wave Amplitude Single Beat
C111312	SNRARRY	Sinus Node Rhythms and Arrhythmias	An electrocardiographic assessment of sinus node rhythms and arrhythmias.	Sinus Node Rhythm and Arrhythmia ECG Assessment
C111320	SPRARRY	Supraventricular Arrhythmias	An electrocardiographic assessment of supraventricular arrhythmias excluding tachycardias.	Supraventricular Arrhythmia ECG Assessment
C111321	SPRTARRY	Supraventricular Tachyarrhythmias	An electrocardiographic assessment of supraventricular tachyarrhythmias.	Supraventricular Tachyarrhythmia ECG Assessment

C71153 EGTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117797	STDAG	ST Segment Depression, Aggregate	An aggregate ST segment depression value based on the measurement of ST segment depression from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Depression Aggregate
C62163	STDPMAX	Summary (Max) ST Depression	The maximum depression (negative deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the depression of the ST segment. (NCI)	Maximum ST Segment Depression by ECG Finding
C62162	STDPMIN	Summary (Min) ST Depression	The minimum depression (negative deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the depression of the ST segment. (NCI)	Minimum ST Segment Depression by ECG Finding
C117798	STDSB	ST Segment Depression, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment depression below the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Depression Single Beat
C117799	STDVAG	ST Segment Deviation, Aggregate	An aggregate ST segment deviation value based on the measurement of ST segment deviation from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Deviation Aggregate
C62157	STDVMAX	Summary (Max) ST Deviation	The maximum deviation (distance from baseline, positive or negative, usually measured in mm) of the ST segment, obtained from a set of measurements of the deviation of the ST segment. (NCI)	Maximum ST Deviation
C62156	STDVMIN	Summary (Min) ST Deviation	The minimum deviation (distance from baseline, positive or negative, usually measured in mm) of the ST segment, obtained from a set of measurements of the deviation of the ST segment. (NCI)	Minimum ST Deviation
C117800	STDVSB	ST Segment Deviation, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment deviation above or below the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Deviation Single Beat
C117801	STEAG	ST Segment Elevation, Aggregate	An aggregate ST segment elevation value based on the measurement of ST segment elevation from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Elevation Aggregate
C62160	STELMAX	Summary (Max) ST Elevation	The maximum elevation (positive deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the elevation of the ST segment. (NCI)	Maximum ST Segment Elevation
C62159	STELMIN	Summary (Min) ST Elevation	The minimum elevation (positive deflection from baseline, usually measured in mm) of the ST segment, obtained from a set of measurements of the elevation of the ST segment. (NCI)	Minimum ST Segment Elevation
C117802	STESB	ST Segment Elevation, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the ST segment elevation above the isoelectric baseline measured from the baseline to the ST segment of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	ST Segment Elevation Single Beat
C117803	STSDURAG	ST Segment Duration, Aggregate	An aggregate ST segment duration value based on the measurement of ST segment duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	ST Segment Duration Aggregate
C117804	STSDURSB	ST Segment Duration, Single Beat	An electrocardiographic interval measured from the J point to the onset of the T wave of a single beat utilizing one or more leads.	ST Segment Duration Single Beat
C111363	STSTWUW	ST Segment, T wave, and U wave	An electrocardiographic assessment of the characteristics of the ST segment, T wave, and U wave.	ST Segment, T wave, and U wave ECG Assessment

<b>C71153 EGTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117805	SWAAG	S Wave Amplitude, Aggregate	An aggregate S wave amplitude value based on the measurement of S wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	S Wave Amplitude Aggregate
C117806	SWASB	S Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the S wave measured from the isoelectric baseline to the peak of the S wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	S Wave Amplitude Single Beat
C118166	T_AXIS	T Wave Axis	A numerical representation of the electrocardiographic vector assessed at maximum deviation of the T wave from the isoelectric baseline, usually reported for the frontal plane.	T Wave Axis
C117807	TECHQUAL	Technical Quality	A statement about an electrocardiographic recording describing technical issues or interference during the recording, processing, or transmission of the data. This does not represent an electrocardiographic diagnosis.	ECG Technical Quality
C117808	TPTEAG	Tpeak-Tend Interval, Aggregate	An aggregate Tpeak-Tend value based on the measurement of Tpeak-Tend from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Peak-T End Interval Aggregate
C117809	TPTESB	Tpeak-Tend Interval, Single Beat	An electrocardiographic interval measured from the peak of the T wave to the offset of the T wave of a single beat utilizing one or more leads.	T Peak-T End Interval Single Beat
C117810	TWARAG	T Wave Area, Aggregate	An aggregate T wave area value based on the measurement of T wave areas from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Area Aggregate
C117811	TWARSB	T Wave Area, Single Beat	An electrocardiographic measurement of the area of the T wave of a single beat utilizing one or more leads.	T Wave Area Single Beat
C117812	TWDURAG	T Wave Duration, Aggregate	An aggregate T wave duration value based on the measurement of T wave duration intervals from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Duration Aggregate
C117813	TWDURSB	T Wave Duration, Single Beat	An electrocardiographic interval measured from the onset of the T wave to the offset of the T wave of a single beat utilizing one or more leads.	T Wave Duration Single Beat
C117814	TWHAG	T Wave Amplitude, Aggregate	An aggregate T wave amplitude value based on the measurement of T wave amplitudes from multiple beats within a single ECG. The method of aggregation, which can vary, is typically a measure of central tendency such as the mean.	T Wave Amplitude Aggregate
C117815	TWHSB	T Wave Amplitude, Single Beat	An electrocardiographic measurement of the mean amplitude (usually measured in mV) of the T wave measured from the isoelectric baseline to the peak of the T wave of a single beat utilizing one or more leads. Based on the recording gain, this measurement may also be reported in mm.	T Wave Amplitude Single Beat
C111330	VTARRY	Ventricular Arrhythmias	An electrocardiographic assessment of ventricular arrhythmias excluding tachycardias.	Ventricular Arrhythmia ECG Assessment
C111331	VTTARRY	Ventricular Tachyarrhythmias	An electrocardiographic assessment of ventricular tachyarrhythmias.	Ventricular Tachyarrhythmia ECG Assessment

## EMPSTAT (Employment Status)

NCI Code: C111108, Codelist extensible: Yes

<b>C111108 EMPSTAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C52658	FULL-TIME		Employment involving the standard or customary working time.	Full Time Employment
C75563	NOT EMPLOYED		The state of not having a job.	Unemployment
C75562	PART-TIME		Employment involving less than the standard or customary working time.	Part Time Employment

## EPDS01TC (Edinburgh Postnatal Depression Scale Questionnaire Test Code)

NCI Code: C132521, Codelist extensible: No

C132521 EPDS01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132563	EPDS0101	EPDS01-Able to Laugh and See Funny Side	Edinburgh Postnatal Depression Scale - I have been able to laugh and see the funny side of things.	EPDS - Able to Laugh and See Funny Side
C132564	EPDS0102	EPDS01-Looked Forward With Enjoyment	Edinburgh Postnatal Depression Scale - I have looked forward with enjoyment to things.	EPDS - Looked Forward With Enjoyment
C132565	EPDS0103	EPDS01-Blamed Myself Unnecessarily	Edinburgh Postnatal Depression Scale - I have blamed myself unnecessarily when things went wrong.	EPDS - Blamed Myself Unnecessarily
C132566	EPDS0104	EPDS01-Anxious/Worried No Good Reason	Edinburgh Postnatal Depression Scale - I have been anxious or worried for no good reason.	EPDS - Anxious or Worried No Good Reason
C132567	EPDS0105	EPDS01-Scared/Panicky for No Good Reason	Edinburgh Postnatal Depression Scale - I have felt scared or panicky for no very good reason.	EPDS - Scared or Panicky for No Good Reason
C132568	EPDS0106	EPDS01-Things Getting on Top of Me	Edinburgh Postnatal Depression Scale - Things have been getting on top of me.	EPDS - Things Getting on Top of Me
C132569	EPDS0107	EPDS01-Unhappy Had Difficulty Sleeping	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have had difficulty sleeping.	EPDS - Unhappy Had Difficulty Sleeping
C132570	EPDS0108	EPDS01-I Have Felt Sad or Miserable	Edinburgh Postnatal Depression Scale - I have felt sad or miserable.	EPDS - I Have Felt Sad or Miserable
C132571	EPDS0109	EPDS01-So Unhappy I Have Been Crying	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have been crying.	EPDS - So Unhappy I Have Been Crying
C132572	EPDS0110	EPDS01-Thought of Harming Myself	Edinburgh Postnatal Depression Scale - The thought of harming myself has occurred to me.	EPDS - Thought of Harming Myself



## EPDS01TN (Edinburgh Postnatal Depression Scale Questionnaire Test Name)

NCI Code: C132520, Codelist extensible: No

C132520 EPDS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132563	EPDS01-Able to Laugh and See Funny Side	EPDS01-Able to Laugh and See Funny Side	Edinburgh Postnatal Depression Scale - I have been able to laugh and see the funny side of things.	EPDS - Able to Laugh and See Funny Side
C132566	EPDS01-Anxious/Worried No Good Reason	EPDS01-Anxious/Worried No Good Reason	Edinburgh Postnatal Depression Scale - I have been anxious or worried for no good reason.	EPDS - Anxious or Worried No Good Reason
C132565	EPDS01-Blamed Myself Unnecessarily	EPDS01-Blamed Myself Unnecessarily	Edinburgh Postnatal Depression Scale - I have blamed myself unnecessarily when things went wrong.	EPDS - Blamed Myself Unnecessarily
C132570	EPDS01-I Have Felt Sad or Miserable	EPDS01-I Have Felt Sad or Miserable	Edinburgh Postnatal Depression Scale - I have felt sad or miserable.	EPDS - I Have Felt Sad or Miserable
C132564	EPDS01-Looked Forward With Enjoyment	EPDS01-Looked Forward With Enjoyment	Edinburgh Postnatal Depression Scale - I have looked forward with enjoyment to things.	EPDS - Looked Forward With Enjoyment
C132567	EPDS01-Scared/Panicky for No Good Reason	EPDS01-Scared/Panicky for No Good Reason	Edinburgh Postnatal Depression Scale - I have felt scared or panicky for no very good reason.	EPDS - Scared or Panicky for No Good Reason
C132571	EPDS01-So Unhappy I Have Been Crying	EPDS01-So Unhappy I Have Been Crying	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have been crying.	EPDS - So Unhappy I Have Been Crying
C132568	EPDS01-Things Getting on Top of Me	EPDS01-Things Getting on Top of Me	Edinburgh Postnatal Depression Scale - Things have been getting on top of me.	EPDS - Things Getting on Top of Me
C132572	EPDS01-Thought of Harming Myself	EPDS01-Thought of Harming Myself	Edinburgh Postnatal Depression Scale - The thought of harming myself has occurred to me.	EPDS - Thought of Harming Myself
C132569	EPDS01-Unhappy Had Difficulty Sleeping	EPDS01-Unhappy Had Difficulty Sleeping	Edinburgh Postnatal Depression Scale - I have been so unhappy that I have had difficulty sleeping.	EPDS - Unhappy Had Difficulty Sleeping

**EPIC1TC (The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Code)**

NCI Code: C127350, Codelist extensible: No

<b>C127350 EPIC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127373	EPIC101	EPIC1-How Often Have You Leaked Urine	The Expanded Prostate Cancer Index Composite Short Form - Over the past 4 weeks, how often have you leaked urine?	EPIC-26 - How Often Have You Leaked Urine
C127374	EPIC102	EPIC1-Best Describes Urinary Control	The Expanded Prostate Cancer Index Composite Short Form - Which of the following best describes your urinary control during the last 4 weeks?	EPIC-26 - Best Describes Urinary Control
C127375	EPIC103	EPIC1-Pads or Adult Diapers per Day	The Expanded Prostate Cancer Index Composite Short Form - How many pads or adult diapers per day did you usually use to control leakage during the last 4 weeks?	EPIC-26 - Pads or Adult Diapers per Day
C127376	EPIC104A	EPIC1-Problem Dripping or Leaking Urine	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Dripping or leaking urine.	EPIC-26 - Dripping or Leaking Urine
C127377	EPIC104B	EPIC1-Problem Pain/Burning on Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Pain or burning on urination.	EPIC-26 - Pain or Burning on Urination
C127378	EPIC104C	EPIC1-Problem Bleeding With Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Bleeding with urination.	EPIC-26 - Bleeding With Urination
C127379	EPIC104D	EPIC1-Problem Weak Urine Stream/Emptying	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Weak urine stream or incomplete emptying.	EPIC-26 - Weak Urine Stream or Incomplete Emptying
C127380	EPIC104E	EPIC1-Problem Need to Urinate Frequently	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Need to urinate frequently during the day.	EPIC-26 - Urinate Frequently During the Day
C127381	EPIC105	EPIC1-Overall Problem Urinary Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your urinary function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Urinary Function
C127382	EPIC106A	EPIC1-Problem Urgency of Bowel Movement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Urgency to have a bowel movement.	EPIC-26 - Urgency to Have a Bowel Movement
C127383	EPIC106B	EPIC1-Problem Increased Freq Bowel Move	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Increased frequency of bowel movements.	EPIC-26 - Increased Frequency of Bowel Movements
C127384	EPIC106C	EPIC1-Problem Losing Control of Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Losing control of your stools.	EPIC-26 - Losing Control of Stools
C127385	EPIC106D	EPIC1-Problem Bloody Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Bloody stools.	EPIC-26 - Bloody Stools
C127386	EPIC106E	EPIC1-Problem Abdom/Pelvic/Rectal Pain	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Abdominal/pelvic/rectal pain.	EPIC-26 - Abdominal or Pelvic or Rectal Pain
C127387	EPIC107	EPIC1-Overall Problem Bowel Habits	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem have your bowel habits been for you during the last 4 weeks?	EPIC-26 - Overall Problem Bowel Habits
C127388	EPIC108A	EPIC1-Rate Ability to Have an Erection	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to have an erection?	EPIC-26 - Ability to Have an Erection
C127389	EPIC108B	EPIC1-Rate Ability to Reach Orgasm	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to reach orgasm (climax)?	EPIC-26 - Ability to Reach Orgasm
C127390	EPIC109	EPIC1-Quality of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the usual quality of your erections during the last 4 weeks?	EPIC-26 - Quality of Erections

**C127350 EPIC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127391	EPIC110	EPIC1-Frequency of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the frequency of your erections during the last 4 weeks?	EPIC-26 - Frequency of Erections
C127392	EPIC111	EPIC1-Rate Ability to Function Sexually	The Expanded Prostate Cancer Index Composite Short Form - Overall, how would you rate your ability to function sexually during the last 4 weeks?	EPIC-26 - Ability to Function Sexually
C127393	EPIC112	EPIC1-Overall Problem Sexual Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your sexual function or lack of sexual function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Sexual Function
C127394	EPIC113A	EPIC1-Problem Hot Flashes	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Hot flashes.	EPIC-26 - Hot Flashes
C127395	EPIC113B	EPIC1-Problem Breast Tender/Enlargement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Breast tenderness/enlargement.	EPIC-26 - Breast Tender or Enlargement
C127396	EPIC113C	EPIC1-Problem Feeling Depressed	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Feeling depressed.	EPIC-26 - Feeling Depressed
C127397	EPIC113D	EPIC1-Problem Lack of Energy	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Lack of energy.	EPIC-26 - Lack of Energy
C127398	EPIC113E	EPIC1-Problem Change in Body Weight	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Change in body weight.	EPIC-26 - Change in Body Weight

**EPIC1TN (The Expanded Prostate Cancer Index Composite Short Form Questionnaire Test Name)**

NCI Code: C127349, Codelist extensible: No

<b>C127349 EPIC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127374	EPIC1-Best Describes Urinary Control	EPIC1-Best Describes Urinary Control	The Expanded Prostate Cancer Index Composite Short Form - Which of the following best describes your urinary control during the last 4 weeks?	EPIC-26 - Best Describes Urinary Control
C127391	EPIC1-Frequency of Your Erections	EPIC1-Frequency of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the frequency of your erections during the last 4 weeks?	EPIC-26 - Frequency of Erections
C127373	EPIC1-How Often Have You Leaked Urine	EPIC1-How Often Have You Leaked Urine	The Expanded Prostate Cancer Index Composite Short Form - Over the past 4 weeks, how often have you leaked urine?	EPIC-26 - How Often Have You Leaked Urine
C127387	EPIC1-Overall Problem Bowel Habits	EPIC1-Overall Problem Bowel Habits	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem have your bowel habits been for you during the last 4 weeks?	EPIC-26 - Overall Problem Bowel Habits
C127393	EPIC1-Overall Problem Sexual Function	EPIC1-Overall Problem Sexual Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your sexual function or lack of sexual function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Sexual Function
C127381	EPIC1-Overall Problem Urinary Function	EPIC1-Overall Problem Urinary Function	The Expanded Prostate Cancer Index Composite Short Form - Overall, how big a problem has your urinary function been for you during the last 4 weeks?	EPIC-26 - Overall Problem Urinary Function
C127375	EPIC1-Pads or Adult Diapers per Day	EPIC1-Pads or Adult Diapers per Day	The Expanded Prostate Cancer Index Composite Short Form - How many pads or adult diapers per day did you usually use to control leakage during the last 4 weeks?	EPIC-26 - Pads or Adult Diapers per Day
C127386	EPIC1-Problem Abdom/Pelvic/Rectal Pain	EPIC1-Problem Abdom/Pelvic/Rectal Pain	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Abdominal/pelvic/rectal pain.	EPIC-26 - Abdominal or Pelvic or Rectal Pain
C127378	EPIC1-Problem Bleeding With Urination	EPIC1-Problem Bleeding With Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Bleeding with urination.	EPIC-26 - Bleeding With Urination
C127385	EPIC1-Problem Bloody Stools	EPIC1-Problem Bloody Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Bloody stools.	EPIC-26 - Bloody Stools
C127395	EPIC1-Problem Breast Tender/Enlargement	EPIC1-Problem Breast Tender/Enlargement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Breast tenderness/enlargement.	EPIC-26 - Breast Tender or Enlargement
C127398	EPIC1-Problem Change in Body Weight	EPIC1-Problem Change in Body Weight	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Change in body weight.	EPIC-26 - Change in Body Weight
C127376	EPIC1-Problem Dripping or Leaking Urine	EPIC1-Problem Dripping or Leaking Urine	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Dripping or leaking urine.	EPIC-26 - Dripping or Leaking Urine
C127396	EPIC1-Problem Feeling Depressed	EPIC1-Problem Feeling Depressed	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Feeling depressed.	EPIC-26 - Feeling Depressed
C127394	EPIC1-Problem Hot Flashes	EPIC1-Problem Hot Flashes	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Hot flashes.	EPIC-26 - Hot Flashes
C127383	EPIC1-Problem Increased Freq Bowel Move	EPIC1-Problem Increased Freq Bowel Move	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Increased frequency of bowel movements.	EPIC-26 - Increased Frequency of Bowel Movements
C127397	EPIC1-Problem Lack of Energy	EPIC1-Problem Lack of Energy	The Expanded Prostate Cancer Index Composite Short Form - How big a problem during the last 4 weeks, if any, has each of the following been for you? Lack of energy.	EPIC-26 - Lack of Energy
C127384	EPIC1-Problem Losing Control of Stools	EPIC1-Problem Losing Control of Stools	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Losing control of your stools.	EPIC-26 - Losing Control of Stools

**C127349 EPIC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127380	EPIC1-Problem Need to Urinate Frequently	EPIC1-Problem Need to Urinate Frequently	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Need to urinate frequently during the day.	EPIC-26 - Urinate Frequently During the Day
C127377	EPIC1-Problem Pain/Burning on Urination	EPIC1-Problem Pain/Burning on Urination	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Pain or burning on urination.	EPIC-26 - Pain or Burning on Urination
C127382	EPIC1-Problem Urgency of Bowel Movement	EPIC1-Problem Urgency of Bowel Movement	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you? Urgency to have a bowel movement.	EPIC-26 - Urgency to Have a Bowel Movement
C127379	EPIC1-Problem Weak Urine Stream/Emptying	EPIC1-Problem Weak Urine Stream/Emptying	The Expanded Prostate Cancer Index Composite Short Form - How big a problem, if any, has each of the following been for you during the last 4 weeks? Weak urine stream or incomplete emptying.	EPIC-26 - Weak Urine Stream or Incomplete Emptying
C127390	EPIC1-Quality of Your Erections	EPIC1-Quality of Your Erections	The Expanded Prostate Cancer Index Composite Short Form - How would you describe the usual quality of your erections during the last 4 weeks?	EPIC-26 - Quality of Erections
C127392	EPIC1-Rate Ability to Function Sexually	EPIC1-Rate Ability to Function Sexually	The Expanded Prostate Cancer Index Composite Short Form - Overall, how would you rate your ability to function sexually during the last 4 weeks?	EPIC-26 - Ability to Function Sexually
C127388	EPIC1-Rate Ability to Have an Erection	EPIC1-Rate Ability to Have an Erection	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to have an erection?	EPIC-26 - Ability to Have an Erection
C127389	EPIC1-Rate Ability to Reach Orgasm	EPIC1-Rate Ability to Reach Orgasm	The Expanded Prostate Cancer Index Composite Short Form - How would you rate each of the following during the last 4 weeks? Your ability to reach orgasm (climax)?	EPIC-26 - Ability to Reach Orgasm

**EPIC2TC (The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Code)**

NCI Code: C127352, Codelist extensible: No

<b>C127352 EPIC2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127399	EPIC201	EPIC2-Overall Problem Urinary Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your urinary function been for you?	EPIC-CP - Overall Problem Urinary Function
C127400	EPIC202	EPIC2-Best Describes Urinary Control	Expanded Prostate Cancer Index Composite for Clinical Practice - Which of the following best describes your urinary control?	EPIC-CP - Best Describes Urinary Control
C127401	EPIC203	EPIC2-Pads or Adult Diapers per Day	Expanded Prostate Cancer Index Composite for Clinical Practice - How many pads or adult diapers per day have you been using for urinary leakage?	EPIC-CP - Adult Diapers Used per Day
C127402	EPIC204	EPIC2-Problem Urinary Dripping/Leakage	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has urinary dripping or leakage been for you?	EPIC-CP - Problem Urinary Dripping/Leakage
C127403	EPIC205A	EPIC2-Problem Pain/Burning W/ Urination	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Pain or burning with urination.	EPIC-CP - Pain or Burning With Urination
C127404	EPIC205B	EPIC2-Problem Weak Stream/Incompl Empty	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Weak urine stream/incomplete bladder emptying.	EPIC-CP - Weak Urine Stream or Incomplete Bladder Emptying
C127405	EPIC205C	EPIC2-Problem Need to Urinate Frequently	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Need to urinate frequently.	EPIC-CP - Need to Urinate Frequently
C127406	EPIC206A	EPIC2-Problem Rectal Pain/Urgent Bowel	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Rectal pain or urgency of bowel movements.	EPIC-CP - Rectal Pain or Urgency of Bowel Movements
C127407	EPIC206B	EPIC2-Problem Increased Freq Bowel Move	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Increased frequency of your bowel movements.	EPIC-CP - Increased Frequency of Bowel Movements
C127408	EPIC206C	EPIC2-Overall Problem Bowel Habits	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Overall problems with your bowel habits.	EPIC-CP - Overall Problems With Bowel Habits
C127409	EPIC207	EPIC2-Rate Ability to Reach Orgasm	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you rate your ability to reach orgasm (climax)?	EPIC-CP - Rate Ability to Reach Orgasm
C127410	EPIC208	EPIC2-Quality of Your Erections	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you describe the usual quality of your erections?	EPIC-CP - Quality of Erections
C127411	EPIC209	EPIC2-Overall Problem Sexual Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your sexual function or lack of sexual function been for you?	EPIC-CP - Problem Lack of Sexual Function
C127412	EPIC210A	EPIC2-Problem Hot Flash/Breast Tender	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Hot flashes or breast tenderness/enlargement.	EPIC-CP - Hot Flashes or Breast Tenderness
C127413	EPIC210B	EPIC2-Problem Feeling Depressed	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Feeling depressed.	EPIC-CP - Feeling Depressed
C127414	EPIC210C	EPIC2-Problem Lack of Energy	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Lack of energy.	EPIC-CP - Lack of Energy
C127415	EPIC211	EPIC2-Urinary Incontinence Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary incontinence symptom score.	EPIC-CP - Urinary Incontinence Symptom Score
C127416	EPIC212	EPIC2-Urinary Irrit/Obstr Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary irritation/obstruction symptom score.	EPIC-CP - Urinary Irritation/Obstruction Symptom Score

**C127352 EPIC2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127417	EPIC213	EPIC2-Bowel Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Bowel symptom score.	EPIC-CP - Bowel Symptom Score
C127418	EPIC214	EPIC2-Sexual Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Sexual symptom score.	EPIC-CP - Sexual Symptom Score
C127419	EPIC215	EPIC2-Vitality/Hormonal Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Vitality/hormonal symptom score.	EPIC-CP - Vitality/Hormonal Symptom Score
C127420	EPIC216	EPIC2-Overall Prostate Cancer QOL Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall prostate cancer QOL score.	EPIC-CP - Overall Score

**EPIC2TN (The Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire Test Name)**

NCI Code: C127351, Codelist extensible: No

<b>C127351 EPIC2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127400	EPIC2-Best Describes Urinary Control	EPIC2-Best Describes Urinary Control	Expanded Prostate Cancer Index Composite for Clinical Practice - Which of the following best describes your urinary control?	EPIC-CP - Best Describes Urinary Control
C127417	EPIC2-Bowel Symptom Score	EPIC2-Bowel Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Bowel symptom score.	EPIC-CP - Bowel Symptom Score
C127408	EPIC2-Overall Problem Bowel Habits	EPIC2-Overall Problem Bowel Habits	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Overall problems with your bowel habits.	EPIC-CP - Overall Problems With Bowel Habits
C127411	EPIC2-Overall Problem Sexual Function	EPIC2-Overall Problem Sexual Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your sexual function or lack of sexual function been for you?	EPIC-CP - Problem Lack of Sexual Function
C127399	EPIC2-Overall Problem Urinary Function	EPIC2-Overall Problem Urinary Function	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall, how much of a problem has your urinary function been for you?	EPIC-CP - Overall Problem Urinary Function
C127420	EPIC2-Overall Prostate Cancer QOL Score	EPIC2-Overall Prostate Cancer QOL Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Overall prostate cancer QOL score.	EPIC-CP - Overall Score
C127401	EPIC2-Pads or Adult Diapers per Day	EPIC2-Pads or Adult Diapers per Day	Expanded Prostate Cancer Index Composite for Clinical Practice - How many pads or adult diapers per day have you been using for urinary leakage?	EPIC-CP - Adult Diapers Used per Day
C127413	EPIC2-Problem Feeling Depressed	EPIC2-Problem Feeling Depressed	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Feeling depressed.	EPIC-CP - Feeling Depressed
C127412	EPIC2-Problem Hot Flash/Breast Tender	EPIC2-Problem Hot Flash/Breast Tender	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Hot flashes or breast tenderness/enlargement.	EPIC-CP - Hot Flashes or Breast Tenderness
C127407	EPIC2-Problem Increased Freq Bowel Move	EPIC2-Problem Increased Freq Bowel Move	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Increased frequency of your bowel movements.	EPIC-CP - Increased Frequency of Bowel Movements
C127414	EPIC2-Problem Lack of Energy	EPIC2-Problem Lack of Energy	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Lack of energy.	EPIC-CP - Lack of Energy
C127405	EPIC2-Problem Need to Urinate Frequently	EPIC2-Problem Need to Urinate Frequently	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Need to urinate frequently.	EPIC-CP - Need to Urinate Frequently
C127403	EPIC2-Problem Pain/Burning W/ Urination	EPIC2-Problem Pain/Burning W/ Urination	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Pain or burning with urination.	EPIC-CP - Pain or Burning With Urination
C127406	EPIC2-Problem Rectal Pain/Urgent Bowel	EPIC2-Problem Rectal Pain/Urgent Bowel	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Rectal pain or urgency of bowel movements.	EPIC-CP - Rectal Pain or Urgency of Bowel Movements
C127402	EPIC2-Problem Urinary Dripping/Leakage	EPIC2-Problem Urinary Dripping/Leakage	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has urinary dripping or leakage been for you?	EPIC-CP - Problem Urinary Dripping/Leakage
C127404	EPIC2-Problem Weak Stream/Incompl Empty	EPIC2-Problem Weak Stream/Incompl Empty	Expanded Prostate Cancer Index Composite for Clinical Practice - How big a problem, if any, has each of the following been for you? Weak urine stream/incomplete bladder emptying.	EPIC-CP - Weak Urine Stream or Incomplete Bladder Emptying
C127410	EPIC2-Quality of Your Erections	EPIC2-Quality of Your Erections	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you describe the usual quality of your erections?	EPIC-CP - Quality of Erections
C127409	EPIC2-Rate Ability to Reach Orgasm	EPIC2-Rate Ability to Reach Orgasm	Expanded Prostate Cancer Index Composite for Clinical Practice - How would you rate your ability to reach orgasm (climax)?	EPIC-CP - Rate Ability to Reach Orgasm
C127418	EPIC2-Sexual Symptom Score	EPIC2-Sexual Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Sexual symptom score.	EPIC-CP - Sexual Symptom Score



**C127351 EPIC2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127415	EPIC2-Urinary Incontinence Symptom Score	EPIC2-Urinary Incontinence Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary incontinence symptom score.	EPIC-CP - Urinary Incontinence Symptom Score
C127416	EPIC2-Urinary Irrit/Obstr Symptom Score	EPIC2-Urinary Irrit/Obstr Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Urinary irritation/obstruction symptom score.	EPIC-CP - Urinary Irritation/Obstruction Symptom Score
C127419	EPIC2-Vitality/Hormonal Symptom Score	EPIC2-Vitality/Hormonal Symptom Score	Expanded Prostate Cancer Index Composite for Clinical Practice - Vitality/hormonal symptom score.	EPIC-CP - Vitality/Hormonal Symptom Score

## EPOCH (Epoch)

NCI Code: C99079, Codelist extensible: Yes

<b>C99079 EPOCH</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125938	BASELINE		A period in a clinical study after eligibility has been met and before the start of treatment, at which baseline measurements are collected.	Baseline Epoch
C102255	BLINDED TREATMENT		A period in a clinical study during which subjects receive blinded therapeutic treatment.	Blinded Treatment Epoch
C123452	CONTINUATION TREATMENT	Continuation Phase	A period in a clinical study during which subjects receive continuation treatment.	Continuation Therapy Epoch
C99158	FOLLOW-UP		A period in a clinical study during which information about the health status of an individual is obtained after study procedures and treatments have concluded.	Clinical Study Follow-up
C123453	INDUCTION TREATMENT	Induction Phase;Intensive Phase	A period in a clinical study during which subjects receive induction treatment.	Induction Therapy Epoch
C16032	LONG-TERM FOLLOW-UP		A period in a clinical study during which information about the health status of an individual is obtained long after study procedures and treatments have concluded.	Long-term Follow-up
C102256	OPEN LABEL TREATMENT		A period in a clinical study during which subjects receive open label therapeutic treatment.	Open Label Treatment Epoch
C98779	RUN-IN		A period in a clinical study that occurs before the commencement of the primary clinical study investigation, during which subjects may be assessed for suitability in the clinical study, withdrawn from existing therapy, trained in study methodology or evaluated for any other protocol-specified reason.	Run-in Period
C48262	SCREENING		A period in a clinical study during which subjects are evaluated for participation in the study.	Trial Screening
C101526	TREATMENT		A period in a clinical study during which subjects receive investigational product.	Treatment Epoch
C42872	WASHOUT		A period of time during a clinical study when a participant is taken off of a study drug or other medication in order to eliminate the effects of the treatment.	Washout Period

**EQ5D01TC (European Quality of Life Five Dimension Three Level Scale Questionnaire Test Code)**

NCI Code: C100136, Codelist extensible: No

<b>C100136 EQ5D01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100392	EQ5D0101	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100393	EQ5D0102	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D0103	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities
C100395	EQ5D0104	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100396	EQ5D0105	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D0106	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score

**EQ5D01TN (European Quality of Life Five Dimension Three Level Scale Questionnaire Test Name)**

NCI Code: C100135, Codelist extensible: No

<b>C100135 EQ5D01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100396	EQ5D01-Anxiety/Depression	EQ5D01-Anxiety/Depression	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Anxiety/depression.	EQ-5D-3L - Anxiety or Depression
C100397	EQ5D01-EQ VAS Score	EQ5D01-EQ VAS Score	European Quality of Life Five Dimension Three Level Scale - Indicate on this scale how good or bad your own health is today, in your opinion.	EQ-5D-3L - EQ VAS Score
C100392	EQ5D01-Mobility	EQ5D01-Mobility	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Mobility.	EQ-5D-3L - Mobility
C100395	EQ5D01-Pain/Discomfort	EQ5D01-Pain/Discomfort	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Pain/discomfort.	EQ-5D-3L - Pain or Discomfort
C100393	EQ5D01-Self-Care	EQ5D01-Self-Care	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Self-care.	EQ-5D-3L - Self-Care
C100394	EQ5D01-Usual Activities	EQ5D01-Usual Activities	European Quality of Life Five Dimension Three Level Scale - Indicate which statements best describe your own health state today: Usual activities.	EQ-5D-3L - Usual Activities

**EQ5D02TC (European Quality of Life Five Dimension Five Level Scale Questionnaire Test Code)**

NCI Code: C101817, Codelist extensible: No

<b>C101817 EQ5D02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102067	EQ5D0201	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility
C102068	EQ5D0202	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care
C102069	EQ5D0203	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities
C102070	EQ5D0204	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort
C102071	EQ5D0205	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression
C102072	EQ5D0206	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score

**EQ5D02TN (European Quality of Life Five Dimension Five Level Scale Questionnaire Test Name)**

NCI Code: C101818, Codelist extensible: No

<b>C101818 EQ5D02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102071	EQ5D02-Anxiety/Depression	EQ5D02-Anxiety/Depression	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Anxiety/depression.	EQ-5D-5L - Anxiety or Depression
C102072	EQ5D02-EQ VAS Score	EQ5D02-EQ VAS Score	European Quality of Life Five Dimension Five Level Scale - Indicate how your health is today.	EQ-5D-5L - EQ VAS Score
C102067	EQ5D02-Mobility	EQ5D02-Mobility	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Mobility.	EQ-5D-5L - Mobility
C102070	EQ5D02-Pain/Discomfort	EQ5D02-Pain/Discomfort	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Pain/discomfort.	EQ-5D-5L - Pain or Discomfort
C102068	EQ5D02-Self-Care	EQ5D02-Self-Care	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Self-care.	EQ-5D-5L - Self-Care
C102069	EQ5D02-Usual Activities	EQ5D02-Usual Activities	European Quality of Life Five Dimension Five Level Scale - Check the one box that best describes your health today: Usual activities.	EQ-5D-5L - Usual Activities

## ESRSA1TC (Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification Test Code)

NCI Code: C117991, Codelist extensible: No

C117991 ESRSA1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118079	ESRSA101	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118080	ESRSA102	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA103	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118082	ESRSA104	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head
C118083	ESRSA105	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands
C118084	ESRSA106	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118085	ESRSA107	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech
C118086	ESRSA108	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA109	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118088	ESRSA110	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118089	ESRSA111	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118090	ESRSA112	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118091	ESRSA113	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118092	ESRSA114	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118093	ESRSA115	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118094	ESRSA116	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118095	ESRSA117	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118096	ESRSA118	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118097	ESRSA119	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118098	ESRSA120	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118099	ESRSA121	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118100	ESRSA122	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118101	ESRSA123	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118102	ESRSA124	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118103	ESRSA125	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism

**C117991 ESRSA1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118104	ESRSA126	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia
C118105	ESRSA127	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118106	ESRSA128	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia



**ESRSA1TN (Extrapyramidal Symptom Rating Scale-Abbreviated Clinical Classification Test Name)**

NCI Code: C117990, Codelist extensible: No

<b>C117990 ESRSA1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118102	ESRSA1-Akathisia: Objective	ESRSA1-Akathisia: Objective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Objective.	ESRS-A - Akathisia: Objective
C118101	ESRSA1-Akathisia: Subjective	ESRSA1-Akathisia: Subjective	Extrapyramidal Symptom Rating Scale-Abbreviated - Akathisia: Subjective.	ESRS-A - Akathisia: Subjective
C118088	ESRSA1-Bradykinesia/Hypokinesia	ESRSA1-Bradykinesia/Hypokinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Bradykinesia/hypokinesia.	ESRS-A - Bradykinesia/Hypokinesia
C118106	ESRSA1-CGI-S Akathisia	ESRSA1-CGI-S Akathisia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Akathisia.	ESRS-A - CGI-S Akathisia
C118105	ESRSA1-CGI-S Dyskinesia	ESRSA1-CGI-S Dyskinesia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dyskinesia.	ESRS-A - CGI-S Dyskinesia
C118104	ESRSA1-CGI-S Dystonia	ESRSA1-CGI-S Dystonia	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Dystonia.	ESRS-A - CGI-S Dystonia
C118103	ESRSA1-CGI-S Parkinsonism	ESRSA1-CGI-S Parkinsonism	Extrapyramidal Symptom Rating Scale-Abbreviated - Clinical Global Impression (CGI-S): Parkinsonism.	ESRS-A - CGI-S Parkinsonism
C118097	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	ESRSA1-Dyskinesia: Eyes/Up Face/Low Face	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Eyes, upper face, lower face.	ESRS-A - Dyskinesia: Eyes/Upper Face/Lower Face
C118099	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	ESRSA1-Dyskinesia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Hips, lower limbs, feet.	ESRS-A - Dyskinesia: Hips/Lower Limbs/Feet
C118096	ESRSA1-Dyskinesia: Jaw	ESRSA1-Dyskinesia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Jaw.	ESRS-A - Dyskinesia: Jaw
C118098	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	ESRSA1-Dyskinesia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Shoulders, upper limbs, hands.	ESRS-A - Dyskinesia: Shoulder/Upper Limbs/Hands
C118095	ESRSA1-Dyskinesia: Tongue	ESRSA1-Dyskinesia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Tongue.	ESRS-A - Dyskinesia: Tongue
C118100	ESRSA1-Dyskinesia: Trunk/Neck	ESRSA1-Dyskinesia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dyskinesia: Trunk, neck.	ESRS-A - Dyskinesia: Trunk/Neck
C118091	ESRSA1-Dystonia: Eyes/Face/Larynx	ESRSA1-Dystonia: Eyes/Face/Larynx	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Eyes, upper face, lower face, larynx.	ESRS-A - Dystonia: Eyes/Upper and Lower Face/Larynx
C118093	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	ESRSA1-Dystonia: Hips/Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Hips, lower limbs, feet.	ESRS-A - Dystonia: Hips/Lower Limbs/Feet
C118090	ESRSA1-Dystonia: Jaw	ESRSA1-Dystonia: Jaw	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Jaw.	ESRS-A - Dystonia: Jaw
C118092	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	ESRSA1-Dystonia: Shoulder/Up Limb/Hand	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Shoulders, upper limbs, hands.	ESRS-A - Dystonia: Shoulder/Upper Limbs/Hands
C118089	ESRSA1-Dystonia: Tongue	ESRSA1-Dystonia: Tongue	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Tongue.	ESRS-A - Dystonia: Tongue
C118094	ESRSA1-Dystonia: Trunk/Neck	ESRSA1-Dystonia: Trunk/Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Dystonia: Trunk, neck.	ESRS-A - Dystonia: Trunk/Neck
C118086	ESRSA1-Impaired Gait/Posture	ESRSA1-Impaired Gait/Posture	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Impaired gait/posture.	ESRS-A - Impaired Gait/Posture
C118087	ESRSA1-Postural Instability	ESRSA1-Postural Instability	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Postural instability.	ESRS-A - Postural Instability
C118085	ESRSA1-Reduced Facial Expression/Speech	ESRSA1-Reduced Facial Expression/Speech	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Reduced facial expression/speech.	ESRS-A - Reduced Facial Expression/Speech

**C117990 ESRSA1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118080	ESRSA1-Rigidity: Lower Limbs	ESRSA1-Rigidity: Lower Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Lower limbs.	ESRS-A - Rigidity: Lower Limbs
C118081	ESRSA1-Rigidity: Neck	ESRSA1-Rigidity: Neck	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Neck.	ESRS-A - Rigidity: Neck
C118079	ESRSA1-Rigidity: Upper Limbs	ESRSA1-Rigidity: Upper Limbs	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Rigidity: Upper limbs.	ESRS-A - Rigidity: Upper Limbs
C118082	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	ESRSA1-Tremor: Face/Jaw/Chin/Lips/Head	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Face, jaw/chin, lips, head.	ESRS-A - Tremor: Face/Jaw/Chin/Lips/Head
C118084	ESRSA1-Tremor: Lower Limbs/Feet	ESRSA1-Tremor: Lower Limbs/Feet	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Lower limbs/feet.	ESRS-A - Tremor: Lower Limbs/Feet
C118083	ESRSA1-Tremor: Upper Limbs/Hands	ESRSA1-Tremor: Upper Limbs/Hands	Extrapyramidal Symptom Rating Scale-Abbreviated - Parkinsonism-Tremor: Upper limbs/hands.	ESRS-A - Tremor: Upper Limbs/Hands

**ESS01TC (Epworth Sleepiness Scale Questionnaire Test Code)**

NCI Code: C103463, Codelist extensible: No

<b>C103463 ESS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103536	ESS0101	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103537	ESS0102	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV
C103538	ESS0103	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103539	ESS0104	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103540	ESS0105	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103541	ESS0106	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103542	ESS0107	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C103543	ESS0108	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic

**ESS01TN (Epworth Sleepiness Scale Questionnaire Test Name)**

NCI Code: C103462, Codelist extensible: No

<b>C103462 ESS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103543	ESS01-In Car Stopped Few Minutes Traffic	ESS01-In Car Stopped Few Minutes Traffic	Epworth Sleepiness Scale - In a car, while stopped for a few minutes in the traffic.	ESS - In a car, While Stopped for a Few Minutes in the Traffic
C103540	ESS01-Lying Down to Rest In Afternoon	ESS01-Lying Down to Rest In Afternoon	Epworth Sleepiness Scale - Lying down to rest in the afternoon when circumstances permit.	ESS - Lying Down to Rest in the Afternoon When Circumstances Permit
C103539	ESS01-Passenger for Hour Without Break	ESS01-Passenger for Hour Without Break	Epworth Sleepiness Scale - As a passenger in a car for an hour without a break.	ESS - As a Passenger in a Car for an Hour Without a Break
C103536	ESS01-Sitting and Reading	ESS01-Sitting and Reading	Epworth Sleepiness Scale - Sitting and reading.	ESS - Sitting and Reading
C103541	ESS01-Sitting and Talking to Someone	ESS01-Sitting and Talking to Someone	Epworth Sleepiness Scale - Sitting and talking to someone.	ESS - Sitting and Talking to Someone
C103538	ESS01-Sitting Inactive in a Public Place	ESS01-Sitting Inactive in a Public Place	Epworth Sleepiness Scale - Sitting, inactive in a public place (e.g. a theatre or a meeting).	ESS - Sitting, Inactive in a Public Place
C103542	ESS01-Sitting Quietly After Lunch	ESS01-Sitting Quietly After Lunch	Epworth Sleepiness Scale - Sitting quietly after a lunch without alcohol.	ESS - Sitting Quietly After a Lunch without Alcohol
C103537	ESS01-Watching TV	ESS01-Watching TV	Epworth Sleepiness Scale - Watching TV.	ESS - Watching TV

## ETHNIC (Ethnic Group)

NCI Code: C66790, Codelist extensible: No

<b>C66790 ETHNIC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C17459	HISPANIC OR LATINO		A person of Mexican, Puerto Rican, Cuban, Central or South American or other Spanish culture or origin, regardless of race. (NCI)	Hispanic or Latino
C41222	NOT HISPANIC OR LATINO		A person not of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race. An arbitrary ethnic classification. (NCI)	Not Hispanic or Latino
C43234	NOT REPORTED	Not reported	Not provided or available.	Not Reported
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

**ETHNICC (Ethnicity As Collected)**

NCI Code: C128690, Codelist extensible: Yes

<b>C128690 ETHNICC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C17950	ASHKENAZI JEW		A person of Ashkenazi Jewish descent.	Ashkenazi Jew
C67118	CENTRAL AMERICAN		A person of Central American descent.	Central American
C107608	CUBAN		A person of Cuban descent.	Cuban
C67115	CUBAN AMERICAN		A person of Cuban and American descent.	Cuban or Cuban American
C17459	HISPANIC OR LATINO		A person of Mexican, Puerto Rican, Cuban, Central or South American or other Spanish culture or origin, regardless of race. (NCI)	Hispanic or Latino
C126531	LATIN AMERICAN		A person of Latin American descent.	Latin American
C67113	MEXICAN		A person of Mexican descent.	Mexican
C67114	MEXICAN AMERICAN		A person of Mexican and American descent.	Mexican American
C41222	NOT HISPANIC OR LATINO		A person not of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race. An arbitrary ethnic classification. (NCI)	Not Hispanic or Latino
C67112	PUERTO RICAN		A person of Puerto Rican descent.	Puerto Rican
C103283	SEPHARDIC JEW		A person of Sephardic Jewish descent.	Sephardic Jew
C126532	SOUTH AMERICAN		A person of South American descent.	South American
C67120	SPANISH		A person from Spain or of Spanish descent.	Spanish

## EVAL (Evaluator)

NCI Code: C78735, Codelist extensible: Yes

C78735 EVAL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C78726	ADJUDICATION COMMITTEE		An external committee whose purpose is to evaluate study data and decide whether a study endpoint or other criterion has been met. (NCI)	Adjudication Committee
C96561	ADJUDICATOR		An individual that presides over and arbitrates between individuals or organizations.	Adjudicator
C17445	CAREGIVER	Caregiver	The primary person in charge of the care of a patient, usually a family member or a designated health care professional. (NCI)	Caregiver
C42708	CHILD		A son or a daughter.	Offspring
C25465	CLINICAL RESEARCH ASSOCIATE	Research Associate	A person who is employed by a study sponsor or by a contract research organization (CRO), operates independently from the clinical study site and functions as a monitor, and/or auditor, and/or a project director within a particular trial or institution. (NCI)	Clinical Research Associate
C51811	CLINICAL RESEARCH COORDINATOR		A person to whom a clinical investigator delegates routine administrative requirements of a protocol. The duties and responsibilities of a clinical research coordinator may vary across different infrastructures. Generally, the coordinator manages the subject's clinical trial participation and provides a vital linkage between the subject, the investigator, and the sponsor. (NCI)	Clinical Coordinator
C70793	CLINICAL STUDY SPONSOR	Clinical Study Sponsor; Sponsor; Study Sponsor	An entity that is responsible for the initiation, management, and/or financing of a clinical study.	Clinical Study Sponsor
C53262	DOMESTIC PARTNER	Domestic Partner	Person declares that a domestic partnership relationship exists. (HL7)	Domestic Partnership
C41256	FAMILY MEMBER	Family Member	Any of the individuals who are descended from a common progenitor, related by marriage or other legal tie.	Family Member
C72884	FRIEND		A person whom an individual knows, likes, and trusts. (NCI)	Friend
C51828	GUARDIAN		An individual who is authorized under applicable State or local law to consent on behalf of a child or incapable person to general medical care including participation in clinical research. (NCI)	Guardian
C53287	HEALTH CARE PROFESSIONAL		A person qualified to be engaged in activity directed at preservation of mental and physical health by diseases prevention and treatment as a source of livelihood. (NCI)	Health Care Professional
C78720	INDEPENDENT ASSESSOR		An individual qualified to perform an evaluation who is masked from a subject's data in order to minimize bias or maximize consistency and quality. (NCI)	Independent Rater
C63759	INTERVIEWER		The person who manages an interview and asks the questions.	Interviewer
C25936	INVESTIGATOR		A person responsible for the conduct of the clinical trial at a trial site. If a trial is conducted by a team of individuals at the trial site, the investigator is the responsible leader of the team and may be called the principle investigator.	Investigator
C42709	PARENT		A mother or a father.	Parent
C119264	PROXY		A type of directive that gives a person the authority to make decisions for or provide responses on behalf of another individual.	Proxy
C25204	SIBLING		A person's brother or sister.	Sibling
C119265	SIGNIFICANT OTHER		A gender-neutral term for a person's partner in an intimate or romantic relationship without disclosing or presuming marital status or sexual orientation.	Significant Other
C62649	SPOUSE	Spouse	A person's partner in marriage. (NCI)	Spouse
C41189	STUDY SUBJECT		An individual who is observed, analyzed, examined, investigated, experimented upon, or/and treated in the course of a particular study.	Study Subject

**C78735 EVAL**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C68608	VENDOR		A person or agency that promotes or exchanges goods or services for money. (NCI)	Vendor



## EVDRETRT (Supporting Evidence for Re-Treatment)

NCI Code: C102579, Codelist extensible: Yes

<b>C102579 EVDRETRT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102602	BACTERIOLOGICAL FINDING		Objective evidence of bacterial infection perceptible to the examiner by laboratory procedure.	Bacteriological Finding
C100104	CLINICAL FINDING	Clinical Signs	Objective evidence of disease perceptible to the examiner (sign) and subjective evidence of disease perceived by the subject (symptom).	Sign or Symptom
C35869	RADIOLOGIC FINDING		Objective evidence of disease perceptible to the examiner by radiological procedure.	Radiologic Finding

**EXACT1TC (Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire Test Code)**

NCI Code: C123653, Codelist extensible: No

<b>C123653 EXACT1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123669	EXACT101	EXACT1-Chest Feel Congested	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel congested today?	EXACT - Chest Feel Congested
C123670	EXACT102	EXACT1-How Often Cough	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How often did you cough today?	EXACT - How Often Cough Today
C123671	EXACT103	EXACT1-Bring Up Mucus When Coughing	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How much mucus (phlegm) did you bring up when coughing today?	EXACT - Bring Up Mucus When Coughing
C123672	EXACT104	EXACT1-Difficult to Bring Up Mucus	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How difficult was it to bring up mucus (phlegm) today?	EXACT - Difficult to Bring Up Mucus
C123673	EXACT105	EXACT1-Chest Discomfort	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did you have chest discomfort today?	EXACT - Have Chest Discomfort
C123674	EXACT106	EXACT1-Chest Feel Tight	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel tight today?	EXACT - Chest Feel Tight
C123675	EXACT107	EXACT1-Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you breathless today?	EXACT - Were You Breathless
C123676	EXACT108	EXACT1-Describe How Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Describe how breathless you were today.	EXACT - Describe How Breathless
C123677	EXACT109	EXACT1-Short Breath Personal Care	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual personal care activities like washing or dressing?	EXACT - Short of Breath When Performing Usual Personal Care
C123678	EXACT110	EXACT1-Short Breath Indoor Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual indoor activities like cleaning or household work?	EXACT - Short of Breath When Performing Usual Indoor Activities
C123679	EXACT111	EXACT1-Short Breath Outside Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual activities outside the home such as yard work or errands?	EXACT - Short of Breath When Performing Usual Activities Outside
C123680	EXACT112	EXACT1-Tired or Weak	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you tired or weak today?	EXACT - Tired or Weak
C123681	EXACT113	EXACT1-Night Sleep Disturbed	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Last night, was your sleep disturbed?	EXACT - Night Sleep Disturbed
C123682	EXACT114	EXACT1-Worried About Lung Problems	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How scared or worried were you about your lung problems today?	EXACT - Worried About Lung Problems

**EXACT1TN (Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire Test Name)**

NCI Code: C123652, Codelist extensible: No

<b>C123652 EXACT1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123675	EXACT1-Breathless	EXACT1-Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you breathless today?	EXACT - Were You Breathless
C123671	EXACT1-Bring Up Mucus When Coughing	EXACT1-Bring Up Mucus When Coughing	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How much mucus (phlegm) did you bring up when coughing today?	EXACT - Bring Up Mucus When Coughing
C123673	EXACT1-Chest Discomfort	EXACT1-Chest Discomfort	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did you have chest discomfort today?	EXACT - Have Chest Discomfort
C123669	EXACT1-Chest Feel Congested	EXACT1-Chest Feel Congested	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel congested today?	EXACT - Chest Feel Congested
C123674	EXACT1-Chest Feel Tight	EXACT1-Chest Feel Tight	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Did your chest feel tight today?	EXACT - Chest Feel Tight
C123676	EXACT1-Describe How Breathless	EXACT1-Describe How Breathless	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Describe how breathless you were today.	EXACT - Describe How Breathless
C123672	EXACT1-Difficult to Bring Up Mucus	EXACT1-Difficult to Bring Up Mucus	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How difficult was it to bring up mucus (phlegm) today?	EXACT - Difficult to Bring Up Mucus
C123670	EXACT1-How Often Cough	EXACT1-How Often Cough	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How often did you cough today?	EXACT - How Often Cough Today
C123681	EXACT1-Night Sleep Disturbed	EXACT1-Night Sleep Disturbed	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Last night, was your sleep disturbed?	EXACT - Night Sleep Disturbed
C123678	EXACT1-Short Breath Indoor Activities	EXACT1-Short Breath Indoor Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual indoor activities like cleaning or household work?	EXACT - Short of Breath When Performing Usual Indoor Activities
C123679	EXACT1-Short Breath Outside Activities	EXACT1-Short Breath Outside Activities	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual activities outside the home such as yard work or errands?	EXACT - Short of Breath When Performing Usual Activities Outside
C123677	EXACT1-Short Breath Personal Care	EXACT1-Short Breath Personal Care	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you short of breath today when performing your usual personal care activities like washing or dressing?	EXACT - Short of Breath When Performing Usual Personal Care
C123680	EXACT1-Tired or Weak	EXACT1-Tired or Weak	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - Were you tired or weak today?	EXACT - Tired or Weak
C123682	EXACT1-Worried About Lung Problems	EXACT1-Worried About Lung Problems	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome - How scared or worried were you about your lung problems today?	EXACT - Worried About Lung Problems

**FAC001TC (The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Code)**

NCI Code: C127354, Codelist extensible: No

<b>C127354 FAC001TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127421	FAC00101	FAC001-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have a lack of energy.	FACT-G Version 4 - I Have a Lack of Energy
C127422	FAC00102	FAC001-I Have Nausea	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have nausea.	FACT-G Version 4 - I Have Nausea
C127423	FAC00103	FAC001-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-G Version 4 - Trouble Meeting Needs of Family
C127424	FAC00104	FAC001-I Have Pain	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have pain.	FACT-G Version 4 - I have pain
C127425	FAC00105	FAC001-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-G Version 4 - Bothered by Treatment Side Effect
C127426	FAC00106	FAC001-I Feel Ill	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I feel ill.	FACT-G Version 4 - I Feel Ill
C127427	FAC00107	FAC001-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-G Version 4 - I Am Forced to Spend Time in Bed
C127428	FAC00108	FAC001-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-G Version 4 - I Feel Close to My Friends
C127429	FAC00109	FAC001-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-G Version 4 - I Get Emotional Support From My Family
C127430	FAC00110	FAC001-I Get Support From My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-G Version 4 - I Get Support From My Friends
C127431	FAC00111	FAC001-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-G Version 4 - My Family Has Accepted My Illness
C127432	FAC00112	FAC001-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-G Version 4 - Satisfied With Family Communication
C127433	FAC00113	FAC001-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-G Version 4 - I Feel Close to My Partner
C127434	FAC00114	FAC001-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-G Version 4 - I Am Satisfied With My Sex Life
C127435	FAC00115	FAC001-I Feel Sad	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel sad.	FACT-G Version 4 - I Feel Sad
C127436	FAC00116	FAC001-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-G Version 4 - Satisfied With How I Am Coping With Illness
C127437	FAC00117	FAC001-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-G Version 4 - Losing Hope Against Illness
C127438	FAC00118	FAC001-I Feel Nervous	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel nervous.	FACT-G Version 4 - I Feel Nervous
C127439	FAC00119	FAC001-I Worry About Dying	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry about dying.	FACT-G Version 4 - I Worry About Dying
C127440	FAC00120	FAC001-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-G Version 4 - Worry My Condition Will Get Worse
C127441	FAC00121	FAC001-I Am Able to Work	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-G Version 4 - I Am Able to Work

**C127354 FAC001TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127442	FAC00122	FAC001-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-G Version 4 - My Work Is Fulfilling
C127443	FAC00123	FAC001-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-G Version 4 - I Am Able to Enjoy Life
C127444	FAC00124	FAC001-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I have accepted my illness.	FACT-G Version 4 - I Have Accepted My Illness
C127445	FAC00125	FAC001-I Am Sleeping Well	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am sleeping well.	FACT-G Version 4 - I Am Sleeping Well
C127446	FAC00126	FAC001-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-G Version 4 - Enjoy Things I Usually Do for Fun
C127447	FAC00127	FAC001-Content With Quality of My Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-G Version 4 - Content With Quality of My Life

**FAC001TN (The Functional Assessment of Cancer Therapy-General Version 4 Questionnaire Test Name)**

NCI Code: C127353, Codelist extensible: No

<b>C127353 FAC001TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127425	FAC001-Bothered by Treatment Side Effect	FAC001-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-G Version 4 - Bothered by Treatment Side Effect
C127447	FAC001-Content With Quality of My Life	FAC001-Content With Quality of My Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-G Version 4 - Content With Quality of My Life
C127446	FAC001-Enjoy Things I Usually Do for Fun	FAC001-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-G Version 4 - Enjoy Things I Usually Do for Fun
C127429	FAC001-Get Emotional Support From Family	FAC001-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-G Version 4 - I Get Emotional Support From My Family
C127443	FAC001-I Am Able to Enjoy Life	FAC001-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-G Version 4 - I Am Able to Enjoy Life
C127441	FAC001-I Am Able to Work	FAC001-I Am Able to Work	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-G Version 4 - I Am Able to Work
C127427	FAC001-I Am Forced to Spend Time in Bed	FAC001-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-G Version 4 - I Am Forced to Spend Time in Bed
C127434	FAC001-I Am Satisfied With My Sex Life	FAC001-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-G Version 4 - I Am Satisfied With My Sex Life
C127445	FAC001-I Am Sleeping Well	FAC001-I Am Sleeping Well	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I am sleeping well.	FACT-G Version 4 - I Am Sleeping Well
C127428	FAC001-I Feel Close to My Friends	FAC001-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-G Version 4 - I Feel Close to My Friends
C127433	FAC001-I Feel Close to My Partner	FAC001-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-G Version 4 - I Feel Close to My Partner
C127426	FAC001-I Feel Ill	FAC001-I Feel Ill	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I feel ill.	FACT-G Version 4 - I Feel Ill
C127438	FAC001-I Feel Nervous	FAC001-I Feel Nervous	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel nervous.	FACT-G Version 4 - I Feel Nervous
C127435	FAC001-I Feel Sad	FAC001-I Feel Sad	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I feel sad.	FACT-G Version 4 - I Feel Sad
C127430	FAC001-I Get Support From My Friends	FAC001-I Get Support From My Friends	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-G Version 4 - I Get Support From My Friends
C127421	FAC001-I Have a Lack of Energy	FAC001-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have a lack of energy.	FACT-G Version 4 - I Have a Lack of Energy
C127444	FAC001-I Have Accepted My Illness	FAC001-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: I have accepted my illness.	FACT-G Version 4 - I Have Accepted My Illness
C127422	FAC001-I Have Nausea	FAC001-I Have Nausea	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have nausea.	FACT-G Version 4 - I Have Nausea
C127424	FAC001-I Have Pain	FAC001-I Have Pain	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: I have pain.	FACT-G Version 4 - I have pain
C127439	FAC001-I Worry About Dying	FAC001-I Worry About Dying	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry about dying.	FACT-G Version 4 - I Worry About Dying
C127437	FAC001-Losing Hope Against Illness	FAC001-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-G Version 4 - Losing Hope Against Illness
C127431	FAC001-My Family Has Accepted My Illness	FAC001-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-G Version 4 - My Family Has Accepted My Illness

**C127353 FAC001TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127442	FAC001-My Work Is Fulfilling	FAC001-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-General Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-G Version 4 - My Work Is Fulfilling
C127432	FAC001-Satisfied Communication Illness	FAC001-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-General Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-G Version 4 - Satisfied With Family Communication
C127436	FAC001-Satisfied With How I Am Coping	FAC001-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-G Version 4 - Satisfied With How I Am Coping With Illness
C127423	FAC001-Trouble Meeting Needs of Family	FAC001-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-General Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-G Version 4 - Trouble Meeting Needs of Family
C127440	FAC001-Worry My Condition Will Get Worse	FAC001-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-General Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-G Version 4 - Worry My Condition Will Get Worse

## FAC005TC (Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Code)

NCI Code: C129094, Codelist extensible: No

C129094 FAC005TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C129188	FAC00501	FAC005-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have a lack of energy.	FACT-B Version 4 - I Have a Lack of Energy
C129189	FAC00502	FAC005-I Have Nausea	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have nausea.	FACT-B Version 4 - I Have Nausea
C129190	FAC00503	FAC005-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-B Version 4 - Trouble Meeting Needs of Family
C129191	FAC00504	FAC005-I Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have pain.	FACT-B Version 4 - I Have Pain
C129192	FAC00505	FAC005-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-B Version 4 - Bothered by Treatment Side Effect
C129193	FAC00506	FAC005-I Feel Ill	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I feel ill.	FACT-B Version 4 - I Feel Ill
C129194	FAC00507	FAC005-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-B Version 4 - I Am Forced to Spend Time in Bed
C129195	FAC00508	FAC005-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-B Version 4 - I Feel Close to My Friends
C129196	FAC00509	FAC005-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-B Version 4 - Get Emotional Support From Family
C129197	FAC00510	FAC005-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-B Version 4 - I Get Support From My Friends
C129198	FAC00511	FAC005-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-B Version 4 - My Family Has Accepted My Illness
C129199	FAC00512	FAC005-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-B Version 4 - Satisfied Family Communication of Illness
C129200	FAC00513	FAC005-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-B Version 4 - I Feel Close to My Partner
C129201	FAC00514	FAC005-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-B Version 4 - I Am Satisfied With My Sex Life
C129202	FAC00515	FAC005-I Feel Sad	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel sad.	FACT-B Version 4 - I Feel Sad
C129203	FAC00516	FAC005-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-B Version 4 - Satisfied With How I Am Coping
C129204	FAC00517	FAC005-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-B Version 4 - Losing Hope Against Illness
C129205	FAC00518	FAC005-I Feel Nervous	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel nervous.	FACT-B Version 4 - I Feel Nervous
C129206	FAC00519	FAC005-I Worry About Dying	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry about dying.	FACT-B Version 4 - I Worry About Dying
C129207	FAC00520	FAC005-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-B Version 4 - Worry My Condition Will Get Worse
C129208	FAC00521	FAC005-I Am Able to Work	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-B Version 4 - I Am Able to Work
C129209	FAC00522	FAC005-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-B Version 4 - My Work Is Fulfilling



**C129094 FAC005TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129210	FAC00523	FAC005-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-B Version 4 - I Am Able to Enjoy Life
C129211	FAC00524	FAC005-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I have accepted my illness.	FACT-B Version 4 - I Have Accepted My Illness
C129212	FAC00525	FAC005-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am sleeping well.	FACT-B Version 4 - I Am Sleeping Well
C129213	FAC00526	FAC005-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-B Version 4 - Enjoy Things I Usually Do for Fun
C129214	FAC00527	FAC005-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-B Version 4 - Content With Quality of My Life
C129215	FAC00528	FAC005-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have been short of breath.	FACT-B Version 4 - I Have Been Short of Breath
C129216	FAC00529	FAC005-Self-conscious About Way I Dress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am self-conscious about the way I dress.	FACT-B Version 4 - Self-conscious About Way I Dress
C129217	FAC00530	FAC005-One/Both Arms Are Swollen/Tender	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: One or both of my arms are swollen or tender.	FACT-B Version 4 - One or Both Arms Are Swollen or Tender
C129218	FAC00531	FAC005-I Feel Sexually Attractive	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I feel sexually attractive.	FACT-B Version 4 - I Feel Sexually Attractive
C129219	FAC00532	FAC005-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-B Version 4 - I Am Bothered by Hair Loss
C129220	FAC00533	FAC005-Worry Family Will Get Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry that other members of my family might someday get the same illness I have.	FACT-B Version 4 - Worry Family Will Get Illness
C129221	FAC00534	FAC005-Worry About the Effect of Stress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry about the effect of stress on my illness.	FACT-B Version 4 - Worry About the Effect of Stress
C129222	FAC00535	FAC005-I Am Bothered by Change in Weight	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by a change in weight.	FACT-B Version 4 - I Am Bothered by Change in Weight
C129223	FAC00536	FAC005-I Am Able to Feel Like a Woman	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am able to feel like a woman.	FACT-B Version 4 - I Am Able to Feel Like a Woman
C129224	FAC00537	FAC005-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-B Version 4 - Certain Parts of Body Have Pain

**FAC005TN (Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire Test Name)**

NCI Code: C129093, Codelist extensible: No

<b>C129093 FAC005TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129192	FAC005-Bothered by Treatment Side Effect	FAC005-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-B Version 4 - Bothered by Treatment Side Effect
C129224	FAC005-Certain Parts of Body Have Pain	FAC005-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-B Version 4 - Certain Parts of Body Have Pain
C129214	FAC005-Content With Quality of My Life	FAC005-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-B Version 4 - Content With Quality of My Life
C129213	FAC005-Enjoy Things I Usually Do for Fun	FAC005-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-B Version 4 - Enjoy Things I Usually Do for Fun
C129196	FAC005-Get Emotional Support From Family	FAC005-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-B Version 4 - Get Emotional Support From Family
C129210	FAC005-I Am Able to Enjoy Life	FAC005-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-B Version 4 - I Am Able to Enjoy Life
C129223	FAC005-I Am Able to Feel Like a Woman	FAC005-I Am Able to Feel Like a Woman	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am able to feel like a woman.	FACT-B Version 4 - I Am Able to Feel Like a Woman
C129208	FAC005-I Am Able to Work	FAC005-I Am Able to Work	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-B Version 4 - I Am Able to Work
C129222	FAC005-I Am Bothered by Change in Weight	FAC005-I Am Bothered by Change in Weight	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by a change in weight.	FACT-B Version 4 - I Am Bothered by Change in Weight
C129219	FAC005-I Am Bothered by Hair Loss	FAC005-I Am Bothered by Hair Loss	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am bothered by hair loss.	FACT-B Version 4 - I Am Bothered by Hair Loss
C129194	FAC005-I Am Forced to Spend Time in Bed	FAC005-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-B Version 4 - I Am Forced to Spend Time in Bed
C129201	FAC005-I Am Satisfied With My Sex Life	FAC005-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-B Version 4 - I Am Satisfied With My Sex Life
C129212	FAC005-I Am Sleeping Well	FAC005-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I am sleeping well.	FACT-B Version 4 - I Am Sleeping Well
C129195	FAC005-I Feel Close to My Friends	FAC005-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-B Version 4 - I Feel Close to My Friends
C129200	FAC005-I Feel Close to My Partner	FAC005-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-B Version 4 - I Feel Close to My Partner
C129193	FAC005-I Feel Ill	FAC005-I Feel Ill	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I feel ill.	FACT-B Version 4 - I Feel Ill
C129205	FAC005-I Feel Nervous	FAC005-I Feel Nervous	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel nervous.	FACT-B Version 4 - I Feel Nervous
C129202	FAC005-I Feel Sad	FAC005-I Feel Sad	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I feel sad.	FACT-B Version 4 - I Feel Sad
C129218	FAC005-I Feel Sexually Attractive	FAC005-I Feel Sexually Attractive	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I feel sexually attractive.	FACT-B Version 4 - I Feel Sexually Attractive
C129197	FAC005-I Get Support From My Friends	FAC005-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-B Version 4 - I Get Support From My Friends
C129188	FAC005-I Have a Lack of Energy	FAC005-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have a lack of energy.	FACT-B Version 4 - I Have a Lack of Energy
C129211	FAC005-I Have Accepted My Illness	FAC005-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: I have accepted my illness.	FACT-B Version 4 - I Have Accepted My Illness

**C129093 FAC005TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129215	FAC005-I Have Been Short of Breath	FAC005-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I have been short of breath.	FACT-B Version 4 - I Have Been Short of Breath
C129189	FAC005-I Have Nausea	FAC005-I Have Nausea	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have nausea.	FACT-B Version 4 - I Have Nausea
C129191	FAC005-I Have Pain	FAC005-I Have Pain	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: I have pain.	FACT-B Version 4 - I Have Pain
C129206	FAC005-I Worry About Dying	FAC005-I Worry About Dying	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry about dying.	FACT-B Version 4 - I Worry About Dying
C129204	FAC005-Losing Hope Against Illness	FAC005-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-B Version 4 - Losing Hope Against Illness
C129198	FAC005-My Family Has Accepted My Illness	FAC005-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-B Version 4 - My Family Has Accepted My Illness
C129209	FAC005-My Work Is Fulfilling	FAC005-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Breast Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-B Version 4 - My Work Is Fulfilling
C129217	FAC005-One/Both Arms Are Swollen/Tender	FAC005-One/Both Arms Are Swollen/Tender	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: One or both of my arms are swollen or tender.	FACT-B Version 4 - One or Both Arms Are Swollen or Tender
C129199	FAC005-Satisfied Communication Illness	FAC005-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-B Version 4 - Satisfied Family Communication of Illness
C129203	FAC005-Satisfied With How I Am Coping	FAC005-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-B Version 4 - Satisfied With How I Am Coping
C129216	FAC005-Self-conscious About Way I Dress	FAC005-Self-conscious About Way I Dress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I am self-conscious about the way I dress.	FACT-B Version 4 - Self-conscious About Way I Dress
C129190	FAC005-Trouble Meeting Needs of Family	FAC005-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Breast Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-B Version 4 - Trouble Meeting Needs of Family
C129221	FAC005-Worry About the Effect of Stress	FAC005-Worry About the Effect of Stress	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry about the effect of stress on my illness.	FACT-B Version 4 - Worry About the Effect of Stress
C129220	FAC005-Worry Family Will Get Illness	FAC005-Worry Family Will Get Illness	Functional Assessment of Cancer Therapy-Breast Version 4 - Additional Concerns: I worry that other members of my family might someday get the same illness I have.	FACT-B Version 4 - Worry Family Will Get Illness
C129207	FAC005-Worry My Condition Will Get Worse	FAC005-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Breast Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-B Version 4 - Worry My Condition Will Get Worse

## FAC015TC (Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Code)

NCI Code: C130255, Codelist extensible: No

<b>C130255 FAC015TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130458	FAC01501	FAC015-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have a lack of energy.	FACT-HEP Version 4 - I Have a Lack of Energy
C130459	FAC01502	FAC015-I Have Nausea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have nausea.	FACT-HEP Version 4 - I Have Nausea
C130460	FAC01503	FAC015-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-HEP Version 4 - Trouble Meeting Needs of Family
C130461	FAC01504	FAC015-I Have Pain	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have pain.	FACT-HEP Version 4 - I Have Pain
C130462	FAC01505	FAC015-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-HEP Version 4 - Bothered by Treatment Side Effect
C130463	FAC01506	FAC015-I Feel Ill	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I feel ill.	FACT-HEP Version 4 - I Feel Ill
C130464	FAC01507	FAC015-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-HEP Version 4 - I Am Forced to Spend Time in Bed
C130465	FAC01508	FAC015-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-HEP Version 4 - I Feel Close to My Friends
C130466	FAC01509	FAC015-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-HEP Version 4 - Get Emotional Support From Family
C130467	FAC01510	FAC015-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-HEP Version 4 - I Get Support From My Friends
C130468	FAC01511	FAC015-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-HEP Version 4 - My Family Has Accepted My Illness
C130469	FAC01512	FAC015-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-HEP Version 4 - Satisfied With Communication About Illness
C130470	FAC01513	FAC015-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-HEP Version 4 - I Feel Close to My Partner
C130471	FAC01514	FAC015-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-HEP Version 4 - I Am Satisfied With My Sex Life
C130472	FAC01515	FAC015-I Feel Sad	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel sad.	FACT-HEP Version 4 - I Feel Sad
C130473	FAC01516	FAC015-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-HEP Version 4 - Satisfied With How I Am Coping
C130474	FAC01517	FAC015-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-HEP Version 4 - Losing Hope Against Illness
C130475	FAC01518	FAC015-I Feel Nervous	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel nervous.	FACT-HEP Version 4 - I Feel Nervous
C130476	FAC01519	FAC015-I Worry About Dying	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry about dying.	FACT-HEP Version 4 - I Worry About Dying
C130477	FAC01520	FAC015-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-HEP Version 4 - Worry My Condition Will Get Worse
C130478	FAC01521	FAC015-I Am Able to Work	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-HEP Version 4 - I Am Able to Work

**C130255 FAC015TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130479	FAC01522	FAC015-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-HEP Version 4 - My Work Is Fulfilling
C130480	FAC01523	FAC015-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-HEP Version 4 - I Am Able to Enjoy Life
C130481	FAC01524	FAC015-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I have accepted my illness.	FACT-HEP Version 4 - I Have Accepted My Illness
C130482	FAC01525	FAC015-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am sleeping well.	FACT-HEP Version 4 - I Am Sleeping Well
C130483	FAC01526	FAC015-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-HEP Version 4 - Enjoy Things I Usually Do for Fun
C130484	FAC01527	FAC015-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-HEP Version 4 - Content With Quality of My Life
C130485	FAC01528	FAC015-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-HEP Version 4 - Swelling or Cramps in Stomach Area
C130486	FAC01529	FAC015-I Am Losing Weight	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am losing weight.	FACT-HEP Version 4 - I Am Losing Weight
C130487	FAC01530	FAC015-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have control of my bowels.	FACT-HEP Version 4 - I Have Control of My Bowels
C130488	FAC01531	FAC015-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I can digest my food well.	FACT-HEP Version 4 - I Can Digest My Food Well
C130489	FAC01532	FAC015-I Have Diarrhea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-HEP Version 4 - I Have Diarrhea
C130490	FAC01533	FAC015-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have a good appetite.	FACT-HEP Version 4 - I Have a Good Appetite
C130491	FAC01534	FAC015-Unhappy About Change in My Appear	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am unhappy about a change in my appearance.	FACT-HEP Version 4 - Unhappy About Change in My Appearance
C130492	FAC01535	FAC015-I Have Pain in My Back	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have pain in my back.	FACT-HEP Version 4 - I Have Pain in My Back
C130493	FAC01536	FAC015-I Am Bothered by Constipation	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by constipation.	FACT-HEP Version 4 - I Am Bothered by Constipation
C130494	FAC01537	FAC015-I Feel Fatigued	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I feel fatigued.	FACT-HEP Version 4 - I Feel Fatigued
C130495	FAC01538	FAC015-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-HEP Version 4 - Able to Do My Usual Activities
C130496	FAC01539	FAC015-Bothered by Jaundice/Yellow Skin	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by jaundice or yellow color to my skin.	FACT-HEP Version 4 - Bothered by Jaundice or Yellow Skin
C130497	FAC01540	FAC015-I Have Had Fevers	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had fevers (episodes of high body temperature).	FACT-HEP Version 4 - I Have Had Fevers
C130498	FAC01541	FAC015-I Have Had Itching	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had itching.	FACT-HEP Version 4 - I Have Had Itching
C130499	FAC01542	FAC015-Had Change in the Way Food Tastes	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had a change in the way food tastes.	FACT-HEP Version 4 - Had Change in the Way Food Tastes
C130500	FAC01543	FAC015-I Have Had Chills	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had chills.	FACT-HEP Version 4 - I Have Had Chills
C130501	FAC01544	FAC015-My Mouth Is Dry	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: My mouth is dry.	FACT-HEP Version 4 - My Mouth Is Dry

**C130255 FAC015TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130502	FAC01545	FAC015-Discomfort/Pain in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have discomfort or pain in my stomach area.	FACT-HEP Version 4 - Discomfort or Pain in Stomach Area

**FAC015TN (Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire Test Name)**

NCI Code: C130254, Codelist extensible: No

<b>C130254 FAC015TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130495	FAC015-Able to Do My Usual Activities	FAC015-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-HEP Version 4 - Able to Do My Usual Activities
C130496	FAC015-Bothered by Jaundice/Yellow Skin	FAC015-Bothered by Jaundice/Yellow Skin	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by jaundice or yellow color to my skin.	FACT-HEP Version 4 - Bothered by Jaundice or Yellow Skin
C130462	FAC015-Bothered by Treatment Side Effect	FAC015-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-HEP Version 4 - Bothered by Treatment Side Effect
C130484	FAC015-Content With Quality of My Life	FAC015-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-HEP Version 4 - Content With Quality of My Life
C130502	FAC015-Discomfort/Pain in Stomach Area	FAC015-Discomfort/Pain in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have discomfort or pain in my stomach area.	FACT-HEP Version 4 - Discomfort or Pain in Stomach Area
C130483	FAC015-Enjoy Things I Usually Do for Fun	FAC015-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-HEP Version 4 - Enjoy Things I Usually Do for Fun
C130466	FAC015-Get Emotional Support From Family	FAC015-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-HEP Version 4 - Get Emotional Support From Family
C130499	FAC015-Had Change in the Way Food Tastes	FAC015-Had Change in the Way Food Tastes	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had a change in the way food tastes.	FACT-HEP Version 4 - Had Change in the Way Food Tastes
C130480	FAC015-I Am Able to Enjoy Life	FAC015-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-HEP Version 4 - I Am Able to Enjoy Life
C130478	FAC015-I Am Able to Work	FAC015-I Am Able to Work	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-HEP Version 4 - I Am Able to Work
C130493	FAC015-I Am Bothered by Constipation	FAC015-I Am Bothered by Constipation	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am bothered by constipation.	FACT-HEP Version 4 - I Am Bothered by Constipation
C130464	FAC015-I Am Forced to Spend Time in Bed	FAC015-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-HEP Version 4 - I Am Forced to Spend Time in Bed
C130486	FAC015-I Am Losing Weight	FAC015-I Am Losing Weight	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am losing weight.	FACT-HEP Version 4 - I Am Losing Weight
C130471	FAC015-I Am Satisfied With My Sex Life	FAC015-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-HEP Version 4 - I Am Satisfied With My Sex Life
C130482	FAC015-I Am Sleeping Well	FAC015-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I am sleeping well.	FACT-HEP Version 4 - I Am Sleeping Well
C130488	FAC015-I Can Digest My Food Well	FAC015-I Can Digest My Food Well	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I can digest my food well.	FACT-HEP Version 4 - I Can Digest My Food Well
C130465	FAC015-I Feel Close to My Friends	FAC015-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-HEP Version 4 - I Feel Close to My Friends
C130470	FAC015-I Feel Close to My Partner	FAC015-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-HEP Version 4 - I Feel Close to My Partner
C130494	FAC015-I Feel Fatigued	FAC015-I Feel Fatigued	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I feel fatigued.	FACT-HEP Version 4 - I Feel Fatigued
C130463	FAC015-I Feel Ill	FAC015-I Feel Ill	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I feel ill.	FACT-HEP Version 4 - I Feel Ill
C130475	FAC015-I Feel Nervous	FAC015-I Feel Nervous	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel nervous.	FACT-HEP Version 4 - I Feel Nervous

**C130254 FAC015TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130472	FAC015-I Feel Sad	FAC015-I Feel Sad	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I feel sad.	FACT-HEP Version 4 - I Feel Sad
C130467	FAC015-I Get Support From My Friends	FAC015-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-HEP Version 4 - I Get Support From My Friends
C130490	FAC015-I Have a Good Appetite	FAC015-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have a good appetite.	FACT-HEP Version 4 - I Have a Good Appetite
C130458	FAC015-I Have a Lack of Energy	FAC015-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have a lack of energy.	FACT-HEP Version 4 - I Have a Lack of Energy
C130481	FAC015-I Have Accepted My Illness	FAC015-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: I have accepted my illness.	FACT-HEP Version 4 - I Have Accepted My Illness
C130487	FAC015-I Have Control of My Bowels	FAC015-I Have Control of My Bowels	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have control of my bowels.	FACT-HEP Version 4 - I Have Control of My Bowels
C130489	FAC015-I Have Diarrhea	FAC015-I Have Diarrhea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have diarrhea (diarrhoea).	FACT-HEP Version 4 - I Have Diarrhea
C130500	FAC015-I Have Had Chills	FAC015-I Have Had Chills	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had chills.	FACT-HEP Version 4 - I Have Had Chills
C130497	FAC015-I Have Had Fevers	FAC015-I Have Had Fevers	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had fevers (episodes of high body temperature).	FACT-HEP Version 4 - I Have Had Fevers
C130498	FAC015-I Have Had Itching	FAC015-I Have Had Itching	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have had itching.	FACT-HEP Version 4 - I Have Had Itching
C130459	FAC015-I Have Nausea	FAC015-I Have Nausea	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have nausea.	FACT-HEP Version 4 - I Have Nausea
C130461	FAC015-I Have Pain	FAC015-I Have Pain	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: I have pain.	FACT-HEP Version 4 - I Have Pain
C130492	FAC015-I Have Pain in My Back	FAC015-I Have Pain in My Back	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have pain in my back.	FACT-HEP Version 4 - I Have Pain in My Back
C130476	FAC015-I Worry About Dying	FAC015-I Worry About Dying	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry about dying.	FACT-HEP Version 4 - I Worry About Dying
C130474	FAC015-Losing Hope Against Illness	FAC015-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-HEP Version 4 - Losing Hope Against Illness
C130468	FAC015-My Family Has Accepted My Illness	FAC015-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-HEP Version 4 - My Family Has Accepted My Illness
C130501	FAC015-My Mouth Is Dry	FAC015-My Mouth Is Dry	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: My mouth is dry.	FACT-HEP Version 4 - My Mouth Is Dry
C130479	FAC015-My Work Is Fulfilling	FAC015-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-HEP Version 4 - My Work Is Fulfilling
C130469	FAC015-Satisfied Communication Illness	FAC015-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-HEP Version 4 - Satisfied With Communication About Illness
C130473	FAC015-Satisfied With How I Am Coping	FAC015-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-HEP Version 4 - Satisfied With How I Am Coping
C130485	FAC015-Swelling/Cramps in Stomach Area	FAC015-Swelling/Cramps in Stomach Area	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I have swelling or cramps in my stomach area.	FACT-HEP Version 4 - Swelling or Cramps in Stomach Area
C130460	FAC015-Trouble Meeting Needs of Family	FAC015-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-HEP Version 4 - Trouble Meeting Needs of Family
C130491	FAC015-Unhappy About Change in My Appearance	FAC015-Unhappy About Change in My Appearance	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Additional Concerns: I am unhappy about a change in my appearance.	FACT-HEP Version 4 - Unhappy About Change in My Appearance



**C130254 FAC015TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130477	FAC015-Worry My Condition Will Get Worse	FAC015-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-HEP Version 4 - Worry My Condition Will Get Worse

## FAC017TC (Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Code)

NCI Code: C130253, Codelist extensible: No

C130253 FAC017TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130414	FAC01701	FAC017-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LEU Version 4 - I Have a Lack of Energy
C130415	FAC01702	FAC017-I Have Nausea	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have nausea.	FACT-LEU Version 4 - I Have Nausea
C130416	FAC01703	FAC017-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LEU Version 4 - Trouble Meeting Needs of Family
C130417	FAC01704	FAC017-I Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have pain.	FACT-LEU Version 4 - I Have Pain
C130418	FAC01705	FAC017-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LEU Version 4 - Bothered by Treatment Side Effect
C130419	FAC01706	FAC017-I Feel Ill	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I feel ill.	FACT-LEU Version 4 - I Feel Ill
C130420	FAC01707	FAC017-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LEU Version 4 - I Am Forced to Spend Time in Bed
C130421	FAC01708	FAC017-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LEU Version 4 - I Feel Close to My Friends
C130422	FAC01709	FAC017-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LEU Version 4 - Get Emotional Support From Family
C130423	FAC01710	FAC017-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LEU Version 4 - I Get Support From My Friends
C130424	FAC01711	FAC017-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LEU Version 4 - My Family Has Accepted My Illness
C130425	FAC01712	FAC017-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LEU Version 4 - Satisfied Communication Illness
C130426	FAC01713	FAC017-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LEU Version 4 - I Feel Close to My Partner
C130427	FAC01714	FAC017-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LEU Version 4 - I Am Satisfied With My Sex Life
C130428	FAC01715	FAC017-I Feel Sad	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel sad.	FACT-LEU Version 4 - I Feel Sad
C130429	FAC01716	FAC017-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LEU Version 4 - Satisfied With How I Am Coping
C130430	FAC01717	FAC017-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LEU Version 4 - Losing Hope Against Illness
C130431	FAC01718	FAC017-I Feel Nervous	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel nervous.	FACT-LEU Version 4 - I Feel Nervous
C130432	FAC01719	FAC017-I Worry About Dying	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry about dying.	FACT-LEU Version 4 - I Worry About Dying
C130433	FAC01720	FAC017-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LEU Version 4 - Worry My Condition Will Get Worse
C130434	FAC01721	FAC017-I Am Able to Work	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LEU Version 4 - I Am Able to Work

**C130253 FAC017TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130435	FAC01722	FAC017-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LEU Version 4 - My Work Is Fulfilling
C130436	FAC01723	FAC017-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LEU Version 4 - I Am Able to Enjoy Life
C130437	FAC01724	FAC017-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LEU Version 4 - I Have Accepted My Illness
C130438	FAC01725	FAC017-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am sleeping well.	FACT-LEU Version 4 - I Am Sleeping Well
C130439	FAC01726	FAC017-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LEU Version 4 - Enjoy Things I Usually Do for Fun
C130440	FAC01727	FAC017-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LEU Version 4 - Content With Quality of My Life
C130441	FAC01728	FAC017-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LEU Version 4 - I Am Bothered by Fevers
C130442	FAC01729	FAC017-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LEU Version 4 - Certain Parts of Body Have Pain
C130443	FAC01730	FAC017-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by the chills.	FACT-LEU Version 4 - I Am Bothered by the Chills
C130444	FAC01731	FAC017-I Have Night Sweats	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have night sweats.	FACT-LEU Version 4 - I Have Night Sweats
C130445	FAC01732	FAC017-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LEU Version 4 - Bothered by Lumps or Swelling
C130446	FAC01733	FAC017-I Bleed Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bleed easily.	FACT-LEU Version 4 - I Bleed Easily
C130447	FAC01734	FAC017-I Bruise Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bruise easily.	FACT-LEU Version 4 - I Bruise Easily
C130448	FAC01735	FAC017-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel weak all over.	FACT-LEU Version 4 - I Feel Weak All Over
C130449	FAC01736	FAC017-I Get Tired Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I get tired easily.	FACT-LEU Version 4 - I Get Tired Easily
C130450	FAC01737	FAC017-I Am Losing Weight	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am losing weight.	FACT-LEU Version 4 - I Am Losing Weight
C130451	FAC01738	FAC017-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have a good appetite.	FACT-LEU Version 4 - I Have a Good Appetite
C130452	FAC01739	FAC017-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-LEU Version 4 - Able to Do My Usual Activities
C130453	FAC01740	FAC017-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry about getting infections.	FACT-LEU Version 4 - I Worry About Getting Infections
C130454	FAC01741	FAC017-Uncertain About My Future Health	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel uncertain about my future health.	FACT-LEU Version 4 - Uncertain About My Future Health
C130455	FAC01742	FAC017-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LEU Version 4 - Worry I Might Get New Symptoms
C130456	FAC01743	FAC017-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LEU Version 4 - I Have Emotional Ups and Downs
C130457	FAC01744	FAC017-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LEU Version 4 - Feel Isolated Because of Illness

## FAC017TN (Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire Test Name)

NCI Code: C130252, Codelist extensible: No

C130252 FAC017TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130452	FAC017-Able to Do My Usual Activities	FAC017-Able to Do My Usual Activities	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am able to do my usual activities.	FACT-LEU Version 4 - Able to Do My Usual Activities
C130445	FAC017-Bothered by Lumps or Swelling	FAC017-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LEU Version 4 - Bothered by Lumps or Swelling
C130418	FAC017-Bothered by Treatment Side Effect	FAC017-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LEU Version 4 - Bothered by Treatment Side Effect
C130442	FAC017-Certain Parts of Body Have Pain	FAC017-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LEU Version 4 - Certain Parts of Body Have Pain
C130440	FAC017-Content With Quality of My Life	FAC017-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LEU Version 4 - Content With Quality of My Life
C130439	FAC017-Enjoy Things I Usually Do for Fun	FAC017-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LEU Version 4 - Enjoy Things I Usually Do for Fun
C130457	FAC017-Feel Isolated Because of Illness	FAC017-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LEU Version 4 - Feel Isolated Because of Illness
C130422	FAC017-Get Emotional Support From Family	FAC017-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LEU Version 4 - Get Emotional Support From Family
C130436	FAC017-I Am Able to Enjoy Life	FAC017-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LEU Version 4 - I Am Able to Enjoy Life
C130434	FAC017-I Am Able to Work	FAC017-I Am Able to Work	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LEU Version 4 - I Am Able to Work
C130441	FAC017-I Am Bothered by Fevers	FAC017-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LEU Version 4 - I Am Bothered by Fevers
C130443	FAC017-I Am Bothered by the Chills	FAC017-I Am Bothered by the Chills	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am bothered by the chills.	FACT-LEU Version 4 - I Am Bothered by the Chills
C130420	FAC017-I Am Forced to Spend Time in Bed	FAC017-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LEU Version 4 - I Am Forced to Spend Time in Bed
C130450	FAC017-I Am Losing Weight	FAC017-I Am Losing Weight	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I am losing weight.	FACT-LEU Version 4 - I Am Losing Weight
C130427	FAC017-I Am Satisfied With My Sex Life	FAC017-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LEU Version 4 - I Am Satisfied With My Sex Life
C130438	FAC017-I Am Sleeping Well	FAC017-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I am sleeping well.	FACT-LEU Version 4 - I Am Sleeping Well
C130446	FAC017-I Bleed Easily	FAC017-I Bleed Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bleed easily.	FACT-LEU Version 4 - I Bleed Easily
C130447	FAC017-I Bruise Easily	FAC017-I Bruise Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I bruise easily.	FACT-LEU Version 4 - I Bruise Easily
C130421	FAC017-I Feel Close to My Friends	FAC017-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LEU Version 4 - I Feel Close to My Friends
C130426	FAC017-I Feel Close to My Partner	FAC017-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LEU Version 4 - I Feel Close to My Partner
C130419	FAC017-I Feel Ill	FAC017-I Feel Ill	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I feel ill.	FACT-LEU Version 4 - I Feel Ill

**C130252 FAC017TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130431	FAC017-I Feel Nervous	FAC017-I Feel Nervous	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel nervous.	FACT-LEU Version 4 - I Feel Nervous
C130428	FAC017-I Feel Sad	FAC017-I Feel Sad	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I feel sad.	FACT-LEU Version 4 - I Feel Sad
C130448	FAC017-I Feel Weak All Over	FAC017-I Feel Weak All Over	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel weak all over.	FACT-LEU Version 4 - I Feel Weak All Over
C130423	FAC017-I Get Support From My Friends	FAC017-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LEU Version 4 - I Get Support From My Friends
C130449	FAC017-I Get Tired Easily	FAC017-I Get Tired Easily	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I get tired easily.	FACT-LEU Version 4 - I Get Tired Easily
C130451	FAC017-I Have a Good Appetite	FAC017-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have a good appetite.	FACT-LEU Version 4 - I Have a Good Appetite
C130414	FAC017-I Have a Lack of Energy	FAC017-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LEU Version 4 - I Have a Lack of Energy
C130437	FAC017-I Have Accepted My Illness	FAC017-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LEU Version 4 - I Have Accepted My Illness
C130456	FAC017-I Have Emotional Ups and Downs	FAC017-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LEU Version 4 - I Have Emotional Ups and Downs
C130415	FAC017-I Have Nausea	FAC017-I Have Nausea	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have nausea.	FACT-LEU Version 4 - I Have Nausea
C130444	FAC017-I Have Night Sweats	FAC017-I Have Night Sweats	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I have night sweats.	FACT-LEU Version 4 - I Have Night Sweats
C130417	FAC017-I Have Pain	FAC017-I Have Pain	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: I have pain.	FACT-LEU Version 4 - I Have Pain
C130432	FAC017-I Worry About Dying	FAC017-I Worry About Dying	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry about dying.	FACT-LEU Version 4 - I Worry About Dying
C130453	FAC017-I Worry About Getting Infections	FAC017-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry about getting infections.	FACT-LEU Version 4 - I Worry About Getting Infections
C130430	FAC017-Losing Hope Against Illness	FAC017-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LEU Version 4 - Losing Hope Against Illness
C130424	FAC017-My Family Has Accepted My Illness	FAC017-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LEU Version 4 - My Family Has Accepted My Illness
C130435	FAC017-My Work Is Fulfilling	FAC017-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LEU Version 4 - My Work Is Fulfilling
C130425	FAC017-Satisfied Communication Illness	FAC017-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LEU Version 4 - Satisfied Communication Illness
C130429	FAC017-Satisfied With How I Am Coping	FAC017-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LEU Version 4 - Satisfied With How I Am Coping
C130416	FAC017-Trouble Meeting Needs of Family	FAC017-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LEU Version 4 - Trouble Meeting Needs of Family
C130454	FAC017-Uncertain About My Future Health	FAC017-Uncertain About My Future Health	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I feel uncertain about my future health.	FACT-LEU Version 4 - Uncertain About My Future Health
C130455	FAC017-Worry I Might Get New Symptoms	FAC017-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LEU Version 4 - Worry I Might Get New Symptoms
C130433	FAC017-Worry My Condition Will Get Worse	FAC017-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Leukemia Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LEU Version 4 - Worry My Condition Will Get Worse

**FAC018TC (Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Code)**

NCI Code: C130257, Codelist extensible: No

<b>C130257 FAC018TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130503	FAC01801	FAC018-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LYM Version 4 - I Have a Lack of Energy
C130504	FAC01802	FAC018-I Have Nausea	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have nausea.	FACT-LYM Version 4 - I Have Nausea
C130505	FAC01803	FAC018-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LYM Version 4 - Trouble Meeting Needs of Family
C130506	FAC01804	FAC018-I Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have pain.	FACT-LYM Version 4 - I Have Pain
C130507	FAC01805	FAC018-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LYM Version 4 - Bothered by Treatment Side Effect
C130508	FAC01806	FAC018-I Feel Ill	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I feel ill.	FACT-LYM Version 4 - I Feel Ill
C130509	FAC01807	FAC018-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LYM Version 4 - I Am Forced to Spend Time in Bed
C130510	FAC01808	FAC018-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LYM Version 4 - I Feel Close to My Friends
C130511	FAC01809	FAC018-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LYM Version 4 - Get Emotional Support From Family
C130512	FAC01810	FAC018-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LYM Version 4 - I Get Support From My Friends
C130513	FAC01811	FAC018-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LYM Version 4 - My Family Has Accepted My Illness
C130514	FAC01812	FAC018-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LYM Version 4 - Satisfied With Communication About Illness
C130515	FAC01813	FAC018-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LYM Version 4 - I Feel Close to My Partner
C130516	FAC01814	FAC018-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LYM Version 4 - I Am Satisfied With My Sex Life
C130517	FAC01815	FAC018-I Feel Sad	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel sad.	FACT-LYM Version 4 - I Feel Sad
C130518	FAC01816	FAC018-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LYM Version 4 - Satisfied With How I Am Coping
C130519	FAC01817	FAC018-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LYM Version 4 - Losing Hope Against Illness
C130520	FAC01818	FAC018-I Feel Nervous	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel nervous.	FACT-LYM Version 4 - I Feel Nervous
C130521	FAC01819	FAC018-I Worry About Dying	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry about dying.	FACT-LYM Version 4 - I Worry About Dying
C130522	FAC01820	FAC018-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LYM Version 4 - Worry My Condition Will Get Worse
C130523	FAC01821	FAC018-I Am Able to Work	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LYM Version 4 - I Am Able to Work

**C130257 FAC018TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130524	FAC01822	FAC018-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LYM Version 4 - My Work Is Fulfilling
C130525	FAC01823	FAC018-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LYM Version 4 - I Am Able to Enjoy Life
C130526	FAC01824	FAC018-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LYM Version 4 - I Have Accepted My Illness
C130527	FAC01825	FAC018-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am sleeping well.	FACT-LYM Version 4 - I Am Sleeping Well
C130528	FAC01826	FAC018-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LYM Version 4 - Enjoy Things I Usually Do for Fun
C130529	FAC01827	FAC018-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LYM Version 4 - Content With Quality of My Life
C130530	FAC01828	FAC018-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LYM Version 4 - Certain Parts of Body Have Pain
C130531	FAC01829	FAC018-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LYM Version 4 - Bothered by Lumps or Swelling
C130532	FAC01830	FAC018-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LYM Version 4 - I Am Bothered by Fevers
C130533	FAC01831	FAC018-I Have Night Sweats	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have night sweats.	FACT-LYM Version 4 - I Have Night Sweats
C130534	FAC01832	FAC018-I Am Bothered by Itching	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by itching.	FACT-LYM Version 4 - I Am Bothered by Itching
C130535	FAC01833	FAC018-I Have Trouble Sleeping at Night	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble sleeping at night.	FACT-LYM Version 4 - I Have Trouble Sleeping at Night
C130536	FAC01834	FAC018-I Get Tired Easily	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I get tired easily.	FACT-LYM Version 4 - I Get Tired Easily
C130537	FAC01835	FAC018-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am losing weight.	FACT-LYM Version 4 - I Am Losing Weight
C130538	FAC01836	FAC018-I Have a Loss of Appetite	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have a loss of appetite.	FACT-LYM Version 4 - I Have a Loss of Appetite
C130539	FAC01837	FAC018-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble concentrating.	FACT-LYM Version 4 - I Have Trouble Concentrating
C130540	FAC01838	FAC018-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry about getting infections.	FACT-LYM Version 4 - I Worry About Getting Infections
C130541	FAC01839	FAC018-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LYM Version 4 - Worry I Might Get New Symptoms
C130542	FAC01840	FAC018-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LYM Version 4 - Feel Isolated Because of Illness
C130543	FAC01841	FAC018-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LYM Version 4 - I Have Emotional Ups and Downs
C130544	FAC01842	FAC018-Difficulty Planning for Future	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: Because of my illness, I have difficulty planning for the future.	FACT-LYM Version 4 - Difficulty Planning for Future

**FAC018TN (Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire Test Name)**

NCI Code: C130256, Codelist extensible: No

<b>C130256 FAC018TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130531	FAC018-Bothered by Lumps or Swelling	FAC018-Bothered by Lumps or Swelling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by lumps or swelling in certain parts of my body (e.g., neck, armpits, or groin).	FACT-LYM Version 4 - Bothered by Lumps or Swelling
C130507	FAC018-Bothered by Treatment Side Effect	FAC018-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-LYM Version 4 - Bothered by Treatment Side Effect
C130530	FAC018-Certain Parts of Body Have Pain	FAC018-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-LYM Version 4 - Certain Parts of Body Have Pain
C130529	FAC018-Content With Quality of My Life	FAC018-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-LYM Version 4 - Content With Quality of My Life
C130544	FAC018-Difficulty Planning for Future	FAC018-Difficulty Planning for Future	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: Because of my illness, I have difficulty planning for the future.	FACT-LYM Version 4 - Difficulty Planning for Future
C130528	FAC018-Enjoy Things I Usually Do for Fun	FAC018-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-LYM Version 4 - Enjoy Things I Usually Do for Fun
C130542	FAC018-Feel Isolated Because of Illness	FAC018-Feel Isolated Because of Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I feel isolated from others because of my illness or treatment.	FACT-LYM Version 4 - Feel Isolated Because of Illness
C130511	FAC018-Get Emotional Support From Family	FAC018-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-LYM Version 4 - Get Emotional Support From Family
C130525	FAC018-I Am Able to Enjoy Life	FAC018-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-LYM Version 4 - I Am Able to Enjoy Life
C130523	FAC018-I Am Able to Work	FAC018-I Am Able to Work	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-LYM Version 4 - I Am Able to Work
C130532	FAC018-I Am Bothered by Fevers	FAC018-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FACT-LYM Version 4 - I Am Bothered by Fevers
C130534	FAC018-I Am Bothered by Itching	FAC018-I Am Bothered by Itching	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am bothered by itching.	FACT-LYM Version 4 - I Am Bothered by Itching
C130509	FAC018-I Am Forced to Spend Time in Bed	FAC018-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-LYM Version 4 - I Am Forced to Spend Time in Bed
C130537	FAC018-I Am Losing Weight	FAC018-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I am losing weight.	FACT-LYM Version 4 - I Am Losing Weight
C130516	FAC018-I Am Satisfied With My Sex Life	FAC018-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-LYM Version 4 - I Am Satisfied With My Sex Life
C130527	FAC018-I Am Sleeping Well	FAC018-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I am sleeping well.	FACT-LYM Version 4 - I Am Sleeping Well
C130510	FAC018-I Feel Close to My Friends	FAC018-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-LYM Version 4 - I Feel Close to My Friends
C130515	FAC018-I Feel Close to My Partner	FAC018-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-LYM Version 4 - I Feel Close to My Partner
C130508	FAC018-I Feel Ill	FAC018-I Feel Ill	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I feel ill.	FACT-LYM Version 4 - I Feel Ill
C130520	FAC018-I Feel Nervous	FAC018-I Feel Nervous	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel nervous.	FACT-LYM Version 4 - I Feel Nervous
C130517	FAC018-I Feel Sad	FAC018-I Feel Sad	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I feel sad.	FACT-LYM Version 4 - I Feel Sad



**C130256 FAC018TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130512	FAC018-I Get Support From My Friends	FAC018-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-LYM Version 4 - I Get Support From My Friends
C130536	FAC018-I Get Tired Easily	FAC018-I Get Tired Easily	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I get tired easily.	FACT-LYM Version 4 - I Get Tired Easily
C130503	FAC018-I Have a Lack of Energy	FAC018-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have a lack of energy.	FACT-LYM Version 4 - I Have a Lack of Energy
C130538	FAC018-I Have a Loss of Appetite	FAC018-I Have a Loss of Appetite	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have a loss of appetite.	FACT-LYM Version 4 - I Have a Loss of Appetite
C130526	FAC018-I Have Accepted My Illness	FAC018-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: I have accepted my illness.	FACT-LYM Version 4 - I Have Accepted My Illness
C130543	FAC018-I Have Emotional Ups and Downs	FAC018-I Have Emotional Ups and Downs	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have emotional ups and downs.	FACT-LYM Version 4 - I Have Emotional Ups and Downs
C130504	FAC018-I Have Nausea	FAC018-I Have Nausea	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have nausea.	FACT-LYM Version 4 - I Have Nausea
C130533	FAC018-I Have Night Sweats	FAC018-I Have Night Sweats	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have night sweats.	FACT-LYM Version 4 - I Have Night Sweats
C130506	FAC018-I Have Pain	FAC018-I Have Pain	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: I have pain.	FACT-LYM Version 4 - I Have Pain
C130539	FAC018-I Have Trouble Concentrating	FAC018-I Have Trouble Concentrating	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble concentrating.	FACT-LYM Version 4 - I Have Trouble Concentrating
C130535	FAC018-I Have Trouble Sleeping at Night	FAC018-I Have Trouble Sleeping at Night	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I have trouble sleeping at night.	FACT-LYM Version 4 - I Have Trouble Sleeping at Night
C130521	FAC018-I Worry About Dying	FAC018-I Worry About Dying	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry about dying.	FACT-LYM Version 4 - I Worry About Dying
C130540	FAC018-I Worry About Getting Infections	FAC018-I Worry About Getting Infections	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry about getting infections.	FACT-LYM Version 4 - I Worry About Getting Infections
C130519	FAC018-Losing Hope Against Illness	FAC018-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-LYM Version 4 - Losing Hope Against Illness
C130513	FAC018-My Family Has Accepted My Illness	FAC018-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-LYM Version 4 - My Family Has Accepted My Illness
C130524	FAC018-My Work Is Fulfilling	FAC018-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-LYM Version 4 - My Work Is Fulfilling
C130514	FAC018-Satisfied Communication Illness	FAC018-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-LYM Version 4 - Satisfied With Communication About Illness
C130518	FAC018-Satisfied With How I Am Coping	FAC018-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-LYM Version 4 - Satisfied With How I Am Coping
C130505	FAC018-Trouble Meeting Needs of Family	FAC018-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-LYM Version 4 - Trouble Meeting Needs of Family
C130541	FAC018-Worry I Might Get New Symptoms	FAC018-Worry I Might Get New Symptoms	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Additional Concerns: I worry that I might get new symptoms of my illness.	FACT-LYM Version 4 - Worry I Might Get New Symptoms
C130522	FAC018-Worry My Condition Will Get Worse	FAC018-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Lymphoma Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-LYM Version 4 - Worry My Condition Will Get Worse

**FAC023TC (The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Code)**

NCI Code: C127358, Codelist extensible: No

<b>C127358 FAC023TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127465	FAC02301	FAC023-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have a lack of energy.	FACT-P Version 4 - I Have a Lack of Energy
C127466	FAC02302	FAC023-I Have Nausea	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have nausea.	FACT-P Version 4 - I Have Nausea
C127467	FAC02303	FAC023-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-P Version 4 - Trouble Meeting Needs of Family
C127468	FAC02304	FAC023-I Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have pain.	FACT-P Version 4 - I Have Pain
C127469	FAC02305	FAC023-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-P Version 4 - Bothered by Treatment Side Effect
C127470	FAC02306	FAC023-I Feel Ill	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I feel ill.	FACT-P Version 4 - I Feel Ill
C127471	FAC02307	FAC023-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-P Version 4 - I Am Forced to Spend Time in Bed
C127472	FAC02308	FAC023-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-P Version 4 - I Feel Close to My Friends
C127473	FAC02309	FAC023-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-P Version 4 - Get Emotional Support From Family
C127474	FAC02310	FAC023-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-P Version 4 - I Get Support From My Friends
C127475	FAC02311	FAC023-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-P Version 4 - My Family Has Accepted My Illness
C127476	FAC02312	FAC023-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-P Version 4 - Satisfied With Family Communication
C127477	FAC02313	FAC023-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-P Version 4 - I Feel Close to My Partner
C127478	FAC02314	FAC023-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-P Version 4 - I Am Satisfied With My Sex Life
C127479	FAC02315	FAC023-I Feel Sad	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel sad.	FACT-P Version 4 - I Feel Sad
C127480	FAC02316	FAC023-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-P Version 4 - Satisfied With How I Am Coping
C127481	FAC02317	FAC023-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-P Version 4 - Losing Hope Against Illness
C127482	FAC02318	FAC023-I Feel Nervous	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel nervous.	FACT-P Version 4 - I Feel Nervous
C127483	FAC02319	FAC023-I Worry About Dying	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry about dying.	FACT-P Version 4 - I Worry About Dying
C127484	FAC02320	FAC023-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-P Version 4 - Worry My Condition Will Get Worse
C127485	FAC02321	FAC023-I Am Able to Work	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-P Version 4 - I Am Able to Work

**C127358 FAC023TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127486	FAC02322	FAC023-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-P Version 4 - My Work Is Fulfilling
C127487	FAC02323	FAC023-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-P Version 4 - I Am Able to Enjoy Life
C127488	FAC02324	FAC023-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I have accepted my illness.	FACT-P Version 4 - I Have Accepted My Illness
C127489	FAC02325	FAC023-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am sleeping well.	FACT-P Version 4 - I Am Sleeping Well
C127490	FAC02326	FAC023-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-P Version 4 - Enjoy Things I Usually Do for Fun
C127491	FAC02327	FAC023-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-P Version 4 - Content With Quality of My Life
C127492	FAC02328	FAC023-I Am Losing Weight	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am losing weight.	FACT-P Version 4 - I Am Losing Weight
C127493	FAC02329	FAC023-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have a good appetite.	FACT-P Version 4 - I Have a Good Appetite
C127494	FAC02330	FAC023-Have Aches/Pains That Bother Me	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have aches and pains that bother me.	FACT-P Version 4 - Have Aches and Pains That Bother Me
C127495	FAC02331	FAC023-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-P Version 4 - Certain Parts of Body Experience Pain
C127496	FAC02332	FAC023-Pain Keeps Me From Doing Things	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My pain keeps me from doing things I want to do.	FACT-P Version 4 - Pain Keeps Me From Doing Things
C127497	FAC02333	FAC023-Satisfied With Comfort Level	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am satisfied with my present comfort level.	FACT-P Version 4 - Satisfied With Comfort Level
C127498	FAC02334	FAC023-I Am Able to Feel Like a Man	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to feel like a man.	FACT-P Version 4 - I Am Able to Feel Like a Man
C127499	FAC02335	FAC023-I Have Trouble Moving My Bowels	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have trouble moving my bowels.	FACT-P Version 4 - I Have Trouble Moving My Bowels
C127500	FAC02336	FAC023-I Have Difficulty Urinating	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have difficulty urinating.	FACT-P Version 4 - I Have Difficulty Urinating
C127501	FAC02337	FAC023-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-P Version 4 - I Urinate More Frequently
C127502	FAC02338	FAC023-Problem Urinating Limits Activity	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My problems with urinating limit my activities.	FACT-P Version 4 - Problem Urinating Limits Activity
C127503	FAC02339	FAC023-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to have and maintain an erection.	FACT-P Version 4 - Able to Have and Maintain an Erection

**FAC023TN (The Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire Test Name)**

NCI Code: C127357, Codelist extensible: No

<b>C127357 FAC023TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127503	FAC023-Able to Have/Maintain Erection	FAC023-Able to Have/Maintain Erection	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to have and maintain an erection.	FACT-P Version 4 - Able to Have and Maintain an Erection
C127469	FAC023-Bothered by Treatment Side Effect	FAC023-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACT-P Version 4 - Bothered by Treatment Side Effect
C127495	FAC023-Certain Parts of Body Have Pain	FAC023-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have certain parts of my body where I experience pain.	FACT-P Version 4 - Certain Parts of Body Experience Pain
C127491	FAC023-Content With Quality of My Life	FAC023-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACT-P Version 4 - Content With Quality of My Life
C127490	FAC023-Enjoy Things I Usually Do for Fun	FAC023-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACT-P Version 4 - Enjoy Things I Usually Do for Fun
C127473	FAC023-Get Emotional Support From Family	FAC023-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACT-P Version 4 - Get Emotional Support From Family
C127494	FAC023-Have Aches/Pains That Bother Me	FAC023-Have Aches/Pains That Bother Me	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have aches and pains that bother me.	FACT-P Version 4 - Have Aches and Pains That Bother Me
C127487	FAC023-I Am Able to Enjoy Life	FAC023-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to enjoy life.	FACT-P Version 4 - I Am Able to Enjoy Life
C127498	FAC023-I Am Able to Feel Like a Man	FAC023-I Am Able to Feel Like a Man	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am able to feel like a man.	FACT-P Version 4 - I Am Able to Feel Like a Man
C127485	FAC023-I Am Able to Work	FAC023-I Am Able to Work	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am able to work (include work at home).	FACT-P Version 4 - I Am Able to Work
C127471	FAC023-I Am Forced to Spend Time in Bed	FAC023-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACT-P Version 4 - I Am Forced to Spend Time in Bed
C127492	FAC023-I Am Losing Weight	FAC023-I Am Losing Weight	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am losing weight.	FACT-P Version 4 - I Am Losing Weight
C127478	FAC023-I Am Satisfied With My Sex Life	FAC023-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACT-P Version 4 - I Am Satisfied With My Sex Life
C127489	FAC023-I Am Sleeping Well	FAC023-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I am sleeping well.	FACT-P Version 4 - I Am Sleeping Well
C127472	FAC023-I Feel Close to My Friends	FAC023-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my friends.	FACT-P Version 4 - I Feel Close to My Friends
C127477	FAC023-I Feel Close to My Partner	FAC023-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACT-P Version 4 - I Feel Close to My Partner
C127470	FAC023-I Feel Ill	FAC023-I Feel Ill	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I feel ill.	FACT-P Version 4 - I Feel Ill
C127482	FAC023-I Feel Nervous	FAC023-I Feel Nervous	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel nervous.	FACT-P Version 4 - I Feel Nervous
C127479	FAC023-I Feel Sad	FAC023-I Feel Sad	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I feel sad.	FACT-P Version 4 - I Feel Sad
C127474	FAC023-I Get Support From My Friends	FAC023-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I get support from my friends.	FACT-P Version 4 - I Get Support From My Friends
C127493	FAC023-I Have a Good Appetite	FAC023-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have a good appetite.	FACT-P Version 4 - I Have a Good Appetite

**C127357 FAC023TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127465	FAC023-I Have a Lack of Energy	FAC023-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have a lack of energy.	FACT-P Version 4 - I Have a Lack of Energy
C127488	FAC023-I Have Accepted My Illness	FAC023-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: I have accepted my illness.	FACT-P Version 4 - I Have Accepted My Illness
C127500	FAC023-I Have Difficulty Urinating	FAC023-I Have Difficulty Urinating	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have difficulty urinating.	FACT-P Version 4 - I Have Difficulty Urinating
C127466	FAC023-I Have Nausea	FAC023-I Have Nausea	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have nausea.	FACT-P Version 4 - I Have Nausea
C127468	FAC023-I Have Pain	FAC023-I Have Pain	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: I have pain.	FACT-P Version 4 - I Have Pain
C127499	FAC023-I Have Trouble Moving My Bowels	FAC023-I Have Trouble Moving My Bowels	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I have trouble moving my bowels.	FACT-P Version 4 - I Have Trouble Moving My Bowels
C127501	FAC023-I Urinate More Frequently	FAC023-I Urinate More Frequently	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I urinate more frequently than usual.	FACT-P Version 4 - I Urinate More Frequently
C127483	FAC023-I Worry About Dying	FAC023-I Worry About Dying	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry about dying.	FACT-P Version 4 - I Worry About Dying
C127481	FAC023-Losing Hope Against Illness	FAC023-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACT-P Version 4 - Losing Hope Against Illness
C127475	FAC023-My Family Has Accepted My Illness	FAC023-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACT-P Version 4 - My Family Has Accepted My Illness
C127486	FAC023-My Work Is Fulfilling	FAC023-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Prostate Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACT-P Version 4 - My Work Is Fulfilling
C127496	FAC023-Pain Keeps Me From Doing Things	FAC023-Pain Keeps Me From Doing Things	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My pain keeps me from doing things I want to do.	FACT-P Version 4 - Pain Keeps Me From Doing Things
C127502	FAC023-Problem Urinating Limits Activity	FAC023-Problem Urinating Limits Activity	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: My problems with urinating limit my activities.	FACT-P Version 4 - Problem Urinating Limits Activity
C127476	FAC023-Satisfied Communication Illness	FAC023-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Prostate Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACT-P Version 4 - Satisfied With Family Communication
C127497	FAC023-Satisfied With Comfort Level	FAC023-Satisfied With Comfort Level	Functional Assessment of Cancer Therapy-Prostate Version 4 - Additional Concerns: I am satisfied with my present comfort level.	FACT-P Version 4 - Satisfied With Comfort Level
C127480	FAC023-Satisfied With How I Am Coping	FAC023-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACT-P Version 4 - Satisfied With How I Am Coping
C127467	FAC023-Trouble Meeting Needs of Family	FAC023-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Prostate Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACT-P Version 4 - Trouble Meeting Needs of Family
C127484	FAC023-Worry My Condition Will Get Worse	FAC023-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Prostate Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACT-P Version 4 - Worry My Condition Will Get Worse

**FAC028TC (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Code)**

NCI Code: C129092, Codelist extensible: No

<b>C129092 FAC028TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129170	FAC02801	FAC028-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FBLSI-18 Version 2 - I Have Pain
C129171	FAC02802	FAC028-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am losing weight.	NCCN-FACT FBLSI-18 Version 2 - I Am Losing Weight
C129172	FAC02803	FAC028-Have Trouble Controlling My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have trouble controlling my urine.	NCCN-FACT FBLSI-18 Version 2 - Have Trouble Controlling My Urine
C129173	FAC02804	FAC028-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel weak all over.	NCCN-FACT FBLSI-18 Version 2 - I Feel Weak All Over
C129174	FAC02805	FAC028-I Feel Light-headed	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel light-headed (dizzy).	NCCN-FACT FBLSI-18 Version 2 - I Feel Light-headed
C129175	FAC02806	FAC028-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBLSI-18 Version 2 - Trouble Meeting Needs of Family
C129176	FAC02807	FAC028-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a good appetite.	NCCN-FACT FBLSI-18 Version 2 - I Have a Good Appetite
C129177	FAC02808	FAC028-Able to Have/Maintain Erection	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - (For men only) I am able to have and maintain an erection.	NCCN-FACT FBLSI-18 Version 2 - Able to Have, Maintain Erection
C129178	FAC02809	FAC028-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FBLSI-18 Version 2 - I Am Sleeping Well
C129179	FAC02810	FAC028-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBLSI-18 Version 2 - Worry My Condition Will Get Worse
C129180	FAC02811	FAC028-I Feel Sad	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel sad.	NCCN-FACT FBLSI-18 Version 2 - I Feel Sad
C129181	FAC02812	FAC028-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FBLSI-18 Version 2 - I Have Nausea
C129182	FAC02813	FAC028-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FBLSI-18 Version 2 - I Have a Lack of Energy
C129183	FAC02814	FAC028-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FBLSI-18 Version 2 - I Feel Ill
C129184	FAC02815	FAC028-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FBLSI-18 Version 2 - I Have Control of My Bowels
C129185	FAC02816	FAC028-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBLSI-18 Version 2 - Bothered by Treatment Side Effect
C129186	FAC02817	FAC028-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FBLSI-18 Version 2 - I Am Able to Enjoy Life
C129187	FAC02818	FAC028-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBLSI-18 Version 2 - Content With Quality of My Life

**FAC028TN (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire Test Name)**

NCI Code: C129091, Codelist extensible: No

<b>C129091 FAC028TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129177	FAC028-Able to Have/Maintain Erection	FAC028-Able to Have/Maintain Erection	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - (For men only) I am able to have and maintain an erection.	NCCN-FACT FBLSI-18 Version 2 - Able to Have, Maintain Erection
C129185	FAC028-Bothered by Treatment Side Effect	FAC028-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FBLSI-18 Version 2 - Bothered by Treatment Side Effect
C129187	FAC028-Content With Quality of My Life	FAC028-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FBLSI-18 Version 2 - Content With Quality of My Life
C129172	FAC028-Have Trouble Controlling My Urine	FAC028-Have Trouble Controlling My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have trouble controlling my urine.	NCCN-FACT FBLSI-18 Version 2 - Have Trouble Controlling My Urine
C129186	FAC028-I Am Able to Enjoy Life	FAC028-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FBLSI-18 Version 2 - I Am Able to Enjoy Life
C129171	FAC028-I Am Losing Weight	FAC028-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am losing weight.	NCCN-FACT FBLSI-18 Version 2 - I Am Losing Weight
C129178	FAC028-I Am Sleeping Well	FAC028-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FBLSI-18 Version 2 - I Am Sleeping Well
C129183	FAC028-I Feel Ill	FAC028-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FBLSI-18 Version 2 - I Feel Ill
C129174	FAC028-I Feel Light-headed	FAC028-I Feel Light-headed	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel light-headed (dizzy).	NCCN-FACT FBLSI-18 Version 2 - I Feel Light-headed
C129180	FAC028-I Feel Sad	FAC028-I Feel Sad	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel sad.	NCCN-FACT FBLSI-18 Version 2 - I Feel Sad
C129173	FAC028-I Feel Weak All Over	FAC028-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I feel weak all over.	NCCN-FACT FBLSI-18 Version 2 - I Feel Weak All Over
C129176	FAC028-I Have a Good Appetite	FAC028-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a good appetite.	NCCN-FACT FBLSI-18 Version 2 - I Have a Good Appetite
C129182	FAC028-I Have a Lack of Energy	FAC028-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FBLSI-18 Version 2 - I Have a Lack of Energy
C129184	FAC028-I Have Control of My Bowels	FAC028-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FBLSI-18 Version 2 - I Have Control of My Bowels
C129181	FAC028-I Have Nausea	FAC028-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FBLSI-18 Version 2 - I Have Nausea
C129170	FAC028-I Have Pain	FAC028-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FBLSI-18 Version 2 - I Have Pain
C129175	FAC028-Trouble Meeting Needs of Family	FAC028-Trouble Meeting Needs of Family	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - Because of my physical condition, I have trouble meeting the needs of my family.	NCCN-FACT FBLSI-18 Version 2 - Trouble Meeting Needs of Family
C129179	FAC028-Worry My Condition Will Get Worse	FAC028-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FBLSI-18 Version 2 - Worry My Condition Will Get Worse

## FAC029TC (Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Code)

NCI Code: C138221, Codelist extensible: No

C138221 FAC029TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C138429	FAC02901	FAC029-I Get Headaches	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get headaches.	FBRSI - I Get Headaches
C138430	FAC02902	FAC029-I Have Had Seizures	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have had seizures (convulsions).	FBRSI - I Have Had Seizures
C138431	FAC02903	FAC029-Have Weakness in My Arms or Legs	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have weakness in my arms or legs.	FBRSI - Have Weakness in My Arms or Legs
C138432	FAC02904	FAC029-I Need Help in Caring for Myself	Functional Assessment of Cancer Therapy-Brain Symptom Index - I need help in caring for myself (bathing, dressing, eating, etc.).	FBRSI - I Need Help in Caring for Myself
C138433	FAC02905	FAC029-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have a lack of energy.	FBRSI - I Have a Lack of Energy
C138434	FAC02906	FAC029-Difficulty Expressing My Thoughts	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have difficulty expressing my thoughts.	FBRSI - Difficulty Expressing My Thoughts
C138435	FAC02907	FAC029-I Have Trouble With Coordination	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have trouble with coordination.	FBRSI - I Have Trouble With Coordination
C138436	FAC02908	FAC029-Frustrated I Cannot Do Things	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get frustrated that I cannot do things I used to.	FBRSI - Frustrated I Cannot Do Things
C138437	FAC02909	FAC029-I Have Nausea	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have nausea.	FBRSI - I Have Nausea
C138438	FAC02910	FAC029-Able to Find the Right Words	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to find the right word(s) to say what I mean.	FBRSI - Able to Find the Right Words
C138439	FAC02911	FAC029-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am losing hope in the fight against my illness.	FBRSI - Losing Hope Against Illness
C138440	FAC02912	FAC029-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Brain Symptom Index - Because of my physical condition, I have trouble meeting the needs of my family.	FBRSI - Trouble Meeting Needs of Family
C138441	FAC02913	FAC029-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Brain Symptom Index - I worry that my condition will get worse.	FBRSI - Worry My Condition Will Get Worse
C138442	FAC02914	FAC029-I Am Afraid of Having a Seizure	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am afraid of having a seizure (convulsion).	FBRSI - I Am Afraid of Having a Seizure
C138443	FAC02915	FAC029-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to enjoy life.	FBRSI - I Am Able to Enjoy Life



**FAC029TN (Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire Test Name)**

NCI Code: C138220, Codelist extensible: No

<b>C138220 FAC029TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138438	FAC029-Able to Find the Right Words	FAC029-Able to Find the Right Words	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to find the right word(s) to say what I mean.	FBRSI - Able to Find the Right Words
C138434	FAC029-Difficulty Expressing My Thoughts	FAC029-Difficulty Expressing My Thoughts	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have difficulty expressing my thoughts.	FBRSI - Difficulty Expressing My Thoughts
C138436	FAC029-Frustrated I Cannot Do Things	FAC029-Frustrated I Cannot Do Things	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get frustrated that I cannot do things I used to.	FBRSI - Frustrated I Cannot Do Things
C138431	FAC029-Have Weakness in My Arms or Legs	FAC029-Have Weakness in My Arms or Legs	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have weakness in my arms or legs.	FBRSI - Have Weakness in My Arms or Legs
C138443	FAC029-I Am Able to Enjoy Life	FAC029-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am able to enjoy life.	FBRSI - I Am Able to Enjoy Life
C138442	FAC029-I Am Afraid of Having a Seizure	FAC029-I Am Afraid of Having a Seizure	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am afraid of having a seizure (convulsion).	FBRSI - I Am Afraid of Having a Seizure
C138429	FAC029-I Get Headaches	FAC029-I Get Headaches	Functional Assessment of Cancer Therapy-Brain Symptom Index - I get headaches.	FBRSI - I Get Headaches
C138433	FAC029-I Have a Lack of Energy	FAC029-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have a lack of energy.	FBRSI - I Have a Lack of Energy
C138430	FAC029-I Have Had Seizures	FAC029-I Have Had Seizures	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have had seizures (convulsions).	FBRSI - I Have Had Seizures
C138437	FAC029-I Have Nausea	FAC029-I Have Nausea	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have nausea.	FBRSI - I Have Nausea
C138435	FAC029-I Have Trouble With Coordination	FAC029-I Have Trouble With Coordination	Functional Assessment of Cancer Therapy-Brain Symptom Index - I have trouble with coordination.	FBRSI - I Have Trouble With Coordination
C138432	FAC029-I Need Help in Caring for Myself	FAC029-I Need Help in Caring for Myself	Functional Assessment of Cancer Therapy-Brain Symptom Index - I need help in caring for myself (bathing, dressing, eating, etc.).	FBRSI - I Need Help in Caring for Myself
C138439	FAC029-Losing Hope Against Illness	FAC029-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Brain Symptom Index - I am losing hope in the fight against my illness.	FBRSI - Losing Hope Against Illness
C138440	FAC029-Trouble Meeting Needs of Family	FAC029-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Brain Symptom Index - Because of my physical condition, I have trouble meeting the needs of my family.	FBRSI - Trouble Meeting Needs of Family
C138441	FAC029-Worry My Condition Will Get Worse	FAC029-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Brain Symptom Index - I worry that my condition will get worse.	FBRSI - Worry My Condition Will Get Worse

## FAC039TC (Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 Questionnaire Test Code)

NCI Code: C138223, Codelist extensible: No

<b>C138223 FAC039TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138444	FAC03901	FAC039-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a lack of energy.	FKSI-15 - I Have a Lack of Energy
C138445	FAC03902	FAC039-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by side effects of treatment.	FKSI-15 - Bothered by Treatment Side Effect
C138446	FAC03903	FAC039-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have pain.	FKSI-15 - I Have Pain
C138447	FAC03904	FAC039-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am losing weight.	FKSI-15 - I Am Losing Weight
C138448	FAC03905	FAC039-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have bone pain.	FKSI-15 - I Have Bone Pain
C138449	FAC03906	FAC039-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I feel fatigued.	FKSI-15 - I Feel Fatigued
C138450	FAC03907	FAC039-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to enjoy life.	FKSI-15 - I Am Able to Enjoy Life
C138451	FAC03908	FAC039-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been short of breath.	FKSI-15 - I Have Been Short of Breath
C138452	FAC03909	FAC039-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I worry that my condition will get worse.	FKSI-15 - Worry My Condition Will Get Worse
C138453	FAC03910	FAC039-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a good appetite.	FKSI-15 - I Have a Good Appetite
C138454	FAC03911	FAC039-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been coughing.	FKSI-15 - I Have Been Coughing
C138455	FAC03912	FAC039-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by fevers (episodes of high body temperature).	FKSI-15 - I Am Bothered by Fevers
C138456	FAC03913	FAC039-I Am Able to Work	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to work (include work at home).	FKSI-15 - I Am Able to Work
C138457	FAC03914	FAC039-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have had blood in my urine.	FKSI-15 - I Have Had Blood in My Urine
C138458	FAC03915	FAC039-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am sleeping well.	FKSI-15 - I Am Sleeping Well

**FAC039TN (Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 Questionnaire Test Name)**

NCI Code: C138222, Codelist extensible: No

<b>C138222 FAC039TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138445	FAC039-Bothered by Treatment Side Effect	FAC039-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by side effects of treatment.	FKSI-15 - Bothered by Treatment Side Effect
C138450	FAC039-I Am Able to Enjoy Life	FAC039-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to enjoy life.	FKSI-15 - I Am Able to Enjoy Life
C138456	FAC039-I Am Able to Work	FAC039-I Am Able to Work	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am able to work (include work at home).	FKSI-15 - I Am Able to Work
C138455	FAC039-I Am Bothered by Fevers	FAC039-I Am Bothered by Fevers	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am bothered by fevers (episodes of high body temperature).	FKSI-15 - I Am Bothered by Fevers
C138447	FAC039-I Am Losing Weight	FAC039-I Am Losing Weight	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am losing weight.	FKSI-15 - I Am Losing Weight
C138458	FAC039-I Am Sleeping Well	FAC039-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I am sleeping well.	FKSI-15 - I Am Sleeping Well
C138449	FAC039-I Feel Fatigued	FAC039-I Feel Fatigued	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I feel fatigued.	FKSI-15 - I Feel Fatigued
C138453	FAC039-I Have a Good Appetite	FAC039-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a good appetite.	FKSI-15 - I Have a Good Appetite
C138444	FAC039-I Have a Lack of Energy	FAC039-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have a lack of energy.	FKSI-15 - I Have a Lack of Energy
C138454	FAC039-I Have Been Coughing	FAC039-I Have Been Coughing	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been coughing.	FKSI-15 - I Have Been Coughing
C138451	FAC039-I Have Been Short of Breath	FAC039-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have been short of breath.	FKSI-15 - I Have Been Short of Breath
C138448	FAC039-I Have Bone Pain	FAC039-I Have Bone Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have bone pain.	FKSI-15 - I Have Bone Pain
C138457	FAC039-I Have Had Blood in My Urine	FAC039-I Have Had Blood in My Urine	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have had blood in my urine.	FKSI-15 - I Have Had Blood in My Urine
C138446	FAC039-I Have Pain	FAC039-I Have Pain	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I have pain.	FKSI-15 - I Have Pain
C138452	FAC039-Worry My Condition Will Get Worse	FAC039-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 - I worry that my condition will get worse.	FKSI-15 - Worry My Condition Will Get Worse

**FAC042TC (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Code)**

NCI Code: C129090, Codelist extensible: No

<b>C129090 FAC042TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129151	FAC04201	FAC042-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a lack of energy.	NCCN-FACT FKSI-19 Version 2 - I Have a Lack of Energy
C129152	FAC04202	FAC042-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have pain.	NCCN-FACT FKSI-19 Version 2 - I Have Pain
C129153	FAC04203	FAC042-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am losing weight.	NCCN-FACT FKSI-19 Version 2 - I Am Losing Weight
C129154	FAC04204	FAC042-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel fatigued.	NCCN-FACT FKSI-19 Version 2 - I Feel Fatigued
C129155	FAC04205	FAC042-I Have Been Short of Breath	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been short of breath.	NCCN-FACT FKSI-19 Version 2 - I Have Been Short of Breath
C129156	FAC04206	FAC042-I Am Bothered by Fevers	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by fevers (episodes of high body temperature).	NCCN-FACT FKSI-19 Version 2 - I Am Bothered by Fevers
C129157	FAC04207	FAC042-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have bone pain.	NCCN-FACT FKSI-19 Version 2 - I Have Bone Pain
C129158	FAC04208	FAC042-I Have Been Coughing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been coughing.	NCCN-FACT FKSI-19 Version 2 - I Have Been Coughing
C129159	FAC04209	FAC042-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel weak all over.	NCCN-FACT FKSI-19 Version 2 - I Feel Weak All Over
C129160	FAC04210	FAC042-I Have Had Blood in My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have had blood in my urine.	NCCN-FACT FKSI-19 Version 2 - I Have Had Blood in My Urine
C129161	FAC04211	FAC042-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a good appetite.	NCCN-FACT FKSI-19 Version 2 - I Have a Good Appetite
C129162	FAC04212	FAC042-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am sleeping well.	NCCN-FACT FKSI-19 Version 2 - I Am Sleeping Well
C129163	FAC04213	FAC042-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I worry that my condition will get worse.	NCCN-FACT FKSI-19 Version 2 - Worry My Condition Will Get Worse
C129164	FAC04214	FAC042-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have nausea.	NCCN-FACT FKSI-19 Version 2 - I Have Nausea
C129165	FAC04215	FAC042-I Have Diarrhea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have diarrhea (diarrhoea).	NCCN-FACT FKSI-19 Version 2 - I Have Diarrhea
C129166	FAC04216	FAC042-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FKSI-19 Version 2 - Bothered by Treatment Side Effect
C129167	FAC04217	FAC042-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to work (include work at home).	NCCN-FACT FKSI-19 Version 2 - I Am Able to Work
C129168	FAC04218	FAC042-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to enjoy life.	NCCN-FACT FKSI-19 Version 2 - I Am Able to Enjoy Life
C129169	FAC04219	FAC042-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FKSI-19 Version 2 - Content With Quality of My Life

**FAC042TN (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire Test Name)**

NCI Code: C129089, Codelist extensible: No

<b>C129089 FAC042TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129166	FAC042-Bothered by Treatment Side Effect	FAC042-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FKSI-19 Version 2 - Bothered by Treatment Side Effect
C129169	FAC042-Content With Quality of My Life	FAC042-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FKSI-19 Version 2 - Content With Quality of My Life
C129168	FAC042-I Am Able to Enjoy Life	FAC042-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to enjoy life.	NCCN-FACT FKSI-19 Version 2 - I Am Able to Enjoy Life
C129167	FAC042-I Am Able to Work	FAC042-I Am Able to Work	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am able to work (include work at home).	NCCN-FACT FKSI-19 Version 2 - I Am Able to Work
C129156	FAC042-I Am Bothered by Fevers	FAC042-I Am Bothered by Fevers	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am bothered by fevers (episodes of high body temperature).	NCCN-FACT FKSI-19 Version 2 - I Am Bothered by Fevers
C129153	FAC042-I Am Losing Weight	FAC042-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am losing weight.	NCCN-FACT FKSI-19 Version 2 - I Am Losing Weight
C129162	FAC042-I Am Sleeping Well	FAC042-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I am sleeping well.	NCCN-FACT FKSI-19 Version 2 - I Am Sleeping Well
C129154	FAC042-I Feel Fatigued	FAC042-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel fatigued.	NCCN-FACT FKSI-19 Version 2 - I Feel Fatigued
C129159	FAC042-I Feel Weak All Over	FAC042-I Feel Weak All Over	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I feel weak all over.	NCCN-FACT FKSI-19 Version 2 - I Feel Weak All Over
C129161	FAC042-I Have a Good Appetite	FAC042-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a good appetite.	NCCN-FACT FKSI-19 Version 2 - I Have a Good Appetite
C129151	FAC042-I Have a Lack of Energy	FAC042-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have a lack of energy.	NCCN-FACT FKSI-19 Version 2 - I Have a Lack of Energy
C129158	FAC042-I Have Been Coughing	FAC042-I Have Been Coughing	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been coughing.	NCCN-FACT FKSI-19 Version 2 - I Have Been Coughing
C129155	FAC042-I Have Been Short of Breath	FAC042-I Have Been Short of Breath	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have been short of breath.	NCCN-FACT FKSI-19 Version 2 - I Have Been Short of Breath
C129157	FAC042-I Have Bone Pain	FAC042-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have bone pain.	NCCN-FACT FKSI-19 Version 2 - I Have Bone Pain
C129165	FAC042-I Have Diarrhea	FAC042-I Have Diarrhea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have diarrhea (diarrhoea).	NCCN-FACT FKSI-19 Version 2 - I Have Diarrhea
C129160	FAC042-I Have Had Blood in My Urine	FAC042-I Have Had Blood in My Urine	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have had blood in my urine.	NCCN-FACT FKSI-19 Version 2 - I Have Had Blood in My Urine
C129164	FAC042-I Have Nausea	FAC042-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have nausea.	NCCN-FACT FKSI-19 Version 2 - I Have Nausea
C129152	FAC042-I Have Pain	FAC042-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I have pain.	NCCN-FACT FKSI-19 Version 2 - I Have Pain
C129163	FAC042-Worry My Condition Will Get Worse	FAC042-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 - I worry that my condition will get worse.	NCCN-FACT FKSI-19 Version 2 - Worry My Condition Will Get Worse

**FAC043TC (Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Code)**

NCI Code: C138225, Codelist extensible: No

<b>C138225 FAC043TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138459	FAC04301	FAC043-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been short of breath.	FLSI - I Have Been Short of Breath
C138460	FAC04302	FAC043-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have a lack of energy.	FLSI - I Have a Lack of Energy
C138461	FAC04303	FAC043-I Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have pain.	FLSI - I Have Pain
C138462	FAC04304	FAC043-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Symptom Index - I am losing weight.	FLSI - I Am Losing Weight
C138463	FAC04305	FAC043-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been coughing.	FLSI - I Have Been Coughing
C138464	FAC04306	FAC043-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have certain parts of my body where I experience pain.	FLSI - Certain Parts of Body Have Pain

**FAC043TN (Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire Test Name)**

NCI Code: C138224, Codelist extensible: No

<b>C138224 FAC043TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138464	FAC043-Certain Parts of Body Have Pain	FAC043-Certain Parts of Body Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have certain parts of my body where I experience pain.	FLSI - Certain Parts of Body Have Pain
C138462	FAC043-I Am Losing Weight	FAC043-I Am Losing Weight	Functional Assessment of Cancer Therapy-Lung Symptom Index - I am losing weight.	FLSI - I Am Losing Weight
C138460	FAC043-I Have a Lack of Energy	FAC043-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have a lack of energy.	FLSI - I Have a Lack of Energy
C138463	FAC043-I Have Been Coughing	FAC043-I Have Been Coughing	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been coughing.	FLSI - I Have Been Coughing
C138459	FAC043-I Have Been Short of Breath	FAC043-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have been short of breath.	FLSI - I Have Been Short of Breath
C138461	FAC043-I Have Pain	FAC043-I Have Pain	Functional Assessment of Cancer Therapy-Lung Symptom Index - I have pain.	FLSI - I Have Pain

**FAC049TC (Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Code)**

NCI Code: C129096, Codelist extensible: No

<b>C129096 FAC049TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129225	FAC04901	FAC049-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have a lack of energy.	FOSI - I Have a Lack of Energy
C129226	FAC04902	FAC049-I Have Been Vomiting	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have been vomiting.	FOSI - I Have Been Vomiting
C129227	FAC04903	FAC049-I Have Pain	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have pain.	FOSI - I Have Pain
C129228	FAC04904	FAC049-I Have Nausea	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have nausea.	FOSI - I Have Nausea
C129229	FAC04905	FAC049-I Have Swelling in Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have swelling in my stomach area.	FOSI - I Have Swelling in Stomach Area
C129230	FAC04906	FAC049-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I worry that my condition will get worse.	FOSI - Worry My Condition Will Get Worse
C129231	FAC04907	FAC049-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I am content with the quality of my life right now.	FOSI - Content With Quality of My Life
C129232	FAC04908	FAC049-I Have Cramps in My Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have cramps in my stomach area.	FOSI - I Have Cramps in My Stomach Area



**FAC049TN (Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire Test Name)**

NCI Code: C129095, Codelist extensible: No

<b>C129095 FAC049TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129231	FAC049-Content With Quality of My Life	FAC049-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I am content with the quality of my life right now.	FOSI - Content With Quality of My Life
C129225	FAC049-I Have a Lack of Energy	FAC049-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have a lack of energy.	FOSI - I Have a Lack of Energy
C129226	FAC049-I Have Been Vomiting	FAC049-I Have Been Vomiting	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have been vomiting.	FOSI - I Have Been Vomiting
C129232	FAC049-I Have Cramps in My Stomach Area	FAC049-I Have Cramps in My Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have cramps in my stomach area.	FOSI - I Have Cramps in My Stomach Area
C129228	FAC049-I Have Nausea	FAC049-I Have Nausea	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have nausea.	FOSI - I Have Nausea
C129227	FAC049-I Have Pain	FAC049-I Have Pain	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have pain.	FOSI - I Have Pain
C129229	FAC049-I Have Swelling in Stomach Area	FAC049-I Have Swelling in Stomach Area	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I have swelling in my stomach area.	FOSI - I Have Swelling in Stomach Area
C129230	FAC049-Worry My Condition Will Get Worse	FAC049-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Ovarian Symptom Index - I worry that my condition will get worse.	FOSI - Worry My Condition Will Get Worse

**FAC050TC (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Code)**

NCI Code: C129098, Codelist extensible: No

<b>C129098 FAC050TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129233	FAC05001	FAC050-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FOSI-18 Version 2 - I Have a Lack of Energy
C129234	FAC05002	FAC050-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FOSI-18 Version 2 - I Have Pain
C129235	FAC05003	FAC050-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FOSI-18 Version 2 - I Feel Ill
C129236	FAC05004	FAC050-I Have Cramps in My Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have cramps in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Cramps in My Stomach Area
C129237	FAC05005	FAC050-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel fatigued.	NCCN-FACT FOSI-18 Version 2 - I Feel Fatigued
C129238	FAC05006	FAC050-I Am Bothered by Constipation	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by constipation.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Constipation
C129239	FAC05007	FAC050-I Have Swelling in Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have swelling in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Swelling in Stomach Area
C129240	FAC05008	FAC050-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FOSI-18 Version 2 - I Have Control of My Bowels
C129241	FAC05009	FAC050-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FOSI-18 Version 2 - I Am Sleeping Well
C129242	FAC05010	FAC050-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FOSI-18 Version 2 - Worry My Condition Will Get Worse
C129243	FAC05011	FAC050-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FOSI-18 Version 2 - I Have Nausea
C129244	FAC05012	FAC050-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by hair loss.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Hair Loss
C129245	FAC05013	FAC050-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FOSI-18 Version 2 - Bothered by Treatment Side Effect
C129246	FAC05014	FAC050-I Have Been Vomiting	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have been vomiting.	NCCN-FACT FOSI-18 Version 2 - I Have Been Vomiting
C129247	FAC05015	FAC050-I Am Bothered by Skin Problems	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by skin problems.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Skin Problems
C129248	FAC05016	FAC050-I Am Able to Get Around by Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to get around by myself.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Get Around by Myself
C129249	FAC05017	FAC050-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Enjoy Life
C129250	FAC05018	FAC050-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FOSI-18 Version 2 - Content With Quality of My Life

**FAC050TN (National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire Test Name)**

NCI Code: C129097, Codelist extensible: No

<b>C129097 FAC050TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129245	FAC050-Bothered by Treatment Side Effect	FAC050-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT FOSI-18 Version 2 - Bothered by Treatment Side Effect
C129250	FAC050-Content With Quality of My Life	FAC050-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am content with the quality of my life right now.	NCCN-FACT FOSI-18 Version 2 - Content With Quality of My Life
C129249	FAC050-I Am Able to Enjoy Life	FAC050-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to enjoy life.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Enjoy Life
C129248	FAC050-I Am Able to Get Around by Myself	FAC050-I Am Able to Get Around by Myself	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am able to get around by myself.	NCCN-FACT FOSI-18 Version 2 - I Am Able to Get Around by Myself
C129238	FAC050-I Am Bothered by Constipation	FAC050-I Am Bothered by Constipation	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by constipation.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Constipation
C129244	FAC050-I Am Bothered by Hair Loss	FAC050-I Am Bothered by Hair Loss	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by hair loss.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Hair Loss
C129247	FAC050-I Am Bothered by Skin Problems	FAC050-I Am Bothered by Skin Problems	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am bothered by skin problems.	NCCN-FACT FOSI-18 Version 2 - I Am Bothered by Skin Problems
C129241	FAC050-I Am Sleeping Well	FAC050-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I am sleeping well.	NCCN-FACT FOSI-18 Version 2 - I Am Sleeping Well
C129237	FAC050-I Feel Fatigued	FAC050-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel fatigued.	NCCN-FACT FOSI-18 Version 2 - I Feel Fatigued
C129235	FAC050-I Feel Ill	FAC050-I Feel Ill	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I feel ill.	NCCN-FACT FOSI-18 Version 2 - I Feel Ill
C129233	FAC050-I Have a Lack of Energy	FAC050-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have a lack of energy.	NCCN-FACT FOSI-18 Version 2 - I Have a Lack of Energy
C129246	FAC050-I Have Been Vomiting	FAC050-I Have Been Vomiting	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have been vomiting.	NCCN-FACT FOSI-18 Version 2 - I Have Been Vomiting
C129240	FAC050-I Have Control of My Bowels	FAC050-I Have Control of My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have control of my bowels.	NCCN-FACT FOSI-18 Version 2 - I Have Control of My Bowels
C129236	FAC050-I Have Cramps in My Stomach Area	FAC050-I Have Cramps in My Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have cramps in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Cramps in My Stomach Area
C129243	FAC050-I Have Nausea	FAC050-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have nausea.	NCCN-FACT FOSI-18 Version 2 - I Have Nausea
C129234	FAC050-I Have Pain	FAC050-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have pain.	NCCN-FACT FOSI-18 Version 2 - I Have Pain
C129239	FAC050-I Have Swelling in Stomach Area	FAC050-I Have Swelling in Stomach Area	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I have swelling in my stomach area.	NCCN-FACT FOSI-18 Version 2 - I Have Swelling in Stomach Area
C129242	FAC050-Worry My Condition Will Get Worse	FAC050-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 - I worry that my condition will get worse.	NCCN-FACT FOSI-18 Version 2 - Worry My Condition Will Get Worse

**FAC052TC (The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Code)**

NCI Code: C127356, Codelist extensible: No

<b>C127356 FAC052TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127448	FAC05201	FAC052-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a lack of energy.	NCCN-FACT-FPSI 17 Version 2 - I Have a Lack of Energy
C127449	FAC05202	FAC052-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Pain
C127450	FAC05203	FAC052-I Have Difficulty Urinating	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have difficulty urinating.	NCCN-FACT-FPSI 17 Version 2 - I Have Difficulty Urinating
C127451	FAC05204	FAC052-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am losing weight.	NCCN-FACT-FPSI 17 Version 2 - I Am Losing Weight
C127452	FAC05205	FAC052-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have bone pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Bone Pain
C127453	FAC05206	FAC052-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I feel fatigued.	NCCN-FACT-FPSI 17 Version 2 - I Feel Fatigued
C127454	FAC05207	FAC052-I Have Weakness in My Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have weakness in my legs.	NCCN-FACT-FPSI 17 Version 2 - I Have Weakness in My Legs
C127455	FAC05208	FAC052-Pain Keeps Me From Doing Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - My pain keeps me from doing things I want to do.	NCCN-FACT-FPSI 17 Version 2 - Pain Keeps Me From Doing Things
C127456	FAC05209	FAC052-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a good appetite.	NCCN-FACT-FPSI 17 Version 2 - I Have a Good Appetite
C127457	FAC05210	FAC052-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am sleeping well.	NCCN-FACT-FPSI 17 Version 2 - I Am Sleeping Well
C127458	FAC05211	FAC052-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I worry that my condition will get worse.	NCCN-FACT-FPSI 17 Version 2 - Worry My Condition Will Get Worse
C127459	FAC05212	FAC052-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have nausea.	NCCN-FACT-FPSI 17 Version 2 - I Have Nausea
C127460	FAC05213	FAC052-I Have Trouble Moving My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have trouble moving my bowels.	NCCN-FACT-FPSI 17 Version 2 - I Have Trouble Moving My Bowels
C127461	FAC05214	FAC052-I Am Satisfied With My Sex Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am satisfied with my sex life.	NCCN-FACT-FPSI 17 Version 2 - I Am Satisfied With My Sex Life
C127462	FAC05215	FAC052-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT-FPSI 17 Version 2 - Bothered by Treatment Side Effect
C127463	FAC05216	FAC052-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am able to enjoy life.	NCCN-FACT-FPSI 17 Version 2 - I Am Able to Enjoy Life
C127464	FAC05217	FAC052-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am content with the quality of my life right now.	NCCN-FACT-FPSI 17 Version 2 - Content With Quality of My Life

**FAC052TN (The National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire Test Name)**

NCI Code: C127355, Codelist extensible: No

<b>C127355 FAC052TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127462	FAC052-Bothered by Treatment Side Effect	FAC052-Bothered by Treatment Side Effect	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am bothered by side effects of treatment.	NCCN-FACT-FPSI 17 Version 2 - Bothered by Treatment Side Effect
C127464	FAC052-Content With Quality of My Life	FAC052-Content With Quality of My Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am content with the quality of my life right now.	NCCN-FACT-FPSI 17 Version 2 - Content With Quality of My Life
C127463	FAC052-I Am Able to Enjoy Life	FAC052-I Am Able to Enjoy Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am able to enjoy life.	NCCN-FACT-FPSI 17 Version 2 - I Am Able to Enjoy Life
C127451	FAC052-I Am Losing Weight	FAC052-I Am Losing Weight	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am losing weight.	NCCN-FACT-FPSI 17 Version 2 - I Am Losing Weight
C127461	FAC052-I Am Satisfied With My Sex Life	FAC052-I Am Satisfied With My Sex Life	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am satisfied with my sex life.	NCCN-FACT-FPSI 17 Version 2 - I Am Satisfied With My Sex Life
C127457	FAC052-I Am Sleeping Well	FAC052-I Am Sleeping Well	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I am sleeping well.	NCCN-FACT-FPSI 17 Version 2 - I Am Sleeping Well
C127453	FAC052-I Feel Fatigued	FAC052-I Feel Fatigued	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I feel fatigued.	NCCN-FACT-FPSI 17 Version 2 - I Feel Fatigued
C127456	FAC052-I Have a Good Appetite	FAC052-I Have a Good Appetite	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a good appetite.	NCCN-FACT-FPSI 17 Version 2 - I Have a Good Appetite
C127448	FAC052-I Have a Lack of Energy	FAC052-I Have a Lack of Energy	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have a lack of energy.	NCCN-FACT-FPSI 17 Version 2 - I Have a Lack of Energy
C127452	FAC052-I Have Bone Pain	FAC052-I Have Bone Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have bone pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Bone Pain
C127450	FAC052-I Have Difficulty Urinating	FAC052-I Have Difficulty Urinating	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have difficulty urinating.	NCCN-FACT-FPSI 17 Version 2 - I Have Difficulty Urinating
C127459	FAC052-I Have Nausea	FAC052-I Have Nausea	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have nausea.	NCCN-FACT-FPSI 17 Version 2 - I Have Nausea
C127449	FAC052-I Have Pain	FAC052-I Have Pain	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have pain.	NCCN-FACT-FPSI 17 Version 2 - I Have Pain
C127460	FAC052-I Have Trouble Moving My Bowels	FAC052-I Have Trouble Moving My Bowels	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have trouble moving my bowels.	NCCN-FACT-FPSI 17 Version 2 - I Have Trouble Moving My Bowels
C127454	FAC052-I Have Weakness in My Legs	FAC052-I Have Weakness in My Legs	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I have weakness in my legs.	NCCN-FACT-FPSI 17 Version 2 - I Have Weakness in My Legs
C127455	FAC052-Pain Keeps Me From Doing Things	FAC052-Pain Keeps Me From Doing Things	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - My pain keeps me from doing things I want to do.	NCCN-FACT-FPSI 17 Version 2 - Pain Keeps Me From Doing Things
C127458	FAC052-Worry My Condition Will Get Worse	FAC052-Worry My Condition Will Get Worse	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 - I worry that my condition will get worse.	NCCN-FACT-FPSI 17 Version 2 - Worry My Condition Will Get Worse

**FAC061TC (Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Code)**

NCI Code: C147540, Codelist extensible: No

<b>C147540 FAC061TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147593	FAC06101	FAC061-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a lack of energy.	FACT-BMT Version 4 - I Have a Lack of Energy
C147594	FAC06102	FAC061-I Have Nausea	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have nausea.	FACT-BMT Version 4 - I Have Nausea
C147595	FAC06103	FAC061-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BMT Version 4 - Trouble Meeting Needs of Family
C147596	FAC06104	FAC061-I Have Pain	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have pain.	FACT-BMT Version 4 - I Have Pain
C147597	FAC06105	FAC061-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by side effects of treatment.	FACT-BMT Version 4 - Bothered by Treatment Side Effect
C147598	FAC06106	FAC061-I Feel Ill	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel ill.	FACT-BMT Version 4 - I Feel Ill
C147599	FAC06107	FAC061-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am forced to spend time in bed.	FACT-BMT Version 4 - I Am Forced to Spend Time in Bed
C147600	FAC06108	FAC061-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my friends.	FACT-BMT Version 4 - I Feel Close to My Friends
C147601	FAC06109	FAC061-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get emotional support from my family.	FACT-BMT Version 4 - Get Emotional Support From Family
C147602	FAC06110	FAC061-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get support from my friends.	FACT-BMT Version 4 - I Get Support From My Friends
C147603	FAC06111	FAC061-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My family has accepted my illness.	FACT-BMT Version 4 - My Family Has Accepted My Illness
C147604	FAC06112	FAC061-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with family communication about my illness.	FACT-BMT Version 4 - Satisfied Communication Illness
C147605	FAC06113	FAC061-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my partner (or the person who is my main support).	FACT-BMT Version 4 - I Feel Close to My Partner
C147606	FAC06114	FAC061-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with my sex life.	FACT-BMT Version 4 - I Am Satisfied With My Sex Life
C147607	FAC06115	FAC061-I Feel Sad	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel sad.	FACT-BMT Version 4 - I Feel Sad
C147608	FAC06116	FAC061-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with how I am coping with my illness.	FACT-BMT Version 4 - Satisfied With How I Am Coping
C147609	FAC06117	FAC061-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am losing hope in the fight against my illness.	FACT-BMT Version 4 - Losing Hope Against Illness
C147610	FAC06118	FAC061-I Feel Nervous	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel nervous.	FACT-BMT Version 4 - I Feel Nervous
C147611	FAC06119	FAC061-I Worry About Dying	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry about dying.	FACT-BMT Version 4 - I Worry About Dying
C147612	FAC06120	FAC061-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that my condition will get worse.	FACT-BMT Version 4 - Worry My Condition Will Get Worse
C147613	FAC06121	FAC061-I Am Able to Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to work (include work at home).	FACT-BMT Version 4 - I Am Able to Work

**C147540 FAC061TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147614	FAC06122	FAC061-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My work (include work at home) is fulfilling.	FACT-BMT Version 4 - My Work Is Fulfilling
C147615	FAC06123	FAC061-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to enjoy life.	FACT-BMT Version 4 - I Am Able to Enjoy Life
C147616	FAC06124	FAC061-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have accepted my illness.	FACT-BMT Version 4 - I Have Accepted My Illness
C147617	FAC06125	FAC061-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am sleeping well.	FACT-BMT Version 4 - I Am Sleeping Well
C147618	FAC06126	FAC061-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am enjoying the things I usually do for fun.	FACT-BMT Version 4 - Enjoy Things I Usually Do for Fun
C147619	FAC06127	FAC061-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am content with the quality of my life right now.	FACT-BMT Version 4 - Content With Quality of My Life
C147620	FAC06128	FAC061-I Am Concerned About Keeping Job	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am concerned about keeping my job (include work at home).	FACT-BMT Version 4 - I Am Concerned About Keeping Job
C147621	FAC06129	FAC061-I Feel Distant From Other People	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel distant from other people.	FACT-BMT Version 4 - I Feel Distant From Other People
C147622	FAC06130	FAC061-I Worry Transplant Will Not Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that the transplant will not work.	FACT-BMT Version 4 - I Worry Transplant Will Not Work
C147623	FAC06131	FAC061-Side Effect of Treatment Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The side effects of treatment are worse than I had imagined.	FACT-BMT Version 4 - Side Effect of Treatment Worse
C147624	FAC06132	FAC061-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a good appetite.	FACT-BMT Version 4 - I Have a Good Appetite
C147625	FAC06133	FAC061-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I like the appearance of my body.	FACT-BMT Version 4 - I Like the Appearance of My Body
C147626	FAC06134	FAC061-I Am Able to Get Around by Myself	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to get around by myself.	FACT-BMT Version 4 - I Am Able to Get Around by Myself
C147627	FAC06135	FAC061-I Get Tired Easily	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get tired easily.	FACT-BMT Version 4 - I Get Tired Easily
C147628	FAC06136	FAC061-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am interested in sex.	FACT-BMT Version 4 - I Am Interested in Sex
C147629	FAC06137	FAC061-Concerns Ability to Have Children	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have concerns about my ability to have children.	FACT-BMT Version 4 - Concerns Ability to Have Children
C147630	FAC06138	FAC061-Confidence in My Nurse(s)	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have confidence in my nurse(s).	FACT-BMT Version 4 - Confidence in My Nurse(s)
C147631	FAC06139	FAC061-I Regret Bone Marrow Transplant	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I regret having the bone marrow transplant.	FACT-BMT Version 4 - I Regret Bone Marrow Transplant
C147632	FAC06140	FAC061-I Can Remember Things	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I can remember things.	FACT-BMT Version 4 - I Can Remember Things
C147633	FAC06141	FAC061-I Am Able to Concentrate	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to concentrate.	FACT-BMT Version 4 - I Am Able to Concentrate
C147634	FAC06142	FAC061-I Have Frequent Colds/Infections	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have frequent colds/infections.	FACT-BMT Version 4 - I Have Frequent Colds/Infections
C147635	FAC06143	FAC061-My Eyesight Is Blurry	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My eyesight is blurry.	FACT-BMT Version 4 - My Eyesight Is Blurry
C147636	FAC06144	FAC061-Bothered by Change in Food Tastes	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by a change in the way food tastes.	FACT-BMT Version 4 - Bothered by Change in Food Tastes

**C147540 FAC061TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147637	FAC06145	FAC061-I Have Tremors	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have tremors.	FACT-BMT Version 4 - I Have Tremors
C147638	FAC06146	FAC061-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have been short of breath.	FACT-BMT Version 4 - I Have Been Short of Breath
C147639	FAC06147	FAC061-I Am Bothered by Skin Problems	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by skin problems.	FACT-BMT Version 4 - I Am Bothered by Skin Problems
C147640	FAC06148	FAC061-I Have Trouble With My Bowels	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have trouble with my bowels.	FACT-BMT Version 4 - I Have Trouble With My Bowels
C147641	FAC06149	FAC061-Illness Is Hardship for My Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My illness is a personal hardship for my close family members.	FACT-BMT Version 4 - Illness Is Hardship for My Family
C147642	FAC06150	FAC061-Cost of Treatment Is Burden on Me	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The cost of my treatment is a burden on me or my family.	FACT-BMT Version 4 - Cost of Treatment Is Burden on Me



**FAC061TN (Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire Test Name)**

NCI Code: C147539, Codelist extensible: No

<b>C147539 FAC061TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147636	FAC061-Bothered by Change in Food Tastes	FAC061-Bothered by Change in Food Tastes	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by a change in the way food tastes.	FACT-BMT Version 4 - Bothered by Change in Food Tastes
C147597	FAC061-Bothered by Treatment Side Effect	FAC061-Bothered by Treatment Side Effect	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by side effects of treatment.	FACT-BMT Version 4 - Bothered by Treatment Side Effect
C147629	FAC061-Concerns Ability to Have Children	FAC061-Concerns Ability to Have Children	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have concerns about my ability to have children.	FACT-BMT Version 4 - Concerns Ability to Have Children
C147630	FAC061-Confidence in My Nurse(s)	FAC061-Confidence in My Nurse(s)	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have confidence in my nurse(s).	FACT-BMT Version 4 - Confidence in My Nurse(s)
C147619	FAC061-Content With Quality of My Life	FAC061-Content With Quality of My Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am content with the quality of my life right now.	FACT-BMT Version 4 - Content With Quality of My Life
C147642	FAC061-Cost of Treatment Is Burden on Me	FAC061-Cost of Treatment Is Burden on Me	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The cost of my treatment is a burden on me or my family.	FACT-BMT Version 4 - Cost of Treatment Is Burden on Me
C147618	FAC061-Enjoy Things I Usually Do for Fun	FAC061-Enjoy Things I Usually Do for Fun	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am enjoying the things I usually do for fun.	FACT-BMT Version 4 - Enjoy Things I Usually Do for Fun
C147601	FAC061-Get Emotional Support From Family	FAC061-Get Emotional Support From Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get emotional support from my family.	FACT-BMT Version 4 - Get Emotional Support From Family
C147633	FAC061-I Am Able to Concentrate	FAC061-I Am Able to Concentrate	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to concentrate.	FACT-BMT Version 4 - I Am Able to Concentrate
C147615	FAC061-I Am Able to Enjoy Life	FAC061-I Am Able to Enjoy Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to enjoy life.	FACT-BMT Version 4 - I Am Able to Enjoy Life
C147626	FAC061-I Am Able to Get Around by Myself	FAC061-I Am Able to Get Around by Myself	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to get around by myself.	FACT-BMT Version 4 - I Am Able to Get Around by Myself
C147613	FAC061-I Am Able to Work	FAC061-I Am Able to Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am able to work (include work at home).	FACT-BMT Version 4 - I Am Able to Work
C147639	FAC061-I Am Bothered by Skin Problems	FAC061-I Am Bothered by Skin Problems	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am bothered by skin problems.	FACT-BMT Version 4 - I Am Bothered by Skin Problems
C147620	FAC061-I Am Concerned About Keeping Job	FAC061-I Am Concerned About Keeping Job	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am concerned about keeping my job (include work at home).	FACT-BMT Version 4 - I Am Concerned About Keeping Job
C147599	FAC061-I Am Forced to Spend Time in Bed	FAC061-I Am Forced to Spend Time in Bed	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am forced to spend time in bed.	FACT-BMT Version 4 - I Am Forced to Spend Time in Bed
C147628	FAC061-I Am Interested in Sex	FAC061-I Am Interested in Sex	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am interested in sex.	FACT-BMT Version 4 - I Am Interested in Sex
C147606	FAC061-I Am Satisfied With My Sex Life	FAC061-I Am Satisfied With My Sex Life	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with my sex life.	FACT-BMT Version 4 - I Am Satisfied With My Sex Life
C147617	FAC061-I Am Sleeping Well	FAC061-I Am Sleeping Well	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am sleeping well.	FACT-BMT Version 4 - I Am Sleeping Well
C147632	FAC061-I Can Remember Things	FAC061-I Can Remember Things	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I can remember things.	FACT-BMT Version 4 - I Can Remember Things
C147600	FAC061-I Feel Close to My Friends	FAC061-I Feel Close to My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my friends.	FACT-BMT Version 4 - I Feel Close to My Friends
C147605	FAC061-I Feel Close to My Partner	FAC061-I Feel Close to My Partner	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel close to my partner (or the person who is my main support).	FACT-BMT Version 4 - I Feel Close to My Partner

**C147539 FAC061TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147621	FAC061-I Feel Distant From Other People	FAC061-I Feel Distant From Other People	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel distant from other people.	FACT-BMT Version 4 - I Feel Distant From Other People
C147598	FAC061-I Feel Ill	FAC061-I Feel Ill	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel ill.	FACT-BMT Version 4 - I Feel Ill
C147610	FAC061-I Feel Nervous	FAC061-I Feel Nervous	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel nervous.	FACT-BMT Version 4 - I Feel Nervous
C147607	FAC061-I Feel Sad	FAC061-I Feel Sad	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I feel sad.	FACT-BMT Version 4 - I Feel Sad
C147602	FAC061-I Get Support From My Friends	FAC061-I Get Support From My Friends	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get support from my friends.	FACT-BMT Version 4 - I Get Support From My Friends
C147627	FAC061-I Get Tired Easily	FAC061-I Get Tired Easily	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I get tired easily.	FACT-BMT Version 4 - I Get Tired Easily
C147624	FAC061-I Have a Good Appetite	FAC061-I Have a Good Appetite	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a good appetite.	FACT-BMT Version 4 - I Have a Good Appetite
C147593	FAC061-I Have a Lack of Energy	FAC061-I Have a Lack of Energy	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have a lack of energy.	FACT-BMT Version 4 - I Have a Lack of Energy
C147616	FAC061-I Have Accepted My Illness	FAC061-I Have Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have accepted my illness.	FACT-BMT Version 4 - I Have Accepted My Illness
C147638	FAC061-I Have Been Short of Breath	FAC061-I Have Been Short of Breath	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have been short of breath.	FACT-BMT Version 4 - I Have Been Short of Breath
C147634	FAC061-I Have Frequent Colds/Infections	FAC061-I Have Frequent Colds/Infections	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have frequent colds/infections.	FACT-BMT Version 4 - I Have Frequent Colds/Infections
C147594	FAC061-I Have Nausea	FAC061-I Have Nausea	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have nausea.	FACT-BMT Version 4 - I Have Nausea
C147596	FAC061-I Have Pain	FAC061-I Have Pain	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have pain.	FACT-BMT Version 4 - I Have Pain
C147637	FAC061-I Have Tremors	FAC061-I Have Tremors	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have tremors.	FACT-BMT Version 4 - I Have Tremors
C147640	FAC061-I Have Trouble With My Bowels	FAC061-I Have Trouble With My Bowels	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I have trouble with my bowels.	FACT-BMT Version 4 - I Have Trouble With My Bowels
C147625	FAC061-I Like the Appearance of My Body	FAC061-I Like the Appearance of My Body	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I like the appearance of my body.	FACT-BMT Version 4 - I Like the Appearance of My Body
C147631	FAC061-I Regret Bone Marrow Transplant	FAC061-I Regret Bone Marrow Transplant	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I regret having the bone marrow transplant.	FACT-BMT Version 4 - I Regret Bone Marrow Transplant
C147611	FAC061-I Worry About Dying	FAC061-I Worry About Dying	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry about dying.	FACT-BMT Version 4 - I Worry About Dying
C147622	FAC061-I Worry Transplant Will Not Work	FAC061-I Worry Transplant Will Not Work	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that the transplant will not work.	FACT-BMT Version 4 - I Worry Transplant Will Not Work
C147641	FAC061-Illness Is Hardship for My Family	FAC061-Illness Is Hardship for My Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My illness is a personal hardship for my close family members.	FACT-BMT Version 4 - Illness Is Hardship for My Family
C147609	FAC061-Losing Hope Against Illness	FAC061-Losing Hope Against Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am losing hope in the fight against my illness.	FACT-BMT Version 4 - Losing Hope Against Illness
C147635	FAC061-My Eyesight Is Blurry	FAC061-My Eyesight Is Blurry	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My eyesight is blurry.	FACT-BMT Version 4 - My Eyesight Is Blurry
C147603	FAC061-My Family Has Accepted My Illness	FAC061-My Family Has Accepted My Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My family has accepted my illness.	FACT-BMT Version 4 - My Family Has Accepted My Illness
C147614	FAC061-My Work Is Fulfilling	FAC061-My Work Is Fulfilling	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - My work (include work at home) is fulfilling.	FACT-BMT Version 4 - My Work Is Fulfilling

**C147539 FAC061TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147604	FAC061-Satisfied Communication Illness	FAC061-Satisfied Communication Illness	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with family communication about my illness.	FACT-BMT Version 4 - Satisfied Communication Illness
C147608	FAC061-Satisfied With How I Am Coping	FAC061-Satisfied With How I Am Coping	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I am satisfied with how I am coping with my illness.	FACT-BMT Version 4 - Satisfied With How I Am Coping
C147623	FAC061-Side Effect of Treatment Worse	FAC061-Side Effect of Treatment Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - The side effects of treatment are worse than I had imagined.	FACT-BMT Version 4 - Side Effect of Treatment Worse
C147595	FAC061-Trouble Meeting Needs of Family	FAC061-Trouble Meeting Needs of Family	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - Because of my physical condition, I have trouble meeting the needs of my family.	FACT-BMT Version 4 - Trouble Meeting Needs of Family
C147612	FAC061-Worry My Condition Will Get Worse	FAC061-Worry My Condition Will Get Worse	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 - I worry that my condition will get worse.	FACT-BMT Version 4 - Worry My Condition Will Get Worse

## FAC070TC (Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 Questionnaire Test Code)

NCI Code: C147544, Codelist extensible: No

<b>C147544 FAC070TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147673	FAC07001	FAC070-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel fatigued.	FACIT-Fatigue Version 4 - I Feel Fatigued
C147674	FAC07002	FAC070-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel weak all over.	FACIT-Fatigue Version 4 - I Feel Weak All Over
C147675	FAC07003	FAC070-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel listless ("washed out").	FACIT-Fatigue Version 4 - I Feel Listless
C147676	FAC07004	FAC070-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel tired.	FACIT-Fatigue Version 4 - I Feel Tired
C147677	FAC07005	FAC070-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have trouble starting things because I am tired.	FACIT-Fatigue Version 4 - Trouble Starting Things
C147678	FAC07006	FAC070-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have trouble finishing things because I am tired.	FACIT-Fatigue Version 4 - Trouble Finishing Things
C147679	FAC07007	FAC070-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have energy.	FACIT-Fatigue Version 4 - I Have Energy
C147680	FAC07008	FAC070-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am able to do my usual activities.	FACIT-Fatigue Version 4 - Able to Do My Usual Activities
C147681	FAC07009	FAC070-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I need to sleep during the day.	FACIT-Fatigue Version 4 - I Need to Sleep During the Day
C147682	FAC07010	FAC070-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am too tired to eat.	FACIT-Fatigue Version 4 - I Am Too Tired to Eat
C147683	FAC07011	FAC070-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I need help doing my usual activities.	FACIT-Fatigue Version 4 - Need Help Doing Usual Activities
C147684	FAC07012	FAC070-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am frustrated by being too tired to do the things I want to do.	FACIT-Fatigue Version 4 - Frustrated by Being Too Tired
C147685	FAC07013	FAC070-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have to limit my social activity because I am tired.	FACIT-Fatigue Version 4 - Limit Social Activity, I am Tired

**FAC070TN (Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 Questionnaire Test Name)**

NCI Code: C147543, Codelist extensible: No

<b>C147543 FAC070TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147680	FAC070-Able to Do My Usual Activities	FAC070-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am able to do my usual activities.	FACIT-Fatigue Version 4 - Able to Do My Usual Activities
C147684	FAC070-Frustrated by Being Too Tired	FAC070-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am frustrated by being too tired to do the things I want to do.	FACIT-Fatigue Version 4 - Frustrated by Being Too Tired
C147682	FAC070-I Am Too Tired to Eat	FAC070-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I am too tired to eat.	FACIT-Fatigue Version 4 - I Am Too Tired to Eat
C147673	FAC070-I Feel Fatigued	FAC070-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel fatigued.	FACIT-Fatigue Version 4 - I Feel Fatigued
C147675	FAC070-I Feel Listless	FAC070-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel listless ("washed out").	FACIT-Fatigue Version 4 - I Feel Listless
C147676	FAC070-I Feel Tired	FAC070-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel tired.	FACIT-Fatigue Version 4 - I Feel Tired
C147674	FAC070-I Feel Weak All Over	FAC070-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I feel weak all over.	FACIT-Fatigue Version 4 - I Feel Weak All Over
C147679	FAC070-I Have Energy	FAC070-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have energy.	FACIT-Fatigue Version 4 - I Have Energy
C147681	FAC070-I Need to Sleep During the Day	FAC070-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I need to sleep during the day.	FACIT-Fatigue Version 4 - I Need to Sleep During the Day
C147685	FAC070-Limit Social Activity, I am Tired	FAC070-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have to limit my social activity because I am tired.	FACIT-Fatigue Version 4 - Limit Social Activity, I am Tired
C147683	FAC070-Need Help Doing Usual Activities	FAC070-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I need help doing my usual activities.	FACIT-Fatigue Version 4 - Need Help Doing Usual Activities
C147678	FAC070-Trouble Finishing Things	FAC070-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have trouble finishing things because I am tired.	FACIT-Fatigue Version 4 - Trouble Finishing Things
C147677	FAC070-Trouble Starting Things	FAC070-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 - I have trouble starting things because I am tired.	FACIT-Fatigue Version 4 - Trouble Starting Things

## FAC071TC (Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Code)

NCI Code: C129088, Codelist extensible: No

C129088 FAC071TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C129111	FAC07101	FAC071-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have a lack of energy.	FACIT-F Version 4 - I Have a Lack of Energy
C129112	FAC07102	FAC071-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have nausea.	FACIT-F Version 4 - I Have Nausea
C129113	FAC07103	FAC071-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-F Version 4 - Trouble Meeting Needs of Family
C129114	FAC07104	FAC071-I Have Pain	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have pain.	FACIT-F Version 4 - I Have Pain
C129115	FAC07105	FAC071-Bothered by Treatment Side Effect	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACIT-F Version 4 - Bothered by Treatment Side Effect
C129116	FAC07106	FAC071-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I feel ill.	FACIT-F Version 4 - I Feel Ill
C129117	FAC07107	FAC071-I Am Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACIT-F Version 4 - I Am Forced to Spend Time in Bed
C129118	FAC07108	FAC071-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my friends.	FACIT-F Version 4 - I Feel Close to My Friends
C129119	FAC07109	FAC071-Get Emotional Support From Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACIT-F Version 4 - Get Emotional Support From Family
C129120	FAC07110	FAC071-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get support from my friends.	FACIT-F Version 4 - I Get Support From My Friends
C129121	FAC07111	FAC071-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACIT-F Version 4 - My Family Has Accepted My Illness
C129122	FAC07112	FAC071-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACIT-F Version 4 - Satisfied Family Communication of Illness
C129123	FAC07113	FAC071-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACIT-F Version 4 - I Feel Close to My Partner
C129124	FAC07114	FAC071-I Am Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACIT-F Version 4 - I Am Satisfied With My Sex Life
C129125	FAC07115	FAC071-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel sad.	FACIT-F Version 4 - I Feel Sad
C129126	FAC07116	FAC071-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACIT-F Version 4 - Satisfied With How I Am Coping
C129127	FAC07117	FAC071-Losing Hope Against Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACIT-F Version 4 - Losing Hope Against Illness
C129128	FAC07118	FAC071-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel nervous.	FACIT-F Version 4 - I Feel Nervous
C129129	FAC07119	FAC071-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry about dying.	FACIT-F Version 4 - I Worry About Dying
C129130	FAC07120	FAC071-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACIT-F Version 4 - Worry My Condition Will Get Worse
C129131	FAC07121	FAC071-I Am Able to Work	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to work (include work at home).	FACIT-F Version 4 - I Am Able to Work

**C129088 FAC071TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129132	FAC07122	FAC071-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACIT-F Version 4 - My Work Is Fulfilling
C129133	FAC07123	FAC071-I Am Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to enjoy life.	FACIT-F Version 4 - I Am Able to Enjoy Life
C129134	FAC07124	FAC071-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I have accepted my illness.	FACIT-F Version 4 - I Have Accepted My Illness
C129135	FAC07125	FAC071-I Am Sleeping Well	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am sleeping well.	FACIT-F Version 4 - I Am Sleeping Well
C129136	FAC07126	FAC071-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACIT-F Version 4 - Enjoy Things I Usually Do for Fun
C129137	FAC07127	FAC071-Content With Quality of My Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACIT-F Version 4 - Content With Quality of My Life
C129138	FAC07128	FAC071-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel fatigued.	FACIT-F Version 4 - I Feel Fatigued
C129139	FAC07129	FAC071-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel weak all over.	FACIT-F Version 4 - I Feel Weak All Over
C129140	FAC07130	FAC071-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel listless ('washed out').	FACIT-F Version 4 - I Feel Listless
C129141	FAC07131	FAC071-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel tired.	FACIT-F Version 4 - I Feel Tired
C129142	FAC07132	FAC071-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble starting things because I am tired.	FACIT-F Version 4 - Trouble Starting Things
C129143	FAC07133	FAC071-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble finishing things because I am tired.	FACIT-F Version 4 - Trouble Finishing Things
C129144	FAC07134	FAC071-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have energy.	FACIT-F Version 4 - I Have Energy
C129145	FAC07135	FAC071-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am able to do my usual activities.	FACIT-F Version 4 - Able to Do My Usual Activities
C129146	FAC07136	FAC071-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need to sleep during the day.	FACIT-F Version 4 - I Need to Sleep During the Day
C129147	FAC07137	FAC071-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am too tired to eat.	FACIT-F Version 4 - I Am Too Tired to Eat
C129148	FAC07138	FAC071-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need help doing my usual activities.	FACIT-F Version 4 - Need Help Doing Usual Activities
C129149	FAC07139	FAC071-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am frustrated by being too tired to do the things I want to do.	FACIT-F Version 4 - Frustrated by Being Too Tired
C129150	FAC07140	FAC071-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have to limit my social activity because I am tired.	FACIT-F Version 4 - Limit Social Activity, I am Tired

**FAC071TN (Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire Test Name)**

NCI Code: C129087, Codelist extensible: No

<b>C129087 FAC071TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129145	FAC071-Able to Do My Usual Activities	FAC071-Able to Do My Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am able to do my usual activities.	FACIT-F Version 4 - Able to Do My Usual Activities
C129115	FAC071-Bothered by Treatment Side Effect	FAC071-Bothered by Treatment Side Effect	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am bothered by side effects of treatment.	FACIT-F Version 4 - Bothered by Treatment Side Effect
C129137	FAC071-Content With Quality of My Life	FAC071-Content With Quality of My Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am content with the quality of my life right now.	FACIT-F Version 4 - Content With Quality of My Life
C129136	FAC071-Enjoy Things I Usually Do for Fun	FAC071-Enjoy Things I Usually Do for Fun	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am enjoying the things I usually do for fun.	FACIT-F Version 4 - Enjoy Things I Usually Do for Fun
C129149	FAC071-Frustrated by Being Too Tired	FAC071-Frustrated by Being Too Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am frustrated by being too tired to do the things I want to do.	FACIT-F Version 4 - Frustrated by Being Too Tired
C129119	FAC071-Get Emotional Support From Family	FAC071-Get Emotional Support From Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get emotional support from my family.	FACIT-F Version 4 - Get Emotional Support From Family
C129133	FAC071-I Am Able to Enjoy Life	FAC071-I Am Able to Enjoy Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to enjoy life.	FACIT-F Version 4 - I Am Able to Enjoy Life
C129131	FAC071-I Am Able to Work	FAC071-I Am Able to Work	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am able to work (include work at home).	FACIT-F Version 4 - I Am Able to Work
C129117	FAC071-I Am Forced to Spend Time in Bed	FAC071-I Am Forced to Spend Time in Bed	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I am forced to spend time in bed.	FACIT-F Version 4 - I Am Forced to Spend Time in Bed
C129124	FAC071-I Am Satisfied With My Sex Life	FAC071-I Am Satisfied With My Sex Life	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with my sex life.	FACIT-F Version 4 - I Am Satisfied With My Sex Life
C129135	FAC071-I Am Sleeping Well	FAC071-I Am Sleeping Well	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I am sleeping well.	FACIT-F Version 4 - I Am Sleeping Well
C129147	FAC071-I Am Too Tired to Eat	FAC071-I Am Too Tired to Eat	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I am too tired to eat.	FACIT-F Version 4 - I Am Too Tired to Eat
C129118	FAC071-I Feel Close to My Friends	FAC071-I Feel Close to My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my friends.	FACIT-F Version 4 - I Feel Close to My Friends
C129123	FAC071-I Feel Close to My Partner	FAC071-I Feel Close to My Partner	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I feel close to my partner (or the person who is my main support).	FACIT-F Version 4 - I Feel Close to My Partner
C129138	FAC071-I Feel Fatigued	FAC071-I Feel Fatigued	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel fatigued.	FACIT-F Version 4 - I Feel Fatigued
C129116	FAC071-I Feel Ill	FAC071-I Feel Ill	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I feel ill.	FACIT-F Version 4 - I Feel Ill
C129140	FAC071-I Feel Listless	FAC071-I Feel Listless	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel listless ('washed out').	FACIT-F Version 4 - I Feel Listless
C129128	FAC071-I Feel Nervous	FAC071-I Feel Nervous	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel nervous.	FACIT-F Version 4 - I Feel Nervous
C129125	FAC071-I Feel Sad	FAC071-I Feel Sad	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I feel sad.	FACIT-F Version 4 - I Feel Sad
C129141	FAC071-I Feel Tired	FAC071-I Feel Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel tired.	FACIT-F Version 4 - I Feel Tired
C129139	FAC071-I Feel Weak All Over	FAC071-I Feel Weak All Over	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I feel weak all over.	FACIT-F Version 4 - I Feel Weak All Over
C129120	FAC071-I Get Support From My Friends	FAC071-I Get Support From My Friends	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I get support from my friends.	FACIT-F Version 4 - I Get Support From My Friends



**C129087 FAC071TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C129111	FAC071-I Have a Lack of Energy	FAC071-I Have a Lack of Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have a lack of energy.	FACIT-F Version 4 - I Have a Lack of Energy
C129134	FAC071-I Have Accepted My Illness	FAC071-I Have Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: I have accepted my illness.	FACIT-F Version 4 - I Have Accepted My Illness
C129144	FAC071-I Have Energy	FAC071-I Have Energy	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have energy.	FACIT-F Version 4 - I Have Energy
C129112	FAC071-I Have Nausea	FAC071-I Have Nausea	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have nausea.	FACIT-F Version 4 - I Have Nausea
C129114	FAC071-I Have Pain	FAC071-I Have Pain	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: I have pain.	FACIT-F Version 4 - I Have Pain
C129146	FAC071-I Need to Sleep During the Day	FAC071-I Need to Sleep During the Day	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need to sleep during the day.	FACIT-F Version 4 - I Need to Sleep During the Day
C129129	FAC071-I Worry About Dying	FAC071-I Worry About Dying	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry about dying.	FACIT-F Version 4 - I Worry About Dying
C129150	FAC071-Limit Social Activity, I am Tired	FAC071-Limit Social Activity, I am Tired	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have to limit my social activity because I am tired.	FACIT-F Version 4 - Limit Social Activity, I am Tired
C129127	FAC071-Losing Hope Against Illness	FAC071-Losing Hope Against Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am losing hope in the fight against my illness.	FACIT-F Version 4 - Losing Hope Against Illness
C129121	FAC071-My Family Has Accepted My Illness	FAC071-My Family Has Accepted My Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: My family has accepted my illness.	FACIT-F Version 4 - My Family Has Accepted My Illness
C129132	FAC071-My Work Is Fulfilling	FAC071-My Work Is Fulfilling	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Functional Well-Being: My work (include work at home) is fulfilling.	FACIT-F Version 4 - My Work Is Fulfilling
C129148	FAC071-Need Help Doing Usual Activities	FAC071-Need Help Doing Usual Activities	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I need help doing my usual activities.	FACIT-F Version 4 - Need Help Doing Usual Activities
C129122	FAC071-Satisfied Communication Illness	FAC071-Satisfied Communication Illness	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Social/Family Well-Being: I am satisfied with family communication about my illness.	FACIT-F Version 4 - Satisfied Family Communication of Illness
C129126	FAC071-Satisfied With How I Am Coping	FAC071-Satisfied With How I Am Coping	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I am satisfied with how I am coping with my illness.	FACIT-F Version 4 - Satisfied With How I Am Coping
C129143	FAC071-Trouble Finishing Things	FAC071-Trouble Finishing Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble finishing things because I am tired.	FACIT-F Version 4 - Trouble Finishing Things
C129113	FAC071-Trouble Meeting Needs of Family	FAC071-Trouble Meeting Needs of Family	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Physical Well-Being: Because of my physical condition, I have trouble meeting the needs of my family.	FACIT-F Version 4 - Trouble Meeting Needs of Family
C129142	FAC071-Trouble Starting Things	FAC071-Trouble Starting Things	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Additional Concerns: I have trouble starting things because I am tired.	FACIT-F Version 4 - Trouble Starting Things
C129130	FAC071-Worry My Condition Will Get Worse	FAC071-Worry My Condition Will Get Worse	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 - Emotional Well-Being: I worry that my condition will get worse.	FACIT-F Version 4 - Worry My Condition Will Get Worse

**FAC084TC (Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire Test Code)**

NCI Code: C147542, Codelist extensible: No

<b>C147542 FAC084TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147643	FAC08401	FAC084-Part I: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Without Help
C147644	FAC08402	FAC084-Part I: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Why Not
C147645	FAC08403	FAC084-Part I: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps
C147646	FAC08404	FAC084-Part I: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps Why Not
C147647	FAC08405	FAC084-Part I: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs
C147648	FAC08406	FAC084-Part I: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs Why Not
C147649	FAC08407	FAC084-Part I: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals
C147650	FAC08408	FAC084-Part I: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals Why Not
C147651	FAC08409	FAC084-Part I: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes
C147652	FAC08410	FAC084-Part I: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes Why Not
C147653	FAC08411	FAC084-Part I: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping
C147654	FAC08412	FAC084-Part I: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping Why Not
C147655	FAC08413	FAC084-Part I: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed

## C147542 FAC084TC

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147656	FAC08414	FAC084-Part I: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed Why Not
C147657	FAC08415	FAC084-Part I: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs
C147658	FAC08416	FAC084-Part I: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs Why Not
C147659	FAC08417	FAC084-Part I: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs
C147660	FAC08418	FAC084-Part I: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs Why Not
C147661	FAC08419	FAC084-Part I: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile
C147662	FAC08420	FAC084-Part I: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile Why Not
C147663	FAC08421	FAC084-Part II: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part II: Dressing Without Help
C147664	FAC08422	FAC084-Part II: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk 50 Steps
C147665	FAC08423	FAC084-Part II: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk Up 20 Stairs
C147666	FAC08424	FAC084-Part II: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea 10 Item Short Form - Part II: Preparing Meals
C147667	FAC08425	FAC084-Part II: Washing Dishes	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part II: Washing Dishes
C147668	FAC08426	FAC084-Part II: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Sweeping/Mopping

**C147542 FAC084TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147669	FAC08427	FAC084-Part II: Making a Bed	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part II: Making a Bed
C147670	FAC08428	FAC084-Part II: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part II: Lifting 10-20 Lbs
C147671	FAC08429	FAC084-Part II: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part II: Carry 10-20 Lbs
C147672	FAC08430	FAC084-Part II: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk for 1/2 Mile

**FAC084TN (Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire Test Name)**

NCI Code: C147541, Codelist extensible: No

<b>C147541 FAC084TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147659	FAC084-Part I: Carry 10-20 Lbs	FAC084-Part I: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs
C147660	FAC084-Part I: Carry 10-20 Lbs Why Not	FAC084-Part I: Carry 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Carry 10-20 Lbs Why Not
C147644	FAC084-Part I: Dressing Why Not	FAC084-Part I: Dressing Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Why Not
C147643	FAC084-Part I: Dressing Without Help	FAC084-Part I: Dressing Without Help	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part I: Dressing Without Help
C147657	FAC084-Part I: Lifting 10-20 Lbs	FAC084-Part I: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs
C147658	FAC084-Part I: Lifting 10-20 Lbs Why Not	FAC084-Part I: Lifting 10-20 Lbs Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries). Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Lifting 10-20 Lbs Why Not
C147655	FAC084-Part I: Making a Bed	FAC084-Part I: Making a Bed	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed
C147656	FAC084-Part I: Making a Bed Why Not	FAC084-Part I: Making a Bed Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Making a bed. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Making a Bed Why Not
C147649	FAC084-Part I: Preparing Meals	FAC084-Part I: Preparing Meals	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals
C147650	FAC084-Part I: Preparing Meals Why Not	FAC084-Part I: Preparing Meals Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Preparing Meals. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Preparing Meals Why Not
C147653	FAC084-Part I: Sweeping/Mopping	FAC084-Part I: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping
C147654	FAC084-Part I: Sweeping/Mopping Why Not	FAC084-Part I: Sweeping/Mopping Why Not	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Sweeping or mopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Sweeping/Mopping Why Not
C147645	FAC084-Part I: Walk 50 Steps	FAC084-Part I: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps

**C147541 FAC084TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147646	FAC084-Part I: Walk 50 Steps Why Not	FAC084-Part I: Walk 50 Steps Why Not	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking 50 steps/paces on flat ground at a normal speed without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk 50 Steps Why Not
C147661	FAC084-Part I: Walk for 1/2 Mile	FAC084-Part I: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile
C147662	FAC084-Part I: Walk for 1/2 Mile Why Not	FAC084-Part I: Walk for 1/2 Mile Why Not	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk for 1/2 Mile Why Not
C147647	FAC084-Part I: Walk Up 20 Stairs	FAC084-Part I: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs
C147648	FAC084-Part I: Walk Up 20 Stairs Why Not	FAC084-Part I: Walk Up 20 Stairs Why Not	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Walking up 20 stairs (2 flights) without stopping. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Walk Up 20 Stairs Why Not
C147651	FAC084-Part I: Washing Dishes	FAC084-Part I: Washing Dishes	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes
C147652	FAC084-Part I: Washing Dishes Why Not	FAC084-Part I: Washing Dishes Why Not	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part I. Over the past 7 days, how short of breath did you get with each of these activities?: Washing dishes. Please indicate why you did not do this in the past 7 days.	FACIT-Dyspnea 10 Item Short Form - Part I: Washing Dishes Why Not
C147671	FAC084-Part II: Carry 10-20 Lbs	FAC084-Part II: Carry 10-20 Lbs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Carrying something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries) from one room to another.	FACIT-Dyspnea 10 Item Short Form - Part II: Carry 10-20 Lbs
C147663	FAC084-Part II: Dressing Without Help	FAC084-Part II: Dressing Without Help	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Dressing yourself without help.	FACIT-Dyspnea 10 Item Short Form - Part II: Dressing Without Help
C147670	FAC084-Part II: Lifting 10-20 Lbs	FAC084-Part II: Lifting 10-20 Lbs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Lifting something weighing 10-20 lbs (about 4.5-9kg, like a large bag of groceries).	FACIT-Dyspnea 10 Item Short Form - Part II: Lifting 10-20 Lbs
C147669	FAC084-Part II: Making a Bed	FAC084-Part II: Making a Bed	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Making a bed.	FACIT-Dyspnea 10 Item Short Form - Part II: Making a Bed
C147666	FAC084-Part II: Preparing Meals	FAC084-Part II: Preparing Meals	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Preparing meals.	FACIT-Dyspnea 10 Item Short Form - Part II: Preparing Meals
C147668	FAC084-Part II: Sweeping/Mopping	FAC084-Part II: Sweeping/Mopping	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Sweeping or mopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Sweeping/Mopping

**C147541 FAC084TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147664	FAC084-Part II: Walk 50 Steps	FAC084-Part II: Walk 50 Steps	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking 50 steps/paces on flat ground at a normal speed without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk 50 Steps
C147672	FAC084-Part II: Walk for 1/2 Mile	FAC084-Part II: Walk for 1/2 Mile	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking (faster than your usual speed) for 1/2 mile (almost 1 km) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk for 1/2 Mile
C147665	FAC084-Part II: Walk Up 20 Stairs	FAC084-Part II: Walk Up 20 Stairs	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Walking up 20 stairs (2 flights) without stopping.	FACIT-Dyspnea 10 Item Short Form - Part II: Walk Up 20 Stairs
C147667	FAC084-Part II: Washing Dishes	FAC084-Part II: Washing Dishes	Functional Assessment of Chronic Illness Therapy- Dyspnea 10 Item Short Form - Part II Functional Limitation. Considering your shortness of breath over the past 7 days, rate the amount of difficulty you had when doing the following activities: Washing dishes.	FACIT-Dyspnea 10 Item Short Form - Part II: Washing Dishes

**FAC099TC (Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Code)**

NCI Code: C147546, Codelist extensible: No

<b>C147546 FAC099TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147686	FAC09901	FAC099-I Feel Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel tired.	Peds-FACIT-F - I Feel Tired
C147687	FAC09902	FAC099-I Have Energy	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I have energy (or strength).	Peds-FACIT-F - I Have Energy
C147688	FAC09903	FAC099-Could Do My Usual Things at Home	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I could do my usual things at home.	Peds-FACIT-F - Could Do My Usual Things at Home
C147689	FAC09904	FAC099-Trouble Starting Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble starting things because I was too tired.	Peds-FACIT-F - Trouble Starting Things
C147690	FAC09905	FAC099-Trouble Finishing Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble finishing things because I was too tired.	Peds-FACIT-F - Trouble Finishing Things
C147691	FAC09906	FAC099-I Needed to Sleep During the Day	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed to sleep during the day.	Peds-FACIT-F - I Needed to Sleep During the Day
C147692	FAC09907	FAC099-Upset by Being Too Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I got upset by being too tired to do things I wanted to do.	Peds-FACIT-F - Upset by Being Too Tired
C147693	FAC09908	FAC099-Hard for Me to Play With Friends	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made it hard for me to play or go out with my friends as much as I'd like.	Peds-FACIT-F - Hard for Me to Play With Friends
C147694	FAC09909	FAC099-Needed Help Doing Usual Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed help doing my usual things at home.	Peds-FACIT-F - Needed Help Doing Usual Things
C147695	FAC09910	FAC099-I Feel Weak	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel weak.	Peds-FACIT-F - I Feel Weak
C147696	FAC09911	FAC099-I Was Too Tired to Eat	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I was too tired to eat.	Peds-FACIT-F - I Was Too Tired to Eat
C147697	FAC09912	FAC099-Being Tired Made Me Sad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me sad.	Peds-FACIT-F - Being Tired Made Me Sad
C147698	FAC09913	FAC099-Being Tired Made Me Mad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me mad (angry).	Peds-FACIT-F - Being Tired Made Me Mad



**FAC099TN (Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire Test Name)**

NCI Code: C147545, Codelist extensible: No

<b>C147545 FAC099TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147698	FAC099-Being Tired Made Me Mad	FAC099-Being Tired Made Me Mad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me mad (angry).	Peds-FACIT-F - Being Tired Made Me Mad
C147697	FAC099-Being Tired Made Me Sad	FAC099-Being Tired Made Me Sad	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made me sad.	Peds-FACIT-F - Being Tired Made Me Sad
C147688	FAC099-Could Do My Usual Things at Home	FAC099-Could Do My Usual Things at Home	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I could do my usual things at home.	Peds-FACIT-F - Could Do My Usual Things at Home
C147693	FAC099-Hard for Me to Play With Friends	FAC099-Hard for Me to Play With Friends	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - Being tired made it hard for me to play or go out with my friends as much as I'd like.	Peds-FACIT-F - Hard for Me to Play With Friends
C147686	FAC099-I Feel Tired	FAC099-I Feel Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel tired.	Peds-FACIT-F - I Feel Tired
C147695	FAC099-I Feel Weak	FAC099-I Feel Weak	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I feel weak.	Peds-FACIT-F - I Feel Weak
C147687	FAC099-I Have Energy	FAC099-I Have Energy	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I have energy (or strength).	Peds-FACIT-F - I Have Energy
C147691	FAC099-I Needed to Sleep During the Day	FAC099-I Needed to Sleep During the Day	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed to sleep during the day.	Peds-FACIT-F - I Needed to Sleep During the Day
C147696	FAC099-I Was Too Tired to Eat	FAC099-I Was Too Tired to Eat	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I was too tired to eat.	Peds-FACIT-F - I Was Too Tired to Eat
C147694	FAC099-Needed Help Doing Usual Things	FAC099-Needed Help Doing Usual Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I needed help doing my usual things at home.	Peds-FACIT-F - Needed Help Doing Usual Things
C147690	FAC099-Trouble Finishing Things	FAC099-Trouble Finishing Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble finishing things because I was too tired.	Peds-FACIT-F - Trouble Finishing Things
C147689	FAC099-Trouble Starting Things	FAC099-Trouble Starting Things	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I had trouble starting things because I was too tired.	Peds-FACIT-F - Trouble Starting Things
C147692	FAC099-Upset by Being Too Tired	FAC099-Upset by Being Too Tired	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue - I got upset by being too tired to do things I wanted to do.	Peds-FACIT-F - Upset by Being Too Tired

## FAMS01TC (Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Code)

NCI Code: C112441, Codelist extensible: No

C112441 FAMS01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112551	FAMS0101	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112552	FAMS0102	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112553	FAMS0103	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112554	FAMS0104	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112555	FAMS0105	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112556	FAMS0106	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places
C112557	FAMS0107	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112558	FAMS0108	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112559	FAMS0109	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112560	FAMS0110	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112561	FAMS0111	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112562	FAMS0112	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112563	FAMS0113	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS0114	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112565	FAMS0115	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad
C112566	FAMS0116	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112567	FAMS0117	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112568	FAMS0118	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112569	FAMS0119	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112570	FAMS0120	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112571	FAMS0121	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112572	FAMS0122	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112573	FAMS0123	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112574	FAMS0124	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun

**C112441 FAMS01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112575	FAMS0125	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112576	FAMS0126	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112577	FAMS0127	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life
C112578	FAMS0128	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112579	FAMS0129	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112580	FAMS0130	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112581	FAMS0131	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112582	FAMS0132	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112583	FAMS0133	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112584	FAMS0134	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112585	FAMS0135	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112586	FAMS0136	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112587	FAMS0137	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112588	FAMS0138	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112589	FAMS0139	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112590	FAMS0140	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112591	FAMS0141	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112592	FAMS0142	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness
C112593	FAMS0143	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112594	FAMS0144	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things
C112595	FAMS0145	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112596	FAMS0146	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112597	FAMS0147	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112598	FAMS0148	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life

**C112441 FAMS01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112599	FAMS0149	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112600	FAMS0150	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112601	FAMS0151	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse
C112602	FAMS0152	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112603	FAMS0153	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112604	FAMS0154	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine
C112605	FAMS0155	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112606	FAMS0156	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112607	FAMS0157	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112608	FAMS0158	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms

## FAMS01TN (Functional Assessment of Multiple Sclerosis Version 4 Questionnaire Test Name)

NCI Code: C112440, Codelist extensible: No

C112440 FAMS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112595	FAMS01-Bothered by Treatment Side Effect	FAMS01-Bothered by Treatment Side Effect	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by side effects of treatment.	FAMS - Bothered by Side Effects of Treatment
C112575	FAMS01-Content With Quality of My Life	FAMS01-Content With Quality of My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I am content with the quality of my life right now.	FAMS - Content With Quality of My Life Now
C112574	FAMS01-Enjoy Things I Usually Do for Fun	FAMS01-Enjoy Things I Usually Do for Fun	Functional Assessment of Multiple Sclerosis - General Contentment: I am enjoying the things I usually do for fun.	FAMS - Enjoying Things I Usually Do for Fun
C112571	FAMS01-Feel Overwhelmed by My Condition	FAMS01-Feel Overwhelmed by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel overwhelmed by my condition.	FAMS - Feel Overwhelmed by My Condition
C112577	FAMS01-Feel Sense of Purpose in My Life	FAMS01-Feel Sense of Purpose in My Life	Functional Assessment of Multiple Sclerosis - General Contentment: I feel a sense of purpose in my life.	FAMS - Feel Sense of Purpose in My Life
C112589	FAMS01-Get Emotional Support From Family	FAMS01-Get Emotional Support From Family	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get emotional support from my family.	FAMS - Get Emotional Support From Family
C112604	FAMS01-Have Trouble Controlling My Urine	FAMS01-Have Trouble Controlling My Urine	Functional Assessment of Multiple Sclerosis - Additional Concerns: I have trouble controlling my urine.	FAMS - Trouble Controlling My Urine
C112603	FAMS01-Heat Worsens My Symptoms	FAMS01-Heat Worsens My Symptoms	Functional Assessment of Multiple Sclerosis - Additional Concerns: Heat worsens my symptoms.	FAMS - Heat Worsens My Symptoms
C112567	FAMS01-I Am Able to Enjoy Life	FAMS01-I Am Able to Enjoy Life	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am able to enjoy life.	FAMS - I Am Able to Enjoy Life
C112552	FAMS01-I Am Able to Work	FAMS01-I Am Able to Work	Functional Assessment of Multiple Sclerosis - Mobility: I am able to work (include work at home).	FAMS - I Am Able to Work
C112607	FAMS01-I Am Bothered by Fevers	FAMS01-I Am Bothered by Fevers	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by fevers (episodes of high body temperature).	FAMS - Bothered by Fevers
C112563	FAMS01-I Am Bothered by Headaches	FAMS01-I Am Bothered by Headaches	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by headaches.	FAMS - Bothered by Headaches
C112564	FAMS01-I Am Bothered by Muscle Pains	FAMS01-I Am Bothered by Muscle Pains	Functional Assessment of Multiple Sclerosis - Symptoms: I am bothered by muscle pains.	FAMS - Bothered by Muscle Pains
C112608	FAMS01-I Am Bothered by Muscle Spasms	FAMS01-I Am Bothered by Muscle Spasms	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by muscle spasms.	FAMS - Bothered by Muscle Spasms
C112606	FAMS01-I Am Bothered by the Chills	FAMS01-I Am Bothered by the Chills	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am bothered by the chills.	FAMS - Bothered by Chills
C112569	FAMS01-I Am Depressed About My Condition	FAMS01-I Am Depressed About My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am depressed about my condition.	FAMS - Depressed About My Condition
C112596	FAMS01-I Am Forced to Spend Time in Bed	FAMS01-I Am Forced to Spend Time in Bed	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am forced to spend time in bed.	FAMS - Forced to Spend Time in Bed
C112576	FAMS01-I Am Frustrated by My Condition	FAMS01-I Am Frustrated by My Condition	Functional Assessment of Multiple Sclerosis - General Contentment: I am frustrated by my condition.	FAMS - I Am Frustrated by My Condition
C112598	FAMS01-I Am Satisfied With My Sex Life	FAMS01-I Am Satisfied With My Sex Life	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with my sex life.	FAMS - Satisfied With My Sex Life
C112602	FAMS01-I Am Sleeping Well	FAMS01-I Am Sleeping Well	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am sleeping well.	FAMS - I Am Sleeping Well
C112588	FAMS01-I Feel Close to My Friends	FAMS01-I Feel Close to My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel close to my friends.	FAMS - Feel Close to My Friends
C112597	FAMS01-I Feel Close to My Partner	FAMS01-I Feel Close to My Partner	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel close to my partner (or the person who is my main support).	FAMS - Feel Close to My Partner
C112560	FAMS01-I Feel Ill	FAMS01-I Feel Ill	Functional Assessment of Multiple Sclerosis - Symptoms: I feel ill.	FAMS - I Feel Ill
C112594	FAMS01-I Feel Left Out of Things	FAMS01-I Feel Left Out of Things	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I feel 'left out' of things.	FAMS - Feel Left Out of Things

**C112440 FAMS01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112578	FAMS01-I Feel Motivated to Do Things	FAMS01-I Feel Motivated to Do Things	Functional Assessment of Multiple Sclerosis - General Contentment: I feel motivated to do things.	FAMS - Feel Motivated to Do Things
C112600	FAMS01-I Feel Nervous	FAMS01-I Feel Nervous	Functional Assessment of Multiple Sclerosis - Additional Concerns: I feel nervous.	FAMS - I Feel Nervous
C112565	FAMS01-I Feel Sad	FAMS01-I Feel Sad	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel sad.	FAMS - I Feel Sad
C112580	FAMS01-I Feel Tired	FAMS01-I Feel Tired	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I feel tired.	FAMS - I Feel Tired
C112568	FAMS01-I Feel Trapped by My Condition	FAMS01-I Feel Trapped by My Condition	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel trapped by my condition.	FAMS - Feel Trapped by My Condition
C112570	FAMS01-I Feel Useless	FAMS01-I Feel Useless	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I feel useless.	FAMS - I Feel Useless
C112561	FAMS01-I Feel Weak All Over	FAMS01-I Feel Weak All Over	Functional Assessment of Multiple Sclerosis - Symptoms: I feel weak all over.	FAMS - I Feel Weak All Over
C112590	FAMS01-I Get Support From My Friends	FAMS01-I Get Support From My Friends	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I get support from my friends.	FAMS - Get Support From Friends
C112579	FAMS01-I Have a Lack of Energy	FAMS01-I Have a Lack of Energy	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have a lack of energy.	FAMS - Have a Lack of Energy
C112573	FAMS01-I Have Accepted My Illness	FAMS01-I Have Accepted My Illness	Functional Assessment of Multiple Sclerosis - General Contentment: I have accepted my illness.	FAMS - I Have Accepted My Illness
C112558	FAMS01-I Have Nausea	FAMS01-I Have Nausea	Functional Assessment of Multiple Sclerosis - Symptoms: I have nausea.	FAMS - I Have Nausea
C112559	FAMS01-I Have Pain	FAMS01-I Have Pain	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain.	FAMS - I Have Pain
C112562	FAMS01-I Have Pain in My Joints	FAMS01-I Have Pain in My Joints	Functional Assessment of Multiple Sclerosis - Symptoms: I have pain in my joints.	FAMS - I Have Pain in My Joints
C112555	FAMS01-I Have Strength in My Legs	FAMS01-I Have Strength in My Legs	Functional Assessment of Multiple Sclerosis - Mobility: I have strength in my legs.	FAMS - I Have Strength in My Legs
C112585	FAMS01-I Have Trouble Concentrating	FAMS01-I Have Trouble Concentrating	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble concentrating.	FAMS - Trouble Concentrating
C112587	FAMS01-I Have Trouble Learning New Tasks	FAMS01-I Have Trouble Learning New Tasks	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble learning new tasks or directions.	FAMS - Trouble Learning New Tasks or Directions
C112584	FAMS01-I Have Trouble Remembering Things	FAMS01-I Have Trouble Remembering Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble remembering things.	FAMS - Trouble Remembering Things
C112553	FAMS01-I Have Trouble Walking	FAMS01-I Have Trouble Walking	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble walking.	FAMS - I Have Trouble Walking
C112583	FAMS01-I Need to Rest During the Day	FAMS01-I Need to Rest During the Day	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I need to rest during the day.	FAMS - Need to Rest During the Day
C112605	FAMS01-I Urinate More Frequently	FAMS01-I Urinate More Frequently	Functional Assessment of Multiple Sclerosis - Additional Concerns: I urinate more frequently than usual.	FAMS - Urinate More Frequently Than Usual
C112554	FAMS01-Limit My Social Activity	FAMS01-Limit My Social Activity	Functional Assessment of Multiple Sclerosis - Mobility: I have to limit my social activity because of my condition.	FAMS - Limit Social Activity Because of Condition
C112566	FAMS01-Losing Hope Against Illness	FAMS01-Losing Hope Against Illness	Functional Assessment of Multiple Sclerosis - Emotional Well-Being: I am losing hope in the fight against my illness.	FAMS - Losing Hope in Fight Against My Illness
C112591	FAMS01-My Family Has Accepted My Illness	FAMS01-My Family Has Accepted My Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has accepted my illness.	FAMS - Family Has Accepted My Illness
C112586	FAMS01-My Thinking Is Slower Than Before	FAMS01-My Thinking Is Slower Than Before	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: My thinking is slower than before.	FAMS - My Thinking is Slower Than Before
C112572	FAMS01-My Work Is Fulfilling	FAMS01-My Work Is Fulfilling	Functional Assessment of Multiple Sclerosis - General Contentment: My work (include work at home) is fulfilling.	FAMS - My Work is Fulfilling
C112592	FAMS01-Satisfied Communication Illness	FAMS01-Satisfied Communication Illness	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: I am satisfied with family communication about my illness.	FAMS - Satisfied With Family Communication About My Illness

**C112440 FAMS01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112599	FAMS01-Satisfied With How I Am Coping	FAMS01-Satisfied With How I Am Coping	Functional Assessment of Multiple Sclerosis - Additional Concerns: I am satisfied with how I am coping with my illness.	FAMS - Satisfied With How I Am Coping With Illness
C112557	FAMS01-Take My Condition Into Account	FAMS01-Take My Condition Into Account	Functional Assessment of Multiple Sclerosis - Mobility: I have to take my condition into account when making plans.	FAMS - Have to Take Condition Into Account When Making Plans
C112582	FAMS01-Trouble Finishing Things	FAMS01-Trouble Finishing Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble finishing things because I am tired.	FAMS - Trouble Finishing Things Because I Am Tired
C112556	FAMS01-Trouble Getting Around in Public	FAMS01-Trouble Getting Around in Public	Functional Assessment of Multiple Sclerosis - Mobility: I have trouble getting around in public places.	FAMS - Trouble Getting Around in Public Places
C112551	FAMS01-Trouble Meeting Needs of Family	FAMS01-Trouble Meeting Needs of Family	Functional Assessment of Multiple Sclerosis - Mobility: Because of my physical condition, I have trouble meeting the needs of my family.	FAMS - Have Trouble Meeting Needs of Family Because of My Condition
C112581	FAMS01-Trouble Starting Things	FAMS01-Trouble Starting Things	Functional Assessment of Multiple Sclerosis - Thinking and Fatigue: I have trouble starting things because I am tired.	FAMS - Trouble Starting Things Because I Am Tired
C112593	FAMS01-Trouble Understanding Worsening	FAMS01-Trouble Understanding Worsening	Functional Assessment of Multiple Sclerosis - Family/Social Well-Being: My family has trouble understanding when my condition gets worse.	FAMS - Family Has Trouble Understanding When My Condition Gets Worse
C112601	FAMS01-Worry My Condition Will Get Worse	FAMS01-Worry My Condition Will Get Worse	Functional Assessment of Multiple Sclerosis - Additional Concerns: I worry that my condition will get worse.	FAMS - Worry My Condition Will Get Worse

## FAQ01TC (Functional Activities Questionnaire Test Code)

NCI Code: C111344, Codelist extensible: No

<b>C111344 FAQ01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111499	FAQ0101	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook
C111500	FAQ0102	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111501	FAQ0103	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111502	FAQ0104	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111503	FAQ0105	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111504	FAQ0106	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111505	FAQ0107	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ0108	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111507	FAQ0109	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111508	FAQ0110	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111509	FAQ0111	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score



**FAQ01TN (Functional Activities Questionnaire Test Name)**

NCI Code: C111343, Codelist extensible: No

<b>C111343 FAQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111500	FAQ01-Assembling	FAQ01-Assembling	Functional Activities Questionnaire - Assembling tax records, business affairs, or papers.	FAQ - Assemble
C111503	FAQ01-Heat Water/Make Coffee/Stove Off	FAQ01-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire - Heating water, making a cup of coffee, turning off stove after use.	FAQ - Heat water, Make Coffee, Turn Off Stove
C111505	FAQ01-Keeping Track of Current Events	FAQ01-Keeping Track of Current Events	Functional Activities Questionnaire - Keeping track of current events.	FAQ - Keep Track of Current Events
C111506	FAQ01-Paying Attention	FAQ01-Paying Attention	Functional Activities Questionnaire - Paying attention to, understanding, discussing TV, book, magazine.	FAQ - Pay Attention, Understand, Discuss
C111502	FAQ01-Playing a Game of Skill	FAQ01-Playing a Game of Skill	Functional Activities Questionnaire - Playing a game of skill, working on a hobby.	FAQ - Play Game of Skill, Work on Hobby
C111504	FAQ01-Preparing a Balanced Meal	FAQ01-Preparing a Balanced Meal	Functional Activities Questionnaire - Preparing a balanced meal.	FAQ - Prepare a Meal
C111507	FAQ01-Remembering	FAQ01-Remembering	Functional Activities Questionnaire - Remembering appointments, family occasions, holidays, medications.	FAQ - Remember
C111501	FAQ01-Shopping Alone	FAQ01-Shopping Alone	Functional Activities Questionnaire - Shopping alone for clothes, household necessities, or groceries.	FAQ - Shop Alone
C111509	FAQ01-Total Score	FAQ01-Total Score	Functional Activities Questionnaire - Total Score.	FAQ - Total Score
C111508	FAQ01-Traveling	FAQ01-Traveling	Functional Activities Questionnaire - Traveling out of neighborhood, driving, arranging to take buses.	FAQ - Travel
C111499	FAQ01-Write Checks/Pay Bills/Checkbook	FAQ01-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire - Writing checks, paying bills, balancing checkbook.	FAQ - Write checks, Pay bills, Balance checkbook

## FAQ02TC (Functional Activities Questionnaire-NACC Version Questionnaire Test Code)

NCI Code: C111346, Codelist extensible: No

C111346 FAQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111510	FAQ0201	FAQ02-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire-NACC - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC Version - Write checks, Pay bills, Balance checkbook
C111511	FAQ0202	FAQ02-Assembling	Functional Activities Questionnaire-NACC - Assembling tax records, business affairs, or other papers.	FAQ-NACC Version - Assemble
C111512	FAQ0203	FAQ02-Shopping Alone	Functional Activities Questionnaire-NACC - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC Version - Shop Alone
C111513	FAQ0204	FAQ02-Playing a Game of Skill	Functional Activities Questionnaire-NACC - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC Version - Play Game of Skill, Work on Hobby
C111514	FAQ0205	FAQ02-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire-NACC - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC Version - Heat water, Make Coffee, Turn Off Stove
C111515	FAQ0206	FAQ02-Preparing a Balanced Meal	Functional Activities Questionnaire-NACC - Preparing a balanced meal.	FAQ-NACC Version - Prepare a Meal
C111516	FAQ0207	FAQ02-Keeping Track of Current Events	Functional Activities Questionnaire-NACC - Keeping track of current events.	FAQ-NACC Version - Keep Track of Current Events
C111517	FAQ0208	FAQ02-Paying Attention	Functional Activities Questionnaire-NACC - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC Version - Pay Attention, Understand, Discuss
C111518	FAQ0209	FAQ02-Remembering	Functional Activities Questionnaire-NACC - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC Version - Remember
C111519	FAQ0210	FAQ02-Traveling	Functional Activities Questionnaire-NACC - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC Version - Travel

## FAQ02TN (Functional Activities Questionnaire-NACC Version Questionnaire Test Name)

NCI Code: C111345, Codelist extensible: No

C111345 FAQ02TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111511	FAQ02-Assembling	FAQ02-Assembling	Functional Activities Questionnaire-NACC - Assembling tax records, business affairs, or other papers.	FAQ-NACC Version - Assemble
C111514	FAQ02-Heat Water/Make Coffee/Stove Off	FAQ02-Heat Water/Make Coffee/Stove Off	Functional Activities Questionnaire-NACC - Heating water, making a cup of coffee, turning off the stove.	FAQ-NACC Version - Heat water, Make Coffee, Turn Off Stove
C111516	FAQ02-Keeping Track of Current Events	FAQ02-Keeping Track of Current Events	Functional Activities Questionnaire-NACC - Keeping track of current events.	FAQ-NACC Version - Keep Track of Current Events
C111517	FAQ02-Paying Attention	FAQ02-Paying Attention	Functional Activities Questionnaire-NACC - Paying attention to and understanding a TV program, book, or magazine.	FAQ-NACC Version - Pay Attention, Understand, Discuss
C111513	FAQ02-Playing a Game of Skill	FAQ02-Playing a Game of Skill	Functional Activities Questionnaire-NACC - Playing a game of skill such as bridge or chess, working on a hobby.	FAQ-NACC Version - Play Game of Skill, Work on Hobby
C111515	FAQ02-Preparing a Balanced Meal	FAQ02-Preparing a Balanced Meal	Functional Activities Questionnaire-NACC - Preparing a balanced meal.	FAQ-NACC Version - Prepare a Meal
C111518	FAQ02-Remembering	FAQ02-Remembering	Functional Activities Questionnaire-NACC - Remembering appointments, family occasions, holidays, medications.	FAQ-NACC Version - Remember
C111512	FAQ02-Shopping Alone	FAQ02-Shopping Alone	Functional Activities Questionnaire-NACC - Shopping alone for clothes, household necessities, or groceries.	FAQ-NACC Version - Shop Alone
C111519	FAQ02-Traveling	FAQ02-Traveling	Functional Activities Questionnaire-NACC - Traveling out of the neighborhood, driving, or arranging to take public transportation.	FAQ-NACC Version - Travel
C111510	FAQ02-Write Checks/Pay Bills/Checkbook	FAQ02-Write Checks/Pay Bills/Checkbook	Functional Activities Questionnaire-NACC - Writing checks, paying bills, or balancing a checkbook.	FAQ-NACC Version - Write checks, Pay bills, Balance checkbook

**FCVD1TC (Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code)**

NCI Code: C124670, Codelist extensible: No

<b>C124670 FCVD1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124722	FCVD101	FCVD1-Framingham CVD 10-Year Risk Score	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	FHS CVD 10-Year Risk Score - Risk Score

**FCVD1TN (Framingham Heart Study Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name)**

NCI Code: C124669, Codelist extensible: No

<b>C124669 FCVD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124722	FCVD1-Framingham CVD 10-Year Risk Score	FCVD1-Framingham CVD 10-Year Risk Score	Framingham Heart Study Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	FHS CVD 10-Year Risk Score - Risk Score

## FIQR01TC (Revised Fibromyalgia Impact Questionnaire Questionnaire Test Code)

NCI Code: C103465, Codelist extensible: No

C103465 FIQR01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103544	FIQR0101	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103545	FIQR0102	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103546	FIQR0103	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103547	FIQR0104	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103548	FIQR0105	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103549	FIQR0106	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103550	FIQR0107	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103551	FIQR0108	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103552	FIQR0109	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103553	FIQR0110	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C103554	FIQR0111	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR0112	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103556	FIQR0113	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103557	FIQR0114	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C103558	FIQR0115	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep
C103559	FIQR0116	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103560	FIQR0117	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C103561	FIQR0118	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103562	FIQR0119	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103563	FIQR0120	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103564	FIQR0121	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C118107	FIQR0122	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C118108	FIQR0123	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C118109	FIQR0124	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C118110	FIQR0125	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total

## FIQR01TN (Revised Fibromyalgia Impact Questionnaire Questionnaire Test Name)

NCI Code: C103464, Codelist extensible: No

C103464 FIQR01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118107	FIQR01-Activities Sub-Total	FIQR01-Activities Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for activities subcategory.	FIQR - Activities Sub-Total
C103561	FIQR01-Anxiety	FIQR01-Anxiety	Revised Fibromyalgia Impact Questionnaire - Please rate your level of anxiety.	FIQR - Anxiety
C103563	FIQR01-Balance Problems	FIQR01-Balance Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of balance problems.	FIQR - Balance Problems
C103544	FIQR01-Brush or Comb Your Hair	FIQR01-Brush or Comb Your Hair	Revised Fibromyalgia Impact Questionnaire - Brush or comb your hair.	FIQR - Brush or Comb Your Hair
C103550	FIQR01-Change Bed Sheets	FIQR01-Change Bed Sheets	Revised Fibromyalgia Impact Questionnaire - Change bed sheets.	FIQR - Change Bed Sheets
C103549	FIQR01-Climb One Flight of Stairs	FIQR01-Climb One Flight of Stairs	Revised Fibromyalgia Impact Questionnaire - Climb one flight of stairs.	FIQR - Climb One Flight of Stairs
C103559	FIQR01-Depression	FIQR01-Depression	Revised Fibromyalgia Impact Questionnaire - Please rate your level of depression.	FIQR - Depression
C103556	FIQR01-Energy	FIQR01-Energy	Revised Fibromyalgia Impact Questionnaire - Please rate your level of energy.	FIQR - Energy
C103553	FIQR01-Fibromyalgia Prevented Goals	FIQR01-Fibromyalgia Prevented Goals	Revised Fibromyalgia Impact Questionnaire - Fibromyalgia prevented me from accomplishing goals for the week.	FIQR - Fibromyalgia Prevented Me from Accomplishing Goals for the Week
C118110	FIQR01-FIQR Total	FIQR01-FIQR Total	Revised Fibromyalgia Impact Questionnaire - FIQR total.	FIQR - FIQR Total
C103552	FIQR01-Go Shopping for Groceries	FIQR01-Go Shopping for Groceries	Revised Fibromyalgia Impact Questionnaire - Go shopping for groceries.	FIQR - Go Shopping for Groceries
C103548	FIQR01-Lift/Carry Bag Full of Groceries	FIQR01-Lift/Carry Bag Full of Groceries	Revised Fibromyalgia Impact Questionnaire - Lift and carry a bag full of groceries.	FIQR - Lift and Carry a Bag Full of Groceries
C103560	FIQR01-Memory Problems	FIQR01-Memory Problems	Revised Fibromyalgia Impact Questionnaire - Please rate your level of memory problems.	FIQR - Memory Problems
C118108	FIQR01-Overall Impact Sub-Total	FIQR01-Overall Impact Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for overall impact subcategory.	FIQR - Overall Impact Sub-Total
C103554	FIQR01-Overwhelmed by Fibromyalgia	FIQR01-Overwhelmed by Fibromyalgia	Revised Fibromyalgia Impact Questionnaire - I was completely overwhelmed by my fibromyalgia symptoms.	FIQR - I was Completely Overwhelmed by My Fibromyalgia Symptoms
C103555	FIQR01-Pain	FIQR01-Pain	Revised Fibromyalgia Impact Questionnaire - Please rate your level of pain.	FIQR - Pain
C103546	FIQR01-Prepare a Homemade Meal	FIQR01-Prepare a Homemade Meal	Revised Fibromyalgia Impact Questionnaire - Prepare a homemade meal.	FIQR - Prepare a Homemade Meal
C103564	FIQR01-Sensitivity Noise/Light/Odor/Cold	FIQR01-Sensitivity Noise/Light/Odor/Cold	Revised Fibromyalgia Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	FIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103551	FIQR01-Sit in a Chair for 45 Minutes	FIQR01-Sit in a Chair for 45 Minutes	Revised Fibromyalgia Impact Questionnaire - Sit in a chair for 45 minutes.	FIQR - Sit in a Chair for 45 Minutes
C103557	FIQR01-Stiffness	FIQR01-Stiffness	Revised Fibromyalgia Impact Questionnaire - Please rate your level of stiffness.	FIQR - Stiffness
C118109	FIQR01-Symptoms Sub-Total	FIQR01-Symptoms Sub-Total	Revised Fibromyalgia Impact Questionnaire - Sub-total for symptoms subcategory.	FIQR - Symptoms Sub-Total
C103562	FIQR01-Tenderness to Touch	FIQR01-Tenderness to Touch	Revised Fibromyalgia Impact Questionnaire - Please rate your level of tenderness to touch.	FIQR - Tenderness to Touch
C103547	FIQR01-Vacuum Scrub or Sweep Floors	FIQR01-Vacuum Scrub or Sweep Floors	Revised Fibromyalgia Impact Questionnaire - Vacuum, scrub or sweep floors.	FIQR - Vacuum Scrub or Sweep Floors
C103545	FIQR01-Walk Continuously for 20 Minutes	FIQR01-Walk Continuously for 20 Minutes	Revised Fibromyalgia Impact Questionnaire - Walk continuously for 20 minutes.	FIQR - Walk Continuously for 20 Minutes
C103558	FIQR01-Your Sleep	FIQR01-Your Sleep	Revised Fibromyalgia Impact Questionnaire - Please rate the quality of your sleep.	FIQR - Your Sleep

## FPSR1TC (Faces Pain Scale - Revised Questionnaire Test Code)

NCI Code: C100154, Codelist extensible: No

<b>C100154 FPSR1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101013	FPSR101	FPSR1-How Much Do You Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much Do You Hurt



**FPSR1TN (Faces Pain Scale - Revised Questionnaire Test Name)**

NCI Code: C100153, Codelist extensible: No

<b>C100153 FPSR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101013	FPSR1-How Much Do You Hurt	FPSR1-How Much Do You Hurt	Faces Pain Scale - Revised - Point to the face that shows how much you hurt [right now].	FPSR - How Much Do You Hurt

## FREQ (Frequency)

NCI Code: C71113, Codelist extensible: Yes

C71113 FREQ				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C64526	1 TIME PER WEEK	One Time Per Week	One time per week. (NCI)	Once Weekly
C139179	10 DAYS PER MONTH	10 Days Monthly	Ten days per month. (NCI)	Ten Days Per Month
C64497	2 TIMES PER WEEK	BIS;Twice per week	Two times per week. (NCI)	Twice Weekly
C98861	2 TIMES PER YEAR	2 Times Per Year	Two times per year. (NCI)	Two Times Yearly
C98859	3 TIMES PER MONTH	3 Times Per Month	Three times per month. (NCI)	Three Times Monthly
C64528	3 TIMES PER WEEK	TIS;Three times a week	Three times per week. (NCI)	Three Times Weekly
C98860	3 TIMES PER YEAR	3 Times Per Year	Three times per year. (NCI)	Three Times Yearly
C98852	4 TIMES PER MONTH	4 Times Per Month	Four times per month. (NCI)	Four Times Monthly
C64531	4 TIMES PER WEEK	4 times per week;QIS	Four times per week. (NCI)	Four Times Weekly
C98853	4 TIMES PER YEAR	4 Times Per Year	Four times per year. (NCI)	Four Times Yearly
C98849	5 TIMES PER DAY	5 Times Daily	Five times per day. (NCI)	Five Times Daily
C98850	5 TIMES PER MONTH	5 Times Per Month	Five times per month. (NCI)	Five Times Monthly
C85552	5 TIMES PER WEEK	5 Times Per Week	Five times per week. (NCI)	Five Times Weekly
C98851	5 TIMES PER YEAR	5 Times Per Year	Five times per year. (NCI)	Five Times Yearly
C98855	6 TIMES PER DAY	6 Times Daily	Six times per day. (NCI)	Six Times Daily
C98856	6 TIMES PER MONTH	6 Times Per Month	Six times per month. (NCI)	Six Times Monthly
C98857	6 TIMES PER WEEK	6 Times Per Week	Six times per week. (NCI)	Six Times Weekly
C98858	6 TIMES PER YEAR	6 Times Per Year	Six times per year. (NCI)	Six Times Yearly
C139180	7 TIMES PER DAY	7 Times Daily	Seven times per day. (NCI)	Seven Times Per Day
C98854	7 TIMES PER WEEK	7 Times Per Week	Seven times per week. (NCI)	Seven Times Weekly
C139181	8 TIMES PER DAY	8 Times Daily	Eight times per day. (NCI)	Eight Times Per Day
C139182	9 TIMES PER DAY	9 Times Daily	Nine times per day. (NCI)	Nine Times Per Day
C64636	AD LIBITUM	Ad Libitum	As much as desired.	As Much as Desired
C64496	BID	BD;Twice per day	Two times per day, at unspecified times. (NCI)	Twice Daily
C71129	BIM	Twice per month	Twice per month. (NCI)	Twice Per Month
C53279	CONTINUOUS	Continuous	Remain in force or carry on without letup; keep or maintain in unaltered condition; exist in time or space without stop or interruption. (NCI)	Continue
C71127	EVERY 2 WEEKS	Every 2 weeks;Q2S	Every two weeks. (NCI)	Every Two Weeks
C64535	EVERY 3 WEEKS	Every 3 weeks;Q3S	Every three weeks. (NCI)	Every Three Weeks
C64529	EVERY 4 WEEKS	Every 4 weeks;Q4S	Every four weeks. (NCI)	Every Four Weeks
C103390	EVERY 5 WEEKS	Every 5 weeks;Q5S	Every five weeks. (NCI)	Every Five Weeks
C89788	EVERY 6 WEEKS	Every 6 Weeks;Q6S	Every six weeks. (NCI)	Every Six Weeks
C116149	EVERY 7 WEEKS	Every 7 weeks;Q7S	Every seven weeks.	Every Seven Weeks
C103389	EVERY 8 WEEKS	Every 8 weeks;Q8S	Every eight weeks. (NCI)	Every Eight Weeks
C67069	EVERY WEEK	Every week;Per Week;QS	Every week. (NCI)	Weekly
C71325	INTERMITTENT	Intermittent	Periodically stopping and starting. (NCI)	Intermittent
C64954	OCCASIONAL	Occasional	Not occurring regularly or at short intervals.	Infrequent
C64576	ONCE		One time.	Once

C71113		FREQ		
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C74924	PA	/Year;Every Year;Per Annum;Per Year	A frequency rate of occurrences of something within a period of time equal to three hundred sixty-five days.	Per Year
C64499	PRN	As needed	As needed. (NCI)	As Necessary
C64500	Q10H	Every 10 hours	Every ten hours. (NCI)	Every Ten Hours
C64501	Q11H	Every 11 hours	Every eleven hours. (NCI)	Every Eleven Hours
C64502	Q12H	Every 12 hours	Every twelve hours. (NCI)	Every Twelve Hours
C64503	Q13H	Every 13 hours	Every thirteen hours. (NCI)	Every Thirteen Hours
C64504	Q14H	Every 14 hours	Every fourteen hours. (NCI)	Every Fourteen Hours
C64505	Q15H	Every 15 hours	Every fifteen hours. (NCI)	Every Fifteen Hours
C64506	Q16H	Every 16 hours	Every sixteen hours. (NCI)	Every Sixteen Hours
C64507	Q17H	Every 17 hours	Every seventeen hours. (NCI)	Every Seventeen Hours
C64508	Q18H	Every 18 hours	Every eighteen hours. (NCI)	Every Eighteen Hours
C64509	Q19H	Every 19 hours	Every nineteen hours. (NCI)	Every Nineteen Hours
C64511	Q20H	Every 20 hours	Every twenty hours. (NCI)	Every Twenty Hours
C64512	Q21H	Every 21 hours	Every twenty-one hours. (NCI)	Every Twenty-One Hours
C64513	Q22H	Every 22 hours	Every twenty-two hours. (NCI)	Every Twenty-Two Hours
C64514	Q23H	Every 23 hours	Every twenty-three hours. (NCI)	Every Twenty-Three Hours
C64515	Q24H	Every 24 hours	Every twenty-four hours. (NCI)	Every Twenty-Four Hours
C64516	Q2H	Every 2 hours	Every two hours. (NCI)	Every Two Hours
C64536	Q2M	Every two months	Every two months. (NCI)	Every Two Months
C89791	Q36H	Every 36 Hours	Every thirty-six hours. (NCI)	Every Thirty-six Hours
C64533	Q3D	Every 3 days	Every three days. (NCI)	Every Three Days
C64517	Q3H	Every 3 hours	Every three hours. (NCI)	Every Three Hours
C64537	Q3M	Every 3 months	Every three months. (NCI)	Every Three Months
C139183	Q45MIN	Every 45 Minutes	Every forty-five minutes. (NCI)	Every Forty-Five Minutes
C89790	Q48H	Every 48 Hours	Every forty-eight hours. (NCI)	Every Forty-eight Hours
C64534	Q4D	Every 4 days	Every four days. (NCI)	Every Four Days
C64518	Q4H	Every 4 hours	Every four hours. (NCI)	Every Four Hours
C64538	Q4M	Every 4 months	Every four months. (NCI)	Every Four Months
C71124	Q5D	Every 5 days	Every five days. (NCI)	Every Five Days
C64519	Q5H	Every 5 hours	Every five hours. (NCI)	Every Five Hours
C64520	Q6H	Every 6 hours	Every six hours. (NCI)	Every Six Hours
C89789	Q6M	Every 6 Months	Every six months. (NCI)	Every Six Months
C139177	Q7D	Every 7 Days	Every seven days. (NCI)	Every Seven Days
C64521	Q7H	Every 7 hours	Every seven hours. (NCI)	Every Seven Hours
C64523	Q8H	Every 8 hours	Every eight hours. (NCI)	Every Eight Hours
C64524	Q9H	Every 9 hours	Every nine hours. (NCI)	Every Nine Hours
C64595	QAM		Every morning. (NCI)	Every Morning
C25473	QD	Daily	A rate of occurrences within a period of time equal to one day.	Daily
C64510	QH	Every hour	Every hour. (NCI)	Every Hour

<b>C71113    FREQ</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64530	QID	4 times per day	Four times per day. (NCI)	Four Times Daily
C64498	QM	Every Month;Per Month	Every month. (NCI)	Monthly
C139178	QN		Every night.	Every Night.
C64525	QOD	Every other day	Every other day. (NCI)	Every Other Day
C64596	QPM		Every evening. (NCI)	Every Evening
C64527	TID	3 times per day	Three times per day. (NCI)	Three Times Daily
C65134	TWICE		Two times. (NCI)	Twice
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## FRM (Pharmaceutical Dosage Form)

NCI Code: C66726, Codelist extensible: Yes

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42887	AEROSOL	aer	A product that is packaged under pressure and contains therapeutically active ingredients that are released upon activation of an appropriate valve system; it is intended for topical application to the skin as well as local application into the nose (nasal aerosols), mouth (lingual aerosols), or lungs (inhalation aerosols).	Aerosol Dosage Form
C42888	AEROSOL, FOAM		A dosage form containing one or more active ingredients, surfactants, aqueous or non-aqueous liquids, and the propellants; if the propellant is in the internal (discontinuous) phase (i.e., of the oil-in-water type), a stable foam is discharged, and if the propellant is in the external (continuous) phase (i.e., of the water-in-oil type), a spray or a quick-breaking foam is discharged.	Aerosol Foam Dosage Form
C42960	AEROSOL, METERED		A pressurized dosage form consisting of metered dose valves which allow for the delivery of a uniform quantity of spray upon each activation. (NCI)	Metered Aerosol Dosage Form
C42971	AEROSOL, POWDER		A product that is packaged under pressure and contains therapeutically active ingredients, in the form of a powder, that are released upon activation of an appropriate valve system. (NCI)	Powder Aerosol Dosage Form
C42889	AEROSOL, SPRAY		An aerosol product which utilizes a compressed gas as the propellant to provide the force necessary to expel the product as a wet spray; it is applicable to solutions of medicinal agents in aqueous solvents. (NCI)	Aerosol Spray Dosage Form
C42892	BAR, CHEWABLE		A solid dosage form usually in the form of a rectangle that is meant to be chewed. (NCI)	Chewable Bar Dosage Form
C42890	BEAD		A solid dosage form in the shape of a small ball. (NCI)	Bead Dosage Form
C43451	BEAD, IMPLANT, EXTENDED RELEASE		A small sterile solid mass consisting of a highly purified drug intended for implantation in the body which would allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form. (NCI)	Extended Release Bead Implant Dosage Form
C42891	BLOCK		Solid dosage form, usually in the shape of a square or rectangle. (NCI)	Block Dosage Form
C97197	CAPLET		A solid dosage form in which a tablet has been compacted into capsule shape.	Caplet Dosage Form
C25158	CAPSULE	cap	A solid pharmaceutical dosage form that contains medicinal agent within either a hard or soft soluble container or shell, usually used for the oral administration of medicine. The shells are made of a suitable form of gelatin or other substance. (NCI)	Capsule Dosage Form
C42895	CAPSULE, COATED		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container or "shell" made from a suitable form of gelatin; additionally, the capsule is covered in a designated coating.	Coated Capsule Dosage Form
C42896	CAPSULE, COATED PELLETS		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container or 'shell' made from a suitable form of gelatin; the drug itself is in the form of granules to which varying amounts of coating have been applied. (NCI)	Coated Pellet in Capsule Dosage Form
C42917	CAPSULE, COATED, EXTENDED RELEASE		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container or "shell" made from a suitable form of gelatin; additionally, the capsule is covered in a designated coating, and which releases a drug (or drugs) in such a manner to allow at least a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form.	Extended Release Coated Capsule Dosage Form
C42902	CAPSULE, DELAYED RELEASE		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container made from a suitable form of gelatin, and which releases a drug (or drugs) at a time other than promptly after administration. Enteric-coated articles are delayed release dosage forms. (NCI)	Delayed Release Capsule Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42904	CAPSULE, DELAYED RELEASE PELLETS		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container or "shell" made from a suitable form of gelatin; the drug itself is in the form of granules to which enteric coating has been applied, thus delaying release of the drug until its passage into the intestines.	Delayed Release Pellet in Capsule Dosage Form
C42916	CAPSULE, EXTENDED RELEASE		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container made from a suitable form of gelatin, and which releases a drug (or drugs) in such a manner to allow a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form. (NCI)	Extended Release Capsule Dosage Form
C42928	CAPSULE, FILM COATED, EXTENDED RELEASE		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container or 'shell' made from a suitable form of gelatin; additionally, the capsule is covered in a designated film coating, and which releases a drug (or drugs) in such a manner to allow at least a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form.	Extended Release Film Coated Capsule Dosage Form
C42936	CAPSULE, GELATIN COATED		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container made from a suitable form of gelatin; through a banding process, the capsule is coated with additional layers of gelatin so as to form a complete seal. (NCI)	Gelatin Coated Capsule Dosage Form
C142247	CAPSULE, IMMEDIATE RELEASE		A solid dosage form in which the drug is enclosed within either a hard or soft soluble container, which is designed to release its active and/or inert ingredient(s) immediately upon administration.	Immediate Release Capsule Dosage Form
C42954	CAPSULE, LIQUID FILLED		A solid dosage form in which the drug is enclosed within a soluble, gelatin shell which is plasticized by the addition of a polyol, such as sorbitol or glycerin, and is therefore of a somewhat thicker consistency than that of a hard shell capsule; typically, the active ingredients are dissolved or suspended in a liquid vehicle. (NCI)	Liquid Filled Capsule Dosage Form
C45414	CEMENT		A substance that serves to produce solid union between two surfaces. (NCI)	Cement Dosage Form
C42678	CIGARETTE		A narrow tube filled with material that is capable to burn with release of therapeutically-active substance(s) during the process of smoking. Cigarette is a very efficient drug-delivery inhaler system for fast-acting substances.	Cigarette Dosage Form
C60884	CLOTH		A large piece of relatively flat, absorbent material that contains a drug. It is typically used for applying medication or for cleansing.	Cloth Dosage Form
C60891	CONCENTRATE		A liquid preparation of increased strength and reduced volume which is usually diluted prior to administration. (NCI)	Concentrated Dosage Form
C42900	CONE		A solid dosage form bounded by a circular base and the surface formed by line segments joining every point of the boundary of the base to a common vertex. A cone (usually containing antibiotics) is normally placed below the gingiva after a dental extraction. (NCI)	Cone Dosage Form
C42919	CORE, EXTENDED RELEASE		An ocular system placed in the eye from which the drug diffuses through a membrane at a constant rate over a specified period. (NCI)	Extended Release Core Dosage Form
C28944	CREAM		A semisolid emulsion of either the oil-in-water or the water-in-oil type, ordinarily intended for topical use. (NCI)	Cream Dosage Form
C60897	CREAM, AUGMENTED		A cream dosage form that enhances drug delivery. Augmentation does not refer to the strength of the drug in the dosage form. NOTE: CDER has decided to refrain from expanding the use of this dosage form due to difficulties in setting specific criteria that must be met to be considered augmented.	Augmented Cream Dosage Form
C42901	CRYSTAL		A naturally produced angular solid of definite form in which the ultimate units from which it is built up are systematically arranged; they are usually evenly spaced on a regular space lattice.	Crystal Dosage Form
C45415	CULTURE		The propagation of microorganisms or of living tissue cells in special media conducive to their growth. (NCI)	Culture Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C47890	DIAPHRAGM		A device usually dome-shaped, worn during copulation over the cervical mouth for prevention of conception or infection. (NCI)	Vaginal Diaphragm Dosage Form
C43525	DISC		A circular plate-like organ or structure.	Disc Dosage Form
C42679	DOUCHE		A liquid preparation, intended for the irrigative cleansing of the vagina, that is prepared from powders, liquid solutions, or liquid concentrates and contains one or more chemical substances dissolved in a suitable solvent or mutually miscible solvents. (NCI)	Douche Dosage Form
C42763	DRESSING		The application of various materials for protecting a wound.	Dressing Dosage Form
C17423	DRUG DELIVERY SYSTEM		Modern technology, distributed with or as a part of a drug product that allows for the uniform release or targeting of drugs to the body.	Drug Delivery System
C42912	ELIXIR		A clear, pleasantly flavored, sweetened hydroalcoholic liquid containing dissolved medicinal agents; it is intended for oral use. (NCI)	Elixir Dosage Form
C42913	EMULSION		A dosage form consisting of a two-phase system comprised of at least two immiscible liquids (1), one of which is dispersed as droplets (internal or dispersed phase) within the other liquid (external or continuous phase), generally stabilized with one or more emulsifying agents. Note 1: A liquid is pourable; it flows and conforms to its container at room temperature. It displays Newtonian or pseudoplastic flow behavior. Note 2: Emulsion is used as a dosage form term unless a more specific term is applicable, e.g. cream, lotion, ointment. (NCI)	Emulsion Dosage Form
C42915	ENEMA		A rectal preparation for therapeutic, diagnostic, or nutritive purposes. (NCI)	Enema Dosage Form
C42929	EXTRACT		A concentrated preparation of vegetable or animal drugs obtained by removal of the active constituents of the respective drugs with a suitable menstrua, evaporation of all or nearly all of the solvent, and adjustment of the residual masses or powders to the prescribed standards. (NCI)	Extract Dosage Form
C60926	FIBER, EXTENDED RELEASE		A slender and elongated solid thread-like substance that delivers drug in such a manner to allow a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form.	Extended Release Fiber Dosage Form
C42932	FILM		A thin layer or coating. (NCI)	Film Dosage Form
C42920	FILM, EXTENDED RELEASE		A drug delivery system in the form of a film that releases the drug over an extended period in such a way as to maintain constant drug levels in the blood or target tissue. (NCI)	Extended Release Film Dosage Form
C42984	FILM, SOLUBLE		A thin layer or coating which is susceptible to being dissolved when in contact with a liquid. (NCI)	Soluble Film Dosage Form
C60927	FOR SOLUTION		A product, usually a solid, intended for solution prior to administration.	Dosage Form for Solution
C60928	FOR SUSPENSION		A product, usually a solid, intended for suspension prior to administration.	Dosage Form for Suspension
C60929	FOR SUSPENSION, EXTENDED RELEASE		A product, usually a solid, intended for suspension prior to administration; once the suspension is administered, the drug will be released at a constant rate over a specified period.	Extended Release Dosage Form for Suspension
C42933	GAS		Any elastic aeriform fluid in which the molecules are separated from one another and have free paths. (NCI)	Gas Dosage Form
C42934	GEL		A semisolid (1) dosage form that contains a gelling agent to provide stiffness to a solution or a colloidal dispersion (2). A gel may contain suspended particles. Note 1: A semisolid is not pourable; it does not flow or conform to its container at room temperature. It does not flow at low shear stress and generally exhibits plastic flow behavior. Note 2: A colloidal dispersion is a system in which particles of colloidal dimension (i.e., typically between 1 nm and 1 micrometer) are distributed uniformly throughout a liquid.	Gel Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42906	GEL, DENTIFRICE		A combination of a dentifrice (formulation intended to clean and/or polish the teeth, and which may contain certain additional agents), and a gel. It is used with a toothbrush for the purpose of cleaning and polishing the teeth. (NCI)	Dentifrice Gel Dosage Form
C60930	GEL, METERED		A gel preparation, with metered dose valves, which allow for the delivery of a uniform quantity of gel upon each activation.	Metered Gel Dosage Form
C48193	GENERATOR		An apparatus for the formation of vapor or gas from a liquid or solid by heat or chemical action. The term GENERATOR also applies to radioactive columns from which radionuclides are provided. (NCI)	Generator Dosage Form
C42937	GLOBULE		Also called pellets or pilules, are made of pure sucrose, lactose, or other polysaccharides. They are formed into small globular masses of various sizes, and are medicated by placing them in a vial and adding the liquid drug attenuation in the proportion not less than one percent (v/w). After shaking, the medicated globules are dried at temperatures not to exceed 40 degrees Centigrade. (NCI)	Globule Dosage Form
C45416	GRAFT		A slip of skin or of other tissue for implantation. (NCI)	Graft Dosage Form
C42938	GRANULE		A small particle or grain. (NCI)	Granule Dosage Form
C42903	GRANULE, DELAYED RELEASE		A small medicinal particle or grain to which an enteric or other coating has been applied, thus delaying release of the drug until its passage into the intestines. (NCI)	Delayed Release Granule Dosage Form
C42909	GRANULE, EFFERVESCENT		A small particle or grain containing a medicinal agent in a dry mixture usually composed of sodium bicarbonate, citric acid, and tartaric acid which, when in contact with water, has the capability to release gas, resulting in effervescence. (NCI)	Effervescent Granule Dosage Form
C42939	GRANULE, FOR SOLUTION		A small medicinal particle or grain made available in its more stable dry form, to be reconstituted with solvent just before dispensing; the granules are so prepared to contain not only the medicinal agent, but the colorants, flavorants, and any other desired pharmaceutical ingredient. (NCI)	Granule for Solution Dosage Form
C42940	GRANULE, FOR SUSPENSION		A small medicinal particle or grain made available in its more stable dry form, to be reconstituted with solvent just before dispensing to form a suspension; the granules are so prepared to contain not only the medicinal agent, but the colorants, flavorants, and any other desired pharmaceutical ingredient. (NCI)	Granule for Suspension Dosage Form
C42921	GRANULE, FOR SUSPENSION, EXTENDED RELEASE		A small medicinal particle or grain made available in its more stable dry form, to be reconstituted with solvent just before dispensing to form a suspension; the extended release system achieves slow release of the drug over an extended period of time and maintains constant drug levels in the blood or target tissue. (NCI)	Extended Release Granule for Suspension Dosage Form
C42941	GUM		A mucilaginous excretion from various plants. (NCI)	Gum Dosage Form
C42894	GUM, CHEWING		A sweetened and flavored insoluble plastic material of various shapes which when chewed, releases a drug substance into the oral cavity. (NCI)	Chewing Gum Dosage Form
C42978	GUM, RESIN		Natural mixture of gum and resin, usually obtained as exudations from plants. (NCI)	Resin Gum Dosage Form
C42942	IMPLANT		A material containing drug intended to be inserted securely and deeply in a living site for growth, slow release, or formation of an organic union. (NCI)	Implant Dosage Form
C42944	INHALANT		A special class of inhalations consisting of a drug or combination of drugs, that by virtue of their high vapor pressure, can be carried by an air current into the nasal passage where they exert their effect; the container from which the inhalant generally is administered is known as an inhaler. (NCI)	Inhalant Dosage Form
C60931	INJECTABLE, LIPOSOMAL		An injection, which either consists of or forms liposomes (a lipid bilayer vesicle usually composed of phospholipids which is used to encapsulate an active drug substance).	Liposomal Injection Dosage Form



C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42946	INJECTION		A sterile preparation intended for parenteral use; five distinct classes of injections exist as defined by the USP. (NCI)	Injectable Dosage Form
C42914	INJECTION, EMULSION		An emulsion consisting of a sterile, pyrogen-free preparation intended to be administered parenterally.	Emulsion for Injection Dosage Form
C42950	INJECTION, LIPID COMPLEX		A substance composed of complexed active and/or inert ingredient(s) with natural or synthetic lipids that is intended for injection. (NCI)	Injectable Lipid Complex Dosage Form
C42974	INJECTION, POWDER, FOR SOLUTION		A sterile preparation intended for reconstitution to form a solution for parenteral use. (NCI)	Powder for Injectable Solution Dosage Form
C42976	INJECTION, POWDER, FOR SUSPENSION		A sterile preparation intended for reconstitution to form a suspension for parenteral use. (NCI)	Powder for Injectable Suspension Dosage Form
C42977	INJECTION, POWDER, FOR SUSPENSION, EXTENDED RELEASE		A dried preparation intended for reconstitution to form a suspension for parenteral use which has been formulated in a manner to allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form (e.g., as a solution).	Powder for Injectable Extended Release Suspension Dosage Form
C42959	INJECTION, POWDER, LYOPHILIZED, FOR LIPOSOMAL SUSPENSION		A sterile freeze dried preparation intended for reconstitution for parenteral use which has been formulated in a manner that would allow liposomes (a lipid bilayer vesicle usually composed of phospholipids which is used to encapsulate an active drug substance, either within a lipid bilayer or in an aqueous space) to be formed upon reconstitution. (NCI)	Lyophilized Powder for Injectable Liposomal Suspension Dosage Form
C42957	INJECTION, POWDER, LYOPHILIZED, FOR SOLUTION		A dosage form intended for the solution prepared by lyophilization ('freeze drying'), a process which involves the removal of water from products in the frozen state at extremely low pressures; this is intended for subsequent addition of liquid to create a solution that conforms in all respects to the requirements for Injections. (NCI)	Lyophilized Powder for Injectable Solution Dosage Form
C42958	INJECTION, POWDER, LYOPHILIZED, FOR SUSPENSION		A liquid preparation, intended for parenteral use, that contains solids suspended in a suitable fluid medium and conforms in all respects to the requirements for Sterile Suspensions; the medicinal agents intended for the suspension are prepared by lyophilization ("freeze drying"), a process which involves the removal of water from products in the frozen state at extremely low pressures.	Lyophilized Powder for Injectable Suspension Dosage Form
C42956	INJECTION, POWDER, LYOPHILIZED, FOR SUSPENSION, EXTENDED RELEASE		A sterile freeze dried preparation intended for reconstitution for parenteral use which has been formulated in a manner to allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form (e.g., as a solution). (NCI)	Lyophilized Powder for Extended Release Injectable Suspension Dosage Form
C42945	INJECTION, SOLUTION		A liquid preparation containing one or more drug substances dissolved in a suitable solvent or mixture of mutually miscible solvents that is suitable for injection. (NCI)	Injectable Solution Dosage Form
C42899	INJECTION, SOLUTION, CONCENTRATE		A sterile preparation for parenteral use which, upon the addition of suitable solvents, yields a solution conforming in all respects to the requirements for Injections. (NCI)	Concentrated Injectable Solution Dosage Form
C42995	INJECTION, SUSPENSION		A liquid preparation, suitable for injection, which consists of solid particles dispersed throughout a liquid phase in which the particles are not soluble. It can also consist of an oil phase dispersed throughout an aqueous phase, or vice-versa. (NCI)	Injectable Suspension Dosage Form
C42926	INJECTION, SUSPENSION, EXTENDED RELEASE		A sterile preparation intended for parenteral use which has been formulated in a manner to allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form (e.g., as a solution or a prompt drug-releasing, conventional solid dosage form). (NCI)	Injectable Extended Release Suspension Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42951	INJECTION, SUSPENSION, LIPOSOMAL		A liquid parenteral pharmaceutical dosage form structured as a multilamellar composition of concentric phospholipid spheres that encapsulate the drug (drug delivery systems) separated by layers of water. Drug release is facilitated and controlled by in vivo erosion of the liposomes. To further increase the in vivo circulation time, liposomes in some preparations are covalently derivatized with PEG to produce PEGylated or stealth liposomes. Covalent attachment of drugs to the outer surface of liposomes can potentially serve as a delayed-release product. (NCI)	Injectable Liposomal Suspension Dosage Form
C42988	INJECTION, SUSPENSION, SONICATED		A liquid preparation, suitable for injection, which consists of solid particles dispersed throughout a liquid phase in which the particles are not soluble. In addition, the product is sonicated while a gas is bubbled through the suspension, and this results in the formation of microspheres by the solid particles. (NCI)	Injectable Sonicated Suspension Dosage Form
C60933	INSERT		A specially formulated and shaped non-encapsulated solid preparation intended to be placed into a non-rectal orifice of the body, where drug is released, generally for localized effects.	Insert Dosage Form
C42922	INSERT, EXTENDED RELEASE		A specially formulated and shaped solid preparation (e.g., ring, tablet, or stick) intended to be placed in the vagina by special inserters, where the medication is released, generally for localized effects; the extended release preparation is designed to allow a reduction in dosing frequency. (NCI)	Extended Release Insert Dosage Form
C47915	INTRAUTERINE DEVICE		A device inserted and left in the uterus to prevent effective conception. (NCI)	Intrauterine Device Dosage Form
C42947	IRRIGANT		A sterile solution intended to bathe or flush open wounds or body cavities; they're used topically, never parenterally. (NCI)	Irrigant Dosage Form
C42948	JELLY		A class of gels--semisolid systems which consist of suspensions made up of either small inorganic particles or large organic molecules interpenetrated by a liquid--in which the structural coherent matrix contains a high portion of liquid, usually water. (NCI)	Jelly Dosage Form
C47916	KIT		A packaged collection of related material. (NCI)	Kit Dosage Form
C45413	LINER, DENTAL		A material applied to the inside of the dental cavity, for protection or insulation of the surface.	Dental Liner Dosage Form
C42949	LINIMENT		A solution or mixture of various substances in oil, alcoholic solutions of soap, or emulsions intended for external application. (NCI)	Liniment Dosage Form
C42952	LIPSTICK		A waxy solid, usually colored cosmetic, in stick form for the lips. (NCI)	Lipstick Dosage Form
C42953	LIQUID		A dosage form consisting of a pure chemical in its liquid state. This dosage form term should not be applied to solutions. Note: A liquid is pourable; it flows and conforms to its container at room temperature. It displays Newtonian or pseudoplastic flow behavior.	Liquid Dosage Form
C60934	LIQUID, EXTENDED RELEASE		A liquid that delivers a drug in such a manner to allow a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form.	Extended Release Liquid Dosage Form
C29167	LOTION		An emulsion, liquid (1) dosage form. This dosage form is generally for external application to the skin (2). Note 1: A liquid is pourable; it flows and conforms to its container at room temperature. It displays Newtonian or pseudoplastic flow behavior. Note 2: Previously the definition of a lotion was: The term lotion has been used to categorize many topical suspensions, solutions, and emulsions intended for application to the skin. The current definition of a lotion is restricted to an emulsion.	Lotion Dosage Form
C60957	LOTION, AUGMENTED		A lotion dosage form that enhances drug delivery. Augmentation does not refer to the strength of the drug in the dosage form. NOTE: CDER has decided to refrain from expanding the use of this dosage form due to difficulties in setting specific criteria that must be met to be considered augmented.	Augmented Lotion Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C60958	LOTION/SHAMPOO		A lotion dosage form which has a soap or detergent that is usually used to clean the hair and scalp; it is often used as a vehicle for dermatologic agents.	Lotion Shampoo Dosage Form
C42955	LOZENGE		A solid preparation containing one or more medicaments, usually in a flavored, sweetened base which is intended to dissolve or disintegrate slowly in the mouth. A lollipop is a lozenge on a stick.	Lozenge Dosage Form
C29269	MOUTHWASH		An aqueous solution which is most often used for its deodorant, refreshing, or antiseptic effect. (NCI)	Mouthwash Dosage Form
C48624	NOT APPLICABLE		The use of a dosage form term is not relevant or appropriate. (NCI)	Dosage Form Not Applicable
C42965	OIL		An unctuous, combustible substance which is liquid, or easily liquefiable, on warming, and is soluble in ether but insoluble in water. Such substances, depending on their origin, are classified as animal, mineral, or vegetable oils. (NCI)	Oil Dosage Form
C42966	OINTMENT	oint	A suspension or emulsion, semisolid (1) dosage form, usually containing less than 20 percent water and volatiles (2) and greater than 50 percent hydrocarbons, waxes, or polyols as the vehicle. This dosage form is generally for external application to the skin or mucous membranes. Note 1: A semisolid is not pourable; it does not flow or conform to its container at room temperature. It does not flow at low shear stress and generally exhibits plastic flow behavior. Note 2: Percent water and volatiles are measured by a loss on drying test in which the sample is heated at 105 degrees C until constant weight is achieved.	Ointment Dosage Form
C60984	OINTMENT, AUGMENTED		An ointment dosage form that enhances drug delivery. Augmentation does not refer to the strength of the drug in the dosage form. NOTE: CDER has decided to refrain from expanding the use of this dosage form due to difficulties in setting specific criteria that must be met to be considered augmented.	Augmented Ointment Dosage Form
C47887	PACKING		A material, usually covered by or impregnated with a drug, that is inserted into a body cavity or between the tooth enamel and the gingival margin.	Packing Dosage Form
C42967	PASTE		A semisolid dosage form, containing a large proportion (20 - 50%) of solids finely dispersed in a fatty vehicle. This dosage form is generally for external application to the skin or mucous membranes. Note: A semisolid is not pourable; it does not flow or conform to its container at room temperature. It does not flow at low shear stress and generally exhibits plastic flow behavior. (NCI)	Paste Dosage Form
C42907	PASTE, DENTIFRICE		A paste formulation intended to clean and/or polish the teeth, and which may contain certain additional agents. (NCI)	Dentifrice Paste Dosage Form
C60985	PASTILLE		An aromatic preparation, often with a pleasing flavor, usually intended to dissolve in the mouth.	Pastille Dosage Form
C42968	PATCH		A drug delivery system that often contains an adhesive backing that is usually applied to an external site on the body. Its ingredients either passively diffuse from, or are actively transported from, some portion of the patch. Depending upon the patch, the ingredients are either delivered to the outer surface of the body or into the body. A patch is sometimes synonymous with the terms Extended Release Film and System.	Patch Dosage Form
C42923	PATCH, EXTENDED RELEASE		A drug delivery system in the form of a patch that releases the drug in such a manner that a reduction in dosing frequency compared to that drug presented as a conventional dosage form (e.g., a solution or a prompt drug-releasing, conventional solid dosage form). (NCI)	Extended Release Patch Dosage Form
C42911	PATCH, EXTENDED RELEASE, ELECTRICALLY CONTROLLED		A drug delivery system in the form of a patch which is controlled by an electric current that releases the drug in such a manner that a reduction in dosing frequency compared to that drug presented as a conventional dosage form (e.g., a solution or a prompt drug-releasing, conventional solid dosage form). (NCI)	Electrically Controlled Extended Release Patch Dosage Form
C42969	PELLET		A small sterile solid mass consisting of a highly purified drug (with or without excipients) made by the formation of granules, or by compression and molding. (NCI)	Pellet Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42943	PELLET, IMPLANTABLE		A small sterile solid mass consisting of a highly purified drug (with or without excipients) made by the formation of granules, or by compression and molding; they are intended for implantation in the body (usually subcutaneously) for the purpose of providing continuous release of the drug over long periods of time.	Implantable Pellet Dosage Form
C42918	PELLETS, COATED, EXTENDED RELEASE		A solid dosage form in which the drug itself is in the form of granules to which varying amounts of coating have been applied, and which releases a drug (or drugs) in such a manner to allow a reduction in dosing frequency as compared to that drug (or drugs) presented as a conventional dosage form. (NCI)	Extended Release Coated Pellet Dosage Form
C25394	PILL		A dose of medicine in the form of a small pellet. (NCI)	Pill Dosage Form
C42970	PLASTER		Substance intended for external application made of such materials and of such consistency as to adhere to the skin and attach to a dressing; plasters are intended to afford protection and support and/or to furnish an occlusion and macerating action and to bring medication into close contact with the skin.	Plaster Dosage Form
C47913	POULTICE		A soft, moist mass of meal, herbs, seed, etc., usually applied hot in cloth that consists of gruel-like consistency. (NCI)	Poultice Dosage Form
C42972	POWDER		An intimate mixture of dry, finely divided drugs and/or chemicals that may be intended for internal or external use. (NCI)	Powder Dosage Form
C42908	POWDER, DENTIFRICE		A powder formulation intended to clean and/or polish the teeth, and which may contain certain additional agents. (NCI)	Dentifrice Powder Dosage Form
C42973	POWDER, FOR SOLUTION		An intimate mixture of dry, finely divided drugs and/or chemicals, which, upon the addition of suitable vehicles, yields a solution. (NCI)	Powder for Solution Dosage Form
C42975	POWDER, FOR SUSPENSION		An intimate mixture of dry, finely divided drugs and/or chemicals, which, upon the addition of suitable vehicles, yields a suspension (a liquid preparation containing the solid particles dispersed in the liquid vehicle). (NCI)	Powder for Suspension Dosage Form
C42961	POWDER, METERED		A powder dosage form that is situated inside a container that has a mechanism to deliver a specified quantity. (NCI)	Metered Powder Dosage Form
C60988	RING		A small circular object with a vacant circular center that is usually intended to be placed in the body by special inserters, where the medication is released, generally for localized effects.	Ring Dosage Form
C42979	RINSE		A liquid used to cleanse by flushing. (NCI)	Rinse Dosage Form
C42980	SALVE		A thick ointment or cerate (a fat or wax based preparation with a consistency between an ointment and a plaster). (NCI)	Salve Dosage Form
C42981	SHAMPOO		A liquid soap or detergent used to clean the hair and scalp and is often used as a vehicle for dermatologic agents. (NCI)	Shampoo Dosage Form
C42982	SHAMPOO, SUSPENSION		A liquid soap or detergent containing one or more solid, insoluble substances dispersed in a liquid vehicle that is used to clean the hair and scalp and is often used as a vehicle for dermatologic agents. (NCI)	Shampoo Suspension Dosage Form
C42983	SOAP		Any compound of one or more fatty acids, or their equivalents, with an alkali; soap is detergent and is much employed in liniments, enemas, and in making pills. It is also a mild aperient, antacid and antiseptic. (NCI)	Soap Dosage Form
C42986	SOLUTION		A clear, homogeneous liquid dosage form that contains one or more chemical substances dissolved in a solvent or mixture of mutually miscible solvents. Note: A liquid is pourable; it flows and conforms to its container at room temperature. It displays Newtonian or pseudoplastic flow behavior.	Solution Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42898	SOLUTION, CONCENTRATE		A liquid preparation (i.e., a substance that flows readily in its natural state) that contains a drug dissolved in a suitable solvent or mixture of mutually miscible solvents; the drug has been strengthened by the evaporation of its non-active parts. (NCI)	Concentrated Solution Dosage Form
C42987	SOLUTION, FOR SLUSH		A solution for the preparation of an iced saline slush, which is administered by irrigation and used to induce regional hypothermia (in conditions such as certain open heart and kidney surgical procedures) by its direct application. (NCI)	Solution for Slush Dosage Form
C60994	SOLUTION, GEL FORMING / DROPS		A solution, which after usually being administered in a drop-wise fashion, forms a gel.	Gel Forming Drop Solution Dosage Form
C42935	SOLUTION, GEL FORMING, EXTENDED RELEASE		A solution that forms a gel when it comes in contact with ocular fluid, and which allows at least a reduction in dosing frequency.	Extended Release Gel Forming Solution Dosage Form
C60992	SOLUTION/ DROPS		A solution which is usually administered in a drop-wise fashion.	Drop Solution Dosage Form
C47912	SPONGE		A porous, interlacing, absorbent material that contains a drug. It is typically used for applying or introducing medication, or for cleansing. A sponge usually retains its shape.	Sponge Dosage Form
C42989	SPRAY		A liquid minutely divided as by a jet of air or steam. (NCI)	Spray Dosage Form
C42962	SPRAY, METERED		A non-pressurized dosage form consisting of valves which allow the dispensing of a specified quantity of spray upon each activation. (NCI)	Metered Spray Dosage Form
C42990	SPRAY, SUSPENSION		A liquid preparation containing solid particles dispersed in a liquid vehicle and in the form of coarse droplets or as finely divided solids to be applied locally, most usually to the nasal-pharyngeal tract, or topically to the skin. (NCI)	Spray Suspension Dosage Form
C42991	STICK		A dosage form prepared in a relatively long and slender often cylindrical form. (NCI)	Stick Dosage Form
C47914	STRIP		A long narrow piece of material.	Strip Dosage Form
C42993	SUPPOSITORY	supp	A solid body of various weights and shapes, adapted for introduction into the rectal, vaginal, or urethral orifice of the human body; they usually melt, soften, or dissolve at body temperature.	Suppository Dosage Form
C42924	SUPPOSITORY, EXTENDED RELEASE		A drug delivery system in the form of a suppository that allows at least a reduction in dosing frequency. (NCI)	Extended Release Suppository Dosage Form
C42994	SUSPENSION	susp	A liquid dosage form that contains solid particles dispersed in a liquid vehicle. Note: A liquid is pourable; it flows and conforms to its container at room temperature. It displays Newtonian or pseudoplastic flow behavior.	Suspension Dosage Form
C42925	SUSPENSION, EXTENDED RELEASE		A liquid preparation consisting of solid particles dispersed throughout a liquid phase in which the particles are not soluble; the suspension has been formulated in a manner to allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form (e.g., as a solution or a prompt drug-releasing, conventional solid dosage form). (NCI)	Extended Release Suspension Dosage Form
C60995	SUSPENSION/DROPS		A suspension which is usually administered in a dropwise fashion.	Drop Suspension Dosage Form
C47889	SUTURE		A strand or fiber used to hold wound edges in apposition during healing. (NCI)	Suture Dosage Form
C47898	SWAB		A small piece of relatively flat absorbent material that contains a drug. A swab may also be attached to one end of a small stick. A swab is typically used for applying medication or for cleansing.	Swab Dosage Form
C42996	SYRUP		An oral solution containing high concentrations of sucrose or other sugars; the term has also been used to include any other liquid dosage form prepared in a sweet and viscous vehicle, including oral suspensions. (NCI)	Syrup Dosage Form
C42998	TABLET	tab	A solid dosage form containing medicinal substances with or without suitable diluents. (NCI)	Tablet Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42893	TABLET, CHEWABLE		A solid dosage form containing medicinal substances with or without suitable diluents that is intended to be chewed, producing a pleasant tasting residue in the oral cavity that is easily swallowed and does not leave a bitter or unpleasant after-taste. (NCI)	Chewable Tablet Dosage Form
C42897	TABLET, COATED		A solid dosage form that contains medicinal substances with or without suitable diluents and is covered with a designated coating. (NCI)	Coated Tablet Dosage Form
C60997	TABLET, COATED PARTICLES		A solid dosage form containing a conglomerate of medicinal particles that have each been covered with a coating.	Tablet Coated Particle Dosage Form
C42905	TABLET, DELAYED RELEASE		A solid dosage form which releases a drug (or drugs) at a time other than promptly after administration. Enteric-coated articles are delayed release dosage forms. (NCI)	Delayed Release Tablet Dosage Form
C42997	TABLET, DELAYED RELEASE PARTICLES		A solid dosage form containing a conglomerate of medicinal particles that have been covered with a coating which releases a drug (or drugs) at a time other than promptly after administration. Enteric-coated articles are delayed release dosage forms. (NCI)	Delayed Release Particle Tablet Dosage Form
C42910	TABLET, EFFERVESCENT		A solid dosage form containing mixtures of acids (e.g., citric acid, tartaric acid) and sodium bicarbonate, which release carbon dioxide when dissolved in water; it is intended to be dissolved or dispersed in water before administration.	Effervescent Tablet Dosage Form
C42927	TABLET, EXTENDED RELEASE		A solid dosage form containing a drug which allows at least a reduction in dosing frequency as compared to that drug presented in conventional dosage form. (NCI)	Extended Release Tablet Dosage Form
C42931	TABLET, FILM COATED		A solid dosage form that contains medicinal substances with or without suitable diluents and is coated with a thin layer of a water-insoluble or water-soluble polymer. (NCI)	Film Coated Tablet Dosage Form
C42930	TABLET, FILM COATED, EXTENDED RELEASE		A solid dosage form that contains medicinal substances with or without suitable diluents and is coated with a thin layer of a water-insoluble or water-soluble polymer; the tablet is formulated in such manner as to make the contained medicament available over an extended period of time following ingestion.	Film Coated Extended Release Tablet Dosage Form
C61004	TABLET, FOR SOLUTION		A tablet that forms a solution when placed in a liquid.	Tablet for Solution Dosage Form
C61005	TABLET, FOR SUSPENSION		A tablet that forms a suspension when placed in a liquid (formerly referred to as a Dispersible Tablet).	Tablet for Suspension Dosage Form
C142248	TABLET, IMMEDIATE RELEASE		A solid dosage form containing medicinal substances with or without suitable diluents, which is designed to release its active and/or inert ingredient(s) immediately upon administration.	Immediate Release Tablet Dosage Form
C42964	TABLET, MULTILAYER		A solid dosage form containing medicinal substances that have been compressed to form a multiple-layered tablet or a tablet-within-a-tablet, the inner tablet being the core and the outer portion being the shell. (NCI)	Multilayered Tablet Dosage Form
C42963	TABLET, MULTILAYER, EXTENDED RELEASE		A solid dosage form containing medicinal substances that have been compressed to form a multiple-layered tablet or a tablet-within-a-tablet, the inner tablet being the core and the outer portion being the shell, which, additionally, is covered in a designated coating; the tablet is formulated in such manner as to allow at least a reduction in dosing frequency as compared to that drug presented as a conventional dosage form. (NCI)	Multilayered Extended Release Tablet Dosage Form
C42999	TABLET, ORALLY DISINTEGRATING		A solid dosage form containing medicinal substances which disintegrates rapidly, usually within a matter of seconds, when placed upon the tongue. (NCI)	Orally Disintegrating Tablet Dosage Form
C61006	TABLET, ORALLY DISINTEGRATING, DELAYED RELEASE		A solid dosage form containing medicinal substances which disintegrates rapidly, usually within a matter of seconds, when placed upon the tongue, but which releases a drug (or drugs) at a time other than promptly after administration.	Orally Disintegrating Delayed Release Tablet Dosage Form
C42985	TABLET, SOLUBLE		A solid dosage form that contains medicinal substances with or without suitable diluents and possesses the ability to dissolve in fluids. (NCI)	Soluble Tablet Dosage Form

C66726 FRM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42992	TABLET, SUGAR COATED		A solid dosage form that contains medicinal substances with or without suitable diluents and is coated with a colored or an uncolored water-soluble sugar. (NCI)	Sugar Coated Tablet Dosage Form
C47892	TAMPON		A plug made of cotton, sponge, or oakum variously used in surgery to plug the nose, vagina, etc., for the control of hemorrhage or the absorption of secretions. (NCI)	Tampon Dosage Form
C47897	TAPE		A narrow woven fabric, or a narrow extruded synthetic (such as plastic), usually with an adhesive on one or both sides. (NCI)	Tape Dosage Form
C43000	TINCTURE		An alcoholic or hydroalcoholic solution prepared from vegetable materials or from chemical substances. (NCI)	Tincture Dosage Form
C43001	TROCHE		A discoid-shaped solid containing the medicinal agent in a suitably flavored base; troches are placed in the mouth where they slowly dissolve, liberating the active ingredients. (NCI)	Troche Dosage Form
C43002	UNASSIGNED		A dosage form has yet to be assigned. (NCI)	Unassigned Dosage Form
C43003	WAFER		A thin slice of material containing a medicinal agent. (NCI)	Wafer Dosage Form

## FSS01TC (Fatigue Severity Scale Questionnaire Test Code)

NCI Code: C113850, Codelist extensible: No

<b>C113850 FSS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113944	FSS0101	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113945	FSS0102	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113946	FSS0103	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS0104	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113948	FSS0105	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113949	FSS0106	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning
C113950	FSS0107	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113951	FSS0108	FSS01-Among My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113952	FSS0109	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work



**FSS01TN (Fatigue Severity Scale Questionnaire Test Name)**

NCI Code: C113849, Codelist extensible: No

<b>C113849 FSS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113951	FSS01-Among My 3 Most Disabling Symptoms	FSS01-Among My 3 Most Disabling Symptoms	Fatigue Severity Scale - Fatigue is among my three most disabling symptoms.	FSS - Fatigue is Among Most Disabling Symptoms
C113945	FSS01-Exercise Brings on My Fatigue	FSS01-Exercise Brings on My Fatigue	Fatigue Severity Scale - Exercise brings on my fatigue.	FSS - Exercise Brings on My Fatigue
C113948	FSS01-Fatigue Causes Frequent Problems	FSS01-Fatigue Causes Frequent Problems	Fatigue Severity Scale - Fatigue causes frequent problems for me.	FSS - Fatigue Causes Frequent Problems
C113950	FSS01-Fatigue Interferes With Duties	FSS01-Fatigue Interferes With Duties	Fatigue Severity Scale - Fatigue interferes with carrying out certain duties and responsibilities.	FSS - Fatigue Interferes With Carrying Out Duties
C113952	FSS01-Fatigue Interferes With My Life	FSS01-Fatigue Interferes With My Life	Fatigue Severity Scale - Fatigue interferes with my work, family, or social life.	FSS - Fatigue Interferes With Work
C113946	FSS01-I Am Easily Fatigued	FSS01-I Am Easily Fatigued	Fatigue Severity Scale - I am easily fatigued.	FSS - I Am Easily Fatigued
C113947	FSS01-Interferes With Phys Function	FSS01-Interferes With Phys Function	Fatigue Severity Scale - Fatigue interferes with my physical functioning.	FSS - Fatigue Interferes With Physical Functioning
C113944	FSS01-Motivation Is Lower When Fatigued	FSS01-Motivation Is Lower When Fatigued	Fatigue Severity Scale - My motivation is lower when I am fatigued.	FSS - Motivation is Lower When Fatigued
C113949	FSS01-Prevents Sustained Phys Function	FSS01-Prevents Sustained Phys Function	Fatigue Severity Scale - My fatigue prevents sustained physical functioning.	FSS - Fatigue Prevents Sustained Physical Functioning

## FTCAT (Category of Functional Test)

NCI Code: C115304, Codelist extensible: Yes

C115304 FTCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C141689	4 STAIR ASCEND	A4STR1	4 Stair Ascend (Mcdonald, C. M., Henricson, E. K., Abresch, R. T., Florence, J. M., Eagle, M., Gappmaier, E., et al. (2013). THE 6-MINUTE WALK TEST AND OTHER ENDPOINTS IN DUCHENNE MUSCULAR DYSTROPHY: LONGITUDINAL NATURAL HISTORY OBSERVATIONS OVER 48 WEEKS FROM A MULTICENTER STUDY. <i>Muscle &amp; Nerve</i> , 48(3), 343-356. <a href="http://doi.org/10.1002/mus.23902">http://doi.org/10.1002/mus.23902</a> ).	Four Stair Ascend Test Functional Test
C141688	4 STAIR DESCEND	D4STR1	Descend 4 Stairs (Mcdonald, C. M., Henricson, E. K., Abresch, R. T., Florence, J. M., Eagle, M., Gappmaier, E., et al. (2013). THE 6-MINUTE WALK TEST AND OTHER ENDPOINTS IN DUCHENNE MUSCULAR DYSTROPHY: LONGITUDINAL NATURAL HISTORY OBSERVATIONS OVER 48 WEEKS FROM A MULTICENTER STUDY. <i>Muscle &amp; Nerve</i> , 48(3), 343-356. <a href="http://doi.org/10.1002/mus.23902">http://doi.org/10.1002/mus.23902</a> ).	Four Stair Descend Test Functional Test
C102112	AVLT	AVL01	The Alzheimer's Disease Neuroimaging Initiative's (ADNI) version of the Auditory Verbal Learning Test (AVLT Version A) modified from Rey A. L'examen clinique en psychologie [Clinical tests in psychology]. Paris: Presses Universitaires de France; 1964.	Alzheimer's Disease Neuroimaging Initiative Auditory Verbal Learning Test Functional Test
C123668	AVLT-REY	AVL02	Auditory Verbal Learning Test (AVLT-Rey) (Modified from Rey A. L'examen clinique en psychologie [Clinical tests in psychology]. Paris: Presses Universitaires de France; 1964. Test-Retest Reliability of a New Form of Auditory Verbal Learning Test (AVLT); <i>Archives of Clinical Neuropsychology</i> , Vol. 9, No. 4, pp. 303-316, 1994. Performance of Healthy Subjects and Patients with Resection from the Anterior Temporal Lobe on Matched Tests of Verbal and Visuo-perceptual Learning; <i>Journal of Clinical and Experimental Neuropsychology</i> 1996, Vol. 18, No. 3, pp. 416-430).	Rey Auditory Verbal Learning Functional Test
C121004	BACS	BACS1	Brief Assessment of Cognition in Schizophrenia (BACS) (Richard Keefe, PhD, Copyright 1999 Duke University Medical Center, Licenses available through Neurocog Trials, Inc.).	Brief Assessment of Cognition in Schizophrenia Functional Test
C115790	HAUSER AMBULATION INDEX	HAI01	Hauser Ambulation Index (AI) (Hauser SL, Dawson DM, Lehrich JR, Beal MF, Kevy SV, Propper RD, Mills JA, Weiner HL. Intensive immunosuppression in progressive multiple sclerosis. A randomized, three-arm study of high-dose intravenous cyclophosphamide, plasma exchange, and ACTH. <i>N Engl J Med</i> . 1983 Jan 27;308(4):173-80).	Hauser Ambulation Index Functional Test
C123667	MOCA	MOCA01	Montreal Cognitive Assessment (MoCA) (Copyright Z. Nasreddine MD. Ziad S. Nasreddine, Natalie A. Phillips, Valerie Bedirian, Simon Charbonneau, Victor Whitehead, Isabelle Collin, Jeffrey L. Cummings and Howard Chertkow. The Montreal Cognitive Assessment, MoCA: A Brief Screening Tool For Mild Cognitive Impairment. <i>J Am Geriatr Soc</i> . 2005 Apr;53(4):695-9).	Montreal Cognitive Assessment Functional Test
C115791	NHPT	NHPT01	Nine-Hole Peg Test (NHPT) (Copyright 2001, National Multiple Sclerosis Society).	Nine-Hole Peg Functional Test
C115792	PASAT	PASAT1	Paced Auditory Serial Addition Test (PASAT) (Copyright 2001, National Multiple Sclerosis Society).	Paced Auditory Serial Addition Functional Test
C138334	PUL V1.2	PUL01	Performance of the Upper Limb Module for DMD Version 1.2 (PUL V1.2) (Mayhew A, Mazzone ES, Eagle M, et al. (2013). Development of the Performance of the Upper Limb module for Duchenne muscular dystrophy. <i>Dev Med Child Neurol</i> ; 55:1038-45).	Performance of the Upper Limb Module for DMD 1.2 Functional Test
C138335	PUL V2.0	PUL02	Performance of the Upper Limb Module for DMD Version 2.0 (PUL V2.0) (Mayhew A, Mazzone ES, Eagle M, et al. (2013). Development of the Performance of the Upper Limb module for Duchenne muscular dystrophy. <i>Dev Med Child Neurol</i> ; 55:1038-45).	Performance of the Upper Limb Module for DMD 2.0 Functional Test

**C115304 FTCAT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141687	RISING FROM FLOOR	RISEF1	Rising From Floor (Mcdonald, C. M., Henricson, E. K., Abresch, R. T., Florence, J. M., Eagle, M., Gappmaier, E., et al. (2013). THE 6-MINUTE WALK TEST AND OTHER ENDPOINTS IN DUCHENNE MUSCULAR DYSTROPHY: LONGITUDINAL NATURAL HISTORY OBSERVATIONS OVER 48 WEEKS FROM A MULTICENTER STUDY. Muscle & Nerve, 48(3), 343-356. <a href="http://doi.org/10.1002/mus.23902">http://doi.org/10.1002/mus.23902</a> ).	Rising From Floor Test Functional Test
C115793	SDMT	SDMT01	Symbol Digit Modalities Test (SDMT) (Copyright 1973 by Western Psychological Services).	Symbol Digit Modalities Functional Test
C115789	SIX MINUTE WALK	SIXMW1	6 Minute Walk Test (6MWT) (Goldman MD, Marrie RA, Cohen JA. Evaluation of the six-minute walk in multiple sclerosis subjects and healthy controls. Multiple Sclerosis 2008; 14: 383-390).	6 Minute Walk Functional Test
C115794	T25FW	T25FW1	Timed 25-Foot Walk (T25FW) (Copyright 2001, National Multiple Sclerosis Society).	Timed 25-Foot Walk Functional Test
C141686	TEN METER WALK/RUN	TENMW1	Ten Meter Walk/Run (Mcdonald, C. M., Henricson, E. K., Abresch, R. T., Florence, J. M., Eagle, M., Gappmaier, E., et al. (2013). THE 6-MINUTE WALK TEST AND OTHER ENDPOINTS IN DUCHENNE MUSCULAR DYSTROPHY: LONGITUDINAL NATURAL HISTORY OBSERVATIONS OVER 48 WEEKS FROM A MULTICENTER STUDY. Muscle & Nerve, 48(3), 343-356. <a href="http://doi.org/10.1002/mus.23902">http://doi.org/10.1002/mus.23902</a> ).	Ten Meter Walk/Run Test Functional Test
C92205	TMT	TMT01	Trail Making Test (TMT) [(Copyright Owner: Dr. Jim Hom, The Neuropsychology Center, 500 N. Central Expressway, Suite 272, Plano TX 75074-6877. Ph: 469-429-8890, <a href="http://www.neuropsych.com">www.neuropsych.com</a> .)](Manual: Army Individual Test. War Department, The Adjutant General's Office, 1944.)(Reitan RM. The Relation of the Trail Making Test to Organic Brain Damage; Journal of Consulting Psychology 1955 Oct 19(5):393-4.)(Reitan R.M. (1958). The validity of the Trail Making Test as an indicator of organic brain damage; Perceptual and Motor Skills, 8, 271-276.)].	Trail Making Test
C115795	TUG	TUG01	Timed Up and Go (TUG) (Podsiadlo D, Richardson S. The Timed 'Up & Go': a test of basic functional mobility for frail elderly persons. J Am Geriatr Soc. 1991; 39:142-148).	Timed Up and Go Functional Test

## GAD01TC (Generalized Anxiety Disorder - 7 Questionnaire Test Code)

NCI Code: C103467, Codelist extensible: No

<b>C103467 GAD01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103565	GAD0101	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD0102	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C103567	GAD0103	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things
C103568	GAD0104	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103569	GAD0105	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103570	GAD0106	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103571	GAD0107	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103572	GAD0108	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C113886	GAD0109	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score

**GAD01TN (Generalized Anxiety Disorder - 7 Questionnaire Test Name)**

NCI Code: C103466, Codelist extensible: No

<b>C103466 GAD01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103570	GAD01-Becoming Easily Annoyed/Irritable	GAD01-Becoming Easily Annoyed/Irritable	Generalized Anxiety Disorder - 7 - Becoming easily annoyed or irritable.	GAD-7 - Becoming Easily Annoyed or Irritable
C103569	GAD01-Being Restless Hard to Sit Still	GAD01-Being Restless Hard to Sit Still	Generalized Anxiety Disorder - 7 - Being so restless that it is hard to sit still.	GAD-7 - Being so Restless That it is Hard to Sit Still
C103572	GAD01-Difficult to Work/Take Care Things	GAD01-Difficult to Work/Take Care Things	Generalized Anxiety Disorder - 7 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	GAD-7 - Problems Made it Difficult to Work, Take Care of Things, or Get Along with Other People
C103571	GAD01-Feel Afraid/Something Awful Happen	GAD01-Feel Afraid/Something Awful Happen	Generalized Anxiety Disorder - 7 - Feeling afraid as if something awful might happen.	GAD-7 - Feel Afraid as if Something Awful Might Happen
C103565	GAD01-Feeling Nervous Anxious or On Edge	GAD01-Feeling Nervous Anxious or On Edge	Generalized Anxiety Disorder - 7 - Feeling nervous, anxious or on edge.	GAD-7 - Feeling Nervous Anxious or On Edge
C103566	GAD01-Not Able to Stop/Control Worrying	GAD01-Not Able to Stop/Control Worrying	Generalized Anxiety Disorder - 7 - Not being able to stop or control worrying.	GAD-7 - Not Being Able to Stop or Control Worrying
C113886	GAD01-Total Score	GAD01-Total Score	Generalized Anxiety Disorder - 7 - Total score.	GAD-7 - Total Score
C103568	GAD01-Trouble Relaxing	GAD01-Trouble Relaxing	Generalized Anxiety Disorder - 7 - Trouble relaxing.	GAD-7 - Trouble Relaxing
C103567	GAD01-Worrying Too Much About Things	GAD01-Worrying Too Much About Things	Generalized Anxiety Disorder - 7 - Worrying too much about different things.	GAD-7 - Worrying Too Much About Different Things

## GASTRO (Gastrointestinal Test Name)

NCI Code: C128681, Codelist extensible: Yes

<b>C128681 GASTRO</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119332	Elasticity	Elasticity	A quantitative measurement of an organ's ability to deform in response to physiological force and return to its normal shape by passive elastic recoil.	Organ Elasticity
C139184	Rectal Tumor to Anal Verge Distance	Rectal Tumor to Anal Verge Distance	A measurement of the distance between the rectal tumor and the anal margin.	Rectal Tumor to Anal Verge Distance

## GASTROCD (Gastrointestinal Test Code)

NCI Code: C128682, Codelist extensible: Yes

<b>C128682 GASTROCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119332	ELASTIC	Elasticity	A quantitative measurement of an organ's ability to deform in response to physiological force and return to its normal shape by passive elastic recoil.	Organ Elasticity
C139184	RTAVDIST	Rectal Tumor to Anal Verge Distance	A measurement of the distance between the rectal tumor and the anal margin.	Rectal Tumor to Anal Verge Distance

**GCGI01TC (General Clinical Global Impressions Questionnaire Test Code)**

NCI Code: C105138, Codelist extensible: No

<b>C105138 GCGI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105278	GCGI0101	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105279	GCGI0102	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105280	GCGI0103	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105281	GCGI0104	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference
C105282	GCGI0105	GCGI01-Global Rating of Pain Medication	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication



**GCGI01TN (General Clinical Global Impressions Questionnaire Test Name)**

NCI Code: C105137, Codelist extensible: No

<b>C105137 GCGI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105280	GCGI01-Global Disease Status of Pain	GCGI01-Global Disease Status of Pain	General Clinical Global Impressions - Global disease status of pain.	GCGI - Global Disease Status of Pain
C105279	GCGI01-Global Improvement of Pain	GCGI01-Global Improvement of Pain	General Clinical Global Impressions - Global improvement of pain.	GCGI - Global Improvement of Pain
C105282	GCGI01-Global Rating of Pain Medication	GCGI01-Global Rating of Pain Medication	General Clinical Global Impressions - Global rating of pain medication.	GCGI - Global Rating of Pain Medication
C105278	GCGI01-Global Severity of Pain	GCGI01-Global Severity of Pain	General Clinical Global Impressions - Global severity of pain.	GCGI - Global Severity of Pain
C105281	GCGI01-Pain Treatment Preference	GCGI01-Pain Treatment Preference	General Clinical Global Impressions - Pain treatment preference.	GCGI - Pain Treatment Preference

## GCS01TC (Glasgow Coma Scale NINDS Version Clinical Classification Test Code)

NCI Code: C124682, Codelist extensible: No

<b>C124682 GCS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124724	GCS0101	GCS01-Best Eye Response	Glasgow Coma Scale - Best eye response.	GCS NINDS Version - Best Eye Response
C124725	GCS0102	GCS01-Motor Response	Glasgow Coma Scale - Motor response.	GCS NINDS Version - Motor Response
C124726	GCS0103	GCS01-Verbal Response	Glasgow Coma Scale - Verbal response.	GCS NINDS Version - Verbal Response
C124727	GCS0104	GCS01-Total Score	Glasgow Coma Scale - Total score.	GCS NINDS Version - Total Score
C124728	GCS0105A	GCS01-Confounder: GCS Accurate	Glasgow Coma Scale - GCS Confounder Type: GCS accurate.	GCS NINDS Version - Confounder: GCS Accurate
C124729	GCS0105B	GCS01-Confounder: Paralytic	Glasgow Coma Scale - GCS Confounder Type: paralytic.	GCS NINDS Version - Confounder: Paralytic
C124730	GCS0105C	GCS01-Confounder: Alcohol/Drug of Abuse	Glasgow Coma Scale - GCS Confounder Type: alcohol/drugs of abuse.	GCS NINDS Version - Confounder: Alcohol or Drug of Abuse
C124731	GCS0105D	GCS01-Confounder: C-Spine Injury	Glasgow Coma Scale - GCS Confounder Type: C-spine injury.	GCS NINDS Version - Confounder: C-Spine Injury
C124732	GCS0105E	GCS01-Confounder: Hypoxia/Hypotension	Glasgow Coma Scale - GCS Confounder Type: hypoxia/hypotension.	GCS NINDS Version - Confounder: Hypoxia or Hypotension
C124733	GCS0105F	GCS01-Confounder: Hypothermia	Glasgow Coma Scale - GCS Confounder Type: hypothermia.	GCS NINDS Version - Confounder: Hypothermia
C124734	GCS0105G	GCS01-Confounder: Sedation	Glasgow Coma Scale - GCS Confounder Type: sedation.	GCS NINDS Version - Confounder: Sedation
C124735	GCS0105H	GCS01-Confounder: Unknown	Glasgow Coma Scale - GCS Confounder Type: unknown.	GCS NINDS Version - Confounder: Unknown

**GCS01TN (Glasgow Coma Scale NINDS Version Clinical Classification Test Name)**

NCI Code: C124681, Codelist extensible: No

<b>C124681 GCS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124724	GCS01-Best Eye Response	GCS01-Best Eye Response	Glasgow Coma Scale - Best eye response.	GCS NINDS Version - Best Eye Response
C124730	GCS01-Confounder: Alcohol/Drug of Abuse	GCS01-Confounder: Alcohol/Drug of Abuse	Glasgow Coma Scale - GCS Confounder Type: alcohol/drugs of abuse.	GCS NINDS Version - Confounder: Alcohol or Drug of Abuse
C124731	GCS01-Confounder: C-Spine Injury	GCS01-Confounder: C-Spine Injury	Glasgow Coma Scale - GCS Confounder Type: C-spine injury.	GCS NINDS Version - Confounder: C-Spine Injury
C124728	GCS01-Confounder: GCS Accurate	GCS01-Confounder: GCS Accurate	Glasgow Coma Scale - GCS Confounder Type: GCS accurate.	GCS NINDS Version - Confounder: GCS Accurate
C124733	GCS01-Confounder: Hypothermia	GCS01-Confounder: Hypothermia	Glasgow Coma Scale - GCS Confounder Type: hypothermia.	GCS NINDS Version - Confounder: Hypothermia
C124732	GCS01-Confounder: Hypoxia/Hypotension	GCS01-Confounder: Hypoxia/Hypotension	Glasgow Coma Scale - GCS Confounder Type: hypoxia/hypotension.	GCS NINDS Version - Confounder: Hypoxia or Hypotension
C124729	GCS01-Confounder: Paralytic	GCS01-Confounder: Paralytic	Glasgow Coma Scale - GCS Confounder Type: paralytic.	GCS NINDS Version - Confounder: Paralytic
C124734	GCS01-Confounder: Sedation	GCS01-Confounder: Sedation	Glasgow Coma Scale - GCS Confounder Type: sedation.	GCS NINDS Version - Confounder: Sedation
C124735	GCS01-Confounder: Unknown	GCS01-Confounder: Unknown	Glasgow Coma Scale - GCS Confounder Type: unknown.	GCS NINDS Version - Confounder: Unknown
C124725	GCS01-Motor Response	GCS01-Motor Response	Glasgow Coma Scale - Motor response.	GCS NINDS Version - Motor Response
C124727	GCS01-Total Score	GCS01-Total Score	Glasgow Coma Scale - Total score.	GCS NINDS Version - Total Score
C124726	GCS01-Verbal Response	GCS01-Verbal Response	Glasgow Coma Scale - Verbal response.	GCS NINDS Version - Verbal Response

## GDS01TC (Geriatric Depression Scale Questionnaire Test Code)

NCI Code: C106663, Codelist extensible: No

<b>C106663 GDS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106764	GDS0101	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life
C106765	GDS0102	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106766	GDS0103	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106767	GDS0104	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106768	GDS0105	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106769	GDS0106	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106770	GDS0107	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106771	GDS0108	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106772	GDS0109	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106773	GDS0110	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106774	GDS0111	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106775	GDS0112	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106776	GDS0113	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future
C106777	GDS0114	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106778	GDS0115	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive
C106779	GDS0116	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106780	GDS0117	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106781	GDS0118	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past
C106782	GDS0119	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106783	GDS0120	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106784	GDS0121	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106785	GDS0122	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106786	GDS0123	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106787	GDS0124	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106788	GDS0125	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106789	GDS0126	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating

**C106663 GDS01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106790	GDS0127	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106791	GDS0128	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106792	GDS0129	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions
C106793	GDS0130	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be

## GDS01TN (Geriatric Depression Scale Questionnaire Test Name)

NCI Code: C106662, Codelist extensible: No

C106662 GDS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106771	GDS01-Afraid of Something Bad Happening	GDS01-Afraid of Something Bad Happening	Geriatric Depression Scale - Are you afraid that something bad is going to happen to you?	GDS - Afraid of Something Bad Happening
C106791	GDS01-Avoid Social Gatherings	GDS01-Avoid Social Gatherings	Geriatric Depression Scale - Do you prefer to avoid social gatherings?	GDS - Prefer to Avoid Social Gatherings
C106767	GDS01-Bored Often	GDS01-Bored Often	Geriatric Depression Scale - Do you often get bored?	GDS - Often Get Bored
C106769	GDS01-Bothered by Thoughts	GDS01-Bothered by Thoughts	Geriatric Depression Scale - Are you bothered by thoughts you can't get out of your head?	GDS - Bothered by Thoughts
C106765	GDS01-Dropped Activities and Interests	GDS01-Dropped Activities and Interests	Geriatric Depression Scale - Have you dropped many of your activities and interests?	GDS - Dropped Activities and Interests
C106792	GDS01-Easy to Make Decisions	GDS01-Easy to Make Decisions	Geriatric Depression Scale - Is it easy for you to make decisions?	GDS - Easy to Make Decisions
C106790	GDS01-Enjoy Getting Up in the Morning	GDS01-Enjoy Getting Up in the Morning	Geriatric Depression Scale - Do you enjoy getting up in the morning?	GDS - Enjoy Getting Up in the Morning
C106779	GDS01-Feel Downhearted and Blue	GDS01-Feel Downhearted and Blue	Geriatric Depression Scale - Do you often feel downhearted and blue?	GDS - Feel Downhearted and Blue
C106784	GDS01-Feel Full of Energy	GDS01-Feel Full of Energy	Geriatric Depression Scale - Do you feel full of energy?	GDS - Feel Full of Energy
C106772	GDS01-Feel Happy Most of Time	GDS01-Feel Happy Most of Time	Geriatric Depression Scale - Do you feel happy most of the time?	GDS - Feel Happy Most of Time
C106785	GDS01-Feel Hopeless	GDS01-Feel Hopeless	Geriatric Depression Scale - Do you feel that your situation is hopeless?	GDS - Feel Situation Is Hopeless
C106780	GDS01-Feel Worthless	GDS01-Feel Worthless	Geriatric Depression Scale - Do you feel pretty worthless the way you are now?	GDS - Feel Worthless
C106782	GDS01-Find Life Exciting	GDS01-Find Life Exciting	Geriatric Depression Scale - Do you find life very exciting?	GDS - Find Life Exciting
C106788	GDS01-Frequently Feel Like Crying	GDS01-Frequently Feel Like Crying	Geriatric Depression Scale - Do you frequently feel like crying?	GDS - Frequently Feel Like Crying
C106774	GDS01-Get Restless and Fidgety	GDS01-Get Restless and Fidgety	Geriatric Depression Scale - Do you often get restless and fidgety?	GDS - Get Restless and Fidgety
C106770	GDS01-Good Spirits Most of Time	GDS01-Good Spirits Most of Time	Geriatric Depression Scale - Are you in good spirits most of the time?	GDS - Good Spirits Most of Time
C106783	GDS01-Hard to Start New Projects	GDS01-Hard to Start New Projects	Geriatric Depression Scale - Is it hard for you to get started on new projects?	GDS - Hard to Start New Projects
C106768	GDS01-Hopeful About Future	GDS01-Hopeful About Future	Geriatric Depression Scale - Are you hopeful about the future?	GDS - Hopeful About Future
C106766	GDS01-Life Is Empty	GDS01-Life Is Empty	Geriatric Depression Scale - Do you feel that your life is empty?	GDS - Feel Life Is Empty
C106777	GDS01-Memory Problems	GDS01-Memory Problems	Geriatric Depression Scale - Do you feel you have more problems with memory than most?	GDS - More Memory Problems Than Most
C106793	GDS01-Mind as Clear as It Used to Be	GDS01-Mind as Clear as It Used to Be	Geriatric Depression Scale - Is your mind as clear as it used to be?	GDS - Mind as Clear as It Used to Be
C106786	GDS01-Most People Better Off Than You	GDS01-Most People Better Off Than You	Geriatric Depression Scale - Do you think that most people are better off than you are?	GDS - Think Most People Better Off Than You
C106773	GDS01-Often Feel Helpless	GDS01-Often Feel Helpless	Geriatric Depression Scale - Do you often feel helpless?	GDS - Often Feel Helpless
C106787	GDS01-Often Upset Over Little Things	GDS01-Often Upset Over Little Things	Geriatric Depression Scale - Do you frequently get upset over little things?	GDS - Often Upset Over Little Things
C106775	GDS01-Prefer to Stay Home	GDS01-Prefer to Stay Home	Geriatric Depression Scale - Do you prefer to stay at home, rather than going out and doing new things?	GDS - Prefer to Stay Home
C106764	GDS01-Satisfied With Life	GDS01-Satisfied With Life	Geriatric Depression Scale - Are you basically satisfied with your life?	GDS - Basically Satisfied With Life

**C106662 GDS01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106789	GDS01-Trouble Concentrating	GDS01-Trouble Concentrating	Geriatric Depression Scale - Do you have trouble concentrating?	GDS - Have Trouble Concentrating
C106778	GDS01-Wonderful to Be Alive	GDS01-Wonderful to Be Alive	Geriatric Depression Scale - Do you think it is wonderful to be alive now?	GDS - Think Wonderful to Be Alive
C106776	GDS01-Worry About Future	GDS01-Worry About Future	Geriatric Depression Scale - Do you frequently worry about the future?	GDS - Frequently Worry About Future
C106781	GDS01-Worry About the Past	GDS01-Worry About the Past	Geriatric Depression Scale - Do you worry a lot about the past?	GDS - Worry About the Past

## GDS02TC (Geriatric Depression Scale Short Form Questionnaire Test Code)

NCI Code: C106665, Codelist extensible: No

<b>C106665 GDS02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106794	GDS0201	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C106795	GDS0202	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106796	GDS0203	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106797	GDS0204	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106798	GDS0205	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106799	GDS0206	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106800	GDS0207	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106801	GDS0208	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS0209	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106803	GDS0210	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106804	GDS0211	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive
C106805	GDS0212	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106806	GDS0213	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106807	GDS0214	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106808	GDS0215	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You



**GDS02TN (Geriatric Depression Scale Short Form Questionnaire Test Name)**

NCI Code: C106664, Codelist extensible: No

<b>C106664 GDS02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106799	GDS02-Afraid of Something Bad Happening	GDS02-Afraid of Something Bad Happening	Geriatric Depression Scale Short Form - Are you afraid that something bad is going to happen to you?	GDS-SF - Afraid of Something Bad Happening
C106797	GDS02-Bored Often	GDS02-Bored Often	Geriatric Depression Scale Short Form - Do you often get bored?	GDS-SF - Often Get Bored
C106795	GDS02-Dropped Activities and Interests	GDS02-Dropped Activities and Interests	Geriatric Depression Scale Short Form - Have you dropped many of your activities and interests?	GDS-SF - Dropped Activities and Interests
C106806	GDS02-Feel Full of Energy	GDS02-Feel Full of Energy	Geriatric Depression Scale Short Form - Do you feel full of energy?	GDS-SF - Feel Full of Energy
C106800	GDS02-Feel Happy Most of Time	GDS02-Feel Happy Most of Time	Geriatric Depression Scale Short Form - Do you feel happy most of the time?	GDS-SF - Feel Happy Most of Time
C106807	GDS02-Feel Hopeless	GDS02-Feel Hopeless	Geriatric Depression Scale Short Form - Do you feel that your situation is hopeless?	GDS-SF - Feel Situation is Hopeless
C106805	GDS02-Feel Worthless	GDS02-Feel Worthless	Geriatric Depression Scale Short Form - Do you feel pretty worthless the way you are now?	GDS-SF - Feel Worthless
C106798	GDS02-Good Spirits Most of Time	GDS02-Good Spirits Most of Time	Geriatric Depression Scale Short Form - Are you in good spirits most of the time?	GDS-SF - Good Spirits Most of Time
C106796	GDS02-Life Is Empty	GDS02-Life Is Empty	Geriatric Depression Scale Short Form - Do you feel that your life is empty?	GDS-SF - Feel Life Is Empty
C106803	GDS02-Memory Problems	GDS02-Memory Problems	Geriatric Depression Scale Short Form - Do you feel you have more problems with memory than most?	GDS-SF - More Memory Problems Than Most
C106808	GDS02-Most People Better Off Than You	GDS02-Most People Better Off Than You	Geriatric Depression Scale Short Form - Do you think that most people are better off than you are?	GDS-SF - Think Most People Better Off Than You
C106801	GDS02-Often Feel Helpless	GDS02-Often Feel Helpless	Geriatric Depression Scale Short Form - Do you often feel helpless?	GDS-SF - Often Feel Helpless
C106802	GDS02-Prefer to Stay Home	GDS02-Prefer to Stay Home	Geriatric Depression Scale Short Form - Do you prefer to stay at home rather than going out and doing new things?	GDS-SF - Prefer to Stay Home
C106794	GDS02-Satisfied With Life	GDS02-Satisfied With Life	Geriatric Depression Scale Short Form - Are you basically satisfied with your life?	GDS-SF - Basically Satisfied With Life
C106804	GDS02-Wonderful to Be Alive	GDS02-Wonderful to Be Alive	Geriatric Depression Scale Short Form - Do you think it is wonderful to be alive now?	GDS-SF - Think Wonderful to Be Alive

## GENRTYP (Genetic Region of Interest Type)

NCI Code: C132317, Codelist extensible: Yes

C132317 GENRTYP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C16612	GENE		A functional unit of heredity which occupies a specific position on a particular chromosome and serves as the template for a product that contributes to a phenotype or a biological function. (NCI)	Gene
C13338	MICROSATELLITE		A variety of simple 2-5 base pair repeats (e.g., T-A repeats, variable number of tandem repeats (VNTRs), etc.) present within most chromosomes. (NCI)	Microsatellite Repeat

## GENSMP (Genetic Sample Type)

NCI Code: C111114, Codelist extensible: Yes

C111114 GENSMP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C95951	7SK RNA	7SK Small Nuclear RNA;7SK snRNA	7SK small nuclear RNA is encoded by the human RN7SK gene. This oligoribonucleotide may play a role in the regulation of the enzymatic activity of RNA polymerase II.	7SK Small Nuclear RNA
C324	cDNA	Complementary DNA	Single-stranded DNA that is complementary to messenger RNA or DNA that has been synthesized from messenger RNA by reverse transcriptase.	cDNA
C111158	cpDNA	Chloroplast DNA	The DNA that is located in the photosynthetic, chlorophyll-containing organelle in the cells of young leaves and stems of higher plants. (NCI)	Chloroplast DNA
C449	DNA	Deoxyribonucleic Acid;Double-stranded DNA;dsDNA	A long linear double-stranded polymer formed from nucleotides attached to a deoxyribose backbone; associated with the transmission of genetic information.	DNA
C95938	dsRNA	Double-stranded RNA	An RNA complex consisting of two base-paired strands of complementary RNA.	Double-Stranded RNA
C95940	gDNA	Genomic DNA	The DNA that is part of the normal chromosomal complement of an organism.	Genomic DNA
C95952	gRNA	Guide RNA	A small RNA involved in post-transcriptional mitochondrial RNA modification (RNA editing) in kinetoplastids.	Guide RNA
C28454	hnRNA	Heterogeneous Nuclear RNA	A diverse assortment of nascent, immature, unprocessed RNA transcripts synthesized from DNA templates that are found in eukaryotic nuclei before post-transcriptional modifications.	hnRNA
C25966	miRNA	MicroRNA	A sequence of single-stranded RNA which is typically 20-25 nucleotides in length and may regulate the expression of other genes. miRNAs are transcribed from DNA, but are not translated into proteins.	MicroRNA
C813	mRNA	Messenger RNA	A class of RNA molecule containing protein-coding information in its nucleotide sequence that can be translated into the amino acid sequence of a protein.	Messenger RNA
C111279	msDNA	Multicopy Single-stranded DNA	A DNA/RNA chimera comprised of a single-stranded DNA molecule covalently bound to an internal guanosine of a RNA molecule. (NCI)	Multicopy Single-stranded DNA
C111278	msdRNA	MSR	The RNA portion of the msDNA molecule, which contains two stem-loop structures and varies widely in length across bacterial species. (NCI)	msdRNA
C28512	mtDNA	Mitochondrial DNA;mDNA	Typically small, circular, intronless, and maternally inherited, mitochondrial DNA (mtDNA) is the multicopy deoxyribonucleic acid genome of mitochondria, intracellular organelles responsible for vital respiratory chain and oxidative phosphorylation reactions in higher eukaryotes. Replicated and transcribed by a separate enzymatic machinery from that of nuclear DNA, mtDNA encodes only a subset of mitochondrial functions.	Mitochondrial DNA
C95941	nDNA	Nuclear DNA	The DNA that is normally located in the nucleus of a eukaryotic cell.	Nuclear DNA
C754	pDNA	Plasmid;Plasmid DNA	A small cellular inclusion consisting of a ring of DNA that is not in a chromosome but is capable of autonomous replication.	Plasmid
C95953	piRNA	Piwi-Interacting RNA	Single-stranded RNA molecules that are expressed in animal cells and form complexes with Piwi proteins. They are involved in transcriptional gene silencing.	Piwi-Interacting RNA
C111298	pre-mRNA	Precursor mRNA	A primary RNA transcript synthesized from a DNA template in eukaryotic nuclei which is post-transcriptionally modified and spliced to produce a mature mRNA. (NCI)	Precursor mRNA

**C111114 GENSMMP**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25967	pri-miRNA	Pri-MIR;Pri-miRNA;Pri-microRNA;Primary MicroRNA	The pri-miRNA is a primary transcript derived from a gene whose sole products are miRNA(s). A unique pathway involving the nuclear microprocessor complex participates in the cleavage of such transcripts, which can be substantially longer than the 65-110 nt pre-miRNA.	Pri-miRNA
C95943	rDNA	Ribosomal DNA;Ribosomal RNA Genes	The genomic sequences that code for ribosomal RNA molecules.	Ribosomal RNA Gene
C1292	RIBOZYME	Catalytic RNA;Ribonucleic Enzyme	RNA that contains an intron sequence which has an enzyme-like catalytic activity. This intron sequence can function like an enzyme in reactions with other RNA molecules and thus synthesize new molecules even in the absence of protein.	Ribozyme
C812	RNA	Ribonucleic Acid	Single-stranded long chain of nucleotides containing ribose. It is the end product of DNA transcription by the enzyme RNA polymerase. It is essential in protein synthesis.	Ribonucleic Acid
C814	rRNA	Ribosomal RNA	An RNA molecule that does not contain protein-coding sequence information and constitutes the majority of the cellular RNA (~80%). This nucleic acid associates with multiple proteins to form ribosomes, which are the organelles that drive mRNA-directed protein synthesis.	Ribosomal RNA
C2191	siRNA	Small Interfering RNA	A 20 to 25-nucleotide double-stranded RNA which is involved in a sequence-specific messenger RNA degradation process known as RNA interference.	Small Interfering RNA
C111316	snoRNA	Small Nucleolar RNA	Small RNA molecules that are present in the nucleolus. They associate with proteins to form small nucleolar ribonucleoprotein particles that are involved in modification of other RNAs. (NCI)	Small Nucleolar RNA
C815	snRNA	Small Nuclear RNA;Small Nuclear Ribonucleic Acid;U-RNA	A small RNA molecule (100-300 nucleotides) located in the cell nucleus. This nucleic acid plays a role in RNA splicing, transcriptional regulation, telomere maintenance and rRNA modification.	Small Nuclear RNA
C95950	SRP RNA	7SL RNA;SRP RNA;Signal Recognition Particle RNA;srpRNA	A non-coding RNA that is part of the signal recognition particle. It is involved in the co-translational targeting of proteins to membranes.	Signal Recognition Particle RNA
C111311	ssDNA	Single-stranded DNA	A long linear single-stranded polymer formed from nucleotides attached to a deoxyribose backbone. (NCI)	Single-stranded DNA
C95954	tmRNA	10Sa RNA;SsrA;Transfer-Messenger RNA	An RNA encoded by the bacterial ssrA gene. It is involved in the recycling of stalled ribosomes and the targeting of both defective mRNA molecules and incomplete nascent proteins for degradation.	Transfer-Messenger RNA
C95942	TRANSPOSON	Jumping Gene;Jumping Genes;Transposable Element	A class of mobile genetic elements that can move from one genomic position to another.	Transposon
C816	tRNA	Transfer RNA;Triplet Codon-Amino Acid Adaptor	A class of short adaptor RNAs that transfers a specific amino acid to a growing polypeptide chain at the ribosomal site of protein synthesis during translation. Each transfer RNA comprises a three-nucleotide sequence that is complementary to the triplet nucleotide coding sequence of an mRNA, conferring specificity to the amino acid being incorporated into the assembling protein.	Transfer RNA

## GNRLOBSC (General Observation Class)

NCI Code: C103329, Codelist extensible: No

C103329 GNRLOBSC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103375	ADAM OTHER		An analysis dataset that doesn't conform to a pre-defined ADaM dataset structure (e.g. ADSL, BDS or OCCDS).	CDISC Other ADaM Dataset
C103371	BASIC DATA STRUCTURE	BDS	An ADaM BDS dataset contains one or more records per subject, per analysis parameter, per analysis time point. Variables include the value being analyzed (e.g., AVAL) and the description of the value being analyzed (e.g., PARAM). Other variables in the dataset provide more information about the value being analyzed (e.g., the subject identification) or describe and trace the derivation of it (e.g., DTYPE) or support the analysis of it (e.g., treatment variables, covariates).	CDISC Basic Data Structure Dataset
C103372	EVENTS		This SDTM class captures planned protocol milestones such as randomization and study completion, and occurrences, conditions, or incidents independent of planned study evaluations occurring during the trial (e.g., adverse events) or prior to the trial (e.g., medical history).	CDISC Events Class
C103373	FINDINGS		This SDTM class captures the observations resulting from planned evaluations to address specific tests or questions such as laboratory tests, ECG testing, and questions listed on questionnaires.	CDISC Findings Class
C135396	FINDINGS ABOUT		This SDTM class is a specialization of the findings general observation class. It is intended, as its name implies, to be used when collected data represent findings about an event or intervention that cannot be represented within an event or intervention record or as a supplemental qualifier to such a record.	CDISC Findings About Class
C132357	INTEGRATED BASIC DATA STRUCTURE	IBDS	IBDS is the ADaM Model for the Integrated Basic Data Structure. The structure includes per pool as defined in the integrated SAP when multiple records per subject are included in integrated ADSL.	CDISC Integrated Basic Data Structure Dataset
C132358	INTEGRATED OCCURRENCE DATA STRUCTURE	IOCCDS	IOCCDS is the ADaM Model for Integrated Occurrence Data structure. The structure includes per pool as defined in the integrated SAP when multiple records per subject are included in integrated ADSL.	CDISC Integrated Occurrence Data Structure Dataset
C132359	INTEGRATED SUBJECT LEVEL	IADSL	IADSL is the ADaM Model for Integrated Subject Level Analysis Dataset. The structure is one record per subject per pool as defined in the integrated SAP. Multiple records per subject are required in an integrated ADSL dataset when any subject's data is used in more than one pool and the values for subject-level variables differ across pools.	CDISC Integrated Subject Level Dataset
C103374	INTERVENTIONS		This SDTM class captures investigational, therapeutic and other treatments that are administered to the subject (with some actual or expected physiological effect) either as specified by the study protocol (e.g., exposure to study drug), coincident with the study assessment period (e.g., concomitant medications), or self-administered by the subject (such as use of alcohol, tobacco, or caffeine).	CDISC Interventions Class
C123454	OCCURRENCE DATA STRUCTURE	OCCDS	The Occurrence Data Structure (OCCDS) is the ADaM data structure for occurrence analysis. Occurrence analysis is the counting of subjects with a record or term, and often includes a structured hierarchy of dictionary coding categories.	CDISC Occurrence Data Structure
C103376	RELATIONSHIP		This SDTM class provides a means to link related records between datasets. It includes the RELREC and SUPPQUAL datasets.	CDISC Relationship Class
C103377	SPECIAL PURPOSE		This SDTM class contains a set of domains which do not conform to the Findings, Events or Interventions observation classes. The domains included are DM, CO, SE and SV.	CDISC Special Purpose Class
C147271	STUDY REFERENCE		This special purpose SDTM class contains further descriptions of study-specific identifiers that will be used in subject based domains.	CDISC Study Reference Class

**C103329 GNRLOBSC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103378	SUBJECT LEVEL ANALYSIS DATASET	ADSL	The Subject-Level Analysis Dataset (ADSL) is a one-record-per-subject dataset which contains variables that describe subject demographic characteristics and group the subjects for analysis. ADSL is the primary source for subject-level variables included in other analysis datasets such as population flags and treatment variables.	CDISC Subject Level Analysis Dataset
C103379	TRIAL DESIGN		This SDTM class describes the plan for the procedures to be followed in a clinical trial, including planned and actual timing of events, control group, method of allocating treatments, blinding methods, assignment of epochs that subjects pass through in the course of a trial.	CDISC Trial Design Class

## GOSE1TC (Extended Glasgow Outcome Scale Questionnaire Test Code)

NCI Code: C115404, Codelist extensible: No

C115404 GOSE1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115828	GOSE101	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115829	GOSE102A	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115830	GOSE102B	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115831	GOSE102C	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115832	GOSE103A	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115833	GOSE103B	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115834	GOSE104A	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance
C115835	GOSE104B	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury
C115836	GOSE105A	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115837	GOSE105B	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115838	GOSE105C	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury
C115839	GOSE106A	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115840	GOSE106B	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115841	GOSE106C	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115842	GOSE107A	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115843	GOSE107B	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115844	GOSE107C	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115845	GOSE108A	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury

**C115404 GOSE1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115846	GOSE108B	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury
C115847	GOSE109	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits
C115848	GOSE110	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115849	GOSE111	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115850	GOSE112	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score



## GOSE1TN (Extended Glasgow Outcome Scale Questionnaire Test Name)

NCI Code: C115403, Codelist extensible: No

C115403 GOSE1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115836	GOSE1-Able to Work to Previous Capacity	GOSE1-Able to Work to Previous Capacity	Extended Glasgow Outcome Scale - Are they currently able to work to their previous capacity?	GOSE - Work: Able to Work to Previous Capacity
C115831	GOSE1-Assistance at Home Before Injury	GOSE1-Assistance at Home Before Injury	Extended Glasgow Outcome Scale - Was assistance at home essential before the injury?	GOSE - Independence in the Home: Assistance at Home Before Injury
C115848	GOSE1-At Risk of Developing Epilepsy	GOSE1-At Risk of Developing Epilepsy	Extended Glasgow Outcome Scale - Have they been told that they are currently at risk of developing epilepsy?	GOSE - Epilepsy: At Risk of Developing Epilepsy
C115829	GOSE1-Daily Assistance at Home Essential	GOSE1-Daily Assistance at Home Essential	Extended Glasgow Outcome Scale - Is the assistance of another person at home essential every day for some activities of daily living?	GOSE - Independence in the Home: Assistance Essential for Daily Living
C115842	GOSE1-Disruptive Psychological Problems	GOSE1-Disruptive Psychological Problems	Extended Glasgow Outcome Scale - Have there been psychological problems which have resulted in ongoing family disruption or disruption to friendships?	GOSE - Family and Friendships: Disruptive Psychological Problems
C115841	GOSE1-Engage Social/Leisure Before Inj	GOSE1-Engage Social/Leisure Before Inj	Extended Glasgow Outcome Scale - Did they engage in regular social and leisure activities outside home before the injury?	GOSE - Social and Leisure Activities: Engage Regular Social and Leisure Activities Before Injury
C115843	GOSE1-Extent of Disruption	GOSE1-Extent of Disruption	Extended Glasgow Outcome Scale - What has been the extent of disruption or strain?	GOSE - Family and Friendships: Extent of Disruption or Strain
C115840	GOSE1-Extent Social/Leisure Restriction	GOSE1-Extent Social/Leisure Restriction	Extended Glasgow Outcome Scale - What is the extent of restriction on their social and leisure activities?	GOSE - Social and Leisure Activities: Extent of Restriction on Social and Leisure Activities
C115844	GOSE1-Family/Friends Probs Before Injury	GOSE1-Family/Friends Probs Before Injury	Extended Glasgow Outcome Scale - Were there problems with family or friends before the injury?	GOSE - Family and Friendships: Problems with Family or Friends Before Injury
C115850	GOSE1-GOSE Overall Score	GOSE1-GOSE Overall Score	Extended Glasgow Outcome Scale - Scoring: The patient's overall rating is based on the lowest outcome category indicated on the scale.	GOSE - GOSE Overall Score
C115837	GOSE1-How Restricted Are They	GOSE1-How Restricted Are They	Extended Glasgow Outcome Scale - How restricted are they?	GOSE - Work: How Restricted Are They
C115849	GOSE1-Most Important Factor in Outcome	GOSE1-Most Important Factor in Outcome	Extended Glasgow Outcome Scale - What is the most important factor in outcome?	GOSE - Epilepsy: Most Important Factor in Outcome
C115830	GOSE1-Need Frequent Help at Home	GOSE1-Need Frequent Help at Home	Extended Glasgow Outcome Scale - Do they need frequent help or someone to be around at home most of the time?	GOSE - Independence in the Home: Need Frequent Help at Home
C115828	GOSE1-Obey Simple Commands or Say Words	GOSE1-Obey Simple Commands or Say Words	Extended Glasgow Outcome Scale - Is the head injured person able to obey simple commands, or say any words?	GOSE - Consciousness: Obey Simple Commands
C115845	GOSE1-Other Problems Related to Injury	GOSE1-Other Problems Related to Injury	Extended Glasgow Outcome Scale - Are there any other current problems relating to the injury which affect daily life?	GOSE - Return to Normal Life: Other Current Problems Relating to Injury
C115839	GOSE1-Resume Social/Leisure Outside Home	GOSE1-Resume Social/Leisure Outside Home	Extended Glasgow Outcome Scale - Are they able to resume regular social and leisure activities outside home?	GOSE - Social and Leisure Activities: Resume Regular Social and Leisure Activities
C115833	GOSE1-Shop Without Assist Before Injury	GOSE1-Shop Without Assist Before Injury	Extended Glasgow Outcome Scale - Were they able to shop without assistance before the injury?	GOSE - Independence Outside the Home: Able to Shop Without Assistance Before Injury
C115832	GOSE1-Shop Without Assistance	GOSE1-Shop Without Assistance	Extended Glasgow Outcome Scale - Are they able to shop without assistance?	GOSE - Independence Outside the Home: Able to Shop Without Assistance
C115846	GOSE1-Similar Problems Before Injury	GOSE1-Similar Problems Before Injury	Extended Glasgow Outcome Scale - Were similar problems present before the injury?	GOSE - Return to Normal Life: Similar Problems Before Injury

**C115403 GOSE1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115847	GOSE1-Since Injury Any Epileptic Fits	GOSE1-Since Injury Any Epileptic Fits	Extended Glasgow Outcome Scale - Since the injury has the head injured person had any epileptic fits?	GOSE - Epilepsy: Since Injury Any Epileptic Fits
C115834	GOSE1-Travel Locally Without Assistance	GOSE1-Travel Locally Without Assistance	Extended Glasgow Outcome Scale - Are they able to travel locally without assistance?	GOSE - Independence Outside the Home: Travel Locally Without Assistance
C115835	GOSE1-Travel Without Assist Before Inj	GOSE1-Travel Without Assist Before Inj	Extended Glasgow Outcome Scale - Were they able to travel without assistance before the injury?	GOSE - Independence Outside the Home: Travel Locally Without Assistance Before Injury
C115838	GOSE1-Working Before Injury	GOSE1-Working Before Injury	Extended Glasgow Outcome Scale - Were they either working or seeking employment before the injury (answer 'yes') or were they doing neither (answer 'no')?	GOSE - Work: Working or Seeking Employment Before the Injury

## GRAFTTYP (Graft Type)

NCI Code: C117737, Codelist extensible: Yes

<b>C117737 GRAFTTYP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117816	ARTERIAL GRAFT, FREE		A vessel graft comprised of an artery that has been completely detached from its original location. (NCI)	Free Arterial Graft
C117817	ARTERIAL GRAFT, IN-SITU		A vessel graft comprised of an artery whose origin remains intact.	In Situ Arterial Graft
C117818	AUTOLOGOUS VEIN GRAFT		A vessel graft comprised of a vein harvested from a different anatomical location.	Autologous Vein Graft
C117819	CADAVERIC GRAFT, ARTERIAL		An arterial graft harvested from a cadaver. (NCI)	Cadaveric Arterial Graft
C117820	CADAVERIC GRAFT, VENOUS		A venous graft harvested from a cadaver. (NCI)	Cadaveric Venous Graft
C117821	COMPOSITE GRAFT		A vessel graft comprised of two or more conduit materials.	Composite Vessel Graft
C117822	SAPHENOUS VEIN GRAFT	SVG	A vessel graft comprised of the saphenous vein.	Saphenous Vein Graft
C117823	SYNTHETIC GRAFT		A vessel graft comprised of non-biological material.	Synthetic Vessel Graft

## GRSTNLOC (Location of Most Severe Stenosis Within a Graft)

NCI Code: C101851, Codelist extensible: No

<b>C101851 GRSTNLOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99915	AORTIC ANASTOMOSIS OF THE GRAFT		The connection where the graft joins the aorta usually less than or equal to 3 mm from insertion point.	Aortic Anastomosis of Graft
C99918	BODY OF THE GRAFT		The portion of the graft that lies between its anastomoses.	Body of Graft
C80476	CORONARY ANASTOMOSIS OF THE GRAFT	Coronary Graft Anastomoses	The connection where the graft joins the coronary artery usually less than or equal to 3 mm from insertion point.	Coronary Graft Anastomoses

## HADS01TC (Hospital Anxiety and Depression Scale Questionnaire Test Code)

NCI Code: C103469, Codelist extensible: No

<b>C103469 HADS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103573	HADS0101	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103574	HADS0102	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103575	HADS0103	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C103576	HADS0104	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103577	HADS0105	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind
C103578	HADS0106	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103579	HADS0107	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103580	HADS0108	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103581	HADS0109	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103582	HADS0110	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103583	HADS0111	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103584	HADS0112	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103585	HADS0113	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103586	HADS0114	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C118111	HADS0115	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS0116	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression

## HADS01TN (Hospital Anxiety and Depression Scale Questionnaire Test Name)

NCI Code: C103468, Codelist extensible: No

C103468 HADS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103581	HADS01-Butterflies in the Stomach	HADS01-Butterflies in the Stomach	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling like 'butterflies' in the stomach.	HADS - I Get Frightened Feeling Like Butterflies in the Stomach
C103586	HADS01-Enjoy Good Book/Radio/Television	HADS01-Enjoy Good Book/Radio/Television	Hospital Anxiety and Depression Scale - I can enjoy a good book or radio or television programme.	HADS - I Can Enjoy a Good Book or Radio or Television Programme
C103574	HADS01-Enjoy the Things I Used to Enjoy	HADS01-Enjoy the Things I Used to Enjoy	Hospital Anxiety and Depression Scale - I still enjoy the things I used to enjoy.	HADS - I Still Enjoy the Things I Used to Enjoy
C103583	HADS01-Feel Restless be on the Move	HADS01-Feel Restless be on the Move	Hospital Anxiety and Depression Scale - I feel restless as if I have to be on the move.	HADS - I Feel Restless as if I Have to be on the Move
C103576	HADS01-I Can Laugh and See Funny Side	HADS01-I Can Laugh and See Funny Side	Hospital Anxiety and Depression Scale - I can laugh and see the funny side of things.	HADS - I Can Laugh and See Funny Side of Things
C103580	HADS01-I Feel as if I am Slowed Down	HADS01-I Feel as if I am Slowed Down	Hospital Anxiety and Depression Scale - I feel as if I am slowed down.	HADS - I Feel as if I am Slowed Down
C103578	HADS01-I Feel Cheerful	HADS01-I Feel Cheerful	Hospital Anxiety and Depression Scale - I feel cheerful.	HADS - I Feel Cheerful
C103573	HADS01-I Feel Tense or Wound Up	HADS01-I Feel Tense or Wound Up	Hospital Anxiety and Depression Scale - I feel tense or 'wound up.'	HADS - I Feel Tense or Wound Up
C103585	HADS01-I Get Sudden Feelings of Panic	HADS01-I Get Sudden Feelings of Panic	Hospital Anxiety and Depression Scale - I get sudden feelings of panic.	HADS - I Get Sudden Feelings of Panic
C103584	HADS01-Look Forward with Enjoyment	HADS01-Look Forward with Enjoyment	Hospital Anxiety and Depression Scale - I look forward with enjoyment to things.	HADS - I Look Forward with Enjoyment to Things
C103582	HADS01-Lost Interest in My Appearance	HADS01-Lost Interest in My Appearance	Hospital Anxiety and Depression Scale - I have lost interest in my appearance.	HADS - I Have Lost Interest in My Appearance
C103579	HADS01-Sit at Ease and Feel Relaxed	HADS01-Sit at Ease and Feel Relaxed	Hospital Anxiety and Depression Scale - I can sit at ease and feel relaxed.	HADS - I Can Sit at Ease and Feel Relaxed
C103575	HADS01-Something Awful About to Happen	HADS01-Something Awful About to Happen	Hospital Anxiety and Depression Scale - I get a sort of frightened feeling as if something awful is about to happen.	HADS - I Get a Frightened Feeling Something Awful is About to Happen
C118111	HADS01-Total Score Anxiety	HADS01-Total Score Anxiety	Hospital Anxiety and Depression Scale - Total score anxiety.	HADS - Total Score Anxiety
C118112	HADS01-Total Score Depression	HADS01-Total Score Depression	Hospital Anxiety and Depression Scale - Total score depression.	HADS - Total Score Depression
C103577	HADS01-Worrying Thoughts Go Through Mind	HADS01-Worrying Thoughts Go Through Mind	Hospital Anxiety and Depression Scale - Worrying thoughts go through my mind.	HADS - Worrying Thoughts Go Through My Mind

## HAI01TC (Hauser Ambulation Index Functional Test Test Code)

NCI Code: C115390, Codelist extensible: No

<b>C115390 HAI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115806	HAI0101	HAI01-Ambulation Index	Hauser Ambulation Index - Ambulation index.	HAI - Ambulation Index

## HAI01TN (Hauser Ambulation Index Functional Test Test Name)

NCI Code: C115389, Codelist extensible: No

<b>C115389 HAI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115806	HAI01-Ambulation Index	HAI01-Ambulation Index	Hauser Ambulation Index - Ambulation index.	HAI - Ambulation Index



## HAMA1TC (Hamilton Anxiety Rating Scale Clinical Classification Test Code)

NCI Code: C101819, Codelist extensible: No

C101819 HAMA1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102073	HAMA101	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102074	HAMA102	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension
C102075	HAMA103	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102076	HAMA104	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA105	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102078	HAMA106	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102079	HAMA107	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA108	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102081	HAMA109	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102082	HAMA110	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102083	HAMA111	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA112	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102085	HAMA113	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA114	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview

## HAMA1TN (Hamilton Anxiety Rating Scale Clinical Classification Test Name)

NCI Code: C101820, Codelist extensible: No

<b>C101820 HAMA1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102073	HAMA1-Anxious Mood	HAMA1-Anxious Mood	Hamilton Anxiety Rating Scale - Anxious mood: worries, anticipation of the worst, fearful anticipation, irritability.	HAMA - Anxious Mood
C102085	HAMA1-Autonomic Symptoms	HAMA1-Autonomic Symptoms	Hamilton Anxiety Rating Scale - Autonomic symptoms: dry mouth, flushing, pallor, tendency to sweat, giddiness, tension, headache, raising of hair.	HAMA - Autonomic Symptoms
C102086	HAMA1-Behavior at Interview	HAMA1-Behavior at Interview	Hamilton Anxiety Rating Scale - Behavior at interview: fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.	HAMA - Behavior at Interview
C102081	HAMA1-Cardiovascular Symptoms	HAMA1-Cardiovascular Symptoms	Hamilton Anxiety Rating Scale - Cardiovascular symptoms: tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat.	HAMA - Cardiovascular Symptoms
C102078	HAMA1-Depressed Mood	HAMA1-Depressed Mood	Hamilton Anxiety Rating Scale - Depressed mood: loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing.	HAMA - Depressed Mood
C102075	HAMA1-Fears	HAMA1-Fears	Hamilton Anxiety Rating Scale - Fears: of dark, of strangers, of being left alone, of animals, of traffic, of crowds.	HAMA - Fears
C102083	HAMA1-Gastrointestinal Symptoms	HAMA1-Gastrointestinal Symptoms	Hamilton Anxiety Rating Scale - Gastrointestinal symptoms: difficulty swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation.	HAMA - Gastrointestinal Symptoms
C102084	HAMA1-Genitourinary Symptoms	HAMA1-Genitourinary Symptoms	Hamilton Anxiety Rating Scale - Genitourinary symptoms: frequency of micturition, urgency of micturition, amenorrhoea, menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence.	HAMA - Genitourinary Symptoms
C102076	HAMA1-Insomnia	HAMA1-Insomnia	Hamilton Anxiety Rating Scale - Insomnia: difficulty falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors.	HAMA - Insomnia
C102077	HAMA1-Intellectual	HAMA1-Intellectual	Hamilton Anxiety Rating Scale - Intellectual: difficulty in concentration, poor memory.	HAMA - Intellectual
C102082	HAMA1-Respiratory Symptoms	HAMA1-Respiratory Symptoms	Hamilton Anxiety Rating Scale - Respiratory symptoms: pressure or constriction in chest, choking feelings, sighing, dyspnea.	HAMA - Respiratory Symptoms
C102079	HAMA1-Somatic (Muscular)	HAMA1-Somatic (Muscular)	Hamilton Anxiety Rating Scale - Somatic (muscular): pains and aches, twitching, stiffness, myoclonic jerks, grinding of teeth, unsteady voice, increased muscular tone.	HAMA - Somatic (Muscular)
C102080	HAMA1-Somatic (Sensory)	HAMA1-Somatic (Sensory)	Hamilton Anxiety Rating Scale - Somatic (sensory): tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.	HAMA - Somatic (Sensory)
C102074	HAMA1-Tension	HAMA1-Tension	Hamilton Anxiety Rating Scale - Tension: feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax.	HAMA - Tension

## HAMD1TC (Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Code)

NCI Code: C100138, Codelist extensible: No

C100138 HAMD1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100398	HAMD101	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-17 - Depressed Mood
C100399	HAMD102	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100400	HAMD103	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100401	HAMD104	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100402	HAMD105	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100403	HAMD106	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100404	HAMD107	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities
C100405	HAMD108	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100406	HAMD109	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD110	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD111	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety such as gastro-intestinal (dry mouth, wind, indigestion, diarrhea, cramps, belching), cardiovascular (palpitations, headaches), respiratory (hyperventilation, sighing), urinary frequency, sweating.	HAMD-17 - Somatic Anxiety
C100409	HAMD112	HAMD1-Somatic Symptoms GI	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastro-intestinal.	HAMD-17 - Gastrointestinal Somatic Symptoms
C100410	HAMD113	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD114	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms: symptoms such as loss of libido, menstrual disturbances.	HAMD-17 - Genital Symptoms
C100412	HAMD115	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100413	HAMD116A	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD116B	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100415	HAMD117	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100416	HAMD118	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score

## HAMD1TN (Hamilton Depression Rating Scale - 17 Item Clinical Classification Test Name)

NCI Code: C100137, Codelist extensible: No

<b>C100137 HAMD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100406	HAMD1-Agitation	HAMD1-Agitation	Hamilton Depression Rating Scale 17 Item - Agitation.	HAMD-17 - Agitation
C100407	HAMD1-Anxiety Psychic	HAMD1-Anxiety Psychic	Hamilton Depression Rating Scale 17 Item - Anxiety psychic.	HAMD-17 - Psychic Anxiety
C100408	HAMD1-Anxiety Somatic	HAMD1-Anxiety Somatic	Hamilton Depression Rating Scale 17 Item - Anxiety somatic: physiological concomitants of anxiety such as gastro-intestinal (dry mouth, wind, indigestion, diarrhea, cramps, belching), cardiovascular (palpitations, headaches), respiratory (hyperventilation, sighing), urinary frequency, sweating.	HAMD-17 - Somatic Anxiety
C100398	HAMD1-Depressed Mood	HAMD1-Depressed Mood	Hamilton Depression Rating Scale 17 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-17 - Depressed Mood
C100399	HAMD1-Feelings of Guilt	HAMD1-Feelings of Guilt	Hamilton Depression Rating Scale 17 Item - Feelings of guilt.	HAMD-17 - Feelings of Guilt
C100410	HAMD1-General Somatic Symptoms	HAMD1-General Somatic Symptoms	Hamilton Depression Rating Scale 17 Item - General somatic symptoms.	HAMD-17 - General Somatic Symptoms
C100411	HAMD1-Genital Symptoms	HAMD1-Genital Symptoms	Hamilton Depression Rating Scale 17 Item - Genital symptoms: symptoms such as loss of libido, menstrual disturbances.	HAMD-17 - Genital Symptoms
C100412	HAMD1-Hypochondriasis	HAMD1-Hypochondriasis	Hamilton Depression Rating Scale 17 Item - Hypochondriasis.	HAMD-17 - Hypochondriasis
C100415	HAMD1-Insight	HAMD1-Insight	Hamilton Depression Rating Scale 17 Item - Insight.	HAMD-17 - Insight
C100401	HAMD1-Insomnia Early - Early Night	HAMD1-Insomnia Early - Early Night	Hamilton Depression Rating Scale 17 Item - Insomnia: early in the night.	HAMD-17 - Insomnia - Early Night
C100403	HAMD1-Insomnia Early Hours - Morning	HAMD1-Insomnia Early Hours - Morning	Hamilton Depression Rating Scale 17 Item - Insomnia: early hours of the morning.	HAMD-17 - Insomnia - Early Morning
C100402	HAMD1-Insomnia Middle - Middle Night	HAMD1-Insomnia Middle - Middle Night	Hamilton Depression Rating Scale 17 Item - Insomnia: middle of the night.	HAMD-17 - Insomnia - Middle Night
C100413	HAMD1-Loss of WT According to Patient	HAMD1-Loss of WT According to Patient	Hamilton Depression Rating Scale 17 Item - Loss of weight according to the patient.	HAMD-17 - Loss of Weight According to Patient
C100414	HAMD1-Loss of WT According to WK Meas	HAMD1-Loss of WT According to WK Meas	Hamilton Depression Rating Scale 17 Item - Loss of weight according to weekly measurements.	HAMD-17 - Loss of Weight According to Weekly Measurements
C100405	HAMD1-Retardation	HAMD1-Retardation	Hamilton Depression Rating Scale 17 Item - Retardation.	HAMD-17 - Retardation
C100409	HAMD1-Somatic Symptoms GI	HAMD1-Somatic Symptoms GI	Hamilton Depression Rating Scale 17 Item - Somatic symptoms gastro-intestinal.	HAMD-17 - Gastrointestinal Somatic Symptoms
C100400	HAMD1-Suicide	HAMD1-Suicide	Hamilton Depression Rating Scale 17 Item - Suicide.	HAMD-17 - Suicide
C100416	HAMD1-Total Score	HAMD1-Total Score	Hamilton Depression Rating Scale 17 Item - Total Score.	HAMD-17 - Total Score
C100404	HAMD1-Work and Activities	HAMD1-Work and Activities	Hamilton Depression Rating Scale 17 Item - Work and activities.	HAMD-17 - Work and Activities

## HAMD2TC (Hamilton Depression Rating Scale 21-Item Clinical Classification Test Code)

NCI Code: C101821, Codelist extensible: No

<b>C101821 HAMD2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102087	HAMD201	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102088	HAMD202	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102089	HAMD203	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102090	HAMD204	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102091	HAMD205	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102092	HAMD206	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102093	HAMD207	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities
C102094	HAMD208	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102095	HAMD209	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD210	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD211	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102098	HAMD212	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal
C102099	HAMD213	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102100	HAMD214	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD215	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102102	HAMD216A	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD216B	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102104	HAMD217	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102105	HAMD218A	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102106	HAMD218B	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102107	HAMD219	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102108	HAMD220	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms

**C101821 HAMD2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102109	HAMD221	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102110	HAMD222	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score

## HAMD2TN (Hamilton Depression Rating Scale 21-Item Clinical Classification Test Name)

NCI Code: C101822, Codelist extensible: No

C101822 HAMD2TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102095	HAMD2-Agitation	HAMD2-Agitation	Hamilton Depression Rating Scale 21 Item - Agitation.	HAMD-21 - Agitation
C102096	HAMD2-Anxiety Psychological	HAMD2-Anxiety Psychological	Hamilton Depression Rating Scale 21 Item - Anxiety Psychological.	HAMD-21 - Anxiety Psychological
C102097	HAMD2-Anxiety Somatic	HAMD2-Anxiety Somatic	Hamilton Depression Rating Scale 21 Item - Anxiety somatic: physiological concomitants of anxiety, (i.e., effects of autonomic overactivity, 'butterflies,' indigestion, stomach cramps, belching, diarrhea, palpitations, hyperventilation, paresthesia, sweating, flushing, tremor, headache, urinary frequency).	HAMD-21 - Anxiety Somatic
C102107	HAMD2-Depersonalization/Derealization	HAMD2-Depersonalization/Derealization	Hamilton Depression Rating Scale 21 Item - Depersonalization and derealization: such as feelings of unreality; nihilistic ideas.	HAMD-21 - Depersonalization and Derealization
C102087	HAMD2-Depressed Mood	HAMD2-Depressed Mood	Hamilton Depression Rating Scale 21 Item - Depressed mood: sadness, hopeless, helpless, worthless.	HAMD-21 - Depressed Mood
C102105	HAMD2-Diurnal Variation	HAMD2-Diurnal Variation	Hamilton Depression Rating Scale 21 Item - Diurnal variation.	HAMD-21 - Diurnal Variation
C102106	HAMD2-Diurnal Variation Severity	HAMD2-Diurnal Variation Severity	Hamilton Depression Rating Scale 21 Item - Diurnal variation severity.	HAMD-21 - Diurnal Variation Severity
C102088	HAMD2-Feelings of Guilt	HAMD2-Feelings of Guilt	Hamilton Depression Rating Scale 21 Item - Feelings of guilt.	HAMD-21 - Feelings of Guilt
C102100	HAMD2-Genital Symptoms	HAMD2-Genital Symptoms	Hamilton Depression Rating Scale 21 Item - Genital symptoms: symptoms such as: loss of libido; impaired sexual performance; menstrual disturbances.	HAMD-21 - Genital Symptoms
C102101	HAMD2-Hypochondriasis	HAMD2-Hypochondriasis	Hamilton Depression Rating Scale 21 Item - Hypochondriasis.	HAMD-21 - Hypochondriasis
C102104	HAMD2-Insight	HAMD2-Insight	Hamilton Depression Rating Scale 21 Item - Insight.	HAMD-21 - Insight
C102090	HAMD2-Insomnia Early	HAMD2-Insomnia Early	Hamilton Depression Rating Scale 21 Item - Insomnia early.	HAMD-21 - Insomnia Early
C102092	HAMD2-Insomnia Late	HAMD2-Insomnia Late	Hamilton Depression Rating Scale 21 Item - Insomnia late.	HAMD-21 - Insomnia Late
C102091	HAMD2-Insomnia Middle	HAMD2-Insomnia Middle	Hamilton Depression Rating Scale 21 Item - Insomnia middle.	HAMD-21 - Insomnia Middle
C102102	HAMD2-Loss of Weight by History	HAMD2-Loss of Weight by History	Hamilton Depression Rating Scale 21 Item - Loss of weight when rating by history.	HAMD-21 - Loss of Weight by History
C102103	HAMD2-Loss of Weight Measured	HAMD2-Loss of Weight Measured	Hamilton Depression Rating Scale 21 Item - Loss of weight on weekly ratings by war psychiatrist, when actual weight changes are measured.	HAMD-21 - Loss of Weight Measured
C102109	HAMD2-Obsessional/Compulsive Symptoms	HAMD2-Obsessional/Compulsive Symptoms	Hamilton Depression Rating Scale 21 Item - Obsessional and compulsive symptoms.	HAMD-21 - Obsessional and Compulsive Symptoms
C102108	HAMD2-Paranoid Symptoms	HAMD2-Paranoid Symptoms	Hamilton Depression Rating Scale 21 Item - Paranoid symptoms.	HAMD-21 - Paranoid Symptoms
C102094	HAMD2-Retardation	HAMD2-Retardation	Hamilton Depression Rating Scale 21 Item - Retardation: psychomotor (slowness of thought and speech; impaired ability to concentrate; decreased motor activity).	HAMD-21 - Retardation
C102098	HAMD2-Somatic Symptoms Gastro-intestinal	HAMD2-Somatic Symptoms Gastro-intestinal	Hamilton Depression Rating Scale 21 Item - Somatic symptoms gastro-intestinal.	HAMD-21 - Somatic Symptoms Gastro-intestinal

**C101822 HAMD2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102099	HAMD2-Somatic Symptoms General	HAMD2-Somatic Symptoms General	Hamilton Depression Rating Scale 21 Item - Somatic symptoms general.	HAMD-21 - Somatic Symptoms General
C102089	HAMD2-Suicide	HAMD2-Suicide	Hamilton Depression Rating Scale 21 Item - Suicide.	HAMD-21 - Suicide
C102110	HAMD2-Total Score	HAMD2-Total Score	Hamilton Depression Rating Scale 21 Item - Total score.	HAMD-21 - Total Score
C102093	HAMD2-Work and Activities	HAMD2-Work and Activities	Hamilton Depression Rating Scale 21 Item - Work and activities.	HAMD-21 - Work and Activities



## HAMD3TC (Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Code)

NCI Code: C130245, Codelist extensible: No

C130245 HAMD3TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130335	HAMD301	HAMD3-Depressed Mood	Hamilton Depression Rating Scale 24 Item - Depressed mood.	HAMD 24 - Depressed Mood
C130336	HAMD302	HAMD3-Low Self-Esteem, Guilt	Hamilton Depression Rating Scale 24 Item - Low self-esteem, guilt.	HAMD 24 - Low Self-esteem, Guilt
C130337	HAMD303	HAMD3-Suicidal Thoughts	Hamilton Depression Rating Scale 24 Item - Suicidal thoughts.	HAMD 24 - Suicidal Thoughts
C130338	HAMD304	HAMD3-Insomnia - Initial	Hamilton Depression Rating Scale 24 Item - Insomnia - initial.	HAMD 24 - Insomnia - Initial
C130339	HAMD305	HAMD3-Insomnia - Middle	Hamilton Depression Rating Scale 24 Item - Insomnia - middle.	HAMD 24 - Insomnia - Middle
C130340	HAMD306	HAMD3-Insomnia - Late	Hamilton Depression Rating Scale 24 Item - Insomnia - late.	HAMD 24 - Insomnia - Late
C130341	HAMD307	HAMD3-Work and Interests	Hamilton Depression Rating Scale 24 Item - Work and interests.	HAMD 24 - Work and Interests
C130342	HAMD308	HAMD3-Psychomotor Retardation	Hamilton Depression Rating Scale 24 Item - Psychomotor retardation.	HAMD 24 - Psychomotor Retardation
C130343	HAMD309	HAMD3-Psychomotor Agitation	Hamilton Depression Rating Scale 24 Item - Psychomotor agitation.	HAMD 24 - Psychomotor Agitation
C130344	HAMD310	HAMD3-Anxiety - Psychic	Hamilton Depression Rating Scale 24 Item - Anxiety - psychic.	HAMD 24 - Anxiety, Psychic
C130345	HAMD311	HAMD3-Anxiety - Somatic	Hamilton Depression Rating Scale 24 Item - Anxiety - somatic.	HAMD 24 - Anxiety, Somatic
C130346	HAMD312	HAMD3-GI Symptoms (Appetite)	Hamilton Depression Rating Scale 24 Item - Gastrointestinal symptoms (appetite).	HAMD 24 - Gastrointestinal Symptoms (Appetite)
C130347	HAMD313	HAMD3-Somatic Symptoms - General	Hamilton Depression Rating Scale 24 Item - Somatic symptoms - general.	HAMD 24 - Somatic Symptoms, General
C130348	HAMD314	HAMD3-Sexual Disturbances	Hamilton Depression Rating Scale 24 Item - Sexual disturbances.	HAMD 24 - Sexual Disturbances
C130349	HAMD315	HAMD3-Hypochondriasis (Somatisation)	Hamilton Depression Rating Scale 24 Item - Hypochondriasis (somatisation).	HAMD 24 - Hypochondriasis (Somatisation)
C130350	HAMD316	HAMD3-Insight	Hamilton Depression Rating Scale 24 Item - Insight.	HAMD 24 - Insight
C130351	HAMD317	HAMD3-Weight Loss	Hamilton Depression Rating Scale 24 Item - Weight loss.	HAMD 24 - Weight Loss
C130352	HAMD318	HAMD3-Diurnal Variation	Hamilton Depression Rating Scale 24 Item - Diurnal variation.	HAMD 24 - Diurnal Variation
C130353	HAMD319	HAMD3-Depersonalization/Derealization	Hamilton Depression Rating Scale 24 Item - Depersonalization/derealization.	HAMD 24 - Depersonalization and Derealisation
C130354	HAMD320	HAMD3-Paranoid Symptoms	Hamilton Depression Rating Scale 24 Item - Paranoid symptoms.	HAMD 24 - Paranoid Symptoms
C130355	HAMD321	HAMD3-Observational/Compulsive Symptoms	Hamilton Depression Rating Scale 24 Item - Observational/compulsive symptoms.	HAMD 24 - Obsessional and Compulsive Symptoms
C130356	HAMD322	HAMD3-Helplessness	Hamilton Depression Rating Scale 24 Item - Helplessness.	HAMD 24 - Helplessness
C130357	HAMD323	HAMD3-Hopelessness	Hamilton Depression Rating Scale 24 Item - Hopelessness.	HAMD 24 - Hopelessness
C130358	HAMD324	HAMD3-Worthlessness	Hamilton Depression Rating Scale 24 Item - Worthlessness.	HAMD 24 - Worthlessness
C130359	HAMD325	HAMD3-Total Score	Hamilton Depression Rating Scale 24 Item - Total score.	HAMD 24 - Total Score

## HAMD3TN (Hamilton Depression Rating Scale - 24 Item Clinical Classification Test Name)

NCI Code: C130244, Codelist extensible: No

<b>C130244 HAMD3TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130344	HAMD3-Anxiety - Psychic	HAMD3-Anxiety - Psychic	Hamilton Depression Rating Scale 24 Item - Anxiety - psychic.	HAMD 24 - Anxiety, Psychic
C130345	HAMD3-Anxiety - Somatic	HAMD3-Anxiety - Somatic	Hamilton Depression Rating Scale 24 Item - Anxiety - somatic.	HAMD 24 - Anxiety, Somatic
C130353	HAMD3-Depersonalization/Derealization	HAMD3-Depersonalization/Derealization	Hamilton Depression Rating Scale 24 Item - Depersonalization/derealization.	HAMD 24 - Depersonalization and Derealisation
C130335	HAMD3-Depressed Mood	HAMD3-Depressed Mood	Hamilton Depression Rating Scale 24 Item - Depressed mood.	HAMD 24 - Depressed Mood
C130352	HAMD3-Diurnal Variation	HAMD3-Diurnal Variation	Hamilton Depression Rating Scale 24 Item - Diurnal variation.	HAMD 24 - Diurnal Variation
C130346	HAMD3-GI Symptoms (Appetite)	HAMD3-GI Symptoms (Appetite)	Hamilton Depression Rating Scale 24 Item - Gastrointestinal symptoms (appetite).	HAMD 24 - Gastrointestinal Symptoms (Appetite)
C130356	HAMD3-Helplessness	HAMD3-Helplessness	Hamilton Depression Rating Scale 24 Item - Helplessness.	HAMD 24 - Helplessness
C130357	HAMD3-Hopelessness	HAMD3-Hopelessness	Hamilton Depression Rating Scale 24 Item - Hopelessness.	HAMD 24 - Hopelessness
C130349	HAMD3-Hypochondriasis (Somatisation)	HAMD3-Hypochondriasis (Somatisation)	Hamilton Depression Rating Scale 24 Item - Hypochondriasis (somatisation).	HAMD 24 - Hypochondriasis (Somatisation)
C130350	HAMD3-Insight	HAMD3-Insight	Hamilton Depression Rating Scale 24 Item - Insight.	HAMD 24 - Insight
C130338	HAMD3-Insomnia - Initial	HAMD3-Insomnia - Initial	Hamilton Depression Rating Scale 24 Item - Insomnia - initial.	HAMD 24 - Insomnia - Initial
C130340	HAMD3-Insomnia - Late	HAMD3-Insomnia - Late	Hamilton Depression Rating Scale 24 Item - Insomnia - late.	HAMD 24 - Insomnia - Late
C130339	HAMD3-Insomnia - Middle	HAMD3-Insomnia - Middle	Hamilton Depression Rating Scale 24 Item - Insomnia - middle.	HAMD 24 - Insomnia - Middle
C130336	HAMD3-Low Self-Esteem, Guilt	HAMD3-Low Self-Esteem, Guilt	Hamilton Depression Rating Scale 24 Item - Low self-esteem, guilt.	HAMD 24 - Low Self-esteem, Guilt
C130355	HAMD3-Observational/Compulsive Symptoms	HAMD3-Observational/Compulsive Symptoms	Hamilton Depression Rating Scale 24 Item - Observational/compulsive symptoms.	HAMD 24 - Obsessional and Compulsive Symptoms
C130354	HAMD3-Paranoid Symptoms	HAMD3-Paranoid Symptoms	Hamilton Depression Rating Scale 24 Item - Paranoid symptoms.	HAMD 24 - Paranoid Symptoms
C130343	HAMD3-Psychomotor Agitation	HAMD3-Psychomotor Agitation	Hamilton Depression Rating Scale 24 Item - Psychomotor agitation.	HAMD 24 - Psychomotor Agitation
C130342	HAMD3-Psychomotor Retardation	HAMD3-Psychomotor Retardation	Hamilton Depression Rating Scale 24 Item - Psychomotor retardation.	HAMD 24 - Psychomotor Retardation
C130348	HAMD3-Sexual Disturbances	HAMD3-Sexual Disturbances	Hamilton Depression Rating Scale 24 Item - Sexual disturbances.	HAMD 24 - Sexual Disturbances
C130347	HAMD3-Somatic Symptoms - General	HAMD3-Somatic Symptoms - General	Hamilton Depression Rating Scale 24 Item - Somatic symptoms - general.	HAMD 24 - Somatic Symptoms, General
C130337	HAMD3-Suicidal Thoughts	HAMD3-Suicidal Thoughts	Hamilton Depression Rating Scale 24 Item - Suicidal thoughts.	HAMD 24 - Suicidal Thoughts
C130359	HAMD3-Total Score	HAMD3-Total Score	Hamilton Depression Rating Scale 24 Item - Total score.	HAMD 24 - Total Score
C130351	HAMD3-Weight Loss	HAMD3-Weight Loss	Hamilton Depression Rating Scale 24 Item - Weight loss.	HAMD 24 - Weight Loss
C130341	HAMD3-Work and Interests	HAMD3-Work and Interests	Hamilton Depression Rating Scale 24 Item - Work and interests.	HAMD 24 - Work and Interests
C130358	HAMD3-Worthlessness	HAMD3-Worthlessness	Hamilton Depression Rating Scale 24 Item - Worthlessness.	HAMD 24 - Worthlessness

**HAMD4TC (Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Code)**

NCI Code: C130243, Codelist extensible: No

<b>C130243 HAMD4TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130328	HAMD401	HAMD4-Depressed Mood	The Hamilton Depression Rating Scale 6 - Clinician Version - Depressed mood.	HAM-D6 - Clinician Version - Depressed Mood
C130329	HAMD402	HAMD4-Low Self-esteem and Guilt	The Hamilton Depression Rating Scale 6 - Clinician Version - Low self-esteem and guilt.	HAM-D6 - Clinician Version - Low Self-esteem and Guilt
C130330	HAMD403	HAMD4-Social Life Activities/Interests	The Hamilton Depression Rating Scale 6 - Clinician Version - Social life activities and interests.	HAM-D6 - Clinician Version - Social Life Activities or Interests
C130331	HAMD404	HAMD4-Psychomotor Retardation, General	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychomotor retardation, general.	HAM-D6 - Clinician Version - Psychomotor Retardation, General
C130332	HAMD405	HAMD4-Psychic Anxiety	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychic anxiety.	HAM-D6 - Clinician Version - Psychic Anxiety
C130333	HAMD406	HAMD4-Tiredness and Pains	The Hamilton Depression Rating Scale 6 - Clinician Version - Tiredness and pains.	HAM-D6 - Clinician Version - Tiredness and Pains
C130334	HAMD407	HAMD4-Total Score	The Hamilton Depression Rating Scale 6 - Clinician Version - Total score.	HAM-D6 - Clinician Version - Total Score

**HAMD4TN (Hamilton Depression Rating Scale - 6 Clinician Version Clinical Classification Test Name)**

NCI Code: C130242, Codelist extensible: No

<b>C130242 HAMD4TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130328	HAMD4-Depressed Mood	HAMD4-Depressed Mood	The Hamilton Depression Rating Scale 6 - Clinician Version - Depressed mood.	HAM-D6 - Clinician Version - Depressed Mood
C130329	HAMD4-Low Self-esteem and Guilt	HAMD4-Low Self-esteem and Guilt	The Hamilton Depression Rating Scale 6 - Clinician Version - Low self-esteem and guilt.	HAM-D6 - Clinician Version - Low Self-esteem and Guilt
C130332	HAMD4-Psychic Anxiety	HAMD4-Psychic Anxiety	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychic anxiety.	HAM-D6 - Clinician Version - Psychic Anxiety
C130331	HAMD4-Psychomotor Retardation, General	HAMD4-Psychomotor Retardation, General	The Hamilton Depression Rating Scale 6 - Clinician Version - Psychomotor retardation, general.	HAM-D6 - Clinician Version - Psychomotor Retardation, General
C130330	HAMD4-Social Life Activities/Interests	HAMD4-Social Life Activities/Interests	The Hamilton Depression Rating Scale 6 - Clinician Version - Social life activities and interests.	HAM-D6 - Clinician Version - Social Life Activities or Interests
C130333	HAMD4-Tiredness and Pains	HAMD4-Tiredness and Pains	The Hamilton Depression Rating Scale 6 - Clinician Version - Tiredness and pains.	HAM-D6 - Clinician Version - Tiredness and Pains
C130334	HAMD4-Total Score	HAMD4-Total Score	The Hamilton Depression Rating Scale 6 - Clinician Version - Total score.	HAM-D6 - Clinician Version - Total Score

## HAMDS1TC (Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Code)

NCI Code: C130259, Codelist extensible: No

C130259 HAMDS1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130545	HAMDS101	HAMDS1-Depressed Mood	Hamilton Depression Rating Scale 6 - Self-Report Version - (1)=Depressed mood per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Depressed Mood
C130546	HAMDS102	HAMDS1-Low Self-esteem and Guilt	Hamilton Depression Rating Scale 6 - Self-Report Version - (2)=Low self-esteem and guilt per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Low Self-esteem and Guilt
C130547	HAMDS103	HAMDS1-Social Life Activities/Interests	Hamilton Depression Rating Scale 6 - Self-Report Version - (3)=Social life activities and interests per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Social Life Activities or Interests
C130548	HAMDS104	HAMDS1-Psychomotor Retardation, General	Hamilton Depression Rating Scale 6 - Self-Report Version - (4)=Psychomotor retardation, general per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychomotor Retardation
C130549	HAMDS105	HAMDS1-Psychic Anxiety	Hamilton Depression Rating Scale 6 - Self-Report Version - (5)=Psychic anxiety per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychic Anxiety
C130550	HAMDS106	HAMDS1-Tiredness and Pains	Hamilton Depression Rating Scale 6 - Self-Report Version - (6)=Tiredness and pains per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Tiredness and Pains

## HAMDS1TN (Hamilton Depression Rating Scale - 6 Self-Report Questionnaire Test Name)

NCI Code: C130258, Codelist extensible: No

C130258 HAMDS1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130545	HAMDS1-Depressed Mood	HAMDS1-Depressed Mood	Hamilton Depression Rating Scale 6 - Self-Report Version - (1)=Depressed mood per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Depressed Mood
C130546	HAMDS1-Low Self-esteem and Guilt	HAMDS1-Low Self-esteem and Guilt	Hamilton Depression Rating Scale 6 - Self-Report Version - (2)=Low self-esteem and guilt per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Low Self-esteem and Guilt
C130549	HAMDS1-Psychic Anxiety	HAMDS1-Psychic Anxiety	Hamilton Depression Rating Scale 6 - Self-Report Version - (5)=Psychic anxiety per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychic Anxiety
C130548	HAMDS1-Psychomotor Retardation, General	HAMDS1-Psychomotor Retardation, General	Hamilton Depression Rating Scale 6 - Self-Report Version - (4)=Psychomotor retardation, general per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Psychomotor Retardation
C130547	HAMDS1-Social Life Activities/Interests	HAMDS1-Social Life Activities/Interests	Hamilton Depression Rating Scale 6 - Self-Report Version - (3)=Social life activities and interests per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Social Life Activities or Interests
C130550	HAMDS1-Tiredness and Pains	HAMDS1-Tiredness and Pains	Hamilton Depression Rating Scale 6 - Self-Report Version - (6)=Tiredness and pains per clinician version: How you have been feeling over the past three days, including today.	HAM-D6 Self-Report Version - Tiredness and Pains

## HAQ01TC (Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Code)

NCI Code: C106667, Codelist extensible: No

C106667 HAQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106809	HAQ0101	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI With VAS - Able to Dress Yourself
C106810	HAQ0102	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI With VAS - Able to Shampoo Hair
C106811	HAQ0103	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI With VAS - Able to Stand Up From Chair
C106812	HAQ0104	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI With VAS - Able to Get In and Out of Bed
C106813	HAQ0105	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI With VAS - Able to Cut Meat
C106814	HAQ0106	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI With VAS - Able to Lift Cup or Glass to Mouth
C106815	HAQ0107	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI With VAS - Able to Open Milk Carton
C106816	HAQ0108	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI With VAS - Able to Walk Outdoors On Flat Ground
C106817	HAQ0109	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI With VAS - Able to Climb Up Steps
C106818	HAQ0110	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI With VAS - Aids or Devices - Cane
C106819	HAQ0111	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI With VAS - Aids or Devices - Walker
C106820	HAQ0112	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI With VAS - Aids or Devices - Crutches
C106821	HAQ0113	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI With VAS - Aids or Devices - Wheelchair
C106822	HAQ0114	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI With VAS - Aids or Devices - Used For Dressing
C106823	HAQ0115	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI With VAS - Aids or Devices - Built Up or Special Utensils
C106824	HAQ0116	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI With VAS - Aids or Devices - Special or Built Up Chair
C106825	HAQ0117	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Other
C106826	HAQ0118	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Specify

**C106667 HAQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106827	HAQ0119	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI With VAS - Help From Another Person - Dressing and Grooming
C106828	HAQ0120	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI With VAS - Help From Another Person - Arising
C106829	HAQ0121	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI With VAS - Help From Another Person - Eating
C106830	HAQ0122	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI With VAS - Help From Another Person - Walking
C106831	HAQ0123	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI With VAS - Able to Wash and Dry Body
C106832	HAQ0124	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI With VAS - Able to Take Tub Bath
C106833	HAQ0125	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI With VAS - Able to Get On and Off Toilet
C106834	HAQ0126	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI With VAS - Able to Reach and Get Down Object From Above Head
C106835	HAQ0127	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI With VAS - Able to Bend Down and Pick Up Clothing From Floor
C106836	HAQ0128	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI With VAS - Able to Open Car Doors
C106837	HAQ0129	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI With VAS - Able to Open Previously Opened Jars
C106838	HAQ0130	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI With VAS - Able to Turn Faucets On and Off
C106839	HAQ0131	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI With VAS - Able to Run Errands and Shop
C106840	HAQ0132	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI With VAS - Able to Get In and Out of Car
C106841	HAQ0133	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI With VAS - Able to Do Chores - Vacuuming or Yardwork
C106842	HAQ0134	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI With VAS - Aids or Devices - Raised Toilet Seat
C106843	HAQ0135	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI With VAS - Aids or Devices - Bathtub Seat
C107020	HAQ0136	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI With VAS - Aids or Devices - Jar Opener (Jars Previously Opened)
C106844	HAQ0137	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI With VAS - Aids or Devices - Bathtub Bar
C106845	HAQ0138	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances for Reach



**C106667 HAQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106846	HAQ0139	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances in Bathroom
C107093	HAQ0140	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Other
C107094	HAQ0141	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Specify
C106847	HAQ0142	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI With VAS - Help From Another Person - Hygiene
C106848	HAQ0143	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI With VAS - Help From Another Person - Reach
C106849	HAQ0144	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI With VAS - Help From Another Person - Gripping and Opening Things
C106850	HAQ0145	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI With VAS - Help From Another Person - Errands and Chores
C106851	HAQ0146	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - How much pain have you had because of your illness in the past week?	HAQ-DI With VAS - Severity of Pain in the Past Week

**HAQ01TN (Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire Test Name)**

NCI Code: C106666, Codelist extensible: No

<b>C106666 HAQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106841	HAQ01-Able to Do Chores	HAQ01-Able to Do Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI With VAS - Able to Do Chores - Vacuuming or Yardwork
C106844	HAQ01-Aid: Bathtub Bar	HAQ01-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI With VAS - Aids or Devices - Bathtub Bar
C106843	HAQ01-Aid: Bathtub Seat	HAQ01-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI With VAS - Aids or Devices - Bathtub Seat
C106823	HAQ01-Aid: Built Up or Special Utensils	HAQ01-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI With VAS - Aids or Devices - Built Up or Special Utensils
C106818	HAQ01-Aid: Cane	HAQ01-Aid: Cane	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI With VAS - Aids or Devices - Cane
C106820	HAQ01-Aid: Crutches	HAQ01-Aid: Crutches	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI With VAS - Aids or Devices - Crutches
C106822	HAQ01-Aid: Devices Used for Dressing	HAQ01-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI With VAS - Aids or Devices - Used For Dressing
C107020	HAQ01-Aid: Jar Opener (Previously Open)	HAQ01-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI With VAS - Aids or Devices - Jar Opener (Jars Previously Opened)
C106846	HAQ01-Aid: Long-Handled Appl Bathroom	HAQ01-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances in Bathroom
C106845	HAQ01-Aid: Long-Handled Appl Reach	HAQ01-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI With VAS - Aids or Devices - Long-Handled Appliances for Reach
C106842	HAQ01-Aid: Raised Toilet Seat	HAQ01-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI With VAS - Aids or Devices - Raised Toilet Seat
C106824	HAQ01-Aid: Special or Built Up Chair	HAQ01-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI With VAS - Aids or Devices - Special or Built Up Chair
C106819	HAQ01-Aid: Walker	HAQ01-Aid: Walker	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI With VAS - Aids or Devices - Walker
C106821	HAQ01-Aid: Wheelchair	HAQ01-Aid: Wheelchair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI With VAS - Aids or Devices - Wheelchair
C106835	HAQ01-Bend Down Pick Up Clothing - Floor	HAQ01-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI With VAS - Able to Bend Down and Pick Up Clothing From Floor
C106817	HAQ01-Climb Up Five Steps	HAQ01-Climb Up Five Steps	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI With VAS - Able to Climb Up Steps
C106813	HAQ01-Cut Your Meat	HAQ01-Cut Your Meat	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI With VAS - Able to Cut Meat

**C106666 HAQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106809	HAQ01-Dress Yourself	HAQ01-Dress Yourself	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI With VAS - Able to Dress Yourself
C106840	HAQ01-Get In and Out of a Car	HAQ01-Get In and Out of a Car	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI With VAS - Able to Get In and Out of Car
C106812	HAQ01-Get In and Out of Bed	HAQ01-Get In and Out of Bed	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI With VAS - Able to Get In and Out of Bed
C106833	HAQ01-Get On and Off The Toilet	HAQ01-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI With VAS - Able to Get On and Off Toilet
C106828	HAQ01-Help: Arising	HAQ01-Help: Arising	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI With VAS - Help From Another Person - Arising
C106827	HAQ01-Help: Dressing and Grooming	HAQ01-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI With VAS - Help From Another Person - Dressing and Grooming
C106829	HAQ01-Help: Eating	HAQ01-Help: Eating	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI With VAS - Help From Another Person - Eating
C106850	HAQ01-Help: Errands and Chores	HAQ01-Help: Errands and Chores	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI With VAS - Help From Another Person - Errands and Chores
C106849	HAQ01-Help: Gripping and Opening Things	HAQ01-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI With VAS - Help From Another Person - Gripping and Opening Things
C106847	HAQ01-Help: Hygiene	HAQ01-Help: Hygiene	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI With VAS - Help From Another Person - Hygiene
C106848	HAQ01-Help: Reach	HAQ01-Help: Reach	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI With VAS - Help From Another Person - Reach
C106830	HAQ01-Help: Walking	HAQ01-Help: Walking	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI With VAS - Help From Another Person - Walking
C106814	HAQ01-Lift a Full Cup or Glass to Mouth	HAQ01-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI With VAS - Able to Lift Cup or Glass to Mouth
C106815	HAQ01-Open a New Milk Carton	HAQ01-Open a New Milk Carton	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI With VAS - Able to Open Milk Carton
C106836	HAQ01-Open Car Doors	HAQ01-Open Car Doors	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI With VAS - Able to Open Car Doors
C106837	HAQ01-Open Jars Previously Opened	HAQ01-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI With VAS - Able to Open Previously Opened Jars
C106825	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	HAQ01-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Other
C107093	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	HAQ01-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Other
C106834	HAQ01-Reach-Get Down 5 Lb Obj Above Head	HAQ01-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5 pound object (such as a bag of sugar) from just above your head?	HAQ-DI With VAS - Able to Reach and Get Down Object From Above Head
C106839	HAQ01-Run Errands and Shop	HAQ01-Run Errands and Shop	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI With VAS - Able to Run Errands and Shop

**C106666 HAQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106851	HAQ01-Severity of Pain	HAQ01-Severity of Pain	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - How much pain have you had because of your illness in the past week?	HAQ-DI With VAS - Severity of Pain in the Past Week
C106810	HAQ01-Shampoo Your Hair	HAQ01-Shampoo Your Hair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI With VAS - Able to Shampoo Hair
C106826	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	HAQ01-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Dress/Arising/Eat/Walk-Specify
C107094	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	HAQ01-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI With VAS - Aids or Devices For Hygiene/Reach/Grip/Act-Specify
C106811	HAQ01-Stand Up From a Straight Chair	HAQ01-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI With VAS - Able to Stand Up From Chair
C106832	HAQ01-Take a Tub Bath	HAQ01-Take a Tub Bath	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI With VAS - Able to Take Tub Bath
C106838	HAQ01-Turn Faucets On And Off	HAQ01-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI With VAS - Able to Turn Faucets On and Off
C106816	HAQ01-Walk Outdoors on Flat Ground	HAQ01-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI With VAS - Able to Walk Outdoors On Flat Ground
C106831	HAQ01-Wash and Dry Your Body	HAQ01-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI With VAS - Able to Wash and Dry Body

## HAQ02TC (Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Code)

NCI Code: C132523, Codelist extensible: No

C132523 HAQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132573	HAQ0201	HAQ02-Dress Yourself	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI Without VAS - Dress Yourself
C132574	HAQ0202	HAQ02-Shampoo Your Hair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI Without VAS - Shampoo Your Hair
C132575	HAQ0203	HAQ02-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI Without VAS - Stand Up From a Straight Chair
C132576	HAQ0204	HAQ02-Get In and Out of Bed	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI Without VAS - Get In and Out of Bed
C132577	HAQ0205	HAQ02-Cut Your Meat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI Without VAS - Cut Your Meat
C132578	HAQ0206	HAQ02-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI Without VAS - Lift a Full Cup or Glass to Mouth
C132579	HAQ0207	HAQ02-Open a New Milk Carton	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI Without VAS - Open a New Milk Carton
C132580	HAQ0208	HAQ02-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI Without VAS - Walk Outdoors on Flat Ground
C132581	HAQ0209	HAQ02-Climb Up Five Steps	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI Without VAS - Climb Up Five Steps
C132582	HAQ0210	HAQ02-Aid: Cane	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI Without VAS - Aid: Cane
C132583	HAQ0211	HAQ02-Aid: Walker	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI Without VAS - Aid: Walker
C132584	HAQ0212	HAQ02-Aid: Crutches	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI Without VAS - Aid: Crutches
C132585	HAQ0213	HAQ02-Aid: Wheelchair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI Without VAS - Aid: Wheelchair
C132586	HAQ0214	HAQ02-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI Without VAS - Aid: Devices Used for Dressing
C132587	HAQ0215	HAQ02-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI Without VAS - Aid: Built Up or Special Utensils
C132588	HAQ0216	HAQ02-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI Without VAS - Aid: Special or Built Up Chair
C132589	HAQ0217	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Dress or Arising or Eat or Walk)
C132590	HAQ0218	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Dress or Arising or Eat or Walk)

**C132523 HAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132591	HAQ0219	HAQ02-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI Without VAS - Help: Dressing and Grooming
C132592	HAQ0220	HAQ02-Help: Arising	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI Without VAS - Help: Arising
C132593	HAQ0221	HAQ02-Help: Eating	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI Without VAS - Help: Eating
C132594	HAQ0222	HAQ02-Help: Walking	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI Without VAS - Help: Walking
C132595	HAQ0223	HAQ02-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI Without VAS - Wash and Dry Your Body
C132596	HAQ0224	HAQ02-Take a Tub Bath	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI Without VAS - Take a Tub Bath
C132597	HAQ0225	HAQ02-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI Without VAS - Get On and Off The Toilet
C132598	HAQ0226	HAQ02-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5-pound object (such as a bag of sugar) from just above your head?	HAQ-DI Without VAS - Reach-Get Down 5 Lb Object Above Head
C132599	HAQ0227	HAQ02-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI Without VAS - Bend Down Pick Up Clothing - Floor
C132600	HAQ0228	HAQ02-Open Car Doors	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI Without VAS - Open Car Doors
C132601	HAQ0229	HAQ02-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI Without VAS - Open Jars Previously Opened
C132602	HAQ0230	HAQ02-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI Without VAS - Turn Faucets On And Off
C132603	HAQ0231	HAQ02-Run Errands and Shop	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI Without VAS - Run Errands and Shop
C132604	HAQ0232	HAQ02-Get In and Out of a Car	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI Without VAS - Get In and Out of a Car
C132605	HAQ0233	HAQ02-Able to Do Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI Without VAS - Able to Do Chores
C132606	HAQ0234	HAQ02-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI Without VAS - Aid: Raised Toilet Seat
C132607	HAQ0235	HAQ02-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI Without VAS - Aid: Bathtub Seat
C132608	HAQ0236	HAQ02-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI Without VAS - Aid: Jar Opener (Previously Open)
C132609	HAQ0237	HAQ02-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI Without VAS - Aid: Bathtub Bar
C132610	HAQ0238	HAQ02-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Reach

**C132523 HAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132611	HAQ0239	HAQ02-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Bathroom
C132612	HAQ0240	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Hygiene or Reach or Grip or Act)
C132613	HAQ0241	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Hygiene or Reach or Grip or Act)
C132614	HAQ0242	HAQ02-Help: Hygiene	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI Without VAS - Help: Hygiene
C132615	HAQ0243	HAQ02-Help: Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI Without VAS - Help: Reach
C132616	HAQ0244	HAQ02-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI Without VAS - Help: Gripping and Opening Things
C132617	HAQ0245	HAQ02-Help: Errands and Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI Without VAS - Help: Errands and Chores

**HAQ02TN (Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale Questionnaire Test Name)**

NCI Code: C132522, Codelist extensible: No

<b>C132522 HAQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132605	HAQ02-Able to Do Chores	HAQ02-Able to Do Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to do chores such as vacuuming or yardwork?	HAQ-DI Without VAS - Able to Do Chores
C132609	HAQ02-Aid: Bathtub Bar	HAQ02-Aid: Bathtub Bar	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub bar.	HAQ-DI Without VAS - Aid: Bathtub Bar
C132607	HAQ02-Aid: Bathtub Seat	HAQ02-Aid: Bathtub Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Bathtub seat.	HAQ-DI Without VAS - Aid: Bathtub Seat
C132587	HAQ02-Aid: Built Up or Special Utensils	HAQ02-Aid: Built Up or Special Utensils	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Built up or special utensils.	HAQ-DI Without VAS - Aid: Built Up or Special Utensils
C132582	HAQ02-Aid: Cane	HAQ02-Aid: Cane	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Cane.	HAQ-DI Without VAS - Aid: Cane
C132584	HAQ02-Aid: Crutches	HAQ02-Aid: Crutches	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Crutches.	HAQ-DI Without VAS - Aid: Crutches
C132586	HAQ02-Aid: Devices Used for Dressing	HAQ02-Aid: Devices Used for Dressing	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Devices used for Dressing (button hook, zipper pull, long-handled shoe horn, etc.).	HAQ-DI Without VAS - Aid: Devices Used for Dressing
C132608	HAQ02-Aid: Jar Opener (Previously Open)	HAQ02-Aid: Jar Opener (Previously Open)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Jar opener (for jars previously opened).	HAQ-DI Without VAS - Aid: Jar Opener (Previously Open)
C132611	HAQ02-Aid: Long-Handled Appl Bathroom	HAQ02-Aid: Long-Handled Appl Bathroom	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances in bathroom.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Bathroom
C132610	HAQ02-Aid: Long-Handled Appl Reach	HAQ02-Aid: Long-Handled Appl Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Long-handled appliances for reach.	HAQ-DI Without VAS - Aid: Long-Handled Appliances Reach
C132606	HAQ02-Aid: Raised Toilet Seat	HAQ02-Aid: Raised Toilet Seat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Raised toilet seat.	HAQ-DI Without VAS - Aid: Raised Toilet Seat
C132588	HAQ02-Aid: Special or Built Up Chair	HAQ02-Aid: Special or Built Up Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Special or built up chair.	HAQ-DI Without VAS - Aid: Special or Built Up Chair
C132583	HAQ02-Aid: Walker	HAQ02-Aid: Walker	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Walker.	HAQ-DI Without VAS - Aid: Walker
C132585	HAQ02-Aid: Wheelchair	HAQ02-Aid: Wheelchair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Wheelchair.	HAQ-DI Without VAS - Aid: Wheelchair
C132599	HAQ02-Bend Down Pick Up Clothing - Floor	HAQ02-Bend Down Pick Up Clothing - Floor	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to bend down to pick up clothing from the floor?	HAQ-DI Without VAS - Bend Down Pick Up Clothing - Floor
C132581	HAQ02-Climb Up Five Steps	HAQ02-Climb Up Five Steps	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to climb up five steps?	HAQ-DI Without VAS - Climb Up Five Steps
C132577	HAQ02-Cut Your Meat	HAQ02-Cut Your Meat	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to cut your meat?	HAQ-DI Without VAS - Cut Your Meat



**C132522 HAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132573	HAQ02-Dress Yourself	HAQ02-Dress Yourself	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to dress yourself, including tying shoelaces and doing buttons?	HAQ-DI Without VAS - Dress Yourself
C132604	HAQ02-Get In and Out of a Car	HAQ02-Get In and Out of a Car	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to get in and out of a car?	HAQ-DI Without VAS - Get In and Out of a Car
C132576	HAQ02-Get In and Out of Bed	HAQ02-Get In and Out of Bed	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to get in and out of bed?	HAQ-DI Without VAS - Get In and Out of Bed
C132597	HAQ02-Get On and Off The Toilet	HAQ02-Get On and Off The Toilet	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to get on and off the toilet?	HAQ-DI Without VAS - Get On and Off The Toilet
C132592	HAQ02-Help: Arising	HAQ02-Help: Arising	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Arising.	HAQ-DI Without VAS - Help: Arising
C132591	HAQ02-Help: Dressing and Grooming	HAQ02-Help: Dressing and Grooming	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Dressing and grooming.	HAQ-DI Without VAS - Help: Dressing and Grooming
C132593	HAQ02-Help: Eating	HAQ02-Help: Eating	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Eating.	HAQ-DI Without VAS - Help: Eating
C132617	HAQ02-Help: Errands and Chores	HAQ02-Help: Errands and Chores	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Errands and chores.	HAQ-DI Without VAS - Help: Errands and Chores
C132616	HAQ02-Help: Gripping and Opening Things	HAQ02-Help: Gripping and Opening Things	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Gripping and opening things.	HAQ-DI Without VAS - Help: Gripping and Opening Things
C132614	HAQ02-Help: Hygiene	HAQ02-Help: Hygiene	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Hygiene.	HAQ-DI Without VAS - Help: Hygiene
C132615	HAQ02-Help: Reach	HAQ02-Help: Reach	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Reach.	HAQ-DI Without VAS - Help: Reach
C132594	HAQ02-Help: Walking	HAQ02-Help: Walking	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Usually need help from another person: Walking.	HAQ-DI Without VAS - Help: Walking
C132578	HAQ02-Lift a Full Cup or Glass to Mouth	HAQ02-Lift a Full Cup or Glass to Mouth	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to lift a full cup or glass to your mouth?	HAQ-DI Without VAS - Lift a Full Cup or Glass to Mouth
C132579	HAQ02-Open a New Milk Carton	HAQ02-Open a New Milk Carton	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Eating: Are you able to open a new milk carton?	HAQ-DI Without VAS - Open a New Milk Carton
C132600	HAQ02-Open Car Doors	HAQ02-Open Car Doors	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open car doors?	HAQ-DI Without VAS - Open Car Doors
C132601	HAQ02-Open Jars Previously Opened	HAQ02-Open Jars Previously Opened	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to open jars which have been previously opened?	HAQ-DI Without VAS - Open Jars Previously Opened
C132589	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	HAQ02-Othr Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Dress or Arising or Eat or Walk)
C132612	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	HAQ02-Othr Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other.	HAQ-DI Without VAS - Other Aid (Hygiene or Reach or Grip or Act)
C132598	HAQ02-Reach-Get Down 5 Lb Obj Above Head	HAQ02-Reach-Get Down 5 Lb Obj Above Head	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Reach: Are you able to reach and get down a 5-pound object (such as a bag of sugar) from just above your head?	HAQ-DI Without VAS - Reach-Get Down 5 Lb Object Above Head
C132603	HAQ02-Run Errands and Shop	HAQ02-Run Errands and Shop	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Activities: Are you able to run errands and shop?	HAQ-DI Without VAS - Run Errands and Shop

**C132522 HAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132574	HAQ02-Shampoo Your Hair	HAQ02-Shampoo Your Hair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Dressing & Grooming: Are you able to shampoo your hair?	HAQ-DI Without VAS - Shampoo Your Hair
C132590	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	HAQ02-Spec Aid (Dress/Arising/Eat/Walk)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Dress or Arising or Eat or Walk)
C132613	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	HAQ02-Spec Aid (Hygiene/Reach/Grip/Act)	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Aids or devices that you usually use for any of these activities: Other (specify).	HAQ-DI Without VAS - Special Aid (Hygiene or Reach or Grip or Act)
C132575	HAQ02-Stand Up From a Straight Chair	HAQ02-Stand Up From a Straight Chair	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Arising: Are you able to stand up from a straight chair?	HAQ-DI Without VAS - Stand Up From a Straight Chair
C132596	HAQ02-Take a Tub Bath	HAQ02-Take a Tub Bath	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to take a tub bath?	HAQ-DI Without VAS - Take a Tub Bath
C132602	HAQ02-Turn Faucets On And Off	HAQ02-Turn Faucets On And Off	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Grip: Are you able to turn faucets on and off?	HAQ-DI Without VAS - Turn Faucets On And Off
C132580	HAQ02-Walk Outdoors on Flat Ground	HAQ02-Walk Outdoors on Flat Ground	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Walking: Are you able to walk outdoors on flat ground?	HAQ-DI Without VAS - Walk Outdoors on Flat Ground
C132595	HAQ02-Wash and Dry Your Body	HAQ02-Wash and Dry Your Body	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale - Hygiene: Are you able to wash and dry your body?	HAQ-DI Without VAS - Wash and Dry Your Body

**HEPENCGR (West Haven Hepatic Encephalopathy Grade)**

NCI Code: C117746, Codelist extensible: No

<b>C117746 HEPENCGR</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117824	GRADE 0		Minimal - symptoms or pathological characteristics include minimal hepatic encephalopathy, lack of detectable changes in personality or behavior, minimal changes in memory, concentration and intellectual function, and absence of coordination asterixis. (Adapted from: Hepatic Encephalopathy. David C Wolf. <a href="http://emedicine.medscape.com/article/186101-overview">http://emedicine.medscape.com/article/186101-overview</a> )	West Haven Hepatic Encephalopathy Grade 0
C117825	GRADE 1		Mild - symptoms or pathological characteristics include trivial lack of awareness, shortened attention span, impaired ability to perform addition or subtraction, hypersomnia, insomnia, or inversion of sleep pattern, euphoria, depression or irritability, mild confusion, slowing of ability to perform mental tasks. (Adapted from: Hepatic Encephalopathy. David C Wolf. <a href="http://emedicine.medscape.com/article/186101-overview">http://emedicine.medscape.com/article/186101-overview</a> .)	West Haven Hepatic Encephalopathy Grade 1
C117826	GRADE 2		Moderate - symptoms or pathological characteristics include lethargy or apathy, disorientation, inappropriate behavior, slurred speech, obvious asterixis, drowsiness, lethargy, gross deficits in ability to perform mental tasks, obvious personality changes, inappropriate behavior, and intermittent disorientation, unsurely regarding time. (Adapted from: Hepatic Encephalopathy. David C Wolf. <a href="http://emedicine.medscape.com/article/186101-overview">http://emedicine.medscape.com/article/186101-overview</a> .)	West Haven Hepatic Encephalopathy Grade 2
C117827	GRADE 3		Severe - symptoms or pathological characteristics include somnolence with some arousability, inability to perform mental tasks, disorientation about time and place, marked confusion, amnesia, occasional fits of rage, present but incomprehensible speech. (Adapted from: Hepatic Encephalopathy. David C Wolf. <a href="http://emedicine.medscape.com/article/186101-overview">http://emedicine.medscape.com/article/186101-overview</a> .)	West Haven Hepatic Encephalopathy Grade 3
C117828	GRADE 4		Coma - symptoms or pathological characteristics include coma with or without response to painful stimuli. (Adapted from: Hepatic Encephalopathy. David C Wolf. <a href="http://emedicine.medscape.com/article/186101-overview">http://emedicine.medscape.com/article/186101-overview</a> .)	West Haven Hepatic Encephalopathy Grade 4

## HESTRESC (Holter ECG Results)

NCI Code: C120522, Codelist extensible: Yes

C120522 HESTRESC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111088	1ST DEGREE AV BLOCK	1st degree AV block;PR Prolongation;Prolonged PR interval	An electrocardiographic finding of prolonged PR interval for a specific population. For adults one common threshold is a PR interval greater than 0.20 seconds. Note that other thresholds may be applicable.	AV Block First Degree by ECG Finding
C71044	2:1 AV BLOCK	2:1 AV block	An electrocardiographic finding of a supraventricular rhythm where the ratio of impulses generated above the atrioventricular node to the number of impulses conducted through to the ventricles is 2:1. This is manifest on the ECG as 2 P waves per QRS complex.	2:1 Atrioventricular Block by ECG Finding
C62016	2ND DEGREE AV BLOCK	Second Degree AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles. This is manifest on the ECG by regular P waves which intermittently are not followed by QRS complexes.	AV Block Second Degree by ECG Finding
C111091	3RD DEGREE AV BLOCK	3rd Degree Heart Block;AV block, complete (third-degree);Complete Heart Block	An electrocardiographic finding of complete failure of atrial electrical impulse conduction to the ventricles. This is manifest on the ECG by disassociation of atrial and ventricular rhythms. The atrial rate must be faster than the ventricular rate.	AV Block Third Degree by ECG Finding
C114165	50 Hz NOISE	50 Hz Artifact;50 Hz Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (50 Hz).	50 Hertz Noise by ECG Finding
C114164	60 Hz NOISE	60 Hz Artifact;60 Hz Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (60 Hz).	60 Hertz Noise by ECG Finding
C116132	ABERRANTLY CONDUCTED COMPLEXES	Aberrantly Conducted Beats	An electrocardiographic finding of an abnormally wide QRS complex(es) of supraventricular origin with prolonged QRS duration due to aberrant AV conduction.	Aberrantly Conducted Complexes by ECG Finding
C114149	AC NOISE	AC Noise	An electrocardiographic recording showing power line interference with the electrocardiographic signal. The artifact amplitude modulation has the same frequency as the AC power system present (usually 50 Hz or 60 Hz).	Alternating Current Noise by ECG Finding
C62266	ACCELERATED IDIOVENTRICULAR RHYTHM	Accelerated idioventricular rhythm	An electrocardiographic finding of idioventricular rhythm with a rate greater than 50 beats per minute.	Accelerated Idioventricular Rhythm by ECG Finding
C71065	ACUTE ANTERIOR WALL MYOCARDIAL INFARCTION	Acute Anterior MI;Acute Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V3 and V4, which is suggestive of acute myocardial infarction of the anterior wall of the left ventricle.	Acute Anterior Myocardial Infarction by ECG Finding
C102591	ACUTE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Acute Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V3 through V6, which is suggestive of acute myocardial infarction of the anterolateral wall of the left ventricle.	Acute Anterolateral Myocardial Infarction by ECG Finding
C102592	ACUTE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Acute Anteroseptal Wall Myocardial Infarction;Acute anteroseptal MI	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1 through V4, which is suggestive of acute myocardial infarction of the anteroseptal wall of the left ventricle.	Acute Anteroseptal Myocardial Infarction by ECG Finding
C106496	ACUTE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1 to V6, I and aVL, which is suggestive of acute myocardial infarction involving the anterior and anterolateral walls of the left ventricle.	Acute Extensive Anterior Wall Myocardial Infarction by ECG Finding
C102593	ACUTE HIGH LATERAL WALL MYOCARDIAL INFARCTION	Acute High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads I and aVL, which is suggestive of acute myocardial infarction of the high lateral wall of the left ventricle.	Acute High Lateral Myocardial Infarction by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71066	ACUTE INFERIOR WALL MYOCARDIAL INFARCTION	Acute Inferior MI;Acute Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads III, aVF and often II, which is suggestive of acute myocardial infarction of the inferior wall of the left ventricle.	Acute Inferior Myocardial Infarction by ECG Finding
C71067	ACUTE LATERAL WALL MYOCARDIAL INFARCTION	Acute Lateral MI;Acute Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V5, V6, I and aVL, which is suggestive of acute myocardial infarction of the lateral wall of the left ventricle.	Acute Lateral Myocardial Infarction by ECG Finding
C101596	ACUTE MYOCARDIAL INFARCTION	Acute Myocardial Infarction	An electrocardiographic finding showing a current of injury with ST elevation. No specification is provided for localization.	Acute Myocardial Infarction by ECG Finding
C71068	ACUTE POSTERIOR WALL MYOCARDIAL INFARCTION	Acute Posterior MI;Acute Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, upright T wave, with accompanying ST elevation, which is suggestive of acute myocardial infarction of the posterior wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present.	Acute Posterior Myocardial Infarction by ECG Finding
C102594	ACUTE RIGHT VENTRICULAR WALL MYOCARDIAL INFARCTION	Acute Right Ventricular Wall Myocardial Infarction;Acute Right ventricular MI	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, upright T wave, with accompanying ST elevation, which is suggestive of acute myocardial infarction of the ventricular wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present. Additional criteria include ST elevation > 100 microvolts in the right precordial leads V4R through V6R.	Acute Right Ventricular Myocardial Infarction by ECG Finding
C102595	ACUTE SEPTAL WALL MYOCARDIAL INFARCTION	Acute Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves with accompanying ST elevation in leads V1, V2 and often V3, which is suggestive of acute myocardial infarction of the intraventricular septum.	Acute Septal Myocardial Infarction by ECG Finding
C102642	ADVANCED/HIGH GRADE AV BLOCK	Advanced/High Grade AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by two or more consecutive non-conducted P waves.	High Grade Atrioventricular Block by ECG Finding
C114159	ALL PRECORDIAL ELECTRODES DISCONNECTED		An electrocardiographic recording in which all precordial electrodes are disconnected resulting in missing waveforms (flat line) of all leads V1 - V6.	All Precordial Electrodes Are Disconnected by ECG Finding
C71069	ANTERIOR WALL MYOCARDIAL INFARCTION	Anterior MI;Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle.	Anterior Myocardial Infarction by ECG Finding
C35303	ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle.	Anterolateral Myocardial Infarction by ECG Finding
C35304	ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Anteroseptal MI;Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle.	Anteroseptal Myocardial Infarction by ECG Finding
C114162	ARTIFACT		An electrocardiographic recording in which one or more leads display extraneous signals which do not represent cardiac electrical activity.	Artifact Lead Signal by ECG Finding
C116130	ASYSTOLE		An electrocardiographic finding showing no cardiac electrical activity on the ECG for the entire duration of the recording.	Asystole by ECG Finding
C102596	ATRIAL BIGEMINY		An electrocardiographic finding of a sinus beat followed by a premature atrial complex for three or more consecutive cycles; a regularly irregular rhythm of normal and abnormal P waves in a 1-1 ratio.	Atrial Bigeminy by ECG Finding
C102597	ATRIAL COUPLETS	Atrial Couplets	An electrocardiographic finding in which two premature atrial complexes occur sequentially; there may be one or more occurrences during an electrocardiographic recording.	Atrial Couplet by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71039	ATRIAL ENLARGEMENT	Atrial Enlargement	An electrocardiographic finding which comprises left, right or bilateral atrial enlargement. This is may be characterized by prolonged P wave duration, increased P wave amplitude, or multi-component P waves.	Atrial Enlargement by ECG Finding
C111092	ATRIAL FIBRILLATION	Atrial fibrillation	An electrocardiographic finding of a supraventricular arrhythmia characterized by the replacement of consistent P waves by rapid oscillations or fibrillatory waves that vary in size, shape and timing and are accompanied by an irregularly irregular ventricular response.	Atrial Fibrillation by ECG Finding
C111094	ATRIAL FLUTTER	Atrial flutter	An electrocardiographic finding of an organized, regular atrial rhythm with atrial rate of 240-340 beats per minute. Multiple P waves typically appear in the inferior leads in a saw tooth like pattern between the QRS complexes.	Atrial Flutter by ECG Finding
C111105	ATRIAL TACHYCARDIA	Atrial tachycardia	An electrocardiographic finding of an organized, regular atrial rhythm with atrial rate between 101 and 240 beats per minute. The P wave morphology must be distinct from the sinus P wave morphology.	Atrial Tachycardia by ECG Finding
C119249	ATRIAL TACHYCARDIA WITH AV BLOCK		An electrocardiographic finding of an atrial tachycardia which does not display 1:1 AV conduction.	Atrial Tachycardia With AV Block by ECG Finding
C102598	ATRIAL TRIGEMINY	Atrial Trigeminy	An electrocardiographic finding of two sinus beats followed by a premature atrial complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal P waves in a 2-1 ratio.	Atrial Trigeminy by ECG Finding
C71045	ATRIOVENTRICULAR DISSOCIATION	AV Dissociation;Atrioventricular dissociation	An electrocardiographic finding in which the electrical activity of the atria and ventricles are independent of one another.	Atrioventricular Dissociation by ECG Finding
C111089	AV MOBITZ I	AV Mobitz I;Mobitz I Second Degree AV Block;Second degree AV block- Mobitz type I;Second-degree AV block, Mobitz type I (Wenckebach);Type 1 2nd degree AV Block;Wenckebach	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by a progressively lengthening PR interval prior to the block of an atrial impulse.	AV Block Second Degree Mobitz Type I by ECG Finding
C111090	AV MOBITZ II	Mobitz II AV Block;Mobitz II Second Degree AV Block;Type 2 2nd degree AV Block	An electrocardiographic finding of intermittent failure of atrial electrical impulse conduction to the ventricles, characterized by a relatively constant PR interval prior to the block of an atrial impulse.	AV Block Second Degree Mobitz Type II by ECG Finding
C35058	AV NODE RE-ENTRY	AV Node Reentrant Supraventricular Tachycardia	An electrocardiographic finding of a regular supraventricular tachycardia due to reentry within the AV node. It is characterized by P waves which typically occurs nearly simultaneously with the QRS complex, resulting in a P wave which is obscured by the QRS, merged with the QRS or which may follow the QRS.	Atrioventricular Nodal Reentry Tachycardia by ECG Finding
C62261	AV RE-ENTRANT TACHYCARDIA	AV Reentrant Supraventricular Tachycardia	An electrocardiographic finding of a regular supraventricular tachycardia which utilizes an atrioventricular bypass tract as its retrograde limb (orthodromic tachycardia) or as its antegrade limb (antidromic tachycardia). QRS complexes during sinus rhythm may show preexcitation. During orthodromic tachycardia the preexcitation is not present and a retrograde P wave may appear after the QRS complex. During antidromic tachycardia the QRS complex is preexcited.	Atrioventricular Reentrant Tachycardia by ECG Finding
C114147	BASELINE WANDER		An electrocardiographic recording in which the isoelectric line in one or more leads is vertically displaced resulting in low frequency upward and downward movements of the signal with varying amplitudes.	Baseline Wander by ECG Finding
C71046	BIFASCICULAR BLOCK	Bifascicular block	An electrocardiographic finding comprising right bundle branch block and left anterior fascicular block, or right bundle branch block and left posterior fascicular block. Defects occurring in two of the three divisions of the conduction system of the heart are considered bifascicular blocks. Technically left bundle branch block may be considered a bifascicular block. (NCI)	Bifascicular Block by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106502	BIVENTRICULAR HYPERTROPHY		An electrocardiographic finding suggestive of enlargement or thickening of both ventricles, with a combination of findings which are related to LVH and RVH, such as voltage criteria for LVH in the presence of marked right axis deviation.	Biventricular Hypertrophy by ECG Finding
C92228	BORDERLINE QTcB	Borderline QTcB	An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is slightly prolonged. Thresholds for different age, gender, and patient populations exist.	Borderline QTcB
C92229	BORDERLINE QTcF	Borderline QTcF	An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is slightly prolonged. Thresholds for different age, gender, and patient populations exist.	Borderline QTcF
C111120	BRADYCARDIA	Bradycardia	An electrocardiographic finding of abnormally slow heart rate. Thresholds for different age, gender, and patient populations exist.	Bradycardia by ECG Finding
C106503	BRUGADA SYNDROME PATTERN		An electrocardiographic finding of complete or incomplete right bundle branch block accompanied by ST elevation in leads V1-V3. This may be noted at rest or can be provoked by medication challenge.	Brugada Syndrome Pattern by ECG Finding
C120609	DEFIBRILLATOR DISCHARGE		An electrocardiographic finding of an artifact generated by an external or internal cardioversion or defibrillation shock.	Defibrillator Discharge by ECG Finding
C62258	DELTA WAVE	Delta wave	An electrocardiographic finding of initial slurring (delta wave) of the QRS complex due to the presence of an accessory pathway. This characteristic ECG pattern is typically seen in Wolff-Parkinson-White syndrome.	Delta Wave by ECG Finding
C102623	DEXTROCARDIA	Dextrocardia	An electrocardiographic finding suggestive of dextrocardia with situs inversus, characterized by reversal of normal anterior R wave progression and the appearance of reversal of the right and left arm electrodes.	Dextrocardia by ECG Finding
C102628	EARLY R WAVE TRANSITION	Early R Wave Progression; Early R Wave Transition	An electrocardiographic finding where the amplitude of the R wave becomes greater than the amplitude of the S wave in the QRS complex at an unusually early point in the precordial leads, usually in leads V1 or V2.	Early R Wave Transition by ECG Finding
C102629	EARLY REPOLARIZATION	Early Repolarization	An electrocardiographic finding of J point and ST segment elevation in the absence of other signs of acute ischemia or pericarditis.	Early Repolarization
C114175	ECG ACQUIRED WITH PRECORDIAL ELECTRODES PLACED ON RIGHT CHEST		An electrocardiographic recording in which the precordial electrodes have been placed over the right chest and record a right sided ECG.	ECG Acquired with Precordial Electrodes Placed on the Right Chest
C114181	ECG EVALUATION NOT PERFORMED DUE TO CORRUPTED DIGITAL ECG FILE		A digital electrocardiographic recording which is corrupted (i.e. ECG signal cannot be restored) such that measurements and/or interpretation cannot be performed.	ECG Evaluation Not Performed Due to Corrupted Digital ECG File
C62245	ECTOPIC ATRIAL RHYTHM	Ectopic atrial rhythm	An electrocardiographic finding of a regular atrial rhythm with atrial rate of less than 101 beats per minute which does not originate in the sinus node, and which is characterized by P waves whose morphology differs from the P wave morphology during sinus rhythm.	Ectopic Atrial Rhythm by ECG Finding
C71042	ECTOPIC VENTRICULAR RHYTHM	Ectopic ventricular rhythm	An electrocardiographic finding of three or more consecutive complexes of ventricular origin. The QRS complexes are wide and have an abnormal morphology.	Ectopic Ventricular Rhythm by ECG Finding
C71035	ELECTRICAL ALTERNANS	Electrical alternans	An electrocardiographic finding in which there is an alternating pattern of any of the waveform components. (NCI)	Electrical Alternans by ECG Finding
C106520	EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle.	Extensive Anterior Wall Myocardial Infarction by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120610	FREQUENT PREMATURE ATRIAL COMPLEXES		An electrocardiographic finding during a continuous recording in which the frequency of atrial premature complexes exceeds the normal threshold. Note that different thresholds may apply to different patient populations.	Frequent Premature Atrial Complexes by ECG Finding
C120611	FREQUENT PREMATURE VENTRICULAR COMPLEXES		An electrocardiographic finding during a continuous recording in which the frequency of ventricular premature complexes exceeds the normal threshold. Note that different thresholds may apply to different patient populations.	Frequent Premature Ventricular Complexes by ECG Finding
C102639	FUSION COMPLEX	Fusion Beat;Fusion Complexes	An electrocardiographic finding that occurs when electrical activation of the atria or ventricles occurs from two separate sites. This results in a P wave or QRS complex that displays merged characteristics of beats originating from the two different sites; there may be one or more occurrences during an electrocardiographic recording.	Fusion Complex
C102643	HIGH LATERAL WALL MYOCARDIAL INFARCTION	High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle.	High Lateral Myocardial Infarction by ECG Finding
C120612	HOLTER LEAD FAIL		A continuous, ambulatory electrocardiographic recording during which one or more electrodes are disconnected, at least temporarily, resulting in one or more invalid ECG waveforms.	Holter Lead Fail by ECG Finding
C50599	IDIOVENTRICULAR RHYTHM	Idioventricular Rhythm	An electrocardiographic finding of three or more consecutive complexes of ventricular origin with a rate less than a certain threshold (100 or 120 beats per minute are commonly used). The QRS complexes are wide and have an abnormal morphology.	Idioventricular Rhythm
C71047	INCOMPLETE LEFT BUNDLE BRANCH BLOCK	Incomplete left bundle branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the left ventricle, manifest as a widened initial portion of the QRS complex in leads V5, V6, I and aVL and with QRS duration less than 120 ms.	Incomplete Left Bundle Branch Block by ECG Finding
C71048	INCOMPLETE RIGHT BUNDLE BRANCH BLOCK	Incomplete right bundle branch block;Incomplete right bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the right ventricle, manifest by a widened initial portion of the QRS in V1 and V2, a widened S wave in V5, V6, I and aVL, and with QRS duration less than 120 ms.	Incomplete Right Bundle Branch Block by ECG Finding
C102701	INDETERMINATE QRS AXIS	Indeterminate Axis;Indeterminate QRS Axis;QRS Axis Indeterminate	An electrocardiographic finding in which the frontal plane QRS axis cannot be calculated.	QRS Axis Indeterminate
C35398	INFERIOR WALL MYOCARDIAL INFARCTION	Inferior MI;Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle.	Inferior Myocardial Infarction by ECG Finding
C71073	INTRAATRIAL CONDUCTION DELAY	Intraatrial Conduction Delay	An electrocardiographic finding of a delay in impulse propagation through the atria. This is characterized by broad P waves which are often biphasic in V1.	Intra-Atrial Conduction Delay by ECG Finding
C62271	INTRAVENTRICULAR CONDUCTION DELAY, NONSPECIFIC	Intraventricular Conduction Defect;Intraventricular conduction delay	An electrocardiographic finding of a widened QRS duration typically greater than 110 ms which does not meet the morphologic criteria for any of the standard bundle branch or fascicular block patterns.	Nonspecific Intraventricular Conduction Delay by ECG Finding
C62248	ISORHYTHMIC DISSOCIATION	Isorhythmic dissociation	An electrocardiographic finding of a type of atrioventricular dissociation characterized by the atria (P waves) and ventricles (QRS complexes) beating at similar rates, although independently.	Isorhythmic Atrioventricular Dissociation
C71030	J POINT ELEVATION	J point elevation	An electrocardiographic finding of a significant elevation above the baseline of the J point.	J Point Elevation
C71074	JUNCTIONAL BRADYCARDIA	Junctional bradycardia	An electrocardiographic finding of a junctional rhythm with a heart rate which is abnormally low.	Junctional Bradycardia by ECG Finding
C116129	JUNCTIONAL ESCAPE COMPLEXES	Junctional Escape Beat;Junctional Escape Complex	An electrocardiographic finding of an escape beat following a pause which originates in the AV junction. This is manifest as a QRS complex of supraventricular origin not preceded by a P wave; there may be one or more occurrences during an electrocardiographic recording.	Junctional Escape Complexes by ECG Finding



**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135393	JUNCTIONAL ESCAPE RHYTHM		An electrocardiographic finding of a junctional rhythm that arises as a physiologic response to extreme slowing or arrest of sinus node activity. In this setting, a faster junctional rhythm may be a normal response to a very slow or absent sinus rate.	Junctional Escape Rhythm by ECG Finding
C102652	JUNCTIONAL PREMATURE COMPLEX	Junctional Extra Beat; Junctional Premature Complexes	An electrocardiographic finding of an ectopic impulse originating in the AV junction presenting as a QRS complex of supraventricular origin which is not preceded by a P wave; there may be one or more occurrences during an electrocardiographic recording.	Junctional Premature Complex by ECG Finding
C71051	JUNCTIONAL RHYTHM	Junctional rhythm	An electrocardiographic finding of a rhythm which originates in the AV junction and results in a normal heart rate. It is characterized by retrograde P waves which may be obscured by or may follow the QRS complexes. The QRS complexes may be narrow or may demonstrate aberration.	Junctional Rhythm by ECG Finding
C35059	JUNCTIONAL TACHYCARDIA	Junctional tachycardia	An electrocardiographic finding of a junctional rhythm with a heart rate which is abnormally elevated.	Junctional Tachycardia by ECG Finding
C102653	LATE R WAVE TRANSITION	Late R Wave Transition	An electrocardiographic finding where the amplitude of the R wave does not become greater than the amplitude of the S wave until an unusually late point in the precordial leads, usually in leads V4 to V6.	Late R Wave Transition by ECG Finding
C35586	LATERAL WALL MYOCARDIAL INFARCTION	Lateral MI; Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle.	Lateral Myocardial Infarction by ECG Finding
C62267	LEFT ANTERIOR FASCICULAR BLOCK	Left Anterior Hemiblock; Left anterior fascicular block	An electrocardiographic finding of a slightly widened QRS duration (typically less than 120 ms) with leftward frontal plane QRS axis and typically small Q waves in leads I and aVL.	Left Anterior Fascicular Block by ECG Finding
C71040	LEFT ATRIAL ABNORMALITY	Left Atrial Enlargement; P-mitrale	An electrocardiographic finding suggesting underlying hypertrophy or dilatation of the left atrium. Electrocardiographic criteria used for the diagnosis of left atrial abnormality may include a bifid p wave, a biphasic p wave and/or a p wave duration of greater than 0.12 seconds. (NCI)	P-mitrale by ECG Finding
C62269	LEFT BUNDLE BRANCH BLOCK	Complete LBBB; Left bundle branch block; Left bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the left ventricle, manifest as a widened initial portion of the QRS complex in leads V5, V6, I and aVL and with QRS duration greater than or equal to 120 ms.	Left Bundle Branch Block by ECG Finding
C62268	LEFT POSTERIOR FASCICULAR BLOCK	Left Posterior Hemiblock; Left posterior fascicular block	An electrocardiographic finding of an S1Q3 pattern and QRS axis greater than or equal to 120 degrees. It is usually seen in association with other abnormalities (e.g. RBBB or RVH).	Left Posterior Fascicular Block by ECG Finding
C92231	LEFT VENTRICULAR CONDUCTION DELAY	Left Ventricular Conduction Delay	An electrocardiographic finding in which there is evidence that electrical transmission through the left ventricle is impaired.	Left Ventricular Conduction Delay by ECG Finding
C71076	LEFT VENTRICULAR HYPERTROPHY	Left Ventricular Hypertrophy	An electrocardiographic finding suggestive of a hypertrophied left ventricle, characterized by large QRS amplitudes and secondary findings of left atrial enlargement, left axis deviation, or typical pattern of ST depression and T wave inversion.	Left Ventricular Hypertrophy by ECG Finding
C102655	LEFT VENTRICULAR HYPERTROPHY WITH STRAIN	Left Ventricular Hypertrophy With Strain	An electrocardiographic finding suggestive of a hypertrophied left ventricle, characterized by large QRS amplitudes, ST depression and T wave inversion.	Left Ventricular Hypertrophy with Strain by ECG Finding
C114151	LIMB ELECTRODE(S) DISCONNECTED		An electrocardiographic recording in which one or more of the limb electrodes are disconnected resulting in missing waveforms (often flat lines) of the respective leads.	Disconnected Limb Electrodes by ECG Finding
C114150	LIMB ELECTRODES INTERCHANGED	Limb Lead Reversal	An electrocardiographic recording in which two or more of the limb electrodes are switched resulting in improper representation of the affected leads.	Interchanged Limb Electrodes by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114166	LOW AMPLITUDE SIGNAL	Low Amplitude QRS Complex	An electrocardiographic recording showing smaller than usual QRS complexes in one or more leads. This may represent a technical issue with the ECG acquisition or characteristics of the individual.	Low Amplitude QRS Complex by ECG Finding
C71078	LOW QRS VOLTAGE	Low QRS voltage	An electrocardiographic finding of a QRS amplitude less than or equal to 0.5 mV in the limb leads or QRS amplitude less than or equal to 1 mV in the precordial leads.	Low QRS Voltage by ECG Finding
C116133	LOW VOLTAGE - LIMB LEADS ONLY		An electrocardiographic finding of small QRS amplitudes (less than 500 microvolts) in all limb leads.	Low Voltage in Limb Leads Only by ECG Finding
C120613	MARKED SINUS BRADYCARDIA		An electrocardiographic finding of sinus bradycardia with a heart rate below a threshold of clinical concern. Note that different thresholds (for rate and/or duration) may apply to different patient populations.	Marked Sinus Bradycardia by ECG Finding
C71050	MULTIFOCAL ATRIAL TACHYCARDIA	Multifocal atrial tachycardia	An electrocardiographic finding of a supraventricular arrhythmia characterized by 3 or more distinct P wave morphologies with an isoelectric baseline, variable PR intervals and no predominant atrial rhythm. The ventricular rate is typically 100-150 beats per minute.	Multifocal Atrial Tachycardia by ECG Finding
C114148	MUSCLE TREMOR		An electrocardiographic recording with intermittent mid to high frequency artifact in one or more leads due to muscular tremor or movement rather than cardiac activity.	Muscle Tremor Artifact
C101589	MYOCARDIAL INFARCTION	Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart. No specification is provided for localization.	Myocardial Infarction by ECG Finding
C102732	NEW ANTERIOR WALL MYOCARDIAL INFARCTION	New Anterior MI;New Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle and which is new compared to prior ECGs.	New Anterior Myocardial Infarction by ECG Finding
C102733	NEW ANTEROLATERAL WALL MYOCARDIAL INFARCTION	New Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle and which is new compared to prior ECGs.	New Anterolateral Myocardial Infarction by ECG Finding
C102734	NEW ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	New Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle and which is new compared to prior ECGs.	New Anteroseptal Myocardial Infarction by ECG Finding
C102735	NEW EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	New Extensive Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle and which is new compared to prior ECGs.	New Extensive Anterior Myocardial Infarction by ECG Finding
C102736	NEW HIGH LATERAL WALL MYOCARDIAL INFARCTION	New High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle and which is new compared to prior ECGs.	New High Lateral Myocardial Infarction by ECG Finding
C102737	NEW INFERIOR WALL MYOCARDIAL INFARCTION	New Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle and which is new compared to prior ECGs.	New Inferior Myocardial Infarction by ECG Finding
C102738	NEW LATERAL WALL MYOCARDIAL INFARCTION	New Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle and which is new compared to prior ECGs.	New Lateral Myocardial Infarction by ECG Finding
C102731	NEW MYOCARDIAL INFARCTION	New Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart and which is new compared to prior ECGs. No specification is provided for localization.	New Myocardial Infarction by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106548	NEW POSTERIOR WALL MYOCARDIAL INFARCTION		An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle, and which is new compared to prior ECGs. Evidence of inferior or lateral myocardial infarction is usually also present.	New Posterior Wall Myocardial Infarction by ECG Finding
C102739	NEW SEPTAL WALL MYOCARDIAL INFARCTION	New Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1, V2 and often V3, which is suggestive of myocardial infarction of the intraventricular septum and which is new compared to prior ECGs.	New Septal Myocardial Infarction by ECG Finding
C114163	NO ECG WAVEFORMS PRESENT		An electrocardiographic recording that displays flat lines (no waveforms are visible) in all leads present.	ECG Waveforms Not Present
C71080	NON Q WAVE MYOCARDIAL INFARCTION	Non Q Wave Myocardial Infarction	An electrocardiographic finding of ST and T wave abnormalities in the absence of pathologic Q waves, which is suggestive of myocardial infarction in one or more regions of the heart.	Non Q Wave Myocardial Infarction by ECG Finding
C116134	NON-DIAGNOSTIC Q WAVES		An electrocardiographic finding of Q waves which are insufficient for the diagnosis of myocardial infarction. In such cases a myocardial infarction may be suspected, even though ECG criteria are not met.	Non-Diagnostic Q Waves by ECG Finding
C71031	NON-SPECIFIC ST-T CHANGES	Non-specific ST-T changes	An electrocardiographic finding of changes in the ST segment and T wave that do not meet criteria for ischemia or infarction. (NCI)	Non-Specific ST-T Changes by ECG Finding
C102680	NON-SUSTAINED ATRIAL TACHYCARDIA	Non-Sustained Atrial Tachycardia	An electrocardiographic finding of an atrial tachycardia which terminates in less than 30 seconds.	Non-Sustained Atrial Tachycardia by ECG Finding
C71053	NON-SUSTAINED VENTRICULAR TACHYCARDIA	Non-sustained ventricular tachycardia;Ventricular tachycardia, unsustained	An electrocardiographic finding of ventricular tachycardia less than 30 seconds in duration. (NCI)	Non-Sustained Ventricular Tachycardia by ECG Finding
C135394	NONCONDUCTED P WAVE PHYSIOLOGY NOT DEFINED		An electrocardiographic finding of a P wave that does not conduct to the ventricle or result in ventricular activation.	Nonconducted P Wave Physiology Not Defined by ECG Finding
C120614	NONSUSTAINED SUPRAVENTRICULAR TACHYCARDIA		An electrocardiographic finding of a supraventricular tachycardia with duration shorter than 30 seconds (though other duration thresholds may be applied).	Nonsustained Supraventricular Tachycardia by ECG Finding
C102681	NORMAL SINUS RHYTHM	Normal Sinus Rhythm	An electrocardiographic finding of an atrial rhythm which originates from the sinoatrial node that is considered normal for the population. There are no extra beats or conduction abnormalities.	Normal Sinus Rhythm
C102634	NORTHWEST AXIS	Northwest Axis;Right superior axis	An electrocardiographic finding of a frontal plane QRS axis from -90 to +180 degrees.	Extreme Right Axis Deviation
C71032	NOTCHED T WAVES	Notched T Waves	An electrocardiographic finding of an irregular, u or v shaped deflection within the contour of the T wave.	T Wave Notched by ECG Finding
C102684	OLD OR AGE INDETERMINATE ANTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 and V4, which is suggestive of myocardial infarction of the anterior wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anterior Myocardial Infarction by ECG Finding
C102685	OLD OR AGE INDETERMINATE ANTEROLATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anterolateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V3 through V6, which is suggestive of myocardial infarction of the anterolateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anterolateral Myocardial Infarction by ECG Finding
C102686	OLD OR AGE INDETERMINATE ANTEROSEPTAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Anteroseptal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 through V4, which is suggestive of myocardial infarction of the anteroseptal wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Anteroseptal Myocardial Infarction by ECG Finding
C102687	OLD OR AGE INDETERMINATE EXTENSIVE ANTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Extensive Anterior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1 to V6, I and aVL, which is suggestive of myocardial infarction involving the anterior and anterolateral walls of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Extensive Anterior Myocardial Infarction by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102688	OLD OR AGE INDETERMINATE HIGH LATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate High Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads I and aVL, which is suggestive of myocardial infarction of the high lateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate High Lateral Myocardial Infarction by ECG Finding
C102689	OLD OR AGE INDETERMINATE INFERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Inferior Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads III, aVF and often II, which is suggestive of myocardial infarction of the inferior wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Inferior Myocardial Infarction by ECG Finding
C102690	OLD OR AGE INDETERMINATE LATERAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Lateral Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V5, V6, I and aVL, which is suggestive of myocardial infarction of the lateral wall of the left ventricle, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Lateral Myocardial Infarction by ECG Finding
C102691	OLD OR AGE INDETERMINATE POSTERIOR WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle, without evidence of current or ongoing acute infarction. Evidence of inferior or lateral myocardial infarction is usually also present.	Old or Age Indeterminate Posterior Myocardial Infarction by ECG Finding
C102693	OLD OR AGE INDETERMINATE SEPTAL WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Septal Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves in leads V1, V2 and often V3, which is suggestive of myocardial infarction of the intraventricular septum, without evidence of current or ongoing acute infarction.	Old or Age Indeterminate Septal Myocardial Infarction by ECG Finding
C101597	OLD OR AGE INDETERMINATE WALL MYOCARDIAL INFARCTION	Old Or Age Indeterminate Wall Myocardial Infarction	An electrocardiographic finding of pathologic Q waves, which is suggestive of myocardial infarction of one or more regions of the heart, without evidence of current or ongoing acute infarction. No specification is provided for localization.	Old Myocardial Infarction by ECG Finding
C102692	OLD OR AGE UNDETERMINED RIGHT VENTRICULAR MYOCARDIAL INFARCTION		An electrocardiographic finding, in the presence of an old or age indeterminate inferior wall myocardial infarction, of Q waves greater than or equal to 40 ms in duration in the right ventricular leads V4R through V6R.	Old or Age Indeterminate Right Ventricular Myocardial Infarction by ECG Finding
C114176	OTHER INCORRECT ELECTRODE PLACEMENT		An electrocardiographic recording in which one or more electrodes are incorrectly placed but further details are not provided.	Other Incorrect Electrode Placement
C90430	P WAVE ABNORMALITY	P Wave Abnormality	An electrocardiographic finding for the P wave that is atypical either for the shape, duration, amplitude, axis or polarity. Abnormality of the P wave signifies aberrant propagation of the electrical impulse through the atria. (NCI)	P Wave Abnormality by ECG Finding
C90431	P WAVE NOTCHED	P Wave Notched	An electrocardiographic finding of P waves with two peaks longer in duration than normal and amplitude greater than normal.	P Wave Notched by ECG Finding
C92232	PACED ATRIAL AND VENTRICULAR RHYTHM	AV dual-paced complex(es) or rhythm;Paced Atrial And Ventricular Rhythm	An electrocardiographic finding in which both the atrial and ventricular rhythm are controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Atrial And Ventricular Rhythm
C92233	PACED ATRIAL RHYTHM	Atrial-paced complex(es) or rhythm;Paced Atrial Rhythm	An electrocardiographic finding in which the atrial rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Atrial Rhythm
C88140	PACED RHYTHM	Atrial and/or Ventricular Paced Rhythm;Paced Rhythm	An electrocardiographic finding in which the cardiac rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Rhythm
C92234	PACED VENTRICULAR RHYTHM	Paced Ventricular Rhythm;Ventricular-paced complex(es) or rhythm	An electrocardiographic finding in which the ventricular rhythm is controlled by an electrical impulse from an artificial cardiac pacemaker.	Paced Ventricular Rhythm
C120615	PAROXYSMAL ATRIAL FIBRILLATION		An electrocardiographic finding of atrial fibrillation which occurs intermittently during the recording. Other rhythms which may be present are sinus rhythm, junctional rhythm, or an atrial paced rhythm.	Paroxysmal Atrial Fibrillation by ECG Finding
C62250	PAROXYSMAL AV BLOCK	Paroxysmal AV block	An electrocardiographic finding of the sudden onset of transient AV block, which is often associated with preexisting conduction disorders.	Paroxysmal Atrioventricular Block by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C34902	PAROXYSMAL VENTRICULAR TACHYCARDIA	Paroxysmal Ventricular Tachycardia	An episodic form of ventricular tachycardia, with abrupt onset and termination. (NCI)	Paroxysmal Ventricular Tachycardia by ECG Finding
C119250	PAUSE		An electrocardiographic finding of an RR interval which exceeds a predefined duration threshold, regardless of the underlying rhythm.	Pause by ECG Finding
C119251	PAUSE GREATER THAN 3.0 SECONDS		An electrocardiographic finding of an RR interval with duration greater than 3.0 seconds, regardless of the underlying rhythm.	Pause Greater Than Three Seconds by ECG Finding
C120616	PERSISTENT ATRIAL FIBRILLATION		An electrocardiographic finding of atrial fibrillation which is present during the entire recording.	Persistent Atrial Fibrillation by ECG Finding
C114172	POOR QUALITY ECG		An electrocardiographic recording that does not show proper quality for reasons that are not otherwise described.	Poor Quality ECG
C71033	POOR R WAVE PROGRESSION	Poor R Wave Progression	An electrocardiographic finding of a lack of progression of R wave height across precordial leads.	Poor R Wave Progression by ECG Finding
C35399	POSTERIOR WALL MYOCARDIAL INFARCTION	Posterior MI;Posterior Wall Myocardial Infarction	An electrocardiographic finding in leads V1 or V2 of an initial R wave duration greater than or equal to 40 ms, R wave greater than S wave, and upright T wave, which is suggestive of myocardial infarction of the posterior wall of the left ventricle. Evidence of inferior or lateral myocardial infarction is usually also present.	Posterior Myocardial Infarction by ECG Finding
C116135	PR SEGMENT DEPRESSION	PR Depression	An electrocardiographic finding of PR segment depression below the iso-electric line in multiple precordial and/or limb leads.	PR Segment Depression by ECG Finding
C34940	PRE-EXCITATION	Pre-excitation;Ventricular preexcitation	An electrocardiographic finding characterized by a premature activation of the whole or some part of the ventricle. The PR interval is usually shortened and delta waves are frequently present.	Pre-Excitation Syndrome
C114153	PRECARDIAL ELECTRODE V1 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V1 is disconnected resulting in missing waveforms (flat line) for lead V1.	Disconnected Precordial Electrode V1 by ECG Finding
C114154	PRECARDIAL ELECTRODE V2 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V2 is disconnected resulting in missing waveforms (flat line) for lead V2.	Disconnected Precordial Electrode V2 by ECG Finding
C114155	PRECARDIAL ELECTRODE V3 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V3 is disconnected resulting in missing waveforms (flat line) for lead V3.	Disconnected Precordial Electrode V3 by ECG Finding
C114156	PRECARDIAL ELECTRODE V4 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V4 is disconnected resulting in missing waveforms (flat line) for lead V4.	Disconnected Precordial Electrode V4 by ECG Finding
C114157	PRECARDIAL ELECTRODE V5 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V5 is disconnected resulting in missing waveforms (flat line) for lead V5.	Disconnected Precordial Electrode V5 by ECG Finding
C114158	PRECARDIAL ELECTRODE V6 DISCONNECTED		An electrocardiographic recording in which the electrode for lead V6 is disconnected resulting in missing waveforms (flat line) for lead V6.	Disconnected Precordial Electrode V6 by ECG Finding
C114160	PRECARDIAL ELECTRODE(S) POSITIONED INCORRECTLY		An electrocardiographic recording in which one or more precordial electrodes are placed incorrectly with respect to the standard chest electrode positions resulting in improper representation of the affected leads.	Incorrectly Positioned Precordial Electrodes by ECG Finding
C114152	PRECARDIAL ELECTRODES INTERCHANGED	Precordial Lead Reversal	An electrocardiographic recording in which two or more of the precordial electrodes are switched resulting in improper representation of the affected leads.	Interchanged Precordial Electrodes by ECG Finding
C62257	PREMATURE ATRIAL COMPLEXES	APC;Atrial premature complex(es);PAC;Premature atrial complex;SVE;Supraventricular Extra Beat;Supraventricular Premature Beat	An electrocardiographic finding of an ectopic impulse originating in the atria and not specifically in the sinus node. The P wave morphology of these complexes is often different from a sinus P wave and the RR intervals preceding these complexes is also shorter than those of the regular beats; there may be one or more occurrences during an electrocardiographic recording.	Atrial Premature Complex by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102603	PREMATURE ATRIAL COMPLEXES BLOCKED	Atrial premature complexes, nonconducted;Non-conducted SVE;Premature Atrial Complex Blocked;Premature Atrial Complexes Non-conducted	An electrocardiographic finding of a premature atrial complexes that are is not conducted to the ventricles, and that are is not followed by a QRS complex; there may be one or more occurrences during an electrocardiographic recording.	Blocked Atrial Premature Complex by ECG Finding
C102672	PREMATURE ATRIAL COMPLEXES MULTIFOCAL	Multifocal SVE;Multifocal Supraventricular Extra Beats;Premature Atrial Complexes Multiform	An electrocardiographic finding of premature atrial complexes which have 2 or more distinct morphologies, suggesting origin at more than one atrial site.	Multifocal Atrial Premature Complex by ECG Finding
C102724	PREMATURE ATRIAL COMPLEXES UNIFOCAL	Premature Atrial Complexes Unifocal	An electrocardiographic finding of premature atrial complexes which have a single distinct morphology, suggesting origin at one atrial site.	Unifocal Atrial Premature Complex by ECG Finding
C62256	PREMATURE VENTRICULAR COMPLEX	PVC;Premature Ventricular Complexes;VE;VES;VPC;Ventricular Extra Beat;Ventricular Premature Complexes	An electrocardiographic finding of an ectopic impulse originating in the ventricles. The QRS morphology of these complexes is different from those of supraventricular origin. The QRS duration is often longer and the RR interval preceding the complexes is usually shorter than that of supraventricular beats; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Premature Complex by ECG Finding
C107100	PREMATURE VENTRICULAR COMPLEX INTERPOLATED	Interpolated VE;Interpolated VES;Interpolated VPC;Interpolated Ventricular Extra Beat;Premature Ventricular Complexes Interpolated	An electrocardiographic finding of a premature ventricular complex which occurs between two normal QRS complexes which have normal timing; there may be one or more occurrences during an electrocardiographic recording.	Interpolated Premature Ventricular Complex by ECG Finding
C102673	PREMATURE VENTRICULAR COMPLEXES MULTIFOCAL	Multifocal VES;Multifocal VPCS;Multifocal Ventricular Extra Beats;Premature Ventricular Complexes Multifocal	An electrocardiographic finding of premature ventricular complexes which have two or more distinct morphologies, suggesting origin at more than one ventricular site.	Multifocal Ventricular Premature Complex by ECG Finding
C102725	PREMATURE VENTRICULAR COMPLEXES UNIFOCAL	Premature Ventricular Complexes Unifocal;Unifocal VES;Unifocal VPCS;Unifocal Ventricular Extra Beats	An electrocardiographic finding of premature ventricular complexes which have a single distinct morphology, suggesting origin at one ventricular site.	Unifocal Ventricular Premature Complex by ECG Finding
C71034	PROLONGED QT	Prolonged QT;Prolonged QT interval	An electrocardiographic finding in which the QT interval not corrected for heart rate is prolonged. Thresholds for different age, gender, and patient populations exist.	Prolonged QT Interval by ECG Finding
C116137	PROLONGED ST SEGMENT		An electrocardiographic finding of a prolonged ST segment, resulting in a long QT interval, without lengthening of the T wave duration.	Prolonged ST Segment by ECG Finding
C71094	Q AXIS, LEFT AXIS DEVIATION	Left-axis deviation;Q Axis, Left axis deviation;QRS axis, left axis deviation	An electrocardiographic finding of a frontal plane QRS axis from -30 to -90 degrees.	Q Axis Left Axis Deviation
C71095	Q AXIS, RIGHT AXIS DEVIATION	Q Axis, Right axis deviation;QRS axis, right axis deviation;Right-axis deviation	An electrocardiographic finding of a frontal plane QRS axis from +90 to +180 degrees.	Q Axis Right Axis Deviation
C90440	QRS COMPLEX ABNORMALITY	QRS Complex Abnormality	An electrocardiographic finding of a non-specific abnormality of the QRS complex, which is atypical in shape, duration, amplitude, axis or polarity.	QRS Complex Abnormality by ECG Finding
C83817	QTC PROLONGATION	QTc Prolongation	An electrocardiographic finding in which the QTc interval corrected for heart rate is prolonged. Thresholds for different age, gender, and patient populations exist.	Corrected Prolonged QT Interval by ECG Finding
C107098	QTCB PROLONGATION	PROLONGED QTcB	An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is prolonged. Thresholds for different age, gender, and patient populations exist.	QTcB Prolongation
C107099	QTCF PROLONGATION	PROLONGED QTcF	An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is prolonged. Thresholds for different age, gender, and patient populations exist.	QTcF Prolongation
C114161	QUALITY PROBLEM NOT OTHERWISE SPECIFIED	Unknown Quality Problem	An electrocardiographic artifact or recording error with unknown origin or which is not described otherwise.	Quality Problem Not Otherwise Specified by ECG Finding
C61395	R ON T PHENOMENON	R on T phenomenon	An electrocardiographic finding in which the R wave of a premature ventricular complex occurs on top of the T wave of the preceding beat.	R On T Phenomenon by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C90444	R WAVE NOTCHED	R Wave Notched	An electrocardiographic finding of an R wave variant in which there is a small deflection of the R wave, with changing polarity, within the QRS complex. (NCI)	R Wave Notched by ECG Finding
C102574	REPOLARIZATION ABNORMALITY	Repolarization Abnormality	An electrocardiographic finding of an abnormality of T wave duration or morphology or of early repolarization.	Ventricular Repolarization Abnormality
C102706	REPOLARIZATION ABNORMALITY SECONDARY TO VENTRICULAR HYPERTROPHY	Repolarization Abnormality Secondary To Ventricular Hypertrophy;ST-T change due to ventricular hypertrophy	An electrocardiographic finding of ST depression and T wave inversion in the presence of increased QRS amplitude which are thought to be due to left ventricular hypertrophy.	Repolarization Abnormality Secondary To Ventricular Hypertrophy
C71041	RIGHT ATRIAL ABNORMALITY	P-pulmonale;Right Atrial Enlargement	An electrocardiographic finding suggesting underlying hypertrophy or dilatation of the right atrium. Electrocardiographic criteria used for the diagnosis of right atrial abnormality may include a peaked p wave greater than 2.5 millimeters in amplitude in the inferior leads. (NCI)	P-pulmonale by ECG Finding
C62270	RIGHT BUNDLE BRANCH BLOCK	Complete RBBB;Right bundle branch block;Right bundle-branch block	An electrocardiographic finding of a wide QRS complex with evidence of delayed conduction to the right ventricle, manifest by a widened initial portion of the QRS in V1 and V2, a widened S wave in V5, V6, I and aVL, and with QRS duration greater than or equal to 120 ms. An RsR' complex is typically present in leads V1 and V2.	Right Bundle Branch Block by ECG Finding
C92235	RIGHT VENTRICULAR CONDUCTION DELAY	Right Ventricular Conduction Delay;Right Ventricular Delay	An electrocardiographic finding in which there is evidence that electrical transmission through the right ventricle is impaired with a maximal QRS duration of 110 ms and which does not meet the criteria for Incomplete Right Bundle Branch Block.	Right Ventricular Conduction Delay by ECG Finding
C71077	RIGHT VENTRICULAR HYPERTROPHY	Right ventricular Hypertrophy	An electrocardiographic finding suggestive of a hypertrophied right ventricle, characterized by large R wave amplitudes in the right precordial leads and secondary findings of right atrial enlargement, right axis deviation, and typical pattern of ST depression and T wave inversion in the right precordial leads.	Right Ventricular Hypertrophy by ECG Finding
C92227	RSR PRIME	RSR'	An electrocardiographic finding in which there are two R waves, which are two deflections above the baseline resulting from a single ventricular depolarization. The first upward deflection in the complex is the R wave. The S is the first downward deflection. A second upward deflection is called the R-prime wave.	RSR' by ECG Finding
C35519	SEPTAL MYOCARDIAL INFARCTION	Septal myocardial infarction	An electrocardiographic finding suggesting an infarction in the anatomic location of the cardiac septum. (NCI)	Septal Myocardial Infarction by ECG Finding
C62246	SHORT PR INTERVAL	Short PR interval	An electrocardiographic finding of an abnormally short PR interval. Thresholds for different age, gender, and patient populations exist.	Short PR Interval by ECG Finding
C102709	SHORT QTc INTERVAL	Short QTc Interval	An electrocardiographic finding of a QT interval corrected for heart rate that is shorter than the lower limit of normal. Thresholds for different age, gender, and patient populations exist.	Short QTc Interval
C112402	SHORT QTcB		An electrocardiographic finding in which the QT interval corrected for heart rate using Bazett's formula is shortened. Thresholds for different age, gender, and patient populations exist.	QTcB Shortened
C112403	SHORT QTcF		An electrocardiographic finding in which the QT interval corrected for heart rate using Fridericia's formula is shortened. Thresholds for different age, gender, and patient populations exist.	QTcF Shortened
C116136	SHORT ST SEGMENT		An electrocardiographic finding of a short or absent ST segment, resulting in a short QT interval, without changes in T wave morphology.	Short ST Segment by ECG Finding
C50553	SINOATRIAL EXIT BLOCK	SA Block;Sinoatrial Block;Sinoatrial exit block	An electrocardiographic finding in which impaired conduction or automaticity within the sinus node results in the failure of impulse transmission from the sinoatrial node. This is manifest as dropped P waves during sinus rhythm.	Exit Block by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62242	SINUS ARREST/PAUSE	Sinus arrest/pause;Sinus pause or arrest	An electrocardiographic finding in which a failure of impulse formation or conduction in the sinus node produces prolongation of the P-P interval or dropped P waves. The threshold for the prolongation of the P-P interval is not well defined.	Sinus Arrest by ECG Finding
C62239	SINUS ARRHYTHMIA	Respiratory Sinus Arrhythmia;Sinus arrhythmia	An electrocardiographic finding in which the sinus rate fluctuates with the respiratory cycle.	Sinus Arrhythmia by ECG Finding
C111097	SINUS BRADYCARDIA	Sinus bradycardia	An electrocardiographic finding of abnormally slow heart rate with its origin in the sinus node. Thresholds for different age, gender, and patient populations exist.	Sinus Bradycardia by ECG Finding
C100076	SINUS RHYTHM	Sinus Rhythm	An electrocardiographic finding of an atrial rhythm which originates from the sinoatrial node that is considered normal for the population.	Sinus Rhythm
C120617	SINUS SLOWING WITH AV BLOCK		An electrocardiographic finding in which slowing of the sinus rate and AV block occur simultaneously.	Sinus Slowing With AV Block by ECG Finding
C111104	SINUS TACHYCARDIA	Sinus tachycardia	An electrocardiographic finding of abnormally rapid heart rate with its origin in the sinus node. Thresholds for different age, gender, and patient populations exist.	Sinus Tachycardia by ECG Finding
C41330	ST DEPRESSION	ST depression	An electrocardiographic finding of ST segment depression below the baseline, often described as up sloping, down sloping or horizontal. (NCI)	ST Segment Depression by ECG Finding
C50540	ST ELEVATION	ST elevation	An electrocardiographic finding of ST segment elevation above the baseline. (NCI)	ST Segment Elevation by ECG Finding
C71029	ST ELEVATION PERICARDITIS	ST elevation pericarditis	An electrocardiographic finding of ST elevation which is concave upwards, and which is often accompanied by PR segment depression.	ST Elevation Pericarditis by ECG Finding
C119252	SUPRAVENTRICULAR COUPLET		An electrocardiographic finding in which two premature atrial complexes occur sequentially.	Supraventricular Couplet by ECG Finding
C135395	SUPRAVENTRICULAR ESCAPE BEAT	Supraventricular Escape Complex;Supraventricular Escape Complexes	An electrocardiographic finding of a compensatory supraventricular complex that occurs following a prolonged RR interval.	Supraventricular Escape Beat by ECG Finding
C142246	SUPRAVENTRICULAR PREMATURE COMPLEX, ORIGIN UNKNOWN	Supraventricular Premature Complexes, Origin Unknown	An electrocardiographic finding of an ectopic impulse originating from the atria or AV junction for which the site of origin cannot be determined from the surface electrocardiographic recording; there may be one or more occurrences during an electrocardiographic recording.	Supraventricular Premature Complex With Unknown Origin by ECG Finding
C120618	SUPRAVENTRICULAR RUN		An electrocardiographic finding of three or more consecutive beats of supraventricular origin without reference to rate.	Supraventricular Run by ECG Finding
C111100	SUPRAVENTRICULAR TACHYCARDIA	Supraventricular tachycardia	An electrocardiographic finding of a tachycardia which does not originate in the ventricles or His Purkinje system. There is an abnormally high heart rate and QRS complexes are typically narrow, but aberration or preexcitation may be present.	Supraventricular Tachycardia by ECG Finding
C114173	SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES NO REVERSAL		An electrocardiographic recording in which an interchange of one or more limb lead electrodes is suspected, but for which an interpretation is performed as though the lead placement is correct.	Suspicion of Limb Electrodes Reversal But Interpretation Assumes No Reversal by ECG Finding
C114174	SUSPECT LIMB ELECTRODES REVERSED, INTERPRETATION ASSUMES REVERSAL		An electrocardiographic recording in which an interchange of one or more limb lead electrodes is suspected, and for which an interpretation is performed as though the leads have in fact been interchanged.	Suspicion of Limb Electrodes Reversal But Interpretation Assumes Reversal by ECG Finding
C120619	SUSTAINED SUPRAVENTRICULAR TACHYCARDIA		An electrocardiographic finding of a supraventricular tachycardia with duration greater than 30 seconds (though other duration thresholds may be applied).	Sustained Supraventricular Tachycardia by ECG Finding
C71052	SUSTAINED VENTRICULAR TACHYCARDIA	Sustained ventricular tachycardia	An electrocardiographic finding of ventricular tachycardia greater than 30 seconds in duration. (NCI)	Sustained Ventricular Tachycardia by ECG Finding



**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102718	T WAVE ALTERNANS	T Wave Alternans	An electrocardiographic finding in which there are variations in the shape, amplitude, or direction of the T wave from one beat to the next.	T Wave Alternans by ECG Finding
C71085	T WAVE INVERSION	T Wave Inversion	An electrocardiographic finding of an inversion of the T wave from the expected axis. (NCI)	T Wave Inversion by ECG Finding
C71086	T WAVE PEAKED	T wave peaked	An electrocardiographic finding in which the T wave appears increased in amplitude and cresting at a point. (NCI)	T Wave Peaked by ECG Finding
C71087	T WAVES BIPHASIC	T waves biphasic	An electrocardiographic finding of a T wave with both positive and negative components.	T Waves Biphasic by ECG Finding
C71088	T WAVES FLAT	T waves flat	An electrocardiographic finding in which the T wave appears decreased in amplitude. (NCI)	T Waves Flat by ECG Finding
C111121	TACHYCARDIA	Tachycardia	An electrocardiographic finding of abnormally rapid heart rate. Thresholds for different age, gender, and patient populations exist.	Tachycardia by ECG Finding
C50779	TORSADES DE POINTES	Torsades de pointes;Ventricular tachycardia, torsades de pointes	An electrocardiographic finding of an atypical rapid polymorphic ventricular tachycardia with a characteristic rotation of the QRS complex around the isoelectric baseline, occurring in the setting of a prolonged QT interval. In addition, the QRS complex displays a periodic waxing and waning of amplitude on the electrogram.	Torsades De Pointes by ECG Finding
C106579	U WAVE ABNORMALITY	Abnormal U Wave	An electrocardiographic finding of U waves which have increased amplitude, are inverted, or merged with the preceding T wave.	U Wave Abnormality by ECG Finding
C116131	UNDETERMINED RHYTHM		An electrocardiographic finding of a cardiac rhythm whose mechanism cannot be determined from the ECG.	Undetermined Rhythm by ECG Finding
C120607	UNDETERMINED SUPRAVENTRICULAR RHYTHM		An electrocardiographic finding of a rhythm which does not originate in the ventricles or His Purkinje system, but whose specific electrophysiologic mechanism cannot be determined from the ECG. The QRS complexes are typically narrow, but aberration or preexcitation may be present.	Undetermined Supraventricular Rhythm by ECG Finding
C71054	VENTRICULAR BIGEMINY	Bigeminy	An electrocardiographic finding of a normal QRS complex followed by a premature ventricular complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal QRS complexes in a 1-1 ratio.	Ventricular Bigeminy by ECG Finding
C62259	VENTRICULAR COUPLET	Ventricular Couplets;Ventricular Pair	An electrocardiographic finding in which two premature ventricular complexes occur sequentially; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Couplet by ECG Finding
C90483	VENTRICULAR ESCAPE BEAT	Ventricular Escape Beats;Ventricular Escape Complex;Ventricular Escape Complexes	An electrocardiographic finding of a compensatory ventricular complex that occurs following a prolonged RR interval; there may be one or more occurrences during an electrocardiographic recording.	Ventricular Escape Beat by ECG Finding
C111102	VENTRICULAR FIBRILLATION	Ventricular fibrillation	An electrocardiographic finding of a rapid grossly irregular ventricular rhythm with marked variability in QRS cycle length, morphology, and amplitude. The rate is typically greater than 300 bpm.	Ventricular Fibrillation by ECG Finding
C111115	VENTRICULAR FLUTTER	Ventricular flutter	A ventricular tachyarrhythmia characterized by a high ventricular rate (180 to 250 beats per minute) with a regular rhythm. The electrocardiogram shows large oscillating sine wave-like complexes occurring as a result of QRS complexes and T waves being merged. The P wave is not visible. (NCI)	Ventricular Flutter by ECG Finding
C102728	VENTRICULAR PARASYSTOLE	Parasystole;Ventricular Parasystole	An electrocardiographic finding of normal sinus rhythm coexisting with a regular ectopic ventricular rhythm.	Ventricular Parasystole by ECG Finding
C120620	VENTRICULAR QUADRIGEMINY		An electrocardiographic finding of three normal QRS complexes followed by a premature ventricular complex for three or more consecutive cycles; a regularly irregular rhythm of normal and abnormal QRS complexes in a 3-1 ratio.	Ventricular Quadrigeminy by ECG Finding

**C120522 HESTRESC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120621	VENTRICULAR RUN		An electrocardiographic finding of three or more consecutive beats of ventricular origin without reference to rate.	Ventricular Run by ECG Finding
C111103	VENTRICULAR TACHYCARDIA	Ventricular tachycardia	An electrocardiographic finding of three or more consecutive complexes of ventricular origin with a rate greater than a certain threshold (100 or 120 beats per minute are commonly used). The QRS complexes are wide and have an abnormal morphology.	Ventricular Tachycardia by ECG Finding
C62234	VENTRICULAR TACHYCARDIA, MONOMORPHIC	Ventricular tachycardia, monomorphic	An electrocardiographic finding of a ventricular tachycardia in which the QRS complexes have a uniform morphology.	Monomorphic Ventricular Tachycardia by ECG Finding
C62236	VENTRICULAR TACHYCARDIA, POLYMORPHIC	Ventricular tachycardia, polymorphic;Ventricular tachycardia, polymorphous	An electrocardiographic finding of a ventricular tachycardia in which the QRS complexes have a variable morphology and often rate.	Polymorphic Ventricular Tachycardia by ECG Finding
C71055	VENTRICULAR TRIGEMINY	Trigeminy	An electrocardiographic finding of two normal QRS complexes followed by a premature ventricular complex for 3 or more consecutive cycles; a regularly irregular rhythm of normal and abnormal QRS complexes in a 2-1 ratio.	Ventricular Trigeminy by ECG Finding
C130067	VOLTAGE CRITERIA SUGGESTING LEFT VENTRICULAR HYPERTROPHY, WITHOUT SECONDARY ECG FINDINGS		An electrocardiographic finding of large QRS amplitudes which may indicate left ventricular hypertrophy, but in the absence of any of the secondary findings which are typical of this diagnosis (left atrial enlargement, left axis deviation, or typical pattern of ST depression and T wave inversion).	Voltage Criteria Suggesting Left Ventricular Hypertrophy, Without Secondary ECG Findings
C62240	WANDERING ATRIAL PACEMAKER	Wandering atrial pacemaker	An electrocardiographic finding of a supraventricular arrhythmia characterized by 3 or more distinct P wave morphologies with an isoelectric baseline, variable PR intervals and no predominant atrial rhythm. The ventricular rate is typically below 100 beats per minute.	Wandering Atrial Pacemaker by ECG Finding
C71090	WIDE QRS TACHYCARDIA	Wide QRS tachycardia;Wide-QRS tachycardia	An electrocardiographic finding of three or more consecutive wide QRS complexes of uncertain origin with a rate greater than a certain threshold (100 or 120 beats per minute are commonly used).	Wide QRS Tachycardia by ECG Finding
C35132	WOLFF-PARKINSON-WHITE SYNDROME	WPW;Wolff-Parkinson-White syndrome	An electrocardiographic finding of ventricular pre-excitation. The syndrome is characterized by a short PR interval and a long QRS interval with a delta wave.	Wolff-Parkinson-White Syndrome

**HETEST (Holter ECG Test Name)**

NCI Code: C120524, Codelist extensible: Yes

<b>C120524 HETEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111131	Atrioventricular Conduction	Atrioventricular Conduction	An electrocardiographic assessment of cardiac atrioventricular conduction.	Atrioventricular Conduction ECG Assessment
C111132	Axis and Voltage	Axis and Voltage	An electrocardiographic assessment of mean cardiac electrical vector and the ECG voltage.	Axis and Voltage ECG Assessment
C111155	Chamber Hypertrophy or Enlargement	Chamber Hypertrophy or Enlargement	An electrocardiographic assessment of chamber hypertrophy or enlargement.	Chamber Hypertrophy or Enlargement ECG Assessment
C117761	Comparison to a Prior ECG	Comparison to a Prior ECG	A comparative interpretation of an ECG relative to a previous (comparator) ECG. The definition of the comparator ECG may be specified elsewhere. Common comparator result values include improved, no change, deteriorated.	Comparison to a Prior ECG
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C111238	Intraventricular-Intraatrial Conduction	Intraventricular-Intraatrial Conduction	An electrocardiographic assessment of intraventricular and intra-atrial conduction.	Intraventricular and Intraatrial Conduction ECG Assessment
C111280	Myocardial Infarction	Myocardial Infarction	An electrocardiographic assessment of findings suggestive of myocardial infarction.	Myocardial Infarction ECG Assessment
C111285	Pacemaker	Pacemaker	An electrocardiographic assessment of presence of artificial electronic pacing.	Pacemaker ECG Assessment
C111307	Rhythm Not Otherwise Specified	Rhythm Not Otherwise Specified	An electrocardiographic assessment of cardiac rhythm not otherwise specified.	Rhythm Not Otherwise Specified ECG Assessment
C111312	Sinus Node Rhythms and Arrhythmias	Sinus Node Rhythms and Arrhythmias	An electrocardiographic assessment of sinus node rhythms and arrhythmias.	Sinus Node Rhythm and Arrhythmia ECG Assessment
C111363	ST Segment, T wave, and U wave	ST Segment, T wave, and U wave	An electrocardiographic assessment of the characteristics of the ST segment, T wave, and U wave.	ST Segment, T wave, and U wave ECG Assessment
C111320	Supraventricular Arrhythmias	Supraventricular Arrhythmias	An electrocardiographic assessment of supraventricular arrhythmias excluding tachycardias.	Supraventricular Arrhythmia ECG Assessment
C111321	Supraventricular Tachyarrhythmias	Supraventricular Tachyarrhythmias	An electrocardiographic assessment of supraventricular tachyarrhythmias.	Supraventricular Tachyarrhythmia ECG Assessment
C117807	Technical Quality	Technical Quality	A statement about an electrocardiographic recording describing technical issues or interference during the recording, processing, or transmission of the data. This does not represent an electrocardiographic diagnosis.	ECG Technical Quality
C111330	Ventricular Arrhythmias	Ventricular Arrhythmias	An electrocardiographic assessment of ventricular arrhythmias excluding tachycardias.	Ventricular Arrhythmia ECG Assessment
C111331	Ventricular Tachyarrhythmias	Ventricular Tachyarrhythmias	An electrocardiographic assessment of ventricular tachyarrhythmias.	Ventricular Tachyarrhythmia ECG Assessment

**HETESTCD (Holter ECG Test Code)**

NCI Code: C120523, Codelist extensible: Yes

<b>C120523 HETESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111131	AVCOND	Atrioventricular Conduction	An electrocardiographic assessment of cardiac atrioventricular conduction.	Atrioventricular Conduction ECG Assessment
C111132	AXISVOLT	Axis and Voltage	An electrocardiographic assessment of mean cardiac electrical vector and the ECG voltage.	Axis and Voltage ECG Assessment
C111155	CHYPTENL	Chamber Hypertrophy or Enlargement	An electrocardiographic assessment of chamber hypertrophy or enlargement.	Chamber Hypertrophy or Enlargement ECG Assessment
C117761	EGCOMP	Comparison to a Prior ECG	A comparative interpretation of an ECG relative to a previous (comparator) ECG. The definition of the comparator ECG may be specified elsewhere. Common comparator result values include improved, no change, deteriorated.	Comparison to a Prior ECG
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C111238	IVTIACD	Intraventricular-Intraatrial Conduction	An electrocardiographic assessment of intraventricular and intra-atrial conduction.	Intraventricular and Intraatrial Conduction ECG Assessment
C111280	MI	Myocardial Infarction	An electrocardiographic assessment of findings suggestive of myocardial infarction.	Myocardial Infarction ECG Assessment
C111285	PACEMAKR	Pacemaker	An electrocardiographic assessment of presence of artificial electronic pacing.	Pacemaker ECG Assessment
C111307	RHYNOS	Rhythm Not Otherwise Specified	An electrocardiographic assessment of cardiac rhythm not otherwise specified.	Rhythm Not Otherwise Specified ECG Assessment
C111312	SNRARRY	Sinus Node Rhythms and Arrhythmias	An electrocardiographic assessment of sinus node rhythms and arrhythmias.	Sinus Node Rhythm and Arrhythmia ECG Assessment
C111320	SPRARRY	Supraventricular Arrhythmias	An electrocardiographic assessment of supraventricular arrhythmias excluding tachycardias.	Supraventricular Arrhythmia ECG Assessment
C111321	SPRTARRY	Supraventricular Tachyarrhythmias	An electrocardiographic assessment of supraventricular tachyarrhythmias.	Supraventricular Tachyarrhythmia ECG Assessment
C111363	STSTWUW	ST Segment, T wave, and U wave	An electrocardiographic assessment of the characteristics of the ST segment, T wave, and U wave.	ST Segment, T wave, and U wave ECG Assessment
C117807	TECHQUAL	Technical Quality	A statement about an electrocardiographic recording describing technical issues or interference during the recording, processing, or transmission of the data. This does not represent an electrocardiographic diagnosis.	ECG Technical Quality
C111330	VTARRY	Ventricular Arrhythmias	An electrocardiographic assessment of ventricular arrhythmias excluding tachycardias.	Ventricular Arrhythmia ECG Assessment
C111331	VTTARRY	Ventricular Tachyarrhythmias	An electrocardiographic assessment of ventricular tachyarrhythmias.	Ventricular Tachyarrhythmia ECG Assessment

**HSB01TC (HAS-BLED Bleeding Risk Score Clinical Classification Test Code)**

NCI Code: C138213, Codelist extensible: No

<b>C138213 HSB01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138357	HSB0101	HSB01-Hypertension	HAS-BLED Bleeding Risk Score - Hypertension.	HAS-BLED - Hypertension
C138358	HSB0102	HSB01-Abnormal Renal and Liver Function	HAS-BLED Bleeding Risk Score - Abnormal renal and liver function.	HAS-BLED - Abnormal Renal and Liver Function
C138359	HSB0103	HSB01-Stroke	HAS-BLED Bleeding Risk Score - Stroke.	HAS-BLED - Stroke
C138360	HSB0104	HSB01-Bleeding	HAS-BLED Bleeding Risk Score - Bleeding.	HAS-BLED - Bleeding
C138361	HSB0105	HSB01-Labile INRs	HAS-BLED Bleeding Risk Score - Labile INRs.	HAS-BLED - Labile INRs
C138362	HSB0106	HSB01-Elderly	HAS-BLED Bleeding Risk Score - Elderly.	HAS-BLED - Elderly
C138363	HSB0107	HSB01-Drugs or Alcohol	HAS-BLED Bleeding Risk Score - Drugs or alcohol.	HAS-BLED - Drugs or Alcohol

**HSB01TN (HAS-BLED Bleeding Risk Score Clinical Classification Test Name)**

NCI Code: C138212, Codelist extensible: No

<b>C138212 HSB01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138358	HSB01-Abnormal Renal and Liver Function	HSB01-Abnormal Renal and Liver Function	HAS-BLED Bleeding Risk Score - Abnormal renal and liver function.	HAS-BLED - Abnormal Renal and Liver Function
C138360	HSB01-Bleeding	HSB01-Bleeding	HAS-BLED Bleeding Risk Score - Bleeding.	HAS-BLED - Bleeding
C138363	HSB01-Drugs or Alcohol	HSB01-Drugs or Alcohol	HAS-BLED Bleeding Risk Score - Drugs or alcohol.	HAS-BLED - Drugs or Alcohol
C138362	HSB01-Elderly	HSB01-Elderly	HAS-BLED Bleeding Risk Score - Elderly.	HAS-BLED - Elderly
C138357	HSB01-Hypertension	HSB01-Hypertension	HAS-BLED Bleeding Risk Score - Hypertension.	HAS-BLED - Hypertension
C138361	HSB01-Labile INRs	HSB01-Labile INRs	HAS-BLED Bleeding Risk Score - Labile INRs.	HAS-BLED - Labile INRs
C138359	HSB01-Stroke	HSB01-Stroke	HAS-BLED Bleeding Risk Score - Stroke.	HAS-BLED - Stroke

**IDSC1TC (Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code)**

NCI Code: C130247, Codelist extensible: No

<b>C130247 IDSC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130360	IDSC101	IDSC1-Sleep Onset Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	IDS-C - Sleep Onset Insomnia
C130361	IDSC102	IDSC1-Mid-Nocturnal Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	IDS-C - Mid-Nocturnal Insomnia
C130362	IDSC103	IDSC1-Early Morning Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	IDS-C - Early Morning Insomnia
C130363	IDSC104	IDSC1-Hypersomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	IDS-C - Hypersomnia
C130364	IDSC105	IDSC1-Mood (Sad)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	IDS-C - Mood (Sad)
C130365	IDSC106	IDSC1-Mood (Irritable)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (irritable).	IDS-C - Mood (Irritable)
C130366	IDSC107	IDSC1-Mood (Anxious)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (anxious).	IDS-C - Mood (Anxious)
C130367	IDSC108	IDSC1-Reactivity of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Reactivity of mood.	IDS-C - Reactivity of Mood
C130368	IDSC109	IDSC1-Mood Variation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood variation.	IDS-C - Mood Variation
C130369	IDSC109A	IDSC1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood typically worse in morning, afternoon, or night.	IDS-C - Mood Worse in Morning, Afternoon, or Night
C130370	IDSC109B	IDSC1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood variation attributed to environment by the patient?	IDS-C - Mood Variation Attributed to Environment
C130371	IDSC110	IDSC1-Quality of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Quality of mood.	IDS-C - Quality of Mood
C130372	IDSC111	IDSC1-Appetite (Decreased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	IDS-C - Appetite (Decreased)
C130373	IDSC112	IDSC1-Appetite (Increased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	IDS-C - Appetite (Increased)
C130374	IDSC113	IDSC1-Weight (Decrease)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	IDS-C - Weight (Decrease)
C130375	IDSC114	IDSC1-Weight (Increase)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	IDS-C - Weight (Increase)

**C130247 IDSC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130376	IDSC115	IDSC1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	IDS-C - Concentration or Decision Making
C130377	IDSC116	IDSC1-Outlook (Self)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	IDS-C - Outlook (Self)
C130378	IDSC117	IDSC1-Outlook (Future)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (future).	IDS-C - Outlook (Future)
C130379	IDSC118	IDSC1-Suicidal Ideation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	IDS-C - Suicidal Ideation
C130380	IDSC119	IDSC1-Involvement	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	IDS-C - Involvement
C130381	IDSC120	IDSC1-Energy/Fatiguability	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	IDS-C - Energy or Fatiguability
C130382	IDSC121	IDSC1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Pleasure/enjoyment (exclude sexual activities).	IDS-C - Pleasure or Enjoyment
C130383	IDSC122	IDSC1-Sexual Interest	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sexual interest.	IDS-C - Sexual Interest
C130384	IDSC123	IDSC1-Psychomotor Slowing	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	IDS-C - Psychomotor Slowing
C130385	IDSC124	IDSC1-Psychomotor Agitation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	IDS-C - Psychomotor Agitation
C130386	IDSC125	IDSC1-Somatic Complaints	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Somatic complaints.	IDS-C - Somatic Complaints
C130387	IDSC126	IDSC1-Sympathetic Arousal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sympathetic arousal.	IDS-C - Sympathetic Arousal
C130388	IDSC127	IDSC1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Panic/phobic symptoms.	IDS-C - Panic or Phobic Symptoms
C130389	IDSC128	IDSC1-Gastrointestinal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Gastrointestinal.	IDS-C - Gastrointestinal
C130390	IDSC129	IDSC1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Interpersonal sensitivity.	IDS-C - Interpersonal Sensitivity
C130391	IDSC130	IDSC1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Leaden paralysis/physical energy.	IDS-C - Leaden Paralysis or Physical Energy
C130392	IDSC131	IDSC1-Score	Inventory of Depressive Symptomatology - Clinician-Rated - Score.	IDS-C - Score



**IDSC1TN (Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name)**

NCI Code: C130246, Codelist extensible: No

<b>C130246 IDSC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130372	IDSC1-Appetite (Decreased)	IDSC1-Appetite (Decreased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	IDS-C - Appetite (Decreased)
C130373	IDSC1-Appetite (Increased)	IDSC1-Appetite (Increased)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	IDS-C - Appetite (Increased)
C130376	IDSC1-Concentration/Decision Making	IDSC1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	IDS-C - Concentration or Decision Making
C130362	IDSC1-Early Morning Insomnia	IDSC1-Early Morning Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	IDS-C - Early Morning Insomnia
C130381	IDSC1-Energy/Fatiguability	IDSC1-Energy/Fatiguability	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	IDS-C - Energy or Fatiguability
C130389	IDSC1-Gastrointestinal	IDSC1-Gastrointestinal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Gastrointestinal.	IDS-C - Gastrointestinal
C130363	IDSC1-Hypersomnia	IDSC1-Hypersomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	IDS-C - Hypersomnia
C130390	IDSC1-Interpersonal Sensitivity	IDSC1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Interpersonal sensitivity.	IDS-C - Interpersonal Sensitivity
C130380	IDSC1-Involvement	IDSC1-Involvement	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	IDS-C - Involvement
C130391	IDSC1-Leaden Paralysis/Physical Energy	IDSC1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Leaden paralysis/physical energy.	IDS-C - Leaden Paralysis or Physical Energy
C130361	IDSC1-Mid-Nocturnal Insomnia	IDSC1-Mid-Nocturnal Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	IDS-C - Mid-Nocturnal Insomnia
C130366	IDSC1-Mood (Anxious)	IDSC1-Mood (Anxious)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (anxious).	IDS-C - Mood (Anxious)
C130365	IDSC1-Mood (Irritable)	IDSC1-Mood (Irritable)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (irritable).	IDS-C - Mood (Irritable)
C130364	IDSC1-Mood (Sad)	IDSC1-Mood (Sad)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	IDS-C - Mood (Sad)
C130370	IDSC1-Mood Attributed to Environment	IDSC1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood variation attributed to environment by the patient?	IDS-C - Mood Variation Attributed to Environment
C130368	IDSC1-Mood Variation	IDSC1-Mood Variation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood variation.	IDS-C - Mood Variation

**C130246 IDSC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130369	IDSC1-Mood Worse Morn/Afternoon/Night	IDSC1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Clinician-Rated - Is mood typically worse in morning, afternoon, or night.	IDS-C - Mood Worse in Morning, Afternoon, or Night
C130378	IDSC1-Outlook (Future)	IDSC1-Outlook (Future)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (future).	IDS-C - Outlook (Future)
C130377	IDSC1-Outlook (Self)	IDSC1-Outlook (Self)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	IDS-C - Outlook (Self)
C130388	IDSC1-Panic/Phobic Symptoms	IDSC1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Panic/phobic symptoms.	IDS-C - Panic or Phobic Symptoms
C130382	IDSC1-Pleasure/Enjoyment (Exclude Sex)	IDSC1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Pleasure/enjoyment (exclude sexual activities).	IDS-C - Pleasure or Enjoyment
C130385	IDSC1-Psychomotor Agitation	IDSC1-Psychomotor Agitation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	IDS-C - Psychomotor Agitation
C130384	IDSC1-Psychomotor Slowing	IDSC1-Psychomotor Slowing	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	IDS-C - Psychomotor Slowing
C130371	IDSC1-Quality of Mood	IDSC1-Quality of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Quality of mood.	IDS-C - Quality of Mood
C130367	IDSC1-Reactivity of Mood	IDSC1-Reactivity of Mood	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Reactivity of mood.	IDS-C - Reactivity of Mood
C130392	IDSC1-Score	IDSC1-Score	Inventory of Depressive Symptomatology - Clinician-Rated - Score.	IDS-C - Score
C130383	IDSC1-Sexual Interest	IDSC1-Sexual Interest	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sexual interest.	IDS-C - Sexual Interest
C130360	IDSC1-Sleep Onset Insomnia	IDSC1-Sleep Onset Insomnia	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	IDS-C - Sleep Onset Insomnia
C130386	IDSC1-Somatic Complaints	IDSC1-Somatic Complaints	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Somatic complaints.	IDS-C - Somatic Complaints
C130379	IDSC1-Suicidal Ideation	IDSC1-Suicidal Ideation	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	IDS-C - Suicidal Ideation
C130387	IDSC1-Sympathetic Arousal	IDSC1-Sympathetic Arousal	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sympathetic arousal.	IDS-C - Sympathetic Arousal
C130374	IDSC1-Weight (Decrease)	IDSC1-Weight (Decrease)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	IDS-C - Weight (Decrease)
C130375	IDSC1-Weight (Increase)	IDSC1-Weight (Increase)	Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	IDS-C - Weight (Increase)

## IDSR1TC (Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code)

NCI Code: C130261, Codelist extensible: No

C130261 IDSR1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130551	IDSR101	IDSR1-Falling Asleep	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	IDS-SR - Falling Asleep
C130552	IDSR102	IDSR1-Sleep During the Night	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	IDS-SR - Sleep During the Night
C130553	IDSR103	IDSR1-Waking Up Too Early	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	IDS-SR - Waking Up Too Early
C130554	IDSR104	IDSR1-Sleeping Too Much	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	IDS-SR - Sleeping Too Much
C130555	IDSR105	IDSR1-Feeling Sad	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	IDS-SR - Feeling Sad
C130556	IDSR106	IDSR1-Feeling Irritable	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling irritable.	IDS-SR - Feeling Irritable
C130557	IDSR107	IDSR1-Feeling Anxious or Tense	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling anxious or tense.	IDS-SR - Feeling Anxious or Tense
C130558	IDSR108	IDSR1-Your Mood to Good/Desired Events	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Response of your mood to good or desired events.	IDS-SR - Response of Your Mood to Good or Desired Events
C130559	IDSR109	IDSR1-Mood in Relation to Time of Day	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Mood in relation to the time of day.	IDS-SR - Mood in Relation to the Time of Day
C130560	IDSR109A	IDSR1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Self-Report - Is your mood typically worse in the morning, afternoon or night?	IDS-SR - Mood Worse in Morning, Afternoon, or Night
C130561	IDSR109B	IDSR1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Self-Report - Is your mood variation attributed to the environment?	IDS-SR - Mood Variation Attributed to Environment
C130562	IDSR110	IDSR1-Quality of Your Mood	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: The quality of your mood.	IDS-SR - The Quality of Your Mood
C130563	IDSR111	IDSR1-Decreased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	IDS-SR - Decreased Appetite
C130564	IDSR112	IDSR1-Increased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	IDS-SR - Increased Appetite
C130565	IDSR113	IDSR1-Weight (Decrease)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (decrease).	IDS-SR - Weight (Decrease)
C130566	IDSR114	IDSR1-Weight (Increase)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (increase).	IDS-SR - Weight (Increase)
C130567	IDSR115	IDSR1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	IDS-SR - Concentration or Decision Making

**C130261 IDSR1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130568	IDSR116	IDSR1-View of Myself	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	IDS-SR - View of Myself
C130569	IDSR117	IDSR1-View of My Future	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of my future.	IDS-SR - View of My Future
C130570	IDSR118	IDSR1-Thoughts of Death or Suicide	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	IDS-SR - Thoughts of Death or Suicide
C130571	IDSR119	IDSR1-General Interest	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	IDS-SR - General Interest
C130572	IDSR120	IDSR1-Energy Level	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	IDS-SR - Energy Level
C130573	IDSR121	IDSR1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Capacity for pleasure or enjoyment (excluding sex).	IDS-SR - Capacity for Pleasure or Enjoyment
C130574	IDSR122	IDSR1-Interest in Sex	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interest in sex.	IDS-SR - Interest in Sex
C130575	IDSR123	IDSR1-Feeling Slowed Down	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	IDS-SR - Feeling Slowed Down
C130576	IDSR124	IDSR1-Feeling Restless	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	IDS-SR - Feeling Restless
C130577	IDSR125	IDSR1-Aches and Pains	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Aches and pains.	IDS-SR - Aches and Pains
C130578	IDSR126	IDSR1-Other Bodily Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Other bodily symptoms.	IDS-SR - Other Bodily Symptoms
C130579	IDSR127	IDSR1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Panic/phobic symptoms.	IDS-SR - Panic or Phobic Symptoms
C130580	IDSR128	IDSR1-Constipation/Diarrhea	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Constipation/diarrhea.	IDS-SR - Constipation or Diarrhea
C130581	IDSR129	IDSR1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interpersonal sensitivity.	IDS-SR - Interpersonal Sensitivity
C130582	IDSR130	IDSR1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Leaden paralysis/physical energy.	IDS-SR - Leaden Paralysis or Physical Energy
C130583	IDSR131	IDSR1-Score	Inventory of Depressive Symptomatology - Self-Report - Score.	IDS-SR - Score

**IDSR1TN (Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name)**

NCI Code: C130260, Codelist extensible: No

<b>C130260 IDSR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130577	IDSR1-Aches and Pains	IDSR1-Aches and Pains	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Aches and pains.	IDS-SR - Aches and Pains
C130567	IDSR1-Concentration/Decision Making	IDSR1-Concentration/Decision Making	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	IDS-SR - Concentration or Decision Making
C130580	IDSR1-Constipation/Diarrhea	IDSR1-Constipation/Diarrhea	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Constipation/diarrhea.	IDS-SR - Constipation or Diarrhea
C130563	IDSR1-Decreased Appetite	IDSR1-Decreased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	IDS-SR - Decreased Appetite
C130572	IDSR1-Energy Level	IDSR1-Energy Level	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	IDS-SR - Energy Level
C130551	IDSR1-Falling Asleep	IDSR1-Falling Asleep	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	IDS-SR - Falling Asleep
C130557	IDSR1-Feeling Anxious or Tense	IDSR1-Feeling Anxious or Tense	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling anxious or tense.	IDS-SR - Feeling Anxious or Tense
C130556	IDSR1-Feeling Irritable	IDSR1-Feeling Irritable	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling irritable.	IDS-SR - Feeling Irritable
C130576	IDSR1-Feeling Restless	IDSR1-Feeling Restless	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	IDS-SR - Feeling Restless
C130555	IDSR1-Feeling Sad	IDSR1-Feeling Sad	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	IDS-SR - Feeling Sad
C130575	IDSR1-Feeling Slowed Down	IDSR1-Feeling Slowed Down	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	IDS-SR - Feeling Slowed Down
C130571	IDSR1-General Interest	IDSR1-General Interest	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	IDS-SR - General Interest
C130564	IDSR1-Increased Appetite	IDSR1-Increased Appetite	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	IDS-SR - Increased Appetite
C130574	IDSR1-Interest in Sex	IDSR1-Interest in Sex	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interest in sex.	IDS-SR - Interest in Sex
C130581	IDSR1-Interpersonal Sensitivity	IDSR1-Interpersonal Sensitivity	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Interpersonal sensitivity.	IDS-SR - Interpersonal Sensitivity
C130582	IDSR1-Leaden Paralysis/Physical Energy	IDSR1-Leaden Paralysis/Physical Energy	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Leaden paralysis/physical energy.	IDS-SR - Leaden Paralysis or Physical Energy
C130561	IDSR1-Mood Attributed to Environment	IDSR1-Mood Attributed to Environment	Inventory of Depressive Symptomatology - Self-Report - Is your mood variation attributed to the environment?	IDS-SR - Mood Variation Attributed to Environment
C130559	IDSR1-Mood in Relation to Time of Day	IDSR1-Mood in Relation to Time of Day	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Mood in relation to the time of day.	IDS-SR - Mood in Relation to the Time of Day

**C130260 IDSR1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130560	IDSR1-Mood Worse Morn/Afternoon/Night	IDSR1-Mood Worse Morn/Afternoon/Night	Inventory of Depressive Symptomatology - Self-Report - Is your mood typically worse in the morning, afternoon or night?	IDS-SR - Mood Worse in Morning, Afternoon, or Night
C130578	IDSR1-Other Bodily Symptoms	IDSR1-Other Bodily Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Other bodily symptoms.	IDS-SR - Other Bodily Symptoms
C130579	IDSR1-Panic/Phobic Symptoms	IDSR1-Panic/Phobic Symptoms	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Panic/phobic symptoms.	IDS-SR - Panic or Phobic Symptoms
C130573	IDSR1-Pleasure/Enjoyment (Exclude Sex)	IDSR1-Pleasure/Enjoyment (Exclude Sex)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Capacity for pleasure or enjoyment (excluding sex).	IDS-SR - Capacity for Pleasure or Enjoyment
C130562	IDSR1-Quality of Your Mood	IDSR1-Quality of Your Mood	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: The quality of your mood.	IDS-SR - The Quality of Your Mood
C130583	IDSR1-Score	IDSR1-Score	Inventory of Depressive Symptomatology - Self-Report - Score.	IDS-SR - Score
C130552	IDSR1-Sleep During the Night	IDSR1-Sleep During the Night	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	IDS-SR - Sleep During the Night
C130554	IDSR1-Sleeping Too Much	IDSR1-Sleeping Too Much	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	IDS-SR - Sleeping Too Much
C130570	IDSR1-Thoughts of Death or Suicide	IDSR1-Thoughts of Death or Suicide	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	IDS-SR - Thoughts of Death or Suicide
C130569	IDSR1-View of My Future	IDSR1-View of My Future	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of my future.	IDS-SR - View of My Future
C130568	IDSR1-View of Myself	IDSR1-View of Myself	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	IDS-SR - View of Myself
C130553	IDSR1-Waking Up Too Early	IDSR1-Waking Up Too Early	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	IDS-SR - Waking Up Too Early
C130565	IDSR1-Weight (Decrease)	IDSR1-Weight (Decrease)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (decrease).	IDS-SR - Weight (Decrease)
C130566	IDSR1-Weight (Increase)	IDSR1-Weight (Increase)	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Weight (increase).	IDS-SR - Weight (Increase)
C130558	IDSR1-Your Mood to Good/Desired Events	IDSR1-Your Mood to Good/Desired Events	Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Response of your mood to good or desired events.	IDS-SR - Response of Your Mood to Good or Desired Events

## IECAT (Category for Inclusion/Exclusion)

NCI Code: C66797, Codelist extensible: No

<b>C66797 IECAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25370	EXCLUSION		List of characteristics in a protocol, any one of which may exclude a potential subject from participation in a study. (CDISC glossary)	Exclusion Criteria
C25532	INCLUSION		The criteria in a protocol that prospective subjects must meet to be eligible for participation in a study. NOTE: Exclusion and inclusion criteria define the study population. See also exclusion criteria. (CDISC glossary)	Inclusion Criteria

## IIEF01TC (International Index of Erectile Function Questionnaire Test Code)

NCI Code: C103471, Codelist extensible: No

C103471 IIEF01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103587	IIEF0101	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF0102	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103589	IIEF0103	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103590	IIEF0104	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF0105	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103592	IIEF0106	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse
C103593	IIEF0107	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103594	IIEF0108	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103595	IIEF0109	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103596	IIEF0110	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with our without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103597	IIEF0111	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103598	IIEF0112	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF0113	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF0114	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103601	IIEF0115	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection



## IIEF01TN (International Index of Erectile Function Questionnaire Test Name)

NCI Code: C103470, Codelist extensible: No

<b>C103470 IIEF01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103589	IIEF01-Able to Penetrate Your Partner	IIEF01-Able to Penetrate Your Partner;IIEF01-Penetration Ability	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often were you able to penetrate (enter) your partner?	IIEF - Able to Penetrate Your Partner
C103601	IIEF01-Confidence to Get/Keep Erection	IIEF01-Confidence to Get/Keep Erection;IIEF01-Erection Confidence	International Index of Erectile Function - Over the past four weeks how do you rate your confidence that you could get and keep an erection?	IIEF - Your Confidence to Get and Keep an Erection
C103596	IIEF01-Did You Have Feeling of Orgasm	IIEF01-Did You Have Feeling of Orgasm;IIEF01-Orgasm Frequency	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you have the feeling of orgasm with or without ejaculation?	IIEF - Did You Have Feeling of Orgasm With or Without Ejaculation
C103594	IIEF01-Enjoyed Sexual Intercourse	IIEF01-Enjoyed Sexual Intercourse;IIEF01-Intercourse Enjoyment	International Index of Erectile Function - Over the past four weeks how much have you enjoyed sexual intercourse?	IIEF - How Much Have You Enjoyed Sexual Intercourse
C103587	IIEF01-Erection During Sexual Activity	IIEF01-Erection During Sexual Activity;IIEF01-Erection Frequency	International Index of Erectile Function - Over the past four weeks how often were you able to get an erection during sexual activity?	IIEF - Able to Get an Erection During Sexual Activity
C103588	IIEF01-Erection Hard Enough to Penetrate	IIEF01-Erection Firmness;IIEF01-Erection Hard Enough to Penetrate	International Index of Erectile Function - Over the past four weeks when you had erections with sexual stimulation, how often were your erections hard enough for penetration?	IIEF - Erections Hard Enough for Penetration
C103597	IIEF01-Have You Felt Sexual Desire	IIEF01-Desire Frequency;IIEF01-Have You Felt Sexual Desire	International Index of Erectile Function - Over the past four weeks how often have you felt sexual desire?	IIEF - How Often Have You Felt Sexual Desire
C103595	IIEF01-How Often Did You Ejaculate	IIEF01-Ejaculation Frequency;IIEF01-How Often Did You Ejaculate	International Index of Erectile Function - Over the past four weeks when you had sexual stimulation or intercourse, how often did you ejaculate?	IIEF - How Often Did You Ejaculate
C103593	IIEF01-How Often was it Satisfactory	IIEF01-How Often was it Satisfactory;IIEF01-Intercourse Satisfaction	International Index of Erectile Function - Over the past four weeks when you attempted sexual intercourse, how often was it satisfactory for you?	IIEF - How Often was it Satisfactory for You
C103590	IIEF01-Maintain Erection After Penetrate	IIEF01-Maintain Erection After Penetrate;IIEF01-Maintenance Frequency	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?	IIEF - Able to Maintain Your Erection After You Had Penetrated Your Partner
C103591	IIEF01-Maintain Erection to Completion	IIEF01-Maintain Erection to Completion;IIEF01-Maintenance Ability	International Index of Erectile Function - Over the past four weeks during sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?	IIEF - Maintain Your Erection to Completion of Intercourse
C103598	IIEF01-Rate Your Level of Sexual Desire	IIEF01-Desire Level;IIEF01-Rate Your Level of Sexual Desire	International Index of Erectile Function - Over the past four weeks how would you rate your level of sexual desire?	IIEF - Rate Your Level of Sexual Desire
C103599	IIEF01-Satisfied with Overall Sex Life	IIEF01-Overall Satisfaction;IIEF01-Satisfied with Overall Sex Life	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your overall sex life?	IIEF - Satisfied with Overall Sex Life
C103600	IIEF01-Satisfy with Sexual Relationship	IIEF01-Relationship Satisfaction;IIEF01-Satisfy with Sexual Relationship	International Index of Erectile Function - Over the past four weeks how satisfied have you been with your sexual relationship with your partner?	IIEF - Satisfied with Your Sexual Relationship with Your Partner
C103592	IIEF01-Times Attempted Sexual Intercours	IIEF01-Intercourse Frequency;IIEF01-Times Attempted Sexual Intercours	International Index of Erectile Function - Over the past four weeks how many times have you attempted sexual intercourse?	IIEF - How Many Times Have You Attempted Sexual Intercourse

## INTMODEL (Intervention Model Response)

NCI Code: C99076, Codelist extensible: Yes

<b>C99076 INTMODEL</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82637	CROSS-OVER		Participants receive one of two or more alternative intervention(s) during the initial epoch of the study and receive other intervention(s) during the subsequent epoch(s) of the study.	Crossover Study
C82638	FACTORIAL		Two or more interventions, each alone or in combination, are evaluated in parallel against a control group. This study design allows for the comparison of active drug to placebo, presence of drug-drug interactions, and comparison of active drugs against each other.	Factorial Study
C82639	PARALLEL		Participants are assigned to one of two or more treatment groups in parallel for the duration of the study.	Parallel Study
C142568	SEQUENTIAL		Groups of participants are assigned to receive interventions based on prior milestones being reached in the study. (clinicaltrials.gov)	Group Sequential Design
C82640	SINGLE GROUP		All trial participants are assigned to a single treatment group for the duration of the study.	Single Group Study

**INTTYPE (Intervention Type Response)**

NCI Code: C99078, Codelist extensible: No

<b>C99078</b>		<b>INTTYPE</b>		
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15184	BEHAVIORAL THERAPY		A technique used to change subjects' behavior, for example, psychotherapy, lifestyle counseling or hypnosis.	Behavioral Intervention
C307	BIOLOGIC		A substance made from living organisms or things they produce, for example: virus, therapeutic serum, toxin, antitoxin, vaccine, blood, blood component or derivative, allergenic product, or analogous product.	Biological Agent
C16830	DEVICE		An instrument, apparatus, implement, machine, contrivance, implant, in vitro reagent, or other similar or related article, including any component, part, or accessory, which is recognized in the official National Formulary, or the United States Pharmacopeia, or any supplement to them, intended for use in the diagnosis of disease or other conditions, or in the cure, mitigation, treatment, or prevention of disease, in man or other animals, or intended to affect the structure or any function of the body of man or other animals, and which does not achieve its primary intended purposes through chemical action within or on the body of man or other animals and which is not dependent upon being metabolized for the achievement of its primary intended purposes. (FDA)	Medical Device
C1505	DIETARY SUPPLEMENT		Oral preparations containing dietary ingredient(s) intended to supplement the diet. Dietary ingredients include vitamins, minerals, herbs, amino acids, extracts and metabolites.	Dietary Supplement
C1909	DRUG		An active natural, synthetic or semi-synthetic ingredient including endogenous body substance that is intended to furnish pharmacological activity or other direct effect in the diagnosis, cure, mitigation, treatment, or prevention of disease or to affect the structure or any function of the human body, but does not include intermediates used in the synthesis of such ingredient (21 CFR 314.3(b)).	Pharmacologic Substance
C15238	GENETIC		Application of genetic material into cells in order to correct an inherited or acquired disease.	Gene Therapy
C17649	OTHER	Other	Different than the one(s) previously specified or mentioned. (NCI)	Other
C98769	PROCEDURE		A treatment procedure performed by manual and/or instrumental means, for example: surgery, lithotripsy, or external manipulation.	Physical Medical Procedure
C15313	RADIATION	Radiation Therapy	Treatment of a disease by means of exposure of the target or the whole body to radiation.	Radiation Therapy

**IPAQ01TC (International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Questionnaire Test Code)**

NCI Code: C141671, Codelist extensible: No

<b>C141671 IPAQ01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141848	IPA0101	IPA01-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Vigorous Physical Activities
C141849	IPA0102A	IPA01-Vigorous Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Hours per Day
C141850	IPA0102B	IPA01-Vigorous Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Minutes per Day
C141851	IPA0102C	IPA01-Total Vigorous Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Hours per Week
C141852	IPA0102D	IPA01-Total Vigorous Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Minutes per Week
C141853	IPA0103	IPA01-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Moderate Physical Activities
C141854	IPA0104A	IPA01-Moderate Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Hours per Day
C141855	IPA0104B	IPA01-Moderate Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Minutes per Day
C141856	IPA0104C	IPA01-Total Moderate Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Hours per Week
C141857	IPA0104D	IPA01-Total Moderate Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Minutes per Week
C141858	IPA0105	IPA01-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?	IPAQ Short Last 7 Days Telephone Format Version - Days Walk at Least 10 Minutes
C141859	IPA0106A	IPA01-Walking Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Hours per Day
C141860	IPA0106B	IPA01-Walking Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Minutes per Day
C141861	IPA0106C	IPA01-Total Walking Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Hours per Week
C141862	IPA0106D	IPA01-Total Walking Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Minutes per Week
C141863	IPA0107A	IPA01-Sitting Hours per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Hours per Weekday

**C141671 IPAQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141864	IPA0107B	IPA01-Sitting Minutes per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Minutes per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Minutes per Weekday
C141865	IPA0107C	IPA01-Total Sitting Hours on Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Hours on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Hours on Wednesday
C141866	IPA0107D	IPA01-Total Sitting Minutes on Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Minutes on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Minutes on Wednesday

**IPAQ01TN (International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format Questionnaire Test Name)**

NCI Code: C141670, Codelist extensible: No

<b>C141670 IPAQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141853	IPA01-Days Moderate Physical Activities	IPA01-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Moderate Physical Activities
C141848	IPA01-Days Vigorous Physical Activities	IPA01-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities?	IPAQ Short Last 7 Days Telephone Format Version - Days Vigorous Physical Activities
C141858	IPA01-Days Walk at Least 10 Minutes	IPA01-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?	IPAQ Short Last 7 Days Telephone Format Version - Days Walk at Least 10 Minutes
C141854	IPA01-Moderate Physical Hours per Day	IPA01-Moderate Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Hours per Day
C141855	IPA01-Moderate Physical Minutes per Day	IPA01-Moderate Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing moderate physical activities on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Moderate Physical Minutes per Day
C141863	IPA01-Sitting Hours per Weekday	IPA01-Sitting Hours per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Hours per Weekday
C141864	IPA01-Sitting Minutes per Weekday	IPA01-Sitting Minutes per Weekday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Minutes per weekday.	IPAQ Short Last 7 Days Telephone Format Version - Sitting Minutes per Weekday
C141856	IPA01-Total Moderate Hours per Week	IPA01-Total Moderate Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Hours per Week
C141857	IPA01-Total Moderate Minutes per Week	IPA01-Total Moderate Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Moderate Minutes per Week
C141865	IPA01-Total Sitting Hours on Wednesday	IPA01-Total Sitting Hours on Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Hours on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Hours on Wednesday
C141866	IPA01-Total Sitting Minutes on Wednesday	IPA01-Total Sitting Minutes on Wednesday	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent sitting last Wednesday?: Minutes on Wednesday.	IPAQ Short Last 7 Days Telephone Format Version - Total Sitting Minutes on Wednesday
C141851	IPA01-Total Vigorous Hours per Week	IPA01-Total Vigorous Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Hours per Week
C141852	IPA01-Total Vigorous Minutes per Week	IPA01-Total Vigorous Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time in total would you spend over the last 7 days doing vigorous physical activities?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Vigorous Minutes per Week
C141861	IPA01-Total Walking Hours per Week	IPA01-Total Walking Hours per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Hours per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Hours per Week
C141862	IPA01-Total Walking Minutes per Week	IPA01-Total Walking Minutes per Week	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days?: Minutes per week.	IPAQ Short Last 7 Days Telephone Format Version - Total Walking Minutes per Week
C141849	IPA01-Vigorous Physical Hours per Day	IPA01-Vigorous Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Hours per Day

**C141670 IPAQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141850	IPA01-Vigorous Physical Minutes per Day	IPA01-Vigorous Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Vigorous Physical Minutes per Day
C141859	IPA01-Walking Hours per Day	IPA01-Walking Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Hours per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Hours per Day
C141860	IPA01-Walking Minutes per Day	IPA01-Walking Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Telephone Format - How much time did you usually spend walking on one of those days?: Minutes per day.	IPAQ Short Last 7 Days Telephone Format Version - Walking Minutes per Day

**IPAQ02TC (International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Code)**

NCI Code: C141669, Codelist extensible: No

<b>C141669 IPAQ02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141815	IPA0116	IPA02-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in the Garden/Yard
C141779	IPA0201	IPA02-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Telephone Format Version - Currently Have Job or Unpaid Work
C141780	IPA0202	IPA02-Days Vigorous as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous as Part of Work
C141781	IPA0203A	IPA02-Vigorous Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hours per Day
C141782	IPA0203B	IPA02-Vigorous Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Minutes per Day
C141783	IPA0203C	IPA02-Vigorous Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hours per Week
C141784	IPA0203D	IPA02-Vigorous Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Minutes per Week
C141785	IPA0204	IPA02-Days Moderate as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate as Part of Work
C141786	IPA0205A	IPA02-Moderate Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hours per Day
C141787	IPA0205B	IPA02-Moderate Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Minutes per Day
C141788	IPA0205C	IPA02-Moderate Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hours per Week
C141789	IPA0205D	IPA02-Moderate Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Minutes per Week
C141790	IPA0206	IPA02-Days Walk as Part of Your Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk as Part of Your Work
C141791	IPA0207A	IPA02-Walking Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hours per Day



**C141669 IPAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141792	IPA0207B	IPA02-Walking Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Minutes per Day
C141793	IPA0207C	IPA02-Walking Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hours per Week
C141794	IPA0207D	IPA02-Walking Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Minutes per Week
C141795	IPA0208	IPA02-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?	IPAQ Long Last 7 Days Telephone Format Version - Days Travel in a Motor Vehicle
C141796	IPA0209A	IPA02-Traveling Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hours per Day
C141797	IPA0209B	IPA02-Traveling Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Minutes per Day
C141798	IPA0209C	IPA02-Traveling Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hours per Week
C141799	IPA0209D	IPA02-Traveling Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Minutes per Week
C141800	IPA0210	IPA02-Days Bicycle Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you bicycle to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Bicycle Place to Place
C141801	IPA0211A	IPA02-Bicycle Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Hours per Day
C141802	IPA0211B	IPA02-Bicycle Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Minutes per Day
C141803	IPA0211C	IPA02-Bicycling Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Hours per Week
C141804	IPA0211D	IPA02-Bicycling Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Minutes per Week
C141805	IPA0212	IPA02-Days Walk Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk Place to Place
C141806	IPA0213A	IPA02-Walking Place Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hours per Day
C141807	IPA0213B	IPA02-Walking Place Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Minutes per Day

**C141669 IPAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141808	IPA0213C	IPA02-Walking Place Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hours per Week
C141809	IPA0213D	IPA02-Walking Place Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Minutes per Week
C141810	IPA0214	IPA02-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in the Garden/Yard
C141811	IPA0215A	IPA02-Vigorous Garden Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hours per Day
C141812	IPA0215B	IPA02-Vigorous Garden Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Minutes per Day
C141813	IPA0215C	IPA02-Vigorous Garden Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hours per Week
C141814	IPA0215D	IPA02-Vigorous Garden Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Minutes per Week
C141816	IPA0217A	IPA02-Moderate Garden Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hours per Day
C141817	IPA0217B	IPA02-Moderate Garden Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Minutes per Day
C141818	IPA0217C	IPA02-Moderate Garden Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hours per Week
C141819	IPA0217D	IPA02-Moderate Garden Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Minutes per Week
C141820	IPA0218	IPA02-Days Moderate Inside Your Home	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities inside your home?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate Inside Your Home
C141821	IPA0219A	IPA02-Moderate Home Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hours per Day
C141822	IPA0219B	IPA02-Moderate Home Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Minutes per Day
C141823	IPA0219C	IPA02-Moderate Home Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hours per Week

**C141669 IPAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141824	IPA0219D	IPA02-Moderate Home Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Minutes per Week
C141825	IPA0220	IPA02-Days Walk in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Not counting any walking you have already mentioned, during the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk in Your Leisure Time
C141826	IPA0221A	IPA02-Walking Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hours per Day
C141827	IPA0221B	IPA02-Walking Leisure Minutes Per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Minutes Per Day
C141828	IPA0221C	IPA02-Walking Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hours per Week
C141829	IPA0221D	IPA02-Walking Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Minutes per Week
C141830	IPA0222	IPA02-Days Vigorous in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in Your Leisure Time
C141831	IPA0223A	IPA02-Vigorous Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hours per Day
C141832	IPA0223B	IPA02-Vigorous Leisure Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Minutes per Day
C141833	IPA0223C	IPA02-Vigorous Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hours per Week
C141834	IPA0223D	IPA02-Vigorous Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Minutes per Week
C141835	IPA0224	IPA02-Days Moderate in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in Your Leisure Time
C141836	IPA0225A	IPA02-Moderate Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hours per Day
C141837	IPA0225B	IPA02-Moderate Leisure Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Minutes per Day
C141838	IPA0225C	IPA02-Moderate Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hours per Week

**C141669 IPAQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141839	IPA0225D	IPA02-Moderate Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time? Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Minutes per Week
C141840	IPA0226A	IPA02-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Hours per Day
C141841	IPA0226B	IPA02-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Minutes per Day
C141842	IPA0226C	IPA02-Sitting Hours on Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Hours on Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hours on Wednesday
C141843	IPA0226D	IPA02-Sitting Minutes per Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Minutes per Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Minutes per Wednesday
C141844	IPA0227A	IPA02-Sitting Weekend Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Hours per Day
C141845	IPA0227B	IPA02-Sitting Weekend Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Minutes per Day
C141846	IPA0227C	IPA02-Sitting Hours on Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Hours on Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hours on Saturday
C141847	IPA0227D	IPA02-Sitting Minutes per Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Minutes per Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Minutes per Saturday

**IPAQ02TN (International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format Questionnaire Test Name)**

NCI Code: C141668, Codelist extensible: No

<b>C141668 IPAQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141801	IPA02-Bicycle Hours per Day	IPA02-Bicycle Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Hours per Day
C141802	IPA02-Bicycle Minutes per Day	IPA02-Bicycle Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days to bicycle from place to place?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Bicycle Minutes per Day
C141803	IPA02-Bicycling Hours per Week	IPA02-Bicycling Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Hours per Week
C141804	IPA02-Bicycling Minutes per Week	IPA02-Bicycling Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent bicycling over the last 7 days to travel from place to place?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Bicycling Minutes per Week
C141779	IPA02-Currently Have Job or Unpaid Work	IPA02-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Telephone Format Version - Currently Have Job or Unpaid Work
C141800	IPA02-Days Bicycle Place to Place	IPA02-Days Bicycle Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you bicycle to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Bicycle Place to Place
C141785	IPA02-Days Moderate as Part of Work	IPA02-Days Moderate as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate as Part of Work
C141815	IPA02-Days Moderate in the Garden/Yard	IPA02-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in the Garden/Yard
C141835	IPA02-Days Moderate in Your Leisure Time	IPA02-Days Moderate in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate in Your Leisure Time
C141820	IPA02-Days Moderate Inside Your Home	IPA02-Days Moderate Inside Your Home	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do moderate activities inside your home?	IPAQ Long Last 7 Days Telephone Format Version - Days Moderate Inside Your Home
C141795	IPA02-Days Travel in a Motor Vehicle	IPA02-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?	IPAQ Long Last 7 Days Telephone Format Version - Days Travel in a Motor Vehicle
C141780	IPA02-Days Vigorous as Part of Work	IPA02-Days Vigorous as Part of Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous as Part of Work
C141810	IPA02-Days Vigorous in the Garden/Yard	IPA02-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in the garden or yard?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in the Garden/Yard
C141830	IPA02-Days Vigorous in Your Leisure Time	IPA02-Days Vigorous in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you do vigorous physical activities in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Vigorous in Your Leisure Time
C141790	IPA02-Days Walk as Part of Your Work	IPA02-Days Walk as Part of Your Work	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk as part of your work?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk as Part of Your Work

**C141668 IPAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141825	IPA02-Days Walk in Your Leisure Time	IPA02-Days Walk in Your Leisure Time	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - Not counting any walking you have already mentioned, during the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk in Your Leisure Time
C141805	IPA02-Days Walk Place to Place	IPA02-Days Walk Place to Place	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, on how many days did you walk to go from place to place?	IPAQ Long Last 7 Days Telephone Format Version - Days Walk Place to Place
C141816	IPA02-Moderate Garden Hours per Day	IPA02-Moderate Garden Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hours per Day
C141818	IPA02-Moderate Garden Hours per Week	IPA02-Moderate Garden Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Hours per Week
C141817	IPA02-Moderate Garden Minutes per Day	IPA02-Moderate Garden Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Minutes per Day
C141819	IPA02-Moderate Garden Minutes per Week	IPA02-Moderate Garden Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in the garden or yard?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Garden Minutes per Week
C141821	IPA02-Moderate Home Hours per Day	IPA02-Moderate Home Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hours per Day
C141823	IPA02-Moderate Home Hours per Week	IPA02-Moderate Home Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Hours per Week
C141822	IPA02-Moderate Home Minutes per Day	IPA02-Moderate Home Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Minutes per Day
C141824	IPA02-Moderate Home Minutes per Week	IPA02-Moderate Home Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities inside your home?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Home Minutes per Week
C141836	IPA02-Moderate Leisure Hours per Day	IPA02-Moderate Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hours per Day
C141838	IPA02-Moderate Leisure Hours per Week	IPA02-Moderate Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Hours per Week
C141837	IPA02-Moderate Leisure Minutes per Day	IPA02-Moderate Leisure Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Minutes per Day
C141839	IPA02-Moderate Leisure Minutes per Week	IPA02-Moderate Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities in your leisure time? Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Leisure Minutes per Week

**C141668 IPAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141786	IPA02-Moderate Work Hours per Day	IPA02-Moderate Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hours per Day
C141788	IPA02-Moderate Work Hours per Week	IPA02-Moderate Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Hours per Week
C141787	IPA02-Moderate Work Minutes per Day	IPA02-Moderate Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Minutes per Day
C141789	IPA02-Moderate Work Minutes per Week	IPA02-Moderate Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing moderate physical activities as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Moderate Work Minutes per Week
C141846	IPA02-Sitting Hours on Saturday	IPA02-Sitting Hours on Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Hours on Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hours on Saturday
C141842	IPA02-Sitting Hours on Wednesday	IPA02-Sitting Hours on Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Hours on Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Hours on Wednesday
C141847	IPA02-Sitting Minutes per Saturday	IPA02-Sitting Minutes per Saturday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Saturday?: Minutes per Saturday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Minutes per Saturday
C141843	IPA02-Sitting Minutes per Wednesday	IPA02-Sitting Minutes per Wednesday	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time in total did you spend sitting on Wednesday?: Minutes per Wednesday.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Minutes per Wednesday
C141840	IPA02-Sitting Weekday Hours per Day	IPA02-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Hours per Day
C141841	IPA02-Sitting Weekday Minutes per Day	IPA02-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekday Minutes per Day
C141844	IPA02-Sitting Weekend Hours per Day	IPA02-Sitting Weekend Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Hours per Day
C141845	IPA02-Sitting Weekend Minutes per Day	IPA02-Sitting Weekend Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Sitting Weekend Minutes per Day
C141796	IPA02-Traveling Hours per Day	IPA02-Traveling Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hours per Day
C141798	IPA02-Traveling Hours per Week	IPA02-Traveling Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Hours per Week
C141797	IPA02-Traveling Minutes per Day	IPA02-Traveling Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days traveling in a car, bus, train or other kind of motor vehicle?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Minutes per Day
C141799	IPa02-Traveling Minutes per Week	IPa02-Traveling Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days traveling in a motor vehicle?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Traveling Minutes per Week

**C141668 IPAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141811	IPA02-Vigorous Garden Hours per Day	IPA02-Vigorous Garden Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hours per Day
C141813	IPA02-Vigorous Garden Hours per Week	IPA02-Vigorous Garden Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Hours per Week
C141812	IPA02-Vigorous Garden Minutes per Day	IPA02-Vigorous Garden Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Minutes per Day
C141814	IPA02-Vigorous Garden Minutes per Week	IPA02-Vigorous Garden Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in the garden or yard?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Garden Minutes per Week
C141831	IPA02-Vigorous Leisure Hours per Day	IPA02-Vigorous Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hours per Day
C141833	IPA02-Vigorous Leisure Hours per Week	IPA02-Vigorous Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Hours per Week
C141832	IPA02-Vigorous Leisure Minutes per Day	IPA02-Vigorous Leisure Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Minutes per Day
C141834	IPA02-Vigorous Leisure Minutes per Week	IPA02-Vigorous Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities in your leisure time?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Leisure Minutes per Week
C141781	IPA02-Vigorous Work Hours per Day	IPA02-Vigorous Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hours per Day
C141783	IPA02-Vigorous Work Hours per Week	IPA02-Vigorous Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Hours per Week
C141782	IPA02-Vigorous Work Minutes per Day	IPA02-Vigorous Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Minutes per Day
C141784	IPA02-Vigorous Work Minutes per Week	IPA02-Vigorous Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days doing vigorous physical activities as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Vigorous Work Minutes per Week
C141826	IPA02-Walking Leisure Hours per Day	IPA02-Walking Leisure Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hours per Day
C141828	IPA02-Walking Leisure Hours per Week	IPA02-Walking Leisure Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Hours per Week



**C141668 IPAQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141827	IPA02-Walking Leisure Minutes Per Day	IPA02-Walking Leisure Minutes Per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking in your leisure time?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Minutes Per Day
C141829	IPA02-Walking Leisure Minutes per Week	IPA02-Walking Leisure Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking in your leisure time?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Leisure Minutes per Week
C141806	IPA02-Walking Place Hours per Day	IPA02-Walking Place Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hours per Day
C141808	IPA02-Walking Place Hours per Week	IPA02-Walking Place Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Hours per Week
C141807	IPA02-Walking Place Minutes per Day	IPA02-Walking Place Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking from place to place?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Minutes per Day
C141809	IPA02-Walking Place Minutes per Week	IPA02-Walking Place Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent over the last 7 days walking from place to place?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Place Minutes per Week
C141791	IPA02-Walking Work Hours per Day	IPA02-Walking Work Hours per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Hours per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hours per Day
C141793	IPA02-Walking Work Hours per Week	IPA02-Walking Work Hours per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Hours per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Hours per Week
C141792	IPA02-Walking Work Minutes per Day	IPA02-Walking Work Minutes per Day	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - How much time did you usually spend on one of those days walking as part of your work?: Minutes per day.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Minutes per Day
C141794	IPA02-Walking Work Minutes per Week	IPA02-Walking Work Minutes per Week	International Physical Activity Questionnaire (November 2002) - Long Last 7 Days Telephone Format - What is the total amount of time you spent walking over the last 7 days as part of your work?: Minutes per week.	IPAQ Long Last 7 Days Telephone Format Version - Walking Work Minutes per Week

**IPAQ03TC (International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Code)**

NCI Code: C141667, Codelist extensible: No

<b>C141667 IPAQ03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141726	IPA0301	IPA03-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Self-Administered Format Version - Currently Have Job or Unpaid Work
C141727	IPA0302A	IPA03-Days Vigorous as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous as Part of Work
C141728	IPA0302B	IPA03-No Vigorous Job-related Activity	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: No vigorous job-related physical activity.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Job-related Activity
C141729	IPA0303A	IPA03-Vigorous Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Hours per Day
C141730	IPA0303B	IPA03-Vigorous Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Minutes per Day
C141731	IPA0304A	IPA03-Days Moderate as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate as Part of Work
C141732	IPA0304B	IPA03-No Moderate Job-related Activity	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: No moderate job-related physical activity.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Job-related Activity
C141733	IPA0305A	IPA03-Moderate Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Hours per Day
C141734	IPA0305B	IPA03-Moderate Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Minutes per Day
C141735	IPA0306A	IPA03-Days Walk as Part of Your Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk as Part of Your Work
C141736	IPA0306B	IPA03-No Job-related Walking	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: No job-related walking.	IPAQ Long Last 7 Days Self-Administered Format Version - No Job-related Walking
C141737	IPA0307A	IPA03-Walking Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Hours per Day
C141738	IPA0307B	IPA03-Walking Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Minutes per Day

**C141667 IPAQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141739	IPA0308A	IPA03-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Travel in a Motor Vehicle
C141740	IPA0308B	IPA03-No Traveling in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: No traveling in a motor vehicle.	IPAQ Long Last 7 Days Self-Administered Format Version - No Traveling in a Motor Vehicle
C141741	IPA0309A	IPA03-Traveling Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Hours per Day
C141742	IPA0309B	IPA03-Traveling Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Minutes per Day
C141743	IPA0310A	IPA03-Days Bicycle Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Bicycle Place to Place
C141744	IPA0310B	IPA03-No Bicycling From Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: No bicycling from place to place.	IPAQ Long Last 7 Days Self-Administered Format Version - No Bicycling From Place to Place
C141745	IPA0311A	IPA03-Bicycle Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Hours per Day
C141746	IPA0311B	IPA03-Bicycle Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Minutes per Day
C141747	IPA0312A	IPA03-Days Walk Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk Place to Place
C141748	IPA0312B	IPA03-No Walking From Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: No walking from place to place.	IPAQ Long Last 7 Days Self-Administered Format Version - No Walking From Place to Place
C141749	IPA0313A	IPA03-Walking Place Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Hours per Day
C141750	IPA0313B	IPA03-Walking Place Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Minutes per Day
C141751	IPA0314A	IPA03-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in the Garden/Yard
C141752	IPA0314B	IPA03-No Vigorous Activity Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: No vigorous activity in garden or yard.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Activity Garden/Yard

**C141667 IPAQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141753	IPA0315A	IPA03-Vigorous Garden Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Hours per Day
C141754	IPA0315B	IPA03-Vigorous Garden Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Minutes per Day
C141755	IPA0316A	IPA03-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in the Garden/Yard
C141756	IPA0316B	IPA03-No Moderate Activity Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: No moderate activity in garden or yard.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Garden/Yard
C141757	IPA0317A	IPA03-Moderate Garden Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Hours per Day
C141758	IPA0317B	IPA03-Moderate Garden Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Minutes per Day
C141759	IPA0318A	IPA03-Days Moderate Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate Inside Home
C141760	IPA0318B	IPA03-No Moderate Activity Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: No moderate activity inside home.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Inside Home
C141761	IPA0319A	IPA03-Moderate Home Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Hours per Day
C141762	IPA0319B	IPA03-Moderate Home Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Minutes per Day
C141763	IPA0320A	IPA03-Days Walk in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk in Leisure Time
C141764	IPA0320B	IPA03-No Walking in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: No walking in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Walking in Leisure Time
C141765	IPA0321A	IPA03-Walking Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Hours per Day
C141766	IPA0321B	IPA03-Walking Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Minutes per Day

**C141667 IPAQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141767	IPA0322A	IPA03-Days Vigorous in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in Leisure Time
C141768	IPA0322B	IPA03-No Vigorous Activity Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: No vigorous activity in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Activity Leisure Time
C141769	IPA0323A	IPA03-Vigorous Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Hours per Day
C141770	IPA0323B	IPA03-Vigorous Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Minutes per Day
C141771	IPA0324A	IPA03-Days Moderate in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in Leisure Time
C141772	IPA0324B	IPA03-No Moderate Activity Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: No moderate activity in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Leisure Time
C141773	IPA0325A	IPA03-Moderate Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Hours per Day
C141774	IPA0325B	IPA03-Moderate Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Minutes per Day
C141775	IPA0326A	IPA03-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Hours per Day
C141776	IPA0326B	IPA03-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Minutes per Day
C141777	IPA0327A	IPA03-Sitting Weekend Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Hours per Day
C141778	IPA0327B	IPA03-Sitting Weekend Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Minutes per Day

**IPAQ03TN (International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format Questionnaire Test Name)**

NCI Code: C141666, Codelist extensible: No

<b>C141666 IPAQ03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141745	IPA03-Bicycle Hours per Day	IPA03-Bicycle Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Hours per Day
C141746	IPA03-Bicycle Minutes per Day	IPA03-Bicycle Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days to bicycle from place to place?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Bicycle Minutes per Day
C141726	IPA03-Currently Have Job or Unpaid Work	IPA03-Currently Have Job or Unpaid Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - Do you currently have a job or do any unpaid work outside your home?	IPAQ Long Last 7 Days Self-Administered Format Version - Currently Have Job or Unpaid Work
C141743	IPA03-Days Bicycle Place to Place	IPA03-Days Bicycle Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Bicycle Place to Place
C141731	IPA03-Days Moderate as Part of Work	IPA03-Days Moderate as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate as Part of Work
C141771	IPA03-Days Moderate in Leisure Time	IPA03-Days Moderate in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in Leisure Time
C141755	IPA03-Days Moderate in the Garden/Yard	IPA03-Days Moderate in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate in the Garden/Yard
C141759	IPA03-Days Moderate Inside Home	IPA03-Days Moderate Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Moderate Inside Home
C141739	IPA03-Days Travel in a Motor Vehicle	IPA03-Days Travel in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Travel in a Motor Vehicle
C141727	IPA03-Days Vigorous as Part of Work	IPA03-Days Vigorous as Part of Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous as Part of Work
C141767	IPA03-Days Vigorous in Leisure Time	IPA03-Days Vigorous in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in Leisure Time
C141751	IPA03-Days Vigorous in the Garden/Yard	IPA03-Days Vigorous in the Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Vigorous in the Garden/Yard

**C141666 IPAQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141735	IPA03-Days Walk as Part of Your Work	IPA03-Days Walk as Part of Your Work	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk as Part of Your Work
C141763	IPA03-Days Walk in Leisure Time	IPA03-Days Walk in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk in Leisure Time
C141747	IPA03-Days Walk Place to Place	IPA03-Days Walk Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: days per week.	IPAQ Long Last 7 Days Self-Administered Format Version - Days Walk Place to Place
C141757	IPA03-Moderate Garden Hours per Day	IPA03-Moderate Garden Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Hours per Day
C141758	IPA03-Moderate Garden Minutes per Day	IPA03-Moderate Garden Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in the garden or yard?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Garden Minutes per Day
C141761	IPA03-Moderate Home Hours per Day	IPA03-Moderate Home Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Hours per Day
C141762	IPA03-Moderate Home Minutes per Day	IPA03-Moderate Home Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities inside your home?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Home Minutes per Day
C141773	IPA03-Moderate Leisure Hours per Day	IPA03-Moderate Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Hours per Day
C141774	IPA03-Moderate Leisure Minutes per Day	IPA03-Moderate Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Leisure Minutes per Day
C141733	IPA03-Moderate Work Hours per Day	IPA03-Moderate Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Hours per Day
C141734	IPA03-Moderate Work Minutes per Day	IPA03-Moderate Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing moderate physical activities as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Moderate Work Minutes per Day
C141744	IPA03-No Bicycling From Place to Place	IPA03-No Bicycling From Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you bicycle for at least 10 minutes at a time to go from place to place?: No bicycling from place to place.	IPAQ Long Last 7 Days Self-Administered Format Version - No Bicycling From Place to Place
C141736	IPA03-No Job-related Walking	IPA03-No Job-related Walking	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time as part of your work?: No job-related walking.	IPAQ Long Last 7 Days Self-Administered Format Version - No Job-related Walking
C141756	IPA03-No Moderate Activity Garden/Yard	IPA03-No Moderate Activity Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, sweeping, washing windows, and raking in the garden or yard?: No moderate activity in garden or yard.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Garden/Yard

**C141666 IPAQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141760	IPA03-No Moderate Activity Inside Home	IPA03-No Moderate Activity Inside Home	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate activities like carrying light loads, washing windows, scrubbing floors and sweeping inside your home?: No moderate activity inside home.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Inside Home
C141772	IPA03-No Moderate Activity Leisure Time	IPA03-No Moderate Activity Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like bicycling at a regular pace, swimming at a regular pace, and doubles tennis in your leisure time?: No moderate activity in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Activity Leisure Time
C141732	IPA03-No Moderate Job-related Activity	IPA03-No Moderate Job-related Activity	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads as part of your work?: No moderate job-related physical activity.	IPAQ Long Last 7 Days Self-Administered Format Version - No Moderate Job-related Activity
C141740	IPA03-No Traveling in a Motor Vehicle	IPA03-No Traveling in a Motor Vehicle	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you travel in a motor vehicle like a train, bus, car or tram?: No traveling in a motor vehicle.	IPAQ Long Last 7 Days Self-Administered Format Version - No Traveling in a Motor Vehicle
C141752	IPA03-No Vigorous Activity Garden/Yard	IPA03-No Vigorous Activity Garden/Yard	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, chopping wood, shoveling snow, or digging in the garden or yard?: No vigorous activity in garden or yard.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Activity Garden/Yard
C141768	IPA03-No Vigorous Activity Leisure Time	IPA03-No Vigorous Activity Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like aerobics, running, fast bicycling, or fast swimming in your leisure time?: No vigorous activity in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Activity Leisure Time
C141728	IPA03-No Vigorous Job-related Activity	IPA03-No Vigorous Job-related Activity	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, heavy construction, or climbing up stairs as part of your work?: No vigorous job-related physical activity.	IPAQ Long Last 7 Days Self-Administered Format Version - No Vigorous Job-related Activity
C141748	IPA03-No Walking From Place to Place	IPA03-No Walking From Place to Place	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time to go from place to place?: No walking from place to place.	IPAQ Long Last 7 Days Self-Administered Format Version - No Walking From Place to Place
C141764	IPA03-No Walking in Leisure Time	IPA03-No Walking in Leisure Time	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time in your leisure time?: No walking in leisure time.	IPAQ Long Last 7 Days Self-Administered Format Version - No Walking in Leisure Time
C141775	IPA03-Sitting Weekday Hours per Day	IPA03-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Hours per Day
C141776	IPA03-Sitting Weekday Minutes per Day	IPA03-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekday?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekday Minutes per Day
C141777	IPA03-Sitting Weekend Hours per Day	IPA03-Sitting Weekend Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Hours per Day
C141778	IPA03-Sitting Weekend Minutes per Day	IPA03-Sitting Weekend Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - During the last 7 days, how much time did you usually spend sitting on a weekend day?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Sitting Weekend Minutes per Day
C141741	IPA03-Traveling Hours per Day	IPA03-Traveling Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Hours per Day



**C141666 IPAQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141742	IPA03-Traveling Minutes per Day	IPA03-Traveling Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days traveling in a train, bus, car, tram, or other kind of motor vehicle?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Traveling Minutes per Day
C141753	IPA03-Vigorous Garden Hours per Day	IPA03-Vigorous Garden Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Hours per Day
C141754	IPA03-Vigorous Garden Minutes per Day	IPA03-Vigorous Garden Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in the garden or yard?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Garden Minutes per Day
C141769	IPA03-Vigorous Leisure Hours per Day	IPA03-Vigorous Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Hours per Day
C141770	IPA03-Vigorous Leisure Minutes per Day	IPA03-Vigorous Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Leisure Minutes per Day
C141729	IPA03-Vigorous Work Hours per Day	IPA03-Vigorous Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Hours per Day
C141730	IPA03-Vigorous Work Minutes per Day	IPA03-Vigorous Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days doing vigorous physical activities as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Vigorous Work Minutes per Day
C141765	IPA03-Walking Leisure Hours per Day	IPA03-Walking Leisure Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Hours per Day
C141766	IPA03-Walking Leisure Minutes per Day	IPA03-Walking Leisure Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking in your leisure time?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Leisure Minutes per Day
C141749	IPA03-Walking Place Hours per Day	IPA03-Walking Place Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Hours per Day
C141750	IPA03-Walking Place Minutes per Day	IPA03-Walking Place Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking from place to place?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Place Minutes per Day
C141737	IPA03-Walking Work Hours per Day	IPA03-Walking Work Hours per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: hours per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Hours per Day
C141738	IPA03-Walking Work Minutes per Day	IPA03-Walking Work Minutes per Day	International Physical Activity Questionnaire (October 2002) - Long Last 7 Days Self-Administered Format - How much time did you usually spend on one of those days walking as part of your work?: minutes per day.	IPAQ Long Last 7 Days Self-Administered Format Version - Walking Work Minutes per Day

**IPAQ04TC (International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Code)**

NCI Code: C141665, Codelist extensible: No

<b>C141665 IPAQ04TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141708	IPA0401A	IPA04-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Vigorous Physical Activities
C141709	IPA0401B	IPA04-No Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: No vigorous physical activities.	IPAQ Short Last 7 Days Self-administered Format Version - No Vigorous Physical Activities
C141710	IPA0402A	IPA04-Vigorous Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Hours per Day
C141711	IPA0402B	IPA04-Vigorous Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Minutes per Day
C141712	IPA0402C	IPA04-Time Vigorous Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Vigorous Don't Know/Not Sure
C141713	IPA0403A	IPA04-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Moderate Physical Activities
C141714	IPA0403B	IPA04-No Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: No moderate physical activities.	IPAQ Short Last 7 Days Self-administered Format Version - No Moderate Physical Activities
C141715	IPA0404A	IPA04-Moderate Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Hours per Day
C141716	IPA0404B	IPA04-Moderate Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Minutes per Day
C141717	IPA0404C	IPA04-Time Moderate Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Moderate Don't Know/Not Sure
C141718	IPA0405A	IPA04-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Walk at Least 10 Minutes
C141719	IPA0405B	IPA04-No Walking	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: No walking.	IPAQ Short Last 7 Days Self-administered Format Version - No Walking
C141720	IPA0406A	IPA04-Walking Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Hours per Day

**C141665 IPAQ04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141721	IPA0406B	IPA04-Walking Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Minutes per Day
C141722	IPA0406C	IPA04-Time Walking Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Walking Don't Know/Not Sure
C141723	IPA0407A	IPA04-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Hours per Day
C141724	IPA0407B	IPA04-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Minutes per Day
C141725	IPA0407C	IPA04-Time Sitting Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Sitting Don't Know/Not Sure

**IPAQ04TN (International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format Questionnaire Test Name)**

NCI Code: C141664, Codelist extensible: No

<b>C141664 IPAQ04TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141713	IPA04-Days Moderate Physical Activities	IPA04-Days Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Moderate Physical Activities
C141708	IPA04-Days Vigorous Physical Activities	IPA04-Days Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Vigorous Physical Activities
C141718	IPA04-Days Walk at Least 10 Minutes	IPA04-Days Walk at Least 10 Minutes	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: days per week.	IPAQ Short Last 7 Days Self-administered Format Version - Days Walk at Least 10 Minutes
C141715	IPA04-Moderate Physical Hours per Day	IPA04-Moderate Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Hours per Day
C141716	IPA04-Moderate Physical Minutes per Day	IPA04-Moderate Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Moderate Physical Minutes per Day
C141714	IPA04-No Moderate Physical Activities	IPA04-No Moderate Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do moderate physical activities like carrying light loads, bicycling at a regular pace, or doubles tennis?: No moderate physical activities.	IPAQ Short Last 7 Days Self-administered Format Version - No Moderate Physical Activities
C141709	IPA04-No Vigorous Physical Activities	IPA04-No Vigorous Physical Activities	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you do vigorous physical activities like heavy lifting, digging, aerobics, or fast bicycling?: No vigorous physical activities.	IPAQ Short Last 7 Days Self-administered Format Version - No Vigorous Physical Activities
C141719	IPA04-No Walking	IPA04-No Walking	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, on how many days did you walk for at least 10 minutes at a time?: No walking.	IPAQ Short Last 7 Days Self-administered Format Version - No Walking
C141723	IPA04-Sitting Weekday Hours per Day	IPA04-Sitting Weekday Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Hours per Day
C141724	IPA04-Sitting Weekday Minutes per Day	IPA04-Sitting Weekday Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Sitting Weekday Minutes per Day
C141717	IPA04-Time Moderate Don't Know/Not Sure	IPA04-Time Moderate Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing moderate physical activities on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Moderate Don't Know/Not Sure
C141725	IPA04-Time Sitting Don't Know/Not Sure	IPA04-Time Sitting Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - During the last 7 days, how much time did you spend sitting on a weekday?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Sitting Don't Know/Not Sure
C141712	IPA04-Time Vigorous Don't Know/Not Sure	IPA04-Time Vigorous Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Vigorous Don't Know/Not Sure
C141722	IPA04-Time Walking Don't Know/Not Sure	IPA04-Time Walking Don't Know/Not Sure	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: Don't know/Not sure.	IPAQ Short Last 7 Days Self-administered Format Version - Time Walking Don't Know/Not Sure

**C141664 IPAQ04TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141710	IPA04-Vigorous Physical Hours per Day	IPA04-Vigorous Physical Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Hours per Day
C141711	IPA04-Vigorous Physical Minutes per Day	IPA04-Vigorous Physical Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend doing vigorous physical activities on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Vigorous Physical Minutes per Day
C141720	IPA04-Walking Hours per Day	IPA04-Walking Hours per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: hours per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Hours per Day
C141721	IPA04-Walking Minutes per Day	IPA04-Walking Minutes per Day	International Physical Activity Questionnaire (August 2002) - Short Last 7 Days Self-Administered Format - How much time did you usually spend walking on one of those days?: minutes per day.	IPAQ Short Last 7 Days Self-administered Format Version - Walking Minutes per Day

## ISTEST (Immunogenicity Specimen Assessments Test Name)

NCI Code: C120526, Codelist extensible: Yes

<b>C120526 ISTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147272	Binding Antidrug Antibody	Binding Antidrug Antibody	A measurement of the binding antidrug antibody in a biological specimen.	Binding Antidrug Antibody Measurement
C147275	Cross-Reactive Binding Antidrug Antibody	Cross-Reactive Binding Antidrug Antibody	A measurement of the cross-reactive binding antidrug antibody in a biological specimen.	Cross-Reactive Binding Antidrug Antibody Measurement
C132360	EBOV Specific IgG AB Secreting Cells	EBOV Specific IgG AB Secreting Cells	A measurement of the Ebola virus specific IgG antibody secreting cells in a biological specimen.	Ebola Virus Specific IgG Antibody Secreting Cell Count
C132361	EBOV Specific IgM AB Secreting Cells	EBOV Specific IgM AB Secreting Cells	A measurement of the Ebola virus specific IgM antibody secreting cells in a biological specimen.	Ebola Virus Specific IgM Antibody Secreting Cell Count
C120622	H1 Specific IgG Antibody Secreting Cells	H1 Specific IgG ASCs;H1 Specific IgG Antibody Secreting Cells	A measurement of the H1 specific IgG antibody secreting cells in a biological specimen.	Influenza Hemagglutinin 1 Specific IgG Antibody Secreting Cell Count
C120623	H3 Specific IgG Antibody Secreting Cells	H3 Specific IgG ASCs;H3 Specific IgG Antibody Secreting Cells	A measurement of the H3 specific IgG antibody secreting cells in a biological specimen.	Influenza Hemagglutinin 3 Specific IgG Antibody Secreting Cell Count
C132362	IgM Antibody Secreting Cells	IgM Antibody Secreting Cells	A measurement of the total IgM antibody secreting cells in a biological specimen.	IgM Antibody Secreting Cell Count
C147274	Neutraliz Cross-React Bind Antidrug AB	Neutraliz Cross-React Bind Antidrug AB;Neutralizing Cross-Reactive Binding Antidrug Antibody	A measurement of the neutralizing cross-reactive binding antidrug antibody in a biological specimen.	Neutralizing Cross-Reacting Binding Antidrug Antibody Measurement
C147273	Neutralizing Binding Antidrug Antibody	Neutralizing Binding Antidrug Antibody	A measurement of the neutralizing binding antidrug antibody in a biological specimen.	Neutralizing Binding Antidrug Antibody Measurement
C120624	Total IgG Antibody Secreting Cells	Total IgG ASCs;Total IgG Antibody Secreting Cells	A measurement of the total IgG antibody secreting cells in a biological specimen.	Total IgG Antibody Secreting Cell Count

## ISTESTCD (Immunogenicity Specimen Assessments Test Code)

NCI Code: C120525, Codelist extensible: Yes

<b>C120525 ISTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147272	ADA_BAB	Binding Antidrug Antibody	A measurement of the binding antidrug antibody in a biological specimen.	Binding Antidrug Antibody Measurement
C147273	ADA_NAB	Neutralizing Binding Antidrug Antibody	A measurement of the neutralizing binding antidrug antibody in a biological specimen.	Neutralizing Binding Antidrug Antibody Measurement
C147274	ADA_NX	Neutraliz Cross-React Bind Antidrug AB;Neutralizing Cross-Reactive Binding Antidrug Antibody	A measurement of the neutralizing cross-reactive binding antidrug antibody in a biological specimen.	Neutralizing Cross-Reacting Binding Antidrug Antibody Measurement
C147275	ADA_X	Cross-Reactive Binding Antidrug Antibody	A measurement of the cross-reactive binding antidrug antibody in a biological specimen.	Cross-Reactive Binding Antidrug Antibody Measurement
C132360	EVIGGASC	EBOV Specific IgG AB Secreting Cells	A measurement of the Ebola virus specific IgG antibody secreting cells in a biological specimen.	Ebola Virus Specific IgG Antibody Secreting Cell Count
C132361	EVIGMASC	EBOV Specific IgM AB Secreting Cells	A measurement of the Ebola virus specific IgM antibody secreting cells in a biological specimen.	Ebola Virus Specific IgM Antibody Secreting Cell Count
C120622	H1IGGASC	H1 Specific IgG ASCs;H1 Specific IgG Antibody Secreting Cells	A measurement of the H1 specific IgG antibody secreting cells in a biological specimen.	Influenza Hemagglutinin 1 Specific IgG Antibody Secreting Cell Count
C120623	H3IGGASC	H3 Specific IgG ASCs;H3 Specific IgG Antibody Secreting Cells	A measurement of the H3 specific IgG antibody secreting cells in a biological specimen.	Influenza Hemagglutinin 3 Specific IgG Antibody Secreting Cell Count
C132362	IGMABSC	IgM Antibody Secreting Cells	A measurement of the total IgM antibody secreting cells in a biological specimen.	IgM Antibody Secreting Cell Count
C120624	TIGGASC	Total IgG ASCs;Total IgG Antibody Secreting Cells	A measurement of the total IgG antibody secreting cells in a biological specimen.	Total IgG Antibody Secreting Cell Count

**IVIS01TC (Impact of Visual Impairment Scale Questionnaire Test Code)**

NCI Code: C113856, Codelist extensible: No

<b>C113856 IVIS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113962	IVIS0101	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters
C113963	IVIS0102	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials
C113964	IVIS0103	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials
C113965	IVIS0104	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance
C113966	IVIS0105	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs



**IVIS01TN (Impact of Visual Impairment Scale Questionnaire Test Name)**

NCI Code: C113855, Codelist extensible: No

<b>C113855 IVIS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113966	IVIS01-Identify House Number/Street Sign	IVIS01-Identify House Number/Street Sign	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to identify house numbers, street signs, etc.?	IVIS - Identify House Numbers or Street Signs
C113964	IVIS01-Read or Access Dials	IVIS01-Read or Access Dials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access dials, such as on stoves, thermostats, etc.?	IVIS - Read or Access Dials
C113962	IVIS01-Read or Access Personal Letters	IVIS01-Read or Access Personal Letters	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access personal letters or notes?	IVIS - Read or Access Personal Letters
C113963	IVIS01-Read or Access Printed Materials	IVIS01-Read or Access Printed Materials	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to read or access printed materials, such as books, magazines, newspaper, etc.?	IVIS - Read or Access Printed Materials
C113965	IVIS01-Watch TV/ID Faces From Distance	IVIS01-Watch TV/ID Faces From Distance	Impact of Visual Impairment Scale - During the past 4 weeks, how difficult did you find it to watch television or identify faces from a distance?	IVIS - Watch TV or Identify Faces From Distance

## KDPI01TC (Kidney Donor Profile Index Clinical Classification Test Code)

NCI Code: C130251, Codelist extensible: No

<b>C130251 KDPI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130393	KDPI0101	KDPI01-KDPI Score	Kidney Donor Profile Index - KDPI score.	KDPI - KDPI Score

**KDPIO1TN (Kidney Donor Profile Index Clinical Classification Test Name)**

NCI Code: C130250, Codelist extensible: No

<b>C130250 KDPIO1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130393	KDPIO1-KDPI Score	KDPIO1-KDPI Score	Kidney Donor Profile Index - KDPI score.	KDPI - KDPI Score

**KFSS1TC (Kurtzke Functional Systems Scores Questionnaire Test Code)**

NCI Code: C112443, Codelist extensible: No

<b>C112443 KFSS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112609	KFSS101	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112610	KFSS102	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112611	KFSS102A	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing
C112612	KFSS103	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112613	KFSS104	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112614	KFSS105	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112615	KFSS106	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112616	KFSS106A	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112617	KFSS107	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113884	KFSS108	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C113885	KFSS108A	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify

**KFSS1TN (Kurtzke Functional Systems Scores Questionnaire Test Name)**

NCI Code: C112442, Codelist extensible: No

<b>C112442 KFSS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112614	KFSS1-Bowel and Bladder Functions	KFSS1-Bowel and Bladder Functions	Kurtzke Functional Systems Scores - Bowel and bladder functions.	KFSS - Bowel and Bladder Functions
C112612	KFSS1-Brain Stem Functions	KFSS1-Brain Stem Functions	Kurtzke Functional Systems Scores - Brain stem functions.	KFSS - Brain Stem Functions
C112610	KFSS1-Cerebellar Functions	KFSS1-Cerebellar Functions	Kurtzke Functional Systems Scores - Cerebellar functions.	KFSS - Cerebellar Functions
C112617	KFSS1-Cerebral or Mental Functions	KFSS1-Cerebral or Mental Functions	Kurtzke Functional Systems Scores - Cerebral (or mental) functions.	KFSS - Cerebral (or Mental) Functions
C113884	KFSS1-Other Functions	KFSS1-Other Functions	Kurtzke Functional Systems Scores - Other functions.	KFSS - Other Functions
C113885	KFSS1-Other Functions Specify	KFSS1-Other Functions Specify	Kurtzke Functional Systems Scores - Any other neurologic findings attributed to MS (specify).	KFSS - Other Functions Specify
C112616	KFSS1-Presence of Temporal Pallor	KFSS1-Presence of Temporal Pallor	Kurtzke Functional Systems Scores - Check here for presence of temporal pallor.	KFSS - Presence of Temporal Pallor
C112609	KFSS1-Pyramidal Functions	KFSS1-Pyramidal Functions	Kurtzke Functional Systems Scores - Pyramidal functions.	KFSS - Pyramidal Functions
C112613	KFSS1-Sensory Functions	KFSS1-Sensory Functions	Kurtzke Functional Systems Scores - Sensory functions.	KFSS - Sensory Functions
C112615	KFSS1-Visual or Optic Functions	KFSS1-Visual or Optic Functions	Kurtzke Functional Systems Scores - Visual (or optic) functions.	KFSS - Visual (or Optic) Functions
C112611	KFSS1-Weakness Interferes With Testing	KFSS1-Weakness Interferes With Testing	Kurtzke Functional Systems Scores - Check here when weakness (grade 3 or more on pyramidal) interferes with testing.	KFSS - Weakness Interferes With Testing

## KILLIPC (Killip Class Responses)

NCI Code: C101840, Codelist extensible: No

<b>C101840 KILLIPC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C77269	KILLIP CLASS I		The absence of rales over the lung fields and absence of third heart sound (S3). (ACC/AHA)	Killip Class I
C77270	KILLIP CLASS II		The presence of rales over 50% or less of the lung fields or the presence of a third heart sound (S3).(ACC/AHA)	Killip Class II
C77271	KILLIP CLASS III		The presence of rales over more than 50% of the lung fields. (ACC/AHA)	Killip Class III
C77272	KILLIP CLASS IV		The presence of cardiogenic shock (systolic BP less than 90 mm Hg) for greater than 30 minutes, not responsive to fluid resuscitation alone, and felt to be secondary to cardiac dysfunction. (ACC/AHA)	Killip Class IV

## KPSSTC (Karnofsky Performance Status Scale Questionnaire Test Code)

NCI Code: C100170, Codelist extensible: No

<b>C100170 KPSSTC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100417	KPSS01	KPSS-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status

## KPSSTN (Karnofsky Performance Status Scale Questionnaire Test Name)

NCI Code: C100169, Codelist extensible: No

<b>C100169 KPSSTN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100417	KPSS-Karnofsky Performance Status	KPSS-Karnofsky Performance Status	Karnofsky Performance Status Scale - Karnofsky Performance Status.	KPS Scale - Karnofsky Performance Status



## LAT (Laterality)

NCI Code: C99073, Codelist extensible: Yes

C99073 LAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C13332	BILATERAL		Affecting both sides of the body, or a pair of organs.	Bilateral
C25307	CONTRALATERAL		Having to do with the opposite side of the body, in relation to a pre-existing reference point.	Contralateral
C25308	IPSILATERAL		Having to do with the same side of the body, in relation to a pre-existing reference point.	Ipsilateral
C25230	LATERAL		Situated at or extending to the side.	Lateral
C25229	LEFT		Being or located on or directed toward the side of the body to the west when facing north.	Left
C25228	RIGHT		Being or located on or directed toward the side of the body to the east when facing north.	Right
C68598	UNILATERAL		Affecting one side of the body or one of a pair of organs.	Unilateral

## LBSTRESC (Laboratory Test Standard Character Result)

NCI Code: C102580, Codelist extensible: Yes

<b>C102580 LBSTRESC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14157	BORDERLINE		Straddling the dividing line between two categories.	Borderline
C48658	INDETERMINATE	Inconclusive	Cannot distinguish between two or more possible values in the current context. (NCI)	Indeterminate
C50913	INVALID		Not valid data.	Invalid Data
C38757	NEGATIVE		A finding of normality following an examination or investigation looking for the presence of a microorganism, disease, or condition.	Negative Finding
C38758	POSITIVE		An observation confirming something, such as the presence of a disease, condition, or microorganism.	Positive Finding

**LBTEST (Laboratory Test Name)**

NCI Code: C67154, Codelist extensible: Yes

<b>C6715 LBTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92267	1, 25-Dihydroxyvitamin D	1, 25-Dihydroxyvitamin D;Active Vitamin D	A measurement of the total active Vitamin D in a biological specimen.	1, 25-Dihydroxyvitamin D Measurement
C132370	1,3-Beta-D-Glucan	1,3-Beta-D-Glucan	A measurement of the 1,3-beta-D-glucan in a biological specimen.	1,3-Beta-D-Glucan Measurement
C124334	1,5-Anhydroglucitol	1,5-Anhydroglucitol	A measurement of the 1,5-anhydroglucitol in a biological specimen.	1,5-Anhydroglucitol Measurement
C103344	11-Dehydro-Thromboxane B2	11-Dehydro-Thromboxane B2	A measurement of the 11-dehydro-thromboxane B2 in a biological specimen.	11-Dehydro-Thromboxane B2 Measurement
C142293	11-Nor-Delta9-THC-9-Carboxylic Acid	11-Nor-Delta9-THC-9-Carboxylic Acid;THC-COOH	A measurement of 11-nor-delta-9-tetrahydrocannabinol-9-carboxylic acid present in a biological specimen.	11-Nor-Delta9-THC-9-Carboxylic Acid Measurement
C147370	17-Hydroxyprogesterone	17-Hydroxyprogesterone;17-OHP	A measurement of the 17-Hydroxyprogesterone in a biological specimen.	17-Hydroxyprogesterone Measurement
C147446	25-Hydroxyvit D2 + 25-Hydroxyvit D3	25-Hydroxyvit D2 + 25-Hydroxyvit D3	A measurement of the total inactive vitamin D2 and vitamin D3 in a biological specimen.	25-Hydroxyvitamin D2 and 25-Hydroxyvitamin D3 Measurement
C92268	25-Hydroxyvitamin D	25-Hydroxyvitamin D;Calcidiol;Inactive Vitamin D	A measurement of the total inactive Vitamin D in a biological specimen.	25-Hydroxyvitamin D Measurement
C103345	3,4-Dihydroxyphenylacetic Acid	3,4-Dihydroxyphenylacetic Acid	A measurement of the 3,4-dihydroxyphenylacetic acid in a biological specimen.	3,4-Dihydroxyphenylacetic Acid Measurement
C101017	3,4-Dihydroxyphenylglycol	3,4-Dihydroxyphenylglycol;3,4-Dihydroxyphenylglycol	A measurement of the catecholamine metabolite, 3,4-Dihydroxyphenylglycol in a biological specimen.	3,4-Dihydroxyphenylglycol Measurement
C75359	3,4-methylenedioxyamphetamine	3,4-methylenedioxyamphetamine;Ecstasy	A measurement of the 3,4-methylenedioxyamphetamine (MDMA) in a biological specimen.	3,4-Methylenedioxyamphetamine Measurement
C79437	5 Prime Nucleotidase	5 Prime Nucleotidase;5'-Ribonucleotide Phosphohydrolase	A measurement of the 5'-nucleotidase in a biological specimen.	5 Prime Nucleotidase Measurement
C112217	5-Hydroxyindoleacetic Acid	5-Hydroxyindoleacetate;5-Hydroxyindoleacetic Acid	A measurement of 5-hydroxyindoleacetic acid in a biological specimen.	5-Hydroxyindoleacetic Acid Measurement
C74876	6-Monoacetylmorphine	6-Monoacetylmorphine	A measurement of the 6-monoacetylmorphine present in a biological specimen.	6-Monoacetylmorphine Measurement
C119291	8-Iso-PGF2alpha/Creatinine	8-Iso-PGF2alpha/Creatinine	A relative measurement (ratio or percentage) of the prostaglandin F2 alpha isoform 8 to creatinine in a biological specimen.	8-Iso-Prostaglandin F2 Alpha to Creatinine Ratio Measurement
C119292	8-Iso-Prostaglandin F2 Alpha	8-Iso-Prostaglandin F2 Alpha	A measurement of the prostaglandin F2 alpha isoform 8 in a biological specimen.	8-Iso-Prostaglandin F2 Alpha Measurement
C96565	A Fetoprotein L3/A Fetoprotein	A Fetoprotein L3/A Fetoprotein	A relative measurement (ratio or percentage) of alpha fetoprotein L3 to total alpha fetoprotein in a biological specimen.	Alpha Fetoprotein L3 to Total Alpha Fetoprotein Ratio Measurement
C111123	A Proliferation-Inducing Ligand	A Proliferation-Inducing Ligand;CD256;TNFSF13;Tumor Necrosis Factor Ligand Superfamily Member 13	A measurement of the a proliferation-inducing ligand in a biological specimen.	A Proliferation-Inducing Ligand Measurement
C130144	A. fumigatus Antigen IgE Antibody	A. fumigatus Antigen IgE Antibody	A measurement of the Aspergillus fumigatus antigen IgE antibody in a biological specimen.	Aspergillus fumigatus Antigen IgE Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130145	A. fumigatus Antigen IgG Antibody	A. fumigatus Antigen IgG Antibody	A measurement of the Aspergillus fumigatus antigen IgG antibody in a biological specimen.	Aspergillus fumigatus Antigen IgG Antibody Measurement
C130151	A. tenuis alternata Antigen IgA AB	A. tenuis alternata Antigen IgA AB	A measurement of the Alternaria tenuis alternata antigen IgA antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgA Antibody Measurement
C130150	A. tenuis alternata Antigen IgE AB	A. tenuis alternata Antigen IgE AB	A measurement of the Alternaria tenuis alternata antigen IgE antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgE Antibody Measurement
C130152	A. tenuis alternata Antigen IgG AB	A. tenuis alternata Antigen IgG AB	A measurement of the Alternaria tenuis alternata antigen IgG antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgG Antibody Measurement
C130153	A. tenuis alternata Antigen IgG4 AB	A. tenuis alternata Antigen IgG4 AB	A measurement of the Alternaria tenuis alternata antigen IgG4 antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgG4 Antibody Measurement
C111124	Abnormal Cells	Abnormal Cells	A measurement of the abnormal cells in a biological specimen.	Abnormal Cell Count
C135397	ABO A1 Subtype	ABO A1 Subtype	The characterization of the ABO blood group A1 subtype in an individual. (NCI)	ABO A1 Subtype Determination
C125939	ABO Blood Group	ABO Blood Group	The characterization of the blood type of an individual by testing for the presence of A antigen and B antigen on the surface of red blood cells.	ABO Blood Group Determination
C74699	Acanthocytes	Acanthocytes	A measurement of the acanthocytes in a biological specimen.	Acanthocyte Count
C74633	Acanthocytes/Erythrocytes	Acanthocytes/Erythrocytes	A relative measurement (ratio or percentage) of acanthocytes to all erythrocytes in a biological specimen.	Acanthocyte to Erythrocyte Ratio Measurement
C135398	Acetaminophen	Acetaminophen;Paracetamol	A measurement of the acetaminophen in a biological specimen.	Acetaminophen Measurement
C92247	Acetoacetic Acid	Acetoacetate;Acetoacetic Acid	A measurement of the acetoacetic acid in a biological specimen.	Acetoacetic Acid Measurement
C147288	Acetone	Acetone	A measurement of the acetone in a biological specimen.	Acetone Measurement
C74838	Acetylcholine	Acetylcholine	A measurement of the acetylcholine hormone in a biological specimen.	Acetylcholine Measurement
C96559	Acetylcholine Receptor Antibody	Acetylcholine Receptor Antibody	A measurement of the acetylcholine receptor antibody in a biological specimen.	Acetylcholine Receptor Antibody Measurement
C96560	Acetylcholinesterase	Acetylcholinesterase	A measurement of the acetylcholinesterase in a biological specimen.	Acetylcholinesterase Measurement
C147297	ACH Receptor Modulatn Ab/ACH Receptor Ab	ACH Receptor Modulation Antibody/ACH Receptor Antibody;ACH Receptor Modulatn Ab/ACH Receptor Ab	A relative measurement (ratio or percentage) of the acetylcholine receptor modulation antibody to the total acetylcholine receptor antibodies in a biological specimen.	Acetylcholine Receptor Modulation Antibody to Acetylcholine Receptor Antibody Ratio Measurement
C80163	Acid Phosphatase	Acid Phosphatase	A measurement of the acid phosphatase in a biological specimen.	Acid Phosphatase Measurement
C74912	Acid Urate Crystals	Acid Urate Crystals	A measurement of the acid urate crystals present in a biological specimen.	Acid Urate Crystal Measurement
C103348	Activated Coagulation Time	Activated Clotting Time;Activated Coagulation Time	A measurement of the inhibition of blood coagulation in response to anticoagulant therapies.	Activated Coagulation Time

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C38462	Activated Partial Thromboplastin Time	Activated Partial Thromboplastin Time	A measurement of the length of time that it takes for clotting to occur when reagents are added to a plasma specimen. The test is partial due to the absence of tissue factor (Factor III) from the reaction mixture.	Partial Thromboplastin Time
C100471	Activated Protein C Resistance	Activated Protein C Resistance;Factor V Leiden Screen	A measurement of the resistance in the anticoagulation response to activated protein C in a biological specimen.	Activated Protein C Resistance Measurement
C98862	Activated PTT/Standard	Activated PTT/Standard;Activated PTT/Standard PTT;Activated Partial Thromboplastin Time/Standard Thromboplastin Time	A relative measurement (ratio or percentage) of the subject's partial thromboplastin time to a standard or control partial thromboplastin time.	Activated PTT/Standard Ratio Measurement
C112219	Active Ghrelin	Active Ghrelin	A measurement of active ghrelin in a biological specimen.	Active Ghrelin Measurement
C92286	Acyl Coenzyme A Oxidase	Acyl CoA Oxidase;Acyl Coenzyme A Oxidase;Fatty Acyl Coenzyme A Oxidase	A measurement of the acyl coenzyme A oxidase in a biological specimen.	Acyl Coenzyme A Oxidase Measurement
C147289	Acylcarnitine/Carnitine, Free	Acylcarnitine/Carnitine, Free	A relative measurement (ratio or percentage) of the acylcarnitine to free carnitine in a biological specimen.	Acylcarnitine to Free Carnitine Ratio Measurement
C147290	ADAM Metallopeptidase Domain 8	A Disintegrin And Metalloproteinase Domain 8;ADAM Metallopeptidase Domain 8;CD156a Antigen	A measurement of the ADAM metallopeptidase domain 8 protein in a biological specimen.	ADAM Metallopeptidase Domain 8 Measurement
C102257	Adenosine Diphosphate	Adenosine Diphosphate	A measurement of the adenosine diphosphate in a biological specimen.	Adenosine Diphosphate Measurement
C147307	Adenosine Triphosphate	Adenosine Triphosphate	A measurement of the adenosine triphosphate in a biological specimen.	Adenosine Triphosphate Measurement
C111125	Adenovirus Antibody	Adenovirus Antibody	A measurement of the adenovirus antibody in a biological specimen.	Adenovirus Antibody Measurement
C74839	Adiponectin	Adiponectin	A measurement of the total adiponectin hormone in a biological specimen.	Adiponectin Measurement
C132363	Adiponectin, High Molecular Weight	Adiponectin, High Molecular Weight	A measurement of the high molecular weight adiponectin hormone in a biological specimen.	High Molecular Weight Adiponectin Measurement
C74780	Adrenocorticotrophic Hormone	Adrenocorticotrophic Hormone;Corticotropin	A measurement of the adrenocorticotrophic hormone in a biological specimen.	Adrenocorticotrophic Hormone Measurement
C112220	Aggrecan Chondroitin Sulfate Epitope 846	846-Epitope;Aggrecan Chondroitin Sulfate Epitope 846;CS846;Chondroitin Sulfate Epitope 846;Chondroitin Sulfate Proteoglycan 1 Epitope 846	A measurement of the 846 epitope present on the chondroitin sulfate chains of aggrecan in a biological specimen.	Aggrecan Chondroitin Sulfate Epitope 846 Measurement
C116200	Agranular Neutrophils	Agranular Neutrophils	A measurement of the agranular neutrophils in a biological specimen.	Agranular Neutrophils Measurement
C122091	Alanine	Alanine	A measurement of the alanine in a biological specimen.	Alanine Measurement
C100430	Alanine Aminopeptidase	Alanine Aminopeptidase	A measurement of the alanine aminopeptidase in a biological specimen.	Alanine Aminopeptidase Measurement
C64433	Alanine Aminotransferase	Alanine Aminotransferase;SGPT	A measurement of the alanine aminotransferase in a biological specimen.	Alanine Aminotransferase Measurement
C64431	Albumin	Albumin;Microalbumin	A measurement of the albumin protein in a biological specimen.	Albumin Measurement
C147293	Albumin Clearance	Albumin Clearance	A measurement of the albumin clearance in a biological specimen.	Albumin Clearance

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11782 9	Albumin Excretion Rate	Albumin Excretion Rate	A measurement of the amount of albumin being excreted in urine over a defined period of time (e.g. one hour).	Albumin Urine Excretion Rate
C74761	Albumin/Creatinine	Albumin/Creatinine;Microalbumin/Creatinine Ratio	A relative measurement (ratio) of the albumin to the creatinine in a biological specimen.	Albumin To Creatinine Protein Ratio Measurement
C74894	Albumin/Globulin	Albumin/Globulin	The ratio of albumin to globulin in a biological specimen.	Albumin to Globulin Ratio Measurement
C10345 3	Albumin/Total Protein	Albumin/Total Protein	A relative measurement (ratio or percentage) of the albumin to total protein in a biological specimen.	Albumin to Total Protein Ratio Measurement
C74731	Aldolase	Aldolase	A measurement of the aldolase enzyme in a biological specimen.	Aldolase Measurement
C74841	Aldosterone	Aldosterone	A measurement of the aldosterone hormone in a biological specimen.	Aldosterone Measurement
C12433 8	Aldosterone/Renin Activity	Aldosterone/Renin Activity	A relative measurement (ratio) of the aldosterone to renin activity in a biological specimen.	Aldosterone to Renin Activity Ratio Measurement
C14729 4	Alk Phos, Bone/Total Alk Phos	Alk Phos, Bone/Total Alk Phos;Alkaline Phosphatase, Bone/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the bone specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Bone Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C14729 5	Alk Phos, Intestinal/Total Alk Phos	Alk Phos, Intestinal/Total Alk Phos;Alkaline Phosphatase, Intestinal/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the intestinal specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Intestinal Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C14729 6	Alk Phos, Liver/Total Alk Phos	Alk Phos, Liver/Total Alk Phos;Alkaline Phosphatase, Liver/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the liver specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Liver Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C64432	Alkaline Phosphatase	Alkaline Phosphatase	A measurement of the alkaline phosphatase in a biological specimen.	Alkaline Phosphatase Measurement
C13909 1	Alkaline Phosphatase Isoenzyme	Alkaline Phosphatase Isoenzyme	A measurement of the alkaline phosphatase isoenzyme in a biological specimen.	Alkaline Phosphatase Isoenzyme Measurement
C79438	Alkaline Phosphatase/Creatinine	Alkaline Phosphatase/Creatinine	A relative measurement (ratio or percentage) of the alkaline phosphatase to creatinine in a biological specimen.	Alkaline Phosphatase to Creatinine Ratio Measurement
C74732	Alpha Fetoprotein	Alpha Fetoprotein;Alpha-1-Fetoprotein	A measurement of the alpha fetoprotein in a biological specimen.	Alpha-fetoprotein Measurement
C10649 9	Alpha Fetoprotein Activity	Alpha Fetoprotein Activity	A measurement of the alpha fetoprotein activity in a biological specimen.	Alpha Fetoprotein Activity Measurement
C14729 1	Alpha Fetoprotein Adj for Body Weight	Alpha Fetoprotein Adj for Body Weight	A measurement of alpha fetoprotein, which has been adjusted for body weight, in a biological specimen.	Alpha Fetoprotein Adjusted for Body Weight Measurement
C96562	Alpha Fetoprotein L1	Alpha Fetoprotein L1	A measurement of the alpha fetoprotein L1 in a biological specimen.	Alpha Fetoprotein L1 Measurement
C96563	Alpha Fetoprotein L2	Alpha Fetoprotein L2	A measurement of the alpha fetoprotein L2 in a biological specimen.	Alpha Fetoprotein L2 Measurement
C96564	Alpha Fetoprotein L3	Alpha Fetoprotein L3	A measurement of the alpha fetoprotein L3 in a biological specimen.	Alpha Fetoprotein L3 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C79433	Alpha Glutathione-S-Transferase	Alpha Glutathione-S-Transferase	A measurement of the alpha form of glutathione S-transferase in a biological specimen.	Alpha Glutathione-S-Transferase Measurement
C111126	Alpha Hydroxybutyrate Dehydrogenase	Alpha Hydroxybutyrate Dehydrogenase	A measurement of the alpha-hydroxybutyrate dehydrogenase in a biological specimen.	Alpha Hydroxybutyrate Dehydrogenase Measurement
C142272	Alpha Synuclein Protein	Alpha Synuclein Protein	A measurement of the alpha synuclein protein in a biological specimen.	Alpha Synuclein Protein Measurement
C103349	Alpha Tocopherol	Alpha Tocopherol	A measurement of the alpha tocopherol in a biological specimen.	Alpha Tocopherol Measurement
C103350	Alpha Tocopherol/Vitamin E	Alpha Tocopherol/Vitamin E	A relative measurement (ratio or percentage) of alpha-tocopherol to the total vitamin E in a biological specimen.	Alpha Tocopherol to Vitamin E Ratio Measurement
C100429	Alpha-1 Acid Glycoprotein	Alpha-1 Acid Glycoprotein	A measurement of the alpha-1 acid glycoprotein in a biological specimen.	Alpha-1 Acid Glycoprotein Measurement
C80167	Alpha-1 Antitrypsin	Alpha-1 Antitrypsin;Serum Trypsin Inhibitor	A measurement of the alpha-1 antitrypsin in a biological specimen.	Alpha-1 Antitrypsin Measurement
C92252	Alpha-1 Globulin	A1-Globulin;Alpha-1 Globulin	A measurement of the proteins contributing to the alpha 1 fraction in a biological specimen.	Alpha-1 Globulin Measurement
C92253	Alpha-1 Globulin/Total Protein	Alpha-1 Globulin/Total Protein	A relative measurement (ratio or percentage) of alpha-1-fraction proteins to total proteins in a biological specimen.	Alpha-1 Globulin to Total Protein Ratio Measurement
C100461	Alpha-1 Microglobulin	Alpha-1 Microglobulin;Protein HC	A measurement of the alpha-1 microglobulin in a biological specimen.	Alpha-1 Microglobulin Measurement
C100462	Alpha-1 Microglobulin/Creatinine	Alpha-1 Microglobulin/Creatinine	A relative measurement (ratio or percentage) of the alpha-1 microglobulin to creatinine in a biological specimen.	Alpha-1 Microglobulin to Creatinine Ratio Measurement
C103351	Alpha-2 Antiplasmin	Alpha-2 Antiplasmin;Alpha-2 Plasmin Inhibitor	A measurement of the alpha-2 antiplasmin in a biological specimen.	Alpha-2 Antiplasmin Measurement
C122094	Alpha-2 Antiplasmin Activity	Alpha-2 Antiplasmin Activity	A measurement of the alpha-2 antiplasmin activity in a biological specimen.	Alpha-2 Antiplasmin Activity Measurement
C92254	Alpha-2 Globulin	A2-Globulin;Alpha-2 Globulin	A measurement of the proteins contributing to the alpha 2 fraction in a biological specimen.	Alpha-2 Globulin Measurement
C92255	Alpha-2 Globulin/Total Protein	Alpha-2 Globulin/Total Protein	A relative measurement (ratio or percentage) of alpha-2-fraction proteins to total proteins in a biological specimen.	Alpha-2 Globulin to Total Protein Ratio Measurement
C80168	Alpha-2 Macroglobulin	Alpha-2 Macroglobulin	A measurement of the alpha-2 macroglobulin in a biological specimen.	Alpha-2 Macroglobulin Measurement
C119278	Alpha-GST Excretion Rate	Alpha-GST Excretion Rate	A measurement of the amount of Alpha Glutathione-S-Transferase being excreted in urine over a defined period of time (e.g. one hour).	Alpha-GST Excretion Rate
C132364	Alpha-Methylacyl Coenzyme A Racemase	Alpha-Methylacyl Coenzyme A Racemase	A measurement of the alpha-methylacyl coenzyme A racemase in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase Measurement
C147299	Alpha-N-acetylglucosaminidase	Alpha-N-acetylglucosaminidase	A measurement of the alpha-N-acetylglucosaminidase in a biological specimen.	Alpha-N-acetylglucosaminidase Measurement

**C6715 LBTEST  
4**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C75370	Alprazolam	Alprazolam	A measurement of the alprazolam present in a biological specimen.	Alprazolam Measurement
C10649 8	ALT/AST	ALT/AST	A relative measurement (ratio or percentage) of the alanine aminotransferase (ALT) to aspartate aminotransferase (AST) present in a sample.	Alanine Aminotransferase to Aspartate Aminotransferase Ratio Measurement
C11112 7	Aluminum	Al;Aluminum	A measurement of aluminum in a biological specimen.	Aluminum Measurement
C13236 5	AMACR mRNA	AMACR mRNA	A measurement of the alpha-methylacyl coenzyme A racemase mRNA in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase mRNA Measurement
C13013 7	American Cockroach Antigen IgA Antibody	American Cockroach Antigen IgA Antibody	A measurement of the Periplaneta americana antigen IgA antibody in a biological specimen.	American Cockroach Antigen IgA Antibody Measurement
C13013 6	American Cockroach Antigen IgE Antibody	American Cockroach Antigen IgE Antibody	A measurement of the Periplaneta americana antigen IgE antibody in a biological specimen.	American Cockroach Antigen IgE Antibody Measurement
C13013 8	American Cockroach Antigen IgG Antibody	American Cockroach Antigen IgG Antibody	A measurement of the Periplaneta americana antigen IgG antibody in a biological specimen.	American Cockroach Antigen IgG Antibody Measurement
C13013 9	American Cockroach Antigen IgG4 Antibody	American Cockroach Antigen IgG4 Antibody	A measurement of the Periplaneta americana antigen IgG4 antibody in a biological specimen.	American Cockroach Antigen IgG4 Antibody Measurement
C74799	Ammonia	Ammonia;NH3	A measurement of the ammonia in a biological specimen.	Ammonia Measurement
C10559 0	Ammonium Biurate Crystals	Acid Ammonium Urate Crystals;Ammonium Biurate Crystals;Ammonium Urate Crystals	A measurement of the ammonium biurate crystals present in a biological specimen.	Ammonium Biurate Crystals Measurement
C74759	Ammonium Oxalate Crystals	Ammonium Oxalate Crystals	A measurement of the ammonium oxalate crystals present in a urine specimen.	Urine Ammonium Oxalate Crystal Measurement
C75363	Amobarbital	Amobarbital	A measurement of the amobarbital present in a biological specimen.	Amobarbital Measurement
C74665	Amorphous Crystals	Amorphous Crystals	A measurement of the amorphous (Note: phosphate or urate, depending on pH) crystals present in a biological specimen.	Amorphous Crystal Measurement
C92243	Amorphous Phosphate Crystals	Amorphous Phosphate Crystals	A measurement of the amorphous phosphate crystals in a biological specimen.	Amorphous Phosphate Crystals Measurement
C74666	Amorphous Sediment	Amorphous Debris;Amorphous Sediment	A measurement of the amorphous sediment present in a biological specimen.	Amorphous Sediment Measurement
C92244	Amorphous Urate Crystals	Amorphous Urate Crystals	A measurement of the amorphous urate crystals in a biological specimen.	Amorphous Urate Crystals Measurement
C74687	Amphetamine	Amphetamine	A measurement of any amphetamine class drug present in a biological specimen.	Amphetamine Drug Class Measurement
C64434	Amylase	Amylase	A measurement of the total enzyme amylase in a biological specimen.	Amylase Measurement
C98767	Amylase, Pancreatic	Amylase, Pancreatic	A measurement of the pancreatic enzyme amylase in a biological specimen.	Pancreatic Amylase Measurement
C98780	Amylase, Salivary	Amylase, Salivary	A measurement of the salivary enzyme amylase in a biological specimen.	Salivary Amylase Measurement
C12594 0	Amyloid A	Amyloid A;Serum Amyloid A	A measurement of the total amyloid a (official name is Serum Amyloid A) in a biological specimen.	Amyloid A Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11926 8	Amyloid Alpha Precursor Protein	Amyloid Alpha Precursor Protein	A measurement of the amyloid alpha precursor protein present in a biological specimen.	Amyloid Alpha Precursor Protein Measurement
C10335 2	Amyloid Beta 1-38	Amyloid Beta 1-38;Amyloid Beta 38;Amyloid Beta 38 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 38 in a biological specimen.	Amyloid Beta 1-38 Measurement
C10335 3	Amyloid Beta 1-40	Amyloid Beta 1-40;Amyloid Beta 40;Amyloid Beta 40 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 40 in a biological specimen.	Amyloid Beta 1-40 Measurement
C84809	Amyloid Beta 1-42	Amyloid Beta 1-42;Amyloid Beta 42;Amyloid Beta 42 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 42 in a biological specimen.	Beta Amyloid 42 Measurement
C10543 8	Amyloid Beta Precursor Protein	Amyloid Beta Precursor;Amyloid Beta Precursor Protein;Amyloid Precursor Beta;Amyloid Precursor Protein	A measurement of the amyloid beta precursor protein present in a biological specimen.	Amyloid Beta Precursor Protein Measurement
C81998	Amyloid P	Amyloid P	A measurement of the total amyloid P in a biological specimen.	Amyloid P Measurement
C81999	Amyloid, Beta	Amyloid, Beta;Beta Amyloid	A measurement of the total amyloid beta in a biological specimen.	Beta Amyloid Measurement
C14729 8	Anabesine	Anabesine	A measurement of the anabesine in a biological specimen.	Anabesine Measurement
C74842	Androstenediol	Androstenediol	A measurement of the androstenediol metabolite in a biological specimen.	Androstenediol Metabolite Measurement
C74843	Androstenedione	4-Androstenedione;Androstenedione	A measurement of the androstenedione hormone in a biological specimen.	Androstenedione Measurement
C11112 8	Angiopietin 1	Angiopietin 1	A measurement of angiopietin 1 in a biological specimen.	Angiopietin 1 Measurement
C80169	Angiotensin Converting Enzyme	Angiotensin Converting Enzyme	A measurement of the angiotensin converting enzyme in a biological specimen.	Angiotensin Converting Enzyme Measurement
C74844	Angiotensin I	Angiotensin I	A measurement of the angiotensin I hormone in a biological specimen.	Angiotensin I Measurement
C74845	Angiotensin II	Angiotensin II	A measurement of the angiotensin II hormone in a biological specimen.	Angiotensin II Measurement
C74846	Angiotensinogen	Angiotensin Precursor;Angiotensinogen	A measurement of the angiotensinogen hormone in a biological specimen.	Angiotensinogen Measurement
C13011 2	Animal Mix Antigen IgE Antibody	Animal Mix Antigen IgE Antibody	A measurement of the animal mix antigen IgE antibody in a biological specimen.	Animal Mix Antigen IgE Antibody Measurement
C13011 3	Animal Mix Antigen IgG Antibody	Animal Mix Antigen IgG Antibody	A measurement of the animal mix antigen IgG antibody in a biological specimen.	Animal Mix Antigen IgG Antibody Measurement
C74685	Anion Gap	Anion Gap	A computed estimate of the unmeasured anions (those other than the chloride and bicarbonate anions) in a biological specimen.	Anion Gap Measurement
C14730 3	Anion Gap 3	Anion Gap 3	A computed estimate of the unmeasured anions (computed as sodium minus the chloride and bicarbonate) in a biological specimen.	Anion Gap 3 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14730 4	Anion Gap 4	Anion Gap 4	A computed estimate of the unmeasured anions (computed as the difference between the sum of serum sodium + serum potassium and the sum of the serum bicarbonate+ chloride) in a biological specimen.	Anion Gap 4 Measurement
C74797	Anisocytes	Anisocytes;Anisocytosis	A measurement of the variability in the size of the red blood cells in a whole blood specimen.	Anisocyte Measurement
C81973	Anti-DNA Antibodies	Anti-DNA Antibodies;Anti-ds-DNA Antibodies	A measurement of the anti-DNA antibodies in a biological specimen.	Anti-DNA Antibody Measurement
C74913	Anti-Double Stranded DNA	Anti-Double Stranded DNA	A measurement of the anti-double stranded DNA antibody in a biological specimen.	Anti-Double Stranded DNA Measurement
C98706	Anti-Factor Xa Activity	Anti-Factor Xa Activity	A measurement of the ability of antithrombin to inactivate activated Factor X in a biological specimen. This test is used to monitor low molecular weight or unfractionated heparin levels in a biological specimen.	Anti-Factor Xa Activity Measurement
C12062 5	Anti-Mullerian Hormone	Anti-Mullerian Hormone	A measurement of the anti-Mullerian hormone in a biological specimen.	Anti-Mullerian Hormone Measurement
C12062 6	Anti-Neutrophil Cytoplasmic Antibody	Anti-Neutrophil Cytoplasmic Antibody	A measurement of the anti-neutrophil cytoplasmic antibody in a biological specimen.	Anti-Neutrophil Cytoplasmic Antibody Measurement
C12062 7	Anti-Nucleosome Antibody	Anti-Nucleosome Antibody	A measurement of the anti-nucleosome antibody in a biological specimen.	Anti-Nucleosome Antibody Measurement
C12433 5	Anti-Phospholipid IgG Antibody	Anti-Phospholipid IgG Antibody	A measurement of the antiphospholipid IgG antibody in a biological specimen.	Anti-Phospholipid IgG Antibody Measurement
C12433 6	Anti-Phospholipid IgM Antibody	Anti-Phospholipid IgM Antibody	A measurement of the antiphospholipid IgM antibody in a biological specimen.	Anti-Phospholipid IgM Antibody Measurement
C81976	Anti-Saccharomyces cerevisiae Antibody	Anti-Saccharomyces cerevisiae Antibody	A measurement of the anti-Saccharomyces cerevisiae antibody in a biological specimen.	Anti-Saccharomyces cerevisiae Antibody Measurement
C92269	Anti-Single Stranded DNA IgG	Anti-Single Stranded DNA IgG	A measurement of the anti-single stranded DNA IgG antibody in a biological specimen.	Anti-Single Stranded DNA IgG Measurement
C74691	Antidepressants	Antidepressants	A measurement of any antidepressant class drug present in a biological specimen.	Antidepressant Measurement
C74847	Antidiuretic Hormone	Antidiuretic Hormone;Vasopressin	A measurement of the antidiuretic hormone in a biological specimen.	Antidiuretic Hormone Measurement
C81974	Antiglobulin Test, Direct	Antiglobulin Test, Direct;Direct Coombs Test	A measurement of the antibody or complement-coated erythrocytes in a biological specimen in vivo.	Direct Antiglobulin Test
C91372	Antiglobulin Test, Indirect	Antiglobulin Test, Indirect;Indirect Coombs Test	A test that uses Coombs' reagent to detect the presence of anti-erythrocyte antibodies in a biological specimen.	Indirect Antiglobulin Test
C81975	Antimitochondrial Antibodies	Antimitochondrial Antibodies;Mitochondrial Antibody	A measurement of the antimitochondrial antibodies in a biological specimen.	Antimitochondrial Antibody Measurement
C74916	Antinuclear Antibodies	Antinuclear Antibodies	A measurement of the total antinuclear antibodies (antibodies that attack the body's own tissue) in a biological specimen.	Antinuclear Antibody Measurement
C12209 3	Antinuclear IgG Antibody	Antinuclear IgG Antibody	A measurement of the antinuclear IgG antibody in a biological specimen.	Antinuclear IgG Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10225 8	Antiphospholipid Antibodies	Antiphospholipid Antibodies	A measurement of the total antiphospholipid antibodies in a biological specimen.	Antiphospholipid Antibody Measurement
C81958	Antithrombin	Antithrombin;Antithrombin Activity;Antithrombin III;Antithrombin III Activity	A measurement of the antithrombin activity in a biological specimen.	Antithrombin Activity Measurement
C14730 6	Antithrombin Activity Actual/Control	Antithrombin Activity Actual/Antithrombin Activity Control;Antithrombin Activity Actual/Control;Antithrombin Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of antithrombin in a subject's specimen when compared to the same activity in a control specimen.	Antithrombin Activity Actual to Control Ratio Measurement
C81977	Antithrombin Antigen	Antithrombin Antigen;Antithrombin III Antigen	A measurement of the antithrombin antigen in a biological specimen.	Antithrombin Antigen Measurement
C12433 7	Apolipoprotein A	Apolipoprotein A	A measurement of the total apolipoprotein A in a biological specimen.	Apolipoprotein A Measurement
C74733	Apolipoprotein A1	Apolipoprotein A1	A measurement of the apolipoprotein A1 in a biological specimen.	Apolipoprotein A1 Measurement
C14729 2	Apolipoprotein A1/Apolipoprotein B	Apolipoprotein A1/Apolipoprotein B	A relative measurement (ratio or percentage) of the Apolipoprotein A1 to Apolipoprotein B in a biological specimen.	Apolipoprotein A1 to Apolipoprotein B Ratio Measurement
C10335 4	Apolipoprotein A4	Apolipoprotein A4	A measurement of the apolipoprotein A4 in a biological specimen.	Apolipoprotein A4 Measurement
C10335 5	Apolipoprotein A5	Apolipoprotein A5	A measurement of the apolipoprotein A5 in a biological specimen.	Apolipoprotein A5 Measurement
C82000	Apolipoprotein AII	Apolipoprotein AII	A measurement of the apolipoprotein AII in a biological specimen.	Apolipoprotein AII Measurement
C74734	Apolipoprotein B	Apolipoprotein B	A measurement of the total apolipoprotein B in a biological specimen.	Apolipoprotein B Measurement
C10335 6	Apolipoprotein B/Apolipoprotein A1	Apolipoprotein B/Apolipoprotein A1	A relative measurement (ratio or percentage) of the Apolipoprotein B to Apolipoprotein A1 in a biological specimen.	Apolipoprotein B to Apolipoprotein A1 Ratio Measurement
C12062 8	Apolipoprotein B100	Apolipoprotein B100	A measurement of the apolipoprotein B100 in a biological specimen.	Apolipoprotein B100 Measurement
C12062 9	Apolipoprotein B48	Apolipoprotein B48	A measurement of the apolipoprotein B48 in a biological specimen.	Apolipoprotein B48 Measurement
C10042 7	Apolipoprotein C2	Apolipoprotein C2;Apolipoprotein CII	A measurement of the apolipoprotein C2 in a biological specimen.	Apolipoprotein C2 Measurement
C12063 0	Apolipoprotein CI	Apolipoprotein CI	A measurement of the apolipoprotein CI in a biological specimen.	Apolipoprotein CI Measurement
C82001	Apolipoprotein CIII	Apolipoprotein CIII	A measurement of the apolipoprotein CIII in a biological specimen.	Apolipoprotein CIII Measurement
C82002	Apolipoprotein E	Apolipoprotein E	A measurement of the apolipoprotein E in a biological specimen.	Apolipoprotein E Measurement
C92293	Apolipoprotein E4	Apolipoprotein E4	A measurement of the apolipoprotein E4 in a biological specimen.	Apolipoprotein E4 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82003	Apolipoprotein H	Apolipoprotein H	A measurement of the apolipoprotein H in a biological specimen.	Apolipoprotein H Measurement
C100428	Apolipoprotein J	Apolipoprotein J;Clusterin	A measurement of the apolipoprotein J in a biological specimen.	Apolipoprotein J Measurement
C111130	Apolipoprotein J/Creatinine	Apolipoprotein J/Creatinine;Clusterin/Creatinine	A relative measurement (ratio or percentage) of the apolipoprotein J to creatinine in a biological specimen.	Apolipoprotein J to Creatinine Ratio Measurement
C102259	Arachidonic Acid	Arachidonic Acid	A measurement of the arachidonic acid present in a biological specimen.	Arachidonic Acid Measurement
C147276	Arachis hypogaea Antigen IgE Antibody	Arachis hypogaea Antigen IgE Antibody;Peanut Antigen IgE Antibody	A measurement of the Arachis hypogaea antigen IgE antibody in a biological specimen.	Arachis hypogaea Antigen IgE Antibody Measurement
C122095	Arginine	Arginine	A measurement of the arginine in a biological specimen.	Arginine Measurement
C147305	Arsenic	Arsenic;As	A measurement of the arsenic in a biological specimen.	Arsenic Measurement
C122096	Asparagine	Asparagine	A measurement of the asparagine in a biological specimen.	Asparagine Measurement
C64467	Aspartate Aminotransferase	Aspartate Aminotransferase;SGOT	A measurement of the aspartate aminotransferase in a biological specimen.	Aspartate Aminotransferase Measurement
C81978	Aspartate Aminotransferase Antigen	Aspartate Aminotransferase Antigen;SGOT Antigen	A measurement of the aspartate aminotransferase antigen in a biological specimen.	Aspartate Aminotransferase Antigen Measurement
C117830	Aspartate Aminotransferase/Creatinine	Aspartate Aminotransferase/Creatinine	A relative measurement (ratio or percentage) of the aspartate aminotransferase to creatinine in a biological specimen.	Aspartate Aminotransferase to Creatinine Ratio Measurement
C122097	Aspartic Acid	Aspartate;Aspartic Acid	A measurement of the aspartic acid in a biological specimen.	Aspartic Acid Measurement
C74886	Atrial Natriuretic Peptide	Atrial Natriuretic Peptide;Atriopeptin	A measurement of the atrial natriuretic peptide in a biological specimen.	Atrial Natriuretic Peptide Measurement
C74657	Auer Rods	Auer Rods	A measurement of the Auer rods (elongated needle structures that are found in the cytoplasm of leukemic blasts and are formed by clumps of azurophilic granular material) in a biological specimen.	Auer Rod Measurement
C116185	Azurophilic Granules	Azurophilic Granulation;Azurophilic Granules	An observation of azurophilic granules in a biological specimen.	Azurophilic Granule Measurement
C111135	B-Cell Activating Factor	B-Cell Activating Factor	A measurement of the B-cell activating factor in a biological specimen.	B-Cell Activating Factor Measurement
C128951	B-lymphocyte Crossmatch	B-lymphocyte Crossmatch	A measurement to determine human leukocyte antigens (HLA) histocompatibility between the recipient and the donor by examining the presence or absence of the recipient's anti-HLA antibody reactivity towards HLA antigens expressed on the donor B-lymphocytes.	B-lymphocyte Crossmatch Measurement
C147310	B. burgdorferi IgG and IgM Antibody	B. burgdorferi IgG and IgM Antibody;Borrelia burgdorferi IgG and IgM Antibody	A measurement of the Borrelia burgdorferi IgG and IgM antibodies in a biological specimen.	Borrelia burgdorferi IgG and IgM Antibody Measurement
C64469	Bacteria	Bacteria	A measurement of the bacteria in a biological specimen.	Bacterial Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74762	Bacterial Casts	Bacterial Casts	A measurement of the bacterial casts present in a biological specimen.	Bacterial Cast Measurement
C12063 1	Bactericidal/Permeability-Inc Protein Ab	BPI Auto-antibody;Bactericidal/Permeability-Inc Protein Ab	A measurement of the bactericidal/permeability-increasing protein antibody in a biological specimen.	Bactericidal/Permeability-Increasing Protein Antibody Measurement
C74688	Barbiturates	Barbiturates	A measurement of any barbiturate class drug present in a biological specimen.	Barbiturate Drug Class Measurement
C14730 9	Base Deficit	Base Deficit	A measurement of the amount of alkali required to return a biological specimen to a normal pH under standard conditions.	Base Deficit
C11927 0	Base Excess	Base Excess	A measurement of the amount of acid required to return a biological specimen to a normal pH under standard conditions.	Base Excess Measurement
C14731 1	Basophilic Erythroblast	Basophilic Erythroblast	A measurement of the basophilic erythroblasts in a biological specimen taken from a non-human organism.	Basophilic Erythroblast Count
C13539 9	Basophilic Metamyelocytes	Basophilic Metamyelocytes	A measurement of the basophilic metamyelocytes in a biological specimen.	Basophilic Metamyelocyte Count
C13540 0	Basophilic Myelocytes	Basophilic Myelocytes	A measurement of the basophilic myelocytes in a biological specimen.	Basophilic Myelocyte Count
C14740 5	Basophilic Normoblast	Basophilic Normoblast	A measurement of the basophilic normoblasts in a biological specimen taken from a non-human organism.	Basophilic Normoblast Count
C96567	Basophilic Stippling	Basophilic Stippling	A measurement of the basophilic stippling in a biological specimen.	Basophilic Stippling Measurement
C64470	Basophils	Basophils	A measurement of the basophils in a biological specimen.	Total Basophil Count
C13015 4	Basophils Band Form	Basophils Band Form	A measurement of the banded basophils in a biological specimen.	Basophil Band Form Count
C13015 5	Basophils Band Form/Leukocytes	Basophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded basophils to leukocytes in a biological specimen.	Basophil Band Form to Leukocytes Ratio Measurement
C13540 1	Basophils, Segmented	Basophils, Segmented	A measurement of the segmented basophils in a biological specimen.	Segmented Basophil Count
C64471	Basophils/Leukocytes	Basophils/Leukocytes	A relative measurement (ratio or percentage) of the basophils to leukocytes in a biological specimen.	Basophil to Leukocyte Ratio
C98865	Basophils/Total Cells	Basophils/Total Cells	A relative measurement (ratio or percentage) of the basophils to total cells in a biological specimen (for example a bone marrow specimen).	Basophil to Total Cell Ratio Measurement
C13011 6	Bee Mix Antigen IgE Antibody	Bee Mix Antigen IgE Antibody	A measurement of the bee mix antigen IgE antibody in a biological specimen.	Bee Mix Antigen IgE Antibody Measurement
C13011 7	Bee Mix Antigen IgG Antibody	Bee Mix Antigen IgG Antibody	A measurement of the bee mix antigen IgG antibody in a biological specimen.	Bee Mix Antigen IgG Antibody Measurement
C13011 8	Bee Mix Antigen IgG4 Antibody	Bee Mix Antigen IgG4 Antibody	A measurement of the bee mix antigen IgG4 antibody in a biological specimen.	Bee Mix Antigen IgG4 Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11113 6	Bence-Jones Protein	Bence-Jones Protein	A measurement of the total Bence-Jones protein in a biological specimen.	Bence-Jones Protein Measurement
C74692	Benzodiazepine	Benzodiazepine	A measurement of any benzodiazepine class drug present in a biological specimen.	Benzodiazepine Measurement
C75350	Benzoylcegonine	Benzoylcegonine;Cocaine Metabolite	A measurement of the benzoylcegonine in a biological specimen.	Benzoylcegonine Measurement
C13006 9	Bermuda Grass Pollen IgA	Bermuda Grass Pollen IgA	A measurement of the Cynodon dactylon pollen antigen IgA antibody in a biological specimen.	Bermuda Grass Pollen IgA Measurement
C13006 8	Bermuda Grass Pollen IgE	Bermuda Grass Pollen IgE	A measurement of the Cynodon dactylon pollen antigen IgE antibody in a biological specimen.	Bermuda Grass Pollen IgE Measurement
C13007 0	Bermuda Grass Pollen IgG	Bermuda Grass Pollen IgG	A measurement of the Cynodon dactylon pollen antigen IgG antibody in a biological specimen.	Bermuda Grass Pollen IgG Measurement
C13007 1	Bermuda Grass Pollen IgG4	Bermuda Grass Pollen IgG4	A measurement of the Cynodon dactylon pollen antigen IgG4 antibody in a biological specimen.	Bermuda Grass Pollen IgG4 Measurement
C10047 2	Beta Carotene	Beta Carotene;Beta Carotin;b-Carotene	A measurement of the beta carotene in a biological specimen.	Beta Carotene Measurement
C10335 7	Beta Catenin	Beta Catenin	A measurement of the beta catenin in a biological specimen.	Beta Catenin Measurement
C92256	Beta Globulin	Beta Globulin	A measurement of the proteins contributing to the beta fraction in a biological specimen.	Beta Globulin Measurement
C92294	Beta Globulin/Total Protein	Beta Globulin/Total Protein	A relative measurement (ratio or percentage) of beta fraction proteins to total proteins in a biological specimen.	Beta Globulin to Total Protein Ratio Measurement
C11927 4	Beta-1 Globulin	Beta-1 Globulin	A measurement of the beta-1 globulin in a biological specimen.	Beta-1 Globulin Measurement
C14227 7	Beta-1 Globulin/Beta Protein	Beta-1 Globulin/Beta Protein	A relative measurement (ratio or percentage) of the beta-1-fraction proteins to the total beta protein fraction in a biological specimen.	Beta-1 Globulin to Total Beta Protein Ratio Measurement
C11927 5	Beta-1 Globulin/Total Protein	Beta-1 Globulin/Total Protein	A relative measurement (ratio or percentage) of beta-1-fraction proteins to total proteins in a biological specimen.	Beta-1 Globulin to Total Protein Ratio Measurement
C12760 7	Beta-1B Glycoprotein	Beta-1B Glycoprotein;HPX;Hemopexin	A measurement of the beta-1B glycoprotein in a biological specimen.	Beta-1B Glycoprotein Measurement
C11927 6	Beta-2 Globulin	Beta-2 Globulin	A measurement of the beta-2 globulin in a biological specimen.	Beta-2 Globulin Measurement
C11927 7	Beta-2 Globulin/Total Protein	Beta-2 Globulin/Total Protein	A relative measurement (ratio or percentage) of beta-2-fraction proteins to total proteins in a biological specimen.	Beta-2 Globulin to Total Protein Ratio Measurement
C14730 8	Beta-2 Glycoprotein 1 IgA Antibody	Beta-2 Glycoprotein 1 IgA Antibody	A measurement of the beta-2 glycoprotein 1 IgG antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgA Antibody Measurement
C10335 8	Beta-2 Glycoprotein 1 IgG Antibody	Beta-2 Glycoprotein 1 IgG Antibody	A measurement of the Beta-2 glycoprotein 1 IgG antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgG Antibody Measurement
C10335 9	Beta-2 Glycoprotein 1 IgM Antibody	Beta-2 Glycoprotein 1 IgM Antibody	A measurement of the Beta-2 glycoprotein 1 IgM antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgM Antibody Measurement
C81979	Beta-2 Glycoprotein Antibody	Beta-2 Glycoprotein Antibody	A measurement of the beta-2 glycoprotein antibody in a biological specimen.	Beta-2 Glycoprotein Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81980	Beta-2 Microglobulin	Beta-2 Microglobulin	A measurement of the beta-2 microglobulin in a biological specimen.	Beta-2 Microglobulin Measurement
C127608	Beta-2 Microglobulin/Creatinine	Beta-2 Microglobulin/Creatinine	A relative measurement (ratio) of the beta-2 microglobulin to creatinine in a biological specimen.	Beta-2 Microglobulin to Creatinine Ratio Measurement
C123455	Beta-cell Function	Beta-cell Function	A measurement of the beta cell function (insulin production and secretion) in a biological specimen.	Beta-Cell Function Measurement
C122102	Beta-defensin 2	Beta-defensin 2	A measurement of the beta-defensin 2 in a biological specimen.	Beta-defensin 2 Measurement
C96568	Beta-Hydroxybutyrate	3-Hydroxybutyrate;B-Hydroxybutyrate;Beta-Hydroxybutyrate	A measurement of the total Beta-hydroxybutyrate in a biological specimen.	Beta-Hydroxybutyrate Measurement
C100426	Beta-Trace Protein	Beta-Trace Protein	A measurement of the beta-trace protein in a biological specimen.	Beta-Trace Protein Measurement
C74667	Bicarbonate	Bicarbonate;HCO3	A measurement of the bicarbonate in a biological specimen.	Bicarbonate Measurement
C74800	Bile Acid	Bile Acid;Bile Acids;Bile Salt;Bile Salts	A measurement of the total bile acids in a biological specimen.	Bile Acid Measurement
C38037	Bilirubin	Bilirubin;Total Bilirubin	A measurement of the total bilirubin in a biological specimen.	Total Bilirubin Measurement
C74668	Bilirubin Crystals	Bilirubin Crystals	A measurement of the bilirubin crystals present in a biological specimen.	Bilirubin Crystal Measurement
C117860	Bioavailable Testosterone	Bioavailable Testosterone	A measurement of bioavailable testosterone in a biological specimen.	Bioavailable Testosterone Measurement
C130073	Birch Pollen IgA	Birch Pollen IgA	A measurement of the Betula pollen antigen IgA antibody in a biological specimen.	Birch Pollen IgA Measurement
C130072	Birch Pollen IgE	Birch Pollen IgE	A measurement of the Betula pollen antigen IgE antibody in a biological specimen.	Birch Pollen IgE Measurement
C130074	Birch Pollen IgG	Birch Pollen IgG	A measurement of the Betula pollen antigen IgG antibody in a biological specimen.	Birch Pollen IgG Measurement
C130075	Birch Pollen IgG4	Birch Pollen IgG4	A measurement of the Betula pollen antigen IgG4 antibody in a biological specimen.	Birch Pollen IgG4 Measurement
C74700	Bite Cells	Bite Cells	A measurement of the bite cells (erythrocytes with the appearance of a bite having been removed, due to oxidative hemolysis) in a biological specimen.	Bite Cell Count
C74634	Bite Cells/Erythrocytes	Bite Cells/Erythrocytes	A relative measurement (ratio or percentage) of bite cells (erythrocytes with the appearance of a bite having been removed, due to oxidative hemolysis) to all erythrocytes in a biological specimen.	Bite Cell to Erythrocyte Ratio Measurement
C74605	Blasts	Blasts	A measurement of the blast cells in a biological specimen.	Blast Count
C64487	Blasts/Leukocytes	Blasts/Leukocytes	A relative measurement (ratio or percentage) of the blasts to leukocytes in a biological specimen.	Blast to Leukocyte Ratio
C147312	Blasts/Nucleated Cells	Blasts/Nucleated Cells	A relative measurement (ratio or percentage) of the blasts to the total nucleated cells in a biological specimen.	Blasts to Nucleated Cells Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C89775	Bleeding Time	Bleeding Time;Clotting Time Homeostasis	A measurement of the time from the start to cessation of an induced bleed.	Bleeding Time
C127609	Blister Cell	Blister Cell	A measurement of the blister cells in a biological specimen.	Blister Cell Count
C92287	Bone Specific Alkaline Phosphatase	Bone Specific Alkaline Phosphatase	A measurement of the bone specific alkaline phosphatase isoform in a biological specimen.	Bone Specific Alkaline Phosphatase Measurement
C122098	Borrelia burgdorferi Antibody	Borrelia burgdorferi Antibody;Lyme Antibody	A measurement of the total Borrelia burgdorferi antibody in a biological specimen.	Borrelia Burgdorferi Antibody Measurement
C122099	Borrelia burgdorferi IgA Antibody	Borrelia burgdorferi IgA Antibody;Lyme IgA Antibody	A measurement of the Borrelia burgdorferi IgA antibody in a biological specimen.	Borrelia Burgdorferi IgA Antibody Measurement
C122100	Borrelia burgdorferi IgG Antibody	Borrelia burgdorferi IgG Antibody;Lyme IgG Antibody	A measurement of the Borrelia burgdorferi IgG antibody in a biological specimen.	Borrelia Burgdorferi IgG Antibody Measurement
C122101	Borrelia burgdorferi IgM Antibody	Borrelia burgdorferi IgM Antibody;Lyme IgM Antibody	A measurement of the Borrelia burgdorferi IgM antibody in a biological specimen.	Borrelia Burgdorferi IgM Antibody Measurement
C147284	Boxelder Pollen IgE Antibody	Boxelder Pollen IgE Antibody	A measurement of the Acer negundo pollen antigen IgE antibody in a biological specimen.	Boxelder Pollen IgE Antibody Measurement
C74735	Brain Natriuretic Peptide	B-Type Natriuretic Peptide;Brain Natriuretic Peptide	A measurement of the brain (B-type) natriuretic peptide in a biological specimen.	Brain Natriuretic Peptide Measurement
C82004	Brain-Derived Neurotrophic Factor	Brain-Derived Neurotrophic Factor	A measurement of the brain-derived neurotrophic factor in a biological specimen.	Brain-Derived Neurotrophic Factor Measurement
C96588	Broad Casts	Broad Casts	A measurement of the broad casts in a biological specimen.	Broad Casts Measurement
C75352	Buprenorphine	Buprenorphine	A measurement of the buprenorphine drug present in a biological specimen.	Buprenorphine Measurement
C74701	Burr Cells	Burr Cells	A measurement of the Burr cells (erythrocytes characterized by the presence of small, blunt projections evenly distributed across the cell surface) in a biological specimen.	Burr Cell Count
C75365	Butalbital	Butalbital	A measurement of the butalbital present in a biological specimen.	Butalbital Measurement
C111142	Butyrylcholinesterase	Acylcholine Acylhydrolase;Butyrylcholinesterase;Non-neuronal Cholinesterase;Plasma Cholinesterase;Pseudocholinesterase	A measurement of the total butyrylcholinesterase in a biological specimen.	Butyrylcholinesterase Measurement
C64548	C Reactive Protein	C Reactive Protein	A measurement of the C reactive protein in a biological specimen.	C-Reactive Protein Measurement
C122103	C-C Chemokine Receptor Type 5	C-C Chemokine Receptor Type 5;CD195	A measurement of the CCR5, chemokine (C-C motif) receptor type 5, in a biological specimen.	C-C Chemokine Receptor Type 5 Measurement
C74736	C-peptide	C-peptide	A measurement of the C (connecting) peptide of insulin in a biological specimen.	C-peptide Measurement
C74702	Cabot Rings	Cabot Rings	A measurement of the Cabot rings (red-purple staining, threadlike, ring or figure 8 shaped filaments in an erythrocyte) in a biological specimen.	Cabot Ring Count
C75346	Caffeine	Caffeine	A measurement of the caffeine in a biological specimen.	Caffeine Measurement
C125942	Calbindin	Calbindin	A measurement of the total calbindin in a biological specimen.	Calbindin Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74848	Calcitonin	Calcitonin	A measurement of the calcitonin hormone in a biological specimen.	Calcitonin Measurement
C74849	Calcitriol	Calcitriol	A measurement of the calcitriol hormone in a biological specimen.	Calcitriol Measurement
C64488	Calcium	Calcium	A measurement of the calcium in a biological specimen.	Calcium Measurement
C103360	Calcium - Phosphorus Product	Calcium - Phosphorus Product	A measurement of the product of the calcium and phosphate measurements in a biological specimen.	Calcium and Phosphorus Product Measurement
C74669	Calcium Carbonate Crystals	Calcium Carbonate Crystals	A measurement of the calcium carbonate crystals present in a biological specimen.	Calcium Carbonate Crystal Measurement
C96589	Calcium Clearance	Calcium Clearance	A measurement of the volume of serum or plasma that would be cleared of calcium by excretion of urine for a specified unit of time (e.g. one minute).	Calcium Clearance Measurement
C119272	Calcium Corrected	Calcium Corrected	A measurement of calcium, which has been corrected for albumin, in a biological specimen.	Calcium Corrected Measurement
C147314	Calcium Corrected for Total Protein	Calcium Corrected for Total Protein	A measurement of calcium, which has been corrected for total protein, in a biological specimen.	Calcium Corrected for Total Protein Measurement
C117831	Calcium Excretion Rate	Calcium Excretion Rate	A measurement of the amount of calcium being excreted in urine over a defined period of time (e.g. one hour).	Calcium Urine Excretion Rate
C74670	Calcium Oxalate Crystals	Calcium Oxalate Crystals	A measurement of the calcium oxalate crystals present in a biological specimen.	Calcium Oxalate Crystal Measurement
C74671	Calcium Phosphate Crystals	Calcium Phosphate Crystals	A measurement of the calcium phosphate crystals present in a biological specimen.	Calcium Phosphate Crystal Measurement
C124340	Calcium Sulfate Crystals	Calcium Sulfate Crystals	A measurement of the calcium sulfate crystals present in a biological specimen.	Calcium Sulfate Crystals Measurement
C96590	Calcium Sulphate	Calcium Sulphate	A measurement of the calcium sulphate in a biological specimen.	Calcium Sulphate Measurement
C81948	Calcium, Ionized	Calcium, Ionized	A measurement of the ionized calcium in a biological specimen.	Ionized Calcium Measurement
C125941	Calcium, Ionized pH Adjusted	Calcium, Ionized pH Adjusted	A measurement of the pH adjusted ionized calcium in a biological specimen.	Ionized pH Adjusted Calcium Measurement
C79439	Calcium/Creatinine	Calcium/Creatinine	A relative measurement (ratio or percentage) of the calcium to creatinine in a biological specimen.	Calcium to Creatinine Ratio Measurement
C139087	Calcium/Phosphorus	Calcium/Phosphate;Calcium/Phosphorus	A relative measurement (ratio) of the calcium to phosphorus in a biological specimen.	Calcium to Phosphorus Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13238 1	Calculated Panel Reactive Antibody	Calculated Panel Reactive Antibody	A measurement of the calculated panel reactive antibody, which is based on the number/type of unacceptable HLA antigens to which an organ recipient has been sensitized, and which algorithmically estimates the level of sensitization in the recipient. The CPRA is computed from HLA antigen frequencies in a given donor population using both anti-HLA class I and class II antibody specificities; it also represents the percentage of actual organ donors that express one or more unacceptable HLA antigens to which a recipient may react adversely.	Calculated Panel Reactive Antibody Measurement
C82005	Calprotectin	Calprotectin	A measurement of the calprotectin in a biological specimen.	Calprotectin Measurement
C10336 1	Cancer Antigen 1	Cancer Antigen 1	A measurement of the cancer antigen 1 in a biological specimen.	Cancer Antigen 1 Measurement
C79089	Cancer Antigen 125	Cancer Antigen 125	A measurement of the cancer antigen 125 in a biological specimen.	CA-125 Measurement
C10336 2	Cancer Antigen 15-3	Cancer Antigen 15-3	A measurement of the cancer antigen 15-3 in a biological specimen.	Cancer Antigen 15-3 Measurement
C81982	Cancer Antigen 19-9	Cancer Antigen 19-9	A measurement of the cancer antigen 19-9 in a biological specimen.	Cancer Antigen 19-9 Measurement
C11114 3	Cancer Antigen 27-29	Cancer Antigen 27-29	A measurement of the cancer antigen 27-29 in a biological specimen.	Cancer Antigen 27-29 Measurement
C10650 5	Cancer Antigen 72-4	CA 72-4;Cancer Antigen 72-4;Carbohydrate Antigen 72-4	A measurement of the cancer antigen 72-4 in a biological specimen.	Cancer Antigen 72-4 Measurement
C74689	Cannabinoids	Cannabinoids	A measurement of any cannabinoid class drug present in a biological specimen.	Cannabinoid Drug Class Measurement
C13540 2	Cannabinoids, Synthetic	Cannabinoids, Synthetic	A measurement of any synthetic cannabinoid class drug present in a biological specimen.	Synthetic Cannabinoid Measurement
C12594 3	Carb-Deficient Transferrin/Transferrin	Carb-Deficient Transferrin/Transferrin	A relative measurement (ratio or percentage) of the carbohydrate-deficient transferrin to total transferrin in a biological specimen.	Carbohydrate-Deficient Transferrin to Transferrin Ratio Measurement
C14732 2	Carbamazepine	Carbamazepine	A measurement of the carbamazepine in a biological specimen.	Carbamazepine Measurement
C10101 6	Carbohydrate-Deficient Transferrin	Carbohydrate-Deficient Transferrin	A measurement of transferrin with a reduced number of carbohydrate moieties in a biological specimen.	Carbohydrate-Deficient Transferrin Measurement
C64545	Carbon Dioxide	Carbon Dioxide	A measurement of the carbon dioxide gas in a biological specimen.	Carbon Dioxide Measurement
C13908 4	Carbon Monoxide	Carbon Monoxide	A measurement of the carbon monoxide in a biological specimen.	Carbon Monoxide Measurement
C96591	Carboxyhemoglobin	Carboxyhemoglobin	A measurement of the carboxyhemoglobin, carbon monoxide-bound hemoglobin, in a biological specimen.	Carboxyhemoglobin Measurement
C14735 5	Carboxyhemoglobin/Total Hemoglobin	Carboxyhemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of carboxyhemoglobin compared to total hemoglobin in a biological specimen.	Carboxyhemoglobin to Total Hemoglobin Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81983	Carcinoembryonic Antigen	Carcinoembryonic Antigen	A measurement of the carcinoembryonic antigen in a biological specimen.	Carcinoembryonic Antigen Measurement
C12211 2	Cardiolipin IgA Antibody	Cardiolipin IgA Antibody	A measurement of the cardiolipin IgA antibody in a biological specimen.	Cardiolipin IgA Antibody Measurement
C11114 4	Cardiolipin IgG Antibody	Anti-Cardiolipin IgG Antibody;Cardiolipin IgG Antibody	A measurement of the cardiolipin IgG antibody in a biological specimen.	Cardiolipin IgG Antibody Measurement
C10336 3	Cardiolipin IgM Antibody	Cardiolipin IgM Antibody	A measurement of the cardiolipin IgM antibodies in a biological specimen.	Cardiolipin IgM Antibody Measurement
C74682	Carnitine	Carnitine	A measurement of the total carnitine in a biological specimen.	Total Carnitine Measurement
C92288	Carnitine Acetyl Transferase	Carnitine Acetyl Transferase	A measurement of the carnitine acetyl transferase in a biological specimen.	Carnitine Acetyl Transferase Measurement
C14732 3	Carnitine Esters	Carnitine Esters	A measurement of the total carnitine esters in a biological specimen.	Carnitine Ester Measurement
C74677	Carnitine, Free	Carnitine, Free	A measurement of the free carnitine in a biological specimen.	Free Carnitine Measurement
C11114 5	Cartilage Oligomeric Matrix Protein	Cartilage Oligomeric Matrix Protein	A measurement of the cartilage oligomeric matrix protein in a biological specimen.	Cartilage Oligomeric Matrix Protein Measurement
C74763	Casts	Casts	A statement that indicates casts were looked for in a biological specimen.	Cast Present Or Absent
C13012 6	Cat Dander Antigen IgA Antibody	Cat Dander Antigen IgA Antibody	A measurement of the Felis catus dander antigen IgA antibody in a biological specimen.	Cat Dander Antigen IgA Antibody Measurement
C13012 4	Cat Dander Antigen IgE Antibody	Cat Dander Antigen IgE Antibody	A measurement of the Felis catus dander antigen IgE antibody in a biological specimen.	Cat Dander Antigen IgE Antibody Measurement
C13012 5	Cat Dander Antigen IgG Antibody	Cat Dander Antigen IgG Antibody	A measurement of the Felis catus dander antigen IgG antibody in a biological specimen.	Cat Dander Antigen IgG Antibody Measurement
C13012 7	Cat Dander Antigen IgG4 Antibody	Cat Dander Antigen IgG4 Antibody	A measurement of the Felis catus dander antigen IgG4 antibody in a biological specimen.	Cat Dander Antigen IgG4 Antibody Measurement
C12063 4	Cathepsin Antibody	Cathepsin Antibody	A measurement of the total cathepsin antibody in a biological specimen.	Cathepsin Antibody Measurement
C10336 4	CD1	CD1	A count of the CD1 expressing cells per unit of a biological specimen.	CD1 Expressing Cell Measurement
C11114 6	CD10	CD10	A measurement of the CD10 expressing cells per unit in a biological specimen.	CD10 Expressing Cell Count
C10543 9	CD11A	CD11A;CD11a	A count of the CD11a expressing cells per unit of a biological specimen.	CD11A Expressing Cell Count
C10544 0	CD11B	CD11B;CD11b;Complement Component 3 Receptor 3 Subunit;Complement Receptor Type 3 Alpha Subunit;ITGAM Protein;Integrin Alpha-M	A count of the CD11b expressing cells per unit of a biological specimen.	CD11B Expressing Cell Count
C11114 7	CD13	CD13	A measurement of the CD13 expressing cells per unit in a biological specimen.	CD13 Expressing Cell Count
C10336 5	CD14	CD14	A count of the CD14 expressing cells per unit of a biological specimen.	CD14 Expressing Cell Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12210 5	CD161/Lymphocytes	CD161/Lymphocytes	A relative measurement (ratio or percentage) of CD161 expressing cells to all lymphocytes in a biological specimen.	CD161 to Lymphocyte Ratio Measurement
C12210 4	CD161a/Lymphocytes	CD161a/Lymphocytes	A relative measurement (ratio or percentage) of CD161a expressing cells to all lymphocytes in a biological specimen.	CD161a to Lymphocyte Ratio Measurement
C10380 8	CD19	CD19	A count of the CD19 expressing cells per unit in a biological specimen.	CD19 Expressing Cell Count
C10381 2	CD19/Lymphocytes	CD19/Lymphocytes	A relative measurement (ratio or percentage) of CD19 expressing cells to all lymphocytes in a biological specimen.	CD19 Cell to Lymphocyte Ratio Measurement
C10336 6	CD2	CD2	A count of the CD2 expressing cells per unit of a biological specimen.	CD2 Expressing Cell Measurement
C10336 7	CD2/Lymphocytes	CD2/Lymphocytes	A relative measurement (ratio or percentage) of CD2 expressing cells to all lymphocytes in a biological specimen.	CD2 Expressing Cell to Lymphocyte Ratio Measurement
C10336 8	CD20	CD20	A count of the CD20 expressing cells per unit of a biological specimen.	CD20 Expressing Cell Measurement
C11114 8	CD22	CD22	A measurement of the CD22 expressing cells per unit in a biological specimen.	CD22 Expressing Cell Count
C11114 9	CD23	CD23	A measurement of the CD23 expressing cells per unit in a biological specimen.	CD23 Expressing Cell Count
C10380 9	CD3	CD3	A count of the CD3 expressing cells per unit in a biological specimen.	CD3 Expressing Cell Count
C10381 3	CD3/Lymphocytes	CD3/Lymphocytes	A relative measurement (ratio or percentage) of CD3 expressing cells to all lymphocytes in a biological specimen.	CD3 Cell to Lymphocyte Ratio Measurement
C11115 0	CD33	CD33	A measurement of the CD33 expressing cells per unit in a biological specimen.	CD33 Expressing Cell Count
C10226 0	CD34	CD34	A measurement of the CD34 expressing cells per unit in a biological specimen.	CD34 Measurement
C11115 1	CD38	CD38	A measurement of the CD38 expressing cells per unit in a biological specimen.	CD38 Expressing Cell Count
C10381 0	CD4	CD4	A count of the CD4 expressing cells per unit in a biological specimen.	CD4 Expressing Cell Count
C10381 4	CD4/CD8	CD4/CD8	A relative measurement (ratio or percentage) of CD4 expressing cells to the CD8 expressing cells in a biological specimen.	CD4 Cell to CD8 Cell Ratio Measurement
C10381 5	CD4/Lymphocytes	CD4/Lymphocytes	A relative measurement (ratio or percentage) of CD4 expressing cells to all lymphocytes in a biological specimen.	CD4 Cell to Lymphocyte Ratio Measurement
C82006	CD40	CD40	A count of the CD40 cells per unit in a biological specimen.	CD40 Measurement
C82007	CD40 Ligand	CD40 Ligand	A count of the CD40 ligand cells per unit in a biological specimen.	CD40 Ligand Measurement
C12210 6	CD45/Lymphocytes	CD45/Lymphocytes	A relative measurement (ratio or percentage) of CD45 expressing cells to all lymphocytes in a biological specimen.	CD45 to Lymphocyte Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12210 7	CD45RA/Lymphocytes	CD45RA/Lymphocytes	A relative measurement (ratio or percentage) of CD45RA expressing cells to all lymphocytes in a biological specimen.	CD45RA to Lymphocyte Ratio Measurement
C10336 9	CD5	CD5	A count of the CD5 expressing cells per unit of a biological specimen.	CD5 Expressing Cell Measurement
C10337 0	CD56	CD56	A count of the CD56 expressing cells per unit of a biological specimen.	CD56 Expressing Cell Measurement
C11115 2	CD79A	CD79A	A measurement of the CD79A expressing cells per unit in a biological specimen.	CD79A Expressing Cell Count
C10381 1	CD8	CD8	A count of the CD8 expressing cells per unit in a biological specimen.	CD8 Expressing Cell Count
C10381 6	CD8/Lymphocytes	CD8/Lymphocytes	A relative measurement (ratio or percentage) of CD8 expressing cells to all lymphocytes in a biological specimen.	CD8 Cell to Lymphocyte Ratio Measurement
C48938	Cells	Cells	A measurement of the total cells in a biological specimen.	Cell Count
C74764	Cellular Casts	Cellular Casts	A measurement of the cellular (white blood cell, red blood cell, epithelial and bacterial) casts present in a biological specimen.	Cellular Cast Measurement
C11115 3	Cellularity	Cellularity;Cellularity Grade	A measurement of the degree, quality or condition of cells in a biological specimen.	Cellularity Measurement
C11115 4	Centromere B Antibodies	Centromere B Antibodies	A measurement of centromere B antibodies in a biological specimen.	Centromere B Antibody Measurement
C12211 1	Centromere IgG Antibody	Centromere IgG Antibody;Centromere Protein B	A measurement of the centromere IgG antibody in a biological specimen.	Centromere IgG Antibody Measurement
C10043 2	Ceruloplasmin	Caeruloplasmin;Ceruloplasmin	A measurement of ceruloplasmin in a biological specimen.	Ceruloplasmin Measurement
C13015 6	Chemokine (C-C Motif) Ligand 12	Chemokine (C-C Motif) Ligand 12;Monocyte Chemotactic Protein 5	A measurement of the CCL12, chemokine (C-C motif) ligand 12, in a biological specimen.	Chemokine (C-C Motif) Ligand 12 Measurement
C11223 6	Chemokine (C-C Motif) Ligand 17	ABCD-2;Chemokine (C-C Motif) Ligand 17;SCYA17;TARC;Thymus and Activation Regulated Chemokine	A measurement of the CCL17, chemokine (C-C motif) ligand 17, in a biological specimen.	Chemokine (C-C Motif) Ligand 17 Measurement
C11223 7	Chemokine (C-C Motif) Ligand 18	AMAC-1;AMAC1;CKB7;Chemokine (C-C Motif) Ligand 18;DC-CK1;DCCK1;MIP4;Macrophage inflammatory protein-4;PARC;Pulmonary and Activation-Regulated Chemokine;SCYA18	A measurement of the CCL18, chemokine (C-C motif) ligand 18, in a biological specimen.	Chemokine (C-C Motif) Ligand 18 Measurement
C13015 7	Chemokine (C-C Motif) Ligand 19	Chemokine (C-C Motif) Ligand 19;MIP3B;Macrophage Inflammatory Protein 3 Beta	A measurement of the CCL19, chemokine (C-C motif) ligand 19, in a biological specimen.	Chemokine (C-C Motif) Ligand 19 Measurement
C14731 5	Chemokine (C-C Motif) Ligand 21	6Ckine;Chemokine (C-C Motif) Ligand 21;Secondary Lymphoid Tissue Chemokine	A measurement of the CCL21, chemokine (C-C motif) ligand 21, in a biological specimen.	Chemokine (C-C Motif) Ligand 21 Measurement
C13015 8	Chemokine (C-C Motif) Ligand 7	Chemokine (C-C Motif) Ligand 7;MCP3;Monocyte Chemotactic Protein 3	A measurement of the CCL7, chemokine (C-C motif) ligand 7, in a biological specimen.	Chemokine (C-C Motif) Ligand 7 Measurement
C12895 2	Chemokine (C-X-C Motif) Ligand 1	Chemokine (C-X-C Motif) Ligand 1;GRO Alpha;GRO/KC;Melanoma Growth Stimulating Activity, Alpha	A measurement of the CXCL1, chemokine (C-X-C motif) ligand 1, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 1 Measurement
C11223 8	Chemokine (C-X-C Motif) Ligand 10	Chemokine (C-X-C Motif) Ligand 10;IP-10;Interferon Gamma-induced Protein 10;Small-inducible Cytokine B10	A measurement of the CXCL10, chemokine (C-X-C motif) ligand 10, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 10 Measurement
C14732 8	Chemokine (C-X-C Motif) Ligand 13	B Lymphocyte Chemoattractant;Chemokine (C-X-C Motif) Ligand 13	A measurement of the CXCL13, chemokine (C-X-C motif) ligand 13, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 13 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147329	Chemokine (C-X-C Motif) Ligand 3	Chemokine (C-X-C Motif) Ligand 3;GRO Gamma;MIP2 Beta;MIP2B;Macrophage Inflammatory Protein 2-Beta	A measurement of the CXCL3, chemokine (C-X-C motif) ligand 3, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 3 Measurement
C147330	Chemokine (C-X-C Motif) Ligand 4	Chemokine (C-X-C Motif) Ligand 4;Oncostatin A;PLF4;Platelet Factor 4	A measurement of the CXCL4, chemokine (C-X-C motif) ligand 4, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 4 Measurement
C130159	Chemokine (C-X-C Motif) Ligand 6	Chemokine (C-X-C Motif) Ligand 6;GCP2;Granulocyte Chemotactic Protein 2	A measurement of the CXCL6, chemokine (C-X-C motif) ligand 6, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 6 Measurement
C100431	Chemokine (C-X-C Motif) Receptor 3	CD183;CXCR3;Chemokine (C-X-C Motif) Receptor 3;GPR9	A measurement of the CXCR3, chemokine (C-X-C motif) receptor 3, in a biological specimen.	Chemokine Receptor CXCR3 Measurement
C135404	Chikungunya Virus Antibody	Chikungunya Virus Antibody	A measurement of the Chikungunya virus antibody in a biological specimen.	Chikungunya Virus Antibody Measurement
C92432	Chlamydia pneumoniae IgA Antibody	Chlamydia pneumoniae IgA Antibody	A measurement of the Chlamydia pneumoniae IgA antibody in a biological specimen.	Chlamydia pneumoniae IgA Antibody Measurement
C92433	Chlamydia pneumoniae IgM Antibody	Chlamydia pneumoniae IgM Antibody	A measurement of the Chlamydia pneumoniae IgM in a biological specimen.	Chlamydia pneumoniae IgM Antibody Measurement
C100464	Chlamydia trachomatis IgA Antibody	Chlamydia trachomatis IgA Antibody	A measurement of the Chlamydia trachomatis IgA antibody in a biological specimen.	Chlamydia trachomatis IgA Antibody Measurement
C100466	Chlamydia trachomatis IgG Antibody	Chlamydia trachomatis IgG Antibody	A measurement of the Chlamydia trachomatis IgG antibody in a biological specimen.	Chlamydia trachomatis IgG Antibody Measurement
C100465	Chlamydia trachomatis IgM Antibody	Chlamydia trachomatis IgM Antibody	A measurement of the Chlamydia trachomatis IgM antibody in a biological specimen.	Chlamydia trachomatis IgM Antibody Measurement
C75371	Chlordiazepoxide	Chlordiazepoxide	A measurement of the chlordiazepoxide present in a biological specimen.	Chlordiazepoxide Measurement
C64495	Chloride	Chloride	A measurement of the chloride in a biological specimen.	Chloride Measurement
C106509	Chloride Clearance	Chloride Clearance	A measurement of the volume of serum or plasma that would be cleared of chloride by excretion of urine for a specified unit of time (e.g. one minute).	Chloride Clearance Measurement
C117832	Chloride Excretion Rate	Chloride Excretion Rate	A measurement of the amount of chloride being excreted in urine over a defined period of time (e.g. one hour).	Chloride Urine Excretion Rate
C79440	Chloride/Creatinine	Chloride/Creatinine	A relative measurement (ratio or percentage) of the chloride to creatinine in a biological specimen.	Chloride to Creatinine Ratio Measurement
C74850	Cholecystokinin	Cholecystokinin;Pancreozymin	A measurement of the cholecystokinin hormone in a biological specimen.	Cholecystokinin Measurement
C116194	Cholera Toxin B Subunit IgG Antibody	Cholera Toxin B Subunit IgG Antibody	A measurement of the cholera toxin B subunit IgG antibody in a biological specimen.	Cholera Toxin B Subunit IgG Antibody Measurement
C105586	Cholesterol	Cholesterol;Total Cholesterol	A measurement of the cholesterol in a biological specimen.	Cholesterol Measurement
C74672	Cholesterol Crystals	Cholesterol Crystals	A measurement of the cholesterol crystals present in a biological specimen.	Cholesterol Crystal Measurement
C80171	Cholesterol/HDL-Cholesterol	Cholesterol/HDL-Cholesterol	A relative measurement (ratio or percentage) of total cholesterol to high-density lipoprotein cholesterol (HDL-C) in a biological specimen.	Cholesterol to HDL-Cholesterol Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12063 2	Cholesteryl Ester Transfer Protein	Cholesteryl Ester Transfer Protein	A measurement of the cholesteryl ester transfer protein in a biological specimen.	Cholesteryl Ester Transfer Protein Measurement
C10338 0	Cholesteryl Ester Transfer Protein Act	Cholesteryl Ester Transfer Protein Act	A measurement of the biological activity of cholesteryl ester transfer protein in a biological specimen.	Cholesteryl Ester Transfer Protein Activity Measurement
C92289	Cholinesterase	Cholinesterase	A measurement of the cholinesterase in a biological specimen.	Cholinesterase Measurement
C14712 8	Choriogonadotropin	Choriogonadotropin	A measurement of the total choriogonadotropin in a biological specimen.	Choriogonadotropin Measurement
C64851	Choriogonadotropin Beta	Choriogonadotropin Beta;Pregnancy Test	A measurement of the Choriogonadotropin Beta in a biological specimen.	Choriogonadotropin Beta Measurement
C14736 0	Choriogonadotropin Beta, Free	Choriogonadotropin Beta, Free	A measurement of the free choriogonadotropin beta in a biological specimen.	Free Choriogonadotropin Beta Measurement
C14736 1	Choriogonadotropin, Intact	Choriogonadotropin, Intact	A measurement of the intact choriogonadotropin in a biological specimen.	Intact Choriogonadotropin Measurement
C14731 8	Chromatin Antibodies	Chromatin Antibodies	A measurement of the chromatin antibodies in a biological specimen.	Chromatin Antibody Measurement
C12210 8	Chromogranin A	Chromogranin A	A measurement of the chromogranin A in a biological specimen.	Chromogranin A Measurement
C12063 3	Chylomicrons	Chylomicrons	A measurement of the chylomicrons in a biological specimen.	Chylomicrons Measurement
C11115 9	Chymotrypsin	Chymotrypsin	A measurement of the total chymotrypsin in a biological specimen.	Chymotrypsin Measurement
C96592	Circulating Endothelial Cells	Circulating Endothelial Cells	A measurement of the circulating endothelial cells in a biological specimen.	Circulating Endothelial Cell Count
C12761 1	Circulating Immune Complexes	Circulating Immune Complexes	A measurement of the circulating immune complexes in a biological specimen.	Circulating Immune Complex Measurement
C96593	Circulating Tumor Cells	Circulating Tumor Cells	A measurement of the circulating tumor cells in a biological specimen.	Circulating Tumor Cell Count
C14732 7	Citalopram	Citalopram	A measurement of the citalopram present in a biological specimen.	Citalopram Measurement
C92248	Citrate	Citrate;Citric Acid	A measurement of the citrate in a biological specimen.	Citrate Measurement
C12211 0	Citrate/Creatinine	Citrate/Creatinine;Citric Acid/Creatinine	A relative measurement (ratio or percentage) of the citrate to creatinine in a biological specimen.	Citrate to Creatinine Ratio Measurement
C12210 9	Citrulline	Citrulline	A measurement of the citrulline in a biological specimen.	Citrulline Measurement
C14731 9	CK, Macromolecular Type 1/Total CK	CK, Macromolecular Type 1/Total CK;Creatine Kinase, Macromolecular Type 1/Total Creatine Kinase	A relative measurement (ratio or percentage) of the macromolecular type 1 creatine kinase to total creatine kinase in a biological specimen.	Macromolecular Type 1 Creatine Kinase to Total Creatine Kinase Ratio Measurement
C14732 0	CK, Macromolecular Type 2/Total CK	CK, Macromolecular Type 2/Total CK;Creatine Kinase, Macromolecular Type 2/Total Creatine Kinase	A relative measurement (ratio or percentage) of the macromolecular type 2 creatine kinase to total creatine kinase in a biological specimen.	Macromolecular Type 2 Creatine Kinase to Total Creatine Kinase Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14728 6	Cladosporium herbarum IgE Antibody	Cladosporium herbarum IgE Antibody	A measurement of the Cladosporium herbarum antigen IgE antibody in a biological specimen.	Cladosporium herbarum IgE Antibody Measurement
C96594	Clarity	Clarity	A measurement of the transparency of a biological specimen.	Clarity Measurement
C13908 2	Clonazepam	Clonazepam	A measurement of the clonazepam present in a biological specimen.	Clonazepam Measurement
C13907 7	Clorazepate	Clorazepate	A measurement of the clorazepate present in a biological specimen.	Clorazepate Measurement
C10338 1	Clostridium difficile Toxin	Clostridium difficile Toxin	A measurement of the Clostridium difficile toxin in a biological specimen.	Clostridium difficile Toxin Measurement
C10338 2	Clostridium tetani IgG Antibody	Clostridium tetani IgG Antibody	A measurement of the Clostridium tetani IgG antibody in a biological specimen.	Clostridium tetani IgG Antibody Measurement
C13540 6	Clostridium tetani Toxoid IgG Antibody	Clostridium tetani Toxoid IgG Antibody	A measurement of the Clostridium tetani toxoid IgG antibody in a biological specimen.	Clostridium tetani Toxoid IgG Antibody Measurement
C10226 1	Clue Cells	Clue Cells	A measurement of the clue cells in a biological specimen.	Clue Cell Count
C11223 9	Coagulation Index	CI;Coagulation Index	A measurement of the efficiency of coagulation of a biological specimen. This is calculated by a mathematical formula that takes into account the R value, K value, angle and maximum amplitude of clot formation.	Coagulation Index Measurement
C74690	Cocaine	Cocaine	A measurement of the cocaine present in a biological specimen.	Cocaine Measurement
C14227 3	Cocaine Amphetamine-Reg Transcript Prot	CART;Cocaine Amphetamine-Reg Transcript Prot;Cocaine and Amphetamine-Regulated Transcript Protein	A measurement of the cocaine and amphetamine-regulated transcript protein in a biological specimen.	Cocaine Amphetamine-Regulated Transcript Protein Measurement
C14227 4	Cocaine Benzoyllecgonine Ecgonine	Cocaine Benzoyllecgonine Ecgonine	A measurement of the cocaine, benzoyllecgonine, and/or ecgonine in a biological specimen.	Cocaine, Benzoyllecgonine, and/or Ecgonine Measurement
C11116 0	Coccidioides Antibody	Coccidioides Antibody	A measurement of the coccidioides antibody in a biological specimen.	Coccidioides Antibody Measurement
C74877	Codeine	Codeine	A measurement of the codeine present in a biological specimen.	Codeine Measurement
C10338 3	Collagen Type IV	Collagen Type IV	A measurement of the collagen type IV in a biological specimen.	Collagen Type IV Measurement
C64546	Color	Color	A measurement of the color of a biological specimen.	Color Assessment
C13540 5	Columnar Epi Cells/Non-Squam Epi Cells	Columnar Epi Cells/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the columnar epithelial cells to non-squamous epithelial cells in a biological specimen.	Columnar Epithelial Cells to Non-Squamous Epithelial Cells Ratio Measurement
C14728 5	Common Ragweed Pollen IgE Antibody	Common Ragweed Pollen IgE Antibody	A measurement of the Ambrosia elatior pollen antigen IgE antibody in a biological specimen.	Common Ragweed Pollen IgE Antibody Measurement
C13540 3	Complement Ba	Ba Fragment of Complement Factor B;Ba Fragment of Factor B;Complement Ba	A measurement of the Ba fragment of complement factor B in a biological specimen.	Complement Ba Measurement
C80172	Complement Bb	Bb Fragment of Complement Factor B;Bb Fragment of Factor B;Complement Bb	A measurement of the Bb fragment of complement factor B in a biological specimen.	Complement Bb Measurement
C14731 3	Complement C1 Esterase Inhibitor	Complement C1 Esterase Inhibitor	A measurement of the complement C1 esterase inhibitor in a biological specimen.	Complement C1 Esterase Inhibitor Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80173	Complement C1q Antibody	Complement C1q Antibody	A measurement of the complement C1q antibody in a biological specimen.	Complement C1q Antibody Measurement
C80174	Complement C3	Complement C3	A measurement of the complement C3 in a biological specimen.	Complement C3 Measurement
C80175	Complement C3a	ASP, Complement C3 DesArg, Acetylation-stimulating Protein;Complement C3a	A measurement of the complement C3a in a biological specimen.	Complement C3a Measurement
C80176	Complement C3b	Complement C3b	A measurement of the complement C3b in a biological specimen.	Complement C3b Measurement
C11927 1	Complement C3d Antibody	Complement C3d Antibody	A measurement of the complement C3d antibody in a biological specimen.	Complement C3d Antibody Measurement
C80177	Complement C4	Complement C4	A measurement of the complement C4 in a biological specimen.	Complement C4 Measurement
C80178	Complement C4a	Complement C4a	A measurement of the complement C4a in a biological specimen.	Complement C4a Measurement
C12761 0	Complement C4d	Complement C4d	A measurement of the complement C4d in a biological specimen.	Complement C4d Measurement
C80179	Complement C5a	Complement C5a	A measurement of the complement C5a in a biological specimen.	Complement C5a Measurement
C14731 7	Complement CH100	CH100;Complement CH100	A measurement of the complement required to lyse 100 percent of red blood cells in a biological specimen.	Complement CH100 Measurement
C10042 3	Complement CH50	CH50;Complement CH50	A measurement of the complement required to lyse 50 percent of red blood cells in a biological specimen.	CH50 Measurement
C80160	Complement Total	Complement Total	A measurement of the total complement in a biological specimen.	Complement Measurement
C12761 2	Copeptin	Copeptin	A measurement of the copeptin in a biological specimen.	Copeptin Measurement
C11116 1	Copper	Copper;Cu	A measurement of copper in a biological specimen.	Copper Measurement
C13906 6	Corpuscular Hemoglobin Content	CH;Cellular Hemoglobin Content;Corpuscular Hemoglobin Content	A measurement of the mean erythrocyte hemoglobin content within an individual erythrocyte, calculated as the product of cell volume and cell hemoglobin concentration.	Corpuscular Hemoglobin Content
C13906 8	Corpuscular HGB Conc Distribution Width	Corpuscular HGB Conc Distribution Width;Corpuscular Hemoglobin Concentration Distribution Width	A measurement of the standard deviation of hemoglobin concentrations in erythrocytes in a biological specimen, calculated as the standard deviation of hemoglobin content divided by the mean hemoglobin content.	Corpuscular Hemoglobin Concentration Distribution Width
C13906 7	Corpuscular HGB Concentration Mean	Corpuscular HGB Concentration Mean	A direct measurement of the concentration of hemoglobin within individual erythrocytes in a biological specimen, reported as a mean.	Corpuscular Hemoglobin Concentration Mean
C79434	Corticosterone	Corticosterone	A measurement of corticosterone in a biological specimen.	Corticosterone Measurement
C10651 1	Corticosterone/Creatinine	Corticosterone/Creatinine	A relative measurement (ratio or percentage) of the corticosterone to creatinine present in a sample.	Corticosterone to Creatinine Ratio Measurement
C74851	Corticotropin Releasing Hormone	Corticotropin Releasing Factor;Corticotropin Releasing Hormone	A measurement of the corticotropin releasing hormone in a biological specimen.	Corticotropin Releasing Hormone Measurement
C74781	Cortisol	Cortisol;Total Cortisol	A measurement of the cortisol in a biological specimen.	Cortisol Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C88113	Cortisol, Free	Cortisol, Free	A measurement of the free, unbound cortisol in a biological specimen.	Free Cortisol Measurement
C10651 2	Cortisol/Creatinine	Cortisol/Creatinine	A relative measurement (ratio or percentage) of the cortisol to creatinine present in a sample.	Cortisol to Creatinine Ratio Measurement
C92249	Cotinine	Cotinine	A measurement of the cotinine in a biological specimen.	Cotinine Measurement
C14728 0	Cow Milk Protein Antigen IgE Antibody	Cow Milk Protein Antigen IgE Antibody	A measurement of the cow milk protein antigen IgE antibody in a biological specimen.	Cow Milk Protein Antigen IgE Antibody Measurement
C64489	Creatine Kinase	CPK;Creatine Kinase	A measurement of the total creatine kinase in a biological specimen.	Creatine Kinase Measurement
C64490	Creatine Kinase BB	Creatine Kinase BB	A measurement of the homozygous B-type creatine kinase in a biological specimen.	Creatine Kinase BB Measurement
C79466	Creatine Kinase BB/Total Creatine Kinase	Creatine Kinase BB/Total Creatine Kinase	A relative measurement (ratio or percentage) of the BB-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase BB to Total Creatine Kinase Ratio Measurement
C64491	Creatine Kinase MB	Creatine Kinase MB	A measurement of the heterozygous MB-type creatine kinase in a biological specimen.	Creatine Kinase MB Measurement
C79441	Creatine Kinase MB/Total Creatine Kinase	Creatine Kinase MB/Total Creatine Kinase	A relative measurement (ratio or percentage) of the MB-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase MB to Total Creatine Kinase Ratio Measurement
C64494	Creatine Kinase MM	Creatine Kinase MM	A measurement of the homozygous M-type creatine kinase in a biological specimen.	Creatine Kinase MM Measurement
C79442	Creatine Kinase MM/Total Creatine Kinase	Creatine Kinase MM/Total Creatine Kinase	A relative measurement (ratio or percentage) of the MM-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase MM to Total Creatine Kinase Ratio Measurement
C64547	Creatinine	Creatinine	A measurement of the creatinine in a biological specimen.	Creatinine Measurement
C25747	Creatinine Clearance	Creatinine Clearance	A measurement of the volume of serum or plasma that would be cleared of creatinine by excretion of urine for a specified unit of time (e.g. one minute).	Creatinine Clearance
C14732 4	Creatinine Clearance Adjusted for BSA	Creatinine Clearance Adjusted for BSA	A measurement of the volume of serum or plasma that would be cleared of creatinine by excretion of urine for a specified unit of time (e.g. one minute), adjusted for body surface area.	Creatinine Clearance Adjusted for BSA
C11783 3	Creatinine Excretion Rate	Creatinine Excretion Rate	A measurement of the amount of creatinine being excreted in urine over a defined amount of time (e.g. one hour).	Creatinine Urine Excretion Rate
C74703	Crenated Cells	Crenated Cells;Echinocytes	A measurement of the Burr cells (erythrocytes characterized by the presence of multiple small, sharp projections evenly distributed across the cell surface) in a biological specimen.	Crenated Cell Measurement
C14732 6	Cryofibrinogen	Cryofibrinogen	A measurement of the cryofibrinogen in a biological specimen.	Cryofibrinogen Measurement
C11116 4	Cryoglobulin	Cryoglobulin	A measurement of cryoglobulin in a biological specimen.	Cryoglobulin Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147325	Cryoglobulin Volume/Serum Volume	Cryoglobulin Volume/Serum Volume	A relative measurement (ratio or percentage) of the volume of cryoglobulin to total serum volume in a biological specimen.	Cryoglobulin Volume to Serum Volume Ratio Measurement
C74673	Crystals	Crystals	A statement that indicates crystals were looked for in a biological specimen.	Crystal Present Or Absent
C124339	Cyclic Adenosine 3,5-Monophosphate	Cyclic Adenosine 3,5-Monophosphate	A measurement of cyclic adenosine 3,5-monophosphate in a biological specimen.	Cyclic Adenosine 3,5-Monophosphate Measurement
C96595	Cyclic Citrullinated Peptide Antibody	Cyclic Citrullinated Peptide Antibody	A measurement of the cyclic citrullinated peptide antibody in a biological specimen.	Cyclic Citrullinated Peptide Antibody Measurement
C147316	Cyclic Citrullinated Peptide IgG Ab	Cyclic Citrullinated Peptide IgG Ab;Cyclic Citrullinated Peptide IgG Antibody	A measurement of the cyclic citrullinated peptide IgG antibody in a biological specimen.	Cyclic Citrullinated Peptide IgG Antibody Measurement
C111165	Cyclic Guanosine Monophosphate	Cyclic Guanosine Monophosphate	A measurement of the cyclic guanosine 3,5-monophosphate in a biological specimen.	Cyclic Guanosine Monophosphate Measurement
C147331	Cystathionine	Cystathionine	A measurement of the cystathionine in a biological specimen.	Cystathionine Measurement
C92290	Cystatin C	Cystatin C	A measurement of the cystatin C in a biological specimen.	Cystatin C Measurement
C106513	Cystatin C/Creatinine	Cystatin C/Creatinine	A relative measurement (ratio or percentage) of the cystatin C to creatinine present in a sample.	Cystatin C to Creatinine Ratio Measurement
C105441	Cystine	Cystine	A measurement of the cystine in a biological specimen.	Cystine Measurement
C74674	Cystine Crystals	Cystine Crystals	A measurement of the cystine crystals present in a biological specimen.	Cystine Crystal Measurement
C130160	Cytokeratin 18 Fragment	Cytokeratin 18 Fragment	A measurement of the cytokeratin 18 fragment in a biological specimen.	Cytokeratin 18 Fragment Measurement
C106514	Cytokeratin 19 Fragment 21-1	CYFRA21-1;Cytokeratin 19 Fragment 21-1	A measurement of the cytokeratin 19 fragment 21-1 in a biological specimen.	Cytokeratin 19 Fragment 21-1 Measurement
C96596	Cytomegalovirus IgG Antibody	Cytomegalovirus IgG Antibody	A measurement of the cytomegalovirus IgG antibody in a biological specimen.	Cytomegalovirus IgG Antibody Measurement
C96597	Cytomegalovirus IgM Antibody	Cytomegalovirus IgM Antibody	A measurement of the cytomegalovirus IgM antibody in a biological specimen.	Cytomegalovirus IgM Antibody Measurement
C111166	Cytoplasmic Basophilia Neutrophil	Cytoplasmic Basophilia Neutrophil	A measurement of the neutrophils in a biological specimen showing a dark staining pattern in the cytoplasm due to increased acidic content.	Cytoplasmic Basophilia Neutrophil Count
C82621	D-Dimer	D-Dimer	A measurement of the d-dimers in a biological specimen.	D-Dimer Measurement
C130132	D. farinae Antigen IgE Antibody	D. farinae Antigen IgE Antibody	A measurement of the Dermatophagoides farinae antigen IgE antibody in a biological specimen.	Dermatophagoides farinae Antigen IgE Antibody Measurement
C130133	D. farinae Antigen IgG Antibody	D. farinae Antigen IgG Antibody	A measurement of the Dermatophagoides farinae antigen IgG antibody in a biological specimen.	Dermatophagoides farinae Antigen IgG Antibody Measurement
C130134	D. pteronyssinus Antigen IgE Antibody	D. pteronyssinus Antigen IgE Antibody	A measurement of the Dermatophagoides pteronyssinus antigen IgE antibody in a biological specimen.	Dermatophagoides pteronyssinus Antigen IgE Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130135	D. pteronyssinus Antigen IgG Antibody	D. pteronyssinus Antigen IgG Antibody	A measurement of the Dermatophagoides pteronyssinus antigen IgG antibody in a biological specimen.	Dermatophagoides pteronyssinus Antigen IgG Antibody Measurement
C64801	Dacryocytes	Dacryocytes;Tear Shaped Erythrocytes;Teardrop Cells	A measurement of dacryocytes in a biological specimen.	Dacryocyte Analysis
C130119	Dairy Mix Antigen IgG Antibody	Dairy Mix Antigen IgG Antibody	A measurement of the dairy mix antigen IgG antibody in a biological specimen.	Dairy Mix Antigen IgG Antibody Measurement
C111190	Degenerated Leukocytes	Degenerated Leukocytes;Degenerated WBC;Degenerated White Blood Cells	A measurement of the degenerated leukocytes (leukocytes that show deterioration in form or function) in a biological specimen.	Degenerated Leukocyte Count
C74852	Dehydroepiandrosterone	Dehydroepiandrosterone;Dehydroisoandrosterone	A measurement of the dehydroepiandrosterone hormone in a biological specimen.	Dehydroepiandrosterone Measurement
C96629	Dehydroepiandrosterone Sulfate	DHEA Sulfate;DHEA-S;Dehydroepiandrosterone Sulfate;sDHEA	A measurement of the sulfated Dehydroepiandrosterone in a biological specimen.	Sulfated DHEA Measurement
C147332	Dengue Virus Antibody	Dengue Virus Antibody	A measurement of the dengue virus antibody in a biological specimen.	Dengue Virus Antibody Measurement
C45781	Density	Density	A measurement of the compactness of a biological specimen expressed in mass per unit volume.	Density
C124343	Deoxyhemoglobin	Deoxyhemoglobin	A measurement of the deoxyhemoglobin, hemoglobin without oxygen, in a biological specimen.	Deoxyhemoglobin Measurement
C79443	Deoxypyridinoline	Deoxypyridinoline	A measurement of the deoxypyridinoline in a biological specimen.	Deoxypyridinoline Measurement
C79444	Deoxypyridinoline/Creatinine	Deoxypyridinoline/Creatinine	A relative measurement (ratio or percentage) of the deoxypyridinoline to creatinine in a biological specimen.	Deoxypyridinoline to Creatinine Ratio Measurement
C135409	Deoxyribonucleic Acid	Deoxyribonucleic Acid	A measurement of a targeted deoxyribonucleic acid (DNA) in a biological specimen.	Deoxyribonucleic Acid Measurement
C122114	Desmoglein 1 Antibody	Desmoglein 1 Antibody	A measurement of the desmoglein 1 antibody in a biological specimen.	Desmoglein 1 Antibody Measurement
C122115	Desmoglein 3 Antibody	Desmoglein 3 Antibody	A measurement of the desmoglein 3 antibody in a biological specimen.	Desmoglein 3 Antibody Measurement
C147333	Desvenlafaxine	Desvenlafaxine;O-Desmethylvenlafaxine	A measurement of the desvenlafaxine present in a biological specimen.	Desvenlafaxine Measurement
C102262	Dextroamphetamine	Dextroamphetamine;d-amphetamine	A measurement of the dextroamphetamine in a biological specimen.	Dextroamphetamine Measurement
C75372	Diazepam	Diazepam	A measurement of the diazepam present in a biological specimen.	Diazepam Measurement
C135407	Dicalcium Phosphate Crystals	Dicalcium Phosphate Crystals	A measurement of dicalcium phosphate crystals in a biological specimen.	Dicalcium Phosphate Crystals Measurement
C74878	Dihydrocodeine	Dihydrocodeine	A measurement of the dihydrocodeine present in a biological specimen.	Dihydrocodeine Measurement
C74853	Dihydrotestosterone	Androstalone;Dihydrotestosterone	A measurement of the dihydrotestosterone hormone in a biological specimen.	Dihydrotestosterone Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96696	Dilute Russell's Viper Venom Time	Dilute Russell's Viper Venom Time;Lupus Anticoagulant Test	A measurement of the time it takes a plasma sample to clot after adding dilute Russell's viper venom.	Dilute Russell's Viper Venom Time Measurement
C103386	Dilute Russell's Viper Venom Time Ratio	Dilute Russell's Viper Venom Time Ratio;Lupus Anticoagulant Ratio	A relative measurement of the dilute Russell's viper venom time in a subject sample to a control sample.	Dilute Russell's Viper Venom Time to Control Ratio Measurement
C117853	Dimorphic Erythrocyte Population	Dimorphic Erythrocyte Population;Dimorphic RBC Population	Examination of a biological specimen to detect the presence of dimorphic erythrocyte population.	Dimorphic Erythrocyte Population
C103387	Dipeptidyl Peptidase-4 Activity	DPPIV Activity;Dipeptidyl Peptidase-4 Activity	A measurement of the biological activity of dipeptidyl peptidase-4 in a biological specimen.	Dipeptidyl Peptidase-4 Activity Measurement
C103388	Diphtheria IgG Antibody	Diphtheria IgG Antibody	A measurement of the Diphtheria IgG antibodies in a biological specimen.	Diphtheria IgG Antibody Measurement
C64481	Direct Bilirubin	Direct Bilirubin	A measurement of the conjugated or water-soluble bilirubin in a biological specimen.	Direct Bilirubin Measurement
C135408	DNA Fragmentation Index	DNA Fragmentation Index	A measurement of the deoxyribonucleic acid fragmentation within the nucleated cells of a biological specimen.	DNA Fragmentation Index
C100463	DNase-B Antibody	Anti-Dnase B;DNase-B Antibody	A measurement of Dnase-B antibody in a biological specimen.	DNase-B Antibody Measurement
C130130	Dog Dander Antigen IgA Antibody	Dog Dander Antigen IgA Antibody	A measurement of the Canis lupus dander antigen IgA antibody in a biological specimen.	Dog Dander Antigen IgA Antibody Measurement
C130128	Dog Dander Antigen IgE Antibody	Dog Dander Antigen IgE Antibody	A measurement of the Canis lupus dander antigen IgE antibody in a biological specimen.	Dog Dander Antigen IgE Antibody Measurement
C130129	Dog Dander Antigen IgG Antibody	Dog Dander Antigen IgG Antibody	A measurement of the Canis lupus dander antigen IgG antibody in a biological specimen.	Dog Dander Antigen IgG Antibody Measurement
C130131	Dog Dander Antigen IgG4 Antibody	Dog Dander Antigen IgG4 Antibody	A measurement of the Canis lupus dander antigen IgG4 antibody in a biological specimen.	Dog Dander Antigen IgG4 Antibody Measurement
C74610	Dohle Bodies	Dohle Bodies	A measurement of the Dohle bodies (blue-gray, basophilic, leukocyte inclusions located in the peripheral cytoplasm of neutrophils) in a biological specimen.	Dohle Body Measurement
C74854	Dopamine	Dopamine	A measurement of the dopamine hormone in a biological specimen.	Dopamine Measurement
C78139	Drug Screen	Drug Screen	An indication of the presence or absence of recreational drugs or drugs of abuse in a biological specimen.	Drug Test
C100441	DTPA Clearance	DTPA Clearance	A measurement of the volume of serum or plasma that would be cleared of Diethylenetriamine pentaacetate (DTPA) by excretion of urine for a specified unit of time (e.g. one minute).	Diethylene Triamine Pentaacetic Acid Clearance
C135441	Dysmorphic Erythrocytes	Dysmorphic Erythrocytes	A measurement of the dysmorphic erythrocytes in a biological specimen.	Dysmorphic Erythrocyte Count
C135410	Ebola Virus IgM Antibody	Ebola Virus IgM Antibody	A measurement of the Ebola virus IgM antibodies in a biological specimen.	Ebola Virus IgM Antibody Measurement
C106519	EBV Profile Interpretation	EBV Profile Interpretation;Epstein-Barr Virus Antibody Profile;Epstein-Barr Virus Panel;Epstein-Barr Virus Profile Interpretation	An assessment of Epstein-Barr virus infection based on a panel of EBV antigen antibody tests.	Epstein-Barr Virus Profile Interpretation

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10042 2	Ecarin Clotting Time	Ecarin Clotting Time	A measurement of the activity of thrombin inhibitors in a biological specimen based on the generation of meizothrombin.	Ecarin Clotting Time Measurement
C96598	Eccentricocytes	Eccentricocytes	A measurement of the eccentricocytes (erythrocytes in which the hemoglobin is localized to a particular portion of the cell, noticeable as localized staining) in a biological specimen.	Eccentricocyte Count
C10044 0	EDTA Clearance	EDTA Clearance	A measurement of the volume of serum or plasma that would be cleared of Ethylenediamine tetraacetic acid (EDTA) by excretion of urine for a specified unit of time (e.g. one minute).	EDTA Clearance
C14728 1	Egg White Antigen IgE Antibody	Egg White Antigen IgE Antibody	A measurement of the egg white antigen IgE antibody in a biological specimen.	Egg White Antigen IgE Antibody Measurement
C64549	Elliptocytes	Elliptocytes	A measurement of the elliptocytes (elliptically shaped cell with blunt ends and a long axis twice the length of its short axis) in a biological specimen.	Elliptocyte Count
C10226 6	Endogenous Thrombin Potential	Endogenous Thrombin Potential	A measurement of the total concentration of thrombin generated in the presence of a substrate in a plasma or blood sample.	Endogenous Thrombin Potential Measurement
C14733 4	Endomysial IgA Antibody	Endomysium IgA Antibody	A measurement of the endomysial IgA antibody in a biological specimen.	Endomysial IgA Antibody Measurement
C82008	Endothelin-1	Endothelin-1	A measurement of the endothelin-1 in a biological specimen.	Endothelin-1 Measurement
C13008 5	English Plantain Pollen IgA	English Plantain Pollen IgA	A measurement of the Plantagio lanceolata pollen antigen IgA antibody in a biological specimen.	English Plantain Pollen IgA Measurement
C13008 4	English Plantain Pollen IgE	English Plantain Pollen IgE	A measurement of the Plantagio lanceolata pollen antigen IgE antibody in a biological specimen.	English Plantain Pollen IgE Measurement
C13008 6	English Plantain Pollen IgG	English Plantain Pollen IgG	A measurement of the Plantagio lanceolata pollen antigen IgG antibody in a biological specimen.	English Plantain Pollen IgG Measurement
C13008 7	English Plantain Pollen IgG4	English Plantain Pollen IgG4	A measurement of the Plantagio lanceolata pollen antigen IgG4 antibody in a biological specimen.	English Plantain Pollen IgG4 Measurement
C84819	Eosinophilic Metamyelocytes	Eosinophilic Metamyelocytes	A measurement of the eosinophilic metamyelocytes in a biological specimen.	Eosinophilic Metamyelocyte Count
C84821	Eosinophilic Myelocytes	Eosinophilic Myelocytes	A measurement of the eosinophilic myelocytes in a biological specimen.	Eosinophilic Myelocyte Count
C64550	Eosinophils	Eosinophils	A measurement of the eosinophils in a biological specimen.	Eosinophil Count
C11421 6	Eosinophils Band Form	Eosinophils Band Form	A measurement of the banded eosinophils in a biological specimen.	Eosinophil Band Form Count
C11421 7	Eosinophils Band Form/Leukocytes	Eosinophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded eosinophils to leukocytes in a biological specimen.	Eosinophil Band Form to Leukocyte Ratio
C13541 2	Eosinophils, Segmented	Eosinophils, Segmented	A measurement of the segmented eosinophils in a biological specimen.	Segmented Eosinophil Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64604	Eosinophils/Leukocytes	Eosinophils/Leukocytes	A relative measurement (ratio or percentage) of the eosinophils to leukocytes in a biological specimen.	Eosinophil to Leukocyte Ratio
C13541 1	Eosinophils/Non-Squam Epi Cells	Eosinophils/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the eosinophils to non-squamous epithelial cells in a biological specimen.	Eosinophils to Non-Squamous Epithelial Cells Ratio Measurement
C98720	Eosinophils/Total Cells	Eosinophils/Total Cells	A relative measurement (ratio or percentage) of the eosinophils to total cells in a biological specimen (for example a bone marrow specimen).	Eosinophils to Total Cell Ratio Measurement
C81952	Eotaxin-1	Chemokine Ligand 11;Eotaxin-1	A measurement of the eotaxin-1 in a biological specimen.	Eotaxin-1 Measurement
C81953	Eotaxin-2	Chemokine Ligand 24;Eotaxin-2	A measurement of the eotaxin-2 in a biological specimen.	Eotaxin-2 Measurement
C81954	Eotaxin-3	CCL26;Chemokine (C-C Motif) Ligand 26;Chemokine Ligand 26;Eotaxin-3	A measurement of the eotaxin-3 in a biological specimen.	Eotaxin-3 Measurement
C13541 4	Epi Cells/Non-Squam Epi Cells	Epi Cells/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the epithelial cells to non-squamous epithelial cells in a biological specimen.	Epithelial Cells to Non-Squamous Epithelial Cells Ratio Measurement
C82009	Epidermal Growth Factor	Epidermal Growth Factor	A measurement of the epidermal growth factor in a biological specimen.	Epidermal Growth Factor Measurement
C11227 3	Epidermal Growth Factor Receptor	ERBB1;Epidermal Growth Factor Receptor;HER1	A measurement of the cells with positive expression of EGFR in a biological specimen.	Epidermal Growth Factor Receptor Measurement
C79445	Epinephrine	Adrenaline;Epinephrine	A measurement of the epinephrine hormone in a biological specimen.	Epinephrine Measurement
C82010	Epith Neutrophil-Activating Peptide 78	Epith Neutrophil-Activating Peptide 78	A measurement of the epithelial neutrophil-activating peptide in a biological specimen.	Epithelial Neutrophil-Activating Peptide 78 Measurement
C74779	Epithelial Casts	Epithelial Casts	A measurement of the epithelial cell casts present in a biological specimen.	Epithelial-Cast Measurement
C64605	Epithelial Cells	Epithelial Cells	A measurement of the epithelial cells in a biological specimen.	Epithelial Cell Count
C13016 1	Epithelial Cells/Total Cells	Epithelial Cells/Total Cells	A relative measurement (ratio or percentage) of the epithelial cells to total cells in a biological specimen.	Epithelial Cells to Total Cells Ratio Measurement
C96600	Epstein-Barr Capsid IgG Antibody	Epstein-Barr Capsid IgG Antibody	A measurement of the Epstein-Barr capsid IgG antibody in a biological specimen.	Epstein-Barr Capsid IgG Antibody Measurement
C96601	Epstein-Barr Capsid IgM Antibody	Epstein-Barr Capsid IgM Antibody	A measurement of the Epstein-Barr capsid IgM antibody in a biological specimen.	Epstein-Barr Capsid IgM Antibody Measurement
C96602	Epstein-Barr Early Antigen	Epstein-Barr Early Antigen	A measurement of the Epstein-Barr early antigen in a biological specimen.	Epstein-Barr Early Antigen Measurement
C12211 6	Epstein-Barr Early D Antigen IgG Ab	Epstein-Barr Early D Antigen IgG Ab	A measurement of the Epstein-Barr early diffuse antigen IgG antibody in a biological specimen.	Epstein-Barr Early D Antigen IgG Antibody Measurement
C96603	Epstein-Barr Nuclear Antibody	Epstein-Barr Nuclear Antibody;Epstein-Barr Nuclear Antigen Antibody	A measurement of the Epstein-Barr nuclear antibody in a biological specimen.	Epstein-Barr Nuclear Antibody Measurement
C96604	Epstein-Barr Nuclear Antigen	Epstein-Barr Nuclear Antigen	A measurement of the Epstein-Barr nuclear antigen in a biological specimen.	Epstein-Barr Nuclear Antigen Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106518	Epstein-Barr Nuclear Antigen 1 IgG Ab	Epstein-Barr Nuclear Antigen 1 IgG Ab	A measurement of the Epstein-Barr nuclear antigen 1 IgG antibody in a biological specimen.	Epstein-Barr Nuclear Antigen 1 IgG Ab Measurement
C64797	Ery. Mean Corpuscular Hemoglobin	Ery. Mean Corpuscular Hemoglobin	A measurement of the mean amount of hemoglobin per erythrocyte in a biological specimen, calculated as the product of hemoglobin times ten, divided by the number of erythrocytes.	Erythrocyte Mean Corpuscular Hemoglobin
C64798	Ery. Mean Corpuscular HGB Concentration	Ery. Mean Corpuscular HGB Concentration	An indirect measurement of the average concentration of hemoglobin per erythrocyte in a biological specimen, calculated as the ratio of hemoglobin to hematocrit.	Erythrocyte Mean Corpuscular Hemoglobin Concentration
C64799	Ery. Mean Corpuscular Volume	Ery. Mean Corpuscular Volume;Erythrocytes Mean Corpuscular Volume;RBC Mean Corpuscular Volume	A measurement of the mean cellular volume per erythrocyte in a biological specimen.	Erythrocyte Mean Corpuscular Volume
C111197	Erythrocyte Agglutination	Autoagglutination;Erythrocyte Agglutination;RBC Agglutination	A measurement of the erythrocyte agglutination in a biological specimen.	Erythrocyte Agglutination Measurement
C92245	Erythrocyte Cell Clumps	Erythrocyte Cell Clumps;RBC Aggregates;RBC Clumps;Red Blood Cell Clumps	A measurement of red blood cell clumps in a biological specimen.	Erythrocyte Cell Clumps Measurement
C92296	Erythrocyte Cell Morphology	Erythrocyte Cell Morphology;RBC Morphology;Red Blood Cell Morphology	An examination or assessment of the form and structure of red blood cells.	Erythrocyte Cell Morphology
C116212	Erythrocyte Fragment	Erythrocyte Fragment;RBC Fragment	A measurement of the red blood cell fragments (red cell fragments that have a reticular-like shape with rounded ends and no spicules, differentiating them from schistocytes and acanthocytes) in a biological specimen.	Erythrocyte Fragment Measurement
C96605	Erythrocyte Ghosts	Erythrocyte Ghosts;RBC Ghosts	A measurement of the erythrocyte ghosts (erythrocytes in which hemoglobin has been removed through hemolysis) in a biological specimen.	Erythrocyte Ghost Count
C147339	Erythrocyte Protoporphyrin, Free	Erythrocyte Protoporphyrin, Free	A measurement of the free erythrocyte protoporphyrin (zinc bound plus unbound protoporphyrin) in a biological specimen.	Free Erythrocyte Protoporphyrin Measurement
C74611	Erythrocyte Sedimentation Rate	Biernacki Reaction;Erythrocyte Sedimentation Rate	The distance (e.g. millimeters) that red blood cells settle in unclotted blood over a specified unit of time (e.g. one hour).	Erythrocyte Sedimentation Rate Measurement
C51946	Erythrocytes	Erythrocytes;Red Blood Cells	A measurement of the total erythrocytes in a biological specimen.	Erythrocyte Count
C64800	Erythrocytes Distribution Width	Erythrocytes Distribution Width;RDW-CV;Red Blood Cell Distribution Width;Red Cell Volume Distribution Width	A relative measurement (ratio or percentage) of the standard deviation of the red blood cell volume to the mean distribution of the red blood cell volume in a biological specimen.	Erythrocyte Distribution Width Measurement
C135415	Erythroid Maturation Index	Erythroid Maturation Index	A relative measurement (ratio) of the sum of erythroid maturation phase cells (pool) to the sum of erythroid proliferative phase cells (pool) in a biological specimen.	Erythroid Maturation Index
C135416	Erythroid Maturation Pool	Erythroid Maturation Pool	A measurement of the erythroid maturation phase cells (polychromatic rubricytes, normochromic rubricytes, and metarubricytes) in a biological specimen.	Erythroid Maturation Pool Count



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13541 7	Erythroid Proliferation Index	Erythroid Proliferation Index	A relative measurement (ratio) of the sum of erythroid proliferative phase cells (pool) to the sum of erythroid maturation phase cells (pool) in a biological specimen.	Erythroid Proliferation Index
C13541 8	Erythroid Proliferation Pool	Erythroid Proliferation Pool	A measurement of the erythroid proliferative phase cells (rubriblasts, prorubricytes, and basophilic rubricytes) in a biological specimen.	Erythroid Proliferation Pool Count
C74855	Erythropoietin	Erythropoietin;Hematopoietin	A measurement of the erythropoietin hormone in a biological specimen.	Erythropoietin Measurement
C74782	Estradiol	Estradiol;Oestradiol	A measurement of the estradiol in a biological specimen.	Estradiol Measurement
C74856	Estriol	Estriol;Oestriol	A measurement of the estriol hormone in a biological specimen.	Estriol Measurement
C81963	Estriol, Free	Estriol, Free;Unconjugated Estriol	A measurement of the free estriol in a biological specimen.	Free Estriol Measurement
C14733 5	Estrogen	Estrogen;Oestrogen	A measurement of the estrogen hormone in a biological specimen.	Estrogen Measurement
C11227 4	Estrogen Receptor	ER;ESR;Estrogen Receptor;Oestrogen Receptor	A measurement of estrogen receptor protein in a biological specimen.	Estrogen Receptor Measurement
C74857	Estrone	Estrone;Oestrone	A measurement of the estrone hormone in a biological specimen.	Estrone Measurement
C74693	Ethanol	Alcohol;Ethanol	A measurement of the ethanol present in a biological specimen.	Ethanol Measurement
C10226 3	ETP Area Under Curve	ETP Area Under Curve;Endogenous Thrombin Potential Area Under Curve	A measurement of the area under the thrombin generation curve.	Endogenous Thrombin Potential Area Under Curve Measurement
C10226 4	ETP Lag Time	ETP Lag Time;Endogenous Thrombin Potential Lag Time	A measurement of time from the start of the thrombin generation test to the point where a predetermined amount of thrombin is generated.	Endogenous Thrombin Potential Lag Time Measurement
C10226 5	ETP Lag Time Relative	ETP Lag Time Relative;Endogenous Thrombin Potential Lag Time Relative	A relative measurement (ratio or percentage) of time from the start of the thrombin generation test to the point where a predetermined amount of thrombin is generated.	Endogenous Thrombin Potential Lag Time Relative Measurement
C10226 7	ETP Peak Height	ETP Peak Height;Endogenous Thrombin Potential Peak Height	A measurement of the maximum concentration of thrombin generated during a thrombin generation test.	Endogenous Thrombin Potential Peak Height Measurement
C10226 8	ETP Peak Height Relative	ETP Peak Height Relative;Endogenous Thrombin Potential Peak Height Relative	A relative (ratio or percentage) of the maximum concentration of thrombin generated during a thrombin generation test.	Endogenous Thrombin Potential Peak Height Relative Measurement
C10226 9	ETP Time to Peak	ETP Time to Peak;Endogenous Thrombin Potential Time to Peak	A measurement of the time it takes to generate the maximum concentration of thrombin.	Endogenous Thrombin Potential Time to Peak Measurement
C10227 0	ETP Time to Peak Relative	ETP Time to Peak Relative;Endogenous Thrombin Potential Time to Peak Relative	A relative (ratio or percentage) measurement of the time it takes to generate the maximum concentration of thrombin.	Endogenous Thrombin Potential Time to Peak Relative Measurement
C82011	Extracell Newly Ident RAGE Bind Protein	Extracell Newly Ident RAGE Bind Protein;S100 Calcium Binding Protein A12	A measurement of the extracellular newly identified RAGE (receptor for advanced glycation end products) binding protein in a biological specimen.	Extracell Newly Ident RAGE Bind Protein Measurement
C92270	Extractable Nuclear Antigen Antibody	Anti-ENA;Extractable Nuclear Antigen Antibody	A measurement of the extractable nuclear antigen antibody in a biological specimen.	Extractable Nuclear Antigen Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80180	F2-Isoprostane	F2-Isoprostane	A measurement of the F2-isoprostane in a biological specimen.	F2 Isoprostane Measurement
C96626	Factor II	Factor II;Prothrombin	A measurement of the coagulation factor II in a biological specimen.	Prothrombin Measurement
C81959	Factor III	Factor III;Tissue Factor, CD142	A measurement of the coagulation factor III in a biological specimen.	Factor III Measurement
C98725	Factor IX	Christmas Factor;Factor IX	A measurement of the coagulation factor IX in a biological specimen.	Factor IX Measurement
C10339 5	Factor IX Activity	Christmas Factor Activity;Factor IX Activity	A measurement of the biological activity of coagulation factor IX in a biological specimen.	Factor IX Activity Measurement
C98726	Factor V	Factor V;Labile Factor	A measurement of the coagulation factor V in a biological specimen.	Factor V Measurement
C10339 6	Factor V Activity	Factor V Activity;Labile Factor Activity	A measurement of the biological activity of coagulation factor V in a biological specimen.	Factor V Activity Measurement
C10227 1	Factor V Leiden	Factor V Leiden	A measurement of the coagulation factor V Leiden in a biological specimen.	Factor V Leiden Measurement
C81960	Factor VII	Factor VII;Proconvertin;Stable Factor	A measurement of the coagulation factor VII in a biological specimen.	Factor VII Measurement
C10339 7	Factor VII Activity	Factor VII Activity;Proconvertin Activity;Stable Factor Activity	A measurement of the biological activity of coagulation factor VII in a biological specimen.	Factor VII Activity Measurement
C10339 8	Factor VIIa Activity	Factor VIIa Activity	A measurement of the biological activity of coagulation factor VIIa in a biological specimen.	Factor VIIa Activity Measurement
C81961	Factor VIII	Anti-hemophilic Factor;Factor VIII	A measurement of the coagulation factor VIII in a biological specimen.	Factor VIII Measurement
C10339 9	Factor VIII Activity	Anti-hemophilic Factor Activity;Factor VIII Activity	A measurement of the biological activity of coagulation factor VIII in a biological specimen.	Factor VIII Activity Measurement
C14734 5	Factor VIII Activity Actual/Control	Factor VIII Activity Actual/Control;Factor VIII Activity Actual/Factor VIII Activity Control;Factor VIII Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of factor VIII dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Factor VIII Activity Actual to Control Ratio Measurement
C98727	Factor X	Factor X	A measurement of the coagulation factor X in a biological specimen.	Factor X Measurement
C12211 8	Factor X Activity	Factor X Activity	A measurement of the coagulation factor X activity in a biological specimen.	Factor X Activity Measurement
C11227 7	Factor XIII	Factor XIII;Fibrin Stabilizing Factor	A measurement of the coagulation factor XIII in a biological specimen.	Factor XIII Measurement
C10227 2	Factor XIV	Autoprothrombin IIA;Factor XIV;Protein C;Protein C Antigen	A measurement of the coagulation factor XIV in a biological specimen.	Factor XIV Measurement
C10544 2	Factor XIV Activity	Factor XIV Activity;Protein C Activity;Protein C Function	A measurement of the coagulation factor XIV activity in a biological specimen.	Factor XIV Activity Measurement
C14734 6	Factor XIV Activity Actual/Control	Factor XIV Activity Actual/Control;Factor XIV Activity Actual/Factor XIV Activity Control;Factor XIV Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of factor XIV dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Factor XIV Activity Actual to Control Ratio Measurement
C96648	Fat	Fat	A measurement of the fat in a biological specimen.	Fat Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81947	Fat Bodies, Oval	Fat Bodies, Oval	A measurement of the oval-shaped fat bodies, usually renal proximal tubular cells with lipid aggregates in the cytoplasm, in a biological specimen.	Oval Fat Body Measurement
C98728	Fat Droplet	Fat Droplet	A measurement of the triglyceride aggregates within a biological specimen.	Fat Droplet Measurement
C82012	Fatty Acid Binding Protein 1	Fatty Acid Binding Protein 1	A measurement of the fatty acid binding protein 1 in a biological specimen.	Fatty Acid Binding Protein 1 Measurement
C10652 1	Fatty Acid Binding Protein 3	Fatty Acid Binding Protein 3	A measurement of the fatty acid binding protein 3 in a biological specimen.	Fatty Acid Binding Protein 3 Measurement
C14733 7	Fatty Acids, Very Long Chain	Fatty Acids, Very Long Chain	A measurement of the very long chain fatty acids (containing 22 or more carbon atoms) in a biological specimen.	Very Long Chain Fatty Acids Measurement
C74766	Fatty Casts	Fatty Casts	A measurement of the fatty casts present in a biological specimen.	Fatty Cast Measurement
C14733 8	Fentanyl	Fentanyl	A measurement of the fentanyl in a biological specimen.	Fentanyl Measurement
C74737	Ferritin	Ferritin	A measurement of the ferritin in a biological specimen.	Ferritin Measurement
C82013	Fibrin Degradation Products	Fibrin Degradation Products	A measurement of the fibrin degradation products in a biological specimen.	Fibrin Degradation Products Measurement
C64606	Fibrinogen	Fibrinogen;Fibrinogen Antigen	A measurement of the total fibrinogen (functional and non-functional) in a biological specimen.	Fibrinogen Measurement
C13907 5	Fibrinogen, Functional	Fibrinogen, Functional	A measurement of the functional fibrinogen (fibrinogen that is capable of being converted to fibrin) in a biological specimen.	Functional Fibrinogen Measurement
C11228 0	Fibroblast Growth Factor 21	FGF 21;Fibroblast Growth Factor 21	A measurement of the fibroblast growth factor 21 in a biological specimen.	Fibroblast Growth Factor 21 Measurement
C96650	Fibroblast Growth Factor 23	Fibroblast Growth Factor 23;Phosphatonin	A measurement of the total fibroblast growth factor 23 in a biological specimen.	Fibroblast Growth Factor 23 Measurement
C13541 9	Fibroblast Growth Factor 23, C-Terminal	Fibroblast Growth Factor 23, C-Terminal	A measurement of the C-terminal fibroblast growth factor 23 in a biological specimen.	C-Terminal Fibroblast Growth Factor 23 Measurement
C13542 0	Fibroblast Growth Factor 23, Intact	Fibroblast Growth Factor 23, Intact	A measurement of the intact fibroblast growth factor 23 in a biological specimen.	Intact Fibroblast Growth Factor 23 Measurement
C13016 2	Fibroblast Growth Factor 9	FGF 9;Fibroblast Growth Factor 9	A measurement of the fibroblast growth factor 9 in a biological specimen.	Fibroblast Growth Factor 9 Measurement
C82014	Fibroblast Growth Factor Basic Form	FGF2;Fibroblast Growth Factor Basic Form	A measurement of the basic form of fibroblast growth factor in a biological specimen.	Fibroblast Growth Factor Basic Form Measurement
C92786	Fibronectin, Fetal	Fibronectin, Fetal	A measurement of the fetal isoform of fibronectin in a biological specimen	Fetal Fibronectin Test

**C6715 LBTEST  
4**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C10544 3	FibroTest Score	FibroSURE Score;FibroTest Score	A biomarker test that measures liver pathology through the assessment of a six-parameter blood test (for Alpha-2-macroglobulin, Haptoglobin, Apolipoprotein A1, Gamma-glutamyl transpeptidase (GGT), Total bilirubin, and Alanine aminotransferase (ALT)), taking into account the age and gender of the patient.	FibroTest Score Measurement
C13542 1	Flagellates	Flagellates	A measurement of the flagellates (protozoans that possess flagella) in a biological specimen.	Flagellates Measurement
C13908 1	Flunitrazepam	Flunitrazepam	A measurement of the flunitrazepam present in a biological specimen.	Flunitrazepam Measurement
C12212 0	Fluoride	Fluoride	A measurement of the fluoride in a biological specimen.	Fluoride Measurement
C75373	Flurazepam	Flurazepam	A measurement of the flurazepam present in a biological specimen.	Flurazepam Measurement
C14734 0	Fluvoxamine	Fluvoxamine	A measurement of the fluvoxamine present in a biological specimen.	Fluvoxamine Measurement
C13236 7	Folate Hydrolase mRNA	Folate Hydrolase mRNA	A measurement of the folate hydrolase mRNA in a biological specimen.	Folate Hydrolase mRNA Measurement
C74783	Follicle Stimulating Hormone	Follicle Stimulating Hormone	A measurement of the follicle stimulating hormone (FSH) in a biological specimen.	Follicle Stimulating Hormone Measurement
C11421 9	Fractional Calcium Excretion	Fractional Calcium Excretion	A measurement of the fractional excretion of calcium that is computed based upon the concentrations of calcium and creatinine in both blood and urine.	Fractional Excretion of Calcium
C11422 0	Fractional Chloride Excretion	Fractional Chloride Excretion	A measurement of the fractional excretion of chloride that is computed based upon the concentrations of chloride and creatinine in both blood and urine.	Fractional Excretion of Chloride
C12211 9	Fractional Magnesium Excretion	Fractional Magnesium Excretion	A measurement of the fractional excretion of magnesium that is computed based upon the concentrations of magnesium and creatinine in both blood and urine.	Fractional Excretion of Magnesium
C11422 1	Fractional Phosphorus Excretion	Fractional Inorganic Phosphate Excretion;Fractional Phosphorus Excretion	A measurement of the fractional excretion of phosphorus that is computed based upon the concentrations of phosphorus and creatinine in both blood and urine.	Fractional Excretion of Phosphate
C11422 2	Fractional Potassium Excretion	Fractional Potassium Excretion	A measurement of the fractional excretion of potassium that is computed based upon the concentrations of potassium and creatinine in both blood and urine.	Fractional Excretion of Potassium
C10743 5	Fractional Sodium Excretion	Fractional Sodium Excretion	A measurement of the fractional excretion of sodium that is computed based upon the concentrations of sodium and creatinine in both blood and urine.	Fractional Excretion of Sodium
C12434 1	Free Androgen Index	Free Androgen Index	A measurement of the androgen status in a biological specimen. This is calculated by a mathematical formula that takes into account the total testosterone level, sex hormone binding globulin, and a constant.	Free Androgen Index
C80200	Free Fatty Acid	Free Fatty Acid;Non-Esterified Fatty Acid, Free	A measurement of the total non-esterified fatty acids in a biological specimen.	Non-esterified Fatty Acids Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80206	Free Fatty Acid, Saturated	Free Fatty Acid, Saturated;Non-esterified Fatty Acid, Saturated	A measurement of the saturated non-esterified fatty acids in a biological specimen.	Saturated Non-esterified Fatty Acids Measurement
C80209	Free Fatty Acid, Unsaturated	Free Fatty Acid, Unsaturated;Non-esterified Fatty Acid, Unsaturated	A measurement of the unsaturated non-esterified fatty acids in a biological specimen.	Unsaturated Non-esterified Fatty Acids Measurement
C10044 8	Free Glycerol	Free Glycerin;Free Glycerol	A measurement of the amount of unbound glycerol in a biological specimen.	Free Glycerol Measurement
C74678	Fructosamine	Fructosamine;Glycated Serum Protein	A measurement of the fructosamine in a biological specimen.	Fructosamine Measurement
C14734 2	Fructose	Fructose	A measurement of the fructose in a biological specimen.	Fructose Measurement
C14734 3	Fungi, Filamentous	Fungi, Filamentous	A measurement of the filamentous fungi in a biological specimen.	Filamentous Fungi Count
C14734 4	Fungi, Yeast-Like	Fungi, Yeast-Like	A measurement of the yeast-like fungi in a biological specimen.	Yeast-Like Fungi Count
C13236 8	G6PD-Deficient Erythrocytes	G6PD-Deficient Erythrocytes	A measurement of the glucose-6-phosphate dehydrogenase deficient erythrocytes in a biological specimen.	G6PD-Deficient Erythrocytes Count
C13236 9	G6PD-Deficient Erythrocytes/Erythrocytes	G6PD-Deficient Erythrocytes/Erythrocytes	A relative measurement (ratio or percentage) of G6PD-deficient erythrocytes to total erythrocytes in a biological specimen.	G6PD-Deficient Erythrocytes to Erythrocytes Ratio Measurement
C12434 2	Galactose Elimination Capacity	Galactose Elimination Capacity	A liver function test that measures galactose elimination capacity in a biological specimen.	Galactose Elimination Capacity
C80182	Galanin	Galanin	A measurement of the galanin in a biological specimen.	Galanin Measurement
C92257	Gamma Globulin	Gamma Globulin	A measurement of the proteins contributing to the gamma fraction in a biological specimen.	Gamma Globulin Measurement
C92295	Gamma Globulin/Total Protein	Gamma Globulin/Total Protein	A relative measurement (ratio or percentage) of gamma fraction proteins to total proteins in a biological specimen.	Gamma Globulin to Total Protein Ratio Measurement
C64847	Gamma Glutamyl Transferase	Gamma Glutamyl Transferase	A measurement of the gamma glutamyl transferase in a biological specimen.	Gamma Glutamyl Transpeptidase Measurement
C79446	Gamma Glutamyl Transferase/Creatinine	Gamma Glutamyl Transferase/Creatinine	A relative measurement (ratio or percentage) of the gamma glutamyl transferase to creatinine in a biological specimen.	Gamma Glutamyl Transferase to Creatinine Ratio Measurement
C11621 1	Gamma Tocopherol	Gamma Tocopherol	A measurement of the gamma tocopherol in a biological specimen.	Gamma Tocopherol Measurement
C74858	Gastrin	Gastrin	A measurement of the gastrin hormone in a biological specimen.	Gastrin Measurement
C13014 1	German Cockroach Antigen IgA Antibody	German Cockroach Antigen IgA Antibody	A measurement of the Blattella germanica antigen IgA antibody in a biological specimen.	German Cockroach Antigen IgA Antibody Measurement
C13014 0	German Cockroach Antigen IgE Antibody	German Cockroach Antigen IgE Antibody	A measurement of the Blattella germanica antigen IgE antibody in a biological specimen.	German Cockroach Antigen IgE Antibody Measurement
C13014 2	German Cockroach Antigen IgG Antibody	German Cockroach Antigen IgG Antibody	A measurement of the Blattella germanica antigen IgG antibody in a biological specimen.	German Cockroach Antigen IgG Antibody Measurement
C13014 3	German Cockroach Antigen IgG4 Antibody	German Cockroach Antigen IgG4 Antibody	A measurement of the Blattella germanica antigen IgG4 antibody in a biological specimen.	German Cockroach Antigen IgG4 Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100450	GFR from B-2 Microglobulin Adj for BSA	GFR from B-2 Microglobulin Adj for BSA	A measurement of the glomerular filtration rate (GFR) based on the clearance of beta-2 microglobulin after adjusting it for the body surface area.	Glomerular Filtration Rate from B-2 Microglobulin Adjusted for BSA Measurement
C100449	GFR from Beta-Trace Protein Adj for BSA	GFR from Beta-Trace Protein Adj for BSA	A measurement of the glomerular filtration rate (GFR) based on the clearance of beta-trace protein after adjusting it for the body surface area.	Glomerular Filtration Rate from Beta-Trace Protein Adjusted for BSA Measurement
C98735	GFR from Creatinine Adjusted for BSA	GFR from Creatinine Adjusted for BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on creatinine.	Glomerular Filtration Rate from Creatinine Adjusted for BSA
C98736	GFR from Cystatin C Adjusted for BSA	GFR from Cystatin C Adjusted for BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on cystatin C.	Glomerular Filtration Rate from Cystatin C Adjusted for BSA
C127614	GFR from Cystatin C and Creat Adj BSA	GFR from Cystatin C and Creat Adj BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on cystatin C and creatinine.	Glomerular Filtration Rate from Cystatin C and Creatinine Adjusted for BSA
C112286	Ghrelin	Ghrelin;Growth Hormone Secretagogue Receptor Ligand;Motilin-related Peptide;Total Ghrelin	A measurement of total ghrelin in a biological specimen.	Ghrelin Measurement
C96651	Giant Neutrophils	Giant Neutrophils	A measurement of the giant neutrophils in a biological specimen.	Giant Neutrophil Count
C74728	Giant Platelets	Giant Platelets	A measurement of the giant (larger than 7um in diameter) platelets in a biological specimen.	Giant Platelet Count
C147347	Gliadin Antibody	Gliadin Antibody	A measurement of the total gliadin antibodies in a biological specimen.	Gliadin Antibody Measurement
C147348	Gliadin IgA Antibody	Gliadin IgA Antibody	A measurement of the gliadin IgA antibody in a biological specimen.	Gliadin IgA Antibody Measurement
C147349	Gliadin IgG Antibody	Gliadin IgG Antibody	A measurement of the gliadin IgG antibody in a biological specimen.	Gliadin IgG Antibody Measurement
C74738	Globulin	Globulin	A measurement of the globulin protein in a biological specimen.	Globulin Protein Measurement
C142276	Globulin/Creatinine	Globulin/Creatinine	A relative measurement (ratio or percentage) of the globulin to creatinine in a biological specimen.	Globulin to Creatinine Ratio Measurement
C90505	Glomerular Filtration Rate	Glomerular Filtration Rate	A kidney function test that measures the fluid volume that is filtered from the kidney glomeruli to the Bowman's capsule per unit of time.	Glomerular Filtration Rate
C98734	Glomerular Filtration Rate Adj for BSA	Glomerular Filtration Rate Adj for BSA	A measurement of the glomerular filtration rate adjusted for body surface area.	Glomerular Filtration Rate Adjusted for BSA
C110935	Glomerular Filtration Rate, Estimated	Glomerular Filtration Rate, Estimated	A kidney function test that estimates the fluid volume that is filtered from the kidney glomeruli to the Bowman's capsule per unit of time.	Estimated Glomerular Filtration Rate
C74859	Glucagon	Glucagon	A measurement of the glucagon hormone in a biological specimen.	Glucagon Measurement
C80183	Glucagon-Like Peptide-1	Glucagon-Like Peptide-1;Total Glucagon-Like Peptide-1	A measurement of the total glucagon-like peptide-1 in a biological specimen.	Glucagon-like Peptide-1 Measurement
C80164	Glucagon-Like Peptide-1, Active Form	Glucagon-Like Peptide-1, Active Form	A measurement of the active form of glucagon-like peptide-1 in a biological specimen.	Active Glucagon-like Peptide-1 Measurement
C105585	Glucose	Glucose	A measurement of the glucose in a biological specimen.	Glucose Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96652	Glucose Clearance	Glucose Clearance	A measurement of the volume of serum or plasma that would be cleared of glucose by excretion of urine for a specified unit of time (e.g. one minute).	Glucose Clearance Measurement
C11783 4	Glucose Excretion Rate	Glucose Excretion Rate	A measurement of the amount of glucose being excreted in urine over a defined amount of time (e.g. one hour).	Glucose Urine Excretion Rate
C14735 0	Glucose, Estimated	EAG;Estimated Average Glucose;Glucose, Estimated	An estimated average of the glucose in a biological specimen. This estimate is calculated based on glycated hemoglobin concentrations.	Estimated Glucose Measurement
C14227 5	Glucose, Estimated Average	Glucose, Estimated Average	A computed estimate of the blood glucose based on the value of the glycated hemoglobin	Estimated Average Glucose
C80184	Glucose-6-Phosphate Dehydrogenase	Glucose-6-Phosphate Dehydrogenase	A measurement of the glucose-6-phosphate dehydrogenase in a biological specimen.	Glucose-6-Phosphate Dehydrogenase Measurement
C13906 5	Glucose-6-Phosphate Dehydrogenase Act	Glucose-6-Phosphate Dehydrogenase Act	A measurement of the biological activity of glucose-6-phosphate dehydrogenase in a biological specimen.	Glucose-6-Phosphate Dehydrogenase Activity
C10653 7	Glucose-dep Insulinotropic Pep, Intact	Glucose-dep Insulinotropic Pep, Intact;Intact GIP;Intact Gastric Inhibitory Polypeptide;Intact Glucose-dependent Insulinotropic Peptide	A measurement of the intact (containing amino acids 1-42) glucose-dependent insulinotropic peptide in a biological specimen.	Intact Glucose-dependent Insulinotropic Peptide Measurement
C79447	Glucose/Creatinine	Glucose/Creatinine	A relative measurement (ratio or percentage) of the glucose to creatinine in a biological specimen.	Glucose to Creatinine Ratio Measurement
C80165	Glucuronidase, Alpha	Glucuronidase, Alpha	A measurement of the alpha glucuronidase in a biological specimen.	Alpha Glucuronidase Measurement
C80170	Glucuronidase, Beta	Glucuronidase, Beta	A measurement of the beta glucuronidase in a biological specimen.	Beta Glucuronidase Measurement
C74739	Glutamate	Glutamate;Glutamic Acid	A measurement of the glutamate in a biological specimen.	Glutamate Measurement
C79448	Glutamate Dehydrogenase	Glutamate Dehydrogenase	A measurement of the glutamate dehydrogenase in a biological specimen.	Glutamate Dehydrogenase Measurement
C82015	Glutamic Acid Decarboxylase 1	Glutamic Acid Decarboxylase 1;Glutamic Acid Decarboxylase 67	A measurement of the glutamic acid decarboxylase 1 in a biological specimen.	Glutamic Acid Decarboxylase 1 Measurement
C82016	Glutamic Acid Decarboxylase 2	Glutamic Acid Decarboxylase 2;Glutamic Acid Decarboxylase 65	A measurement of the glutamic acid decarboxylase 2 in a biological specimen.	Glutamic Acid Decarboxylase 2 Measurement
C82017	Glutamic Acid Decarboxylase 2 Antibody	Glutamic Acid Decarboxylase 2 Antibody;Glutamic Acid Decarboxylase 65 Antibody	A measurement of the glutamic acid decarboxylase 2 antibody in a biological specimen.	Glutamic Acid Decarboxylase 2 Antibody Measurement
C96653	Glutamic Acid Decarboxylase Antibody	GAD Antibody;Glutamic Acid Decarboxylase Antibody	A measurement of the glutamic acid decarboxylase antibody in a biological specimen.	Glutamic Acid Decarboxylase Antibody Measurement
C12212 1	Glutamine	Glutamine	A measurement of the glutamine in a biological specimen.	Glutamine Measurement
C80166	Glutathione S-Transferase, Alpha/Creat	Glutathione S-Transferase, Alpha/Creat	A relative measurement (ratio or percentage) of the alpha glutathione-S-transferase to creatinine in a biological specimen.	Alpha Glutathione-S-Transferase to Creatinine Ratio Measurement
C80203	Glutathione S-Transferase, Pi	Glutathione S-Transferase, Pi	A measurement of the Pi glutathione-s-transferase in a biological specimen.	Pi Glutathione S-Transferase Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C80207	Glutathione S-Transferase, Theta	Glutathione S-Transferase, Theta	A measurement of the theta glutathione-s-transferase in a biological specimen.	Theta Glutathione S-Transferase Measurement
C80185	Glutathione S-Transferase, Total	Glutathione S-Transferase, Total	A measurement of the total glutathione-s-transferase in a biological specimen.	Glutathione-S-Transferase Measurement
C79435	Glutathione-S-Transferase/Creatinine	Glutathione-S-Transferase/Creatinine	A relative measurement (ratio or percentage) of the glutathione S-transferase to creatinine in a biological specimen.	Glutathione-S-Transferase to Creatinine Ratio Measurement
C12209 2	Glycated Albumin	Glycated Albumin	A measurement of the glycated albumin present in a biological specimen.	Glycated Albumin Measurement
C13237 1	Glycerol	Glycerol	A measurement of the total glycerol in a biological specimen.	Glycerol Measurement
C12212 2	Glycine	Glycine	A measurement of the glycine in a biological specimen.	Glycine Measurement
C14727 8	Glycine max Antigen IgE Antibody	Glycine max Antigen IgE Antibody;Soybean Antigen IgE Antibody	A measurement of the Glycine max antigen IgE antibody in a biological specimen.	Glycine max Antigen IgE Antibody Measurement
C80186	Gold	Gold	A measurement of the gold in a biological specimen.	Gold Measurement
C74860	Gonadotropin Releasing Hormone	Gonadotropin Releasing Hormone;Luteinising Hormone Releasing Hormone	A measurement of the gonadotropin releasing hormone in a biological specimen.	Gonadotropin Releasing Hormone Measurement
C74768	Granular Casts	Granular Casts	A measurement of the granular (coarse and fine) casts present in a biological specimen.	Granular Cast Measurement
C74765	Granular Coarse Casts	Granular Coarse Casts	A measurement of the coarse granular casts present in a biological specimen.	Coarse Granular Cast Measurement
C74769	Granular Fine Casts	Granular Fine Casts	A measurement of the fine granular casts present in a biological specimen.	Granular Fine Cast Measurement
C82018	Granulocyte Colony Stimulating Factor	Granulocyte Colony Stimulating Factor	A measurement of the granulocyte colony stimulating factor in a biological specimen.	Granulocyte Colony Stimulating Factor Measurement
C82019	Granulocyte Macrophage Colony Stm Factor	Granulocyte Macrophage Colony Stm Factor	A measurement of the granulocyte macrophage colony stimulating factor in a biological specimen.	Granulocyte Macrophage Colony Stm Factor Measurement
C96654	Granulocytes	Granulocytes;Polymorphonuclear Leukocytes	A measurement of the granulocytes in a biological specimen.	Granulocyte Count
C12761 5	Granulocytes Band Form/Total Cells	Granulocytes Band Form/Total Cells	A relative measurement (ratio or percentage) of the banded granulocytes to total cells in a biological specimen.	Band Form Granulocyte to Total Cell Ratio Measurement
C12761 6	Granulocytes Segmented/Total Cells	Granulocytes Segmented/Total Cells	A relative measurement (ratio or percentage) of the segmented granulocytes to total cells in a biological specimen.	Segmented Granulocyte to Total Cell Ratio Measurement
C14735 1	Granulocytes/Leukocytes	Granulocytes/Leukocytes;Polymorphonuclear Leukocytes/Leukocytes	A relative measurement (ratio or percentage) of the granulocytes to total leukocytes in a biological specimen.	Granulocytes to Leukocytes Ratio Measurement
C98866	Granulocytes/Total Cells	Granulocytes/Total Cells	A relative measurement (ratio or percentage) of the granulocytes to total cells in a biological specimen (for example a bone marrow specimen).	Granulocyte to Total Cell Ratio Measurement
C13010 5	Grass Mix Pollen Antigen IgA Antibody	Grass Mix Pollen Antigen IgA Antibody	A measurement of the grass mix pollen antigen IgA antibody in a biological specimen.	Grass Mix Pollen Antigen IgA Antibody Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130103	Grass Mix Pollen Antigen IgE Antibody	Grass Mix Pollen Antigen IgE Antibody	A measurement of the grass mix pollen antigen IgE antibody in a biological specimen.	Grass Mix Pollen Antigen IgE Antibody Measurement
C130104	Grass Mix Pollen Antigen IgG Antibody	Grass Mix Pollen Antigen IgG Antibody	A measurement of the grass mix pollen antigen IgG antibody in a biological specimen.	Grass Mix Pollen Antigen IgG Antibody Measurement
C135422	Growth Differentiation Factor 11	BMP-11;Bone Morphogenetic Protein 11;Growth Differentiation Factor 11	A measurement of the growth differentiation factor 11 in a biological specimen.	Growth Differentiation Factor 11 Measurement
C135423	Growth Differentiation Factor 8	Growth Differentiation Factor 8;Myostatin	A measurement of the growth differentiation factor 8 in a biological specimen.	Growth Differentiation Factor 8 Measurement
C74861	Growth Hormone Inhibiting Hormone	Growth Hormone Inhibiting Hormone;Somatostatin	A measurement of the growth hormone inhibiting hormone in a biological specimen.	Growth Hormone Inhibiting Hormone Measurement
C74862	Growth Hormone Releasing Hormone	Growth Hormone Releasing Hormone;Somatocrinin	A measurement of the growth hormone releasing hormone in a biological specimen.	Growth Hormone Releasing Hormone Measurement
C74604	Hairy Cells	Hairy Cells	A measurement of the hairy cells (b-cell lymphocytes with hairy projections from the cytoplasm) in a biological specimen.	Hairy Cell Count
C135428	Hairy Cells/Leukocytes	Hairy Cells/Leukocytes	A relative measurement (ratio or percentage) of the hairy cells (B-cell lymphocytes with hairy projections from the cytoplasm) to all leukocytes in a biological specimen.	Hairy Cells to Leukocytes Ratio Measurement
C74640	Hairy Cells/Lymphocytes	Hairy Cells/Lymphocytes	A relative measurement (ratio or percentage) of the hairy cells (b-cell lymphocytes with hairy projections from the cytoplasm) to all lymphocytes in a biological specimen .	Hairy Cell to Lymphocyte Ratio Measurement
C135427	Hairy Cells/Total Cells	Hairy Cells/Total Cells	A relative measurement (ratio or percentage) of the hairy cells to total cells in a biological specimen.	Hairy Cells to Total Cells Ratio Measurement
C139078	Halazepam	Halazepam	A measurement of the halazepam present in a biological specimen.	Halazepam Measurement
C74740	Haptoglobin	Haptoglobin	A measurement of the haptoglobin protein in a biological specimen.	Haptoglobin Protein Measurement
C102274	HCT Corrected Reticulocytes/Erythrocytes	HCT Corrected Reticulocytes/Erythrocytes	A relative measurement (ratio or percentage) of the hematocrit corrected reticulocytes to erythrocytes in a biological specimen.	Hematocrit Corrected Reticulocytes to Erythrocytes Ratio Measurement
C139086	HCV Antibody Signal/HCV Antibody Cutoff	HCV Antibody Signal/HCV Antibody Cutoff	A relative measurement (ratio) of the Hepatitis C virus antibody signal in a biological specimen to Hepatitis C virus positive internal control.	HCV Antibody Signal to HCV Antibody Cutoff Ratio Measurement
C105587	HDL Cholesterol	HDL Cholesterol	A measurement of the high density lipoprotein cholesterol in a biological specimen.	High Density Lipoprotein Cholesterol Measurement
C100425	HDL Cholesterol/LDL Cholesterol	HDL Cholesterol/LDL Cholesterol	A relative measurement (ratio or percentage) of the amount of HDL cholesterol compared to LDL cholesterol in a biological specimen.	HDL Cholesterol to LDL Cholesterol Ratio Measurement
C147362	HDL Cholesterol/Total Cholesterol	HDL Cholesterol/Total Cholesterol	A relative measurement (ratio or percentage) of the amount of HDL cholesterol compared to total cholesterol in a biological specimen.	HDL Cholesterol to Total Cholesterol Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10340 2	HDL Particle Size	HDL Particle Size	A measurement of the average particle size of high-density lipoprotein in a biological specimen.	HDL Particle Size Measurement
C80187	HDL-Cholesterol Subclass 2	HDL-Cholesterol Subclass 2	A measurement of the high-density lipoprotein (HDL) cholesterol subclass 2 in a biological specimen.	HDL-Cholesterol Subclass 2 Measurement
C80188	HDL-Cholesterol Subclass 3	HDL-Cholesterol Subclass 3	A measurement of the high-density lipoprotein (HDL) cholesterol subclass 3 in a biological specimen.	HDL-Cholesterol Subclass 3 Measurement
C14736 8	Heat Shock Protein 70	Heat Shock Protein 70	A measurement of the heat shock protein 70 in a biological specimen.	Heat Shock Protein 70 Measurement
C14736 9	Heat Shock Protein 90 Alpha	Heat Shock Protein 90 Alpha	A measurement of the heat shock protein 90 alpha in a biological specimen.	Heat Shock Protein 90 Alpha Measurement
C74709	Heinz Bodies	Heinz Bodies;Heinz-Ehrlich Bodies	A measurement of the Heinz bodies (small round inclusions within the body of a red blood cell) in a biological specimen.	Heinz-Ehrlich Body Measurement
C11120 6	Heinz Bodies/Erythrocytes	Heinz Bodies/Erythrocytes	A relative measurement (ratio or percentage) of the erythrocytes that contain heinz bodies to total erythrocytes in a biological specimen.	Heinz Body to Erythrocyte Ratio Measurement
C10340 3	Helicobacter pylori IgG Antibody	Helicobacter pylori IgG Antibody	A measurement of the Helicobacter pylori IgG antibody in a biological specimen.	Helicobacter pylori IgG Antibody Measurement
C74658	Helmet Cells	Helmet Cells	A measurement of the Helmet cells (specialized Keratocytes with two projections on either end that are tapered and hornlike) in a biological specimen.	Helmet Cell Count
C64796	Hematocrit	EVF;Erythrocyte Volume Fraction;Hematocrit;PCV;Packed Cell Volume	The percentage of a whole blood specimen that is composed of red blood cells (erythrocytes).	Hematocrit Measurement
C10227 3	Hematocrit Corrected Reticulocytes	Hematocrit Corrected Reticulocytes	A measurement of the hematocrit corrected reticulocytes in a biological specimen.	Hematocrit Corrected Reticulocyte Count
C64848	Hemoglobin	Hemoglobin;Hemoglobin Monomer	A measurement of the total erythrocyte associated hemoglobin in a biological specimen.	Hemoglobin Measurement
C92258	Hemoglobin A	Hemoglobin A	A measurement of the hemoglobin A in a biological specimen.	Hemoglobin A Measurement
C81276	Hemoglobin A/Total Hemoglobin	Hemoglobin A/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A to total hemoglobin in a biological specimen.	Hemoglobin A to Total Hemoglobin Ratio Measurement
C14736 3	Hemoglobin A1/Total Hemoglobin	Hemoglobin A1/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A1 to total hemoglobin in a biological specimen.	Hemoglobin A1 to Total Hemoglobin Ratio Measurement
C64849	Hemoglobin A1C	Glycosylated Hemoglobin;Hemoglobin A1C	A measurement of the glycosylated hemoglobin in a biological specimen.	Glycosylated Hemoglobin Measurement
C11120 7	Hemoglobin A1C/Hemoglobin	Hemoglobin A1C/Hemoglobin	A relative measurement (ratio or percentage) of the glycosylated hemoglobin to total hemoglobin in a biological specimen.	Hemoglobin A1C to Hemoglobin Ratio Measurement
C92259	Hemoglobin A2	Hemoglobin A2	A measurement of the hemoglobin A2 in a biological specimen.	Hemoglobin A2 Measurement
C14735 3	Hemoglobin A2 Prime/Total Hemoglobin	Hemoglobin A2 Prime/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A2 prime to total hemoglobin in a biological specimen.	Hemoglobin A2 Prime to Total Hemoglobin Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81277	Hemoglobin A2/Total Hemoglobin	Hemoglobin A2/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A2 to total hemoglobin in a biological specimen.	Hemoglobin A2 to Total Hemoglobin Ratio Measurement
C92260	Hemoglobin B	Hemoglobin B	A measurement of the hemoglobin B in a biological specimen.	Hemoglobin B Measurement
C14735 4	Hemoglobin Barts/Total Hemoglobin	Hemoglobin Barts/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin Barts to total hemoglobin in a biological specimen.	Hemoglobin Barts to Total Hemoglobin Ratio Measurement
C92261	Hemoglobin C	Hemoglobin C	A measurement of the hemoglobin C in a biological specimen.	Hemoglobin C Measurement
C11228 8	Hemoglobin C Crystals	Hemoglobin C Crystals	A measurement of hemoglobin C crystals in a biological specimen.	Hemoglobin C Crystals Measurement
C81278	Hemoglobin C/Total Hemoglobin	Hemoglobin C/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin C to total hemoglobin in a biological specimen.	Hemoglobin C to Total Hemoglobin Ratio Measurement
C14736 4	Hemoglobin D/Total Hemoglobin	Hemoglobin D/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin D to total hemoglobin in a biological specimen.	Hemoglobin D to Total Hemoglobin Ratio Measurement
C10652 5	Hemoglobin Distribution Width	Hemoglobin Concentration Distribution Width;Hemoglobin Distribution Width	A measurement of the distribution of the hemoglobin concentration in red blood cells.	Hemoglobin Distribution Width Measurement
C14736 5	Hemoglobin E/Total Hemoglobin	Hemoglobin E/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin E to total hemoglobin in a biological specimen.	Hemoglobin E to Total Hemoglobin Ratio Measurement
C92262	Hemoglobin F	Fetal Hemoglobin;Hemoglobin F	A measurement of the hemoglobin F in a biological specimen.	Hemoglobin F Measurement
C14736 6	Hemoglobin F/Total Hemoglobin	Hemoglobin F/Total Hemoglobin	A relative measurement (ratio or percentage) of the fetal hemoglobin (hemoglobin F) to total hemoglobin in a biological specimen.	Hemoglobin F to Total Hemoglobin Ratio Measurement
C14735 6	Hemoglobin G Coughatta/Total Hemoglobin	Hemoglobin G Coughatta/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin G Coughatta to total hemoglobin in a biological specimen.	Hemoglobin G Coughatta to Total Hemoglobin Ratio Measurement
C14735 7	Hemoglobin Lepore/Total Hemoglobin	Hemoglobin Lepore/Total Hemoglobin	A relative measurement (ratio or percentage) of the Lepore hemoglobin to total hemoglobin in a biological specimen.	Hemoglobin Lepore to Total Hemoglobin Ratio Measurement
C14735 8	Hemoglobin O-Arab/Total Hemoglobin	Hemoglobin O-Arab/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin O-Arab to total hemoglobin in a biological specimen.	Hemoglobin O-Arab to Total Hemoglobin Ratio Measurement
C12212 3	Hemoglobin S	Hemoglobin S;Sickle Hemoglobin	A measurement of the hemoglobin S in a biological specimen.	Hemoglobin S Measurement
C81279	Hemoglobin S/Total Hemoglobin	Hemoglobin S/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin S to total hemoglobin in a biological specimen.	Hemoglobin S to Total Hemoglobin Ratio Measurement
C13542 5	Hemoglobin Tetramer	Hemoglobin Tetramer	A measurement of the hemoglobin tetramer in a biological specimen.	Hemoglobin Tetramer Measurement
C12761 7	Hemoglobin, Free	Hemoglobin, Free	A measurement of the hemoglobin external to erythrocytes in a biological specimen.	Free Hemoglobin Measurement
C11120 8	Hemolytic Index	Hemolysis;Hemolytic Index	A measurement of the destruction of red blood cells in a biological specimen.	Hemolytic Index
C96659	Hemosiderin	Hemosiderin	A measurement of the hemosiderin complex in a biological specimen.	Hemosiderin Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92534	Hepatitis A Virus Antibody	Hepatitis A Virus Antibody	A measurement of the hepatitis A virus antibody in a biological specimen.	Hepatitis A Antibody Measurement
C92271	Hepatitis A Virus IgM Antibody	Hepatitis A Virus IgM Antibody	A measurement of hepatitis A virus IgM antibody in a biological specimen.	Hepatitis A Virus Antibody IgM Measurement
C12594 4	Hepatitis B Virus Antibody	Hepatitis B Virus Antibody	A measurement of an unspecified hepatitis B antibody in a biological specimen.	Hepatitis B Virus Antibody Measurement
C96660	Hepatitis B Virus Core Antibody	Hepatitis B Virus Core Antibody	A measurement of the hepatitis B virus core antibody in a biological specimen.	Hepatitis B Virus Core Antibody Measurement
C11928 0	Hepatitis B Virus Core IgG Antibody	Hepatitis B Virus Core IgG Antibody	A measurement of the hepatitis B virus core IgG antibody in a biological specimen.	Hepatitis B Virus Core IgG Antibody Measurement
C96661	Hepatitis B Virus Core IgM Antibody	Hepatitis B Virus Core IgM Antibody	A measurement of the hepatitis B virus core IgM antibody in a biological specimen.	Hepatitis B Virus Core IgM Antibody Measurement
C96662	Hepatitis B Virus e Antibody	Hepatitis B Virus e Antibody	A measurement of the hepatitis B e antibody in a biological specimen.	Hepatitis B Virus e Antibody Measurement
C96663	Hepatitis B Virus e Antigen	Hepatitis B Virus e Antigen	A measurement of the hepatitis B e antigen in a biological specimen.	Hepatitis B Virus e Antigen Measurement
C74711	Hepatitis B Virus Surface Antibody	Anti-HBs;HBsAb;Hepatitis B Virus Surface Antibody	A measurement of the hepatitis B virus surface antibody in a biological specimen.	Hepatitis B Surface Antibody Measurement
C64850	Hepatitis B Virus Surface Antigen	HBsAg;Hepatitis B Virus Surface Antigen	A measurement of the surface antigen reaction of a biological specimen to the Hepatitis B virus.	Hepatitis B Virus Surface Antigen Measurement
C92535	Hepatitis C Virus Antibody	Hepatitis C Virus Antibody	A measurement of the hepatitis C virus antibody in a biological specimen.	Hepatitis C Antibody Measurement
C11619 6	Hepatitis C Virus Antigen	Hepatitis C Virus Antigen	A measurement of the hepatitis C virus antigen in a biological specimen.	Hepatitis C Virus Antigen Measurement
C13542 4	Hepatitis C Virus Core Antigen	Hepatitis C Virus Core Antigen	A measurement of the hepatitis C virus core antigen in a biological specimen.	Hepatitis C Virus Core Antigen Measurement
C96664	Hepatitis D Virus Antibody	Hepatitis D Virus Antibody;Hepatitis Delta Antibody	A measurement of the hepatitis D virus antibody in a biological specimen.	Hepatitis D Virus Antibody Measurement
C11928 1	Hepatitis D Virus IgG Antibody	Hepatitis D Virus IgG Antibody	A measurement of the hepatitis D virus IgG antibody in a biological specimen.	Hepatitis D Virus IgG Antibody Measurement
C11928 2	Hepatitis D Virus IgM Antibody	Hepatitis D Virus IgM Antibody	A measurement of the hepatitis D virus IgM antibody in a biological specimen.	Hepatitis D Virus IgM Antibody Measurement
C11928 3	Hepatitis E Virus Antibody	Hepatitis E Virus Antibody	A measurement of the hepatitis E virus antibody in a biological specimen.	Hepatitis E Virus Antibody Measurement
C10652 6	Hepatitis E Virus IgG Antibody	Hepatitis E Virus IgG Antibody	A measurement of IgG antibody to the hepatitis E virus in a biological specimen.	Hepatitis E Virus IgG Antibody Measurement
C96665	Hepatitis E Virus IgM Antibody	Hepatitis E Virus IgM Antibody	A measurement of the hepatitis E virus IgM antibody in a biological specimen.	Hepatitis E Virus IgM Antibody Measurement
C13542 6	Hepatocyte Growth Factor	Hepatocyte Growth Factor	A measurement of the hepatocyte growth factor in a biological specimen.	Hepatocyte Growth Factor Measurement
C11229 1	HER2 Antigen	HER2 Antigen;HER2/NEU Antigen	A measurement of the HER2 antigen in a biological specimen.	HER2 Antigen Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96666	Herpes Simplex Virus 1 IgG Antibody	HSV-1 IgG Antibody;Herpes Simplex Virus 1 IgG Antibody	A measurement of the herpes simplex virus 1 IgG antibody in a biological specimen.	Herpes Simplex Virus 1 IgG Antibody Measurement
C98738	Herpes Simplex Virus 1 IgM Antibody	Herpes Simplex Virus 1 IgM Antibody	A measurement of the Herpes Simplex virus 1 IgM antibodies in a biological specimen.	Herpes Simplex Virus 1 IgM Antibody Measurement
C96697	Herpes Simplex Virus 1/2 IgG Antibody	HSV-1/2 IgG Ab;Herpes Simplex Virus 1/2 IgG Antibody	A measurement of the herpes simplex virus 1 and 2 IgG antibody in a biological specimen.	Herpes Simplex Virus 1/2 IgG Antibody Measurement
C96698	Herpes Simplex Virus 1/2 IgM Antibody	HSV-1/2 IgM Ab;Herpes Simplex Virus 1/2 IgM Antibody	A measurement of the herpes simplex virus 1 and 2 IgM antibody in a biological specimen.	Herpes Simplex Virus 1/2 IgM Antibody Measurement
C96667	Herpes Simplex Virus 2 IgG Antibody	HSV-2 IgG Antibody;Herpes Simplex Virus 2 IgG Antibody	A measurement of the herpes simplex virus 2 IgG antibody in a biological specimen.	Herpes Simplex Virus 2 IgG Antibody Measurement
C98739	Herpes Simplex Virus 2 IgM Antibody	Herpes Simplex Virus 2 IgM Antibody	A measurement of the Herpes Simplex virus 2 IgM antibodies in a biological specimen.	Herpes Simplex Virus 2 IgM Antibody Measurement
C11229 2	Herpes Simplex Virus 6 Antibody	Herpes Simplex Virus 6 Antibody	A measurement of the herpes simplex virus 6 antibody in a biological specimen.	Herpes Simplex Virus 6 Antibody Measurement
C81984	Heterophile Antibodies	Heterophile Antibodies	A measurement of the heterophile antibodies in a biological specimen.	Heterophile Antibody Measurement
C11618 6	Heterophils	Heterophils	A measurement of heterophils (granular leukocytes) in a biological specimen from avian species.	Heterophil Measurement
C11618 7	Heterophils/Leukocytes	Heterophils/Leukocytes	A relative measurement (ratio or percentage) of heterophils to leukocytes in a biological specimen from avian species.	Heterophils to Leukocytes Ratio Measurement
C96668	Hexokinase	Hexokinase	A measurement of the hexokinase in a biological specimen.	Hexokinase Measurement
C11618 9	High Absorption Retic/Reticulocytes	High Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the high absorption reticulocytes to total reticulocytes in a biological specimen.	High Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C11618 8	High Absorption Reticulocytes	High Absorption Reticulocytes	A measurement of the high absorption reticulocytes in a biological specimen.	High Absorption Reticulocyte Measurement
C74754	Hippuric Acid Crystals	Hippurate Crystals;Hippuric Acid Crystals	A measurement of the hippuric acid crystals present in a biological specimen.	Hippuric Acid Crystal Measurement
C80189	Histamine	Histamine	A measurement of the histamine in a biological specimen.	Histamine Measurement
C12212 4	Histidine	Histidine	A measurement of the histidine in a biological specimen.	Histidine Measurement
C11229 3	Histone 1 Antibody	Histone 1 Antibody	A measurement of the total histone 1 antibodies in a biological specimen.	Histone 1 Antibody Measurement
C11229 4	Histone 2A Antibody	Histone 2A Antibody	A measurement of the total histone 2A antibodies in a biological specimen.	Histone 2A Antibody Measurement
C11229 5	Histone 2B Antibody	Histone 2B Antibody	A measurement of the total histone 2B antibodies in a biological specimen.	Histone 2B Antibody Measurement
C11229 6	Histone 3 Antibody	Histone 3 Antibody	A measurement of the total histone 3 antibodies in a biological specimen.	Histone 3 Antibody Measurement
C11229 7	Histone 4 Antibody	Histone 4 Antibody	A measurement of the total histone 4 antibodies in a biological specimen.	Histone 4 Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111209	Histone Antibodies	Anti-Histone Antibodies;Histone Antibodies	A measurement of histone antibodies in a biological specimen.	Histone Antibody Measurement
C106527	HIV Antibody	HIV Antibody	A measurement of the HIV virus antibody in a biological specimen.	HIV Antibody Measurement
C74713	HIV-1 Antibody	HIV-1 Antibody	A measurement of the HIV-1 virus antibody in a biological specimen.	HIV-1 Antibody Measurement
C92263	HIV-1 Group M and O Nucleic Acid	HIV-1 Group M and O Nucleic Acid	A measurement of the HIV-1 group M and O nucleic acids in a biological specimen.	HIV-1 Group M and O Nucleic Acid Measurement
C92264	HIV-1 Group O Antibody	HIV-1 Group O Antibody	A measurement of the HIV-1 group O antibody in a biological specimen.	HIV-1 Group O Antibody Measurement
C92265	HIV-1 p24 Antigen	HIV-1 p24 Antigen	A measurement of the HIV-1 p24 antigen in a biological specimen.	HIV-1 p24 Antigen Measurement
C74714	HIV-1/2 Antibody	HIV-1/2 Antibody	A measurement of either the HIV-1 or HIV-2 virus antibody in a biological specimen.	HIV-1 HIV-2 Antibody Measurement
C139085	HIV-1/2 Antibody + HIV-1 p24 Antigen	HIV-1/2 Antibody + HIV-1 p24 Antigen	A measurement of the antibody reaction of a biological specimen to either the HIV-1 or HIV-2 virus and the measurement of HIV-1 p24 antigen in a biological specimen.	HIV-1/2 Antibody and HIV-1 p24 Antigen Measurement
C74715	HIV-2 Antibody	HIV-2 Antibody	A measurement of the HIV-2 virus antibody in a biological specimen.	HIV-2 Antibody Measurement
C92266	HIV-2 Nucleic Acid	HIV-2 Nucleic Acid	A measurement of the HIV-2 nucleic acids in a biological specimen.	HIV-2 Nucleic Acid Measurement
C128964	HLA Class I Antibody	HLA Class I Antibody	A measurement of the human leukocyte antigen (HLA) antibody class I in a biological specimen.	HLA Class I Antibody Measurement
C128967	HLA Class I Panel Reactive Antibody	HLA Class I Panel Reactive Antibody	A measurement of the panel reactive antibody (the reactivity between host immune cells and donor) human leukocyte antigen class I in a biological specimen.	HLA Class I Panel Reactive Antibody Measurement
C128965	HLA Class II Antibody	HLA Class II Antibody	A measurement of the human leukocyte antigen (HLA) antibody class II in a biological specimen.	HLA Class II Antibody Measurement
C128966	HLA Class II Panel Reactive Antibody	HLA Class II Panel Reactive Antibody	A measurement of the panel reactive antibody (the reactivity between host immune cells and donor) human leukocyte antigen class II in a biological specimen.	HLA Class II Panel Reactive Antibody Measurement
C128933	HLA Mismatch Count	HLA Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigens (HLA).	HLA Mismatch Count
C128955	HLA-A Antigen Type	HLA-A Antigen Type	The identification of the type of human leukocyte antigen, class I, group A (HLA-A), in a biological specimen.	HLA-A Antigen Type
C128956	HLA-A Mismatch Count	HLA-A Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class I, group A (HLA-A).	HLA-A Mismatch Count
C128954	HLA-A2 Antibody	HLA-A2 Antibody	A measurement of the human leukocyte antigen A2 (HLA-A2) antibody in a biological specimen.	HLA-A2 Antibody Measurement
C128953	HLA-A23 Antibody	HLA-A23 Antibody	A measurement of the human leukocyte antigen A23 (HLA-A23) antibody in a biological specimen.	HLA-A23 Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12895 7	HLA-B Antigen Type	HLA-B Antigen Type	The identification of the type of human leukocyte antigen, class I, group B (HLA-B), in a biological specimen.	HLA-B Antigen Type
C12895 8	HLA-B Mismatch Count	HLA-B Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class I, group B (HLA-B).	HLA-B Mismatch Count
C10046 0	HLA-B27 Antigen	HLA-B27 Antigen;Human Leukocyte Antigen B27	A measurement of the human leukocyte antigen B27 (HLA-B27) in a biological specimen.	HLA-B27 Antigen Measurement
C12896 2	HLA-DR Antigen Type	HLA-DR Antigen Type	The identification of the type of human leukocyte antigen, class II, antigen-D-related (HLA-DR), in a biological specimen.	HLA-DR Antigen Type
C12896 3	HLA-DR Mismatch Count	HLA-DR Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class II, antigen-D-related (HLA-DR).	HLA-DR Mismatch Count
C12895 9	HLA-DR51 Antibody	HLA-DR51 Antibody	A measurement of the human leukocyte antigen DR51 (HLA-DR51) antibody in a biological specimen.	HLA-DR51 Antibody Measurement
C12896 0	HLA-DR52 Antibody	HLA-DR52 Antibody	A measurement of the human leukocyte antigen DR52 (HLA-DR52) antibody in a biological specimen.	HLA-DR52 Antibody Measurement
C12896 1	HLA-DR53 Antibody	HLA-DR53 Antibody	A measurement of the human leukocyte antigen DR53 (HLA-DR53) antibody in a biological specimen.	HLA-DR53 Antibody Measurement
C74741	Homocysteine	Homocysteine	A measurement of the homocysteine amino acid in a biological specimen.	Homocysteine Acid Measurement
C74863	Homovanillic Acid	Homovanillic Acid	A measurement of the homovanillic acid metabolite in a biological specimen.	Homovanillic Acid Measurement
C74704	Howell-Jolly Bodies	Howell-Jolly Bodies	A measurement of the Howell-Jolly bodies (spherical, blue-black condensed DNA inclusions within the body of a red blood cell that appear under Wright-stain) in a biological specimen.	Howell-Jolly Body Measurement
C12212 5	HTLV-1/2 Antibody	HTLV-1/2 Antibody;HTLV-I/II Antibody;Human T-cell Lymphotropic Virus 1/2 Antibody	A measurement of either the HTLV-1 or HTLV-2 virus antibody in a biological specimen.	HTLV-I HTLV-II Antibody Measurement
C10340 5	Human Albumin Antibody	Human Albumin Antibody	A measurement of the human albumin antibody in a biological specimen.	Human Albumin Antibody Measurement
C10340 6	Human Anti-Mouse Antibody	HAMA;Human Anti-Mouse Antibody	A measurement of the human anti-mouse antibody in a biological specimen.	Human Anti-Mouse Antibody Measurement
C98740	Human Anti-Sheep IgE Antibody	Human Anti-Sheep IgE Antibody	A measurement of the human anti-sheep IgE antibodies in a biological specimen.	Human Anti-Sheep IgE Antibody Measurement
C98741	Human Anti-Sheep IgG Antibody	Human Anti-Sheep IgG Antibody	A measurement of the human anti-sheep IgG antibodies in a biological specimen.	Human Anti-Sheep IgG Antibody Measurement
C98742	Human Anti-Sheep IgM Antibody	Human Anti-Sheep IgM Antibody	A measurement of the human anti-sheep IgM antibodies in a biological specimen.	Human Anti-Sheep IgM Antibody Measurement
C11231 2	Human Epidermal Growth Factor Receptor 2	ERBB2;HER2/NEU;Human Epidermal Growth Factor Receptor 2	A measurement of HER2 protein in a biological specimen.	Human Epidermal Growth Factor Receptor 2 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127618	Human Papillomavirus 11 Antibody	Human Papillomavirus 11 Antibody	A measurement of the human papillomavirus 11 antibody in a biological specimen.	Human Papillomavirus 11 Antibody Measurement
C127619	Human Papillomavirus 16 Antibody	Human Papillomavirus 16 Antibody	A measurement of the human papillomavirus 16 antibody in a biological specimen.	Human Papillomavirus 16 Antibody Measurement
C127620	Human Papillomavirus 18 Antibody	Human Papillomavirus 18 Antibody	A measurement of the human papillomavirus 18 antibody in a biological specimen.	Human Papillomavirus 18 Antibody Measurement
C127621	Human Papillomavirus 6 Antibody	Human Papillomavirus 6 Antibody	A measurement of the human papillomavirus 6 antibody in a biological specimen.	Human Papillomavirus 6 Antibody Measurement
C142279	Huntingtin Protein	Huntingtin Protein	A measurement of the huntingtin protein in a biological specimen.	Huntingtin Protein Measurement
C142280	Huntingtin Protein, Mutant	Huntingtin Protein, Mutant	A measurement of the mutant huntingtin protein in a biological specimen.	Mutant Huntingtin Protein Measurement
C74770	Hyaline Casts	Hyaline Casts	A measurement of the hyaline casts present in a biological specimen.	Hyaline Cast Measurement
C112319	Hyaluronic Acid	Hyaluronic Acid	A measurement of hyaluronic acid in a biological specimen.	Hyaluronic Acid Measurement
C74879	Hydrocodone	Hydrocodone	A measurement of the hydrocodone present in a biological specimen.	Hydrocodone Measurement
C102275	Hydrogen	Hydrogen	A measurement of the hydrogen in a biological specimen.	Hydrogen Measurement
C74880	Hydromorphone	Hydromorphone	A measurement of the hydromorphone present in a biological specimen.	Hydromorphone Measurement
C147352	Hydroxyalprazolam	Hydroxyalprazolam	A measurement of the total hydroxyalprazolam present in a biological specimen.	Hydroxyalprazolam Measurement
C80190	Hydroxyproline	Hydroxyproline	A measurement of the total hydroxyproline in a biological specimen.	Hydroxyproline Measurement
C96669	Hyperchromia	Hyperchromia	A measurement of the prevalence of the erythrocytes with an elevated hemoglobin concentration.	Hyperchromia Measurement
C74612	Hypersegmented Cells	Hypersegmented Cells	A measurement of the hypersegmented (more than five lobes) neutrophils in a biological specimen.	Hypersegmented Neutrophil Measurement
C64802	Hypochromia	Hypochromia	An observation which indicates that the hemoglobin concentration in a red blood cell specimen has fallen below a specified level.	Hypochromia
C116201	Hypogranular Neutrophils	Hypogranular Neutrophils	A measurement of the hypogranular neutrophils in a biological specimen.	Hypogranular Neutrophil Measurement
C111232	Icteric Index	Icteric Index;Icterus	A measurement of the yellow color of a biological specimen, due to the presence of bile pigments.	Icteric Index
C112325	IDL Cholesterol	IDL Cholesterol;Intermediate Density Lipoprotein	A measurement of the intermediate density lipoprotein in a biological specimen.	Intermediate Density Lipoprotein Cholesterol Measurement
C116197	IDL Particles	IDL Particles;Intermediate Density Lipoproteins Particles	A measurement of the concentration of IDL particles in a biological specimen.	IDL Particles Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14737 1	IDL+VLDL Cholesterol Subtype 3	IDL Cholesterol and VLDL Cholesterol Subtype 3;IDL+VLDL Cholesterol Subtype 3	A measurement of the intermediate density lipoprotein cholesterol and the very low density lipoprotein cholesterol subtype 3 in a biological specimen.	IDL Cholesterol and VLDL Cholesterol Subtype 3 Measurement
C14737 3	IgG Clearance	IgG Clearance	A measurement of the IgG clearance in a biological specimen.	IgG Clearance
C14737 4	IgG Clearance/Albumin Clearance	IgG Clearance/Albumin Clearance	A relative measurement (ratio) of the IgG clearance to albumin clearance in a biological specimen.	IgG Clearance to Albumin Clearance Ratio Measurement
C11123 3	IgG IgM IgA Total	IgG IgM IgA Total	A measurement of the total IgG, IgM, and IgA in a biological specimen.	IgG IgM IgA Total Measurement
C14737 5	IgG Synthesis Rate	IgG Synthesis Rate	A measurement of the IgG synthesis rate in a biological specimen.	IgG Synthesis Rate
C96670	Immature Basophils	Immature Basophils	A measurement of the immature basophils in a biological specimen.	Immature Basophil Count
C96671	Immature Basophils/Leukocytes	Immature Basophils/Leukocytes	A relative measurement (ratio or percentage) of immature basophils to total leukocytes in a biological specimen.	Immature Basophil to Leukocyte Ratio Measurement
C96672	Immature Cells	Immature Cells	A measurement of the total immature cells in a blood specimen.	Immature Cell Count
C11123 4	Immature Cells/Total Cells	Immature Cells/Total Cells	A relative measurement (ratio or percentage) of the immature hematopoietic cells to total cells in a biological specimen.	Immature Cell to Total Cell Ratio Measurement
C96673	Immature Eosinophils	Immature Eosinophils	A measurement of the immature eosinophils in a biological specimen.	Immature Eosinophil Count
C96674	Immature Eosinophils/Leukocytes	Immature Eosinophils/Leukocytes	A relative measurement (ratio or percentage) of immature eosinophils to total leukocytes in a biological specimen.	Immature Eosinophil to Leukocyte Ratio Measurement
C96675	Immature Granulocytes	Immature Granulocytes	A measurement of the total immature granulocytes in a biological specimen.	Immature Granulocyte Count
C10044 5	Immature Granulocytes/Leukocytes	Immature Granulocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature granulocytes to leukocytes in a biological specimen (for example a bone marrow specimen).	Immature Granulocytes to Leukocytes Ratio Measurement
C12762 5	Immature Leukocytes	Immature Leukocytes	A measurement of the immature leukocytes in a biological specimen.	Immature Leukocyte Count
C12762 6	Immature Leukocytes/Leukocytes	Immature Leukocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature leukocytes to leukocytes in a biological specimen.	Immature Leukocyte to Leukocytes Ratio Measurement
C10044 4	Immature Lymphocytes	Immature Lymphocytes	A measurement of the immature lymphocytes in a biological specimen.	Immature Lymphocytes Measurement
C10044 3	Immature Lymphocytes/Leukocytes	Immature Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature lymphocytes to leukocytes in a biological specimen.	Immature Lymphocytes to Leukocytes Ratio Measurement
C96676	Immature Monocytes	Immature Monocytes	A measurement of the immature monocytes in a biological specimen.	Immature Monocyte Count
C96677	Immature Monocytes/Leukocytes	Immature Monocytes/Leukocytes	A relative measurement (ratio or percentage) of immature monocytes to total leukocytes in a biological specimen.	Immature Monocyte to Leukocyte Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96678	Immature Neutrophils	Immature Neutrophils	A measurement of the total immature neutrophils in a biological specimen.	Immature Neutrophil Count
C10044 2	Immature Neutrophils/Leukocytes	Immature Neutrophils/Leukocytes	A relative measurement (ratio or percentage) of the immature neutrophils to leukocytes in a biological specimen.	Immature Neutrophils to Leukocytes Ratio Measurement
C96679	Immature Plasma Cells	Immature Plasma Cells	A measurement of the immature plasma cells in a biological specimen.	Immature Plasma Cell Count
C96680	Immature Plasma Cells/Lymphocytes	Immature Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of immature plasma cells to total lymphocytes in a biological specimen.	Immature Plasma Cell to Lymphocyte Ratio Measurement
C14741 6	Immature Plasma Cells/Total Cells	Immature Plasma Cells/Total Cells	A relative measurement (ratio or percentage) of the immature plasma cells (plasmacytes) to total cells in a biological specimen.	Immature Plasma Cells to Total Cells Ratio Measurement
C10227 6	Immature Reticulocyte Fraction	Immature Reticulocyte Fraction	A measurement of the immature reticulocyte fraction present in a biological specimen.	Immature Reticulocyte Fraction Measurement
C10340 7	Immunoblasts	Immunoblastic Lymphocytes;Immunoblasts	A measurement of the immunoblasts in a biological specimen.	Immunoblast Count
C10653 5	Immunoblasts/Lymphocytes	Immunoblasts/Lymphocytes;Lymphocytes, Immunoblastic/Lymphocytes	A relative measurement (ratio or percentage) of immunoblasts to all lymphocytes present in a sample.	Immunoblasts to Lymphocytes Ratio Measurement
C81869	Immunoglobulin	Immunoglobulin	A measurement of the total immunoglobulin in a biological specimen.	Immunoglobulin Measurement
C81969	Immunoglobulin A	Immunoglobulin A	A measurement of the total immunoglobulin A in a biological specimen.	Immunoglobulin A Measurement
C98745	Immunoglobulin D	Immunoglobulin D	A measurement of the Immunoglobulin D in a biological specimen.	Immunoglobulin D Measurement
C81970	Immunoglobulin E	Immunoglobulin E	A measurement of the Immunoglobulin E in a biological specimen.	Immunoglobulin E Measurement
C81971	Immunoglobulin G	Immunoglobulin G	A measurement of the total immunoglobulin G in a biological specimen.	Immunoglobulin G Measurement
C12212 7	Immunoglobulin G Subclass 1	Immunoglobulin G Subclass 1	A measurement of the immunoglobulin G subclass 1 in a biological specimen.	Immunoglobulin G Subclass 1 Measurement
C12212 8	Immunoglobulin G Subclass 2	Immunoglobulin G Subclass 2	A measurement of the immunoglobulin G subclass 2 in a biological specimen.	Immunoglobulin G Subclass 2 Measurement
C12212 9	Immunoglobulin G Subclass 3	Immunoglobulin G Subclass 3	A measurement of the immunoglobulin G subclass 3 in a biological specimen.	Immunoglobulin G Subclass 3 Measurement
C12213 0	Immunoglobulin G Subclass 4	Immunoglobulin G Subclass 4	A measurement of the immunoglobulin G subclass 4 in a biological specimen.	Immunoglobulin G Subclass 4 Measurement
C14737 2	Immunoglobulin G/Albumin	IgG/Albumin;Immunoglobulin G/Albumin	A relative measurement (ratio or percentage) of the immunoglobulin G to albumin in a biological specimen.	Immunoglobulin G to Albumin Ratio Measurement
C11928 5	Immunoglobulin G/Creatinine	Immunoglobulin G/Creatinine	A relative measurement (ratio or percentage) of the immunoglobulin G to creatinine in a biological specimen.	Immunoglobulin G to Creatinine Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14737 6	Immunoglobulin Light Chains	Immunoglobulin Light Chains	A measurement of the total immunoglobulin (kappa and lambda) light chains in a biological specimen.	Immunoglobulin Light Chain Measurement
C81972	Immunoglobulin M	Immunoglobulin M	A measurement of the total immunoglobulin M in a biological specimen.	Immunoglobulin M Measurement
C11618 4	Inclusion Bodies	Inclusion Bodies	A measurement of the inclusion bodies in a biological specimen.	Inclusion Body Measurement
C82044	Indican	Indican	A measurement of the indican present in a biological specimen.	Indican Measurement
C64483	Indirect Bilirubin	Indirect Bilirubin	A measurement of the unconjugated or non-water-soluble bilirubin in a biological specimen.	Indirect Bilirubin Measurement
C13011 4	Industrial Mix Antigen IgE Antibody	Industrial Mix Antigen IgE Antibody	A measurement of the industrial mix antigen IgE antibody in a biological specimen.	Industrial Mix Antigen IgE Antibody Measurement
C13011 5	Industrial Mix Antigen IgG Antibody	Industrial Mix Antigen IgG Antibody	A measurement of the industrial mix antigen IgG antibody in a biological specimen.	Industrial Mix Antigen IgG Antibody Measurement
C12067 7	Influenza A Antigen	Influenza A Antigen	A measurement of the influenza A antigen in a biological specimen.	Influenza A Antigen Measurement
C10340 8	Influenza A IgG Antibody	Influenza A IgG Antibody	A measurement of the Influenza A IgG antibody in a biological specimen.	Influenza A IgG Antibody Measurement
C12067 8	Influenza A/B Antigen	Influenza A/B Antigen	A measurement of the influenza A/B antigen in a biological specimen.	Influenza A/B Antigen Measurement
C12067 9	Influenza B Antigen	Influenza B Antigen	A measurement of the influenza B antigen in a biological specimen.	Influenza B Antigen Measurement
C10340 9	Influenza B IgG Antibody	Influenza B IgG Antibody	A measurement of the Influenza B IgG antibody in a biological specimen.	Influenza B IgG Antibody Measurement
C82020	Inhibin A	Inhibin A	A measurement of the inhibin A in a biological specimen.	Inhibin A Measurement
C96681	Inhibin B	Inhibin B	A measurement of the inhibin B in a biological specimen.	Inhibin B Measurement
C74788	Insulin	Insulin	A measurement of the insulin in a biological specimen.	Insulin Measurement
C11928 7	Insulin Antibody	Insulin Antibody	A measurement of the antibody to insulin in a biological specimen.	Insulin Antibody Measurement
C11928 6	Insulin Autoantibody	Insulin Autoantibody	A measurement of the antibody to endogenous insulin in a biological specimen.	Insulin Autoantibody Measurement
C12345 8	Insulin Resistance	Insulin Resistance	A measurement of the insulin resistance (a cell's inability to respond to insulin) in a biological specimen.	Insulin Resistance Measurement
C12345 9	Insulin Sensitivity	Insulin Sensitivity	A measurement of the insulin sensitivity (cells are stimulated by lower than normal insulin levels) in a biological specimen.	Insulin Sensitivity Measurement
C14737 7	Insulin, Free	Insulin, Free	A measurement of the free insulin in a biological specimen.	Free Insulin Measurement
C12896 8	Insulin-Like Growth Factor Binding Prot1	Insulin-Like Growth Factor Binding Protein 1	A measurement of the total insulin-like growth factor binding protein 1 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 1 Measurement
C12896 9	Insulin-Like Growth Factor Binding Prot2	Insulin-Like Growth Factor Binding Protein 2	A measurement of the insulin-like growth factor binding protein 2 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 2 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11232 2	Insulin-Like Growth Factor Binding Prot3	Insulin-Like Growth Factor Binding Prot3;Insulin-Like Growth Factor Binding Protein 3	A measurement of the insulin-like growth factor binding protein 3 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 3 Measurement
C74864	Insulin-like Growth Factor-1	Insulin-like Growth Factor-1	A measurement of the insulin-like growth factor-1 in a biological specimen.	Insulin Like Growth Factor-1 Measurement
C74865	Insulin-like Growth Factor-2	Insulin-like Growth Factor-2	A measurement of the insulin-like growth factor-2 in a biological specimen.	Insulin Like Growth Factor-2 Measurement
C11928 4	Insulinoma-Associated Protein 2 Antibody	Insulinoma-Associated Protein 2 Antibody	A measurement of the insulinoma-associated protein 2 antibody in a biological specimen.	Insulinoma-Associated Protein 2 Antibody Measurement
C12434 4	Intercellular Adhesion Molecule	Intercellular Adhesion Molecule	A measurement of the total intercellular adhesion molecule in a biological specimen.	Intercellular Adhesion Molecule Measurement
C12434 5	Intercellular Adhesion Molecule 1	CD54;Intercellular Adhesion Molecule 1	A measurement of the intercellular adhesion molecule 1 in a biological specimen.	Intercellular Adhesion Molecule 1 Measurement
C81994	Interferon Alpha	Interferon Alpha	A measurement of the interferon alpha in a biological specimen.	Interferon Alpha Measurement
C81995	Interferon Beta	Interferon Beta	A measurement of the interferon beta in a biological specimen.	Interferon Beta Measurement
C81996	Interferon Gamma	Interferon Gamma	A measurement of the interferon gamma in a biological specimen.	Interferon Gamma Measurement
C74805	Interleukin 1	Interleukin 1	A measurement of the interleukin 1 in a biological specimen.	Interleukin 1 Measurement
C12213 1	Interleukin 1 Alpha	Interleukin 1 Alpha	A measurement of interleukin 1 alpha in a biological specimen.	Interleukin 1 Alpha Measurement
C11232 3	Interleukin 1 Beta	IL-1B;IL1Beta;Interleukin 1 Beta;Interleukin 1B	A measurement of interleukin 1 beta in a biological specimen.	Interleukin 1 Beta Measurement
C11232 4	Interleukin 1 Receptor Antagonist	IL-1RA;Interleukin 1 Receptor Antagonist	A measurement of the interleukin 1 receptor antagonist in a biological specimen.	Interleukin 1 Receptor Antagonist Measurement
C14228 1	Interleukin 1 Receptor-Like 1	Interleukin 1 Receptor-Like 1	A measurement of the interleukin 1 receptor-like 1 in a biological specimen.	Interleukin 1 Receptor-Like 1 Measurement
C74806	Interleukin 10	Interleukin 10	A measurement of the interleukin 10 in a biological specimen.	Interleukin 10 Measurement
C74807	Interleukin 11	Interleukin 11	A measurement of the interleukin 11 in a biological specimen.	Interleukin 11 Measurement
C74808	Interleukin 12	Interleukin 12;Interleukin 12 p70	A measurement of the interleukin 12 in a biological specimen.	Interleukin 12 Measurement
C12762 3	Interleukin 12 Beta	Interleukin 12 Beta;Interleukin 12 p40	A measurement of interleukin 12 beta in a biological specimen.	Interleukin 12 Beta Measurement
C12897 0	Interleukin 12+23 p40	Interleukin 12+23 p40	A measurement of the p40 subunit of the interleukins 12 and 23 in a biological specimen.	Interleukin 12+23 p40 Measurement
C74809	Interleukin 13	Interleukin 13	A measurement of the interleukin 13 in a biological specimen.	Interleukin 13 Measurement
C74810	Interleukin 14	Interleukin 14	A measurement of the interleukin 14 in a biological specimen.	Interleukin 14 Measurement
C74811	Interleukin 15	Interleukin 15	A measurement of the interleukin 15 in a biological specimen.	Interleukin 15 Measurement
C74812	Interleukin 16	Interleukin 16	A measurement of the interleukin 16 in a biological specimen.	Interleukin 16 Measurement
C74813	Interleukin 17	Interleukin 17	A measurement of the interleukin 17 in a biological specimen.	Interleukin 17 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74814	Interleukin 18	Interleukin 18	A measurement of the interleukin 18 in a biological specimen.	Interleukin 18 Measurement
C74815	Interleukin 19	Interleukin 19	A measurement of the interleukin 19 in a biological specimen.	Interleukin 19 Measurement
C74816	Interleukin 2	Interleukin 2	A measurement of the interleukin 2 in a biological specimen.	Interleukin 2 Measurement
C14228 2	Interleukin 2 Receptor Subunit Alpha	IL-2Ra;Interleukin 2 Receptor Subunit Alpha	A measurement of the interleukin 2 receptor subunit alpha in a biological specimen.	Interleukin 2 Receptor Subunit Alpha Measurement
C14228 3	Interleukin 2 Receptor Subunit Beta	IL-2Rb;Interleukin 2 Receptor Subunit Beta	A measurement of the interleukin 2 receptor subunit beta in a biological specimen.	Interleukin 2 Receptor Subunit Beta Measurement
C74817	Interleukin 20	Interleukin 20	A measurement of the interleukin 20 in a biological specimen.	Interleukin 20 Measurement
C74818	Interleukin 21	Interleukin 21	A measurement of the interleukin 21 in a biological specimen.	Interleukin 21 Measurement
C74819	Interleukin 22	Interleukin 22	A measurement of the interleukin 22 in a biological specimen.	Interleukin 22 Measurement
C74820	Interleukin 23	Interleukin 23	A measurement of the interleukin 23 in a biological specimen.	Interleukin 23 Measurement
C74821	Interleukin 24	Interleukin 24	A measurement of the interleukin 24 in a biological specimen.	Interleukin 24 Measurement
C74822	Interleukin 25	Interleukin 25	A measurement of the interleukin 25 in a biological specimen.	Interleukin 25 Measurement
C74823	Interleukin 26	Interleukin 26	A measurement of the interleukin 26 in a biological specimen.	Interleukin 26 Measurement
C74824	Interleukin 27	Interleukin 27	A measurement of the interleukin 27 in a biological specimen.	Interleukin 27 Measurement
C74825	Interleukin 28	Interleukin 28	A measurement of the interleukin 28 in a biological specimen.	Interleukin 28 Measurement
C74826	Interleukin 29	Interleukin 29	A measurement of the interleukin 29 in a biological specimen.	Interleukin 29 Measurement
C74827	Interleukin 3	Interleukin 3	A measurement of the interleukin 3 in a biological specimen.	Interleukin 3 Measurement
C74828	Interleukin 30	Interleukin 30	A measurement of the interleukin 30 in a biological specimen.	Interleukin 30 Measurement
C74829	Interleukin 31	Interleukin 31	A measurement of the interleukin 31 in a biological specimen.	Interleukin 31 Measurement
C74830	Interleukin 32	Interleukin 32	A measurement of the interleukin 32 in a biological specimen.	Interleukin 32 Measurement
C74831	Interleukin 33	Interleukin 33	A measurement of the interleukin 33 in a biological specimen.	Interleukin 33 Measurement
C74832	Interleukin 4	Interleukin 4	A measurement of the interleukin 4 in a biological specimen.	Interleukin 4 Measurement
C74833	Interleukin 5	Interleukin 5	A measurement of the interleukin 5 in a biological specimen.	Interleukin 5 Measurement
C74834	Interleukin 6	Interleukin 6	A measurement of the interleukin 6 in a biological specimen.	Interleukin 6 Measurement
C74835	Interleukin 7	Interleukin 7	A measurement of the interleukin 7 in a biological specimen.	Interleukin 7 Measurement
C74836	Interleukin 8	Interleukin 8	A measurement of the interleukin 8 in a biological specimen.	Interleukin 8 Measurement
C74837	Interleukin 9	Interleukin 9	A measurement of the interleukin 9 in a biological specimen.	Interleukin 9 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11926 6	Intestinal Specific Alkaline Phosphatase	Intestinal Specific Alkaline Phosphatase	A measurement of the intestinal specific alkaline phosphatase isoform in a biological specimen.	Intestinal Specific Alkaline Phosphatase Measurement
C12594 5	Inulin	Inulin	A measurement of the inulin in a biological specimen.	Inulin Measurement
C98748	Inulin Clearance	Inulin Clearance	A measurement of the volume of serum or plasma that would be cleared of inulin by excretion of urine for a specified unit of time (e.g. one minute).	Inulin Clearance
C12594 6	Iohexol	Iohexol	A measurement of iohexol in a biological specimen.	Iohexol Measurement
C10043 9	Iohexol Clearance	Iohexol Clearance	A measurement of the volume of serum or plasma that would be cleared of Iohexol by excretion of urine for a specified unit of time (e.g. one minute).	Iohexol Clearance
C98749	Iothalamate Clearance	Iothalamate Clearance	A measurement of the volume of serum or plasma that would be cleared of iothalamate by excretion of urine for a specified unit of time (e.g. one minute).	Iothalamate Clearance
C98750	Iothalamate Clearance Adjusted for BSA	Iothalamate Clearance Adjusted for BSA	A measurement of the volume of serum or plasma that would be cleared of iothalamate by excretion of urine for a specified unit of time (e.g. one minute), adjusted for body surface area.	Iothalamate Clearance Adjusted for BSA
C74679	Iron	FE;Iron	A measurement of the iron in a biological specimen.	Iron Measurement
C11783 8	Iron Excretion Rate	Iron Excretion Rate	A measurement of the amount of iron being excreted in urine over a defined amount of time (e.g. one hour).	Iron Urine Excretion Rate
C12762 2	Islet Amyloid Polypeptide	Amylin;Islet Amyloid Polypeptide	A measurement of the islet amyloid polypeptide in a biological specimen.	Islet Amyloid Polypeptide Measurement
C13542 9	Islet Antigen 2 Autoantibody	ICA-512;Islet Antigen 2 Autoantibody;Islet Cell Antigen 512 Autoantibody	A measurement of the antibody to endogenous islet antigen 2 in a biological specimen.	Islet Antigen 2 Autoantibody Measurement
C81985	Islet Cell 512 Antibody	Islet Cell 512 Antibody	A measurement of the islet cell 512 antibody in a biological specimen.	Islet Cell 512 Antibody Measurement
C81986	Islet Cell 512 Antigen	Islet Cell 512 Antigen	A measurement of the islet cell 512 antigen in a biological specimen.	Islet Cell 512 Antigen Measurement
C12212 6	Islet Cell Cytoplasmic IgG Antibody	Islet Cell Cytoplasmic IgG Antibody	A measurement of the islet cell cytoplasmic IgG antibody in a biological specimen.	Islet Cell Cytoplasmic IgG Antibody Measurement
C81987	Islet Neogenesis Assoc Protein Antibody	Islet Neogenesis Assoc Protein Antibody	A measurement of the islet neogenesis associated protein antibody in a biological specimen.	Islet Neogenesis Associated Protein Antibody Measurement
C10341 0	Isoleucine	Isoleucine	A measurement of the isoleucine in a biological specimen.	Isoleucine Measurement
C14737 8	Japanese Encephalitis Virus Antibody	Japanese Encephalitis Virus Antibody	A measurement of the Japanese encephalitis virus antibody in a biological specimen.	Japanese Encephalitis Virus Antibody Measurement
C11232 6	JC Virus Antibody	JC Polyomavirus Antibody;JC Virus Antibody;JCV Antibody;John Cunningham Virus Antibody	A measurement of the JC virus antibody in a biological specimen.	JC Virus Antibody Measurement
C10045 9	Jo-1 Antibody	Jo-1 Antibody	A measurement of the Jo-1 antibody in a biological specimen.	Jo-1 Antibody Measurement
C13237 4	Kallikrein-2	Kallikrein-2	A measurement of the kallikrein-2 in a biological specimen.	Kallikrein-2 Measurement

**C6715 LBTEST  
4**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147379	Kappa Light Chain	Kappa Light Chain	A measurement of the total kappa light chains in a biological specimen.	Kappa Light Chain Measurement
C98730	Kappa Light Chain, Free	Bence-Jones, Kappa;Kappa Light Chain, Free	A measurement of the free kappa light chain in a biological specimen.	Free Kappa Light Chain Measurement
C98731	Kappa Lt Chain,Free/Lambda Lt Chain,Free	Kappa Lt Chain,Free/Lambda Lt Chain,Free	A relative measurement (ratio or percentage) of the free kappa light chain to the free lambda light chain in a biological specimen.	Free Kappa Light Chain to Free Lambda Light Chain Ratio Measurement
C147380	Keratocyte	Keratocyte	A measurement of the keratocytes in a biological specimen.	Keratocyte Count
C111239	Ketone Bodies	Ketone Bodies	A measurement of the ketone bodies (acetone, acetoacetic acid, beta-hydroxybutyric acid, beta-ketopentanoate and beta-hydroxypentanoate) in a biological specimen.	Ketone Body Measurement
C64854	Ketones	Ketones	A measurement of the ketones in a biological specimen.	Ketone Measurement
C132372	Keyhole Limpet Hemocyanin IgG Antibody	Keyhole Limpet Hemocyanin IgG Antibody	A measurement of the keyhole limpet hemocyanin IgG antibody in a biological specimen.	Keyhole Limpet Hemocyanin IgG Antibody Measurement
C132373	Keyhole Limpet Hemocyanin IgM Antibody	Keyhole Limpet Hemocyanin IgM Antibody	A measurement of the keyhole limpet hemocyanin IgM antibody in a biological specimen.	Keyhole Limpet Hemocyanin IgM Antibody Measurement
C100433	Kidney Injury Molecule-1	Hepatitis A Virus Cellular Receptor 1;KIM-1;Kidney Injury Molecule-1	A measurement of the kidney injury molecule-1 (Kim-1) in a biological specimen.	Kidney Injury Molecule-1 Measurement
C127624	Klotho	Klotho	A measurement of the total klotho protein in a biological specimen.	Klotho Protein Measurement
C96682	Kurloff Cells	Kurloff Cells	A measurement of the large secretory granule-containing immune cells in a biological specimen taken from members of certain genera of the Caviidae family.	Kurloff Cells Measurement
C64855	Lactate Dehydrogenase	Lactate Dehydrogenase	A measurement of the lactate dehydrogenase in a biological specimen.	Lactate Dehydrogenase Measurement
C79449	Lactate Dehydrogenase/Creatinine	Lactate Dehydrogenase/Creatinine	A relative measurement (ratio or percentage) of the lactate dehydrogenase to creatinine in a biological specimen.	Lactate Dehydrogenase to Creatinine Ratio Measurement
C79450	Lactic Acid	2-hydroxypropanoic acid;Lactate;Lactic Acid	A measurement of the lactic acid in a biological specimen.	Lactic Acid Measurement
C82021	Lactoferrin	Lactoferrin;Lactotransferrin	A measurement of the lactoferrin in a biological specimen.	Lactoferrin Measurement
C120639	Lactoferrin Antibody	Lactoferrin Antibody	A measurement of the lactoferrin antibody in a biological specimen.	Lactoferrin Antibody Measurement
C147384	Lambda Light Chain	Lambda Light Chain	A measurement of the total lambda light chains in a biological specimen.	Lambda Light Chain Measurement
C98732	Lambda Light Chain, Free	Bence-Jones, Lambda;Lambda Light Chain, Free	A measurement of the free lambda light chain in a biological specimen.	Free Lambda Light Chain Measurement
C74729	Large Platelets	Large Platelets	A measurement of the large (between 4 um and 7um in diameter) platelets in a biological specimen.	Large Platelet Count
C74659	Large Unstained Cells	Large Unstained Cells	A measurement of the large, peroxidase-negative cells which cannot be further characterized (i.e. as large lymphocytes, virocytes, or stem cells) present in a biological specimen.	Large Unstained Cell Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C79467	Large Unstained Cells/Leukocytes	Large Unstained Cells/Leukocytes	A relative measure (ratio or percentage) of the large unstained cells to leukocytes in a biological specimen.	Large Unstained Cells to Leukocytes Ratio Measurement
C74887	LDH Isoenzyme 1	LDH Isoenzyme 1	A measurement of the lactate dehydrogenase isoenzyme 1 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 1 Measurement
C79451	LDH Isoenzyme 1/LDH	LDH Isoenzyme 1/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 1 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 1 to LDH Ratio Measurement
C74888	LDH Isoenzyme 2	LDH Isoenzyme 2	A measurement of the lactate dehydrogenase isoenzyme 2 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 2 Measurement
C79452	LDH Isoenzyme 2/LDH	LDH Isoenzyme 2/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 2 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 2 to LDH Ratio Measurement
C74889	LDH Isoenzyme 3	LDH Isoenzyme 3	A measurement of the lactate dehydrogenase isoenzyme 3 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 3 Measurement
C79453	LDH Isoenzyme 3/LDH	LDH Isoenzyme 3/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 3 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 3 to LDH Ratio Measurement
C74890	LDH Isoenzyme 4	LDH Isoenzyme 4	A measurement of the lactate dehydrogenase isoenzyme 4 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 4 Measurement
C79454	LDH Isoenzyme 4/LDH	LDH Isoenzyme 4/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 4 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 4 to LDH Ratio Measurement
C74891	LDH Isoenzyme 5	LDH Isoenzyme 5	A measurement of the lactate dehydrogenase isoenzyme 5 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 5 Measurement
C79455	LDH Isoenzyme 5/LDH	LDH Isoenzyme 5/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 5 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 5 to LDH Ratio Measurement
C10558 8	LDL Cholesterol	LDL Cholesterol	A measurement of the low density lipoprotein cholesterol in a biological specimen.	Low Density Lipoprotein Cholesterol Measurement
C12118 2	LDL Cholesterol/HDL Cholesterol	LDL Cholesterol/HDL Cholesterol	A relative measurement (ratio or percentage) of the low density lipoprotein cholesterol to high density lipoprotein cholesterol in a biological specimen.	LDL Cholesterol to HDL Cholesterol Ratio Measurement
C10341 2	LDL Particle Size	LDL Particle Size	A measurement of the average particle size of low-density lipoprotein in a biological specimen.	LDL Particle Size Measurement
C12063 6	LDL Particles	LDL Particles	A measurement of the concentration of the total LDL particles in a biological specimen.	LDL Particles Measurement
C12063 7	LDL Subtype Pattern	LDL Subtype Pattern	A description of the low density lipoprotein particle pattern (an interpretation of the amounts of LDL particles based on size and density) in a biological specimen.	LDL Subtype Pattern
C14738 2	Lead	Lead;Pb	A measurement of the lead in a biological specimen.	Lead Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14738 1	Lecithin/Sphingomyelin	LS Ratio;Lecithin/Sphingomyelin	A relative measurement (ratio) of the lecithin to sphingomyelin in a biological specimen.	Lecithin to Sphingomyelin Ratio Measurement
C11620 2	Left Shift Neutrophils	Left Shift Neutrophils	An observation of the above normal incidence of immature neutrophils, including band neutrophils and neutrophil precursors in a biological specimen.	Left Shift Neutrophil Measurement
C92275	Legionella pneumophila Antigen	Legionella pneumophila Antigen	A measurement of the Legionella pneumophila antigen in a biological specimen.	Legionella pneumophila Antigen Measurement
C92276	Legionella pneumophila IgG Antibody	Legionella pneumophila IgG Antibody	A measurement of the Legionella pneumophila IgG antibody in a biological specimen.	Legionella pneumophila IgG Antibody Measurement
C92277	Legionella pneumophila IgG IgM Antibody	Legionella pneumophila IgG IgM Antibody	A measurement of the Legionella pneumophila IgG and IgM in a biological specimen.	Legionella pneumophila IgG IgM Antibody Measurement
C92278	Legionella pneumophila IgM Antibody	Legionella pneumophila IgM Antibody	A measurement of the Legionella pneumophila IgM antibody in a biological specimen.	Legionella pneumophila IgM Antibody Measurement
C74866	Leptin	Leptin	A measurement of the leptin hormone in a biological specimen.	Leptin Measurement
C12213 3	Leucine	Leucine	A measurement of the leucine in a biological specimen.	Leucine Measurement
C12213 2	Leucine Aminopeptidase	Leucine Aminopeptidase	A measurement of the total leucine aminopeptidase present in a biological specimen.	Leucine Aminopeptidase Measurement
C74680	Leucine Crystals	Leucine Crystals	A measurement of the leucine crystals present in a biological specimen.	Leucine Crystal Measurement
C13016 3	Leukemia Inhibitory Factor	Leukemia Inhibitory Factor	A measurement of leukemia inhibitory factor in a biological specimen.	Leukemia Inhibitory Factor Measurement
C74630	Leukemic Blasts	Leukemic Blasts	A measurement of the leukemic blasts (lymphoblasts that remain in an immature state even when outside the bone marrow) in a biological specimen.	Leukemic Blast Count
C74641	Leukemic Blasts/Lymphocytes	Leukemic Blasts/Lymphocytes	A relative measurement (ratio or percentage) of the leukemic blasts (immature lymphoblasts) to mature lymphocytes in a biological specimen.	Leukemic Blast to Lymphocyte Ratio Measurement
C11619 5	Leukemic Cells	Leukemic Cells;Residual Leukemic Cells	A measurement of the leukemic cells in a biological specimen.	Leukemic Cells Measurement
C92246	Leukocyte Cell Clumps	Leukocyte Cell Clumps;WBC Clumps;White Blood Cell Clumps	A measurement of white blood cell clumps in a biological specimen.	Leukocyte Cell Clumps Measurement
C92297	Leukocyte Cell Morphology	Leukocyte Cell Morphology;WBC Morphology;White Blood Cell Morphology	An examination or assessment of the form and structure of white blood cells.	Leukocyte Cell Morphology
C64856	Leukocyte Esterase	Leukocyte Esterase	A measurement of the enzyme which indicates the presence of white blood cells in a biological specimen.	Leukocyte Esterase Measurement
C51948	Leukocytes	Leukocytes;White Blood Cells	A measurement of the leukocytes in a biological specimen.	Leukocyte Count
C13545 1	Leukocytes/Total Cells	Leukocytes/Total Cells;WBC/Total Cells	A relative measurement (ratio or percentage) of the leukocytes to total cells in a biological specimen.	Leukocytes to Total Cells Ratio Measurement
C10341 3	Leukotriene B4	Leukotriene B4	A measurement of the leukotriene B4 in a biological specimen.	Leukotriene B4 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10341 4	Leukotriene D4	Leukotriene D4	A measurement of the leukotriene D4 in a biological specimen.	Leukotriene D4 Measurement
C10341 5	Leukotriene E4	Leukotriene E4	A measurement of the leukotriene E4 in a biological specimen.	Leukotriene E4 Measurement
C14738 3	Leuks Corrected for Nucl Erythrocytes	Leukocytes Corrected for Nucleated Erythrocytes;Leuks Corrected for Nucl Erythrocytes	A measurement of the leukocytes corrected for nucleated erythrocytes in a biological specimen.	Leukocytes Corrected for Nucleated Erythrocytes Count
C14738 6	Levetiracetam	Levetiracetam	A measurement of the levetiracetam in a biological specimen.	Levetiracetam Measurement
C11774 8	Lipase	Lipase;Total Lipase	A measurement of the total lipase in a biological specimen.	Lipase Measurement
C11784 0	Lipase, Gastric	Gastric Triacylglycerol Lipase;LIPF;Lipase, Gastric	A measurement of the gastric triacylglycerol lipase in a biological specimen.	Gastric Lipase Measurement
C11784 2	Lipase, Lysosomal Acid	Acid Cholesteryl Ester Hydrolase;LAL;LIPA;Lipase, Lysosomal Acid;Lysosomal Lipase	A measurement of the lysosomal acid lipase in a biological specimen.	Lysosomal Acid Lipase Measurement
C11784 1	Lipase, Pancreatic	Lipase, Pancreatic;PNLIP;Pancreatic Triacylglycerol Lipase	A measurement of the pancreatic triacylglycerol lipase in a biological specimen.	Pancreatic Lipase Measurement
C11124 2	Lipemic Index	Lipemia;Lipemic Index	A measurement of the abnormally high concentration of lipid in a biological specimen.	Lipemic Index
C12594 7	Lipoarabinomannan	Lipoarabinomannan	A measurement of the lipoarabinomannan in a biological specimen.	Lipoarabinomannan Measurement
C10653 9	Lipocalin-2	Lipocalin-2	A measurement of lipocalin-2 in a biological specimen.	Lipocalin-2 Measurement
C10654 0	Lipocalin-2/Creatinine	Lipocalin-2/Creatinine	A relative measurement (ratio or percentage) of the lipocalin-2 to creatinine present in a sample.	Lipocalin-2 to Creatinine Ratio Measurement
C12063 8	Lipoprotein Associated Phospholipase A2	Lipoprotein Associated Phospholipase A2	A measurement of the lipoprotein associated phospholipase A2 in a biological specimen.	Lipoprotein Associated Phospholipase A2 Measurement
C82022	Lipoprotein-a	Lipoprotein-a	A measurement of the lipoprotein-a in a biological specimen.	Lipoprotein a Measurement
C14228 4	Liquefaction Time	Liquefaction Time	A measurement of the time it takes for a gelatinous or semi-solid substance to change to a liquid.	Liquefaction Time Measurement
C14738 5	Liver Fibrosis Score	Liver Fibrosis Score	A biomarker test that measures liver pathology through the assessment of multiple blood test parameters, taking into account the age and gender of the patient.	Liver Fibrosis Score
C96683	Liver Kidney Microsomal Type 1 Antibody	LKM-1;Liver Kidney Microsomal Type 1 Antibody	A measurement of the liver kidney microsomal type 1 antibody in a biological specimen.	Liver Kidney Microsomal Type 1 Antibody Measurement
C10045 6	Liver Kidney Microsomal Type 1 IgA Ab	Liver Kidney Microsomal Type 1 IgA Ab	A measurement of the liver kidney microsomal type 1 IgA antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgA Antibody Measurement
C10045 4	Liver Kidney Microsomal Type 1 IgG Ab	Liver Kidney Microsomal Type 1 IgG Ab	A measurement of the liver kidney microsomal type 1 IgG antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgG Antibody Measurement
C10045 5	Liver Kidney Microsomal Type 1 IgM Ab	Liver Kidney Microsomal Type 1 IgM Ab	A measurement of the liver kidney microsomal type 1 IgM antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgM Antibody Measurement
C11926 7	Liver Specific Alkaline Phosphatase	Liver Specific Alkaline Phosphatase	A measurement of the liver specific alkaline phosphatase isoform in a biological specimen.	Liver Specific Alkaline Phosphatase Measurement

**C6715 LBTEST  
4**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C75374	Lorazepam	Lorazepam	A measurement of the lorazepam present in a biological specimen.	Lorazepam Measurement
C11619 1	Low Absorption Retic/Reticulocytes	Low Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the low absorption reticulocytes to total reticulocytes in a biological specimen.	Low Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C11619 0	Low Absorption Reticulocytes	Low Absorption Reticulocytes	A measurement of the low absorption reticulocytes in a biological specimen.	Low Absorption Reticulocyte Measurement
C10227 7	Lupus Anticoagulant Sensitive APTT	APTT-LA;Lupus Anticoagulant Sensitive APTT	A measurement of the length of time that it takes for clotting to occur when a lupus sensitive reagent is added to a plasma specimen.	Lupus Anticoagulant Sensitive APTT Measurement
C74790	Luteinizing Hormone	Luteinizing Hormone;Lutropin	A measurement of the luteinizing hormone in a biological specimen.	Luteinizing Hormone Measurement
C10227 8	Lymphoblasts	Lymphoblasts	A measurement of the lymphoblasts (immature cells that differentiate to form lymphocytes) in a biological specimen.	Lymphoblast Count
C10544 4	Lymphoblasts/Leukocytes	Lymphoblasts/Leukocytes	A relative measurement (ratio or percentage) of the lymphoblasts to leukocytes in a biological specimen.	Lymphoblast to Leukocyte Ratio Measurement
C51949	Lymphocytes	Lymphocytes	A measurement of the lymphocytes in a biological specimen.	Lymphocyte Count
C11928 9	Lymphocytes Activated	Lymphocytes Activated	A measurement of the total activated lymphocytes in a biological specimen.	Activated Lymphocytes Measurement
C64818	Lymphocytes Atypical	Lymphocytes Atypical;Lymphocytes, Variant	A measurement of the atypical lymphocytes in a biological specimen.	Atypical Lymphocyte Count
C64819	Lymphocytes Atypical/Leukocytes	Lymphocytes Atypical/Leukocytes;Lymphocytes, Variant/Leukocytes	A relative measurement (ratio or percentage) of the atypical lymphocytes to leukocytes in a biological specimen.	Atypical Lymphocyte to Leukocyte Ratio
C14738 7	Lymphocytes, Clefted	Lymphocytes, Clefted	A measurement of the clefted lymphocytes in a biological specimen.	Clefted Lymphocytes Count
C14738 8	Lymphocytes, Clefted/Leukocytes	Lymphocytes, Clefted/Leukocytes	A relative measurement (ratio or percentage) of the clefted lymphocytes to total leukocytes in a biological specimen.	Clefted Lymphocytes to Leukocytes Ratio Measurement
C64820	Lymphocytes/Leukocytes	Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the lymphocytes to leukocytes in a biological specimen.	Lymphocyte to Leukocyte Ratio
C13543 0	Lymphocytes/Non-Squam Epi Cells	Lymphocytes/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the lymphocytes to non-squamous epithelial cells in a biological specimen.	Lymphocytes to Non-Squamous Epithelial Cells Ratio Measurement
C98751	Lymphocytes/Total Cells	Lymphocytes/Total Cells	A relative measurement (ratio or percentage) of the lymphocytes to total cells in a biological specimen (for example a bone marrow specimen).	Lymphocyte to Total Cell Ratio Measurement
C13906 4	Lymphoid Cells	Lymphoid Cells	A measurement of the total lymphoid lineage cells in a biological specimen.	Lymphoid Cell Count
C74613	Lymphoma Cells	Lymphoma Cells	A measurement of the malignant lymphocytes in a biological specimen.	Lymphoma Cell Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14738 9	Lymphoma Cells/Leukocytes	Lymphoma Cells/Leukocytes	A relative measurement (ratio or percentage) of the malignant lymphocytes to all leukocytes in a biological specimen.	Lymphoma Cells to Leukocytes Ratio Measurement
C74910	Lymphoma Cells/Lymphocytes	Lymphoma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the malignant lymphocytes to all lymphocytes in a biological specimen.	Lymphoma Cell to Lymphocyte Ratio Measurement
C81955	Lymphotactin	Chemokine Ligand 1;Lymphotactin	A measurement of the lymphotactin in a biological specimen.	Lymphotactin Measurement
C13237 5	Lymphotoxin Alpha	Lymphotoxin Alpha;TNF-beta;Tumor Necrosis Factor Beta	A measurement of the lymphotoxin alpha in a biological specimen.	Lymphotoxin Alpha Measurement
C75354	Lysergic Acid Diethylamide	Acid;Lysergate Diethylamide;Lysergic Acid Diethylamide	A measurement of the lysergic acid diethylamine (LSD) in a biological specimen.	Lysergide Measurement
C12213 4	Lysine	Lysine	A measurement of the lysine in a biological specimen.	Lysine Measurement
C12064 0	Lysozyme	Lysozyme	A measurement of lysozyme in a biological specimen.	Lysozyme Measurement
C92241	M. tuberculosis IFN Gamma Response	M. tuberculosis IFN Gamma Response;Mycobacterium tuberculosis IFN Gamma Response	A measurement of the amount of interferon gamma that is released when Mycobacterium tuberculosis antigen is incubated with a biological specimen, usually blood. Increased amounts of interferon gamma suggests a prior or existing M. tuberculosis infection.	Mycobacterium tuberculosis Interferon Gamma Response
C11124 3	Macroamylase	Macroamylase	A measurement of macroamylase in a biological specimen.	Macroamylase Measurement
C64821	Macrocytes	Macrocytes	A measurement of the macrocytes in a biological specimen.	Macrocyte Count
C80191	Macrophage Colony Stimulating Factor	Macrophage Colony Stimulating Factor	A measurement of the macrophage colony stimulating factor in a biological specimen.	Macrophage Colony Stimulating Factor Measurement
C82023	Macrophage Inflammatory Protein 1 Alpha	Chemokine Ligand 3;Macrophage Inflammatory Protein 1 Alpha	A measurement of the macrophage inflammatory protein 1 alpha in a biological specimen.	Macrophage Inflammatory Protein 1 Alpha Measurement
C82024	Macrophage Inflammatory Protein 1 Beta	Chemokine Ligand 4;Macrophage Inflammatory Protein 1 Beta	A measurement of the macrophage inflammatory protein 1 beta in a biological specimen.	Macrophage Inflammatory Protein 1 Beta Measurement
C13016 4	Macrophage Inflammatory Protein 1 Gamma	Macrophage Inflammatory Protein 1 Gamma	A measurement of the macrophage inflammatory protein 1 gamma in a biological specimen.	Macrophage Inflammatory Protein 1 Gamma Measurement
C81956	Macrophage-Derived Chemokine	Chemokine Ligand 22;Macrophage-Derived Chemokine	A measurement of the macrophage-derived chemokine in a biological specimen.	Macrophage-Derived Chemokine Measurement
C74798	Macrophages	Macrophages	A measurement of the macrophages in a biological specimen.	Macrophage Count
C12346 0	Macrophages/Leukocytes	Macrophages/Leukocytes	A relative measurement (ratio or percentage) of the macrophages to leukocytes in a biological specimen.	Macrophage to Leukocyte Ratio
C13543 1	Macrophages/Non-Squam Epi Cells	Macrophages/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the macrophages to non-squamous epithelial cells in a biological specimen.	Macrophages to Non-Squamous Epithelial Cells Ratio Measurement
C11124 4	Macrophages/Total Cells	Macrophages/Total Cells	A relative measurement (ratio or percentage) of the macrophages to total cells in a biological specimen.	Macrophage to Total Cell Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14739 0	Macroscopic Blood	Macroscopic Blood;Visible Blood	A measurement of the blood in body products such as a urine or stool sample, and visibly detectable on gross examination.	Macroscopic Blood Measurement
C64840	Magnesium	Magnesium	A measurement of the magnesium in a biological specimen.	Magnesium Measurement
C79456	Magnesium/Creatinine	Magnesium/Creatinine	A relative measurement (ratio or percentage) of the magnesium to creatinine in a biological specimen.	Magnesium to Creatinine Ratio Measurement
C74660	Malignant Cells, NOS	Malignant Cells, NOS	A measurement of the malignant cells of all types in a biological specimen.	Malignant Cell Count
C74643	Malignant Cells, NOS/Blood Cells	Malignant Cells, NOS/Blood Cells	A relative measurement (ratio or percentage) of the malignant cells of all types to all blood cells in a biological specimen.	Malignant Cell to Blood Cell Ratio Measurement
C11124 6	Mast Cells	Mast Cells;Mastocytes	A measurement of the mast cells in a biological specimen.	Mast Cell Count
C11124 7	Mast Cells/Total Cells	Mast Cells/Total Cells	A relative measurement (ratio or percentage) of the mast cells to total cells in a biological specimen.	Mast Cell to Total Cell Ratio Measurement
C80192	Matrix Metalloproteinase 1	Interstitial Collagenase;Matrix Metalloproteinase 1	A measurement of the matrix metalloproteinase 1 in a biological specimen.	Matrix Metalloproteinase 1 Measurement
C80193	Matrix Metalloproteinase 2	Gelatinase A;Matrix Metalloproteinase 2	A measurement of the matrix metalloproteinase 2 in a biological specimen.	Matrix Metalloproteinase 2 Measurement
C80194	Matrix Metalloproteinase 3	Matrix Metalloproteinase 3;Stromelysin 1	A measurement of the matrix metalloproteinase 3 in a biological specimen.	Matrix Metalloproteinase 3 Measurement
C80195	Matrix Metalloproteinase 7	Matrilysin;Matrix Metalloproteinase 7	A measurement of the matrix metalloproteinase 7 in a biological specimen.	Matrix Metalloproteinase 7 Measurement
C80196	Matrix Metalloproteinase 8	Matrix Metalloproteinase 8;Neutrophil Collagenase	A measurement of the matrix metalloproteinase 8 in a biological specimen.	Matrix Metalloproteinase 8 Measurement
C80197	Matrix Metalloproteinase 9	Gelatinase B;Matrix Metalloproteinase 9	A measurement of the matrix metalloproteinase 9 in a biological specimen.	Matrix Metalloproteinase 9 Measurement
C74661	Mature Plasma Cells	Mature Plasma Cells;Plasmacytes	A measurement of the mature plasma cells (plasmacytes) in a biological specimen.	Mature Plasma Cell Count
C74911	Mature Plasma Cells/Lymphocytes	Mature Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the mature plasma cells (plasmacytes) to all lymphocytes in a biological specimen.	Mature Plasma Cell to Lymphocyte Ratio Measurement
C98869	Mature Plasma Cells/Total Cells	Mature Plasma Cells/Total Cells	A relative measurement (ratio or percentage) of the mature plasma cells (plasmacytes) to total cells in a biological specimen (for example a bone marrow specimen).	Plasma Cell to Total Cell Ratio Measurement
C12762 8	Maturing Erythroid Cells/Total Cells	Maturing Erythroid/Total Cells	A relative measurement (ratio or percentage) of the maturing erythroid cells to total cells in a biological specimen.	Maturing Erythroid Cell to Total Cell Ratio Measurement
C12762 9	Maturing Myeloid Cells/Total Cells	Maturing Myeloid/Total Cells	A relative measurement (ratio or percentage) of the maturing myeloid cells to total cells in a biological specimen.	Maturing Myeloid Cell to Total Cell Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74614	May-Hegglin Anomaly	May-Hegglin Anomaly	A measurement of the May-Hegglin anomaly in a blood sample. This anomaly is characterized by large, misshapen platelets and the presence of Dohle bodies in leukocytes.	May-Hegglin Anomaly Measurement
C11421 5	MCV Reticulocytes	MCV Reticulocytes;MCVr;Mean Corpuscular Volume Reticulocytes	A measurement of the mean volume of reticulocytes in a biological specimen.	Reticulocyte Mean Corpuscular Volume
C96686	Mean Platelet Component	Mean Platelet Component	A measurement of the mean platelet component (platelet activity) in a blood specimen.	Mean Platelet Component Measurement
C11421 4	Mean Platelet Dry Mass	Mean Platelet Dry Mass	A measurement of the mean platelet dry mass in a biological specimen.	Mean Platelet Dry Mass
C74730	Mean Platelet Volume	Mean Platelet Volume	A measurement of the average size of the platelets present in a blood sample.	Mean Platelet Volume Measurement
C14739 1	Meconium	Meconium	A measurement of the meconium in a biological specimen.	Meconium Measurement
C13907 9	Medazepam	Medazepam	A measurement of the medazepam present in a biological specimen.	Medazepam Measurement
C11619 3	Medium Absorption Retic/Reticulocytes	Medium Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the medium absorption reticulocytes to total reticulocytes in a biological specimen.	Medium Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C11619 2	Medium Absorption Reticulocytes	Medium Absorption Reticulocytes	A measurement of the medium absorption reticulocytes in a biological specimen.	Medium Absorption Reticulocyte Measurement
C98752	Megakaryoblasts	Megakaryoblasts	A measurement of the megakaryoblasts in a biological specimen.	Megakaryoblast Cell Count
C98753	Megakaryoblasts/Total Cells	Megakaryoblasts/Total Cells	A relative measurement (ratio or percentage) of the megakaryoblasts to total cells in a biological specimen (for example a bone marrow specimen).	Megakaryoblast to Total Cell Ratio Measurement
C13543 2	Megakaryocyte and Megakaryoblast Morph	Megakaryocyte and Megakaryoblast Morph;Megakaryocyte and Megakaryoblast Morphology	An examination or assessment of the form and structure of megakaryoblasts and megakaryocytes.	Megakaryocyte and Megakaryoblast Morphology Assessment
C96688	Megakaryocytes	Megakaryocytes	A measurement of the megakaryocytes per unit of a biological specimen.	Megakaryocyte Count
C98867	Megakaryocytes/Total Cells	Megakaryocytes/Total Cells	A relative measurement (ratio or percentage) of the megakaryocytes to total cells in a biological specimen (for example a bone marrow specimen).	Megakaryocyte to Total Cell Ratio Measurement
C74867	Melatonin	Melatonin	A measurement of the melatonin hormone in a biological specimen.	Melatonin Measurement
C11125 0	Meningeal Cells	Meningeal Cells	A measurement of the meningeal cells in a biological specimen.	Meningeal Cell Count
C11125 1	Meningeal Cells/Total Cells	Meningeal Cells/Total Cells	A relative measurement (ratio or percentage) of the meningeal cells to total cells in a biological specimen.	Meningeal Cell to Total Cell Ratio Measurement
C14739 2	Meperidine	Meperidine	A measurement of the meperidine in a biological specimen.	Meperidine Measurement
C14739 3	Mercury	Hg;Mercury	A measurement of the mercury in a biological specimen.	Mercury Measurement
C14739 8	Mesothelial Cells	Mesothelial Cells	A measurement of the mesothelial cells in a biological specimen.	Mesothelial Cells Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14739 9	Mesothelial Cells/Leukocytes	Mesothelial Cells/Leukocytes	A relative measurement (ratio or percentage) of the mesothelial cells to total leukocytes in a biological specimen.	Mesothelial Cells to Leukocytes Ratio Measurement
C74615	Metamyelocytes	Metamyelocytes	A measurement of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) in a biological specimen.	Metamyelocyte Count
C74645 s	Metamyelocytes/Leukocytes	Metamyelocytes/Leukocytes	A relative measurement (ratio or percentage) of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) to all leukocytes in a biological specimen.	Metamyelocyte to Leukocyte Ratio Measurement
C98754	Metamyelocytes/Total Cells	Metamyelocytes/Total Cells	A relative measurement (ratio or percentage ) of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) to total cells in a biological specimen (for example a bone marrow specimen).	Metamyelocyte to Total Cell Ratio Measurement
C11619 8	Metanephrine	Metadrenaline;Metanephrine	A measurement of the metanephrine in a biological specimen.	Metanephrine Measurement
C14740 0	Metanephrine, Free	Metanephrine, Free	A measurement of the free metanephrine in a biological specimen.	Free Metanephrine Measurement
C12897 2	Metarubricyte	Metarubricyte;Orthochromatophilic Normoblast;Orthochromic Erythroblast;Orthochromic Normoblast	A measurement of the metarubricytes in a biological specimen.	Metarubricyte Count
C12897 1	Metarubricyte/Total Cells	Metarubricyte/Total Cells	A relative measurement (ratio or percentage) of the metarubricytes to total cells in a biological specimen.	Metarubricyte to Total Cell Ratio Measurement
C74881	Methadone	Methadone	A measurement of the methadone present in a biological specimen.	Methadone Measurement
C75348	Methamphetamine	Methamphetamine	A measurement of the methamphetamine drug present in a biological specimen.	Methamphetamine Measurement
C14739 4	Methanol	Methanol	A measurement of the methanol in a biological specimen.	Methanol Measurement
C74882	Methaqualone	Methaqualone	A measurement of the methaqualone present in a biological specimen.	Methaqualone Measurement
C96689	Methemoglobin	Methemoglobin	A measurement of the methemoglobin in a biological specimen.	Methemoglobin Measurement
C14736 7	Methemoglobin/Total Hemoglobin	Methemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of methemoglobin compared to total hemoglobin in a biological specimen.	Methemoglobin to Total Hemoglobin Ratio Measurement
C12223 8	Methionine	Methionine	A measurement of the methionine in a biological specimen.	Methionine Measurement
C96690	Methylmalonic Acid	Methylmalonate;Methylmalonic Acid	A measurement of the methylmalonic acid in a biological specimen.	Methylmalonic Acid Measurement
C64822	Microcytes	Microcytes	A measurement of the microcytes in a biological specimen.	Microcyte Count
C11784 3	Microfilaria	Microfilaria	Presence of microfilaria stage of filarial nematodes in smears prepared from whole blood or other body fluids.	Microfilaria Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11619 9	Mid Cell Fraction	Mid Cell Fraction;Mid Cells	A measurement of the mid cell fraction, including eosinophils, basophils, monocytes and other precursor white blood cells, in a biological specimen.	Mid Cell Fraction Measurement
C13908 3	Midazolam	Midazolam	A measurement of the midazolam present in a biological specimen.	Midazolam Measurement
C14739 5	Mitochondrial M2 Antibody	Mitochondrial M2 Antibody	A measurement of the mitochondrial antibodies of M2 specificity in a biological specimen.	Mitochondrial M2 Antibody Measurement
C13010 0	Mixed Antigen IgE Antibody	Mixed Antigen IgE Antibody	A measurement of the mixed antigen IgE antibody in a biological specimen.	Mixed Antigen IgE Antibody Measurement
C74771	Mixed Casts	Mixed Casts	A measurement of the mixed (the cast contains a mixture of cell types) casts present in a biological specimen.	Mixed Cast Count
C16790	Mixed Lymphocyte Reaction	Mixed Leukocyte Reaction;Mixed Lymphocyte Reaction	A measurement of the histocompatibility at the HL-A locus between two populations of lymphocytes taken from two separate individuals.	Mixed Lymphocyte Reaction Test
C13011 1	Mold Mix Antigen IgA Antibody	Mold Mix Antigen IgA Antibody	A measurement of the mold mix antigen IgA antibody in a biological specimen.	Mold Mix Antigen IgA Antibody Measurement
C13010 9	Mold Mix Antigen IgE Antibody	Mold Mix Antigen IgE Antibody	A measurement of the mold mix antigen IgE antibody in a biological specimen.	Mold Mix Antigen IgE Antibody Measurement
C13011 0	Mold Mix Antigen IgG Antibody	Mold Mix Antigen IgG Antibody	A measurement of the mold mix antigen IgG antibody in a biological specimen.	Mold Mix Antigen IgG Antibody Measurement
C74631	Monoblasts	Monoblasts	A measurement of the monoblast cells in a biological specimen.	Monoblast Count
C74646	Monoblasts/Leukocytes	Monoblasts/Leukocytes	A relative measurement (ratio or percentage) of the monoblasts to leukocytes in a biological specimen.	Monoblast to Leukocyte Ratio Measurement
C92291	Monoclonal Protein	Monoclonal Immunoglobulin Protein;Monoclonal Protein;Paraprotein	A measurement of homogenous immunoglobulin resulting from the proliferation of a single clone of plasma cells in a biological specimen.	Monoclonal Protein Measurement
C11784 4	Monoclonal Protein Spike	Monoclonal Protein Spike	A measurement of the monoclonal protein in the region of the electrophoresis field containing a spike (increase) in protein.	Monoclonal Protein Spike Measurement
C14739 7	Monoclonal Protein/Total Protein	Monoclonal Protein/Total Protein	A relative measurement (ratio or percentage) of the monoclonal protein to total protein in a biological specimen.	Monoclonal Protein to Total Protein Ratio Measurement
C82025	Monocyte Chemotactic Protein 1	Monocyte Chemotactic Protein 1	A measurement of the monocyte chemotactic protein 1 in a biological specimen.	Monocyte Chemotactic Protein 1 Measurement
C64823	Monocytes	Monocytes	A measurement of the monocytes in a biological specimen.	Monocyte Count
C14739 6	Monocytes and Macrophages/Leukocytes	Monocytes and Macrophages/Leukocytes	A relative measurement (ratio or percentage) of the monocytes and macrophages to total leukocytes in a biological specimen.	Monocytes and Macrophages to Leukocytes Ratio Measurement
C64824	Monocytes/Leukocytes	Monocytes/Leukocytes	A relative measurement (ratio or percentage) of the monocytes to leukocytes in a biological specimen.	Monocyte to Leukocyte Ratio



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10654 4	Monocytes/Macrocytes	Monocytes/Macrocytes	A relative measurement (ratio or percentage) of the monocytes to macrocytes present in a sample.	Monocytes to Macrocytes Ratio Measurement
C13543 3	Monocytes/Non-Squam Epi Cells	Monocytes/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the monocytes to non-squamous epithelial cells in a biological specimen.	Monocytes to Non-Squamous Epithelial Cells Ratio Measurement
C98872	Monocytes/Total Cells	Monocytes/Total Cells	A relative measurement (ratio or percentage) of the monocytes to total cells in a biological specimen (for example a bone marrow specimen).	Monocytes to Total Cell Ratio Measurement
C11127 6	Monocytoid Cells	Monocytoid Cells	A measurement of the monocytoid cells in a biological specimen.	Monocytoid Cell Count
C12064 1	Monocytoid Cells/Leukocytes	Monocytoid Cells/Leukocytes	A relative measurement (ratio or percentage) of the monocytoid cells to leukocytes in a biological specimen.	Monocytoid Cells to Leukocytes Ratio Measurement
C11127 7	Monocytoid Cells/Total Cells	Monocytoid Cells/Total Cells	A relative measurement (ratio or percentage) of the monocytoid cells to total cells in a biological specimen.	Monocytoid Cell to Total Cell Ratio Measurement
C74681	Monosodium Urate Crystals	Monosodium Urate Crystals	A measurement of the monosodium urate crystals present in a biological specimen.	Monosodium Urate Crystal Measurement
C74883	Morphine	Morphine	A measurement of the morphine present in a biological specimen.	Morphine Measurement
C14743 3	Motile Sperm/Total Sperm	Motile Sperm/Total Sperm	A relative measurement (ratio or percentage) of the motile sperm to total sperm in a biological specimen.	Motile Sperm to Total Sperm Ratio Measurement
C79457	Mu Glutathione-S-Transferase	Mu Glutathione-S-Transferase	A measurement of the mu form of glutathione S-transferase in a biological specimen.	Mu Glutathione-S-Transferase Measurement
C79458	Mu Glutathione-S-Transferase/Creatinine	Mu Glutathione-S-Transferase/Creatinine	A relative measurement (ratio or percentage) of the mu gamma glutamyl transpeptidase to creatinine in a biological specimen.	Mu Glutathione-S-Transferase to Creatinine Ratio Measurement
C13009 7	Mucor racemosus IgA	Mucor racemosus IgA	A measurement of the Mucor racemosus antigen IgA antibody in a biological specimen.	Mucor racemosus IgA Measurement
C13009 6	Mucor racemosus IgE	Mucor racemosus IgE	A measurement of the Mucor racemosus antigen IgE antibody in a biological specimen.	Mucor racemosus IgE Measurement
C13009 8	Mucor racemosus IgG	Mucor racemosus IgG	A measurement of the Mucor racemosus antigen IgG antibody in a biological specimen.	Mucor racemosus IgG Measurement
C13009 9	Mucor racemosus IgG4	Mucor racemosus IgG4	A measurement of the Mucor racemosus antigen IgG4 antibody in a biological specimen.	Mucor racemosus IgG4 Measurement
C74721	Mucous Threads	Mucous Threads	A measurement of the mucous threads present in a biological specimen.	Mucous Thread Measurement
C12213 6	Mumps Virus IgG Antibody	Mumps Virus IgG Antibody	A measurement of the mumps virus IgG antibody in a biological specimen.	Mumps Virus IgG Antibody Measurement
C12763 0	Murinoglobulin	Murinoglobulin	A measurement of the murinoglobulin in a biological specimen.	Murinoglobulin Measurement
C12434 6	Mycobacterium tuberculosis IgA Antibody	Mycobacterium tuberculosis IgA Antibody	A measurement of the Mycobacterium tuberculosis IgA antibodies in a biological specimen.	Mycobacterium tuberculosis IgA Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12434 7	Mycobacterium tuberculosis IgE Antibody	Mycobacterium tuberculosis IgE Antibody	A measurement of the Mycobacterium tuberculosis IgE antibodies in a biological specimen.	Mycobacterium tuberculosis IgE Antibody Measurement
C12434 8	Mycobacterium tuberculosis IgG Antibody	Mycobacterium tuberculosis IgG Antibody	A measurement of the Mycobacterium tuberculosis IgG antibodies in a biological specimen.	Mycobacterium tuberculosis IgG Antibody Measurement
C92279	Mycobacterium tuberculosis Nucleic Acid	Mycobacterium tuberculosis Nucleic Acid	A measurement of the Mycobacterium tuberculosis nucleic acid in a biological specimen.	Mycobacterium tuberculosis Nucleic Acid Measurement
C10341 8	Myelin Antibodies	Myelin Antibodies	A measurement of the myelin antibodies in a biological specimen.	Myelin Antibodies Measurement
C12213 5	Myelin Basic Protein	Myelin Basic Protein	A measurement of the myelin basic protein in a biological specimen.	Myelin Basic Protein Measurement
C74632	Myeloblasts	Myeloblasts	A measurement of the myeloblast cells in a biological specimen.	Myeloblast Count
C64825	Myeloblasts/Leukocytes	Myeloblasts/Leukocytes	A relative measurement (ratio or percentage) of the myeloblasts to leukocytes in a biological specimen.	Myeloblast to Leukocyte Ratio
C98761	Myeloblasts/Total Cells	Myeloblasts/Total Cells	A relative measurement (ratio or percentage) of the myeloblasts to total cells in a biological specimen (for example a bone marrow specimen).	Myeloblast to Total Cell Ratio Measurement
C74662	Myelocytes	Myelocytes	A measurement of the myelocytes in a biological specimen.	Myelocyte Count
C64826	Myelocytes/Leukocytes	Myelocytes/Leukocytes	A relative measurement (ratio or percentage) of the myelocytes to leukocytes in a biological specimen.	Myelocyte to Leukocyte Ratio
C98868	Myelocytes/Total Cells	Myelocytes/Total Cells	A relative measurement (ratio or percentage) of the myelocytes to total cells in a biological specimen (for example a bone marrow specimen).	Myelocyte to Total Cell Ratio Measurement
C13543 4	Myeloid Maturation Index	Myeloid Maturation Index	A relative measurement (ratio) of the sum of myeloid maturation phase cells (pool) to the sum of myeloid proliferative phase cells (pool) in a biological specimen.	Myeloid Maturation Index
C13543 5	Myeloid Maturation Pool	Myeloid Maturation Pool	A measurement of the myeloid maturation phase cells (metamyelocytes, band neutrophils, and segmented neutrophils) in a biological specimen.	Myeloid Maturation Pool Count
C13016 5	Myeloid Progenitor Cells	Myeloid Progenitor Cells	A measurement of the myeloid progenitor cells in a biological specimen.	Myeloid Progenitor Cell Count
C13543 6	Myeloid Proliferation Index	Myeloid Proliferation Index	A relative measurement (ratio) of the sum of myeloid proliferative phase cells (pool) to the sum of myeloid maturation phase cells (pool) in a biological specimen.	Myeloid Proliferation Index
C13543 7	Myeloid Proliferation Pool	Myeloid Proliferation Pool	A measurement of the myeloid proliferative phase cells (myeloblasts, promyelocytes, and myelocytes) in a biological specimen.	Myeloid Proliferation Pool Count
C92242	Myeloid/Erythroid Ratio	Myeloid/Erythroid Ratio	A relative measurement of myeloid progenitor cells to erythrocyte precursor cells in a biological specimen.	Myeloid to Erythroid Ratio Measurement
C80198	Myeloperoxidase	Myeloperoxidase	A measurement of the myeloperoxidase in a biological specimen.	Myeloperoxidase Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92280	Myeloperoxidase Antibody	Myeloperoxidase Antibody	A measurement of the myeloperoxidase antibody in a biological specimen.	Myeloperoxidase Antibody Measurement
C119290	Myeloperoxidase Index	Myeloperoxidase Index	The mean peroxidase activity index or staining intensity of the neutrophil population relative to the archetype.	Neutrophil Myeloperoxidase Index
C79436	Myoglobin	Myoglobin	A measurement of myoglobin in a biological specimen.	Myoglobin Measurement
C106546	Myoglobin/Creatinine	Myoglobin/Creatinine	A relative measurement (ratio or percentage) of the myoglobin to creatinine present in a sample.	Myoglobin to Creatinine Ratio Measurement
C106547	Myosin Light Chain 3	Cardiac myosin light chain 1;Myosin Light Chain 3;Myosin light chain 1, slow-twitch muscle B/ventricular isoform	A measurement of myosin light chain 3 in a biological specimen.	Myosin Light Chain 3 Measurement
C79459	N-Acetyl Glucosamide	N-Acetyl Glucosamide;N-Acetyl Glucosamine	A measurement of N-acetyl glucosamide (sugar derivative) in a biological specimen.	N-Acetyl Glucosamide Measurement
C79460	N-Acetyl Glucosamide/Creatinine	N-Acetyl Glucosamide/Creatinine	A relative measurement (ratio or percentage) of the N-acetyl glucosamide to creatinine in a biological specimen.	N-Acetyl Glucosamide to Creatinine Ratio Measurement
C103419	N-acetyl-beta-D-glucosaminidase	Beta-N-acetyl-D-glucosaminidase;N-acetyl-beta-D-glucosaminidase	A measurement of the N-acetyl-beta-D-glucosaminidase (enzyme) in a biological specimen.	N-acetyl-beta-D-glucosaminidase Measurement
C147404	N-methylhistamine	N-methylhistamine	A measurement of the N-methylhistamine in a biological specimen.	N-methylhistamine Measurement
C74743	N-telopeptide	N-telopeptide	A measurement of the N-telopeptide in a biological specimen.	N-Telopeptide Measurement
C120645	N-telopeptide/Creatinine	N-telopeptide/Creatinine	A relative measurement (ratio or percentage) of the N-telopeptide to creatinine in a biological specimen.	N-telopeptide to Creatinine Ratio Measurement
C139088	N-Terminal ProA-type Natriuretic Peptide	N-Terminal ProA-type Natriuretic Peptide;N-terminal pro-Atrial Natriuretic Peptide;NT proANP II	A measurement of the N-terminal proA-type natriuretic peptide in a biological specimen.	N-Terminal ProA-type Natriuretic Peptide Measurement
C96610	N-Terminal ProB-type Natriuretic Peptide	N-Terminal ProB-type Natriuretic Peptide;N-terminal pro-Brain Natriuretic Peptide;NT proBNP II	A measurement of the N-terminal proB-type natriuretic peptide in a biological specimen.	N-Terminal ProB-type Natriuretic Peptide Measurement
C116203	Natural Killer Cell Function	Natural Killer Cell Activity;Natural Killer Cell Function	A measurement of the natural killer cell function in a biological specimen.	Natural Killer Cell Activity Measurement
C98762	Natural Killer Cells	Natural Killer Cells	A measurement of the total natural killer cells in a biological specimen.	Natural Killer Cell Count
C92298	Neisseria gonorrhoeae Screening	Neisseria gonorrhoeae Screening	Examination of a biological specimen to detect the presence of Neisseria gonorrhoeae.	Neisseria gonorrhoeae Screening
C80199	Neopterin	Neopterin	A measurement of the neopterin in a biological specimen.	Neopterin Measurement
C135439	Nerve Growth Factor	Nerve Growth Factor	A measurement of the nerve growth factor in a biological specimen.	Nerve Growth Factor Measurement
C142285	Neurofilament Light Chain Protein	Neurofilament Light Chain Protein;Neurofilament Light Polypeptide;Protein Phosphatase 1, Regulatory Subunit 110	A measurement of the neurofilament light chain protein in a biological specimen.	Neurofilament Light Chain Protein Measurement
C116205	Neuron Specific Enolase	Enolase 2;Gamma-enolase;Neuron Specific Enolase	A measurement of the neuron specific enolase in a biological specimen.	Neuron Specific Enolase Measurement
C74892	Neuropeptide Y	Neuropeptide Y	A measurement of the neuropeptide Y in a biological specimen.	Neuropeptide Y Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14740 7	Neutral Fats	Neutral Fats	A measurement of the total neutral fats in a biological specimen.	Neutral Fats Measurement
C14730 0	Neutrophil Cytoplasmic Ab, Atypical	Anti-Neutrophil Cytoplasmic Antibody, Atypical;Neutrophil Cytoplasmic Ab, Atypical	A measurement of the atypical (cytoplasmic staining usually uniform and no interlobular accentuation) neutrophil cytoplasmic antibodies in a biological specimen.	Atypical Neutrophil Cytoplasmic Antibody Measurement
C14730 1	Neutrophil Cytoplasmic Ab, Classic	Anti-Neutrophil Cytoplasmic Antibody, Classic;Neutrophil Cytoplasmic Ab, Classic	A measurement of the classic (cytoplasmic granular fluorescence with central interlobular accentuation) neutrophil cytoplasmic antibodies in a biological specimen.	Classic Neutrophil Cytoplasmic Antibody Measurement
C14730 2	Neutrophil Cytoplasmic Ab, Perinuclear	Anti-Neutrophil Cytoplasmic Antibody, Perinuclear;Neutrophil Cytoplasmic Ab, Perinuclear	A measurement of the perinuclear (perinuclear staining without nuclear extension) neutrophil cytoplasmic antibodies in a biological specimen.	Perinuclear Neutrophil Cytoplasmic Antibody Measurement
C82026	Neutrophil Elastase	Neutrophil Elastase	A measurement of the neutrophil elastase in a biological specimen.	Neutrophil Elastase Measurement
C82027	Neutrophil Elastase, Polymorphonuclear	Neutrophil Elastase, Polymorphonuclear	A measurement of the polymorphonuclear neutrophil elastase in a biological specimen.	Polymorphonuclear Neutrophil Elastase Measurement
C84822	Neutrophilic Metamyelocytes	Neutrophilic Metamyelocytes	A measurement of the neutrophilic metamyelocytes in a biological specimen.	Neutrophilic Metamyelocyte Count
C84823	Neutrophilic Myelocytes	Neutrophilic Myelocytes	A measurement of the neutrophilic myelocytes in a biological specimen.	Neutrophilic Myelocyte Count
C13237 6	Neutrophilic Toxic Change	Neutrophilic Toxic Change	A measurement of any type of toxic change in cells of the neutrophilic lineage in a biological specimen.	Neutrophilic Toxic Change Assessment
C63321	Neutrophils	ANC;Neutrophils	A measurement of the neutrophils in a biological specimen.	Absolute Neutrophil Count
C64830	Neutrophils Band Form	Neutrophils Band Form	A measurement of the banded neutrophils in a biological specimen.	Neutrophil Band Form Count
C12064 2	Neutrophils Band Form/Neutrophils	Neutrophils Band Form/Neutrophils	A relative measurement (ratio or percentage) of banded neutrophils to total neutrophils in a biological specimen.	Neutrophils Band Form to Neutrophils Ratio Measurement
C64831	Neutrophils Band Form/Leukocytes	Neutrophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded neutrophils to leukocytes in a biological specimen.	Neutrophil Band Form to Leukocyte Ratio
C81997	Neutrophils, Segmented	Neutrophils, Segmented	A measurement of the segmented neutrophils in a biological specimen.	Segmented Neutrophil Count
C82045	Neutrophils, Segmented/Leukocytes	Neutrophils, Segmented/Leukocytes	A relative measurement (ratio or percentage) of segmented neutrophils to leukocytes in a biological specimen.	Segmented Neutrophil to Leukocyte Ratio Measurement
C12064 3	Neutrophils, Segmented/Neutrophils	Neutrophils, Segmented/Neutrophils	A relative measurement (ratio or percentage) of segmented neutrophils to total neutrophils in a biological specimen.	Segmented Neutrophils to Neutrophils Ratio Measurement
C64827	Neutrophils/Leukocytes	Neutrophils/Leukocytes	A relative measurement (ratio or percentage) of the neutrophils to leukocytes in a biological specimen.	Neutrophil to Leukocyte Ratio
C13543 8	Neutrophils/Non-Squam Epi Cells	Neutrophils/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the neutrophils to non-squamous epithelial cells in a biological specimen.	Neutrophils to Non-Squamous Epithelial Cells Ratio Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98763	Neutrophils/Total Cells	Neutrophils/Total Cells	A relative measurement (ratio or percentage) of the neutrophils to total cells in a biological specimen (for example a bone marrow specimen).	Neutrophil to Total Cell Ratio Measurement
C74899	Niacin	Niacin;Vitamin B3	A measurement of the niacin in a biological specimen.	Vitamin B3 Measurement
C14740 3	Nicotine	Nicotine	A measurement of the nicotine in a biological specimen.	Nicotine Measurement
C11236 0	Nitric Oxide	NO;Nitric Oxide	A measurement of the nitric oxide in a biological specimen.	Nitric Oxide Measurement
C64810	Nitrite	Nitrite	A measurement of the nitrite in a urine specimen.	Nitrite Measurement
C11620 4	Non-HDL Cholesterol	Non-HDL Cholesterol;Non-High Density Lipoprotein	A measurement of the non-high density lipoprotein cholesterol in a biological specimen.	Non-High Density Lipoprotein Cholesterol Measurement
C12064 4	Non-HDL Cholesterol/HDL Cholesterol	Non-HDL Cholesterol/HDL Cholesterol	A relative measurement (ratio or percentage) of non-high density lipoprotein cholesterol to high density lipoprotein cholesterol in a biological specimen.	Non-HDL Cholesterol to HDL Cholesterol Ratio Measurement
C84811	Non-Phosphorylated Tau Protein	Non-Phosphorylated Tau Protein	A measurement of the non-phosphorylated Tau protein in a biological specimen.	Nonphosphorylated Tau Protein Measurement
C10043 4	Non-Prostatic Acid Phosphatase	Non-Prostatic Acid Phosphatase	A measurement of the non-prostatic acid phosphatase in a biological specimen.	Non-Prostatic Acid Phosphatase Measurement
C13541 3	Non-Squamous Epithelial Cells	Non-Squamous Epithelial Cells	A measurement of the non-squamous epithelial cells in a biological specimen.	Non-Squamous Epithelial Cell Count
C14740 1	Nonhematic Cells	Nonhematic Cells	A measurement of the cells of nonhematopoietic origin in a biological specimen.	Nonhematic Cells Count
C14740 2	Nonhematic Cells/Leukocytes	Nonhematic Cells/Leukocytes	A relative measurement (ratio) of the nonhematic cells to total leukocytes in a biological specimen.	Nonhematic Cells to Leukocytes Ratio Measurement
C13907 6	Nordazepam	Nordazepam;Nordiazepam	A measurement of the nordazepam present in a biological specimen.	Nordazepam Measurement
C74868	Norepinephrine	Noradrenaline;Norepinephrine	A measurement of the norepinephrine hormone in a biological specimen.	Noradrenaline Measurement
C14228 6	Normal Sperm/Total Sperm	Normal Sperm/Total Sperm;Sperm Morphology	A measurement (ratio or percentage) of the normal spermatozoa to total spermatozoa in a biological specimen.	Normal Sperm to Total Sperm Ratio Measurement
C12213 8	Normetanephrine	Normetanephrine	A measurement of the normetanephrine in a biological specimen.	Normetanephrine Measurement
C98764	Normoblasts/Total Cells	Normoblasts/Total Cells	A relative measurement (ratio or percentage) of the normoblasts to total cells in a biological specimen (for example a bone marrow specimen).	Normoblast to Total Cell Ratio Measurement
C14740 6	Nornicotine	Nornicotine	A measurement of the nornicotine in a biological specimen.	Nornicotine Measurement
C11421 3	Nuclear Swelling	Nuclear Swelling	A measurement of the expansion of the nucleus of the cells in a biological specimen.	Nuclear Swelling Measurement
C74705	Nucleated Erythrocytes	Nucleated Erythrocytes;Nucleated Red Blood Cells	A measurement of the nucleated erythrocytes (large, immature nucleated erythrocytes) in a biological specimen.	Nucleated Red Blood Cell Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74647	Nucleated Erythrocytes/Erythrocytes	Nucleated Erythrocytes/Erythrocytes;Nucleated Red Blood Cells/Erythrocytes	A relative measurement (ratio or percentage) of the nucleated erythrocytes (large, immature nucleated erythrocytes) to all erythrocytes in a biological specimen.	Nucleated Red Blood Cell to Erythrocyte Ratio Measurement
C82046	Nucleated Erythrocytes/Leukocytes	Nucleated Erythrocytes/Leukocytes	A relative measurement (ratio or percentage) of nucleated erythrocytes to leukocytes in a biological specimen.	Nucleated Erythrocyte to Leukocyte Ratio Measurement
C13012 2	Nut Mix Antigen IgE Antibody	Nut Mix Antigen IgE Antibody	A measurement of the nut mix antigen IgE antibody in a biological specimen.	Nut Mix Antigen IgE Antibody Measurement
C13012 3	Nut Mix Antigen IgG Antibody	Nut Mix Antigen IgG Antibody	A measurement of the nut mix antigen IgG antibody in a biological specimen.	Nut Mix Antigen IgG Antibody Measurement
C74686	Occult Blood	Occult Blood	A measurement of the blood in body products such as a urine or stool sample, not detectable on gross examination.	Occult Blood Measurement
C12213 9	Oligoclonal Bands	Oligoclonal Bands	A measurement of the oligoclonal bands in a biological specimen.	Oligoclonal Bands Measurement
C13237 7	Oncostatin M	Oncostatin M	A measurement of the oncostatin M in a biological specimen.	Oncostatin M Measurement
C74796	Opiate	Opiate	A measurement of any opiate class drug present in a biological specimen.	Opiate Measurement
C13008 1	Orchard Grass Pollen IgA	Cocksfoot Grass Pollen IgA;Orchard Grass Pollen IgA	A measurement of the Dactylis glomerata pollen antigen IgA antibody in a biological specimen.	Orchard Grass Pollen IgA Measurement
C13008 0	Orchard Grass Pollen IgE	Cocksfoot Grass Pollen IgE;Orchard Grass Pollen IgE	A measurement of the Dactylis glomerata pollen antigen IgE antibody in a biological specimen.	Orchard Grass Pollen IgE Measurement
C13008 2	Orchard Grass Pollen IgG	Cocksfoot Grass Pollen IgG;Orchard Grass Pollen IgG	A measurement of the Dactylis glomerata pollen antigen IgG antibody in a biological specimen.	Orchard Grass Pollen IgG Measurement
C13008 3	Orchard Grass Pollen IgG4	Cocksfoot Grass Pollen IgG4;Orchard Grass Pollen IgG4	A measurement of the Dactylis glomerata pollen antigen IgG4 antibody in a biological specimen.	Orchard Grass Pollen IgG4 Measurement
C12214 0	Ornithine	Ornithine	A measurement of the ornithine in a biological specimen.	Ornithine Measurement
C74801	Osmolality	Osmolality	A measurement of the osmoles of solute per unit of biological specimen.	Osmolality Measurement
C74802	Osmolarity	Osmolarity	A measurement of the osmoles of solute per liter of solution.	Osmolarity Measurement
C74744	Osteocalcin	Osteocalcin	A measurement of the osteocalcin in a biological specimen.	Osteocalcin Measurement
C12434 9	Osteopontin	Osteopontin	A measurement of the osteopontin in a biological specimen.	Osteopontin Measurement
C11620 6	Osteoprotegerin	OCIF;Osteoclastogenesis Inhibitory Factor;Osteoprotegerin;TNFRS11B;Tumor Necrosis Factor Receptor Superfamily Member 11b	A measurement of the osteoprotegerin in a biological specimen.	Osteoprotegerin Measurement
C10045 2	Ova and Parasite	Ova and Parasite	A measurement of the parasites and ova in a biological specimen.	Ova and Parasite Measurement
C14228 7	Ovalocytes	Ovalocytes	A measurement of the ovalocytes (oval shaped cell with rounded ends and a long axis less than twice its short axis) in a biological specimen.	Ovalocyte Count
C92250	Oxalate	Ethanedioate;Oxalate	A measurement of the oxalate in a biological specimen.	Oxalate Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11798 3	Oxalate/Creatinine	Oxalate/Creatinine	A relative measurement (ratio or percentage) of the oxalate to creatinine in a biological specimen.	Oxalate to Creatinine Ratio Measurement
C75375	Oxazepam	Oxazepam	A measurement of the oxazepam present in a biological specimen.	Oxazepam Measurement
C12063 5	Oxidized LDL Cholesterol	Oxidized LDL Cholesterol	A measurement of the oxidized low density lipoprotein cholesterol in a biological specimen.	Oxidized LDL Cholesterol Measurement
C11928 8	Oxidized LDL Cholesterol Antibody	Oxidized LDL Cholesterol Antibody	A measurement of the total oxidized low density lipoprotein cholesterol antibody in a biological specimen.	Oxidized LDL Cholesterol Antibody Measurement
C74884	Oxycodone	Oxycodone;Oxycontin	A measurement of the oxycodone present in a biological specimen.	Oxycodone Measurement
C96614	Oxygen Capacity	Oxygen Capacity	A measurement of the maximum amount of oxygen that can be combined chemically with hemoglobin in a volume of blood.	Oxygen Capacity Measurement
C11128 4	Oxygen Content	Oxygen Content	A measurement of the amount of oxygen content in a biological specimen.	Oxygen Measurement
C60832	Oxygen Saturation	Oxygen Saturation	A measurement of the oxygen-hemoglobin saturation of a volume of blood.	Oxygen Saturation Measurement
C96616	Oxyhemoglobin	Oxyhemoglobin	A measurement of the oxyhemoglobin, oxygen-bound hemoglobin, in a biological specimen.	Oxyhemoglobin Measurement
C14735 9	Oxyhemoglobin/Total Hemoglobin	Oxyhemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of oxyhemoglobin compared to total hemoglobin in a biological specimen.	Oxyhemoglobin to Total Hemoglobin Ratio Measurement
C14740 9	Oxymorphone	Oxymorphone	A measurement of the Oxymorphone in a biological specimen.	Oxymorphone Measurement
C74869	Oxytocin	Oxytocin;Oxytoxin	A measurement of the oxytocin hormone in a biological specimen.	Oxytocin Measurement
C12763 1	P-Aminohippurate Sodium	P-Aminohippurate Sodium	A measure of the para-aminohippurate sodium in a biological specimen.	Para-Aminohippurate Sodium Measurement
C11785 0	P-Selectin	GMP-140;P-Selectin	A measurement of total P-selectin in a biological specimen.	P-Selectin Measurement
C13014 7	P. notatum Antigen IgA Antibody	P. notatum Antigen IgA Antibody	A measurement of the Penicillium notatum antigen IgA antibody in a biological specimen.	Penicillium notatum Antigen IgA Antibody Measurement
C13014 6	P. notatum Antigen IgE Antibody	P. notatum Antigen IgE Antibody	A measurement of the Penicillium notatum antigen IgE antibody in a biological specimen.	Penicillium notatum Antigen IgE Antibody Measurement
C13014 8	P. notatum Antigen IgG Antibody	P. notatum Antigen IgG Antibody	A measurement of the Penicillium notatum antigen IgG antibody in a biological specimen.	Penicillium notatum Antigen IgG Antibody Measurement
C13014 9	P. notatum Antigen IgG4 Antibody	P. notatum Antigen IgG4 Antibody	A measurement of the Penicillium notatum antigen IgG4 antibody in a biological specimen.	Penicillium notatum Antigen IgG4 Antibody Measurement
C12065 1	P100 Polymyositis-scleroderma Autoag Ab	P100 Polymyositis-scleroderma Autoag Ab	A measurement of the p100 polymyositis-scleroderma overlap syndrome-associated autoantigen antibody in a biological specimen.	P100 Polymyositis-scleroderma Autoantigen Antibody Measurement
C10227 9	P50 Oxygen	P50 Oxygen	A measurement of the partial pressure of oxygen when hemoglobin is half saturated in a biological specimen.	P50 Oxygen Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82028	Pancreatic Elastase 1	Pancreatic Elastase 1	A measurement of the pancreatic elastase 1 in a biological specimen.	Pancreatic Elastase Measurement
C82029	Pancreatic Elastase 1, Polymorphonuclear	Pancreatic Elastase 1, Polymorphonuclear	A measurement of the polymorphonuclear pancreatic elastase 1 in a biological specimen.	Polymorphonuclear Pancreatic Elastase Measurement
C80201	Pancreatic Polypeptide	Pancreatic Polypeptide	A measurement of the pancreatic polypeptide in a biological specimen.	Pancreatic Polypeptide Measurement
C116210	Panel Reactive Antibody	PRA Score;Panel Reactive Antibody;Percent Reactive Antibody	A measurement of the panel reactive antibody that is achieved by mixing and assessing the reactivity between the recipient's immune cells and the donor's human leukocyte antigen, in which anti-HLA class I and class II antibody specificities are measured separately in a biological specimen.	Panel Reactive Antibody Test
C74616	Pappenheimer Bodies	Pappenheimer Bodies	A measurement of the cells containing Pappenheimer Bodies (violet or blue staining ferritin granules usually found along the periphery of the red blood cells) in a biological specimen.	Pappenheimer Body Count
C81964	Parathyroid Hormone, C-Terminal	Parathyrin Hormone, C-Terminal;Parathyroid Hormone, C-Terminal	A measurement of the C-terminal fragment of parathyroid hormone in a biological specimen.	C-Terminal Parathyroid Hormone Measurement
C74784	Parathyroid Hormone, Fragmented	Parathyrin Hormone, Fragmented;Parathyroid Hormone, Fragmented	A measurement of the fragmented parathyroid hormone in a biological specimen.	Fragmented Parathyroid Hormone Measurement
C74789	Parathyroid Hormone, Intact	Parathyrin, Intact;Parathyroid Hormone, Intact	A measurement of the intact parathyroid hormone (consisting of amino acids 1-84 or 7-84) in a biological specimen.	Intact Parathyroid Hormone Measurement
C81965	Parathyroid Hormone, Mid-Molecule	Parathyrin Hormone, Mid-Molecule;Parathyroid Hormone, Mid-Molecule	A measurement of the mid-molecule fragment of parathyroid hormone in a biological specimen.	Mid-Molecule Parathyroid Hormone Measurement
C81966	Parathyroid Hormone, N-Terminal	Parathyrin Hormone, N-Terminal;Parathyroid Hormone, N-Terminal	A measurement of the N-terminal fragment of parathyroid hormone in a biological specimen.	N-Terminal Parathyroid Hormone Measurement
C103451	Parathyroid Hormone, Whole	Parathyrin Hormone, Whole;Parathyroid Hormone, Whole	A measurement of the whole parathyroid hormone (consisting of amino acids 1-84) in a biological specimen.	Whole Parathyroid Hormone Measurement
C117851	Parathyroid Hormone-related Protein	Parathyrin Hormone-related Protein;Parathyroid Hormone-related Peptide;Parathyroid Hormone-related Protein	A measurement of parathyroid hormone-related protein in a biological specimen.	Parathyroid Hormone-related Protein Measurement
C116207	Parietal Cell Antibody	Anti-Parietal Cell Antibody;Parietal Cell Antibody	A measurement of the parietal cell antibody in a biological specimen.	Parietal Cell Antibody Measurement
C147410	Paroxetine	Paroxetine	A measurement of the paroxetine present in a biological specimen.	Paroxetine Measurement
C82625	Partial Pressure Carbon Dioxide	Partial Pressure Carbon Dioxide	A measurement of the pressure of carbon dioxide in a biological specimen.	Partial Pressure of Carbon Dioxide Measurement
C147411	Partial Pressure Carbon Dioxide Adj Temp	Partial Pressure Carbon Dioxide Adj Temp	A measurement of the pressure of carbon dioxide, which has been adjusted for body temperature, in a biological specimen.	Partial Pressure of Carbon Dioxide Adjusted for Body Temperature Measurement
C71251	Partial Pressure Oxygen	Partial Pressure Oxygen	A measurement of the pressure of oxygen in a biological specimen.	Partial Pressure of Oxygen Measurement
C147417	Partial Pressure Oxygen Adj for Temp	Partial Pressure Oxygen Adj for Temp	A measurement of the pressure of oxygen, which has been adjusted for body temperature, in a biological specimen.	Partial Pressure of Oxygen Adjusted for Body Temperature Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96617	Parvovirus B19 IgG Antibody	Parvovirus B19 IgG Antibody	A measurement of the Parvovirus B19 IgG antibody in a biological specimen.	Parvovirus B19 IgG Antibody Measurement
C96618	Parvovirus B19 IgM Antibody	Parvovirus B19 IgM Antibody	A measurement of the Parvovirus B19 IgM antibody in a biological specimen.	Parvovirus B19 IgM Antibody Measurement
C13237 8	PCA3 mRNA/PSA mRNA	PCA3 mRNA/PSA mRNA	A relative measurement (ratio) of the prostate cancer antigen 3 mRNA to prostate specific antigen mRNA in a biological specimen.	PCA3 mRNA to PSA mRNA Ratio Measurement
C74617	Pelger Huet Anomaly	Pelger Huet Anomaly	A measurement of the Pelger Huet Anomaly (nuclei of neutrophils and eosinophils appear rod-like, spherical or dumbbell shaped) in a biological specimen.	Pelger Huet Anomaly Measurement
C81988	Pemphigoid Antibodies	Pemphigoid Antibodies	A measurement of the pemphigoid antibodies in a biological specimen.	Pemphigoid Antibody Measurement
C14728 7	Penicillium chrysogenum IgE Antibody	Penicillium chrysogenum IgE Antibody	A measurement of the Penicillium chrysogenum antigen IgE antibody in a biological specimen.	Penicillium chrysogenum IgE Antibody Measurement
C75367	Pentobarbital	Pentobarbital	A measurement of the pentobarbital present in a biological specimen.	Pentobarbital Measurement
C10012 2	Pepsinogen	Pepsinogen	A measurement of the pepsinogen in a biological specimen.	Pepsinogen Measurement
C10046 9	Pepsinogen A	PGA;Pepsinogen A	A measurement of the pepsinogen A in a biological specimen.	Pepsinogen A Measurement
C10047 0	Pepsinogen C	PGC;Pepsinogen C	A measurement of the pepsinogen C in a biological specimen.	Pepsinogen C Measurement
C10046 7	Pepsinogen I	PGI;Pepsinogen I	A measurement of the pepsinogen I in a biological specimen.	Pepsinogen I Measurement
C10046 8	Pepsinogen II	PGII;Pepsinogen II	A measurement of the pepsinogen II in a biological specimen.	Pepsinogen II Measurement
C80202	Peptide YY	Peptide Tyrosine Tyrosine;Peptide YY	A measurement of the peptide YY in a biological specimen.	Peptide YY Measurement
C11239 5	Periostin	OSF2;Osteoblast Specific Factor 2;POSTN;Periostin	A measurement of the periostin in a biological specimen.	Periostin Measurement
C45997	pH	pH	The negative logarithm (base 10) of the concentration of hydronium ions, which is used as a measure of the acidity or alkalinity of a fluid.	pH
C74694	Phencyclidine	Phencyclidine;Phenylcyclohexylpiperidine	A measurement of the phencyclidine present in a biological specimen.	Phencyclidine Measurement
C75368	Phenobarbital	Phenobarbital	A measurement of the phenobarbital present in a biological specimen.	Phenobarbital Measurement
C74695	Phenothiazine	Dibenzothiazine;Phenothiazine	A measurement of the phenothiazine present in a biological specimen.	Phenothiazine Measurement
C81280	Phenylalanine	Phenylalanine	A measurement of the phenylalanine in a biological specimen.	Phenylalanine Measurement
C14741 4	Phenylketones	Phenyl Ketones;Phenylketones	A measurement of the total phenylketones in a biological specimen	Phenylketone Measurement
C14741 3	Phenytoin	Phenytoin	A measurement of the phenytoin in a biological specimen.	Phenytoin Measurement
C64857	Phosphate	Inorganic Phosphate;Phosphate;Phosphorus	A measurement of the phosphate in a biological specimen.	Phosphate Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106553	Phosphate Clearance	Phosphate Clearance	A measurement of the volume of serum or plasma that would be cleared of phosphate by excretion of urine for a specified unit of time (e.g. one minute).	Phosphate Clearance Measurement
C79461	Phosphate/Creatinine	Phosphate/Creatinine	A relative measurement (ratio or percentage) of the phosphate to creatinine in a biological specimen.	Phosphate to Creatinine Ratio Measurement
C147420	Phosphatidylcholine/Albumin	Phosphatidylcholine/Albumin	A relative measurement (ratio or percentage) of the phosphatidylcholine to albumin in a biological specimen.	Phosphatidylcholine to Albumin Ratio Measurement
C147423	Phosphatidylglycerol/Lung Surfactant	Phosphatidylglycerol/Lung Surfactant;Phosphatidylglycerol/Pulmonary Surfactant	A relative measurement (ratio) of the phosphatidylglycerol to total lung surfactant in a biological specimen.	Phosphatidylglycerol to Lung Surfactant Ratio Measurement
C122143	Phosphatidylserine IgA Antibody	Phosphatidylserine IgA Antibody	A measurement of the phosphatidylserine IgA antibody in a biological specimen.	Phosphatidylserine Antibody IgA Measurement
C122144	Phosphatidylserine IgG Antibody	Phosphatidylserine IgG Antibody	A measurement of the phosphatidylserine IgG antibody in a biological specimen.	Phosphatidylserine Antibody IgG Measurement
C122145	Phosphatidylserine IgM Antibody	Phosphatidylserine IgM Antibody	A measurement of the phosphatidylserine IgM antibody in a biological specimen.	Phosphatidylserine Antibody IgM Measurement
C96623	Phospholipid	Phospholipid	A measurement of the phospholipids in a biological specimen.	Phospholipid Measurement
C117845	Phosphorus Excretion Rate	Phosphorus Excretion Rate	A measurement of the amount of phosphorus being excreted in urine over a defined amount of time (e.g. one hour).	Phosphorus Urine Excretion Rate
C84812	Phosphorylated Tau Protein	Phosphorylated Tau Protein	A measurement of the phosphorylated Tau protein in a biological specimen.	Phosphorylated Tau Protein Measurement
C119279	Pi-GST Excretion Rate	Pi-GST Excretion Rate	A measurement of the amount of Pi Glutathione-S-Transferase being excreted in urine over a defined period of time (e.g. one hour).	Pi-GST Excretion Rate
C74618	Plasmacytoid Lymphocytes	Plasmacytoid Lymphocytes;Plymphocytes	A measurement of the plasmacytoid lymphocytes (lymphocytes with peripherally clumped chromatin and often deep blue cytoplasm, and that appear similar to plasma cells) in a biological specimen.	Plasmacytoid Lymphocyte Count
C74648	Plasmacytoid Lymphocytes/Lymphocytes	Plasmacytoid Lymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the plasmacytoid lymphocytes (lymphocytes with peripherally clumped chromatin and often deep blue cytoplasm, and that appear similar to plasma cells) to all lymphocytes in a biological specimen.	Plasmacytoid Lymphocyte to Lymphocyte Ratio Measurement
C127633	Plasminogen	Plasminogen	A measurement of the plasminogen (antigen) in a biological specimen.	Plasminogen Measurement
C82030	Plasminogen Activator Inhibitor-1	Plasminogen Activator Inhibitor-1	A measurement of the plasminogen activator inhibitor-1 in a biological specimen.	Plasminogen Activator Inhibitor-1 Measurement
C81989	Plasminogen Activator Inhibitor-1 AG	Plasminogen Activator Inhibitor-1 AG	A measurement of the plasminogen activator inhibitor-1 antigen in a biological specimen.	Plasminogen Activator Inhibitor-1 Antigen Measurement
C100453	Plasmodium	Malaria;Plasmodium	Examination of a biological specimen to detect the presence of any protozoan belonging to the Plasmodium genus.	Plasmodium Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11129 2	Platelet Activating Factor	Platelet Activating Factor	A measurement of the platelet activating factor in a biological specimen.	Platelet Activating Factor Measurement
C10342 7	Platelet Aggregation	Platelet Aggregation;Platelet Function	A measurement of the association of platelets to one another via adhesion molecules in a biological sample.	Platelet Aggregation Measurement
C11129 3	Platelet Aggregation Amplitude	Platelet Aggregation Amplitude	A measurement of the magnitude of the platelet aggregation in a biological specimen.	Platelet Aggregation Amplitude Measurement
C11421 0	Platelet Aggregation Curve Type	Platelet Aggregation Curve Type	The classification of the curve pattern that is formed as a result of platelet aggregation.	Platelet Aggregometry Curve Type
C11421 1	Platelet Aggregation Mean Amplitude	Platelet Aggregation Mean Amplitude	An average of the measurements of the magnitude of the platelet aggregation in a biological specimen.	Platelet Aggregometry Mean Amplitude
C11421 2	Platelet Aggregation Mean Curve Type	Platelet Aggregation Mean Curve Type	The classification of the curve pattern that is formed as the average result of the platelet aggregation curve measurements.	Platelet Aggregometry Mean Curve Type
C96624	Platelet Clumps	PLT Clumps;Platelet Clumps	A measurement of the platelet clumps in a biological specimen.	Platelet Clumps Count
C11129 4	Platelet Component Distribution Width	Platelet Component Distribution Width	A measurement of a marker of platelet shape change in a biological specimen.	Platelet Component Distribution Width Measurement
C11620 8	Platelet Derived Growth Factor IsoformAB	PDGF Isoform AB;Platelet Derived Growth Factor IsoformAB;Platelet Derived Growth Factor-AB Isoform	A measurement of the platelet derived growth factor isoform AB in a biological specimen.	Platelet Derived Growth Factor Isoform AB Measurement
C81962	Platelet Distribution Width	Platelet Distribution Width	A measurement of the range of platelet sizes in a biological specimen.	Platelet Distribution Width
C14741 2	Platelet Fctr 4 Heparin Cmplx Induced Ab	Platelet Factor 4 Heparin Complex Induced Antibody;Platelet Fctr 4 Heparin Cmplx Induced Ab	A measurement of the platelet factor 4 heparin complex induced antibody in a biological specimen.	Platelet Factor 4-Heparin Complex Induced Antibody Measurement
C11129 5	Platelet Function Closure Time	PFCT;Platelet Function Closure Time	A measurement of the platelet function closure time in a biological specimen.	Platelet Function Closure Time Measurement
C10042 4	Platelet Hematocrit	Platelet Hematocrit;Thrombocytocrit	A relative measurement (ratio or percentage) of the proportion of the volume of blood taken up by platelets.	Platelet Hematocrit Measurement
C13238 0	Platelet Mass Distribution Width	Platelet Mass Distribution Width	A measurement which represents the variation defined by two standard deviations of the platelet dry mass distribution in a biological specimen.	Platelet Mass Distribution Width
C11129 6	Platelet Morphology	Platelet Morphology	An examination or assessment of the form and structure of platelets.	Platelet Morphology Measurement
C11620 9	Platelet Satellitism	Platelet Satellitism	An examination or assessment of the platelet satellitism (platelet rosetting around cells) in a biological specimen.	Platelet Satellitism Assessment
C51951	Platelets	Platelets	A measurement of the platelets (non-nucleated thrombocytes) in a biological specimen.	Platelet Count
C14741 5	Platelets, Agranular	Platelets, Agranular	A measurement of the agranular platelets in a biological specimen.	Agranular Platelets Count
C13544 0	Platelets, Estimated	Platelets, Estimated	An estimated measurement of the platelets (non-nucleated thrombocytes) in a biological specimen.	Estimated Platelets Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C79602	Poikilocytes	Poikilocytes	A measurement of the odd-shaped erythrocytes in a whole blood specimen.	Poikilocyte Measurement
C74649	Poikilocytes/Erythrocytes	Poikilocytes/Erythrocytes	A relative measurement (ratio or percentage) of the poikilocytes, or irregularly shaped erythrocytes, to all erythrocytes in a biological specimen.	Poikilocyte to Erythrocyte Ratio Measurement
C64803	Polychromasia	Polychromasia	A measurement of the blue-staining characteristic of newly generated erythrocytes.	Polychromasia
C14741 8	Polychromatophilic Erythroblast	Polychromatophilic Erythroblast	A measurement of the polychromatophilic erythroblasts in a biological specimen taken from a non-human organism.	Polychromatophilic Erythroblast Count
C14741 9	Polychromatophilic Normoblast	Polychromatophilic Normoblast	A measurement of the polychromatophilic normoblasts in a biological specimen taken from a non-human organism.	Polychromatophilic Normoblast Count
C12064 8	Porphyrin	Porphyrin	A measurement of the total porphyrin in a biological specimen.	Porphyrin Measurement
C64853	Potassium	Potassium	A measurement of the potassium in a biological specimen.	Potassium Measurement
C10656 0	Potassium Clearance	Potassium Clearance	A measurement of the volume of serum or plasma that would be cleared of potassium by excretion of urine for a specified unit of time (e.g. one minute).	Potassium Clearance Measurement
C11783 9	Potassium Excretion Rate	Potassium Excretion Rate	A measurement of the amount of potassium being excreted in urine over a defined amount of time (e.g. one hour).	Potassium Urine Excretion Rate
C79462	Potassium/Creatinine	Potassium/Creatinine	A relative measurement (ratio or percentage) of the potassium to creatinine in a biological specimen.	Potassium to Creatinine Ratio Measurement
C11929 3	PP Arterial O2/Fraction Inspired O2	PAO2/FIO2;PP Arterial O2/Fraction Inspired O2	A relative measurement (ratio or percentage) of the force per unit area (pressure) of oxygen dissolved in arterial blood to the percentage oxygen of an inhaled mixture of gasses.	Partial Pressure Arterial Oxygen to Fraction Inspired Oxygen Ratio Measurement
C13908 0	Prazepam	Prazepam	A measurement of the prazepam present in a biological specimen.	Prazepam Measurement
C10043 5	Prealbumin	Prealbumin;Thyroxine-binding Prealbumin;Transthyretin	A measurement of the prealbumin in a biological specimen.	Prealbumin Measurement
C74619	Precursor Plasma Cells	Plasmablast;Precursor Plasma Cells	A measurement of the precursor (blast stage) plasma cells (antibody secreting cells derived from B cells via antigen stimulation) in a biological specimen.	Precursor Plasma Cell Count
C74650	Precursor Plasma Cells/Lymphocytes	Precursor Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the precursor (blast stage) plasma cells (antibody secreting cells derived from B cells via antigen stimulation) to all lymphocytes in a biological specimen.	Precursor Plasma Cell to Lymphocyte Ratio Measurement
C82031	Pregnancy-Associated Plasma Protein-A	Pregnancy-Associated Plasma Protein-A	A measurement of the pregnancy-associated plasma protein-A in a biological specimen.	Pregnancy-Associated Plasma Protein-A Measurement
C14742 1	Pregnenolone	Pregnenolone	A measurement of the pregnenolone in a biological specimen.	Pregnenolone Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82032	ProB-type Natriuretic Peptide	Pro-Brain Natriuretic Peptide;ProB-type Natriuretic Peptide;proBNP	A measurement of the proB-type natriuretic peptide in a biological specimen.	ProB-Type Natriuretic Peptide Measurement
C103430	Procalcitonin	Procalcitonin	A measurement of the procalcitonin in a biological specimen.	Procalcitonin Measurement
C96625	Procollagen 1 N-Terminal Propeptide	Amino-terminal propeptide of type 1 procollagen;P1NP Aminoterm Type 1;Procollagen 1 N-Terminal Propeptide	A measurement of the procollagen 1 N-terminal propeptide in a biological specimen.	Procollagen 1 N-Terminal Propeptide Measurement
C128973	Procollagen 3 N-Terminal Propeptide	Procollagen 3 N-Terminal Propeptide	A measurement of the procollagen 3 N-terminal propeptide in a biological specimen.	Procollagen 3 N-Terminal Propeptide Measurement
C82033	Procollagen Type I Carboxy Term Peptide	Procollagen Type I Carboxy Term Peptide	A measurement of the procollagen-1 carboxy-terminal peptide in a biological specimen.	Procollagen Type I Carboxy Terminal Peptide Measurement
C74791	Progesterone	Progesterone	A measurement of the progesterone hormone in a biological specimen.	Progesterone Measurement
C117846	Progesterone Receptor	NR3C3;PR;Progesterone Receptor	A measurement of the progesterone receptor protein in a biological specimen.	Progesterone Receptor Measurement
C81967	Proinsulin	Proinsulin	A measurement of the proinsulin in a biological specimen.	Proinsulin Measurement
C111299	Proinsulin/Insulin Ratio	Proinsulin/Insulin Ratio	A relative measurement (ratio or percentage) of the proinsulin to insulin in a biological specimen.	Proinsulin to Insulin Ratio Measurement
C74870	Prolactin	Prolactin	A measurement of the prolactin hormone in a biological specimen.	Prolactin Measurement
C120646	Proliferating Cell Nuclear Antigen	Cyclin;Proliferating Cell Nuclear Antigen	A measurement of the proliferating cell nuclear antigen in a biological specimen.	Proliferating Cell Nuclear Antigen Measurement
C127632	Proliferating Erythroid/Total Cells	Proliferating Erythroid/Total Cells	A relative measurement (ratio or percentage) of the proliferating erythroid cells to total cells in a biological specimen.	Proliferating Erythroid Cell to Total Cell Ratio Measurement
C127634	Proliferating Myeloid Cells/Total Cells	Proliferating Myeloid Cells/Total Cells	A relative measurement (ratio or percentage) of the proliferating myeloid cells to total cells in a biological specimen.	Proliferating Myeloid Cell to Total Cell Ratio Measurement
C122141	Proline	Proline	A measurement of the proline in a biological specimen.	Proline Measurement
C74620	Polymphocytes	Polymphocytes	A measurement of the polymphocytes in a biological specimen.	Polymphocyte Count
C64829s	Polymphocytes/Leukocytes	Polymphocytes/Leukocytes	A relative measurement (ratio or percentage) of polymphocytes to leukocytes in a biological specimen.	Polymphocyte to Leukocyte Ratio
C74651es	Polymphocytes/Lymphocytes	Polymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the polymphocytes to all lymphocytes in a biological specimen.	Polymphocyte to Lymphocyte Ratio Measurement
C74621	Promonocytes	Promonocytes	A measurement of the promonocytes in a biological specimen.	Promonocyte Count
C74652	Promonocytes/Leukocytes	Promonocytes/Leukocytes	A relative measurement (ratio or percentage) of the promonocytes to all leukocytes in a biological specimen.	Promonocyte to Lymphocyte Ratio Measurement
C117847	Promyeloblasts	Promyeloblasts	A measurement of the promyeloblasts in a biological specimen.	Promyeloblasts Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74622	Promyelocytes	Promyelocytes	A measurement of the promyelocytes (immature myelocytes) in a biological specimen.	Promyelocyte Count
C74653	Promyelocytes/Leukocytes	Promyelocytes/Leukocytes	A relative measurement (ratio or percentage) of the promyelocytes (immature myelocytes) to all leukocytes in a biological specimen.	Promyelocyte to Lymphocyte Ratio Measurement
C98773	Promyelocytes/Total Cells	Promyelocytes/Total Cells	A relative measurement (ratio or percentage) of the promyelocytes (immature myelocytes) to total cells in a biological specimen (for example a bone marrow specimen).	Promyelocyte to Total Cell Ratio Measurement
C74885	Propoxyphene	Propoxyphene	A measurement of the propoxyphene present in a biological specimen.	Propoxyphene Measurement
C120647	Proprotein Convertase Subtilisin/Kexin 9	Proprotein Convertase Subtilisin/Kexin 9	A measurement of the proprotein convertase subtilisin/kexin type 9 in a biological specimen.	Proprotein Convertase Subtilisin/Kexin Type 9 Measurement
C128976	Prorubricyte	Basophilic Erythroblast;Basophilic Normoblast;Prorubricyte	A measurement of the prorubricytes in a biological specimen.	Prorubricyte Count
C128977	Prorubricyte/Total Cells	Prorubricyte/Total Cells	A relative measurement (ratio or percentage) of the prorubricytes to total cells in a biological specimen.	Prorubricyte to Total Cell Ratio Measurement
C103343	Prostaglandin	Prostaglandin	A measurement of the total prostaglandin in a biological specimen.	Prostaglandin Measurement
C103431	Prostaglandin D2	Prostaglandin D2	A measurement of the prostaglandin D2 in a biological specimen.	Prostaglandin D2 Measurement
C103432	Prostaglandin D2 Synthase	Prostaglandin D2 Synthase	A measurement of the prostaglandin D2 synthase in a biological specimen.	Prostaglandin D2 Synthase Measurement
C103433	Prostaglandin E Synthase	Prostaglandin E Synthase	A measurement of the prostaglandin E synthase in a biological specimen.	Prostaglandin E Synthase Measurement
C103434	Prostaglandin E1	Prostaglandin E1	A measurement of the prostaglandin E1 in a biological specimen.	Prostaglandin E1 Measurement
C103435	Prostaglandin E2	Prostaglandin E2	A measurement of the prostaglandin E2 in a biological specimen.	Prostaglandin E2 Measurement
C103436	Prostaglandin F1 Alpha	Prostaglandin F1 Alpha	A measurement of the prostaglandin F1 alpha in a biological specimen.	Prostaglandin F1 Alpha Measurement
C103437	Prostaglandin F2 Alpha	Prostaglandin F2 Alpha	A measurement of the prostaglandin F2 alpha in a biological specimen.	Prostaglandin F2 Alpha Measurement
C132379	Prostate Cancer Antigen 3 mRNA	Prostate Cancer Antigen 3 mRNA	A measurement of the prostate cancer antigen 3 mRNA in a biological specimen.	Prostate Cancer Antigen 3 mRNA Measurement
C132382	Prostate Circulating Tumor Cells	Prostate Circulating Tumor Cells	A measurement of the prostate circulating tumor cells in a biological specimen.	Circulating Prostate Tumor Cell Count
C17634	Prostate Specific Antigen	Prostate Specific Antigen	A measurement of the total prostate specific antigen in a biological specimen.	Prostate Specific Antigen Measurement
C132385	Prostate Specific Antigen mRNA	Prostate Specific Antigen mRNA	A measurement of the prostate-specific antigen mRNA in a biological specimen.	Prostate Specific Antigen mRNA Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13238 3	Prostate Specific Antigen, Free	Prostate Specific Antigen, Free	A measurement of the unbound prostate-specific antigen in a biological specimen.	Free Prostate Specific Antigen Measurement
C80204	Prostatic Acid Phosphatase	Prostatic Acid Phosphatase	A measurement of the prostatic acid phosphatase in a biological specimen.	Prostatic Acid Phosphatase Measurement
C64858	Protein	Protein	A measurement of the total protein in a biological specimen.	Total Protein Measurement
C11784 8	Protein Excretion Rate	Protein Excretion Rate	A measurement of the amount of total protein being excreted in urine over a defined amount of time (e.g. one hour).	Total Protein Urine Excretion Rate
C14742 2	Protein Pattern	Protein Pattern	A measurement of the protein band pattern in a biological specimen.	Protein Pattern Measurement
C10043 6	Protein S	Protein S	A measurement of the total protein S in a biological specimen.	Protein S Measurement
C14742 4	Protein S Activity Actual/Control	Protein S Activity Actual/Control;Protein S Activity Actual/Normal;Protein S Activity Actual/Protein S Activity Control	A relative measurement (ratio or percentage) of the biological activity of protein S in a subject's specimen when compared to the same activity in a control specimen.	Protein S Activity Actual to Control Ratio Measurement
C14742 5	Protein S Free Activity Actual/Control	Protein S Free Activity Actual/Control;Protein S Free Activity Actual/Normal;Protein S Free Activity Actual/Protein S Free Activity Control	A relative measurement (ratio or percentage) of the biological activity of free protein S in a subject's specimen when compared to the same activity in a control specimen.	Free Protein S Activity Actual to Control Ratio Measurement
C12214 2	Protein S, Free	Protein S, Free	A measurement of the unbound protein S in a biological specimen.	Free Protein S Measurement
C79463	Protein/Creatinine	Protein/Creatinine	A relative measurement (ratio or percentage) of the total protein to creatinine in a biological specimen.	Protein to Creatinine Ratio Measurement
C92240	Protein/Osmolality	Protein/Osmolality;Protein/Osmolality Ratio	A relative measurement (ratio or percentage) of total proteins to the osmolality of a biological specimen.	Protein to Osmolality Ratio Measurement
C12064 9	Proteinase 3 Antibody	Proteinase 3 Antibody	A measurement of the proteinase 3 antibody in a biological specimen.	Proteinase 3 Antibody Measurement
C98774	Prothrombin Activity	Factor II Activity;Prothrombin Activity	A measurement of the biological activity of prothrombin in a biological specimen.	Prothrombin Activity Measurement
C82034	Prothrombin Fragments 1 + 2	Prothrombin Fragments 1 + 2	A measurement of the prothrombin fragments 1 and 2 in a biological specimen.	Prothrombin Fragments 1 and 2 Measurement
C64805	Prothrombin Intl. Normalized Ratio	Prothrombin Intl. Normalized Ratio	A ratio that represents the prothrombin time for a plasma specimen, divided by the result for a control plasma specimen, further standardized for the International Sensitivity Index of the tissue factor (thromboplastin) used in the test.	International Normalized Ratio of Prothrombin Time
C62656	Prothrombin Time	Prothrombin Time	A blood clotting measurement that evaluates the extrinsic pathway of coagulation.	Prothrombin Time
C14734 1	Protoporphyrin, Free	Protoporphyrin, Free	A measurement of the free protoporphyrin (unbound to iron in hemoglobin) in a biological specimen.	Free Protoporphyrin Measurement
C11784 9	Protozoa	Protozoa	Examination of a biological specimen to detect the presence of protozoa in a biological specimen.	Protozoa Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13238 4	PSA, Free/PSA	PSA, Free/PSA	A relative measurement (percentage) of the free prostate specific antigen to total prostate specific antigen in a biological specimen.	Free PSA to Total PSA Ratio Measurement
C74696	Pseudoephedrine	Pseudoephedrine	A measurement of the pseudoephedrine present in a biological specimen.	Pseudoephedrine Measurement
C80211	Pyridinoline	Pyridinoline	A measurement of the pyridinoline in a biological specimen.	Pyridinoline Measurement
C14742 6	Pyridinoline/Creatinine	Pyridinoline/Creatinine	A relative measurement (ratio or percentage) of the pyridinoline to creatinine in a biological specimen.	Pyridinoline to Creatinine Ratio Measurement
C14742 7	Pyruvate	Pyruvate;Pyruvic Acid	A measurement of the pyruvate in a biological specimen.	Pyruvate Measurement
C74716	Rapid Plasma Reagin	Rapid Plasma Reagin	A measurement of the antibodies produced by cellular damage caused by <i>Treponema pallidum</i> (syphilis) in a biological specimen.	Rapid Plasma Reagin Measurement
C74772	RBC Casts	Erythrocyte Casts;RBC Casts	A measurement of the red blood cell casts present in a biological specimen.	Red Blood Cell Cast Measurement
C13907 1	RDW Standard Deviation	RDW Standard Deviation;RDW-SD;Red Cell Volume Distribution Width Standard Deviation	A measurement of the volume dispersion within an erythrocyte population, calculated as the width of the distribution curve at the 20 percent frequency level.	Red Cell Volume Distribution Width Standard Deviation
C74629	Reactive Lymphocytes	Reactive Lymphocytes	A measurement of the reactive lymphocytes (lymphocytes which have become large due to an antigen reaction) in a biological specimen.	Reactive Lymphocyte Count Measurement
C74654	Reactive Lymphocytes/Lymphocytes	Reactive Lymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the reactive lymphocytes (lymphocytes which have become large due to an antigen reaction) to all lymphocytes in a biological specimen.	Reactive Lymphocyte to Lymphocyte Ratio Measurement
C12214 6	Reactive Oxygen Metabolite	Reactive Oxygen Metabolite	A measurement of the reactive oxygen metabolite in a biological specimen.	Reactive Oxygen Metabolite Measurement
C11785 2	Receptor Activator Nuclear KappaB Ligand	Receptor Activator Nuclear KappaB Ligand;Receptor Activator of Nuclear Kappa-B Ligand	A measurement of the receptor activator of nuclear kappa-B ligand in a biological specimen.	Receptor Activator Nuclear KappaB Ligand Measurement
C14742 8	Reducing Substances	Reducing Substances	A measurement of the reducing substances (e.g., sugars, glutathione, creatinine, uric acid, and ascorbic acid) in a biological specimen.	Reducing Substance Measurement
C14742 9	Reducing Sugars	Reducing Sugars	A measurement of the reducing sugars in a biological specimen.	Reducing Sugar Measurement
C81957	Reg upon Act Normal T-cell Exprd Secrtd	Chemokine Ligand 5;Reg upon Act Normal T-cell Exprd Secrtd	A measurement of the RANTES (regulated on activation, normally, T-cell expressed, and secreted) chemokine in a biological specimen.	Reg upon Act Normal T-cell Exprd Secrtd Measurement
C12065 6	Remnant Lipoprotein	Remnant Lipoprotein	A measurement of the remnant lipoproteins in a biological specimen.	Remnant Lipoprotein Measurement
C14228 9	Renal Papillary Antigen 1	Renal Papillary Antigen 1	A measurement of the renal papillary antigen 1 in a biological specimen.	Renal Papillary Antigen 1 Measurement
C74893	Renin	Active Renin;Angiotensinogenase;Direct Renin;Renin	A measurement of the renin in a biological specimen.	Renin Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111305	Renin Activity	Renin Activity	A measurement of the renin activity in a biological specimen.	Renin Activity Measurement
C147430	Reptilase Activity Actual/Control	Reptilase Activity Actual/Control;Reptilase Activity Actual/Normal;Reptilase Activity Actual/Reptilase Activity Control	A relative measurement (ratio or percentage) of the biological activity of reptilase dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Reptilase Activity Actual to Control Ratio Measurement
C96628	Reptilase Time	Reptilase Time	A measurement of the time it takes a plasma sample to clot after adding the active enzyme reptilase.	Reptilase Time Measurement
C80205	Resistin	Resistin	A measurement of the resistin in a biological specimen.	Resistin Measurement
C139069	Ret Corpuscular HGB Conc Distr Width	Ret Corpuscular HGB Conc Distr Width;Reticulocyte Corpuscular Hemoglobin Distribution Width	A measurement of the standard deviation of hemoglobin concentrations in reticulocytes in a biological specimen, calculated as the standard deviation of hemoglobin content divided by the mean hemoglobin content.	Reticulocyte Corpuscular Hemoglobin Distribution Width
C139070	Ret Hemoglobin Distribution Width	Ret Hemoglobin Distribution Width;Reticulocyte Hemoglobin Concentration Distribution Width	A measurement of the distribution of the hemoglobin concentration in reticulocytes.	Reticulocyte Hemoglobin Distribution Width
C139072	Ret RDW Coefficient of Variation	RDWr-CV;Red Cell Volume Distribution Width Coefficient of Variation in Reticulocytes;Ret RDW Coefficient of Variation;Reticulocyte Volume Distribution Width Coefficient of Variation	A measurement of the volume dispersion within a reticulocyte population, calculated as the standard deviation of the mean reticulocyte volume divided by the mean reticulocyte volume, multiplied by 100 to convert to a percentage.	Reticulocyte Volume Distribution Width Coefficient of Variation
C139073	Ret RDW Standard Deviation	RDWr-SD;Red Cell Volume Distribution Width Standard Deviation in Reticulocytes;Ret RDW Standard Deviation;Reticulocyte Volume Distribution Width Standard Deviation	A measurement of the volume dispersion within a reticulocyte population, calculated as the width of the distribution curve at the 20 percent frequency level.	Reticulocyte Volume Distribution Width Standard Deviation
C139074	Ret Volume Distribution Width	RDWr;Ret Volume Distribution Width;Reticulocyte Volume Distribution Width	A relative measurement (ratio or percentage) of the standard deviation of the reticulocyte volume to the mean distribution of the reticulocyte volume in a biological specimen.	Reticulocyte Volume Distribution Width
C98776	Ret. Corpuscular Hemoglobin Content	Chr;Ret. Corpuscular Hemoglobin Content;Reticulocyte Cellular Hemoglobin Content	A measurement of the total amount of hemoglobin in the reticulocyte population.	Reticulocyte Corpuscular Hemoglobin Content
C138970	Ret. Corpuscular HGB Concentration Mean	Ret. Corpuscular HGB Concentration Mean;Reticulocyte Corpuscular Hemoglobin Concentration Mean	An indirect measurement of the average concentration of hemoglobin per reticulocyte in a biological specimen, calculated as the ratio of hemoglobin to hematocrit.	Reticulocyte Corpuscular Hemoglobin Concentration Mean
C51947	Reticulocytes	Reticulocytes	A measurement of the reticulocytes in a biological specimen.	Reticulocyte Count
C64828	Reticulocytes/Erythrocytes	Reticulocytes/Erythrocytes	A relative measurement (ratio or percentage) of reticulocytes to erythrocytes in a biological specimen.	Reticulocyte to Erythrocyte Ratio
C100437	Retinol Binding Protein	Retinol Binding Protein	A measurement of the total retinol binding protein in a biological specimen.	Retinol Binding Protein Measurement
C135442	Retinyl Palmitate	Retinol Palmitate;Retinyl Palmitate;Vitamin A Palmitate	A measurement of the endogenous retinyl palmitate vitamin A in a biological specimen.	Retinyl Palmitate Measurement
C92948	Rh Factor	Rh Factor	A measurement of non-specified Rhesus factor antigen(s) in a biological specimen.	Rh Factor Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12594 8	RhD Factor	RhD Factor	A measurement of the Rhesus factor D antigen in a biological specimen.	RhD Factor Measurement
C74717	Rheumatoid Factor	Rheumatoid Factor	A measurement of the rheumatoid factor antibody in a biological specimen.	Rheumatoid Factor Measurement
C12065 2	Rheumatoid Factor IgA Antibody	Rheumatoid Factor IgA Antibody	A measurement of the rheumatoid factor IgA antibody in a biological specimen.	Rheumatoid Factor Antibody IgA Measurement
C12065 3	Rheumatoid Factor IgG Antibody	Rheumatoid Factor IgG Antibody	A measurement of the rheumatoid factor IgG antibody in a biological specimen.	Rheumatoid Factor Antibody IgG Measurement
C12065 4	Rheumatoid Factor IgM Antibody	Rheumatoid Factor IgM Antibody	A measurement of the rheumatoid factor IgM antibody in a biological specimen.	Rheumatoid Factor Antibody IgM Measurement
C74898	Riboflavin	Riboflavin;Vitamin B2	A measurement of the riboflavin in a biological specimen.	Vitamin B2 Measurement
C13230 1	Ribonucleic Acid	Ribonucleic Acid	A measurement of a targeted ribonucleic acid (RNA) in a biological specimen.	Ribonucleic Acid Measurement
C10045 7	Ribonucleoprotein Antibody	RNP Antibody;Ribonucleoprotein Antibody;Ribonucleoprotein Extractable Nuclear Antibody	A measurement of the total ribonucleoprotein antibodies in a biological specimen.	Ribonucleoprotein Antibody Measurement
C12065 8	Ribonucleoprotein Smith Complex Antibody	Ribonucleoprotein Smith Complex Antibody	A measurement of the ribonucleoprotein Smith complex antibody in a biological specimen.	Ribonucleoprotein Smith Complex Antibody Measurement
C12065 7	Ribonucleoprotein-70 Antibody	Ribonucleoprotein-70 Antibody;snRNP70 Antibody	A measurement of the small nuclear ribonucleoprotein 70 antibody in a biological specimen.	Ribonucleoprotein-70 Antibody Measurement
C12065 9	Ribosomal P Protein Antibody	Ribosomal P Protein Antibody	A measurement of the total ribosomal P protein antibody in a biological specimen.	Ribosomal P Protein Antibody Measurement
C10041 9	Ringed Sideroblasts	Ringed Sideroblasts	A measurement of the ringed sideroblasts (abnormal nucleated erythroblasts with a large number of iron deposits in the perinuclear mitochondria, forming a ring around the nucleus) in a biological specimen.	Ring Sideroblast Measurement
C12065 5	RLP Cholesterol	RLP Cholesterol	A measurement of the cholesterol remnant-like particles in a biological specimen.	Remnant-like Particle Cholesterol Measurement
C12214 7	RNA Polymerase III IgG Antibody	RNA Polymerase III IgG Antibody	A measurement of the RNA polymerase III IgG antibody in a biological specimen.	RNA Polymerase III IgG Antibody Measurement
C74624	Rouleaux Formation	Rouleaux Formation	A measurement of the stacking red blood cells in a biological specimen.	Rouleaux Formation Count
C14228 8	Round Cells	Round Cells	A measurement of the round cells (round shaped cells mainly comprised of white blood cells and immature spermatogenic cells) in a biological specimen.	Round Cell Count
C74698	Round Epithelial Cells	Round Epithelial Cells	A measurement of the round epithelial cells present in a biological specimen.	Round Epithelial Cell Count
C10344 0	Rubella IgG Antibody	Rubella IgG Antibody	A measurement of the Rubella IgG antibody in a biological specimen.	Rubella IgG Antibody Measurement
C11241 2	Rubeola IgG Antibody	Measles IgG Antibody;Rubeola IgG Antibody	A measurement of the Measles (Rubeola) virus IgG antibody in a biological specimen.	Rubeola IgG Antibody Measurement
C11241 3	Rubeola IgM Antibody	Measles IgM Antibody;Rubeola IgM Antibody	A measurement of the Measles (Rubeola) virus IgM antibody in a biological specimen.	Rubeola IgM Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10044 6	Rubriblast	Proerythroblast;Pronormoblast;Rubriblast	A measurement of the rubriblasts in a biological specimen.	Proerythroblast Measurement
C98870	Rubriblast/Total Cells	Proerythroblast/Total Cells;Pronormoblasts/Total Cells;Rubriblast/Total Cells	A relative measurement (ratio or percentage) of the rubriblasts to total cells in a biological specimen (for example a bone marrow specimen).	Pronormoblast to Total Cell Ratio Measurement
C12897 8	Rubricyte	Polychromatophilic Erythroblast;Polychromatophilic Normoblast;Rubricyte	A measurement of the rubricytes in a biological specimen.	Rubricyte Count
C12900 6	Rubricyte/Total Cells	Rubricyte/Total Cells	A relative measurement (ratio or percentage) of the rubricytes to total cells in a biological specimen.	Rubricyte to Total Cell Ratio Measurement
C14224 9	S. pneumoniae Sero 1 IgG AB	S. pneumonia Sero 1 IgG AB;Streptococcus pneumoniae Serotype 1 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 1 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 1 IgG Antibody Measurement
C14225 9	S. pneumoniae Sero 10A IgG AB	S. pneumonia Sero 10A IgG AB;Streptococcus pneumoniae Serotype 10A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 10A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 10A IgG Antibody Measurement
C14226 0	S. pneumoniae Sero 11A IgG AB	S. pneumonia Sero 11A IgG AB;Streptococcus pneumoniae Serotype 11A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 11A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 11A IgG Antibody Measurement
C14226 1	S. pneumoniae Sero 12F IgG AB	S. pneumonia Sero 12F IgG AB;Streptococcus pneumoniae Serotype 12F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 12F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 12F IgG Antibody Measurement
C14226 2	S. pneumoniae Sero 14 IgG AB	S. pneumonia Sero 14 IgG AB;Streptococcus pneumoniae Serotype 14 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 14 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 14 IgG Antibody Measurement
C14226 3	S. pneumoniae Sero 15B IgG AB	S. pneumonia Sero 15B IgG AB;Streptococcus pneumoniae Serotype 15B IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 15B IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 15B IgG Antibody Measurement
C14226 4	S. pneumoniae Sero 17F IgG AB	S. pneumonia Sero 17F IgG AB;Streptococcus pneumoniae Serotype 17F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 17F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 17F IgG Antibody Measurement
C14226 5	S. pneumoniae Sero 18C IgG AB	S. pneumonia Sero 18C IgG AB;Streptococcus pneumoniae Serotype 18C IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 18C IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 18C IgG Antibody Measurement
C14226 7	S. pneumoniae Sero 19A IgG AB	S. pneumonia Sero 19A IgG AB;Streptococcus pneumoniae Serotype 19A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 19A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 19A IgG Antibody Measurement
C14226 6	S. pneumoniae Sero 19F IgG AB	S. pneumonia Sero 19F IgG AB;Streptococcus pneumoniae Serotype 19F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 19F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 19F IgG Antibody Measurement
C14225 0	S. pneumoniae Sero 2 IgG AB	S. pneumonia Sero 2 IgG AB;Streptococcus pneumoniae Serotype 2 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 2 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 2 IgG Antibody Measurement
C14226 8	S. pneumoniae Sero 20 IgG AB	S. pneumonia Sero 20 IgG AB;Streptococcus pneumoniae Serotype 20 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 20 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 20 IgG Antibody Measurement
C14226 9	S. pneumoniae Sero 22F IgG AB	S. pneumonia Sero 22F IgG AB;Streptococcus pneumoniae Serotype 22F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 22F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 22F IgG Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142270	S. pneumoniae Sero 23F IgG AB	S. pneumonia Sero 23F IgG AB;Streptococcus pneumoniae Serotype 23F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 23F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 23F IgG Antibody Measurement
C142251	S. pneumoniae Sero 3 IgG AB	S. pneumonia Sero 3 IgG AB;Streptococcus pneumoniae Serotype 3 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 3 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 3 IgG Antibody Measurement
C142271	S. pneumoniae Sero 33F IgG AB	S. pneumonia Sero 33F IgG AB;Streptococcus pneumoniae Serotype 33F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 33F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 33F IgG Antibody Measurement
C142252	S. pneumoniae Sero 4 IgG AB	S. pneumonia Sero 4 IgG AB;Streptococcus pneumoniae Serotype 4 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 4 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 4 IgG Antibody Measurement
C142253	S. pneumoniae Sero 5 IgG AB	S. pneumonia Sero 5 IgG AB;Streptococcus pneumoniae Serotype 5 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 5 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 5 IgG Antibody Measurement
C142254	S. pneumoniae Sero 6B IgG AB	S. pneumonia Sero 6B IgG AB;Streptococcus pneumoniae Serotype 6B IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 6B IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 6B IgG Antibody Measurement
C142255	S. pneumoniae Sero 7F IgG AB	S. pneumonia Sero 7F IgG AB;Streptococcus pneumoniae Serotype 7F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 7F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 7F IgG Antibody Measurement
C142256	S. pneumoniae Sero 8 IgG AB	S. pneumonia Sero 8 IgG AB;Streptococcus pneumoniae Serotype 8 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 8 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 8 IgG Antibody Measurement
C142257	S. pneumoniae Sero 9N IgG AB	S. pneumonia Sero 9N IgG AB;Streptococcus pneumoniae Serotype 9N IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 9N IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 9N IgG Antibody Measurement
C142258	S. pneumoniae Sero 9V IgG AB	S. pneumonia Sero 9V IgG AB;Streptococcus pneumoniae Serotype 9V IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 9V IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 9V IgG Antibody Measurement
C127635	S100 Calcium-Binding Protein B	S100 Calcium-Binding Protein B	A measure of the S100 calcium-binding protein B in a biological specimen.	S100 Calcium-Binding Protein B Measurement
C147431	Salicylates	Salicylates	A measurement of the salicylates in a biological specimen.	Salicylates Measurement
C74706	Schistocytes	Schistocytes	A measurement of the schistocytes (fragmented red blood cells) in a biological specimen.	Schistocyte Count
C100458	Scl-70 Antibody	Scl-70 Antibody;Scleroderma-70 Antibody	A measurement of the total Scl-70 antibody in a biological specimen.	Scl-70 Antibody Measurement
C122148	Scl-70 IgG Antibody	Scl-70 IgG Antibody;Scleroderma-70 IgG Antibody	A measurement of the Scl-70 IgG antibody in a biological specimen.	Scl-70 IgG Antibody Measurement
C117857	Sclerostin	Sclerostin	A measurement of the sclerostin in a biological specimen.	Sclerostin Measurement
C75369	Secobarbital	Secobarbital	A measurement of the secobarbital present in a biological specimen.	Secobarbital Measurement
C74871	Secretin	Secretin	A measurement of the secretin hormone in a biological specimen.	Secretin Measurement
C105744	Sediment Examination	Microscopic Sediment Analysis;Sediment Analysis;Sediment Examination	An observation, assessment or examination of the sediment in a biological specimen.	Sediment Analysis
C122149	Serine	Serine	A measurement of the serine in a biological specimen.	Serine Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74872	Serotonin	Serotonin	A measurement of the serotonin hormone in a biological specimen.	Serotonin Measurement
C14743 2	Sertraline	Sertraline	A measurement of the sertraline present in a biological specimen.	Sertraline Measurement
C74745	Sex Hormone Binding Globulin	Sex Hormone Binding Globulin;Sex Hormone Binding Protein	A measurement of the sex hormone binding (globulin) protein in a biological specimen.	Sex Hormone Binding Protein Measurement
C74625	Sezary Cells	Sezary Cells	A measurement of the Sezary cells (atypical lymphocytes with cerebriform nuclei) in a biological specimen.	Sezary Cell Count
C74655	Sezary Cells/Lymphocytes	Sezary Cells/Lymphocytes	A relative measurement (ratio or percentage of the Sezary cells (atypical lymphocytes with cerebriform nuclei) to all lymphocytes in a biological specimen.	Sezary Cell to Lymphocyte Ratio Measurement
C13012 0	Shellfish Mix Antigen IgE Antibody	Shellfish Mix Antigen IgE Antibody	A measurement of the shellfish mix antigen IgE antibody in a biological specimen.	Shellfish Mix Antigen IgE Antibody Measurement
C13012 1	Shellfish Mix Antigen IgG Antibody	Shellfish Mix Antigen IgG Antibody	A measurement of the shellfish mix antigen IgG antibody in a biological specimen.	Shellfish Mix Antigen IgG Antibody Measurement
C11422 3	Sialyl SSEA-1 Antigen	SLeX;Sialyl Lewis X Antigen;Sialyl Lex;Sialyl SSEA-1 Antigen;Sialyl-CD15	A measurement of the sialyl stage-specific embryonic antigen-1 in a biological specimen.	Sialyl SSEA-1 Antigen Measurement
C74626	Sickle Cells	Sickle Cells	A measurement of the sickle cells (sickle shaped red blood cells) in a biological specimen.	Sickle Cell Count
C74656	Sickle Cells/Erythrocytes	Sickle Cells/Erythrocytes	A relative measurement (ratio or percentage) of the sickle cells (sickle shaped red blood cells) to all erythrocytes in a biological specimen.	Sickle Cell to Erythrocyte Ratio Measurement
C10041 8	Sideroblast	Sideroblast	A measurement of the sideroblasts (nucleated erythroblasts with iron granules in the cytoplasm) in a biological specimen.	Sideroblast Measurement
C13007 7	Silver Birch Pollen IgA	Silver Birch Pollen IgA	A measurement of the Betula verrucosa pollen antigen IgA antibody in a biological specimen.	Silver Birch Pollen IgA Measurement
C13007 6	Silver Birch Pollen IgE	Silver Birch Pollen IgE	A measurement of the Betula verrucosa pollen antigen IgE antibody in a biological specimen.	Silver Birch Pollen IgE Measurement
C13007 8	Silver Birch Pollen IgG	Silver Birch Pollen IgG	A measurement of the Betula verrucosa pollen antigen IgG antibody in a biological specimen.	Silver Birch Pollen IgG Measurement
C13007 9	Silver Birch Pollen IgG4	Silver Birch Pollen IgG4	A measurement of the Betula verrucosa pollen antigen IgG4 antibody in a biological specimen.	Silver Birch Pollen IgG4 Measurement
C92236	Sjogrens SS-A Antibody	Ro Antibody;Sjogrens SS-A Antibody	A measurement of the Sjogrens SS-A antibody in a biological specimen.	Sjogren's SS-A Antibody Measurement
C12066 1	Sjogrens SS-A52 Antibody	Sjogrens SS-A52 Antibody	A measurement of the Sjogrens SS-A52 antibody in a biological specimen.	Sjogrens SS-A52 Antibody Measurement
C12066 2	Sjogrens SS-A60 Antibody	Sjogrens SS-A60 Antibody	A measurement of the Sjogrens SS-A60 antibody in a biological specimen.	Sjogrens SS-A60 Antibody Measurement
C92237	Sjogrens SS-B Antibody	La Antibody;Sjogrens SS-B Antibody	A measurement of the Sjogrens SS-B antibody in a biological specimen.	Sjogren's SS-B Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13544 3	Skeletal Troponin I	Skeletal Troponin I;sTnl	A measurement of the total skeletal troponin I in a biological specimen.	Skeletal Troponin I Measurement
C92281	Smith Antibody	Smith Antibody;Smith Extractable Nuclear Antibody	A measurement of the total Smith antibodies in a biological specimen.	Smith Antibody Measurement
C11131 7	Smooth Muscle Antibody	Anti-Smooth Muscle Antibody;Smooth Muscle Antibody	A measurement of the total smooth muscle antibody in a biological specimen.	Smooth Muscle Antibody Measurement
C12215 1	Smooth Muscle IgG Antibody	Actin IgG Antibody;Smooth Muscle IgG Antibody	A measurement of the smooth muscle IgG antibody in a biological specimen.	Smooth Muscle IgG Antibody Measurement
C74627	Smudge Cells	Basket Cells;Gumprecht Shadow Cells;Shadow Cells;Smudge Cells	A measurement of the smudge cells (the nuclear remnant of a ruptured white blood cell) in a biological specimen.	Smudge Cell Count
C11929 4	Smudge Cells/Leukocytes	Basket Cells/Leukocytes;Gumprecht Shadow Cells/Leukocytes;Shadow Cells/Leukocytes;Smudge Cells/Leukocytes	A relative measurement (ratio or percentage) of smudge cells to leukocytes in a biological specimen.	Smudge Cells to Leukocytes Ratio Measurement
C64809	Sodium	Sodium	A measurement of the sodium in a biological specimen.	Sodium Measurement
C10656 8	Sodium Clearance	Sodium Clearance	A measurement of the volume of serum or plasma that would be cleared of sodium by excretion of urine for a specified unit of time (e.g. one minute).	Sodium Clearance Measurement
C11785 6	Sodium Excretion Rate	Sodium Excretion Rate	A measurement of the amount of sodium being excreted in urine over a defined amount of time (e.g. one hour).	Sodium Urine Excretion Rate
C79464	Sodium/Creatinine	Sodium/Creatinine	A relative measurement (ratio or percentage) of the sodium to creatinine in a biological specimen.	Sodium to Creatinine Ratio Measurement
C12213 7	Sodium/Potassium	Sodium/Potassium	A relative measurement (ratio or percentage) of the sodium to potassium in a biological specimen.	Sodium to Potassium Ratio Measurement
C11927 3	Soluble E-Selectin	Soluble E-Selectin;sE-selectin	A measurement of the soluble E-Selectin activity in a biological specimen.	Soluble E-Selectin Measurement
C11783 5	Soluble Immunoglobulin	Soluble Immunoglobulin	A measurement of the soluble total immunoglobulin in a biological specimen.	Soluble Immunoglobulin Measurement
C13238 6	Soluble Intercell Adhesion Molecule 1	Soluble Intercell Adhesion Molecule 1	A measurement of the soluble intercellular adhesion molecule 1 in a biological specimen.	Soluble Intercellular Adhesion Molecule 1 Measurement
C10228 0	Soluble Interleukin 2 Receptor Activity	Soluble Interleukin 2 Receptor Activity	A measurement of the soluble interleukin 2 receptor activity in a biological specimen.	Soluble Interleukin 2 Receptor Activity Measurement
C11783 7	Soluble Interleukin 6 Receptor	Soluble Interleukin 6 Receptor	A measurement of the soluble interleukin 6 receptor in a biological specimen.	Soluble Interleukin 6 Receptor Measurement
C11783 6	Soluble Interleukin-1 Receptor Type I	Soluble Interleukin-1 Receptor Type I	A measurement of the soluble interleukin-1 receptor type I in a biological specimen.	Soluble Interleukin-1 Receptor Type I Measurement
C12215 0	Soluble Liver Antigen IgG Antibody	Soluble Liver Antigen IgG Antibody	A measurement of the soluble liver antigen IgG antibody in a biological specimen.	Soluble Liver Antigen IgG Antibody Measurement
C12065 0	Soluble P-Selectin	Soluble P-Selectin	A measurement of the soluble P-selectin in a biological specimen.	Soluble P-Selectin Measurement
C11786 3	Soluble TNF Receptor Type I	Soluble TNF Receptor Type I	A measurement of the soluble tumor necrosis factor receptor type I in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Type I Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11786 4	Soluble TNF Receptor Type II	Soluble TNF Receptor Type II	A measurement of the soluble tumor necrosis factor receptor type II in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Type II Measurement
C10043 8	Soluble Transferrin Receptor	Soluble Transferrin Receptor	A measurement of the soluble transferrin receptor in a biological specimen.	Soluble Transferrin Receptor Measurement
C11774 9	Soluble Tumor Necrosis Factor Receptor	Soluble Tumor Necrosis Factor Receptor	A measurement of the total soluble tumor necrosis factor receptor in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Measurement
C92533	Soluble Vasc Cell Adhesion Molecule 1	Soluble Vasc Cell Adhesion Molecule 1	A measurement of the soluble vascular cell adhesion molecule 1 in a biological specimen.	Soluble Vascular Cell Adhesion Molecule 1
C80360	Somatotrophin	Growth Hormone;Somatotrophin;Somatotropin	A measurement of the somatotrophin (growth) hormone in a biological specimen.	Somatotrophin Measurement
C79465	Sorbitol Dehydrogenase	Sorbitol Dehydrogenase	A measurement of the sorbitol dehydrogenase in a biological specimen.	Sorbitol Dehydrogenase Measurement
C64832	Specific Gravity	Specific Gravity	A ratio of the density of a fluid to the density of water.	Specific Gravity
C25377	Specimen Appearance	Specimen Appearance	The outward or visible aspect of a specimen.	Appearance
C10656 9	Specimen Weight	Specimen Weight	A measurement of the weight of a biological specimen.	Specimen Weight Measurement
C14229 0	Sperm Agglutination	Sperm Agglutination	A measurement of the motile spermatozoa agglutination in a biological specimen.	Sperm Agglutination Measurement
C14229 1	Sperm Aggregation	Sperm Aggregation	A measurement of the immotile spermatozoa aggregation in a biological specimen.	Sperm Aggregation Measurement
C10228 1	Sperm Motility	Sperm Motility	A measurement of the sperm capable of forward, progressive movement in a semen specimen.	Sperm Motility Measurement
C74663	Spermatozoa	Spermatozoa	A measurement of the spermatozoa cells present in a biological specimen.	Spermatozoa Cell Count
C74707	Spherocytes	Spherocytes	A measurement of the spherocytes (small, sphere-shaped red blood cells) in a biological specimen.	Spherocyte Count
C12066 0	Squamous Cell Carcinoma Antigen	Squamous Cell Carcinoma Antigen	A measurement of the squamous cell carcinoma antigen in a biological specimen.	Squamous Cell Carcinoma Antigen Measurement
C74773	Squamous Epithelial Cells	Squamous Epithelial Cells	A measurement of the squamous epithelial cells present in a biological specimen.	Squamous Epithelial Cell Count
C13236 6	Squamous Epithelial Cells/Total Cells	Squamous Epithelial Cells/Total Cells	A relative measurement (ratio or percentage) of the squamous epithelial cells to total cells in a biological specimen.	Squamous Epithelial Cells to Total Cells Ratio Measurement
C74774	Squamous Transitional Epithelial Cells	Squamous Transitional Epithelial Cells	A measurement of the squamous transitional epithelial cells present in a biological specimen.	Squamous Transitional Epithelial Cell Count
C81951	Starch Crystals	Starch Crystals	A measurement of the starch crystals in a biological specimen.	Starch Crystal Measurement
C82035	Stem Cell Factor	KIT Ligand;Stem Cell Factor	A measurement of the stem cell factor in a biological specimen.	Stem Cell Factor Measurement
C74708	Stomatocytes	Stomatocytes	A measurement of the stomatocytes (red blood cells with an oval or rectangular area of central pallor, producing the appearance of a cell mouth) in a biological specimen.	Stomatocyte Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12215 2	Streptococcus pneumoniae Antigen	Streptococcus pneumoniae Antigen	A measurement of the Streptococcus pneumoniae antigen in a biological specimen.	Streptococcus pneumoniae Antigen Measurement
C14223 2	Streptococcus pneumoniae IgG Antibody	Streptococcus pneumoniae IgG Antibody	A measurement of the Streptococcus pneumoniae IgG antibody in a biological specimen.	Streptococcus pneumoniae IgG Antibody Measurement
C92282	Streptolysin O Antibody	Antistreptolysin O;Streptolysin O Antibody	A measurement of Streptolysin O Antibody in a biological specimen.	Streptolysin O Antibody Measurement
C11785 8	Strongyloides IgG Antibody	Strongyloides IgG Antibody	A measurement of strongyloides IgG antibody in a biological specimen.	Strongyloides IgG Antibody Measurement
C74755	Sulfa Crystals	Sulfa Crystals;Sulfonamide Crystals	A measurement of the sulfa crystals present in a biological specimen.	Sulfa Crystal Measurement
C12215 3	Sulfate	Sulfate;Sulphate	A measurement of the sulfate in a biological specimen.	Sulfate Measurement
C11422 4	Sulfur Dioxide	Sulfur Dioxide	A measurement of the sulfur dioxide in a biological specimen.	Sulfur Dioxide Measurement
C11132 2	Surfactant Protein D	SP-D;Surfactant Protein D	A measurement of the surfactant protein D in a biological specimen.	Surfactant Protein D Measurement
C13238 7	T-Kininogen	T-Kininogen	A measurement of the total T-kininogen in a biological specimen.	T-Kininogen Measurement
C12897 9	T-lymphocyte Crossmatch	T-lymphocyte Crossmatch	A measurement to determine human leukocyte antigens (HLA) histocompatibility between the recipient and the donor by examining the presence or absence of the recipient's anti-HLA antibody reactivity towards HLA antigens expressed on the donor T-lymphocytes.	T-lymphocyte Crossmatch Measurement
C12215 7	T-Lymphocytes	T-Lymphocytes	A measurement of the total thymocyte-derived lymphocytes in a biological specimen.	T-Lymphocyte Count
C14740 8	T1 Collagen X-link N-Telopeptides/Creat	T1 Collagen X-link N-Telopeptides/Creat;Type I Collagen X-linked N-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type 1 collagen cross-linked N-telopeptides to creatinine in a biological specimen.	Type 1 Collagen X-link N-Telopeptides to Creatinine Ratio Measurement
C96636	Target Cells	Codocytes;Leptocytes;Mexican Hat Cells;Target Cells	A measurement of the target cells in a biological specimen.	Target Cell Count
C11786 5	Tartrate-Resistant Acid Phosphatase 5b	TRAP5B;Tartrate-Resistant Acid Phosphatase 5b	A measurement of tartrate-resistant acid phosphatase 5b in a biological specimen.	Tartrate-Resistant Acid Phosphatase 5b Measurement
C84810	Tau Protein	Tau Protein;Total Tau Protein	A measurement of the total Tau protein in a biological specimen.	Tau Protein Measurement
C12215 4	Taurine	Tauric Acid;Taurine	A measurement of the taurine in a biological specimen.	Taurine Measurement
C75376	Temazepam	Temazepam	A measurement of the temazepam present in a biological specimen.	Temazepam Measurement
C11785 9	Terminal Deoxynucleotidyl Transferase Ag	Terminal Deoxynucleotidyl Transferase Ag;Terminal Deoxynucleotidyl Transferase Antigen	A measurement of the terminal deoxynucleotidyl transferase antigen in a biological specimen.	Terminal Deoxynucleotidyl Transferase Antigen Measurement
C74793	Testosterone	Testosterone;Total Testosterone	A measurement of the total (free and bound) testosterone in a biological specimen.	Total Testosterone Measurement
C14744 0	Testosterone Free+Weakly Bound/Testost	Testosterone Free+Weakly Bound/Testost;Testosterone, Free and Weakly Bound/Testosterone	A relative measurement (ratio or percentage) of the free and weakly bound testosterone to total testosterone in a biological specimen.	Free Testosterone and Weakly Bound to Total Testosterone Ratio Measurement
C74785	Testosterone, Free	Testosterone, Free	A measurement of the free testosterone in a biological specimen.	Free Testosterone Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14743 9	Testosterone, Free/Testosterone	Testosterone, Free/Testosterone	A relative measurement (ratio or percentage) of the amount of the bioavailable testosterone compared to total testosterone in a biological specimen.	Free Testosterone to Testosterone Ratio Measurement
C12898 0	Testosterone, Free/Total Protein	Testosterone, Free/Total Protein	A relative measurement (ratio or percentage) of free testosterone to total proteins in a biological specimen.	Free Testosterone to Total Protein Ratio Measurement
C14743 4	Testosterone, Weakly Bound	Testosterone, Weakly Bound	A measurement of the weakly bound testosterone (testosterone bound to albumin) in a biological specimen.	Weakly Bound Testosterone Measurement
C14743 6	Tetrahydrocannabinol	Tetrahydrocannabinol	A measurement of the tetrahydrocannabinol in a biological specimen.	Tetrahydrocannabinol Measurement
C10544 5	Theophylline	Theophylline	A measurement of the Theophylline present in a biological specimen.	Theophylline Measurement
C74896	Thiamine	Thiamine;Vitamin B1	A measurement of the thiamine in a biological specimen.	Vitamin B1 Measurement
C12215 6	Threonine	Threonine	A measurement of the threonine in a biological specimen.	Threonine Measurement
C14743 7	Thrombin Activity Actual/Control	Thrombin Activity Actual/Control;Thrombin Activity Actual/Normal;Thrombin Activity Actual/Thrombin Activity Control	A relative measurement (ratio or percentage) of the biological activity of thrombin dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Thrombin Activity Actual to Control Ratio Measurement
C80365	Thrombin Time	Thrombin Time	A measurement of the time it takes a plasma sample to clot after adding the active enzyme thrombin. (NCI)	Thrombin Time
C10657 4	Thrombin/Antithrombin	Thrombin/Antithrombin;Thrombin/Antithrombin III	A relative measurement (ratio or percentage) of the thrombin to antithrombin present in a sample.	Thrombin to Antithrombin Ratio Measurement
C11128 3	Thrombocytes	Nucleated Thrombocytes;Thrombocytes	A measurement of the nucleated platelets, namely thrombocytes, in a biological specimen. This is typically measured in birds and other non-mammalian vertebrates.	Nucleated Thrombocyte Count
C13544 4	Thrombomodulin	BDCA3;Thrombomodulin	A measurement of the thrombomodulin in a biological specimen.	Thrombomodulin Measurement
C74873	Thrombopoietin	Thrombopoietin	A measurement of the thrombopoietin hormone in a biological specimen.	Thrombopoietin Measurement
C10344 5	Thromboxane B2	Thromboxane B2	A measurement of the thromboxane B2 in a biological specimen.	Thromboxane B2 Measurement
C12066 5	Thymidine Kinase	Thymidine Kinase	A measurement of the total thymidine kinase in a biological specimen.	Thymidine Kinase Measurement
C13544 5	Thymidine Kinase 1	Thymidine Kinase 1;Thymidine Kinase, Cytosolic	A measurement of the thymidine kinase 1 in a biological specimen.	Thymidine Kinase 1 Measurement
C13544 6	Thymidine Kinase 2	Thymidine Kinase 2;Thymidine Kinase, Mitochondrial	A measurement of the thymidine kinase 2 in a biological specimen.	Thymidine Kinase 2 Measurement
C10344 6	Thyroglobulin	TG;Thyroglobulin	A measurement of the thyroglobulin in a biological specimen.	Thyroglobulin Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14743 5	Thyroglobulin Recovery Rate	Thyroglobulin Recovery Rate	A measurement of the thyroglobulin recovery rate in a biological specimen obtained by measuring the thyroglobulin concentration before and after a known amount of thyroglobulin has been added to the specimen.	Thyroglobulin Recovery Rate
C81990	Thyroid Antibodies	Thyroid Antibodies	A measurement of the thyroid antibodies in a biological specimen.	Thyroid Antibody Measurement
C81991	Thyroid Antimicrosomal Antibodies	Thyroid Antimicrosomal Antibodies	A measurement of the thyroid antimicrosomal antibodies in a biological specimen.	Thyroid Antimicrosomal Antibody Measurement
C81992	Thyroid Antithyroglobulin Antibodies	Thyroid Antithyroglobulin Antibodies	A measurement of the thyroid antithyroglobulin antibodies in a biological specimen.	Thyroid Antithyroglobulin Antibody Measurement
C14743 8	Thyroid Stimulating Immunoglobulin	Thyroid Stimulating Immunoglobulin	A measurement of the thyroid stimulating immunoglobulin in a biological specimen.	Thyroid Stimulating Immunoglobulin Measurement
C96639	Thyroxidase	Thyroid Peroxidase;Thyroxidase	A measurement of the thyroxidase in a biological specimen.	Thyroxidase Measurement
C96638	Thyroxidase Antibody	Thyroxidase Antibody	A measurement of the thyroxidase antibody in a biological specimen.	Thyroxidase Antibody Measurement
C64813	Thyrotropin	Thyroid Stimulating Hormone;Thyrotropin	A measurement of the thyrotropin in a biological specimen.	Thyrotropin Measurement
C12215 8	Thyrotropin Receptor Antibody	Thyroid Stimulating Hormone Receptor Antibody;Thyrotropin Receptor Antibody	A measurement of the thyrotropin receptor antibody in a biological specimen.	Thyroid Stimulating Hormone Receptor Antibody Measurement
C74874	Thyrotropin Releasing Hormone	Thyrotropin Releasing Factor;Thyrotropin Releasing Hormone	A measurement of the thyrotropin releasing hormone in a biological specimen.	Thyrotropin Releasing Hormone Measurement
C74794	Thyroxine	Thyroxine;Total T4	A measurement of the total (free and bound) thyroxine in a biological specimen.	Total Thyroxine Measurement
C74746	Thyroxine Binding Globulin	Thyroxine Binding Globulin	A measurement of the thyroxine binding globulin protein in a biological specimen.	Thyroxine Binding Globulin Protein Measurement
C74786	Thyroxine, Free	Free T4;Thyroxine, Free	A measurement of the free thyroxine in a biological specimen.	Free Thyroxine Measurement
C12066 4	Thyroxine, Free, Indirect	Thyroxine, Free, Indirect	An indirect measurement of the free thyroxine in a biological specimen.	Indirect Free Thyroxine Measurement
C13008 9	Timothy Grass Pollen IgA	Timothy Grass Pollen IgA	A measurement of the Phleum pratense pollen antigen IgA antibody in a biological specimen.	Timothy Grass Pollen IgA Measurement
C13008 8	Timothy Grass Pollen IgE	Timothy Grass Pollen IgE	A measurement of the Phleum pratense pollen antigen IgE antibody in a biological specimen.	Timothy Grass Pollen IgE Measurement
C13009 0	Timothy Grass Pollen IgG	Timothy Grass Pollen IgG	A measurement of the Phleum pratense pollen antigen IgG antibody in a biological specimen.	Timothy Grass Pollen IgG Measurement
C13009 1	Timothy Grass Pollen IgG4	Timothy Grass Pollen IgG4	A measurement of the Phleum pratense pollen antigen IgG4 antibody in a biological specimen.	Timothy Grass Pollen IgG4 Measurement
C10657 5	TIMP1/Creatinine	TIMP1/Creatinine;Tissue Inhibitor of Metalloproteinase 1/Creatinine	A relative measurement (ratio or percentage) of the tissue inhibitor of metalloproteinase 1 to creatinine present in a sample.	Tissue Inhibitor of Metalloproteinase 1 to Creatinine Ratio Measurement
C82036	Tissue Inhibitor of Metalloproteinase 1	Tissue Inhibitor of Metalloproteinase 1	A measurement of the tissue inhibitor of metalloproteinase 1 in a biological specimen.	Tissue Inhibitor of Metalloproteinase 1 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81993	Tissue Plasminogen Activator Antigen	Tissue Plasminogen Activator Antigen	A measurement of the tissue plasminogen activator antigen in a biological specimen.	Tissue Plasminogen Activator Antigen Measurement
C14744 1	Tissue Transglutaminase IgA Antibody	Tissue Transglutaminase IgA Antibody	A measurement of the tissue transglutaminase IgA antibody in a biological specimen.	Tissue Transglutaminase IgA Antibody Measurement
C14744 2	Tissue Transglutaminase IgM Antibody	Tissue Transglutaminase IgM Antibody	A measurement of the tissue transglutaminase IgM antibody in a biological specimen.	Tissue Transglutaminase IgM Antibody Measurement
C11786 2	TNF-a Production Inhibitory Activity	TNF-a Production Inhibitory Activity	A measurement of TNF-a production inhibitory activity in a biological specimen.	TNF-a Production Inhibitory Activity Measurement
C11926 9	Total Amyloid Precursor Protein	Total Amyloid Precursor Protein	A measurement of the total amyloid precursor protein present in a biological specimen.	Total Amyloid Precursor Protein Measurement
C74718	Total Iron Binding Capacity	Total Iron Binding Capacity	A measurement of the amount of iron needed to fully saturate the transferrin in a biological specimen.	Total Iron Binding Capacity
C12897 4	Total Plasma Cells	Total Plasma Cells	A measurement of the total plasma cells in a biological specimen.	Plasma Cell Count
C12897 5	Total Plasma Cells/Leukocytes	Total Plasma Cells/Leukocytes	A relative measurement (ratio or percentage) of the total plasma cells to leukocytes in a biological specimen.	Plasma Cells to Leukocytes Ratio Measurement
C80208	Total Radical-Trap Antioxidant Potential	Total Radical-Trap Antioxidant Potential	A measurement of the ability of the antioxidants in a biological specimen to buffer free radicals in a suspension.	Total Radical-Trap Antioxidant Potential Measurement
C96641	Toxic Granulation	Toxic Granulation	A measurement of the toxic granulation in granulocytic blood cells.	Toxic Granulation Measurement
C12781 3	Toxic Vacuolation	Toxic Vacuolation	A measurement of the toxic vacuolation in any of the granulocytic blood cells.	Toxic Vacuolation Assessment
C13908 9	Toxoplasma gondii IgG Antibody	Toxoplasma gondii IgG Antibody	A measurement of the Toxoplasma gondii IgG antibody in a biological specimen.	Toxoplasma gondii IgG Antibody Measurement
C13909 0	Toxoplasma gondii IgM Antibody	Toxoplasma gondii IgM Antibody	A measurement of the Toxoplasma gondii IgM antibody in a biological specimen.	Toxoplasma gondii IgM Antibody Measurement
C82037	Transferrin	Transferrin	A measurement of the total transferrin in a biological specimen.	Transferrin Measurement
C98792	Transferrin Saturation	Iron Binding Capacity Saturation;Iron Saturation;Iron to TIBC;Transferrin Saturation	A measurement of the iron bound to transferrin in a biological specimen.	Transferrin Saturation Measurement
C12215 5	Transforming Growth Factor Beta	Transforming Growth Factor Beta	A measurement of the total transforming growth factor beta in a biological specimen.	Transforming Growth Factor Beta Measurement
C11786 1	Transforming Growth Factor Beta 1	Transforming Growth Factor Beta 1	A measurement of the transforming growth factor beta 1 in a biological specimen.	Transforming Growth Factor Beta 1 Measurement
C92251	Transitional Epithelial Cells	Transitional Epithelial Cells	A measurement of the transitional epithelial cells present in a biological specimen.	Transitional Epithelial Cells Measurement
C13010 1	Tree Mix Pollen Antigen IgE Antibody	Tree Mix Pollen Antigen IgE Antibody	A measurement of the tree mix pollen antigen IgE antibody in a biological specimen.	Tree Mix Pollen Antigen IgE Antibody Measurement
C13010 2	Tree Mix Pollen Antigen IgG Antibody	Tree Mix Pollen Antigen IgG Antibody	A measurement of the tree mix pollen antigen IgG antibody in a biological specimen.	Tree Mix Pollen Antigen IgG Antibody Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13238 8	Treponema pallidum Antibody	Treponema pallidum Antibody	A measurement of the total Treponema pallidum antibody in a biological specimen.	Treponema pallidum Antibody Measurement
C92238	Trichomonas	Trichomonas	Examination of a biological specimen to detect the presence of any protozoan belonging to the Trichomonas genus.	Trichomonas Screening
C10042 0	Tricyclic Antidepressants	Tricyclic Antidepressants	A measurement of tricyclic antidepressants in a biological specimen.	Tricyclic Antidepressant Measurement
C64812	Triglycerides	Triglycerides	A measurement of the triglycerides in a biological specimen.	Triglyceride Measurement
C12118 3	Triglycerides/HDL Cholesterol	Triglycerides/HDL Cholesterol	A relative measurement (ratio or percentage) of the triglycerides to high density lipoprotein cholesterol in a biological specimen.	Triglycerides to HDL Cholesterol Ratio Measurement
C74747	Triiodothyronine	Total T3;Triiodothyronine	A measurement of the total (free and bound) triiodothyronine in a biological specimen.	Triiodothyronine Measurement
C74748	Triiodothyronine Uptake	T3RU;T3U;Triiodothyronine Uptake	A measurement of the binding of triiodothyronine to thyroxine binding globulin protein in a biological specimen.	Triiodothyronine Uptake Measurement
C74787	Triiodothyronine, Free	Free T3;Triiodothyronine, Free	A measurement of the free triiodothyronine in a biological specimen.	Free Triiodothyronine Measurement
C81968	Triiodothyronine, Reverse	Triiodothyronine, Reverse	A measurement of the reverse triiodothyronine in a biological specimen.	Reverse Triiodothyronine Measurement
C74756	Triple Phosphate Crystals	Triple Phosphate Crystals	A measurement of the triple phosphate crystals present in a biological specimen.	Triple Phosphate Crystal Measurement
C14727 7	Triticum aestivum Antigen IgE Antibody	Bread Wheat Antigen IgE Antibody;Triticum aestivum Antigen IgE Antibody	A measurement of the Triticum aestivum antigen IgE antibody in a biological specimen.	Triticum aestivum Antigen IgE Antibody Measurement
C11132 7	Troponin	Troponin	A measurement of the total troponin in a biological specimen.	Troponin Measurement
C74749	Troponin I	Troponin I	A measurement of the actin binding troponin in a biological specimen.	Troponin I Measurement
C13544 7	Troponin I Type 1	Slow-Twitch Skeletal Muscle Troponin I;Troponin I Type 1;ssTnI	A measurement of the troponin I type 1 (slow twitch skeletal muscle) in a biological specimen.	Troponin I Type 1 Measurement
C12763 6	Troponin I Type 2	Fast-Twitch Skeletal Muscle Troponin I;Troponin I Type 2;fsTnI	A measurement of the troponin I type 2 (fast twitch skeletal muscle) in a biological specimen.	Troponin I Type 2 Measurement
C13544 8	Troponin I Type 3	Cardiac Troponin I;TNNC1;Troponin I Type 3;cTnI	A measurement of the troponin I type 3 (cardiac muscle) in a biological specimen.	Troponin I Type 3 Measurement
C74750	Troponin T	Troponin T	A measurement of the tropomyosin binding troponin in a biological specimen.	Troponin T Measurement
C13544 9	Trypsin 1 and Trypsinogen 1	Trypsin 1 and Trypsinogen 1	A measurement of the trypsin 1 and trypsinogen 1 in a biological specimen.	Trypsin 1 and Trypsinogen 1 Measurement
C13545 0	Trypsin and Trypsinogen	Trypsin and Trypsinogen	A measurement of the total trypsin and total trypsinogen in a biological specimen.	Trypsin and Trypsinogen Measurement
C92292	Tryptase	Tryptase	A measurement of the tryptase in a biological specimen.	Tryptase Measurement
C74775	Tubular Epithelial Cells	Renal Tubular Epithelial Cells;Tubular Epithelial Cells	A measurement of the tubular epithelial cells present in a biological specimen.	Tubular Epithelial Cell Count

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74751	Tumor Necrosis Factor	Tumor Necrosis Factor;Tumor Necrosis Factor alpha	A measurement of the total tumor necrosis factor (cachexin) cytokine in a biological specimen.	Tumor Necrosis Factor Measurement
C120666	Tumor Necrosis Factor Receptor 1	CD120a;Tumor Necrosis Factor Receptor 1	A measurement of the tumor necrosis factor receptor 1 (CD120a) in a biological specimen.	Tumor Necrosis Factor Receptor 1 Measurement
C74723	Turbidity	Turbidity	A measurement of the opacity of a biological specimen.	Turbidity Measurement
C82038	Type I Collagen C-Telopeptides	Type I Collagen C-Telopeptides;Type I Collagen X-linked C-telopeptide	A measurement of the type I collagen cross-linked C-telopeptides in a biological specimen.	Type I Collagen C-Telopeptide Measurement
C127613	Type I Collagen C-Telopeptides/Creat	Type I Collagen C-Telopeptides/Creat;Type I Collagen X-Linked C-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type I collagen cross-linked C-telopeptides to creatinine in a biological specimen.	Type I Collagen C-Telopeptide to Creatinine Ratio Measurement
C82039	Type I Collagen N-Telopeptides	Type I Collagen N-Telopeptides;Type I Collagen X-Linked N-Telopeptides	A measurement of the type I collagen cross-linked N-telopeptides in a biological specimen.	Type I Collagen N-Telopeptide Measurement
C92283	Type I Myeloblasts	Type I Myeloblasts	A measurement of type I myeloblast cells per unit of a biological specimen.	Type I Myeloblasts Measurement
C82040	Type II Collagen C-Telopeptides	Type II Collagen C-Telopeptides;Type II Collagen X-Linked C-Telopeptides	A measurement of the type II collagen cross-linked C-telopeptides in a biological specimen.	Type II Collagen C-Telopeptide Measurement
C122113	Type II Collagen C-Telopeptides/Creat	Type II Collagen C-Telopeptides/Creat;Type II Collagen X-Linked C-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type II collagen cross-linked C-telopeptides to creatinine in a biological specimen.	Type II Collagen C-Telopeptides to Creatinine Ratio Measurement
C82041	Type II Collagen N-Telopeptides	Type II Collagen N-Telopeptides;Type II Collagen X-Linked N-Telopeptides	A measurement of the type II collagen cross-linked N-telopeptides in a biological specimen.	Type II Collagen N-Telopeptide Measurement
C92284	Type II Myeloblasts	Type II Myeloblasts	A measurement of type II myeloblast cells per unit of a biological specimen.	Type II Myeloblasts Measurement
C120663	Type II Secretory Phospholipase A2	Type II Secretory Phospholipase A2	A measurement of the type II secretory phospholipase A2 in a biological specimen.	Type II Secretory Phospholipase A2 Measurement
C92285	Type III Myeloblasts	Type III Myeloblasts	A measurement of type III myeloblast cells per unit of a biological specimen.	Type III Myeloblasts Measurement
C122159	Tyrosine	Tyrosine	A measurement of the tyrosine in a biological specimen.	Tyrosine Measurement
C74683	Tyrosine Crystals	Tyrosine Crystals	A measurement of the tyrosine crystals present in a biological specimen.	Tyrosine Crystal Measurement
C147321	Ubiquinone 10	Coenzyme Q10;Ubiquinone 10	A measurement of the ubiquinone 10 in a biological specimen.	Ubiquinone 10 Measurement
C147443	Ubiquitin Protein	Ubiquitin Protein	A measurement of the total ubiquitin protein in a biological specimen.	Ubiquitin Protein Measurement
C74776	Unclassified Casts	Unclassified Casts	A measurement of the unclassifiable casts present in a biological specimen.	Unclassified Cast Measurement
C74757	Unclassified Crystals	Unclassified Crystals	A measurement of the unclassifiable crystals present in a biological specimen.	Unclassified Crystal Measurement
C74719	Unsaturated Iron Binding Capacity	Unsaturated Iron Binding Capacity	A measurement of the binding capacity of unsaturated iron in a biological specimen.	Unsaturated Iron Binding Capacity Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11224 1	Unspecified Cells	Unspecified Cells	A measurement of the cells not otherwise identified or specified in a biological specimen.	Count of Unspecified Cells
C11422 5	Unspecified Cells/Total Cells	Unspecified Cells/Total Cells	A relative measurement (ratio or percentage) of the cells not otherwise identified or specified to total cells in a biological specimen.	Unspecified Cells to Total Cell Ratio Measurement
C64814	Urate	Urate;Uric Acid	A measurement of the urate in a biological specimen.	Urate Measurement
C11786 6	Urate/Creatinine	Urate/Creatinine	A relative measurement (ratio or percentage) of the urate to creatinine in a biological specimen.	Urate to Creatinine Ratio Measurement
C64815	Urea	Urea	A measurement of the urea in a biological specimen.	Urea Measurement
C12594 9	Urea Nitrogen	Urea Nitrogen	A measurement of the urea nitrogen in a biological specimen.	Urea Nitrogen Measurement
C12595 0	Urea Nitrogen/Creatinine	Urea Nitrogen/Creatinine	A relative measurement (ratio or percentage) of the urea nitrogen to creatinine in a biological specimen.	Urea Nitrogen to Creatinine Ratio Measurement
C96645	Urea/Creatinine	Urea/Creatinine	A relative measurement (ratio or percentage) of the urea to creatinine in a biological specimen.	Urea to Creatinine Ratio Measurement
C74684	Uric Acid Crystals	Uric Acid Crystals	A measurement of the uric acid crystals present in a biological specimen.	Uric Acid Crystal Measurement
C10228 2	Urine Conductivity	Urine Conductivity	A measurement of the urine conductivity which is a non-linear function of the electrolyte concentration in the urine.	Urine Conductivity
C64816	Urobilinogen	Urobilinogen	A measurement of the urobilinogen in a biological specimen.	Urobilinogen Measurement
C11132 9	Vacuolated Lymphocytes	Vacuolated Lymphocytes	A measurement of the vacuolated lymphocytes in a biological specimen.	Vacuolated Lymphocyte Count
C12762 7	Vacuolated Lymphocytes/Leukocytes	Vacuolated Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the vacuolated lymphocytes to leukocytes in a biological specimen.	Vacuolated Lymphocyte to Leukocyte Ratio Measurement
C74628	Vacuolated Neutrophils	Vacuolated Neutrophils	A measurement of the neutrophils containing small vacuoles in a biological specimen.	Vacuolated Neutrophil Count
C12216 0	Valine	Valine	A measurement of the valine in a biological specimen.	Valine Measurement
C74875	Vanillyl Mandelic Acid	Vanillyl Mandelic Acid;Vanillylmandelate;Vanilmandelic Acid	A measurement of the vanillyl mandelic acid metabolite in a biological specimen.	Vanillyl Mandelic Acid Measurement
C11786 7	Varicella Zoster Virus Antibody	Varicella Zoster Virus Antibody	A measurement of the total varicella zoster virus antibody in a biological specimen.	Varicella Zoster Virus Antibody Measurement
C98795	Varicella Zoster Virus IgA Antibody	Varicella Zoster Virus IgA Antibody	A measurement of the Varicella Zoster virus IgA antibodies in a biological specimen.	Varicella Zoster Virus IgA Antibody Measurement
C98796	Varicella Zoster Virus IgG Antibody	Varicella Zoster Virus IgG Antibody	A measurement of the Varicella Zoster virus IgG antibodies in a biological specimen.	Varicella Zoster Virus IgG Antibody Measurement
C98797	Varicella Zoster Virus IgM Antibody	Varicella Zoster Virus IgM Antibody	A measurement of the Varicella Zoster virus IgM antibodies in a biological specimen.	Varicella Zoster Virus IgM Antibody Measurement
C82042	Vascular Cell Adhesion Molecule 1	Vascular Cell Adhesion Molecule 1	A measurement of the vascular cell adhesion molecule 1 in a biological specimen.	Vascular Cell Adhesion Molecule 1 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92514	Vascular Endothelial Growth Factor	Vascular Endothelial Growth Factor	A measurement of the vascular endothelial growth factor in a biological specimen.	Vascular Endothelial Growth Factor Measurement
C132389	Vascular Endothelial Growth Factor A	Vascular Endothelial Growth Factor A	A measurement of the vascular endothelial growth factor A in a biological specimen.	Vascular Endothelial Growth Factor A Measurement
C147444	Venlafaxine	Venlafaxine	A measurement of the venlafaxine present in a biological specimen.	Venlafaxine Measurement
C130166	Viable Cells	Viable Cells	A measurement of the viable cells in a biological specimen.	Viable Cell Count
C75912	Viscosity	Viscosity	The resistance of a liquid to sheer forces and flow. (NCI)	Viscosity
C74895	Vitamin A	Retinol;Vitamin A	A measurement of the Vitamin A in a biological specimen.	Vitamin A Measurement
C64817	Vitamin B12	Cobalamin;Vitamin B12	A measurement of the Vitamin B12 in a biological specimen.	Vitamin B12 Measurement
C74897	Vitamin B17	Amygdalin;Vitamin B17	A measurement of the Vitamin B17 in a biological specimen.	Vitamin B17 Measurement
C74900	Vitamin B5	Pantothenic Acid;Vitamin B5	A measurement of the Vitamin B5 in a biological specimen.	Vitamin B5 Measurement
C74901	Vitamin B6	Pyridoxine;Vitamin B6	A measurement of the Vitamin B6 in a biological specimen.	Vitamin B6 Measurement
C74902	Vitamin B7	Biotin;Vitamin B7	A measurement of the Vitamin B7 in a biological specimen.	Vitamin B7 Measurement
C74676	Vitamin B9	Folate;Folic Acid;Vitamin B9	A measurement of the folic acid in a biological specimen.	Folic Acid Measurement
C74903	Vitamin C	Ascorbate;Ascorbic Acid;Vitamin C	A measurement of the Vitamin C in a biological specimen.	Vitamin C Measurement
C84818	Vitamin D	Total Vitamin D;Vitamin D	A measurement of the total Vitamin D in a biological specimen.	Vitamin D Measurement
C74904	Vitamin D2	Ergocalciferol;Vitamin D2	A measurement of the Vitamin D2 in a biological specimen.	Vitamin D2 Measurement
C147445	Vitamin D2 D3 25-OH	Vitamin D2 + Vitamin D3 + 25-Hydroxy Vitamin D;Vitamin D2 D3 25-OH	A measurement of the vitamin D2 and vitamin D3 and 25-hydroxyvitamin D in a biological specimen.	Vitamin D2 and Vitamin D3 and 25-Hydroxyvitamin D Measurement
C74905	Vitamin D3	Cholecalciferol;Vitamin D3	A measurement of the Vitamin D3 in a biological specimen.	Vitamin D3 Measurement
C74906	Vitamin E	Vitamin E	A measurement of the Vitamin E in a biological specimen.	Vitamin E Measurement
C103448	Vitamin E/Cholesterol	Vitamin E/Cholesterol	A relative measurement (ratio or percentage) of vitamin E to total cholesterol in a biological specimen.	Vitamin E to Cholesterol Ratio Measurement
C74907	Vitamin K	Naphthoquinone;Vitamin K	A measurement of the total Vitamin K in a biological specimen.	Vitamin K Measurement
C103449	Vitamin K1	Phylloquinone;Phytomenadione;Vitamin K1	A measurement of the Vitamin K1 in a biological specimen.	Vitamin K1 Measurement
C105589	VLDL Cholesterol	VLDL Cholesterol	A measurement of the very low density lipoprotein cholesterol in a biological specimen.	Very Low Density Lipoprotein Cholesterol Measurement
C120667	VLDL Cholesterol Subtype 1	VLDL Cholesterol Subtype 1	A measurement of the very low density lipoprotein cholesterol subtype 1 in a biological specimen.	VLDL Cholesterol Subtype 1 Measurement
C120668	VLDL Cholesterol Subtype 2	VLDL Cholesterol Subtype 2	A measurement of the very low density lipoprotein cholesterol subtype 2 in a biological specimen.	VLDL Cholesterol Subtype 2 Measurement

**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120669	VLDL Cholesterol Subtype 3	VLDL Cholesterol Subtype 3	A measurement of the very low density lipoprotein cholesterol subtype 3 in a biological specimen.	VLDL Cholesterol Subtype 3 Measurement
C103450	VLDL Particle Size	VLDL Particle Size	A measurement of the average particle size of very-low-density lipoprotein in a biological specimen.	VLDL Particle Size Measurement
C74720	Volume	Volume	A measurement of the volume of a biological specimen.	Volume Measurement
C147447	von Will Factor Act Actual/Control	von Will Factor Act Actual/Control;von Willebrand Factor Activity Actual/Normal;von Willebrand Factor Activity Actual/von Willebrand Factor Activity Control	A relative measurement (ratio or percentage) of the biological activity of the von Willebrand factor dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	von Willebrand Factor Activity Actual to Control Ratio Measurement
C98799	von Willebrand Factor	von Willebrand Factor;von Willebrand Factor Antigen	A measurement of the von Willebrand coagulation factor in a biological specimen.	von Willebrand Factor Measurement
C122117	von Willebrand Factor Activity	von Willebrand Factor Activity	A measurement of the biological activity of von Willebrand coagulation factor in a biological specimen.	von Willebrand Factor Activity Measurement
C147336	von Willebrand Factor Multimers	von Willebrand Factor Multimers	A measurement of the von Willebrand Factor multimers (an aggregate of multiple von Willebrand factor antigens that are held together with non-covalent bonds) in a biological specimen.	von Willebrand Factor Multimers Measurement
C74777	Waxy Casts	Waxy Casts	A measurement of the waxy casts present in a biological specimen.	Waxy Cell Cast Measurement
C74778	WBC Casts	WBC Casts	A measurement of the white blood cell casts present in a biological specimen.	White Blood Cell Cast Measurement
C127637	WD Repeat-Containing Protein 26	CDW2;MIP2;Macrophage Inflammatory Protein-2;WD Repeat-Containing Protein 26	A measurement of the WD repeat-containing protein 26 in a biological specimen.	WD Repeat-Containing Protein 26 Measurement
C130108	Weed Mix Pollen Antigen IgA Antibody	Weed Mix Pollen Antigen IgA Antibody	A measurement of the weed mix pollen antigen IgA antibody in a biological specimen.	Weed Mix Pollen Antigen IgA Antibody Measurement
C130106	Weed Mix Pollen Antigen IgE Antibody	Weed Mix Pollen Antigen IgE Antibody	A measurement of the weed mix pollen antigen IgE antibody in a biological specimen.	Weed Mix Pollen Antigen IgE Antibody Measurement
C130107	Weed Mix Pollen Antigen IgG Antibody	Weed Mix Pollen Antigen IgG Antibody	A measurement of the weed mix pollen antigen IgG antibody in a biological specimen.	Weed Mix Pollen Antigen IgG Antibody Measurement
C147448	West Nile Virus Antibody	West Nile Virus Antibody	A measurement of the west Nile virus antibody in a biological specimen.	West Nile Virus Antibody Measurement
C130093	Western Ragweed Pollen IgA	Western Ragweed Pollen IgA	A measurement of the Ambrosia psilostachya pollen antigen IgA antibody in a biological specimen.	Western Ragweed Pollen IgA Measurement
C130092	Western Ragweed Pollen IgE	Western Ragweed Pollen IgE	A measurement of the Ambrosia psilostachya pollen antigen IgE antibody in a biological specimen.	Western Ragweed Pollen IgE Measurement
C130094	Western Ragweed Pollen IgG	Western Ragweed Pollen IgG	A measurement of the Ambrosia psilostachya pollen antigen IgG antibody in a biological specimen.	Western Ragweed Pollen IgG Measurement
C130095	Western Ragweed Pollen IgG4	Western Ragweed Pollen IgG4	A measurement of the Ambrosia psilostachya pollen antigen IgG4 antibody in a biological specimen.	Western Ragweed Pollen IgG4 Measurement
C147283	White Elm Pollen IgG Antibody	White Elm Pollen IgG Antibody	A measurement of the Ulmus americana pollen antigen IgG antibody in a biological specimen.	White Elm Pollen IgG Antibody Measurement



**C6715 LBTEST  
4**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14728 2	White Oak Pollen IgE Antibody	White Oak Pollen IgE Antibody	A measurement of the Quercus alba pollen antigen IgE antibody in a biological specimen.	White Oak Pollen IgE Antibody Measurement
C14744 9	Xanthochromia	Xanthochromia	A measurement of the yellowish appearance of a biological specimen due to the presence of bilirubin produced by the degradation of heme from erythrocytes that have entered the biological specimen.	Xanthochromia Measurement
C10650 4	Yeast Budding	Budding Yeast;Yeast Budding	A measurement of the budding yeast present in a biological specimen.	Budding Yeast Measurement
C74664	Yeast Cells	Yeast Cells	A measurement of the yeast cells present in a biological specimen.	Yeast Cell Measurement
C92239	Yeast Hyphae	Yeast Hyphae	A measurement of the yeast hyphae present in a biological specimen.	Yeast Hyphae Screening
C14745 0	Yellow Fever Virus Antibody	Yellow Fever Virus Antibody	A measurement of the yellow fever virus antibody in a biological specimen.	Yellow Fever Virus Antibody Measurement
C14229 4	YKL-40 Protein	Chitinase-3-Like Protein 1;YKL-40 Protein	A measurement of the YKL-40 protein in a biological specimen.	YKL-40 Protein Measurement
C14727 9	Zea mays Antigen IgE Antibody	Corn Antigen IgE Antibody;Zea mays Antigen IgE Antibody	A measurement of the Zea mays antigen IgE antibody in a biological specimen.	Zea mays Antigen IgE Antibody Measurement
C14745 1	Zika Virus Antibody	Zika Virus Antibody	A measurement of the Zika virus antibody in a biological specimen.	Zika Virus Antibody Measurement
C80210	Zinc	Zinc	A measurement of the zinc in a biological specimen.	Zinc Measurement
C14745 2	Zinc Protoporphyrin	Zinc Protoporphyrin	A measurement of the zinc protoporphyrin (zinc bound protoporphyrin) in a biological specimen.	Zinc Protoporphyrin Measurement

## LBTESTCD (Laboratory Test Code)

NCI Code: C65047, Codelist extensible: Yes

C65047 LBTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100429	A1AGLP	Alpha-1 Acid Glycoprotein	A measurement of the alpha-1 acid glycoprotein in a biological specimen.	Alpha-1 Acid Glycoprotein Measurement
C80167	A1ANTRYP	Alpha-1 Antitrypsin;Serum Trypsin Inhibitor	A measurement of the alpha-1 antitrypsin in a biological specimen.	Alpha-1 Antitrypsin Measurement
C100462	A1MCREAT	Alpha-1 Microglobulin/Creatinine	A relative measurement (ratio or percentage) of the alpha-1 microglobulin to creatinine in a biological specimen.	Alpha-1 Microglobulin to Creatinine Ratio Measurement
C100461	A1MICG	Alpha-1 Microglobulin;Protein HC	A measurement of the alpha-1 microglobulin in a biological specimen.	Alpha-1 Microglobulin Measurement
C80168	A2MACG	Alpha-2 Macroglobulin	A measurement of the alpha-2 macroglobulin in a biological specimen.	Alpha-2 Macroglobulin Measurement
C100430	AAP	Alanine Aminopeptidase	A measurement of the alanine aminopeptidase in a biological specimen.	Alanine Aminopeptidase Measurement
C111124	ABNCE	Abnormal Cells	A measurement of the abnormal cells in a biological specimen.	Abnormal Cell Count
C125939	ABO	ABO Blood Group	The characterization of the blood type of an individual by testing for the presence of A antigen and B antigen on the surface of red blood cells.	ABO Blood Group Determination
C135397	ABOA1	ABO A1 Subtype	The characterization of the ABO blood group A1 subtype in an individual. (NCI)	ABO A1 Subtype Determination
C74699	ACANT	Acanthocytes	A measurement of the acanthocytes in a biological specimen.	Acanthocyte Count
C74633	ACANTRBC	Acanthocytes/Erythrocytes	A relative measurement (ratio or percentage) of acanthocytes to all erythrocytes in a biological specimen.	Acanthocyte to Erythrocyte Ratio Measurement
C80169	ACE	Angiotensin Converting Enzyme	A measurement of the angiotensin converting enzyme in a biological specimen.	Angiotensin Converting Enzyme Measurement
C135398	ACETAMIN	Acetaminophen;Paracetamol	A measurement of the acetaminophen in a biological specimen.	Acetaminophen Measurement
C92247	ACETOAC	Acetoacetate;Acetoacetic Acid	A measurement of the acetoacetic acid in a biological specimen.	Acetoacetic Acid Measurement
C147288	ACETONE	Acetone	A measurement of the acetone in a biological specimen.	Acetone Measurement
C74838	ACH	Acetylcholine	A measurement of the acetylcholine hormone in a biological specimen.	Acetylcholine Measurement
C96560	ACHE	Acetylcholinesterase	A measurement of the acetylcholinesterase in a biological specimen.	Acetylcholinesterase Measurement
C96559	ACHRAB	Acetylcholine Receptor Antibody	A measurement of the acetylcholine receptor antibody in a biological specimen.	Acetylcholine Receptor Antibody Measurement
C80163	ACPHOS	Acid Phosphatase	A measurement of the acid phosphatase in a biological specimen.	Acid Phosphatase Measurement
C147289	ACRNCRN	Acylcarnitine/Carnitine, Free	A relative measurement (ratio or percentage) of the acylcarnitine to free carnitine in a biological specimen.	Acylcarnitine to Free Carnitine Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103348	ACT	Activated Clotting Time;Activated Coagulation Time	A measurement of the inhibition of blood coagulation in response to anticoagulant therapies.	Activated Coagulation Time
C74780	ACTH	Adrenocorticotropic Hormone;Corticotropin	A measurement of the adrenocorticotropic hormone in a biological specimen.	Adrenocorticotropic Hormone Measurement
C92286	ACYLCAOX	Acyl CoA Oxidase;Acyl Coenzyme A Oxidase;Fatty Acyl Coenzyme A Oxidase	A measurement of the acyl coenzyme A oxidase in a biological specimen.	Acyl Coenzyme A Oxidase Measurement
C147290	ADAM8	A Disintegrin And Metalloproteinase Domain 8;ADAM Metallopeptidase Domain 8;CD156a Antigen	A measurement of the ADAM metallopeptidase domain 8 protein in a biological specimen.	ADAM Metallopeptidase Domain 8 Measurement
C111125	ADENOVAB	Adenovirus Antibody	A measurement of the adenovirus antibody in a biological specimen.	Adenovirus Antibody Measurement
C74847	ADH	Antidiuretic Hormone;Vasopressin	A measurement of the antidiuretic hormone in a biological specimen.	Antidiuretic Hormone Measurement
C102257	ADP	Adenosine Diphosphate	A measurement of the adenosine diphosphate in a biological specimen.	Adenosine Diphosphate Measurement
C74839	ADPNCTN	Adiponectin	A measurement of the total adiponectin hormone in a biological specimen.	Adiponectin Measurement
C132363	ADPNHMW	Adiponectin, High Molecular Weight	A measurement of the high molecular weight adiponectin hormone in a biological specimen.	High Molecular Weight Adiponectin Measurement
C74913	ADSDNA	Anti-Double Stranded DNA	A measurement of the anti-double stranded DNA antibody in a biological specimen.	Anti-Double Stranded DNA Measurement
C98706	AFACTXAA	Anti-Factor Xa Activity	A measurement of the ability of antithrombin to inactivate activated Factor X in a biological specimen. This test is used to monitor low molecular weight or unfractionated heparin levels in a biological specimen.	Anti-Factor Xa Activity Measurement
C74732	AFP	Alpha Fetoprotein;Alpha-1-Fetoprotein	A measurement of the alpha fetoprotein in a biological specimen.	Alpha-fetoprotein Measurement
C106499	AFPA	Alpha Fetoprotein Activity	A measurement of the alpha fetoprotein activity in a biological specimen.	Alpha Fetoprotein Activity Measurement
C147291	AFPADJBW	Alpha Fetoprotein Adj for Body Weight	A measurement of alpha fetoprotein, which has been adjusted for body weight, in a biological specimen.	Alpha Fetoprotein Adjusted for Body Weight Measurement
C96562	AFPL1	Alpha Fetoprotein L1	A measurement of the alpha fetoprotein L1 in a biological specimen.	Alpha Fetoprotein L1 Measurement
C96563	AFPL2	Alpha Fetoprotein L2	A measurement of the alpha fetoprotein L2 in a biological specimen.	Alpha Fetoprotein L2 Measurement
C96564	AFPL3	Alpha Fetoprotein L3	A measurement of the alpha fetoprotein L3 in a biological specimen.	Alpha Fetoprotein L3 Measurement
C96565	AFPL3AFP	A Fetoprotein L3/A Fetoprotein	A relative measurement (ratio or percentage) of alpha fetoprotein L3 to total alpha fetoprotein in a biological specimen.	Alpha Fetoprotein L3 to Total Alpha Fetoprotein Ratio Measurement
C124334	AG1_5	1,5-Anhydroglucitol	A measurement of the 1,5-anhydroglucitol in a biological specimen.	1,5-Anhydroglucitol Measurement
C111126	AHBDH	Alpha Hydroxybutyrate Dehydrogenase	A measurement of the alpha-hydroxybutyrate dehydrogenase in a biological specimen.	Alpha Hydroxybutyrate Dehydrogenase Measurement
C122091	ALA	Alanine	A measurement of the alanine in a biological specimen.	Alanine Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14729 2	ALA1ALB	Apolipoprotein A1/Apolipoprotein B	A relative measurement (ratio or percentage) of the Apolipoprotein A1 to Apolipoprotein B in a biological specimen.	Apolipoprotein A1 to Apolipoprotein B Ratio Measurement
C64431	ALB	Albumin;Microalbumin	A measurement of the albumin protein in a biological specimen.	Albumin Measurement
C14729 3	ALBC	Albumin Clearance	A measurement of the albumin clearance in a biological specimen.	Albumin Clearance
C74761	ALBCREAT	Albumin/Creatinine;Microalbumin/Creatinine Ratio	A relative measurement (ratio) of the albumin to the creatinine in a biological specimen.	Albumin To Creatinine Protein Ratio Measurement
C11782 9	ALBEXR	Albumin Excretion Rate	A measurement of the amount of albumin being excreted in urine over a defined period of time (e.g. one hour).	Albumin Urine Excretion Rate
C74894	ALBGLOB	Albumin/Globulin	The ratio of albumin to globulin in a biological specimen.	Albumin to Globulin Ratio Measurement
C12209 2	ALBGLYCA	Glycated Albumin	A measurement of the glycated albumin present in a biological specimen.	Glycated Albumin Measurement
C10345 3	ALBPROT	Albumin/Total Protein	A relative measurement (ratio or percentage) of the albumin to total protein in a biological specimen.	Albumin to Total Protein Ratio Measurement
C74731	ALDOLASE	Aldolase	A measurement of the aldolase enzyme in a biological specimen.	Aldolase Measurement
C74841	ALDSTRN	Aldosterone	A measurement of the aldosterone hormone in a biological specimen.	Aldosterone Measurement
C64432	ALP	Alkaline Phosphatase	A measurement of the alkaline phosphatase in a biological specimen.	Alkaline Phosphatase Measurement
C14729 4	ALPBALP	Alk Phos, Bone/Total Alk Phos;Alkaline Phosphatase, Bone/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the bone specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Bone Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C92287	ALPBS	Bone Specific Alkaline Phosphatase	A measurement of the bone specific alkaline phosphatase isoform in a biological specimen.	Bone Specific Alkaline Phosphatase Measurement
C79438	ALPCREAT	Alkaline Phosphatase/Creatinine	A relative measurement (ratio or percentage) of the alkaline phosphatase to creatinine in a biological specimen.	Alkaline Phosphatase to Creatinine Ratio Measurement
C14729 5	ALPIALP	Alk Phos, Intestinal/Total Alk Phos;Alkaline Phosphatase, Intestinal/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the intestinal specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Intestinal Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C11926 6	ALPIS	Intestinal Specific Alkaline Phosphatase	A measurement of the intestinal specific alkaline phosphatase isoform in a biological specimen.	Intestinal Specific Alkaline Phosphatase Measurement
C13909 1	ALPISOE	Alkaline Phosphatase Isoenzyme	A measurement of the alkaline phosphatase isoenzyme in a biological specimen.	Alkaline Phosphatase Isoenzyme Measurement
C14729 6	ALPLALP	Alk Phos, Liver/Total Alk Phos;Alkaline Phosphatase, Liver/Total Alkaline Phosphatase	A relative measurement (ratio or percentage) of the liver specific alkaline phosphatase isoform to total alkaline phosphatase in a biological specimen.	Liver Alkaline Phosphatase to Total Alkaline Phosphatase Ratio Measurement
C11926 7	ALPLS	Liver Specific Alkaline Phosphatase	A measurement of the liver specific alkaline phosphatase isoform in a biological specimen.	Liver Specific Alkaline Phosphatase Measurement
C75370	ALPRZLM	Alprazolam	A measurement of the alprazolam present in a biological specimen.	Alprazolam Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64433	ALT	Alanine Aminotransferase;SGPT	A measurement of the alanine aminotransferase in a biological specimen.	Alanine Aminotransferase Measurement
C106498	ALTAST	ALT/AST	A relative measurement (ratio or percentage) of the alanine aminotransferase (ALT) to aspartate aminotransferase (AST) present in a sample.	Alanine Aminotransferase to Aspartate Aminotransferase Ratio Measurement
C103349	ALTCPHRL	Alpha Tocopherol	A measurement of the alpha tocopherol in a biological specimen.	Alpha Tocopherol Measurement
C111127	ALUMINUM	Al;Aluminum	A measurement of aluminum in a biological specimen.	Aluminum Measurement
C81975	AMA	Antimitochondrial Antibodies;Mitochondrial Antibody	A measurement of the antimitochondrial antibodies in a biological specimen.	Antimitochondrial Antibody Measurement
C147297	AMABARAB	ACH Receptor Modulation Antibody/ACH Receptor Antibody;ACH Receptor Modulatr Ab/ACH Receptor Ab	A relative measurement (ratio or percentage) of the acetylcholine receptor modulation antibody to the total acetylcholine receptor antibodies in a biological specimen.	Acetylcholine Receptor Modulation Antibody to Acetylcholine Receptor Antibody Ratio Measurement
C132364	AMACR	Alpha-Methylacyl Coenzyme A Racemase	A measurement of the alpha-methylacyl coenzyme A racemase in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase Measurement
C75363	AMBRBTL	Amobarbital	A measurement of the amobarbital present in a biological specimen.	Amobarbital Measurement
C132365	AMCRMRNA	AMACR mRNA	A measurement of the alpha-methylacyl coenzyme A racemase mRNA in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase mRNA Measurement
C120625	AMH	Anti-Mullerian Hormone	A measurement of the anti-Mullerian hormone in a biological specimen.	Anti-Mullerian Hormone Measurement
C74799	AMMONIA	Ammonia;NH3	A measurement of the ammonia in a biological specimen.	Ammonia Measurement
C74666	AMORPHSD	Amorphous Debris;Amorphous Sediment	A measurement of the amorphous sediment present in a biological specimen.	Amorphous Sediment Measurement
C74687	AMPHET	Amphetamine	A measurement of any amphetamine class drug present in a biological specimen.	Amphetamine Drug Class Measurement
C102262	AMPHETD	Dextroamphetamine;d-amphetamine	A measurement of the dextroamphetamine in a biological specimen.	Dextroamphetamine Measurement
C64434	AMYLASE	Amylase	A measurement of the total enzyme amylase in a biological specimen.	Amylase Measurement
C111243	AMYLASEM	Macroamylase	A measurement of macroamylase in a biological specimen.	Macroamylase Measurement
C98767	AMYLASEP	Amylase, Pancreatic	A measurement of the pancreatic enzyme amylase in a biological specimen.	Pancreatic Amylase Measurement
C98780	AMYLASES	Amylase, Salivary	A measurement of the salivary enzyme amylase in a biological specimen.	Salivary Amylase Measurement
C103352	AMYLB38	Amyloid Beta 1-38;Amyloid Beta 38;Amyloid Beta 38 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 38 in a biological specimen.	Amyloid Beta 1-38 Measurement
C103353	AMYLB40	Amyloid Beta 1-40;Amyloid Beta 40;Amyloid Beta 40 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 40 in a biological specimen.	Amyloid Beta 1-40 Measurement
C84809	AMYLB42	Amyloid Beta 1-42;Amyloid Beta 42;Amyloid Beta 42 Protein	A measurement of amyloid beta protein which is composed of peptides 1 to 42 in a biological specimen.	Beta Amyloid 42 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125940	AMYLOIDA	Amyloid A;Serum Amyloid A	A measurement of the total amyloid a (official name is Serum Amyloid A) in a biological specimen.	Amyloid A Measurement
C81999	AMYLOIDB	Amyloid, Beta;Beta Amyloid	A measurement of the total amyloid beta in a biological specimen.	Beta Amyloid Measurement
C81998	AMYLOIDP	Amyloid P	A measurement of the total amyloid P in a biological specimen.	Amyloid P Measurement
C74916	ANA	Antinuclear Antibodies	A measurement of the total antinuclear antibodies (antibodies that attack the body's own tissue) in a biological specimen.	Antinuclear Antibody Measurement
C147298	ANABASN	Anabasine	A measurement of the anabasine in a biological specimen.	Anabasine Measurement
C147299	ANAG	Alpha-N-acetylglucosaminidase	A measurement of the alpha-N-acetylglucosaminidase in a biological specimen.	Alpha-N-acetylglucosaminidase Measurement
C122093	ANAIGGAB	Antinuclear IgG Antibody	A measurement of the antinuclear IgG antibody in a biological specimen.	Antinuclear IgG Antibody Measurement
C120626	ANCAB	Anti-Neutrophil Cytoplasmic Antibody	A measurement of the anti-neutrophil cytoplasmic antibody in a biological specimen.	Anti-Neutrophil Cytoplasmic Antibody Measurement
C147300	ANCATYAB	Anti-Neutrophil Cytoplasmic Antibody, Atypical;Neutrophil Cytoplasmic Ab, Atypical	A measurement of the atypical (cytoplasmic staining usually uniform and no interlobular accentuation) neutrophil cytoplasmic antibodies in a biological specimen.	Atypical Neutrophil Cytoplasmic Antibody Measurement
C147301	ANCCLSAB	Anti-Neutrophil Cytoplasmic Antibody, Classic;Neutrophil Cytoplasmic Ab, Classic	A measurement of the classic (cytoplasmic granular fluorescence with central interlobular accentuation) neutrophil cytoplasmic antibodies in a biological specimen.	Classic Neutrophil Cytoplasmic Antibody Measurement
C147302	ANCPNCAB	Anti-Neutrophil Cytoplasmic Antibody, Perinuclear;Neutrophil Cytoplasmic Ab, Perinuclear	A measurement of the perinuclear (perinuclear staining without nuclear extension) neutrophil cytoplasmic antibodies in a biological specimen.	Perinuclear Neutrophil Cytoplasmic Antibody Measurement
C74842	ANDSTNDL	Androstenediol	A measurement of the androstenediol metabolite in a biological specimen.	Androstenediol Metabolite Measurement
C74843	ANDSTNDN	4-Androstenedione;Androstenedione	A measurement of the androstenedione hormone in a biological specimen.	Androstenedione Measurement
C91372	ANGLBIND	Antiglobulin Test, Indirect;Indirect Coombs Test	A test that uses Coombs' reagent to detect the presence of anti-erythrocyte antibodies in a biological specimen.	Indirect Antiglobulin Test
C81974	ANGLOBDR	Antiglobulin Test, Direct;Direct Coombs Test	A measurement of the antibody or complement-coated erythrocytes in a biological specimen in vivo.	Direct Antiglobulin Test
C111128	ANGPT1	Angiopietin 1	A measurement of angiopietin 1 in a biological specimen.	Angiopietin 1 Measurement
C74844	ANGTNS1	Angiotensin I	A measurement of the angiotensin I hormone in a biological specimen.	Angiotensin I Measurement
C74845	ANGTNS2	Angiotensin II	A measurement of the angiotensin II hormone in a biological specimen.	Angiotensin II Measurement
C74846	ANGTNSGN	Angiotensin Precursor;Angiotensinogen	A measurement of the angiotensinogen hormone in a biological specimen.	Angiotensinogen Measurement
C74685	ANIONG	Anion Gap	A computed estimate of the unmeasured anions (those other than the chloride and bicarbonate anions) in a biological specimen.	Anion Gap Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14730 3	ANIONG3	Anion Gap 3	A computed estimate of the unmeasured anions (computed as sodium minus the chloride and bicarbonate) in a biological specimen.	Anion Gap 3 Measurement
C14730 4	ANIONG4	Anion Gap 4	A computed estimate of the unmeasured anions (computed as the difference between the sum of serum sodium + serum potassium and the sum of the serum bicarbonate+ chloride) in a biological specimen.	Anion Gap 4 Measurement
C74797	ANISO	Anisocytes;Anisocytosis	A measurement of the variability in the size of the red blood cells in a whole blood specimen.	Anisocyte Measurement
C74886	ANP	Atrial Natriuretic Peptide;Atriopeptin	A measurement of the atrial natriuretic peptide in a biological specimen.	Atrial Natriuretic Peptide Measurement
C13908 8	ANPPRONT	N-Terminal ProA-type Natriuretic Peptide;N-terminal pro-Atrial Natriuretic Peptide;NT proANP II	A measurement of the N-terminal proA-type natriuretic peptide in a biological specimen.	N-Terminal ProA-type Natriuretic Peptide Measurement
C81958	ANTHRM	Antithrombin;Antithrombin Activity;Antithrombin III;Antithrombin III Activity	A measurement of the antithrombin activity in a biological specimen.	Antithrombin Activity Measurement
C81977	ANTHRMAG	Antithrombin Antigen;Antithrombin III Antigen	A measurement of the antithrombin antigen in a biological specimen.	Antithrombin Antigen Measurement
C74691	ANTIDPRS	Antidepressants	A measurement of any antidepressant class drug present in a biological specimen.	Antidepressant Measurement
C12062 7	ANUAB	Anti-Nucleosome Antibody	A measurement of the anti-nucleosome antibody in a biological specimen.	Anti-Nucleosome Antibody Measurement
C10225 8	APLAB	Antiphospholipid Antibodies	A measurement of the total antiphospholipid antibodies in a biological specimen.	Antiphospholipid Antibody Measurement
C12433 5	APLIGGAB	Anti-Phospholipid IgG Antibody	A measurement of the antiphospholipid IgG antibody in a biological specimen.	Anti-Phospholipid IgG Antibody Measurement
C12433 6	APLIGMAB	Anti-Phospholipid IgM Antibody	A measurement of the antiphospholipid IgM antibody in a biological specimen.	Anti-Phospholipid IgM Antibody Measurement
C10335 1	APLSMA2	Alpha-2 Antiplasmin;Alpha-2 Plasmin Inhibitor	A measurement of the alpha-2 antiplasmin in a biological specimen.	Alpha-2 Antiplasmin Measurement
C12209 4	APLSMA2A	Alpha-2 Antiplasmin Activity	A measurement of the alpha-2 antiplasmin activity in a biological specimen.	Alpha-2 Antiplasmin Activity Measurement
C12433 7	APOA	Apolipoprotein A	A measurement of the total apolipoprotein A in a biological specimen.	Apolipoprotein A Measurement
C74733	APOA1	Apolipoprotein A1	A measurement of the apolipoprotein A1 in a biological specimen.	Apolipoprotein A1 Measurement
C82000	APOA2	Apolipoprotein AII	A measurement of the apolipoprotein AII in a biological specimen.	Apolipoprotein AII Measurement
C10335 4	APOA4	Apolipoprotein A4	A measurement of the apolipoprotein A4 in a biological specimen.	Apolipoprotein A4 Measurement
C10335 5	APOA5	Apolipoprotein A5	A measurement of the apolipoprotein A5 in a biological specimen.	Apolipoprotein A5 Measurement
C74734	APOB	Apolipoprotein B	A measurement of the total apolipoprotein B in a biological specimen.	Apolipoprotein B Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120628	APOB100	Apolipoprotein B100	A measurement of the apolipoprotein B100 in a biological specimen.	Apolipoprotein B100 Measurement
C120629	APOB48	Apolipoprotein B48	A measurement of the apolipoprotein B48 in a biological specimen.	Apolipoprotein B48 Measurement
C103356	APOBAPA1	Apolipoprotein B/Apolipoprotein A1	A relative measurement (ratio or percentage) of the Apolipoprotein B to Apolipoprotein A1 in a biological specimen.	Apolipoprotein B to Apolipoprotein A1 Ratio Measurement
C120630	APOC1	Apolipoprotein CI	A measurement of the apolipoprotein CI in a biological specimen.	Apolipoprotein CI Measurement
C100427	APOC2	Apolipoprotein C2;Apolipoprotein CII	A measurement of the apolipoprotein C2 in a biological specimen.	Apolipoprotein C2 Measurement
C82001	APOC3	Apolipoprotein CIII	A measurement of the apolipoprotein CIII in a biological specimen.	Apolipoprotein CIII Measurement
C82002	APOE	Apolipoprotein E	A measurement of the apolipoprotein E in a biological specimen.	Apolipoprotein E Measurement
C92293	APOE4	Apolipoprotein E4	A measurement of the apolipoprotein E4 in a biological specimen.	Apolipoprotein E4 Measurement
C82003	APOH	Apolipoprotein H	A measurement of the apolipoprotein H in a biological specimen.	Apolipoprotein H Measurement
C100428	APOJ	Apolipoprotein J;Clusterin	A measurement of the apolipoprotein J in a biological specimen.	Apolipoprotein J Measurement
C111130	APOJCRT	Apolipoprotein J/Creatinine;Clusterin/Creatinine	A relative measurement (ratio or percentage) of the apolipoprotein J to creatinine in a biological specimen.	Apolipoprotein J to Creatinine Ratio Measurement
C119268	APPA	Amyloid Alpha Precursor Protein	A measurement of the amyloid alpha precursor protein present in a biological specimen.	Amyloid Alpha Precursor Protein Measurement
C105438	APPB	Amyloid Beta Precursor;Amyloid Beta Precursor Protein;Amyloid Precursor Beta;Amyloid Precursor Protein	A measurement of the amyloid beta precursor protein present in a biological specimen.	Amyloid Beta Precursor Protein Measurement
C25377	APPEAR	Specimen Appearance	The outward or visible aspect of a specimen.	Appearance
C119269	APPT	Total Amyloid Precursor Protein	A measurement of the total amyloid precursor protein present in a biological specimen.	Total Amyloid Precursor Protein Measurement
C111123	APRIL	A Proliferation-Inducing Ligand;CD256;TNFSF13;Tumor Necrosis Factor Ligand Superfamily Member 13	A measurement of the a proliferation-inducing ligand in a biological specimen.	A Proliferation-Inducing Ligand Measurement
C100471	APROTCRS	Activated Protein C Resistance;Factor V Leiden Screen	A measurement of the resistance in the anticoagulation response to activated protein C in a biological specimen.	Activated Protein C Resistance Measurement
C38462	APTT	Activated Partial Thromboplastin Time	A measurement of the length of time that it takes for clotting to occur when reagents are added to a plasma specimen. The test is partial due to the absence of tissue factor (Factor III) from the reaction mixture.	Partial Thromboplastin Time
C102277	APPTLAS	APTT-LA;Lupus Anticoagulant Sensitive APTT	A measurement of the length of time that it takes for clotting to occur when a lupus sensitive reagent is added to a plasma specimen.	Lupus Anticoagulant Sensitive APTT Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98862	APTTSTND	Activated PTT/Standard;Activated PTT/Standard PTT;Activated Partial Thromboplastin Time/Standard Thromboplastin Time	A relative measurement (ratio or percentage) of the subject's partial thromboplastin time to a standard or control partial thromboplastin time.	Activated PTT/Standard Ratio Measurement
C102259	ARA	Arachidonic Acid	A measurement of the arachidonic acid present in a biological specimen.	Arachidonic Acid Measurement
C122095	ARG	Arginine	A measurement of the arginine in a biological specimen.	Arginine Measurement
C124338	ARR	Aldosterone/Renin Activity	A relative measurement (ratio) of the aldosterone to renin activity in a biological specimen.	Aldosterone to Renin Activity Ratio Measurement
C147305	ARSENIC	Arsenic;As	A measurement of the arsenic in a biological specimen.	Arsenic Measurement
C81976	ASCAB	Anti-Saccharomyces cerevisiae Antibody	A measurement of the anti-Saccharomyces cerevisiae antibody in a biological specimen.	Anti-Saccharomyces cerevisiae Antibody Measurement
C122096	ASN	Asparagine	A measurement of the asparagine in a biological specimen.	Asparagine Measurement
C122097	ASP	Aspartate;Aspartic Acid	A measurement of the aspartic acid in a biological specimen.	Aspartic Acid Measurement
C92269	ASSDNA	Anti-Single Stranded DNA IgG	A measurement of the anti-single stranded DNA IgG antibody in a biological specimen.	Anti-Single Stranded DNA IgG Measurement
C64467	AST	Aspartate Aminotransferase;SGOT	A measurement of the aspartate aminotransferase in a biological specimen.	Aspartate Aminotransferase Measurement
C81978	ASTAG	Aspartate Aminotransferase Antigen;SGOT Antigen	A measurement of the aspartate aminotransferase antigen in a biological specimen.	Aspartate Aminotransferase Antigen Measurement
C117830	ASTCREAT	Aspartate Aminotransferase/Creatinine	A relative measurement (ratio or percentage) of the aspartate aminotransferase to creatinine in a biological specimen.	Aspartate Aminotransferase to Creatinine Ratio Measurement
C142272	ASYNP	Alpha Synuclein Protein	A measurement of the alpha synuclein protein in a biological specimen.	Alpha Synuclein Protein Measurement
C147306	ATHMBAAC	Antithrombin Activity Actual/Antithrombin Activity Control;Antithrombin Activity Actual/Control;Antithrombin Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of antithrombin in a subject's specimen when compared to the same activity in a control specimen.	Antithrombin Activity Actual to Control Ratio Measurement
C147307	ATP	Adenosine Triphosphate	A measurement of the adenosine triphosphate in a biological specimen.	Adenosine Triphosphate Measurement
C103350	ATPVITE	Alpha Tocopherol/Vitamin E	A relative measurement (ratio or percentage) of alpha-tocopherol to the total vitamin E in a biological specimen.	Alpha Tocopherol to Vitamin E Ratio Measurement
C74657	AUERRODS	Auer Rods	A measurement of the Auer rods (elongated needle structures that are found in the cytoplasm of leukemic blasts and are formed by clumps of azurophilic granular material) in a biological specimen.	Auer Rod Measurement
C116185	AZURGRAN	Azurophilic Granulation;Azurophilic Granules	An observation of azurophilic granules in a biological specimen.	Azurophilic Granule Measurement
C127607	B1BGLP	Beta-1B Glycoprotein;HPX;Hemopexin	A measurement of the beta-1B glycoprotein in a biological specimen.	Beta-1B Glycoprotein Measurement
C147308	B2G1GAAB	Beta-2 Glycoprotein 1 IgA Antibody	A measurement of the beta-2 glycoprotein 1 IgG antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgA Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103358	B2G1GGAB	Beta-2 Glycoprotein 1 IgG Antibody	A measurement of the Beta-2 glycoprotein 1 IgG antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgG Antibody Measurement
C103359	B2G1GMAB	Beta-2 Glycoprotein 1 IgM Antibody	A measurement of the Beta-2 glycoprotein 1 IgM antibodies in a biological specimen.	Beta-2 Glycoprotein 1 IgM Antibody Measurement
C81979	B2GLYAB	Beta-2 Glycoprotein Antibody	A measurement of the beta-2 glycoprotein antibody in a biological specimen.	Beta-2 Glycoprotein Antibody Measurement
C127608	B2MCREAT	Beta-2 Microglobulin/Creatinine	A relative measurement (ratio) of the beta-2 microglobulin to creatinine in a biological specimen.	Beta-2 Microglobulin to Creatinine Ratio Measurement
C81980	B2MICG	Beta-2 Microglobulin	A measurement of the beta-2 microglobulin in a biological specimen.	Beta-2 Microglobulin Measurement
C64469	BACT	Bacteria	A measurement of the bacteria in a biological specimen.	Bacterial Count
C111135	BAFF	B-Cell Activating Factor	A measurement of the B-cell activating factor in a biological specimen.	B-Cell Activating Factor Measurement
C74688	BARB	Barbiturates	A measurement of any barbiturate class drug present in a biological specimen.	Barbiturate Drug Class Measurement
C147309	BASEDEF	Base Deficit	A measurement of the amount of alkali required to return a biological specimen to a normal pH under standard conditions.	Base Deficit
C119270	BASEEXCS	Base Excess	A measurement of the amount of acid required to return a biological specimen to a normal pH under standard conditions.	Base Excess Measurement
C64470	BASO	Basophils	A measurement of the basophils in a biological specimen.	Total Basophil Count
C130154	BASOB	Basophils Band Form	A measurement of the banded basophils in a biological specimen.	Basophil Band Form Count
C130155	BASOBLE	Basophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded basophils to leukocytes in a biological specimen.	Basophil Band Form to Leukocytes Ratio Measurement
C98865	BASOCE	Basophils/Total Cells	A relative measurement (ratio or percentage) of the basophils to total cells in a biological specimen (for example a bone marrow specimen).	Basophil to Total Cell Ratio Measurement
C96670	BASOIM	Immature Basophils	A measurement of the immature basophils in a biological specimen.	Immature Basophil Count
C96671	BASOIMLE	Immature Basophils/Leukocytes	A relative measurement (ratio or percentage) of immature basophils to total leukocytes in a biological specimen.	Immature Basophil to Leukocyte Ratio Measurement
C64471	BASOLE	Basophils/Leukocytes	A relative measurement (ratio or percentage) of the basophils to leukocytes in a biological specimen.	Basophil to Leukocyte Ratio
C135399	BASOMM	Basophilic Metamyelocytes	A measurement of the basophilic metamyelocytes in a biological specimen.	Basophilic Metamyelocyte Count
C135400	BASOMYL	Basophilic Myelocytes	A measurement of the basophilic myelocytes in a biological specimen.	Basophilic Myelocyte Count
C135401	BASOSG	Basophils, Segmented	A measurement of the segmented basophils in a biological specimen.	Segmented Basophil Count
C147310	BBIGGMAB	B. burgdorferi IgG and IgM Antibody;Borrelia burgdorferi IgG and IgM Antibody	A measurement of the Borrelia burgdorferi IgG and IgM antibodies in a biological specimen.	Borrelia burgdorferi IgG and IgM Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122098	BBRAB	Borrelia burgdorferi Antibody; Lyme Antibody	A measurement of the total Borrelia burgdorferi antibody in a biological specimen.	Borrelia Burgdorferi Antibody Measurement
C122099	BBRIGAAB	Borrelia burgdorferi IgA Antibody; Lyme IgA Antibody	A measurement of the Borrelia burgdorferi IgA antibody in a biological specimen.	Borrelia Burgdorferi IgA Antibody Measurement
C122100	BBRIGGAB	Borrelia burgdorferi IgG Antibody; Lyme IgG Antibody	A measurement of the Borrelia burgdorferi IgG antibody in a biological specimen.	Borrelia Burgdorferi IgG Antibody Measurement
C122101	BBRIGMAB	Borrelia burgdorferi IgM Antibody; Lyme IgM Antibody	A measurement of the Borrelia burgdorferi IgM antibody in a biological specimen.	Borrelia Burgdorferi IgM Antibody Measurement
C123455	BCEFUNCTN	Beta-cell Function	A measurement of the beta cell function (insulin production and secretion) in a biological specimen.	Beta-Cell Function Measurement
C122102	BD2	Beta-defensin 2	A measurement of the beta-defensin 2 in a biological specimen.	Beta-defensin 2 Measurement
C82004	BDNF	Brain-Derived Neurotrophic Factor	A measurement of the brain-derived neurotrophic factor in a biological specimen.	Brain-Derived Neurotrophic Factor Measurement
C100472	BETACRTN	Beta Carotene; Beta Carotin; b-Carotene	A measurement of the beta carotene in a biological specimen.	Beta Carotene Measurement
C96568	BHYXBTR	3-Hydroxybutyrate; B-Hydroxybutyrate; Beta-Hydroxybutyrate	A measurement of the total Beta-hydroxybutyrate in a biological specimen.	Beta-Hydroxybutyrate Measurement
C74667	BICARB	Bicarbonate; HCO3	A measurement of the bicarbonate in a biological specimen.	Bicarbonate Measurement
C64481	BILDIR	Direct Bilirubin	A measurement of the conjugated or water-soluble bilirubin in a biological specimen.	Direct Bilirubin Measurement
C74800	BILEAC	Bile Acid; Bile Acids; Bile Salt; Bile Salts	A measurement of the total bile acids in a biological specimen.	Bile Acid Measurement
C38037	BILI	Bilirubin; Total Bilirubin	A measurement of the total bilirubin in a biological specimen.	Total Bilirubin Measurement
C64483	BILIND	Indirect Bilirubin	A measurement of the unconjugated or non-water-soluble bilirubin in a biological specimen.	Indirect Bilirubin Measurement
C74700	BITECE	Bite Cells	A measurement of the bite cells (erythrocytes with the appearance of a bite having been removed, due to oxidative hemolysis) in a biological specimen.	Bite Cell Count
C111136	BJPROT	Bence-Jones Protein	A measurement of the total Bence-Jones protein in a biological specimen.	Bence-Jones Protein Measurement
C74605	BLAST	Blasts	A measurement of the blast cells in a biological specimen.	Blast Count
C147311	BLASTERY	Basophilic Erythroblast	A measurement of the basophilic erythroblasts in a biological specimen taken from a non-human organism.	Basophilic Erythroblast Count
C103407	BLASTIMM	Immunoblastic Lymphocytes; Immunoblasts	A measurement of the immunoblasts in a biological specimen.	Immunoblast Count
C64487	BLASTLE	Blasts/Leukocytes	A relative measurement (ratio or percentage) of the blasts to leukocytes in a biological specimen.	Blast to Leukocyte Ratio
C74630	BLASTLM	Leukemic Blasts	A measurement of the leukemic blasts (lymphoblasts that remain in an immature state even when outside the bone marrow) in a biological specimen.	Leukemic Blast Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14731 2	BLASTNCE	Blasts/Nucleated Cells	A relative measurement (ratio or percentage) of the blasts to the total nucleated cells in a biological specimen.	Blasts to Nucleated Cells Ratio Measurement
C10044 6	BLASTRUB	Proerythroblast;Pronormoblast;Rubriblast	A measurement of the rubriblasts in a biological specimen.	Proerythroblast Measurement
C89775	BLEEDT	Bleeding Time;Clotting Time Homeostasis	A measurement of the time from the start to cessation of an induced bleed.	Bleeding Time
C12760 9	BLISTCE	Blister Cell	A measurement of the blister cells in a biological specimen.	Blister Cell Count
C10653 5	BLSTIMLY	Immunoblasts/Lymphocytes;Lymphocytes, Immunoblastic/Lymphocytes	A relative measurement (ratio or percentage) of immunoblasts to all lymphocytes present in a sample.	Immunoblasts to Lymphocytes Ratio Measurement
C74641	BLSTLMLY	Leukemic Blasts/Lymphocytes	A relative measurement (ratio or percentage) of the leukemic blasts (immature lymphoblasts) to mature lymphocytes in a biological specimen.	Leukemic Blast to Lymphocyte Ratio Measurement
C10227 8	BLSTLY	Lymphoblasts	A measurement of the lymphoblasts (immature cells that differentiate to form lymphocytes) in a biological specimen.	Lymphoblast Count
C10544 4	BLSTLYLE	Lymphoblasts/Leukocytes	A relative measurement (ratio or percentage) of the lymphoblasts to leukocytes in a biological specimen.	Lymphoblast to Leukocyte Ratio Measurement
C98761	BLSTMBCE	Myeloblasts/Total Cells	A relative measurement (ratio or percentage) of the myeloblasts to total cells in a biological specimen (for example a bone marrow specimen).	Myeloblast to Total Cell Ratio Measurement
C98752	BLSTMGK	Megakaryoblasts	A measurement of the megakaryoblasts in a biological specimen.	Megakaryoblast Cell Count
C98753	BLSTMKCE	Megakaryoblasts/Total Cells	A relative measurement (ratio or percentage) of the megakaryoblasts to total cells in a biological specimen (for example a bone marrow specimen).	Megakaryoblast to Total Cell Ratio Measurement
C98764	BLSTNMCE	Normoblasts/Total Cells	A relative measurement (ratio or percentage) of the normoblasts to total cells in a biological specimen (for example a bone marrow specimen).	Normoblast to Total Cell Ratio Measurement
C98870	BLSTRBCE	Proerythroblast/Total Cells;Pronormoblasts/Total Cells;Rubriblast/Total Cells	A relative measurement (ratio or percentage) of the rubriblasts to total cells in a biological specimen (for example a bone marrow specimen).	Pronormoblast to Total Cell Ratio Measurement
C10041 9	BLSTRSID	Ringed Sideroblasts	A measurement of the ringed sideroblasts (abnormal nucleated erythroblasts with a large number of iron deposits in the perinuclear mitochondria, forming a ring around the nucleus) in a biological specimen.	Ring Sideroblast Measurement
C10041 8	BLSTSID	Sideroblast	A measurement of the sideroblasts (nucleated erythroblasts with iron granules in the cytoplasm) in a biological specimen.	Sideroblast Measurement
C12895 1	BLYMXM	B-lymphocyte Crossmatch	A measurement to determine human leukocyte antigens (HLA) histocompatibility between the recipient and the donor by examining the presence or absence of the recipient's anti-HLA antibody reactivity towards HLA antigens expressed on the donor B-lymphocytes.	B-lymphocyte Crossmatch Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74735	BNP	B-Type Natriuretic Peptide;Brain Natriuretic Peptide	A measurement of the brain (B-type) natriuretic peptide in a biological specimen.	Brain Natriuretic Peptide Measurement
C82032	BNPPRO	Pro-Brain Natriuretic Peptide;ProB-type Natriuretic Peptide;proBNP	A measurement of the proB-type natriuretic peptide in a biological specimen.	ProB-Type Natriuretic Peptide Measurement
C96610	BNPPRONT	N-Terminal ProB-type Natriuretic Peptide;N-terminal pro-Brain Natriuretic Peptide;NT proBNP II	A measurement of the N-terminal proB-type natriuretic peptide in a biological specimen.	N-Terminal ProB-type Natriuretic Peptide Measurement
C74692	BNZDZPN	Benzodiazepine	A measurement of any benzodiazepine class drug present in a biological specimen.	Benzodiazepine Measurement
C75350	BNZLCGN	Benzoyllecgonine;Cocaine Metabolite	A measurement of the benzoyllecgonine in a biological specimen.	Benzoyllecgonine Measurement
C12063 1	BPIAB	BPI Auto-antibody;Bactericidal/Permeability-Inc Protein Ab	A measurement of the bactericidal/permeability-increasing protein antibody in a biological specimen.	Bactericidal/Permeability-Increasing Protein Antibody Measurement
C74634	BTECERBC	Bite Cells/Erythrocytes	A relative measurement (ratio or percentage) of bite cells (erythrocytes with the appearance of a bite having been removed, due to oxidative hemolysis) to all erythrocytes in a biological specimen.	Bite Cell to Erythrocyte Ratio Measurement
C75365	BTLBTL	Butalbital	A measurement of the butalbital present in a biological specimen.	Butalbital Measurement
C10042 6	BTP	Beta-Trace Protein	A measurement of the beta-trace protein in a biological specimen.	Beta-Trace Protein Measurement
C11114 2	BUCHE	Acylcholine Acylhydrolase;Butyrylcholinesterase;Non-neuronal Cholinesterase;Plasma Cholinesterase;Pseudocholinesterase	A measurement of the total butyrylcholinesterase in a biological specimen.	Butyrylcholinesterase Measurement
C75352	BUPREN	Buprenorphine	A measurement of the buprenorphine drug present in a biological specimen.	Buprenorphine Measurement
C74701	BURRCE	Burr Cells	A measurement of the Burr cells (erythrocytes characterized by the presence of small, blunt projections evenly distributed across the cell surface) in a biological specimen.	Burr Cell Count
C13006 8	C130068	Bermuda Grass Pollen IgE	A measurement of the Cynodon dactylon pollen antigen IgE antibody in a biological specimen.	Bermuda Grass Pollen IgE Measurement
C13006 9	C130069	Bermuda Grass Pollen IgA	A measurement of the Cynodon dactylon pollen antigen IgA antibody in a biological specimen.	Bermuda Grass Pollen IgA Measurement
C13007 0	C130070	Bermuda Grass Pollen IgG	A measurement of the Cynodon dactylon pollen antigen IgG antibody in a biological specimen.	Bermuda Grass Pollen IgG Measurement
C13007 1	C130071	Bermuda Grass Pollen IgG4	A measurement of the Cynodon dactylon pollen antigen IgG4 antibody in a biological specimen.	Bermuda Grass Pollen IgG4 Measurement
C13007 2	C130072	Birch Pollen IgE	A measurement of the Betula pollen antigen IgE antibody in a biological specimen.	Birch Pollen IgE Measurement
C13007 3	C130073	Birch Pollen IgA	A measurement of the Betula pollen antigen IgA antibody in a biological specimen.	Birch Pollen IgA Measurement
C13007 4	C130074	Birch Pollen IgG	A measurement of the Betula pollen antigen IgG antibody in a biological specimen.	Birch Pollen IgG Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130075	C130075	Birch Pollen IgG4	A measurement of the Betula pollen antigen IgG4 antibody in a biological specimen.	Birch Pollen IgG4 Measurement
C130076	C130076	Silver Birch Pollen IgE	A measurement of the Betula verrucosa pollen antigen IgE antibody in a biological specimen.	Silver Birch Pollen IgE Measurement
C130077	C130077	Silver Birch Pollen IgA	A measurement of the Betula verrucosa pollen antigen IgA antibody in a biological specimen.	Silver Birch Pollen IgA Measurement
C130078	C130078	Silver Birch Pollen IgG	A measurement of the Betula verrucosa pollen antigen IgG antibody in a biological specimen.	Silver Birch Pollen IgG Measurement
C130079	C130079	Silver Birch Pollen IgG4	A measurement of the Betula verrucosa pollen antigen IgG4 antibody in a biological specimen.	Silver Birch Pollen IgG4 Measurement
C130080	C130080	Cocksfoot Grass Pollen IgE;Orchard Grass Pollen IgE	A measurement of the Dactylis glomerata pollen antigen IgE antibody in a biological specimen.	Orchard Grass Pollen IgE Measurement
C130081	C130081	Cocksfoot Grass Pollen IgA;Orchard Grass Pollen IgA	A measurement of the Dactylis glomerata pollen antigen IgA antibody in a biological specimen.	Orchard Grass Pollen IgA Measurement
C130082	C130082	Cocksfoot Grass Pollen IgG;Orchard Grass Pollen IgG	A measurement of the Dactylis glomerata pollen antigen IgG antibody in a biological specimen.	Orchard Grass Pollen IgG Measurement
C130083	C130083	Cocksfoot Grass Pollen IgG4;Orchard Grass Pollen IgG4	A measurement of the Dactylis glomerata pollen antigen IgG4 antibody in a biological specimen.	Orchard Grass Pollen IgG4 Measurement
C130084	C130084	English Plantain Pollen IgE	A measurement of the Plantagio lanceolata pollen antigen IgE antibody in a biological specimen.	English Plantain Pollen IgE Measurement
C130085	C130085	English Plantain Pollen IgA	A measurement of the Plantagio lanceolata pollen antigen IgA antibody in a biological specimen.	English Plantain Pollen IgA Measurement
C130086	C130086	English Plantain Pollen IgG	A measurement of the Plantagio lanceolata pollen antigen IgG antibody in a biological specimen.	English Plantain Pollen IgG Measurement
C130087	C130087	English Plantain Pollen IgG4	A measurement of the Plantagio lanceolata pollen antigen IgG4 antibody in a biological specimen.	English Plantain Pollen IgG4 Measurement
C130088	C130088	Timothy Grass Pollen IgE	A measurement of the Phleum pratense pollen antigen IgE antibody in a biological specimen.	Timothy Grass Pollen IgE Measurement
C130089	C130089	Timothy Grass Pollen IgA	A measurement of the Phleum pratense pollen antigen IgA antibody in a biological specimen.	Timothy Grass Pollen IgA Measurement
C130090	C130090	Timothy Grass Pollen IgG	A measurement of the Phleum pratense pollen antigen IgG antibody in a biological specimen.	Timothy Grass Pollen IgG Measurement
C130091	C130091	Timothy Grass Pollen IgG4	A measurement of the Phleum pratense pollen antigen IgG4 antibody in a biological specimen.	Timothy Grass Pollen IgG4 Measurement
C130092	C130092	Western Ragweed Pollen IgE	A measurement of the Ambrosia psilostachya pollen antigen IgE antibody in a biological specimen.	Western Ragweed Pollen IgE Measurement
C130093	C130093	Western Ragweed Pollen IgA	A measurement of the Ambrosia psilostachya pollen antigen IgA antibody in a biological specimen.	Western Ragweed Pollen IgA Measurement
C130094	C130094	Western Ragweed Pollen IgG	A measurement of the Ambrosia psilostachya pollen antigen IgG antibody in a biological specimen.	Western Ragweed Pollen IgG Measurement
C130095	C130095	Western Ragweed Pollen IgG4	A measurement of the Ambrosia psilostachya pollen antigen IgG4 antibody in a biological specimen.	Western Ragweed Pollen IgG4 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130096	C130096	Mucor racemosus IgE	A measurement of the Mucor racemosus antigen IgE antibody in a biological specimen.	Mucor racemosus IgE Measurement
C130097	C130097	Mucor racemosus IgA	A measurement of the Mucor racemosus antigen IgA antibody in a biological specimen.	Mucor racemosus IgA Measurement
C130098	C130098	Mucor racemosus IgG	A measurement of the Mucor racemosus antigen IgG antibody in a biological specimen.	Mucor racemosus IgG Measurement
C130099	C130099	Mucor racemosus IgG4	A measurement of the Mucor racemosus antigen IgG4 antibody in a biological specimen.	Mucor racemosus IgG4 Measurement
C130100	C130100	Mixed Antigen IgE Antibody	A measurement of the mixed antigen IgE antibody in a biological specimen.	Mixed Antigen IgE Antibody Measurement
C130101	C130101	Tree Mix Pollen Antigen IgE Antibody	A measurement of the tree mix pollen antigen IgE antibody in a biological specimen.	Tree Mix Pollen Antigen IgE Antibody Measurement
C130102	C130102	Tree Mix Pollen Antigen IgG Antibody	A measurement of the tree mix pollen antigen IgG antibody in a biological specimen.	Tree Mix Pollen Antigen IgG Antibody Measurement
C130103	C130103	Grass Mix Pollen Antigen IgE Antibody	A measurement of the grass mix pollen antigen IgE antibody in a biological specimen.	Grass Mix Pollen Antigen IgE Antibody Measurement
C130104	C130104	Grass Mix Pollen Antigen IgG Antibody	A measurement of the grass mix pollen antigen IgG antibody in a biological specimen.	Grass Mix Pollen Antigen IgG Antibody Measurement
C130105	C130105	Grass Mix Pollen Antigen IgA Antibody	A measurement of the grass mix pollen antigen IgA antibody in a biological specimen.	Grass Mix Pollen Antigen IgA Antibody Measurement
C130106	C130106	Weed Mix Pollen Antigen IgE Antibody	A measurement of the weed mix pollen antigen IgE antibody in a biological specimen.	Weed Mix Pollen Antigen IgE Antibody Measurement
C130107	C130107	Weed Mix Pollen Antigen IgG Antibody	A measurement of the weed mix pollen antigen IgG antibody in a biological specimen.	Weed Mix Pollen Antigen IgG Antibody Measurement
C130108	C130108	Weed Mix Pollen Antigen IgA Antibody	A measurement of the weed mix pollen antigen IgA antibody in a biological specimen.	Weed Mix Pollen Antigen IgA Antibody Measurement
C130109	C130109	Mold Mix Antigen IgE Antibody	A measurement of the mold mix antigen IgE antibody in a biological specimen.	Mold Mix Antigen IgE Antibody Measurement
C130110	C130110	Mold Mix Antigen IgG Antibody	A measurement of the mold mix antigen IgG antibody in a biological specimen.	Mold Mix Antigen IgG Antibody Measurement
C130111	C130111	Mold Mix Antigen IgA Antibody	A measurement of the mold mix antigen IgA antibody in a biological specimen.	Mold Mix Antigen IgA Antibody Measurement
C130112	C130112	Animal Mix Antigen IgE Antibody	A measurement of the animal mix antigen IgE antibody in a biological specimen.	Animal Mix Antigen IgE Antibody Measurement
C130113	C130113	Animal Mix Antigen IgG Antibody	A measurement of the animal mix antigen IgG antibody in a biological specimen.	Animal Mix Antigen IgG Antibody Measurement
C130114	C130114	Industrial Mix Antigen IgE Antibody	A measurement of the industrial mix antigen IgE antibody in a biological specimen.	Industrial Mix Antigen IgE Antibody Measurement
C130115	C130115	Industrial Mix Antigen IgG Antibody	A measurement of the industrial mix antigen IgG antibody in a biological specimen.	Industrial Mix Antigen IgG Antibody Measurement
C130116	C130116	Bee Mix Antigen IgE Antibody	A measurement of the bee mix antigen IgE antibody in a biological specimen.	Bee Mix Antigen IgE Antibody Measurement

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130117	C130117	Bee Mix Antigen IgG Antibody	A measurement of the bee mix antigen IgG antibody in a biological specimen.	Bee Mix Antigen IgG Antibody Measurement
C130118	C130118	Bee Mix Antigen IgG4 Antibody	A measurement of the bee mix antigen IgG4 antibody in a biological specimen.	Bee Mix Antigen IgG4 Antibody Measurement
C130119	C130119	Dairy Mix Antigen IgG Antibody	A measurement of the dairy mix antigen IgG antibody in a biological specimen.	Dairy Mix Antigen IgG Antibody Measurement
C130120	C130120	Shellfish Mix Antigen IgE Antibody	A measurement of the shellfish mix antigen IgE antibody in a biological specimen.	Shellfish Mix Antigen IgE Antibody Measurement
C130121	C130121	Shellfish Mix Antigen IgG Antibody	A measurement of the shellfish mix antigen IgG antibody in a biological specimen.	Shellfish Mix Antigen IgG Antibody Measurement
C130122	C130122	Nut Mix Antigen IgE Antibody	A measurement of the nut mix antigen IgE antibody in a biological specimen.	Nut Mix Antigen IgE Antibody Measurement
C130123	C130123	Nut Mix Antigen IgG Antibody	A measurement of the nut mix antigen IgG antibody in a biological specimen.	Nut Mix Antigen IgG Antibody Measurement
C130124	C130124	Cat Dander Antigen IgE Antibody	A measurement of the Felis catus dander antigen IgE antibody in a biological specimen.	Cat Dander Antigen IgE Antibody Measurement
C130125	C130125	Cat Dander Antigen IgG Antibody	A measurement of the Felis catus dander antigen IgG antibody in a biological specimen.	Cat Dander Antigen IgG Antibody Measurement
C130126	C130126	Cat Dander Antigen IgA Antibody	A measurement of the Felis catus dander antigen IgA antibody in a biological specimen.	Cat Dander Antigen IgA Antibody Measurement
C130127	C130127	Cat Dander Antigen IgG4 Antibody	A measurement of the Felis catus dander antigen IgG4 antibody in a biological specimen.	Cat Dander Antigen IgG4 Antibody Measurement
C130128	C130128	Dog Dander Antigen IgE Antibody	A measurement of the Canis lupus dander antigen IgE antibody in a biological specimen.	Dog Dander Antigen IgE Antibody Measurement
C130129	C130129	Dog Dander Antigen IgG Antibody	A measurement of the Canis lupus dander antigen IgG antibody in a biological specimen.	Dog Dander Antigen IgG Antibody Measurement
C130130	C130130	Dog Dander Antigen IgA Antibody	A measurement of the Canis lupus dander antigen IgA antibody in a biological specimen.	Dog Dander Antigen IgA Antibody Measurement
C130131	C130131	Dog Dander Antigen IgG4 Antibody	A measurement of the Canis lupus dander antigen IgG4 antibody in a biological specimen.	Dog Dander Antigen IgG4 Antibody Measurement
C130132	C130132	D. farinae Antigen IgE Antibody	A measurement of the Dermatophagoides farinae antigen IgE antibody in a biological specimen.	Dermatophagoides farinae Antigen IgE Antibody Measurement
C130133	C130133	D. farinae Antigen IgG Antibody	A measurement of the Dermatophagoides farinae antigen IgG antibody in a biological specimen.	Dermatophagoides farinae Antigen IgG Antibody Measurement
C130134	C130134	D. pteronyssinus Antigen IgE Antibody	A measurement of the Dermatophagoides pteronyssinus antigen IgE antibody in a biological specimen.	Dermatophagoides pteronyssinus Antigen IgE Antibody Measurement
C130135	C130135	D. pteronyssinus Antigen IgG Antibody	A measurement of the Dermatophagoides pteronyssinus antigen IgG antibody in a biological specimen.	Dermatophagoides pteronyssinus Antigen IgG Antibody Measurement
C130136	C130136	American Cockroach Antigen IgE Antibody	A measurement of the Periplaneta americana antigen IgE antibody in a biological specimen.	American Cockroach Antigen IgE Antibody Measurement



## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130137	C130137	American Cockroach Antigen IgA Antibody	A measurement of the Periplaneta americana antigen IgA antibody in a biological specimen.	American Cockroach Antigen IgA Antibody Measurement
C130138	C130138	American Cockroach Antigen IgG Antibody	A measurement of the Periplaneta americana antigen IgG antibody in a biological specimen.	American Cockroach Antigen IgG Antibody Measurement
C130139	C130139	American Cockroach Antigen IgG4 Antibody	A measurement of the Periplaneta americana antigen IgG4 antibody in a biological specimen.	American Cockroach Antigen IgG4 Antibody Measurement
C130140	C130140	German Cockroach Antigen IgE Antibody	A measurement of the Blattella germanica antigen IgE antibody in a biological specimen.	German Cockroach Antigen IgE Antibody Measurement
C130141	C130141	German Cockroach Antigen IgA Antibody	A measurement of the Blattella germanica antigen IgA antibody in a biological specimen.	German Cockroach Antigen IgA Antibody Measurement
C130142	C130142	German Cockroach Antigen IgG Antibody	A measurement of the Blattella germanica antigen IgG antibody in a biological specimen.	German Cockroach Antigen IgG Antibody Measurement
C130143	C130143	German Cockroach Antigen IgG4 Antibody	A measurement of the Blattella germanica antigen IgG4 antibody in a biological specimen.	German Cockroach Antigen IgG4 Antibody Measurement
C130144	C130144	A. fumigatus Antigen IgE Antibody	A measurement of the Aspergillus fumigatus antigen IgE antibody in a biological specimen.	Aspergillus fumigatus Antigen IgE Antibody Measurement
C130145	C130145	A. fumigatus Antigen IgG Antibody	A measurement of the Aspergillus fumigatus antigen IgG antibody in a biological specimen.	Aspergillus fumigatus Antigen IgG Antibody Measurement
C130146	C130146	P. notatum Antigen IgE Antibody	A measurement of the Penicillium notatum antigen IgE antibody in a biological specimen.	Penicillium notatum Antigen IgE Antibody Measurement
C130147	C130147	P. notatum Antigen IgA Antibody	A measurement of the Penicillium notatum antigen IgA antibody in a biological specimen.	Penicillium notatum Antigen IgA Antibody Measurement
C130148	C130148	P. notatum Antigen IgG Antibody	A measurement of the Penicillium notatum antigen IgG antibody in a biological specimen.	Penicillium notatum Antigen IgG Antibody Measurement
C130149	C130149	P. notatum Antigen IgG4 Antibody	A measurement of the Penicillium notatum antigen IgG4 antibody in a biological specimen.	Penicillium notatum Antigen IgG4 Antibody Measurement
C130150	C130150	A. tenuis alternata Antigen IgE AB	A measurement of the Alternaria tenuis alternata antigen IgE antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgE Antibody Measurement
C130151	C130151	A. tenuis alternata Antigen IgA AB	A measurement of the Alternaria tenuis alternata antigen IgA antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgA Antibody Measurement
C130152	C130152	A. tenuis alternata Antigen IgG AB	A measurement of the Alternaria tenuis alternata antigen IgG antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgG Antibody Measurement
C130153	C130153	A. tenuis alternata Antigen IgG4 AB	A measurement of the Alternaria tenuis alternata antigen IgG4 antibody in a biological specimen.	Alternaria tenuis alternata Antigen IgG4 Antibody Measurement
C142249	C142249	S. pneumonia Sero 1 IgG AB;Streptococcus pneumoniae Serotype 1 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 1 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 1 IgG Antibody Measurement
C142250	C142250	S. pneumonia Sero 2 IgG AB;Streptococcus pneumoniae Serotype 2 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 2 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 2 IgG Antibody Measurement
C142251	C142251	S. pneumonia Sero 3 IgG AB;Streptococcus pneumoniae Serotype 3 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 3 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 3 IgG Antibody Measurement
C142252	C142252	S. pneumonia Sero 4 IgG AB;Streptococcus pneumoniae Serotype 4 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 4 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 4 IgG Antibody Measurement

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C142253	C142253	S. pneumonia Sero 5 IgG AB;Streptococcus pneumoniae Serotype 5 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 5 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 5 IgG Antibody Measurement
C142254	C142254	S. pneumonia Sero 6B IgG AB;Streptococcus pneumoniae Serotype 6B IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 6B IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 6B IgG Antibody Measurement
C142255	C142255	S. pneumonia Sero 7F IgG AB;Streptococcus pneumoniae Serotype 7F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 7F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 7F IgG Antibody Measurement
C142256	C142256	S. pneumonia Sero 8 IgG AB;Streptococcus pneumoniae Serotype 8 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 8 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 8 IgG Antibody Measurement
C142257	C142257	S. pneumonia Sero 9N IgG AB;Streptococcus pneumoniae Serotype 9N IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 9N IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 9N IgG Antibody Measurement
C142258	C142258	S. pneumonia Sero 9V IgG AB;Streptococcus pneumoniae Serotype 9V IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 9V IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 9V IgG Antibody Measurement
C142259	C142259	S. pneumonia Sero 10A IgG AB;Streptococcus pneumoniae Serotype 10A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 10A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 10A IgG Antibody Measurement
C142260	C142260	S. pneumonia Sero 11A IgG AB;Streptococcus pneumoniae Serotype 11A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 11A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 11A IgG Antibody Measurement
C142261	C142261	S. pneumonia Sero 12F IgG AB;Streptococcus pneumoniae Serotype 12F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 12F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 12F IgG Antibody Measurement
C142262	C142262	S. pneumonia Sero 14 IgG AB;Streptococcus pneumoniae Serotype 14 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 14 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 14 IgG Antibody Measurement
C142263	C142263	S. pneumonia Sero 15B IgG AB;Streptococcus pneumoniae Serotype 15B IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 15B IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 15B IgG Antibody Measurement
C142264	C142264	S. pneumonia Sero 17F IgG AB;Streptococcus pneumoniae Serotype 17F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 17F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 17F IgG Antibody Measurement
C142265	C142265	S. pneumonia Sero 18C IgG AB;Streptococcus pneumoniae Serotype 18C IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 18C IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 18C IgG Antibody Measurement
C142266	C142266	S. pneumonia Sero 19F IgG AB;Streptococcus pneumoniae Serotype 19F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 19F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 19F IgG Antibody Measurement
C142267	C142267	S. pneumonia Sero 19A IgG AB;Streptococcus pneumoniae Serotype 19A IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 19A IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 19A IgG Antibody Measurement
C142268	C142268	S. pneumonia Sero 20 IgG AB;Streptococcus pneumoniae Serotype 20 IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 20 IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 20 IgG Antibody Measurement
C142269	C142269	S. pneumonia Sero 22F IgG AB;Streptococcus pneumoniae Serotype 22F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 22F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 22F IgG Antibody Measurement
C142270	C142270	S. pneumonia Sero 23F IgG AB;Streptococcus pneumoniae Serotype 23F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 23F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 23F IgG Antibody Measurement
C142271	C142271	S. pneumonia Sero 33F IgG AB;Streptococcus pneumoniae Serotype 33F IgG Antibody	A measurement of the Streptococcus pneumoniae serotype 33F IgG antibody in a biological specimen.	Streptococcus pneumoniae Serotype 33F IgG Antibody Measurement
C147276	C147276	Arachis hypogaea Antigen IgE Antibody;Peanut Antigen IgE Antibody	A measurement of the Arachis hypogaea antigen IgE antibody in a biological specimen.	Arachis hypogaea Antigen IgE Antibody Measurement
C147277	C147277	Bread Wheat Antigen IgE Antibody;Triticum aestivum Antigen IgE Antibody	A measurement of the Triticum aestivum antigen IgE antibody in a biological specimen.	Triticum aestivum Antigen IgE Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147278	C147278	Glycine max Antigen IgE Antibody;Soybean Antigen IgE Antibody	A measurement of the Glycine max antigen IgE antibody in a biological specimen.	Glycine max Antigen IgE Antibody Measurement
C147279	C147279	Corn Antigen IgE Antibody;Zea mays Antigen IgE Antibody	A measurement of the Zea mays antigen IgE antibody in a biological specimen.	Zea mays Antigen IgE Antibody Measurement
C147280	C147280	Cow Milk Protein Antigen IgE Antibody	A measurement of the cow milk protein antigen IgE antibody in a biological specimen.	Cow Milk Protein Antigen IgE Antibody Measurement
C147281	C147281	Egg White Antigen IgE Antibody	A measurement of the egg white antigen IgE antibody in a biological specimen.	Egg White Antigen IgE Antibody Measurement
C147282	C147282	White Oak Pollen IgE Antibody	A measurement of the Quercus alba pollen antigen IgE antibody in a biological specimen.	White Oak Pollen IgE Antibody Measurement
C147283	C147283	White Elm Pollen IgG Antibody	A measurement of the Ulmus americana pollen antigen IgG antibody in a biological specimen.	White Elm Pollen IgG Antibody Measurement
C147284	C147284	Boxelder Pollen IgE Antibody	A measurement of the Acer negundo pollen antigen IgE antibody in a biological specimen.	Boxelder Pollen IgE Antibody Measurement
C147285	C147285	Common Ragweed Pollen IgE Antibody	A measurement of the Ambrosia elatior pollen antigen IgE antibody in a biological specimen.	Common Ragweed Pollen IgE Antibody Measurement
C147286	C147286	Cladosporium herbarum IgE Antibody	A measurement of the Cladosporium herbarum antigen IgE antibody in a biological specimen.	Cladosporium herbarum IgE Antibody Measurement
C147287	C147287	Penicillium chrysogenum IgE Antibody	A measurement of the Penicillium chrysogenum antigen IgE antibody in a biological specimen.	Penicillium chrysogenum IgE Antibody Measurement
C147313	C1INH	Complement C1 Esterase Inhibitor	A measurement of the complement C1 esterase inhibitor in a biological specimen.	Complement C1 Esterase Inhibitor Measurement
C80173	C1QAB	Complement C1q Antibody	A measurement of the complement C1q antibody in a biological specimen.	Complement C1q Antibody Measurement
C80174	C3	Complement C3	A measurement of the complement C3 in a biological specimen.	Complement C3 Measurement
C80175	C3A	ASP, Complement C3 DesArg, Acetylation-stimulating Protein;Complement C3a	A measurement of the complement C3a in a biological specimen.	Complement C3a Measurement
C80176	C3B	Complement C3b	A measurement of the complement C3b in a biological specimen.	Complement C3b Measurement
C119271	C3DAB	Complement C3d Antibody	A measurement of the complement C3d antibody in a biological specimen.	Complement C3d Antibody Measurement
C80177	C4	Complement C4	A measurement of the complement C4 in a biological specimen.	Complement C4 Measurement
C80178	C4A	Complement C4a	A measurement of the complement C4a in a biological specimen.	Complement C4a Measurement
C127610	C4D	Complement C4d	A measurement of the complement C4d in a biological specimen.	Complement C4d Measurement
C80179	C5A	Complement C5a	A measurement of the complement C5a in a biological specimen.	Complement C5a Measurement
C64488	CA	Calcium	A measurement of the calcium in a biological specimen.	Calcium Measurement
C79089	CA125AG	Cancer Antigen 125	A measurement of the cancer antigen 125 in a biological specimen.	CA-125 Measurement
C103362	CA15_3AG	Cancer Antigen 15-3	A measurement of the cancer antigen 15-3 in a biological specimen.	Cancer Antigen 15-3 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81982	CA19_9AG	Cancer Antigen 19-9	A measurement of the cancer antigen 19-9 in a biological specimen.	Cancer Antigen 19-9 Measurement
C10336 1	CA1AG	Cancer Antigen 1	A measurement of the cancer antigen 1 in a biological specimen.	Cancer Antigen 1 Measurement
C11114 3	CA2729AG	Cancer Antigen 27-29	A measurement of the cancer antigen 27-29 in a biological specimen.	Cancer Antigen 27-29 Measurement
C10650 5	CA72_4AG	CA 72-4;Cancer Antigen 72-4;Carbohydrate Antigen 72-4	A measurement of the cancer antigen 72-4 in a biological specimen.	Cancer Antigen 72-4 Measurement
C74702	CABOT	Cabot Rings	A measurement of the Cabot rings (red-purple staining, threadlike, ring or figure 8 shaped filaments in an erythrocyte) in a biological specimen.	Cabot Ring Count
C96589	CACLR	Calcium Clearance	A measurement of the volume of serum or plasma that would be cleared of calcium by excretion of urine for a specified unit of time (e.g. one minute).	Calcium Clearance Measurement
C11927 2	CACR	Calcium Corrected	A measurement of calcium, which has been corrected for albumin, in a biological specimen.	Calcium Corrected Measurement
C79439	CACREAT	Calcium/Creatinine	A relative measurement (ratio or percentage) of the calcium to creatinine in a biological specimen.	Calcium to Creatinine Ratio Measurement
C14731 4	CACRTP	Calcium Corrected for Total Protein	A measurement of calcium, which has been corrected for total protein, in a biological specimen.	Calcium Corrected for Total Protein Measurement
C11783 1	CAEXR	Calcium Excretion Rate	A measurement of the amount of calcium being excreted in urine over a defined period of time (e.g. one hour).	Calcium Urine Excretion Rate
C75346	CAFFEINE	Caffeine	A measurement of the caffeine in a biological specimen.	Caffeine Measurement
C81948	CAION	Calcium, Ionized	A measurement of the ionized calcium in a biological specimen.	Ionized Calcium Measurement
C12594 1	CAIONPH	Calcium, Ionized pH Adjusted	A measurement of the pH adjusted ionized calcium in a biological specimen.	Ionized pH Adjusted Calcium Measurement
C12594 2	CALB	Calbindin	A measurement of the total calbindin in a biological specimen.	Calbindin Measurement
C82005	CALPRO	Calprotectin	A measurement of the calprotectin in a biological specimen.	Calprotectin Measurement
C12433 9	CAMP	Cyclic Adenosine 3,5-Monophosphate	A measurement of cyclic adenosine 3,5-monophosphate in a biological specimen.	Cyclic Adenosine 3,5-Monophosphate Measurement
C74689	CANNAB	Cannabinoids	A measurement of any cannabinoid class drug present in a biological specimen.	Cannabinoid Drug Class Measurement
C13540 2	CANNABS	Cannabinoids, Synthetic	A measurement of any synthetic cannabinoid class drug present in a biological specimen.	Synthetic Cannabinoid Measurement
C13908 7	CAPHOS	Calcium/Phosphate;Calcium/Phosphorus	A relative measurement (ratio) of the calcium to phosphorus in a biological specimen.	Calcium to Phosphorus Ratio Measurement
C10336 0	CAPHOSPD	Calcium - Phosphorus Product	A measurement of the product of the calcium and phosphate measurements in a biological specimen.	Calcium and Phosphorus Product Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96591	CARBXHGB	Carboxyhemoglobin	A measurement of the carboxyhemoglobin, carbon monoxide-bound hemoglobin, in a biological specimen.	Carboxyhemoglobin Measurement
C74682	CARNIT	Carnitine	A measurement of the total carnitine in a biological specimen.	Total Carnitine Measurement
C92288	CARNITAT	Carnitine Acetyl Transferase	A measurement of the carnitine acetyl transferase in a biological specimen.	Carnitine Acetyl Transferase Measurement
C74677	CARNITF	Carnitine, Free	A measurement of the free carnitine in a biological specimen.	Free Carnitine Measurement
C14227 3	CARTP	CART;Cocaine Amphetamine-Reg Transcript Prot;Cocaine and Amphetamine-Regulated Transcript Protein	A measurement of the cocaine and amphetamine-regulated transcript protein in a biological specimen.	Cocaine Amphetamine-Regulated Transcript Protein Measurement
C74763	CASTS	Casts	A statement that indicates casts were looked for in a biological specimen.	Cast Present Or Absent
C96590	CASULPH	Calcium Sulphate	A measurement of the calcium sulphate in a biological specimen.	Calcium Sulphate Measurement
C10335 7	CATNINB	Beta Catenin	A measurement of the beta catenin in a biological specimen.	Beta Catenin Measurement
C13540 3	CBA	Ba Fragment of Complement Factor B;Ba Fragment of Factor B;Complement Ba	A measurement of the Ba fragment of complement factor B in a biological specimen.	Complement Ba Measurement
C80172	CBB	Bb Fragment of Complement Factor B;Bb Fragment of Factor B;Complement Bb	A measurement of the Bb fragment of complement factor B in a biological specimen.	Complement Bb Measurement
C74850	CCK	Cholecystokinin;Pancreozymin	A measurement of the cholecystokinin hormone in a biological specimen.	Cholecystokinin Measurement
C13015 6	CCL12	Chemokine (C-C Motif) Ligand 12;Monocyte Chemotactic Protein 5	A measurement of the CCL12, chemokine (C-C motif) ligand 12, in a biological specimen.	Chemokine (C-C Motif) Ligand 12 Measurement
C11223 6	CCL17	ABCD-2;Chemokine (C-C Motif) Ligand 17;SCYA17;TARC;Thymus and Activation Regulated Chemokine	A measurement of the CCL17, chemokine (C-C motif) ligand 17, in a biological specimen.	Chemokine (C-C Motif) Ligand 17 Measurement
C11223 7	CCL18	AMAC-1;AMAC1;CKB7;Chemokine (C-C Motif) Ligand 18;DC-CK1;DCCK1;MIP4;Macrophage inflammatory protein-4;PARC;Pulmonary and Activation-Regulated Chemokine;SCYA18	A measurement of the CCL18, chemokine (C-C motif) ligand 18, in a biological specimen.	Chemokine (C-C Motif) Ligand 18 Measurement
C13015 7	CCL19	Chemokine (C-C Motif) Ligand 19;MIP3B;Macrophage Inflammatory Protein 3 Beta	A measurement of the CCL19, chemokine (C-C motif) ligand 19, in a biological specimen.	Chemokine (C-C Motif) Ligand 19 Measurement
C14731 5	CCL21	6Ckine;Chemokine (C-C Motif) Ligand 21;Secondary Lymphoid Tissue Chemokine	A measurement of the CCL21, chemokine (C-C motif) ligand 21, in a biological specimen.	Chemokine (C-C Motif) Ligand 21 Measurement
C13015 8	CCL7	Chemokine (C-C Motif) Ligand 7;MCP3;Monocyte Chemotactic Protein 3	A measurement of the CCL7, chemokine (C-C motif) ligand 7, in a biological specimen.	Chemokine (C-C Motif) Ligand 7 Measurement
C96595	CCPAB	Cyclic Citrullinated Peptide Antibody	A measurement of the cyclic citrullinated peptide antibody in a biological specimen.	Cyclic Citrullinated Peptide Antibody Measurement
C14731 6	CCPIGGAB	Cyclic Citrullinated Peptide IgG Ab;Cyclic Citrullinated Peptide IgG Antibody	A measurement of the cyclic citrullinated peptide IgG antibody in a biological specimen.	Cyclic Citrullinated Peptide IgG Antibody Measurement
C12210 3	CCR5	C-C Chemokine Receptor Type 5;CD195	A measurement of the CCR5, chemokine (C-C motif) receptor type 5, in a biological specimen.	C-C Chemokine Receptor Type 5 Measurement
C10336 4	CD1	CD1	A count of the CD1 expressing cells per unit of a biological specimen.	CD1 Expressing Cell Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11114 6	CD10	CD10	A measurement of the CD10 expressing cells per unit in a biological specimen.	CD10 Expressing Cell Count
C10543 9	CD11A	CD11A;CD11a	A count of the CD11a expressing cells per unit of a biological specimen.	CD11A Expressing Cell Count
C10544 0	CD11B	CD11B;CD11b;Complement Component 3 Receptor 3 Subunit;Complement Receptor Type 3 Alpha Subunit;ITGAM Protein;Integrin Alpha-M	A count of the CD11b expressing cells per unit of a biological specimen.	CD11B Expressing Cell Count
C11114 7	CD13	CD13	A measurement of the CD13 expressing cells per unit in a biological specimen.	CD13 Expressing Cell Count
C10336 5	CD14	CD14	A count of the CD14 expressing cells per unit of a biological specimen.	CD14 Expressing Cell Measurement
C12210 4	CD161ALY	CD161a/Lymphocytes	A relative measurement (ratio or percentage) of CD161a expressing cells to all lymphocytes in a biological specimen.	CD161a to Lymphocyte Ratio Measurement
C12210 5	CD161LY	CD161/Lymphocytes	A relative measurement (ratio or percentage) of CD161 expressing cells to all lymphocytes in a biological specimen.	CD161 to Lymphocyte Ratio Measurement
C10380 8	CD19	CD19	A count of the CD19 expressing cells per unit in a biological specimen.	CD19 Expressing Cell Count
C10381 2	CD19LY	CD19/Lymphocytes	A relative measurement (ratio or percentage) of CD19 expressing cells to all lymphocytes in a biological specimen.	CD19 Cell to Lymphocyte Ratio Measurement
C10336 6	CD2	CD2	A count of the CD2 expressing cells per unit of a biological specimen.	CD2 Expressing Cell Measurement
C10336 8	CD20	CD20	A count of the CD20 expressing cells per unit of a biological specimen.	CD20 Expressing Cell Measurement
C11114 8	CD22	CD22	A measurement of the CD22 expressing cells per unit in a biological specimen.	CD22 Expressing Cell Count
C11114 9	CD23	CD23	A measurement of the CD23 expressing cells per unit in a biological specimen.	CD23 Expressing Cell Count
C10336 7	CD2LY	CD2/Lymphocytes	A relative measurement (ratio or percentage) of CD2 expressing cells to all lymphocytes in a biological specimen.	CD2 Expressing Cell to Lymphocyte Ratio Measurement
C10380 9	CD3	CD3	A count of the CD3 expressing cells per unit in a biological specimen.	CD3 Expressing Cell Count
C11115 0	CD33	CD33	A measurement of the CD33 expressing cells per unit in a biological specimen.	CD33 Expressing Cell Count
C10226 0	CD34	CD34	A measurement of the CD34 expressing cells per unit in a biological specimen.	CD34 Measurement
C11115 1	CD38	CD38	A measurement of the CD38 expressing cells per unit in a biological specimen.	CD38 Expressing Cell Count
C10381 3	CD3LY	CD3/Lymphocytes	A relative measurement (ratio or percentage) of CD3 expressing cells to all lymphocytes in a biological specimen.	CD3 Cell to Lymphocyte Ratio Measurement
C10381 0	CD4	CD4	A count of the CD4 expressing cells per unit in a biological specimen.	CD4 Expressing Cell Count
C82006	CD40	CD40	A count of the CD40 cells per unit in a biological specimen.	CD40 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82007	CD40L	CD40 Ligand	A count of the CD40 ligand cells per unit in a biological specimen.	CD40 Ligand Measurement
C122106	CD45LY	CD45/Lymphocytes	A relative measurement (ratio or percentage) of CD45 expressing cells to all lymphocytes in a biological specimen.	CD45 to Lymphocyte Ratio Measurement
C122107	CD45RALY	CD45RA/Lymphocytes	A relative measurement (ratio or percentage) of CD45RA expressing cells to all lymphocytes in a biological specimen.	CD45RA to Lymphocyte Ratio Measurement
C103814	CD4CD8	CD4/CD8	A relative measurement (ratio or percentage) of CD4 expressing cells to the CD8 expressing cells in a biological specimen.	CD4 Cell to CD8 Cell Ratio Measurement
C103815	CD4LY	CD4/Lymphocytes	A relative measurement (ratio or percentage) of CD4 expressing cells to all lymphocytes in a biological specimen.	CD4 Cell to Lymphocyte Ratio Measurement
C103369	CD5	CD5	A count of the CD5 expressing cells per unit of a biological specimen.	CD5 Expressing Cell Measurement
C103370	CD56	CD56	A count of the CD56 expressing cells per unit of a biological specimen.	CD56 Expressing Cell Measurement
C111152	CD79A	CD79A	A measurement of the CD79A expressing cells per unit in a biological specimen.	CD79A Expressing Cell Count
C103811	CD8	CD8	A count of the CD8 expressing cells per unit in a biological specimen.	CD8 Expressing Cell Count
C103816	CD8LY	CD8/Lymphocytes	A relative measurement (ratio or percentage) of CD8 expressing cells to all lymphocytes in a biological specimen.	CD8 Cell to Lymphocyte Ratio Measurement
C103381	CDFTXN	Clostridium difficile Toxin	A measurement of the Clostridium difficile toxin in a biological specimen.	Clostridium difficile Toxin Measurement
C101016	CDT	Carbohydrate-Deficient Transferrin	A measurement of transferrin with a reduced number of carbohydrate moieties in a biological specimen.	Carbohydrate-Deficient Transferrin Measurement
C125943	CDTFRN	Carb-Deficient Transferrin/Transferrin	A relative measurement (ratio or percentage) of the carbohydrate-deficient transferrin to total transferrin in a biological specimen.	Carbohydrate-Deficient Transferrin to Transferrin Ratio Measurement
C81983	CEA	Carcinoembryonic Antigen	A measurement of the carcinoembryonic antigen in a biological specimen.	Carcinoembryonic Antigen Measurement
C96592	CEC	Circulating Endothelial Cells	A measurement of the circulating endothelial cells in a biological specimen.	Circulating Endothelial Cell Count
C111234	CEIMCE	Immature Cells/Total Cells	A relative measurement (ratio or percentage) of the immature hematopoietic cells to total cells in a biological specimen.	Immature Cell to Total Cell Ratio Measurement
C48938	CELLS	Cells	A measurement of the total cells in a biological specimen.	Cell Count
C96672	CELLSIM	Immature Cells	A measurement of the total immature cells in a blood specimen.	Immature Cell Count
C111153	CELLULAR	Cellularity;Cellularity Grade	A measurement of the degree, quality or condition of cells in a biological specimen.	Cellularity Measurement
C111154	CENTROAB	Centromere B Antibodies	A measurement of centromere B antibodies in a biological specimen.	Centromere B Antibody Measurement
C120632	CETP	Cholesteryl Ester Transfer Protein	A measurement of the cholesteryl ester transfer protein in a biological specimen.	Cholesteryl Ester Transfer Protein Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103380	CETPA	Cholesteryl Ester Transfer Protein Act	A measurement of the biological activity of cholesteryl ester transfer protein in a biological specimen.	Cholesteryl Ester Transfer Protein Activity Measurement
C122108	CGA	Chromogranin A	A measurement of the chromogranin A in a biological specimen.	Chromogranin A Measurement
C111165	CGMP	Cyclic Guanosine Monophosphate	A measurement of the cyclic guanosine 3,5-monophosphate in a biological specimen.	Cyclic Guanosine Monophosphate Measurement
C147317	CH100	CH100;Complement CH100	A measurement of the complement required to lyse 100 percent of red blood cells in a biological specimen.	Complement CH100 Measurement
C100423	CH50	CH50;Complement CH50	A measurement of the complement required to lyse 50 percent of red blood cells in a biological specimen.	CH50 Measurement
C139067	CHCM	Corpuscular HGB Concentration Mean	A direct measurement of the concentration of hemoglobin within individual erythrocytes in a biological specimen, reported as a mean.	Corpuscular Hemoglobin Concentration Mean
C138970	CHCMR	Ret. Corpuscular HGB Concentration Mean;Reticulocyte Corpuscular Hemoglobin Concentration Mean	An indirect measurement of the average concentration of hemoglobin per reticulocyte in a biological specimen, calculated as the ratio of hemoglobin to hematocrit.	Reticulocyte Corpuscular Hemoglobin Concentration Mean
C139066	CHCNT	CH;Cellular Hemoglobin Content;Corpuscular Hemoglobin Content	A measurement of the mean erythrocyte hemoglobin content within an individual erythrocyte, calculated as the product of cell volume and cell hemoglobin concentration.	Corpuscular Hemoglobin Content
C139068	CHDW	Corpuscular HGB Conc Distribution Width;Corpuscular Hemoglobin Concentration Distribution Width	A measurement of the standard deviation of hemoglobin concentrations in erythrocytes in a biological specimen, calculated as the standard deviation of hemoglobin content divided by the mean hemoglobin content.	Corpuscular Hemoglobin Concentration Distribution Width
C139069	CHDWR	Ret Corpuscular HGB Conc Distr Width;Reticulocyte Corpuscular Hemoglobin Distribution Width	A measurement of the standard deviation of hemoglobin concentrations in reticulocytes in a biological specimen, calculated as the standard deviation of hemoglobin content divided by the mean hemoglobin content.	Reticulocyte Corpuscular Hemoglobin Distribution Width
C135404	CHKAB	Chikungunya Virus Antibody	A measurement of the Chikungunya virus antibody in a biological specimen.	Chikungunya Virus Antibody Measurement
C120633	CHLMCRN	Chylomicrons	A measurement of the chylomicrons in a biological specimen.	Chylomicrons Measurement
C105586	CHOL	Cholesterol;Total Cholesterol	A measurement of the cholesterol in a biological specimen.	Cholesterol Measurement
C80171	CHOLHDL	Cholesterol/HDL-Cholesterol	A relative measurement (ratio or percentage) of total cholesterol to high-density lipoprotein cholesterol (HDL-C) in a biological specimen.	Cholesterol to HDL-Cholesterol Ratio Measurement
C92289	CHOLINES	Cholinesterase	A measurement of the cholinesterase in a biological specimen.	Cholinesterase Measurement
C147318	CHRMTNAB	Chromatin Antibodies	A measurement of the chromatin antibodies in a biological specimen.	Chromatin Antibody Measurement
C111159	CHYTRYP	Chymotrypsin	A measurement of the total chymotrypsin in a biological specimen.	Chymotrypsin Measurement
C127611	CIC	Circulating Immune Complexes	A measurement of the circulating immune complexes in a biological specimen.	Circulating Immune Complex Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122109	CIT	Citrulline	A measurement of the citrulline in a biological specimen.	Citrulline Measurement
C122110	CITCREAT	Citrate/Creatinine;Citric Acid/Creatinine	A relative measurement (ratio or percentage) of the citrate to creatinine in a biological specimen.	Citrate to Creatinine Ratio Measurement
C92248	CITRATE	Citrate;Citric Acid	A measurement of the citrate in a biological specimen.	Citrate Measurement
C64489	CK	CPK;Creatine Kinase	A measurement of the total creatine kinase in a biological specimen.	Creatine Kinase Measurement
C64490	CKBB	Creatine Kinase BB	A measurement of the homozygous B-type creatine kinase in a biological specimen.	Creatine Kinase BB Measurement
C79466	CKBBCK	Creatine Kinase BB/Total Creatine Kinase	A relative measurement (ratio or percentage) of the BB-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase BB to Total Creatine Kinase Ratio Measurement
C64491	CKMB	Creatine Kinase MB	A measurement of the heterozygous MB-type creatine kinase in a biological specimen.	Creatine Kinase MB Measurement
C79441	CKMBCK	Creatine Kinase MB/Total Creatine Kinase	A relative measurement (ratio or percentage) of the MB-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase MB to Total Creatine Kinase Ratio Measurement
C64494	CKMM	Creatine Kinase MM	A measurement of the homozygous M-type creatine kinase in a biological specimen.	Creatine Kinase MM Measurement
C79442	CKMMCK	Creatine Kinase MM/Total Creatine Kinase	A relative measurement (ratio or percentage) of the MM-type creatine kinase to total creatine kinase in a biological specimen.	Creatine Kinase MM to Total Creatine Kinase Ratio Measurement
C147319	CKMT1CK	CK, Macromolecular Type 1/Total CK;Creatine Kinase, Macromolecular Type 1/Total Creatine Kinase	A relative measurement (ratio or percentage) of the macromolecular type 1 creatine kinase to total creatine kinase in a biological specimen.	Macromolecular Type 1 Creatine Kinase to Total Creatine Kinase Ratio Measurement
C147320	CKMT2CK	CK, Macromolecular Type 2/Total CK;Creatine Kinase, Macromolecular Type 2/Total Creatine Kinase	A relative measurement (ratio or percentage) of the macromolecular type 2 creatine kinase to total creatine kinase in a biological specimen.	Macromolecular Type 2 Creatine Kinase to Total Creatine Kinase Ratio Measurement
C64495	CL	Chloride	A measurement of the chloride in a biological specimen.	Chloride Measurement
C96594	CLARITY	Clarity	A measurement of the transparency of a biological specimen.	Clarity Measurement
C106509	CLCLR	Chloride Clearance	A measurement of the volume of serum or plasma that would be cleared of chloride by excretion of urine for a specified unit of time (e.g. one minute).	Chloride Clearance Measurement
C79440	CLCREAT	Chloride/Creatinine	A relative measurement (ratio or percentage) of the chloride to creatinine in a biological specimen.	Chloride to Creatinine Ratio Measurement
C74848	CLCTONN	Calcitonin	A measurement of the calcitonin hormone in a biological specimen.	Calcitonin Measurement
C74849	CLCTRIOL	Calcitriol	A measurement of the calcitriol hormone in a biological specimen.	Calcitriol Measurement
C135405	CLEPNSQE	Columnar Epi Cells/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the columnar epithelial cells to non-squamous epithelial cells in a biological specimen.	Columnar Epithelial Cells to Non-Squamous Epithelial Cells Ratio Measurement
C117832	CLEXR	Chloride Excretion Rate	A measurement of the amount of chloride being excreted in urine over a defined period of time (e.g. one hour).	Chloride Urine Excretion Rate

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13908 2	CLNZPM	Clonazepam	A measurement of the clonazepam present in a biological specimen.	Clonazepam Measurement
C75371	CLRDZPXD	Chlordiazepoxide	A measurement of the chlordiazepoxide present in a biological specimen.	Chlordiazepoxide Measurement
C13907 7	CLRZPT	Clorazepate	A measurement of the clorazepate present in a biological specimen.	Clorazepate Measurement
C10226 1	CLUECE	Clue Cells	A measurement of the clue cells in a biological specimen.	Clue Cell Count
C13908 4	CMONOX	Carbon Monoxide	A measurement of the carbon monoxide in a biological specimen.	Carbon Monoxide Measurement
C96596	CMVIGGAB	Cytomegalovirus IgG Antibody	A measurement of the cytomegalovirus IgG antibody in a biological specimen.	Cytomegalovirus IgG Antibody Measurement
C96597	CMVIGMAB	Cytomegalovirus IgM Antibody	A measurement of the cytomegalovirus IgM antibody in a biological specimen.	Cytomegalovirus IgM Antibody Measurement
C12211 1	CNTIGGAB	Centromere IgG Antibody;Centromere Protein B	A measurement of the centromere IgG antibody in a biological specimen.	Centromere IgG Antibody Measurement
C64545	CO2	Carbon Dioxide	A measurement of the carbon dioxide gas in a biological specimen.	Carbon Dioxide Measurement
C11223 9	COAGIDX	CI;Coagulation Index	A measurement of the efficiency of coagulation of a biological specimen. This is calculated by a mathematical formula that takes into account the R value, K value, angle and maximum amplitude of clot formation.	Coagulation Index Measurement
C74690	COCAINE	Cocaine	A measurement of the cocaine present in a biological specimen.	Cocaine Measurement
C14227 4	COCBNZEC	Cocaine Benzoyllecgonine Ecgonine	A measurement of the cocaine, benzoyllecgonine, and/or ecgonine in a biological specimen.	Cocaine, Benzoyllecgonine, and/or Ecgonine Measurement
C11116 0	COCCAB	Coccidioides Antibody	A measurement of the coccidioides antibody in a biological specimen.	Coccidioides Antibody Measurement
C74877	CODEINE	Codeine	A measurement of the codeine present in a biological specimen.	Codeine Measurement
C10338 3	COL4	Collagen Type IV	A measurement of the collagen type IV in a biological specimen.	Collagen Type IV Measurement
C64546	COLOR	Color	A measurement of the color of a biological specimen.	Color Assessment
C11114 5	COMP	Cartilage Oligomeric Matrix Protein	A measurement of the cartilage oligomeric matrix protein in a biological specimen.	Cartilage Oligomeric Matrix Protein Measurement
C10228 2	CONDUCTU	Urine Conductivity	A measurement of the urine conductivity which is a non-linear function of the electrolyte concentration in the urine.	Urine Conductivity
C12761 2	COPEP	Copeptin	A measurement of the copeptin in a biological specimen.	Copeptin Measurement
C11116 1	COPPER	Copper;Cu	A measurement of copper in a biological specimen.	Copper Measurement
C14732 1	COQ10	Coenzyme Q10;Ubiquinone 10	A measurement of the ubiquinone 10 in a biological specimen.	Ubiquinone 10 Measurement
C10651 2	CORCREAT	Cortisol/Creatinine	A relative measurement (ratio or percentage) of the cortisol to creatinine present in a sample.	Cortisol to Creatinine Ratio Measurement
C88113	CORTFR	Cortisol, Free	A measurement of the free, unbound cortisol in a biological specimen.	Free Cortisol Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74781	CORTISOL	Cortisol;Total Cortisol	A measurement of the cortisol in a biological specimen.	Cortisol Measurement
C92249	COTININE	Cotinine	A measurement of the cotinine in a biological specimen.	Cotinine Measurement
C74736	CPEPTIDE	C-peptide	A measurement of the C (connecting) peptide of insulin in a biological specimen.	C-peptide Measurement
C92432	CPNIGAAB	Chlamydia pneumoniae IgA Antibody	A measurement of the Chlamydia pneumoniae IgA antibody in a biological specimen.	Chlamydia pneumoniae IgA Antibody Measurement
C92433	CPNIGMAB	Chlamydia pneumoniae IgM Antibody	A measurement of the Chlamydia pneumoniae IgM in a biological specimen.	Chlamydia pneumoniae IgM Antibody Measurement
C14732 2	CRBMZPN	Carbamazepine	A measurement of the carbamazepine in a biological specimen.	Carbamazepine Measurement
C12211 2	CRDIGAAB	Cardiolipin IgA Antibody	A measurement of the cardiolipin IgA antibody in a biological specimen.	Cardiolipin IgA Antibody Measurement
C11114 4	CRDIGGAB	Anti-Cardiolipin IgG Antibody;Cardiolipin IgG Antibody	A measurement of the cardiolipin IgG antibody in a biological specimen.	Cardiolipin IgG Antibody Measurement
C10336 3	CRDIGMAB	Cardiolipin IgM Antibody	A measurement of the cardiolipin IgM antibodies in a biological specimen.	Cardiolipin IgM Antibody Measurement
C64547	CREAT	Creatinine	A measurement of the creatinine in a biological specimen.	Creatinine Measurement
C25747	CREATCLR	Creatinine Clearance	A measurement of the volume of serum or plasma that would be cleared of creatinine by excretion of urine for a specified unit of time (e.g. one minute).	Creatinine Clearance
C11783 3	CREATEXR	Creatinine Excretion Rate	A measurement of the amount of creatinine being excreted in urine over a defined amount of time (e.g. one hour).	Creatinine Urine Excretion Rate
C74703	CRENCE	Crenated Cells;Echinocytes	A measurement of the Burr cells (erythrocytes characterized by the presence of multiple small, sharp projections evenly distributed across the cell surface) in a biological specimen.	Crenated Cell Measurement
C74851	CRH	Corticotropin Releasing Factor;Corticotropin Releasing Hormone	A measurement of the corticotropin releasing hormone in a biological specimen.	Corticotropin Releasing Hormone Measurement
C10043 2	CRLPLSMN	Caeruloplasmin;Ceruloplasmin	A measurement of ceruloplasmin in a biological specimen.	Ceruloplasmin Measurement
C14732 3	CRNTESTR	Carnitine Esters	A measurement of the total carnitine esters in a biological specimen.	Carnitine Ester Measurement
C64548	CRP	C Reactive Protein	A measurement of the C reactive protein in a biological specimen.	C-Reactive Protein Measurement
C14732 4	CRTCLRBS	Creatinine Clearance Adjusted for BSA	A measurement of the volume of serum or plasma that would be cleared of creatinine by excretion of urine for a specified unit of time (e.g. one minute), adjusted for body surface area.	Creatinine Clearance Adjusted for BSA
C10651 1	CRTCREAT	Corticosterone/Creatinine	A relative measurement (ratio or percentage) of the corticosterone to creatinine present in a sample.	Corticosterone to Creatinine Ratio Measurement
C79434	CRTRONE	Corticosterone	A measurement of corticosterone in a biological specimen.	Corticosterone Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14732 5	CRYGLBSR	Cryoglobulin Volume/Serum Volume	A relative measurement (ratio or percentage) of the volume of cryoglobulin to total serum volume in a biological specimen.	Cryoglobulin Volume to Serum Volume Ratio Measurement
C14732 6	CRYOFBRN	Cryofibrinogen	A measurement of the cryofibrinogen in a biological specimen.	Cryofibrinogen Measurement
C11116 4	CRYOGLBN	Cryoglobulin	A measurement of cryoglobulin in a biological specimen.	Cryoglobulin Measurement
C74673	CRYSTALS	Crystals	A statement that indicates crystals were looked for in a biological specimen.	Crystal Present Or Absent
C12063 4	CSAB	Cathepsin Antibody	A measurement of the total cathepsin antibody in a biological specimen.	Cathepsin Antibody Measurement
C74762	CSBACT	Bacterial Casts	A measurement of the bacterial casts present in a biological specimen.	Bacterial Cast Measurement
C96588	CSBROAD	Broad Casts	A measurement of the broad casts in a biological specimen.	Broad Casts Measurement
C74764	CSCCELL	Cellular Casts	A measurement of the cellular (white blood cell, red blood cell, epithelial and bacterial) casts present in a biological specimen.	Cellular Cast Measurement
C74779	CSEPI	Epithelial Casts	A measurement of the epithelial cell casts present in a biological specimen.	Epithelial-Cast Measurement
C11222 0	CSEPI846	846-Epitope;Aggrecan Chondroitin Sulfate Epitope 846;CS846;Chondroitin Sulfate Epitope 846;Chondroitin Sulfate Proteoglycan 1 Epitope 846	A measurement of the 846 epitope present on the chondroitin sulfate chains of aggrecan in a biological specimen.	Aggrecan Chondroitin Sulfate Epitope 846 Measurement
C74766	CSFAT	Fatty Casts	A measurement of the fatty casts present in a biological specimen.	Fatty Cast Measurement
C74768	CSGRAN	Granular Casts	A measurement of the granular (coarse and fine) casts present in a biological specimen.	Granular Cast Measurement
C74765	CSGRANC	Granular Coarse Casts	A measurement of the coarse granular casts present in a biological specimen.	Coarse Granular Cast Measurement
C74769	CSGRANF	Granular Fine Casts	A measurement of the fine granular casts present in a biological specimen.	Granular Fine Cast Measurement
C74770	CSHYAL	Hyaline Casts	A measurement of the hyaline casts present in a biological specimen.	Hyaline Cast Measurement
C74771	CSMIX	Mixed Casts	A measurement of the mixed (the cast contains a mixture of cell types) casts present in a biological specimen.	Mixed Cast Count
C74772	CSRBC	Erythrocyte Casts;RBC Casts	A measurement of the red blood cell casts present in a biological specimen.	Red Blood Cell Cast Measurement
C74776	CSUNCLA	Unclassified Casts	A measurement of the unclassifiable casts present in a biological specimen.	Unclassified Cast Measurement
C74777	CSWAX	Waxy Casts	A measurement of the waxy casts present in a biological specimen.	Waxy Cell Cast Measurement
C74778	CSWBC	WBC Casts	A measurement of the white blood cell casts present in a biological specimen.	White Blood Cell Cast Measurement
C11619 4	CTBIGGAB	Cholera Toxin B Subunit IgG Antibody	A measurement of the cholera toxin B subunit IgG antibody in a biological specimen.	Cholera Toxin B Subunit IgG Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96593	CTC	Circulating Tumor Cells	A measurement of the circulating tumor cells in a biological specimen.	Circulating Tumor Cell Count
C147327	CTLPRM	Citalopram	A measurement of the citalopram present in a biological specimen.	Citalopram Measurement
C80160	CTOT	Complement Total	A measurement of the total complement in a biological specimen.	Complement Measurement
C100464	CTRIGAAB	Chlamydia trachomatis IgA Antibody	A measurement of the Chlamydia trachomatis IgA antibody in a biological specimen.	Chlamydia trachomatis IgA Antibody Measurement
C100466	CTRIGGAB	Chlamydia trachomatis IgG Antibody	A measurement of the Chlamydia trachomatis IgG antibody in a biological specimen.	Chlamydia trachomatis IgG Antibody Measurement
C100465	CTRIGMAB	Chlamydia trachomatis IgM Antibody	A measurement of the Chlamydia trachomatis IgM antibody in a biological specimen.	Chlamydia trachomatis IgM Antibody Measurement
C103382	CTTIGGAB	Clostridium tetani IgG Antibody	A measurement of the Clostridium tetani IgG antibody in a biological specimen.	Clostridium tetani IgG Antibody Measurement
C82038	CTXI	Type I Collagen C-Telopeptides;Type I Collagen X-linked C-telopeptide	A measurement of the type I collagen cross-linked C-telopeptides in a biological specimen.	Type I Collagen C-Telopeptide Measurement
C127613	CTXICRT	Type I Collagen C-Telopeptides/Creat;Type I Collagen X-Linked C-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type I collagen cross-linked C-telopeptides to creatinine in a biological specimen.	Type I Collagen C-Telopeptide to Creatinine Ratio Measurement
C135406	CTXIGGAB	Clostridium tetani Toxoid IgG Antibody	A measurement of the Clostridium tetani toxoid IgG antibody in a biological specimen.	Clostridium tetani Toxoid IgG Antibody Measurement
C82040	CTXII	Type II Collagen C-Telopeptides;Type II Collagen X-Linked C-Telopeptides	A measurement of the type II collagen cross-linked C-telopeptides in a biological specimen.	Type II Collagen C-Telopeptide Measurement
C122113	CTXIICRT	Type II Collagen C-Telopeptides/Creat;Type II Collagen X-Linked C-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type II collagen cross-linked C-telopeptides to creatinine in a biological specimen.	Type II Collagen C-Telopeptides to Creatinine Ratio Measurement
C128952	CXCL1	Chemokine (C-X-C Motif) Ligand 1;GRO Alpha;GRO/KC;Melanoma Growth Stimulating Activity, Alpha	A measurement of the CXCL1, chemokine (C-X-C motif) ligand 1, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 1 Measurement
C112238	CXCL10	Chemokine (C-X-C Motif) Ligand 10;IP-10;Interferon Gamma-induced Protein 10;Small-inducible Cytokine B10	A measurement of the CXCL10, chemokine (C-X-C motif) ligand 10, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 10 Measurement
C147328	CXCL13	B Lymphocyte Chemoattractant;Chemokine (C-X-C Motif) Ligand 13	A measurement of the CXCL13, chemokine (C-X-C motif) ligand 13, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 13 Measurement
C147329	CXCL3	Chemokine (C-X-C Motif) Ligand 3;GRO Gamma;MIP2 Beta;MIP2B;Macrophage Inflammatory Protein 2-Beta	A measurement of the CXCL3, chemokine (C-X-C motif) ligand 3, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 3 Measurement
C147330	CXCL4	Chemokine (C-X-C Motif) Ligand 4;Oncostatin A;PLF4;Platelet Factor 4	A measurement of the CXCL4, chemokine (C-X-C motif) ligand 4, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 4 Measurement
C130159	CXCL6	Chemokine (C-X-C Motif) Ligand 6;GCP2;Granulocyte Chemotactic Protein 2	A measurement of the CXCL6, chemokine (C-X-C motif) ligand 6, in a biological specimen.	Chemokine (C-X-C Motif) Ligand 6 Measurement
C100431	CXCR3	CD183;CXCR3;Chemokine (C-X-C Motif) Receptor 3;GPR9	A measurement of the CXCR3, chemokine (C-X-C motif) receptor 3, in a biological specimen.	Chemokine Receptor CXCR3 Measurement
C74912	CYACIDU	Acid Urate Crystals	A measurement of the acid urate crystals present in a biological specimen.	Acid Urate Crystal Measurement
C105590	CYAMMBIU	Acid Ammonium Urate Crystals;Ammonium Biurate Crystals;Ammonium Urate Crystals	A measurement of the ammonium biurate crystals present in a biological specimen.	Ammonium Biurate Crystals Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74759	CYAMMOX	Ammonium Oxalate Crystals	A measurement of the ammonium oxalate crystals present in a urine specimen.	Urine Ammonium Oxalate Crystal Measurement
C74665	CYAMORPH	Amorphous Crystals	A measurement of the amorphous (Note: phosphate or urate, depending on pH) crystals present in a biological specimen.	Amorphous Crystal Measurement
C92243	CYAMPPH	Amorphous Phosphate Crystals	A measurement of the amorphous phosphate crystals in a biological specimen.	Amorphous Phosphate Crystals Measurement
C92244	CYAMPURT	Amorphous Urate Crystals	A measurement of the amorphous urate crystals in a biological specimen.	Amorphous Urate Crystals Measurement
C74668	CYBILI	Bilirubin Crystals	A measurement of the bilirubin crystals present in a biological specimen.	Bilirubin Crystal Measurement
C74669	CYCACAR	Calcium Carbonate Crystals	A measurement of the calcium carbonate crystals present in a biological specimen.	Calcium Carbonate Crystal Measurement
C74670	CYCAOXA	Calcium Oxalate Crystals	A measurement of the calcium oxalate crystals present in a biological specimen.	Calcium Oxalate Crystal Measurement
C74671	CYCAPHOS	Calcium Phosphate Crystals	A measurement of the calcium phosphate crystals present in a biological specimen.	Calcium Phosphate Crystal Measurement
C12434 0	CYCASULF	Calcium Sulfate Crystals	A measurement of the calcium sulfate crystals present in a biological specimen.	Calcium Sulfate Crystals Measurement
C74672	CYCHOL	Cholesterol Crystals	A measurement of the cholesterol crystals present in a biological specimen.	Cholesterol Crystal Measurement
C74674	CYCYSTIN	Cystine Crystals	A measurement of the cystine crystals present in a biological specimen.	Cystine Crystal Measurement
C13540 7	CYDCPHOS	Dicalcium Phosphate Crystals	A measurement of dicalcium phosphate crystals in a biological specimen.	Dicalcium Phosphate Crystals Measurement
C13016 0	CYFRA18	Cytokeratin 18 Fragment	A measurement of the cytokeratin 18 fragment in a biological specimen.	Cytokeratin 18 Fragment Measurement
C10651 4	CYFRA211	CYFRA21-1;Cytokeratin 19 Fragment 21-1	A measurement of the cytokeratin 19 fragment 21-1 in a biological specimen.	Cytokeratin 19 Fragment 21-1 Measurement
C11228 8	CYHGBC	Hemoglobin C Crystals	A measurement of hemoglobin C crystals in a biological specimen.	Hemoglobin C Crystals Measurement
C74754	CYHIPAC	Hippurate Crystals;Hippuric Acid Crystals	A measurement of the hippuric acid crystals present in a biological specimen.	Hippuric Acid Crystal Measurement
C74680	CYLEUC	Leucine Crystals	A measurement of the leucine crystals present in a biological specimen.	Leucine Crystal Measurement
C74681	CYMSU	Monosodium Urate Crystals	A measurement of the monosodium urate crystals present in a biological specimen.	Monosodium Urate Crystal Measurement
C10651 3	CYSCREAT	Cystatin C/Creatinine	A relative measurement (ratio or percentage) of the cystatin C to creatinine present in a sample.	Cystatin C to Creatinine Ratio Measurement
C81951	CYSTARCH	Starch Crystals	A measurement of the starch crystals in a biological specimen.	Starch Crystal Measurement
C92290	CYSTATC	Cystatin C	A measurement of the cystatin C in a biological specimen.	Cystatin C Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14733 1	CYSTHION	Cystathionine	A measurement of the cystathionine in a biological specimen.	Cystathionine Measurement
C10544 1	CYSTINE	Cystine	A measurement of the cystine in a biological specimen.	Cystine Measurement
C74755	CYSULFA	Sulfa Crystals;Sulfonamide Crystals	A measurement of the sulfa crystals present in a biological specimen.	Sulfa Crystal Measurement
C74756	CYTRPHOS	Triple Phosphate Crystals	A measurement of the triple phosphate crystals present in a biological specimen.	Triple Phosphate Crystal Measurement
C74683	CYTYRO	Tyrosine Crystals	A measurement of the tyrosine crystals present in a biological specimen.	Tyrosine Crystal Measurement
C74757	CYUNCLA	Unclassified Crystals	A measurement of the unclassifiable crystals present in a biological specimen.	Unclassified Crystal Measurement
C74684	CYURIAC	Uric Acid Crystals	A measurement of the uric acid crystals present in a biological specimen.	Uric Acid Crystal Measurement
C82621	DDIMER	D-Dimer	A measurement of the d-dimers in a biological specimen.	D-Dimer Measurement
C45781	DENSITY	Density	A measurement of the compactness of a biological specimen expressed in mass per unit volume.	Density
C13540 8	DFI	DNA Fragmentation Index	A measurement of the deoxyribonucleic acid fragmentation within the nucleated cells of a biological specimen.	DNA Fragmentation Index
C11119 0	DGNWBC	Degenerated Leukocytes;Degenerated WBC;Degenerated White Blood Cells	A measurement of the degenerated leukocytes (leukocytes that show deterioration in form or function) in a biological specimen.	Degenerated Leukocyte Count
C74852	DHEA	Dehydroepiandrosterone;Dehydroisoandrosterone	A measurement of the dehydroepiandrosterone hormone in a biological specimen.	Dehydroepiandrosterone Measurement
C96629	DHEAS	DHEA Sulfate;DHEA-S;Dehydroepiandrosterone Sulfate;sDHEA	A measurement of the sulfated Dehydroepiandrosterone in a biological specimen.	Sulfated DHEA Measurement
C10101 7	DHPG	3,4-Dihydroxyphenylglycol;3,4-Dihydroxyphenylglycol	A measurement of the catecholamine metabolite, 3,4-Dihydroxyphenylglycol in a biological specimen.	3,4-Dihydroxyphenylglycol Measurement
C74853	DHT	Androstalone;Dihydrotestosterone	A measurement of the dihydrotestosterone hormone in a biological specimen.	Dihydrotestosterone Measurement
C74878	DIHYDCDN	Dihydrocodeine	A measurement of the dihydrocodeine present in a biological specimen.	Dihydrocodeine Measurement
C13540 9	DNA	Deoxyribonucleic Acid	A measurement of a targeted deoxyribonucleic acid (DNA) in a biological specimen.	Deoxyribonucleic Acid Measurement
C81973	DNAAB	Anti-DNA Antibodies;Anti-ds-DNA Antibodies	A measurement of the anti-DNA antibodies in a biological specimen.	Anti-DNA Antibody Measurement
C10046 3	DNASEBAB	Anti-Dnase B;DNase-B Antibody	A measurement of Dnase-B antibody in a biological specimen.	DNase-B Antibody Measurement
C14733 2	DNVAB	Dengue Virus Antibody	A measurement of the dengue virus antibody in a biological specimen.	Dengue Virus Antibody Measurement
C74610	DOHLE	Dohle Bodies	A measurement of the Dohle bodies (blue-gray, basophilic, leukocyte inclusions located in the peripheral cytoplasm of neutrophils) in a biological specimen.	Dohle Body Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10334 5	DOPAC	3,4-Dihydroxyphenylacetic Acid	A measurement of the 3,4-dihydroxyphenylacetic acid in a biological specimen.	3,4-Dihydroxyphenylacetic Acid Measurement
C74854	DOPAMINE	Dopamine	A measurement of the dopamine hormone in a biological specimen.	Dopamine Measurement
C79443	DPD	Deoxyypyridinoline	A measurement of the deoxyypyridinoline in a biological specimen.	Deoxyypyridinoline Measurement
C79444	DPDCREAT	Deoxyypyridinoline/Creatinine	A relative measurement (ratio or percentage) of the deoxyypyridinoline to creatinine in a biological specimen.	Deoxyypyridinoline to Creatinine Ratio Measurement
C10338 7	DPPIVA	DPPIV Activity;Dipeptidyl Peptidase-4 Activity	A measurement of the biological activity of dipeptidyl peptidase-4 in a biological specimen.	Dipeptidyl Peptidase-4 Activity Measurement
C10338 8	DPTIGGAB	Diphtheria IgG Antibody	A measurement of the Diphtheria IgG antibodies in a biological specimen.	Diphtheria IgG Antibody Measurement
C78139	DRUGSCR	Drug Screen	An indication of the presence or absence of recreational drugs or drugs of abuse in a biological specimen.	Drug Test
C96696	DRVVT	Dilute Russell's Viper Venom Time;Lupus Anticoagulant Test	A measurement of the time it takes a plasma sample to clot after adding dilute Russell's viper venom.	Dilute Russell's Viper Venom Time Measurement
C10338 6	DRVVTRT	Dilute Russell's Viper Venom Time Ratio;Lupus Anticoagulant Ratio	A relative measurement of the dilute Russell's viper venom time in a subject sample to a control sample.	Dilute Russell's Viper Venom Time to Control Ratio Measurement
C12211 4	DSG1AB	Desmoglein 1 Antibody	A measurement of the desmoglein 1 antibody in a biological specimen.	Desmoglein 1 Antibody Measurement
C12211 5	DSG3AB	Desmoglein 3 Antibody	A measurement of the desmoglein 3 antibody in a biological specimen.	Desmoglein 3 Antibody Measurement
C14733 3	DSVLFXN	Desvenlafaxine;O-Desmethylvenlafaxine	A measurement of the desvenlafaxine present in a biological specimen.	Desvenlafaxine Measurement
C10044 1	DTPACLR	DTPA Clearance	A measurement of the volume of serum or plasma that would be cleared of Diethylenetriamine pentaacetate (DTPA) by excretion of urine for a specified unit of time (e.g. one minute).	Diethylene Triamine Pentaacetic Acid Clearance
C75372	DZPM	Diazepam	A measurement of the diazepam present in a biological specimen.	Diazepam Measurement
C14227 5	EAGLUC	Glucose, Estimated Average	A computed estimate of the blood glucose based on the value of the glycated hemoglobin	Estimated Average Glucose
C96600	EBCIGGAB	Epstein-Barr Capsid IgG Antibody	A measurement of the Epstein-Barr capsid IgG antibody in a biological specimen.	Epstein-Barr Capsid IgG Antibody Measurement
C96601	EBCIGMAB	Epstein-Barr Capsid IgM Antibody	A measurement of the Epstein-Barr capsid IgM antibody in a biological specimen.	Epstein-Barr Capsid IgM Antibody Measurement
C96602	EBEAG	Epstein-Barr Early Antigen	A measurement of the Epstein-Barr early antigen in a biological specimen.	Epstein-Barr Early Antigen Measurement
C12211 6	EBEDIGAB	Epstein-Barr Early D Antigen IgG Ab	A measurement of the Epstein-Barr early diffuse antigen IgG antibody in a biological specimen.	Epstein-Barr Early D Antigen IgG Antibody Measurement
C10651 8	EBN1IGAB	Epstein-Barr Nuclear Antigen 1 IgG Ab	A measurement of the Epstein-Barr nuclear antigen 1 IgG antibody in a biological specimen.	Epstein-Barr Nuclear Antigen 1 IgG Ab Measurement
C96603	EBNAB	Epstein-Barr Nuclear Antibody;Epstein-Barr Nuclear Antigen Antibody	A measurement of the Epstein-Barr nuclear antibody in a biological specimen.	Epstein-Barr Nuclear Antibody Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96604	EBNAG	Epstein-Barr Nuclear Antigen	A measurement of the Epstein-Barr nuclear antigen in a biological specimen.	Epstein-Barr Nuclear Antigen Measurement
C135410	EBOIGMAB	Ebola Virus IgM Antibody	A measurement of the Ebola virus IgM antibodies in a biological specimen.	Ebola Virus IgM Antibody Measurement
C106519	EBVINTP	EBV Profile Interpretation; Epstein-Barr Virus Antibody Profile; Epstein-Barr Virus Panel; Epstein-Barr Virus Profile Interpretation	An assessment of Epstein-Barr virus infection based on a panel of EBV antigen antibody tests.	Epstein-Barr Virus Profile Interpretation
C96598	ECCENTCY	Eccentricocytes	A measurement of the eccentricocytes (erythrocytes in which the hemoglobin is localized to a particular portion of the cell, noticeable as localized staining) in a biological specimen.	Eccentricocyte Count
C100422	ECT	Ecarin Clotting Time	A measurement of the activity of thrombin inhibitors in a biological specimen based on the generation of meizothrombin.	Ecarin Clotting Time Measurement
C147334	EDMIGAAB	Endomysium IgA Antibody	A measurement of the endomysial IgA antibody in a biological specimen.	Endomysial IgA Antibody Measurement
C100440	EDTACLR	EDTA Clearance	A measurement of the volume of serum or plasma that would be cleared of Ethylenediamine tetraacetic acid (EDTA) by excretion of urine for a specified unit of time (e.g. one minute).	EDTA Clearance
C82009	EGF	Epidermal Growth Factor	A measurement of the epidermal growth factor in a biological specimen.	Epidermal Growth Factor Measurement
C112273	EGFR	ERBB1; Epidermal Growth Factor Receptor; HER1	A measurement of the cells with positive expression of EGFR in a biological specimen.	Epidermal Growth Factor Receptor Measurement
C82028	ELA1	Pancreatic Elastase 1	A measurement of the pancreatic elastase 1 in a biological specimen.	Pancreatic Elastase Measurement
C82029	ELA1PMN	Pancreatic Elastase 1, Polymorphonuclear	A measurement of the polymorphonuclear pancreatic elastase 1 in a biological specimen.	Polymorphonuclear Pancreatic Elastase Measurement
C82026	ELA2	Neutrophil Elastase	A measurement of the neutrophil elastase in a biological specimen.	Neutrophil Elastase Measurement
C82027	ELA2PMN	Neutrophil Elastase, Polymorphonuclear	A measurement of the polymorphonuclear neutrophil elastase in a biological specimen.	Polymorphonuclear Neutrophil Elastase Measurement
C64549	ELLIPCY	Elliptocytes	A measurement of the elliptocytes (elliptically shaped cell with blunt ends and a long axis twice the length of its short axis) in a biological specimen.	Elliptocyte Count
C82010	ENA78	Epith Neutrophil-Activating Peptide 78	A measurement of the epithelial neutrophil-activating peptide in a biological specimen.	Epithelial Neutrophil-Activating Peptide 78 Measurement
C92270	ENAAB	Anti-ENA; Extractable Nuclear Antigen Antibody	A measurement of the extractable nuclear antigen antibody in a biological specimen.	Extractable Nuclear Antigen Antibody Measurement
C82008	ENDOTH1	Endothelin-1	A measurement of the endothelin-1 in a biological specimen.	Endothelin-1 Measurement
C82011	ENRAGE	Extracell Newly Ident RAGE Bind Protein; S100 Calcium Binding Protein A12	A measurement of the extracellular newly identified RAGE (receptor for advanced glycation end products) binding protein in a biological specimen.	Extracell Newly Ident RAGE Bind Protein Measurement
C64550	EOS	Eosinophils	A measurement of the eosinophils in a biological specimen.	Eosinophil Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114216	EOSB	Eosinophils Band Form	A measurement of the banded eosinophils in a biological specimen.	Eosinophil Band Form Count
C114217	EOSBLE	Eosinophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded eosinophils to leukocytes in a biological specimen.	Eosinophil Band Form to Leukocyte Ratio
C98720	EOSCE	Eosinophils/Total Cells	A relative measurement (ratio or percentage) of the eosinophils to total cells in a biological specimen (for example a bone marrow specimen).	Eosinophils to Total Cell Ratio Measurement
C96673	EOSIM	Immature Eosinophils	A measurement of the immature eosinophils in a biological specimen.	Immature Eosinophil Count
C96674	EOSIMLE	Immature Eosinophils/Leukocytes	A relative measurement (ratio or percentage) of immature eosinophils to total leukocytes in a biological specimen.	Immature Eosinophil to Leukocyte Ratio Measurement
C64604	EOSLE	Eosinophils/Leukocytes	A relative measurement (ratio or percentage) of the eosinophils to leukocytes in a biological specimen.	Eosinophil to Leukocyte Ratio
C84819	EOSMM	Eosinophilic Metamyelocytes	A measurement of the eosinophilic metamyelocytes in a biological specimen.	Eosinophilic Metamyelocyte Count
C84821	EOSMYL	Eosinophilic Myelocytes	A measurement of the eosinophilic myelocytes in a biological specimen.	Eosinophilic Myelocyte Count
C135411	EOSNSQE	Eosinophils/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the eosinophils to non-squamous epithelial cells in a biological specimen.	Eosinophils to Non-Squamous Epithelial Cells Ratio Measurement
C135412	EOSSG	Eosinophils, Segmented	A measurement of the segmented eosinophils in a biological specimen.	Segmented Eosinophil Count
C81952	EOTAXIN1	Chemokine Ligand 11;Eotaxin-1	A measurement of the eotaxin-1 in a biological specimen.	Eotaxin-1 Measurement
C81953	EOTAXIN2	Chemokine Ligand 24;Eotaxin-2	A measurement of the eotaxin-2 in a biological specimen.	Eotaxin-2 Measurement
C81954	EOTAXIN3	CCL26;Chemokine (C-C Motif) Ligand 26;Chemokine Ligand 26;Eotaxin-3	A measurement of the eotaxin-3 in a biological specimen.	Eotaxin-3 Measurement
C64605	EPIC	Epithelial Cells	A measurement of the epithelial cells in a biological specimen.	Epithelial Cell Count
C130161	EPICCE	Epithelial Cells/Total Cells	A relative measurement (ratio or percentage) of the epithelial cells to total cells in a biological specimen.	Epithelial Cells to Total Cells Ratio Measurement
C79445	EPIN	Adrenaline;Epinephrine	A measurement of the epinephrine hormone in a biological specimen.	Epinephrine Measurement
C135413	EPINSQCE	Non-Squamous Epithelial Cells	A measurement of the non-squamous epithelial cells in a biological specimen.	Non-Squamous Epithelial Cell Count
C135414	EPINSQE	Epi Cells/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the epithelial cells to non-squamous epithelial cells in a biological specimen.	Epithelial Cells to Non-Squamous Epithelial Cells Ratio Measurement
C74698	EPIROCE	Round Epithelial Cells	A measurement of the round epithelial cells present in a biological specimen.	Round Epithelial Cell Count
C132366	EPISCECE	Squamous Epithelial Cells/Total Cells	A relative measurement (ratio or percentage) of the squamous epithelial cells to total cells in a biological specimen.	Squamous Epithelial Cells to Total Cells Ratio Measurement
C74773	EPISQCE	Squamous Epithelial Cells	A measurement of the squamous epithelial cells present in a biological specimen.	Squamous Epithelial Cell Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74774	EPISQTCE	Squamous Transitional Epithelial Cells	A measurement of the squamous transitional epithelial cells present in a biological specimen.	Squamous Transitional Epithelial Cell Count
C92251	EPITCE	Transitional Epithelial Cells	A measurement of the transitional epithelial cells present in a biological specimen.	Transitional Epithelial Cells Measurement
C74775	EPITUCE	Renal Tubular Epithelial Cells;Tubular Epithelial Cells	A measurement of the tubular epithelial cells present in a biological specimen.	Tubular Epithelial Cell Count
C74855	EPO	Erythropoietin;Hematopoietin	A measurement of the erythropoietin hormone in a biological specimen.	Erythropoietin Measurement
C13541 5	ERCEMIDX	Erythroid Maturation Index	A relative measurement (ratio) of the sum of erythroid maturation phase cells (pool) to the sum of erythroid proliferative phase cells (pool) in a biological specimen.	Erythroid Maturation Index
C13541 6	ERCEMPOL	Erythroid Maturation Pool	A measurement of the erythroid maturation phase cells (polychromatic rubricytes, normochromic rubricytes, and metarubricytes) in a biological specimen.	Erythroid Maturation Pool Count
C13541 7	ERCEPIDX	Erythroid Proliferation Index	A relative measurement (ratio) of the sum of erythroid proliferative phase cells (pool) to the sum of erythroid maturation phase cells (pool) in a biological specimen.	Erythroid Proliferation Index
C13541 8	ERCEPPOL	Erythroid Proliferation Pool	A measurement of the erythroid proliferative phase cells (rubriblasts, prorubricytes, and basophilic rubricytes) in a biological specimen.	Erythroid Proliferation Pool Count
C11927 3	ESELS	Soluble E-Selectin;sE-selectin	A measurement of the soluble E-Selectin activity in a biological specimen.	Soluble E-Selectin Measurement
C74611	ESR	Biernacki Reaction;Erythrocyte Sedimentation Rate	The distance (e.g. millimeters) that red blood cells settle in unclotted blood over a specified unit of time (e.g. one hour).	Erythrocyte Sedimentation Rate Measurement
C11227 4	ESTRCPT	ER;ESR;Estrogen Receptor;Oestrogen Receptor	A measurement of estrogen receptor protein in a biological specimen.	Estrogen Receptor Measurement
C74782	ESTRDIOL	Estradiol;Oestradiol	A measurement of the estradiol in a biological specimen.	Estradiol Measurement
C74856	ESTRIOL	Estriol;Oestriol	A measurement of the estriol hormone in a biological specimen.	Estriol Measurement
C81963	ESTRIOLF	Estriol, Free;Unconjugated Estriol	A measurement of the free estriol in a biological specimen.	Free Estriol Measurement
C14733 5	ESTROGEN	Estrogen;Oestrogen	A measurement of the estrogen hormone in a biological specimen.	Estrogen Measurement
C74857	ESTRONE	Estrone;Oestrone	A measurement of the estrone hormone in a biological specimen.	Estrone Measurement
C74693	ETHANOL	Alcohol;Ethanol	A measurement of the ethanol present in a biological specimen.	Ethanol Measurement
C10226 6	ETP	Endogenous Thrombin Potential	A measurement of the total concentration of thrombin generated in the presence of a substrate in a plasma or blood sample.	Endogenous Thrombin Potential Measurement
C10226 3	ETPAUC	ETP Area Under Curve;Endogenous Thrombin Potential Area Under Curve	A measurement of the area under the thrombin generation curve.	Endogenous Thrombin Potential Area Under Curve Measurement
C10226 4	ETPLT	ETP Lag Time;Endogenous Thrombin Potential Lag Time	A measurement of time from the start of the thrombin generation test to the point where a predetermined amount of thrombin is generated.	Endogenous Thrombin Potential Lag Time Measurement

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102265	ETPLTR	ETP Lag Time Relative;Endogenous Thrombin Potential Lag Time Relative	A relative measurement (ratio or percentage) of time from the start of the thrombin generation test to the point where a predetermined amount of thrombin is generated.	Endogenous Thrombin Potential Lag Time Relative Measurement
C102267	ETPPH	ETP Peak Height;Endogenous Thrombin Potential Peak Height	A measurement of the maximum concentration of thrombin generated during a thrombin generation test.	Endogenous Thrombin Potential Peak Height Measurement
C102268	ETPPHR	ETP Peak Height Relative;Endogenous Thrombin Potential Peak Height Relative	A relative (ratio or percentage) of the maximum concentration of thrombin generated during a thrombin generation test.	Endogenous Thrombin Potential Peak Height Relative Measurement
C102269	ETPTP	ETP Time to Peak;Endogenous Thrombin Potential Time to Peak	A measurement of the time it takes to generate the maximum concentration of thrombin.	Endogenous Thrombin Potential Time to Peak Measurement
C102270	ETPTR	ETP Time to Peak Relative;Endogenous Thrombin Potential Time to Peak Relative	A relative (ratio or percentage) measurement of the time it takes to generate the maximum concentration of thrombin.	Endogenous Thrombin Potential Time to Peak Relative Measurement
C82012	FABP1	Fatty Acid Binding Protein 1	A measurement of the fatty acid binding protein 1 in a biological specimen.	Fatty Acid Binding Protein 1 Measurement
C106521	FABP3	Fatty Acid Binding Protein 3	A measurement of the fatty acid binding protein 3 in a biological specimen.	Fatty Acid Binding Protein 3 Measurement
C96626	FACTII	Factor II;Prothrombin	A measurement of the coagulation factor II in a biological specimen.	Prothrombin Measurement
C81959	FACTIII	Factor III;Tissue Factor, CD142	A measurement of the coagulation factor III in a biological specimen.	Factor III Measurement
C98725	FACTIX	Christmas Factor;Factor IX	A measurement of the coagulation factor IX in a biological specimen.	Factor IX Measurement
C103395	FACTIXA	Christmas Factor Activity;Factor IX Activity	A measurement of the biological activity of coagulation factor IX in a biological specimen.	Factor IX Activity Measurement
C98726	FACTV	Factor V;Labile Factor	A measurement of the coagulation factor V in a biological specimen.	Factor V Measurement
C103396	FACTVA	Factor V Activity;Labile Factor Activity	A measurement of the biological activity of coagulation factor V in a biological specimen.	Factor V Activity Measurement
C81960	FACTVII	Factor VII;Proconvertin;Stable Factor	A measurement of the coagulation factor VII in a biological specimen.	Factor VII Measurement
C103397	FACTVIIA	Factor VII Activity;Proconvertin Activity;Stable Factor Activity	A measurement of the biological activity of coagulation factor VII in a biological specimen.	Factor VII Activity Measurement
C81961	FACTVIII	Anti-hemophilic Factor;Factor VIII	A measurement of the coagulation factor VIII in a biological specimen.	Factor VIII Measurement
C102271	FACTVL	Factor V Leiden	A measurement of the coagulation factor V Leiden in a biological specimen.	Factor V Leiden Measurement
C98799	FACTVW	von Willebrand Factor;von Willebrand Factor Antigen	A measurement of the von Willebrand coagulation factor in a biological specimen.	von Willebrand Factor Measurement
C122117	FACTVWA	von Willebrand Factor Activity	A measurement of the biological activity of von Willebrand coagulation factor in a biological specimen.	von Willebrand Factor Activity Measurement
C147336	FACTVWMU	von Willebrand Factor Multimers	A measurement of the von Willebrand Factor multimers (an aggregate of multiple von Willebrand factor antigens that are held together with non-covalent bonds) in a biological specimen.	von Willebrand Factor Multimers Measurement
C98727	FACTX	Factor X	A measurement of the coagulation factor X in a biological specimen.	Factor X Measurement

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122118	FACTXA	Factor X Activity	A measurement of the coagulation factor X activity in a biological specimen.	Factor X Activity Measurement
C112277	FACTXIII	Factor XIII;Fibrin Stabilizing Factor	A measurement of the coagulation factor XIII in a biological specimen.	Factor XIII Measurement
C102272	FACTXIV	Autoprothrombin IIA;Factor XIV;Protein C;Protein C Antigen	A measurement of the coagulation factor XIV in a biological specimen.	Factor XIV Measurement
C105442	FACTXIVA	Factor XIV Activity;Protein C Activity;Protein C Function	A measurement of the coagulation factor XIV activity in a biological specimen.	Factor XIV Activity Measurement
C124341	FAI	Free Androgen Index	A measurement of the androgen status in a biological specimen. This is calculated by a mathematical formula that takes into account the total testosterone level, sex hormone binding globulin, and a constant.	Free Androgen Index
C96648	FAT	Fat	A measurement of the fat in a biological specimen.	Fat Measurement
C80200	FATACFR	Free Fatty Acid;Non-Esterified Fatty Acid, Free	A measurement of the total non-esterified fatty acids in a biological specimen.	Non-esterified Fatty Acids Measurement
C80206	FATACFRS	Free Fatty Acid, Saturated;Non-esterified Fatty Acid, Saturated	A measurement of the saturated non-esterified fatty acids in a biological specimen.	Saturated Non-esterified Fatty Acids Measurement
C80209	FATACFRU	Free Fatty Acid, Unsaturated;Non-esterified Fatty Acid, Unsaturated	A measurement of the unsaturated non-esterified fatty acids in a biological specimen.	Unsaturated Non-esterified Fatty Acids Measurement
C147337	FATACVLC	Fatty Acids, Very Long Chain	A measurement of the very long chain fatty acids (containing 22 or more carbon atoms) in a biological specimen.	Very Long Chain Fatty Acids Measurement
C81947	FATBODOV	Fat Bodies, Oval	A measurement of the oval-shaped fat bodies, usually renal proximal tubular cells with lipid aggregates in the cytoplasm, in a biological specimen.	Oval Fat Body Measurement
C98728	FATDROP	Fat Droplet	A measurement of the triglyceride aggregates within a biological specimen.	Fat Droplet Measurement
C92786	FBNCTFT	Fibronectin, Fetal	A measurement of the fetal isoform of fibronectin in a biological specimen	Fetal Fibronectin Test
C105443	FBRTST	FibroSURE Score;FibroTest Score	A biomarker test that measures liver pathology through the assessment of a six-parameter blood test (for Alpha-2-macroglobulin, Haptoglobin, Apolipoprotein A1, Gamma-glutamyl transpeptidase (GGT), Total bilirubin, and Alanine aminotransferase (ALT)), taking into account the age and gender of the patient.	FibroTest Score Measurement
C103398	FCTVIIAA	Factor VIIa Activity	A measurement of the biological activity of coagulation factor VIIa in a biological specimen.	Factor VIIa Activity Measurement
C103399	FCTVIIIA	Anti-hemophilic Factor Activity;Factor VIII Activity	A measurement of the biological activity of coagulation factor VIII in a biological specimen.	Factor VIII Activity Measurement
C82013	FDP	Fibrin Degradation Products	A measurement of the fibrin degradation products in a biological specimen.	Fibrin Degradation Products Measurement
C114219	FECA	Fractional Calcium Excretion	A measurement of the fractional excretion of calcium that is computed based upon the concentrations of calcium and creatinine in both blood and urine.	Fractional Excretion of Calcium

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114220	FECL	Fractional Chloride Excretion	A measurement of the fractional excretion of chloride that is computed based upon the concentrations of chloride and creatinine in both blood and urine.	Fractional Excretion of Chloride
C114222	FEK	Fractional Potassium Excretion	A measurement of the fractional excretion of potassium that is computed based upon the concentrations of potassium and creatinine in both blood and urine.	Fractional Excretion of Potassium
C122119	FEMG	Fractional Magnesium Excretion	A measurement of the fractional excretion of magnesium that is computed based upon the concentrations of magnesium and creatinine in both blood and urine.	Fractional Excretion of Magnesium
C107435	FENA	Fractional Sodium Excretion	A measurement of the fractional excretion of sodium that is computed based upon the concentrations of sodium and creatinine in both blood and urine.	Fractional Excretion of Sodium
C147338	FENTANYL	Fentanyl	A measurement of the fentanyl in a biological specimen.	Fentanyl Measurement
C147339	FEP	Erythrocyte Protoporphyrin, Free	A measurement of the free erythrocyte protoporphyrin (zinc bound plus unbound protoporphyrin) in a biological specimen.	Free Erythrocyte Protoporphyrin Measurement
C114221	FEPI	Fractional Inorganic Phosphate Excretion;Fractional Phosphorus Excretion	A measurement of the fractional excretion of phosphorus that is computed based upon the concentrations of phosphorus and creatinine in both blood and urine.	Fractional Excretion of Phosphate
C74737	FERRITIN	Ferritin	A measurement of the ferritin in a biological specimen.	Ferritin Measurement
C112280	FGF21	FGF 21;Fibroblast Growth Factor 21	A measurement of the fibroblast growth factor 21 in a biological specimen.	Fibroblast Growth Factor 21 Measurement
C96650	FGF23	Fibroblast Growth Factor 23;Phosphatonin	A measurement of the total fibroblast growth factor 23 in a biological specimen.	Fibroblast Growth Factor 23 Measurement
C135419	FGF23C	Fibroblast Growth Factor 23, C-Terminal	A measurement of the C-terminal fibroblast growth factor 23 in a biological specimen.	C-Terminal Fibroblast Growth Factor 23 Measurement
C135420	FGF23I	Fibroblast Growth Factor 23, Intact	A measurement of the intact fibroblast growth factor 23 in a biological specimen.	Intact Fibroblast Growth Factor 23 Measurement
C130162	FGF9	FGF 9;Fibroblast Growth Factor 9	A measurement of the fibroblast growth factor 9 in a biological specimen.	Fibroblast Growth Factor 9 Measurement
C82014	FGFBF	FGF2;Fibroblast Growth Factor Basic Form	A measurement of the basic form of fibroblast growth factor in a biological specimen.	Fibroblast Growth Factor Basic Form Measurement
C64606	FIBRINO	Fibrinogen;Fibrinogen Antigen	A measurement of the total fibrinogen (functional and non-functional) in a biological specimen.	Fibrinogen Measurement
C139075	FIBRINOF	Fibrinogen, Functional	A measurement of the functional fibrinogen (fibrinogen that is capable of being converted to fibrin) in a biological specimen.	Functional Fibrinogen Measurement
C135421	FLAGEL	Flagellates	A measurement of the flagellates (protozoans that possess flagella) in a biological specimen.	Flagellates Measurement
C139081	FLNTRZPM	Flunitrazepam	A measurement of the flunitrazepam present in a biological specimen.	Flunitrazepam Measurement
C75373	FLRZPM	Flurazepam	A measurement of the flurazepam present in a biological specimen.	Flurazepam Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122120	FLUORIDE	Fluoride	A measurement of the fluoride in a biological specimen.	Fluoride Measurement
C147340	FLUVOXAM	Fluvoxamine	A measurement of the fluvoxamine present in a biological specimen.	Fluvoxamine Measurement
C132367	FOLHRNA	Folate Hydrolase mRNA	A measurement of the folate hydrolase mRNA in a biological specimen.	Folate Hydrolase mRNA Measurement
C147341	FPP	Protoporphyrin, Free	A measurement of the free protoporphyrin (unbound to iron in hemoglobin) in a biological specimen.	Free Protoporphyrin Measurement
C74678	FRUCT	Fructosamine;Glycated Serum Protein	A measurement of the fructosamine in a biological specimen.	Fructosamine Measurement
C147342	FRUCTOSE	Fructose	A measurement of the fructose in a biological specimen.	Fructose Measurement
C74783	FSH	Follicle Stimulating Hormone	A measurement of the follicle stimulating hormone (FSH) in a biological specimen.	Follicle Stimulating Hormone Measurement
C147343	FUNGIFIL	Fungi, Filamentous	A measurement of the filamentous fungi in a biological specimen.	Filamentous Fungi Count
C147344	FUNGYLK	Fungi, Yeast-Like	A measurement of the yeast-like fungi in a biological specimen.	Yeast-Like Fungi Count
C147345	FVIIIAAC	Factor VIII Activity Actual/Control;Factor VIII Activity Actual/Factor VIII Activity Control;Factor VIII Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of factor VIII dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Factor VIII Activity Actual to Control Ratio Measurement
C147346	FXIVAAC	Factor XIV Activity Actual/Control;Factor XIV Activity Actual/Factor XIV Activity Control;Factor XIV Activity Actual/Normal	A relative measurement (ratio or percentage) of the biological activity of factor XIV dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Factor XIV Activity Actual to Control Ratio Measurement
C80184	G6PD	Glucose-6-Phosphate Dehydrogenase	A measurement of the glucose-6-phosphate dehydrogenase in a biological specimen.	Glucose-6-Phosphate Dehydrogenase Measurement
C139065	G6PDA	Glucose-6-Phosphate Dehydrogenase Act	A measurement of the biological activity of glucose-6-phosphate dehydrogenase in a biological specimen.	Glucose-6-Phosphate Dehydrogenase Activity
C132368	G6PDRBC	G6PD-Deficient Erythrocytes	A measurement of the glucose-6-phosphate dehydrogenase deficient erythrocytes in a biological specimen.	G6PD-Deficient Erythrocytes Count
C132369	G6PDRBRB	G6PD-Deficient Erythrocytes/Erythrocytes	A relative measurement (ratio or percentage) of G6PD-deficient erythrocytes to total erythrocytes in a biological specimen.	G6PD-Deficient Erythrocytes to Erythrocytes Ratio Measurement
C82015	GAD1	Glutamic Acid Decarboxylase 1;Glutamic Acid Decarboxylase 67	A measurement of the glutamic acid decarboxylase 1 in a biological specimen.	Glutamic Acid Decarboxylase 1 Measurement
C82016	GAD2	Glutamic Acid Decarboxylase 2;Glutamic Acid Decarboxylase 65	A measurement of the glutamic acid decarboxylase 2 in a biological specimen.	Glutamic Acid Decarboxylase 2 Measurement
C82017	GAD2AB	Glutamic Acid Decarboxylase 2 Antibody;Glutamic Acid Decarboxylase 65 Antibody	A measurement of the glutamic acid decarboxylase 2 antibody in a biological specimen.	Glutamic Acid Decarboxylase 2 Antibody Measurement
C96653	GADAB	GAD Antibody;Glutamic Acid Decarboxylase Antibody	A measurement of the glutamic acid decarboxylase antibody in a biological specimen.	Glutamic Acid Decarboxylase Antibody Measurement
C80182	GALANIN	Galanin	A measurement of the galanin in a biological specimen.	Galanin Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74858	GASTRIN	Gastrin	A measurement of the gastrin hormone in a biological specimen.	Gastrin Measurement
C11621 1	GATCPHRL	Gamma Tocopherol	A measurement of the gamma tocopherol in a biological specimen.	Gamma Tocopherol Measurement
C82018	GCSF	Granulocyte Colony Stimulating Factor	A measurement of the granulocyte colony stimulating factor in a biological specimen.	Granulocyte Colony Stimulating Factor Measurement
C13542 2	GDF11	BMP-11;Bone Morphogenetic Protein 11;Growth Differentiation Factor 11	A measurement of the growth differentiation factor 11 in a biological specimen.	Growth Differentiation Factor 11 Measurement
C13542 3	GDF8	Growth Differentiation Factor 8;Myostatin	A measurement of the growth differentiation factor 8 in a biological specimen.	Growth Differentiation Factor 8 Measurement
C12434 2	GEC	Galactose Elimination Capacity	A liver function test that measures galactose elimination capacity in a biological specimen.	Galactose Elimination Capacity
C90505	GFR	Glomerular Filtration Rate	A kidney function test that measures the fluid volume that is filtered from the kidney glomeruli to the Bowman's capsule per unit of time.	Glomerular Filtration Rate
C98734	GFRBSA	Glomerular Filtration Rate Adj for BSA	A measurement of the glomerular filtration rate adjusted for body surface area.	Glomerular Filtration Rate Adjusted for BSA
C10045 0	GFRBSB2M	GFR from B-2 Microglobulin Adj for BSA	A measurement of the glomerular filtration rate (GFR) based on the clearance of beta-2 microglobulin after adjusting it for the body surface area.	Glomerular Filtration Rate from B-2 Microglobulin Adjusted for BSA Measurement
C10044 9	GFRBSBTP	GFR from Beta-Trace Protein Adj for BSA	A measurement of the glomerular filtration rate (GFR) based on the clearance of beta-trace protein after adjusting it for the body surface area.	Glomerular Filtration Rate from Beta-Trace Protein Adjusted for BSA Measurement
C12761 4	GFRBSCCC	GFR from Cystatin C and Creat Adj BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on cystatin C and creatinine.	Glomerular Filtration Rate from Cystatin C and Creatinine Adjusted for BSA
C98735	GFRBSCRT	GFR from Creatinine Adjusted for BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on creatinine.	Glomerular Filtration Rate from Creatinine Adjusted for BSA
C98736	GFRBSCYC	GFR from Cystatin C Adjusted for BSA	An estimation of the glomerular filtration rate adjusted for body surface area based on cystatin C.	Glomerular Filtration Rate from Cystatin C Adjusted for BSA
C11093 5	GFRE	Glomerular Filtration Rate, Estimated	A kidney function test that estimates the fluid volume that is filtered from the kidney glomeruli to the Bowman's capsule per unit of time.	Estimated Glomerular Filtration Rate
C64847	GGT	Gamma Glutamyl Transferase	A measurement of the gamma glutamyl transferase in a biological specimen.	Gamma Glutamyl Transpeptidase Measurement
C79446	GGTCREAT	Gamma Glutamyl Transferase/Creatinine	A relative measurement (ratio or percentage) of the gamma glutamyl transferase to creatinine in a biological specimen.	Gamma Glutamyl Transferase to Creatinine Ratio Measurement
C11228 6	GHRELIN	Ghrelin;Growth Hormone Secretagogue Receptor Ligand;Motilin-related Peptide;Total Ghrelin	A measurement of total ghrelin in a biological specimen.	Ghrelin Measurement
C11221 9	GHRELINA	Active Ghrelin	A measurement of active ghrelin in a biological specimen.	Active Ghrelin Measurement
C10653 7	GIPI	Glucose-dep Insulinotropic Pep, Intact;Intact GIP;Intact Gastric Inhibitory Polypeptide;Intact Glucose-dependent Insulinotropic Peptide	A measurement of the intact (containing amino acids 1-42) glucose-dependent insulinotropic peptide in a biological specimen.	Intact Glucose-dependent Insulinotropic Peptide Measurement
C14227 6	GLBCREAT	Globulin/Creatinine	A relative measurement (ratio or percentage) of the globulin to creatinine in a biological specimen.	Globulin to Creatinine Ratio Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14734 7	GLDAB	Gliadin Antibody	A measurement of the total gliadin antibodies in a biological specimen.	Gliadin Antibody Measurement
C79448	GLDH	Glutamate Dehydrogenase	A measurement of the glutamate dehydrogenase in a biological specimen.	Glutamate Dehydrogenase Measurement
C14734 8	GLDIGAAB	Gliadin IgA Antibody	A measurement of the gliadin IgA antibody in a biological specimen.	Gliadin IgA Antibody Measurement
C14734 9	GLDIGGAB	Gliadin IgG Antibody	A measurement of the gliadin IgG antibody in a biological specimen.	Gliadin IgG Antibody Measurement
C12212 1	GLN	Glutamine	A measurement of the glutamine in a biological specimen.	Glutamine Measurement
C92252	GLOBA1	A1-Globulin;Alpha-1 Globulin	A measurement of the proteins contributing to the alpha 1 fraction in a biological specimen.	Alpha-1 Globulin Measurement
C92253	GLOBA1PT	Alpha-1 Globulin/Total Protein	A relative measurement (ratio or percentage) of alpha-1-fraction proteins to total proteins in a biological specimen.	Alpha-1 Globulin to Total Protein Ratio Measurement
C92254	GLOBA2	A2-Globulin;Alpha-2 Globulin	A measurement of the proteins contributing to the alpha 2 fraction in a biological specimen.	Alpha-2 Globulin Measurement
C92255	GLOBA2PT	Alpha-2 Globulin/Total Protein	A relative measurement (ratio or percentage) of alpha-2-fraction proteins to total proteins in a biological specimen.	Alpha-2 Globulin to Total Protein Ratio Measurement
C92256	GLOBB	Beta Globulin	A measurement of the proteins contributing to the beta fraction in a biological specimen.	Beta Globulin Measurement
C11927 4	GLOBB1	Beta-1 Globulin	A measurement of the beta-1 globulin in a biological specimen.	Beta-1 Globulin Measurement
C14227 7	GLOBB1BP	Beta-1 Globulin/Beta Protein	A relative measurement (ratio or percentage) of the beta-1-fraction proteins to the total beta protein fraction in a biological specimen.	Beta-1 Globulin to Total Beta Protein Ratio Measurement
C11927 5	GLOBB1PT	Beta-1 Globulin/Total Protein	A relative measurement (ratio or percentage) of beta-1-fraction proteins to total proteins in a biological specimen.	Beta-1 Globulin to Total Protein Ratio Measurement
C11927 6	GLOBB2	Beta-2 Globulin	A measurement of the beta-2 globulin in a biological specimen.	Beta-2 Globulin Measurement
C11927 7	GLOBB2PT	Beta-2 Globulin/Total Protein	A relative measurement (ratio or percentage) of beta-2-fraction proteins to total proteins in a biological specimen.	Beta-2 Globulin to Total Protein Ratio Measurement
C92294	GLOBBPT	Beta Globulin/Total Protein	A relative measurement (ratio or percentage) of beta fraction proteins to total proteins in a biological specimen.	Beta Globulin to Total Protein Ratio Measurement
C92257	GLOBG	Gamma Globulin	A measurement of the proteins contributing to the gamma fraction in a biological specimen.	Gamma Globulin Measurement
C92295	GLOBGPT	Gamma Globulin/Total Protein	A relative measurement (ratio or percentage) of gamma fraction proteins to total proteins in a biological specimen.	Gamma Globulin to Total Protein Ratio Measurement
C74738	GLOBUL	Globulin	A measurement of the globulin protein in a biological specimen.	Globulin Protein Measurement
C80183	GLP1	Glucagon-Like Peptide-1;Total Glucagon-Like Peptide-1	A measurement of the total glucagon-like peptide-1 in a biological specimen.	Glucagon-like Peptide-1 Measurement
C80164	GLP1AC	Glucagon-Like Peptide-1, Active Form	A measurement of the active form of glucagon-like peptide-1 in a biological specimen.	Active Glucagon-like Peptide-1 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132370	GLUBD13	1,3-Beta-D-Glucan	A measurement of the 1,3-beta-D-glucan in a biological specimen.	1,3-Beta-D-Glucan Measurement
C105585	GLUC	Glucose	A measurement of the glucose in a biological specimen.	Glucose Measurement
C74859	GLUCAGON	Glucagon	A measurement of the glucagon hormone in a biological specimen.	Glucagon Measurement
C96652	GLUCCLR	Glucose Clearance	A measurement of the volume of serum or plasma that would be cleared of glucose by excretion of urine for a specified unit of time (e.g. one minute).	Glucose Clearance Measurement
C79447	GLUCCRT	Glucose/Creatinine	A relative measurement (ratio or percentage) of the glucose to creatinine in a biological specimen.	Glucose to Creatinine Ratio Measurement
C147350	GLUCEST	EAG;Estimated Average Glucose;Glucose, Estimated	An estimated average of the glucose in a biological specimen. This estimate is calculated based on glycated hemoglobin concentrations.	Estimated Glucose Measurement
C117834	GLUCEXR	Glucose Excretion Rate	A measurement of the amount of glucose being excreted in urine over a defined amount of time (e.g. one hour).	Glucose Urine Excretion Rate
C74739	GLUTAM	Glutamate;Glutamic Acid	A measurement of the glutamate in a biological specimen.	Glutamate Measurement
C122122	GLY	Glycine	A measurement of the glycine in a biological specimen.	Glycine Measurement
C132371	GLYCRL	Glycerol	A measurement of the total glycerol in a biological specimen.	Glycerol Measurement
C100448	GLYCRLFR	Free Glycerin;Free Glycerol	A measurement of the amount of unbound glycerol in a biological specimen.	Free Glycerol Measurement
C82019	GMCSF	Granulocyte Macrophage Colony Stm Factor	A measurement of the granulocyte macrophage colony stimulating factor in a biological specimen.	Granulocyte Macrophage Colony Stm Factor Measurement
C74860	GNRH	Gonadotropin Releasing Hormone;Luteinising Hormone Releasing Hormone	A measurement of the gonadotropin releasing hormone in a biological specimen.	Gonadotropin Releasing Hormone Measurement
C80186	GOLD	Gold	A measurement of the gold in a biological specimen.	Gold Measurement
C96654	GRAN	Granulocytes;Polymorphonuclear Leukocytes	A measurement of the granulocytes in a biological specimen.	Granulocyte Count
C127615	GRANBCE	Granulocytes Band Form/Total Cells	A relative measurement (ratio or percentage) of the banded granulocytes to total cells in a biological specimen.	Band Form Granulocyte to Total Cell Ratio Measurement
C98866	GRANCE	Granulocytes/Total Cells	A relative measurement (ratio or percentage) of the granulocytes to total cells in a biological specimen (for example a bone marrow specimen).	Granulocyte to Total Cell Ratio Measurement
C96675	GRANIM	Immature Granulocytes	A measurement of the total immature granulocytes in a biological specimen.	Immature Granulocyte Count
C100445	GRANIMLE	Immature Granulocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature granulocytes to leukocytes in a biological specimen (for example a bone marrow specimen).	Immature Granulocytes to Leukocytes Ratio Measurement
C147351	GRANLE	Granulocytes/Leukocytes;Polymorphonuclear Leukocytes/Leukocytes	A relative measurement (ratio or percentage) of the granulocytes to total leukocytes in a biological specimen.	Granulocytes to Leukocytes Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127616	GRANSGCE	Granulocytes Segmented/Total Cells	A relative measurement (ratio or percentage) of the segmented granulocytes to total cells in a biological specimen.	Segmented Granulocyte to Total Cell Ratio Measurement
C74861	GRWHIH	Growth Hormone Inhibiting Hormone;Somatostatin	A measurement of the growth hormone inhibiting hormone in a biological specimen.	Growth Hormone Inhibiting Hormone Measurement
C74862	GRWHRH	Growth Hormone Releasing Hormone;Somatotrocinin	A measurement of the growth hormone releasing hormone in a biological specimen.	Growth Hormone Releasing Hormone Measurement
C80185	GST	Glutathione S-Transferase, Total	A measurement of the total glutathione-s-transferase in a biological specimen.	Glutathione-S-Transferase Measurement
C79433	GSTAL	Alpha Glutathione-S-Transferase	A measurement of the alpha form of glutathione S-transferase in a biological specimen.	Alpha Glutathione-S-Transferase Measurement
C80166	GSTALCRT	Glutathione S-Transferase, Alpha/Creat	A relative measurement (ratio or percentage) of the alpha glutathione-S-transferase to creatinine in a biological specimen.	Alpha Glutathione-S-Transferase to Creatinine Ratio Measurement
C119278	GSTALEXR	Alpha-GST Excretion Rate	A measurement of the amount of Alpha Glutathione-S-Transferase being excreted in urine over a defined period of time (e.g. one hour).	Alpha-GST Excretion Rate
C79435	GSTCREAT	Glutathione-S-Transferase/Creatinine	A relative measurement (ratio or percentage) of the glutathione S-transferase to creatinine in a biological specimen.	Glutathione-S-Transferase to Creatinine Ratio Measurement
C79457	GSTMU	Mu Glutathione-S-Transferase	A measurement of the mu form of glutathione S-transferase in a biological specimen.	Mu Glutathione-S-Transferase Measurement
C79458	GSTMUCRT	Mu Glutathione-S-Transferase/Creatinine	A relative measurement (ratio or percentage) of the mu gamma glutamyl transpeptidase to creatinine in a biological specimen.	Mu Glutathione-S-Transferase to Creatinine Ratio Measurement
C80203	GSTPI	Glutathione S-Transferase, Pi	A measurement of the Pi glutathione-s-transferase in a biological specimen.	Pi Glutathione S-Transferase Measurement
C119279	GSTPIEXR	Pi-GST Excretion Rate	A measurement of the amount of Pi Glutathione-S-Transferase being excreted in urine over a defined period of time (e.g. one hour).	Pi-GST Excretion Rate
C80207	GSTTH	Glutathione S-Transferase, Theta	A measurement of the theta glutathione-s-transferase in a biological specimen.	Theta Glutathione S-Transferase Measurement
C80165	GUSA	Glucuronidase, Alpha	A measurement of the alpha glucuronidase in a biological specimen.	Alpha Glucuronidase Measurement
C80170	GUSB	Glucuronidase, Beta	A measurement of the beta glucuronidase in a biological specimen.	Beta Glucuronidase Measurement
C92534	HAAB	Hepatitis A Virus Antibody	A measurement of the hepatitis A virus antibody in a biological specimen.	Hepatitis A Antibody Measurement
C92271	HAIGMAB	Hepatitis A Virus IgM Antibody	A measurement of hepatitis A virus IgM antibody in a biological specimen.	Hepatitis A Virus Antibody IgM Measurement
C74604	HAIRYCE	Hairy Cells	A measurement of the hairy cells (b-cell lymphocytes with hairy projections from the cytoplasm) in a biological specimen.	Hairy Cell Count
C103405	HALBAB	Human Albumin Antibody	A measurement of the human albumin antibody in a biological specimen.	Human Albumin Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14735 2	HALPRZLM	Hydroxylalprazolam	A measurement of the total hydroxylalprazolam present in a biological specimen.	Hydroxylalprazolam Measurement
C10340 6	HAMAB	HAMA;Human Anti-Mouse Antibody	A measurement of the human anti-mouse antibody in a biological specimen.	Human Anti-Mouse Antibody Measurement
C74740	HAPTOG	Haptoglobin	A measurement of the haptoglobin protein in a biological specimen.	Haptoglobin Protein Measurement
C98740	HASIGEAB	Human Anti-Sheep IgE Antibody	A measurement of the human anti-sheep IgE antibodies in a biological specimen.	Human Anti-Sheep IgE Antibody Measurement
C98741	HASIGGAB	Human Anti-Sheep IgG Antibody	A measurement of the human anti-sheep IgG antibodies in a biological specimen.	Human Anti-Sheep IgG Antibody Measurement
C98742	HASIGMAB	Human Anti-Sheep IgM Antibody	A measurement of the human anti-sheep IgM antibodies in a biological specimen.	Human Anti-Sheep IgM Antibody Measurement
C64849	HBA1C	Glycosylated Hemoglobin;Hemoglobin A1C	A measurement of the glycosylated hemoglobin in a biological specimen.	Glycosylated Hemoglobin Measurement
C11120 7	HBA1CHGB	Hemoglobin A1C/Hemoglobin	A relative measurement (ratio or percentage) of the glycosylated hemoglobin to total hemoglobin in a biological specimen.	Hemoglobin A1C to Hemoglobin Ratio Measurement
C14735 3	HBA2PHB	Hemoglobin A2 Prime/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A2 prime to total hemoglobin in a biological specimen.	Hemoglobin A2 Prime to Total Hemoglobin Ratio Measurement
C12594 4	HBAB	Hepatitis B Virus Antibody	A measurement of an unspecified hepatitis B antibody in a biological specimen.	Hepatitis B Virus Antibody Measurement
C14735 4	HBBARTH B	Hemoglobin Barts/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin Barts to total hemoglobin in a biological specimen.	Hemoglobin Barts to Total Hemoglobin Ratio Measurement
C96660	HBCAB	Hepatitis B Virus Core Antibody	A measurement of the hepatitis B virus core antibody in a biological specimen.	Hepatitis B Virus Core Antibody Measurement
C11928 0	HBCIGGAB	Hepatitis B Virus Core IgG Antibody	A measurement of the hepatitis B virus core IgG antibody in a biological specimen.	Hepatitis B Virus Core IgG Antibody Measurement
C96661	HBCIGMAB	Hepatitis B Virus Core IgM Antibody	A measurement of the hepatitis B virus core IgM antibody in a biological specimen.	Hepatitis B Virus Core IgM Antibody Measurement
C14735 5	HBCOHGB	Carboxyhemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of carboxyhemoglobin compared to total hemoglobin in a biological specimen.	Carboxyhemoglobin to Total Hemoglobin Ratio Measurement
C96662	HBEAB	Hepatitis B Virus e Antibody	A measurement of the hepatitis B e antibody in a biological specimen.	Hepatitis B Virus e Antibody Measurement
C96663	HBEAG	Hepatitis B Virus e Antigen	A measurement of the hepatitis B e antigen in a biological specimen.	Hepatitis B Virus e Antigen Measurement
C14735 6	HBGCHTHB	Hemoglobin G Coughatta/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin G Coughatta to total hemoglobin in a biological specimen.	Hemoglobin G Coughatta to Total Hemoglobin Ratio Measurement
C14735 7	HBLEPRHB	Hemoglobin Lepore/Total Hemoglobin	A relative measurement (ratio or percentage) of the Lepore hemoglobin to total hemoglobin in a biological specimen.	Hemoglobin Lepore to Total Hemoglobin Ratio Measurement
C14735 8	HBOARBHB	Hemoglobin O-Arab/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin O-Arab to total hemoglobin in a biological specimen.	Hemoglobin O-Arab to Total Hemoglobin Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147359	HBOXHGB	Oxyhemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of oxyhemoglobin compared to total hemoglobin in a biological specimen.	Oxyhemoglobin to Total Hemoglobin Ratio Measurement
C74711	HBSAB	Anti-HBs;HBsAb;Hepatitis B Virus Surface Antibody	A measurement of the hepatitis B virus surface antibody in a biological specimen.	Hepatitis B Surface Antibody Measurement
C64850	HBSAG	HBsAg;Hepatitis B Virus Surface Antigen	A measurement of the surface antigen reaction of a biological specimen to the Hepatitis B virus.	Hepatitis B Virus Surface Antigen Measurement
C92535	HCAB	Hepatitis C Virus Antibody	A measurement of the hepatitis C virus antibody in a biological specimen.	Hepatitis C Antibody Measurement
C116196	HCAG	Hepatitis C Virus Antigen	A measurement of the hepatitis C virus antigen in a biological specimen.	Hepatitis C Virus Antigen Measurement
C135424	HCCAG	Hepatitis C Virus Core Antigen	A measurement of the hepatitis C virus core antigen in a biological specimen.	Hepatitis C Virus Core Antigen Measurement
C64851	HCG	Choriogonadotropin Beta;Pregnancy Test	A measurement of the Choriogonadotropin Beta in a biological specimen.	Choriogonadotropin Beta Measurement
C147360	HCGFR	Choriogonadotropin Beta, Free	A measurement of the free choriogonadotropin beta in a biological specimen.	Free Choriogonadotropin Beta Measurement
C147128	HCGND	Choriogonadotropin	A measurement of the total choriogonadotropin in a biological specimen.	Choriogonadotropin Measurement
C147361	HCGNDI	Choriogonadotropin, Intact	A measurement of the intact choriogonadotropin in a biological specimen.	Intact Choriogonadotropin Measurement
C64796	HCT	EVF;Erythrocyte Volume Fraction;Hematocrit;PCV;Packed Cell Volume	The percentage of a whole blood specimen that is composed of red blood cells (erythrocytes).	Hematocrit Measurement
C139086	HCVSHCVC	HCV Antibody Signal/HCV Antibody Cutoff	A relative measurement (ratio) of the Hepatitis C virus antibody signal in a biological specimen to Hepatitis C virus positive internal control.	HCV Antibody Signal to HCV Antibody Cutoff Ratio Measurement
C96664	HDAB	Hepatitis D Virus Antibody;Hepatitis Delta Antibody	A measurement of the hepatitis D virus antibody in a biological specimen.	Hepatitis D Virus Antibody Measurement
C119281	HDIGGAB	Hepatitis D Virus IgG Antibody	A measurement of the hepatitis D virus IgG antibody in a biological specimen.	Hepatitis D Virus IgG Antibody Measurement
C119282	HDIGMAB	Hepatitis D Virus IgM Antibody	A measurement of the hepatitis D virus IgM antibody in a biological specimen.	Hepatitis D Virus IgM Antibody Measurement
C105587	HDL	HDL Cholesterol	A measurement of the high density lipoprotein cholesterol in a biological specimen.	High Density Lipoprotein Cholesterol Measurement
C80187	HDL2	HDL-Cholesterol Subclass 2	A measurement of the high-density lipoprotein (HDL) cholesterol subclass 2 in a biological specimen.	HDL-Cholesterol Subclass 2 Measurement
C80188	HDL3	HDL-Cholesterol Subclass 3	A measurement of the high-density lipoprotein (HDL) cholesterol subclass 3 in a biological specimen.	HDL-Cholesterol Subclass 3 Measurement
C147362	HDLCHOL	HDL Cholesterol/Total Cholesterol	A relative measurement (ratio or percentage) of the amount of HDL cholesterol compared to total cholesterol in a biological specimen.	HDL Cholesterol to Total Cholesterol Ratio Measurement
C100425	HDLCLDLC	HDL Cholesterol/LDL Cholesterol	A relative measurement (ratio or percentage) of the amount of HDL cholesterol compared to LDL cholesterol in a biological specimen.	HDL Cholesterol to LDL Cholesterol Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10340 2	HDLPSZ	HDL Particle Size	A measurement of the average particle size of high-density lipoprotein in a biological specimen.	HDL Particle Size Measurement
C10652 5	HDW	Hemoglobin Concentration Distribution Width;Hemoglobin Distribution Width	A measurement of the distribution of the hemoglobin concentration in red blood cells.	Hemoglobin Distribution Width Measurement
C13907 0	HDWR	Ret Hemoglobin Distribution Width;Reticulocyte Hemoglobin Concentration Distribution Width	A measurement of the distribution of the hemoglobin concentration in reticulocytes.	Reticulocyte Hemoglobin Distribution Width
C11928 3	HEAB	Hepatitis E Virus Antibody	A measurement of the hepatitis E virus antibody in a biological specimen.	Hepatitis E Virus Antibody Measurement
C10652 6	HEIGGAB	Hepatitis E Virus IgG Antibody	A measurement of IgG antibody to the hepatitis E virus in a biological specimen.	Hepatitis E Virus IgG Antibody Measurement
C96665	HEIGMAB	Hepatitis E Virus IgM Antibody	A measurement of the hepatitis E virus IgM antibody in a biological specimen.	Hepatitis E Virus IgM Antibody Measurement
C74709	HEINZ	Heinz Bodies;Heinz-Ehrlich Bodies	A measurement of the Heinz bodies (small round inclusions within the body of a red blood cell) in a biological specimen.	Heinz-Ehrlich Body Measurement
C11120 6	HEINZRBC	Heinz Bodies/Erythrocytes	A relative measurement (ratio or percentage) of the erythrocytes that contain heinz bodies to total erythrocytes in a biological specimen.	Heinz Body to Erythrocyte Ratio Measurement
C74658	HELMETCE	Helmet Cells	A measurement of the Helmet cells (specialized Keratocytes with two projections on either end that are tapered and hornlike) in a biological specimen.	Helmet Cell Count
C11120 8	HEMOLYSI	Hemolysis;Hemolytic Index	A measurement of the destruction of red blood cells in a biological specimen.	Hemolytic Index
C11231 2	HER2	ERBB2;HER2/NEU;Human Epidermal Growth Factor Receptor 2	A measurement of HER2 protein in a biological specimen.	Human Epidermal Growth Factor Receptor 2 Measurement
C11229 1	HER2AG	HER2 Antigen;HER2/NEU Antigen	A measurement of the HER2 antigen in a biological specimen.	HER2 Antigen Measurement
C11618 6	HETRPB	Heterophils	A measurement of heterophils (granular leukocytes) in a biological specimen from avian species.	Heterophil Measurement
C11618 7	HETRPBLE	Heterophils/Leukocytes	A relative measurement (ratio or percentage) of heterophils to leukocytes in a biological specimen from avian species.	Heterophils to Leukocytes Ratio Measurement
C96668	HEXK	Hexokinase	A measurement of the hexokinase in a biological specimen.	Hexokinase Measurement
C64848	HGB	Hemoglobin;Hemoglobin Monomer	A measurement of the total erythrocyte associated hemoglobin in a biological specimen.	Hemoglobin Measurement
C92258	HGBA	Hemoglobin A	A measurement of the hemoglobin A in a biological specimen.	Hemoglobin A Measurement
C14736 3	HGBA1HGB	Hemoglobin A1/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A1 to total hemoglobin in a biological specimen.	Hemoglobin A1 to Total Hemoglobin Ratio Measurement
C92259	HGBA2	Hemoglobin A2	A measurement of the hemoglobin A2 in a biological specimen.	Hemoglobin A2 Measurement
C81277	HGBA2HGB	Hemoglobin A2/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A2 to total hemoglobin in a biological specimen.	Hemoglobin A2 to Total Hemoglobin Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C81276	HGBAHGB	Hemoglobin A/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin A to total hemoglobin in a biological specimen.	Hemoglobin A to Total Hemoglobin Ratio Measurement
C92260	HGBB	Hemoglobin B	A measurement of the hemoglobin B in a biological specimen.	Hemoglobin B Measurement
C92261	HGBC	Hemoglobin C	A measurement of the hemoglobin C in a biological specimen.	Hemoglobin C Measurement
C81278	HGBCHGB	Hemoglobin C/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin C to total hemoglobin in a biological specimen.	Hemoglobin C to Total Hemoglobin Ratio Measurement
C14736 4	HGBDHGB	Hemoglobin D/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin D to total hemoglobin in a biological specimen.	Hemoglobin D to Total Hemoglobin Ratio Measurement
C12434 3	HGBDOXY	Deoxyhemoglobin	A measurement of the deoxyhemoglobin, hemoglobin without oxygen, in a biological specimen.	Deoxyhemoglobin Measurement
C14736 5	HGBEHGB	Hemoglobin E/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin E to total hemoglobin in a biological specimen.	Hemoglobin E to Total Hemoglobin Ratio Measurement
C92262	HGBF	Fetal Hemoglobin;Hemoglobin F	A measurement of the hemoglobin F in a biological specimen.	Hemoglobin F Measurement
C14736 6	HGBFHGB	Hemoglobin F/Total Hemoglobin	A relative measurement (ratio or percentage) of the fetal hemoglobin (hemoglobin F) to total hemoglobin in a biological specimen.	Hemoglobin F to Total Hemoglobin Ratio Measurement
C12761 7	HGBFR	Hemoglobin, Free	A measurement of the hemoglobin external to erythrocytes in a biological specimen.	Free Hemoglobin Measurement
C96689	HGBMET	Methemoglobin	A measurement of the methemoglobin in a biological specimen.	Methemoglobin Measurement
C14736 7	HGBMHGB	Methemoglobin/Total Hemoglobin	A relative measurement (ratio or percentage) of the amount of methemoglobin compared to total hemoglobin in a biological specimen.	Methemoglobin to Total Hemoglobin Ratio Measurement
C96616	HGBOXY	Oxyhemoglobin	A measurement of the oxyhemoglobin, oxygen-bound hemoglobin, in a biological specimen.	Oxyhemoglobin Measurement
C12212 3	HGBS	Hemoglobin S;Sickle Hemoglobin	A measurement of the hemoglobin S in a biological specimen.	Hemoglobin S Measurement
C81279	HGBSHGB	Hemoglobin S/Total Hemoglobin	A relative measurement (ratio or percentage) of the hemoglobin S to total hemoglobin in a biological specimen.	Hemoglobin S to Total Hemoglobin Ratio Measurement
C13542 5	HGBTET	Hemoglobin Tetramer	A measurement of the hemoglobin tetramer in a biological specimen.	Hemoglobin Tetramer Measurement
C13542 6	HGF	Hepatocyte Growth Factor	A measurement of the hepatocyte growth factor in a biological specimen.	Hepatocyte Growth Factor Measurement
C12212 4	HIS	Histidine	A measurement of the histidine in a biological specimen.	Histidine Measurement
C11229 3	HIST1AB	Histone 1 Antibody	A measurement of the total histone 1 antibodies in a biological specimen.	Histone 1 Antibody Measurement
C11229 4	HIST2AAB	Histone 2A Antibody	A measurement of the total histone 2A antibodies in a biological specimen.	Histone 2A Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11229 5	HIST2BAB	Histone 2B Antibody	A measurement of the total histone 2B antibodies in a biological specimen.	Histone 2B Antibody Measurement
C11229 6	HIST3AB	Histone 3 Antibody	A measurement of the total histone 3 antibodies in a biological specimen.	Histone 3 Antibody Measurement
C11229 7	HIST4AB	Histone 4 Antibody	A measurement of the total histone 4 antibodies in a biological specimen.	Histone 4 Antibody Measurement
C11120 9	HISTAB	Anti-Histone Antibodies;Histone Antibodies	A measurement of histone antibodies in a biological specimen.	Histone Antibody Measurement
C80189	HISTAMIN	Histamine	A measurement of the histamine in a biological specimen.	Histamine Measurement
C92265	HIV124AG	HIV-1 p24 Antigen	A measurement of the HIV-1 p24 antigen in a biological specimen.	HIV-1 p24 Antigen Measurement
C74714	HIV12AB	HIV-1/2 Antibody	A measurement of either the HIV-1 or HIV-2 virus antibody in a biological specimen.	HIV-1 HIV-2 Antibody Measurement
C13908 5	HIV12P24	HIV-1/2 Antibody + HIV-1 p24 Antigen	A measurement of the antibody reaction of a biological specimen to either the HIV-1 or HIV-2 virus and the measurement of HIV-1 p24 antigen in a biological specimen.	HIV-1/2 Antibody and HIV-1 p24 Antigen Measurement
C74713	HIV1AB	HIV-1 Antibody	A measurement of the HIV-1 virus antibody in a biological specimen.	HIV-1 Antibody Measurement
C92263	HIV1MONA	HIV-1 Group M and O Nucleic Acid	A measurement of the HIV-1 group M and O nucleic acids in a biological specimen.	HIV-1 Group M and O Nucleic Acid Measurement
C92264	HIV1OAB	HIV-1 Group O Antibody	A measurement of the HIV-1 group O antibody in a biological specimen.	HIV-1 Group O Antibody Measurement
C74715	HIV2AB	HIV-2 Antibody	A measurement of the HIV-2 virus antibody in a biological specimen.	HIV-2 Antibody Measurement
C92266	HIV2NUAC	HIV-2 Nucleic Acid	A measurement of the HIV-2 nucleic acids in a biological specimen.	HIV-2 Nucleic Acid Measurement
C10652 7	HIVAB	HIV Antibody	A measurement of the HIV virus antibody in a biological specimen.	HIV Antibody Measurement
C12895 3	HLAA23A	HLA-A23 Antibody	A measurement of the human leukocyte antigen A23 (HLA-A23) antibody in a biological specimen.	HLA-A23 Antibody Measurement
C12895 4	HLAA2AB	HLA-A2 Antibody	A measurement of the human leukocyte antigen A2 (HLA-A2) antibody in a biological specimen.	HLA-A2 Antibody Measurement
C12895 5	HLAAAGT	HLA-A Antigen Type	The identification of the type of human leukocyte antigen, class I, group A (HLA-A), in a biological specimen.	HLA-A Antigen Type
C12895 6	HLAAMSC	HLA-A Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class I, group A (HLA-A).	HLA-A Mismatch Count
C10046 0	HLAB27AG	HLA-B27 Antigen;Human Leukocyte Antigen B27	A measurement of the human leukocyte antigen B27 (HLA-B27) in a biological specimen.	HLA-B27 Antigen Measurement
C12895 7	HLABAGT	HLA-B Antigen Type	The identification of the type of human leukocyte antigen, class I, group B (HLA-B), in a biological specimen.	HLA-B Antigen Type
C12895 8	HLABMSC	HLA-B Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class I, group B (HLA-B).	HLA-B Mismatch Count



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C128959	HLADR51A	HLA-DR51 Antibody	A measurement of the human leukocyte antigen DR51 (HLA-DR51) antibody in a biological specimen.	HLA-DR51 Antibody Measurement
C128960	HLADR52A	HLA-DR52 Antibody	A measurement of the human leukocyte antigen DR52 (HLA-DR52) antibody in a biological specimen.	HLA-DR52 Antibody Measurement
C128961	HLADR53A	HLA-DR53 Antibody	A measurement of the human leukocyte antigen DR53 (HLA-DR53) antibody in a biological specimen.	HLA-DR53 Antibody Measurement
C128962	HLADRAGT	HLA-DR Antigen Type	The identification of the type of human leukocyte antigen, class II, antigen-D-related (HLA-DR), in a biological specimen.	HLA-DR Antigen Type
C128963	HLADRMSC	HLA-DR Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigen, class II, antigen-D-related (HLA-DR).	HLA-DR Mismatch Count
C128964	HLAIAB	HLA Class I Antibody	A measurement of the human leukocyte antigen (HLA) antibody class I in a biological specimen.	HLA Class I Antibody Measurement
C128965	HLAIIAB	HLA Class II Antibody	A measurement of the human leukocyte antigen (HLA) antibody class II in a biological specimen.	HLA Class II Antibody Measurement
C128966	HLAIIPRA	HLA Class II Panel Reactive Antibody	A measurement of the panel reactive antibody (the reactivity between host immune cells and donor) human leukocyte antigen class II in a biological specimen.	HLA Class II Panel Reactive Antibody Measurement
C128967	HLAIPRA	HLA Class I Panel Reactive Antibody	A measurement of the panel reactive antibody (the reactivity between host immune cells and donor) human leukocyte antigen class I in a biological specimen.	HLA Class I Panel Reactive Antibody Measurement
C128963	HLAMSC	HLA Mismatch Count	A measurement to determine the number of mismatches between the recipient and the donor for the human leukocyte antigens (HLA).	HLA Mismatch Count
C139078	HLZPM	Halazepam	A measurement of the halazepam present in a biological specimen.	Halazepam Measurement
C96659	HMOSIDRN	Hemosiderin	A measurement of the hemosiderin complex in a biological specimen.	Hemosiderin Measurement
C74741	HOMOCY	Homocysteine	A measurement of the homocysteine amino acid in a biological specimen.	Homocysteine Acid Measurement
C74704	HOWJOL	Howell-Jolly Bodies	A measurement of the Howell-Jolly bodies (spherical, blue-black condensed DNA inclusions within the body of a red blood cell that appear under Wright-stain) in a biological specimen.	Howell-Jolly Body Measurement
C103403	HPLIGGAB	Helicobacter pylori IgG Antibody	A measurement of the Helicobacter pylori IgG antibody in a biological specimen.	Helicobacter pylori IgG Antibody Measurement
C64802	HPOCROM	Hypochromia	An observation which indicates that the hemoglobin concentration in a red blood cell specimen has fallen below a specified level.	Hypochromia
C127618	HPV11AB	Human Papillomavirus 11 Antibody	A measurement of the human papillomavirus 11 antibody in a biological specimen.	Human Papillomavirus 11 Antibody Measurement
C127619	HPV16AB	Human Papillomavirus 16 Antibody	A measurement of the human papillomavirus 16 antibody in a biological specimen.	Human Papillomavirus 16 Antibody Measurement
C127620	HPV18AB	Human Papillomavirus 18 Antibody	A measurement of the human papillomavirus 18 antibody in a biological specimen.	Human Papillomavirus 18 Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12762 1	HPV6AB	Human Papillomavirus 6 Antibody	A measurement of the human papillomavirus 6 antibody in a biological specimen.	Human Papillomavirus 6 Antibody Measurement
C13542 7	HRYCECE	Hairy Cells/Total Cells	A relative measurement (ratio or percentage) of the hairy cells to total cells in a biological specimen.	Hairy Cells to Total Cells Ratio Measurement
C13542 8	HRYCELE	Hairy Cells/Leukocytes	A relative measurement (ratio or percentage) of the hairy cells (B-cell lymphocytes with hairy projections from the cytoplasm) to all leukocytes in a biological specimen.	Hairy Cells to Leukocytes Ratio Measurement
C74640	HRYCELY	Hairy Cells/Lymphocytes	A relative measurement (ratio or percentage) of the hairy cells (b-cell lymphocytes with hairy projections from the cytoplasm) to all lymphocytes in a biological specimen.	Hairy Cell to Lymphocyte Ratio Measurement
C96697	HS12GGAB	HSV-1/2 IgG Ab;Herpes Simplex Virus 1/2 IgG Antibody	A measurement of the herpes simplex virus 1 and 2 IgG antibody in a biological specimen.	Herpes Simplex Virus 1/2 IgG Antibody Measurement
C96698	HS12GMAB	HSV-1/2 IgM Ab;Herpes Simplex Virus 1/2 IgM Antibody	A measurement of the herpes simplex virus 1 and 2 IgM antibody in a biological specimen.	Herpes Simplex Virus 1/2 IgM Antibody Measurement
C96666	HS11GGAB	HSV-1 IgG Antibody;Herpes Simplex Virus 1 IgG Antibody	A measurement of the herpes simplex virus 1 IgG antibody in a biological specimen.	Herpes Simplex Virus 1 IgG Antibody Measurement
C98738	HS11GMAB	Herpes Simplex Virus 1 IgM Antibody	A measurement of the Herpes Simplex virus 1 IgM antibodies in a biological specimen.	Herpes Simplex Virus 1 IgM Antibody Measurement
C96667	HS21GGAB	HSV-2 IgG Antibody;Herpes Simplex Virus 2 IgG Antibody	A measurement of the herpes simplex virus 2 IgG antibody in a biological specimen.	Herpes Simplex Virus 2 IgG Antibody Measurement
C98739	HS21GMAB	Herpes Simplex Virus 2 IgM Antibody	A measurement of the Herpes Simplex virus 2 IgM antibodies in a biological specimen.	Herpes Simplex Virus 2 IgM Antibody Measurement
C11229 2	HS6AB	Herpes Simplex Virus 6 Antibody	A measurement of the herpes simplex virus 6 antibody in a biological specimen.	Herpes Simplex Virus 6 Antibody Measurement
C14736 8	HSP70	Heat Shock Protein 70	A measurement of the heat shock protein 70 in a biological specimen.	Heat Shock Protein 70 Measurement
C14736 9	HSP90A	Heat Shock Protein 90 Alpha	A measurement of the heat shock protein 90 alpha in a biological specimen.	Heat Shock Protein 90 Alpha Measurement
C12212 5	HTLV12AB	HTLV-1/2 Antibody;HTLV-I/II Antibody;Human T-cell Lymphotropic Virus 1/2 Antibody	A measurement of either the HTLV-1 or HTLV-2 virus antibody in a biological specimen.	HTLV-I HTLV-II Antibody Measurement
C81984	HTPHAB	Heterophile Antibodies	A measurement of the heterophile antibodies in a biological specimen.	Heterophile Antibody Measurement
C14227 9	HTTP	Huntingtin Protein	A measurement of the huntingtin protein in a biological specimen.	Huntingtin Protein Measurement
C14228 0	HTTPM	Huntingtin Protein, Mutant	A measurement of the mutant huntingtin protein in a biological specimen.	Mutant Huntingtin Protein Measurement
C74863	HVA	Homovanillic Acid	A measurement of the homovanillic acid metabolite in a biological specimen.	Homovanillic Acid Measurement
C11231 9	HYALUAC	Hyaluronic Acid	A measurement of hyaluronic acid in a biological specimen.	Hyaluronic Acid Measurement
C74879	HYDCDN	Hydrocodone	A measurement of the hydrocodone present in a biological specimen.	Hydrocodone Measurement
C74880	HYDMRPHN	Hydromorphone	A measurement of the hydromorphone present in a biological specimen.	Hydromorphone Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102275	HYDROGEN	Hydrogen	A measurement of the hydrogen in a biological specimen.	Hydrogen Measurement
C96669	HYPERCHR	Hyperchromia	A measurement of the prevalence of the erythrocytes with an elevated hemoglobin concentration.	Hyperchromia Measurement
C147370	HYPGST17	17-Hydroxyprogesterone;17-OHP	A measurement of the 17-Hydroxyprogesterone in a biological specimen.	17-Hydroxyprogesterone Measurement
C80190	HYPRLN	Hydroxyproline	A measurement of the total hydroxyproline in a biological specimen.	Hydroxyproline Measurement
C74612	HYPSEGCE	Hypersegmented Cells	A measurement of the hypersegmented (more than five lobes) neutrophils in a biological specimen.	Hypersegmented Neutrophil Measurement
C135429	IA2AAB	ICA-512;Islet Antigen 2 Autoantibody;Islet Cell Antigen 512 Autoantibody	A measurement of the antibody to endogenous islet antigen 2 in a biological specimen.	Islet Antigen 2 Autoantibody Measurement
C119284	IA2AB	Insulinoma-Associated Protein 2 Antibody	A measurement of the insulinoma-associated protein 2 antibody in a biological specimen.	Insulinoma-Associated Protein 2 Antibody Measurement
C112217	IAA5OH	5-Hydroxyindoleacetate;5-Hydroxyindoleacetic Acid	A measurement of 5-hydroxyindoleacetic acid in a biological specimen.	5-Hydroxyindoleacetic Acid Measurement
C103408	IAIGGAB	Influenza A IgG Antibody	A measurement of the Influenza A IgG antibody in a biological specimen.	Influenza A IgG Antibody Measurement
C127622	IAPP	Amylin;Islet Amyloid Polypeptide	A measurement of the islet amyloid polypeptide in a biological specimen.	Islet Amyloid Polypeptide Measurement
C74718	IBCT	Total Iron Binding Capacity	A measurement of the amount of iron needed to fully saturate the transferrin in a biological specimen.	Total Iron Binding Capacity
C74719	IBCU	Unsaturated Iron Binding Capacity	A measurement of the binding capacity of unsaturated iron in a biological specimen.	Unsaturated Iron Binding Capacity Measurement
C103409	IBIGGAB	Influenza B IgG Antibody	A measurement of the Influenza B IgG antibody in a biological specimen.	Influenza B IgG Antibody Measurement
C81985	IC512AB	Islet Cell 512 Antibody	A measurement of the islet cell 512 antibody in a biological specimen.	Islet Cell 512 Antibody Measurement
C81986	IC512AG	Islet Cell 512 Antigen	A measurement of the islet cell 512 antigen in a biological specimen.	Islet Cell 512 Antigen Measurement
C122126	ICAIGGAB	Islet Cell Cytoplasmic IgG Antibody	A measurement of the islet cell cytoplasmic IgG antibody in a biological specimen.	Islet Cell Cytoplasmic IgG Antibody Measurement
C124344	ICAM	Intercellular Adhesion Molecule	A measurement of the total intercellular adhesion molecule in a biological specimen.	Intercellular Adhesion Molecule Measurement
C124345	ICAM1	CD54;Intercellular Adhesion Molecule 1	A measurement of the intercellular adhesion molecule 1 in a biological specimen.	Intercellular Adhesion Molecule 1 Measurement
C111232	ICTERUSI	Icteric Index;Icterus	A measurement of the yellow color of a biological specimen, due to the presence of bile pigments.	Icteric Index
C112325	IDL	IDL Cholesterol;Intermediate Density Lipoprotein	A measurement of the intermediate density lipoprotein in a biological specimen.	Intermediate Density Lipoprotein Cholesterol Measurement
C116197	IDLP	IDL Particles;Intermediate Density Lipoproteins Particles	A measurement of the concentration of IDL particles in a biological specimen.	IDL Particles Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14737 1	IDLVLDL3	IDL Cholesterol and VLDL Cholesterol Subtype 3;IDL+VLDL Cholesterol Subtype 3	A measurement of the intermediate density lipoprotein cholesterol and the very low density lipoprotein cholesterol subtype 3 in a biological specimen.	IDL Cholesterol and VLDL Cholesterol Subtype 3 Measurement
C81994	IFNA	Interferon Alpha	A measurement of the interferon alpha in a biological specimen.	Interferon Alpha Measurement
C81995	IFNB	Interferon Beta	A measurement of the interferon beta in a biological specimen.	Interferon Beta Measurement
C81996	IFNG	Interferon Gamma	A measurement of the interferon gamma in a biological specimen.	Interferon Gamma Measurement
C81969	IGA	Immunoglobulin A	A measurement of the total immunoglobulin A in a biological specimen.	Immunoglobulin A Measurement
C11123 3	IGAGM	IgG IgM IgA Total	A measurement of the total IgG, IgM, and IgA in a biological specimen.	IgG IgM IgA Total Measurement
C98745	IGD	Immunoglobulin D	A measurement of the Immunoglobulin D in a biological specimen.	Immunoglobulin D Measurement
C81970	IGE	Immunoglobulin E	A measurement of the Immunoglobulin E in a biological specimen.	Immunoglobulin E Measurement
C74864	IGF1	Insulin-like Growth Factor-1	A measurement of the insulin-like growth factor-1 in a biological specimen.	Insulin Like Growth Factor-1 Measurement
C74865	IGF2	Insulin-like Growth Factor-2	A measurement of the insulin-like growth factor-2 in a biological specimen.	Insulin Like Growth Factor-2 Measurement
C12896 8	IGFBP1	Insulin-Like Growth Factor Binding Prot1;Insulin-Like Growth Factor Binding Protein 1	A measurement of the total insulin-like growth factor binding protein 1 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 1 Measurement
C12896 9	IGFBP2	Insulin-Like Growth Factor Binding Prot2;Insulin-Like Growth Factor Binding Protein 2	A measurement of the insulin-like growth factor binding protein 2 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 2 Measurement
C11232 2	IGFBP3	Insulin-Like Growth Factor Binding Prot3;Insulin-Like Growth Factor Binding Protein 3	A measurement of the insulin-like growth factor binding protein 3 in a biological specimen.	Insulin-Like Growth Factor Binding Protein 3 Measurement
C81971	IGG	Immunoglobulin G	A measurement of the total immunoglobulin G in a biological specimen.	Immunoglobulin G Measurement
C12212 7	IGG1	Immunoglobulin G Subclass 1	A measurement of the immunoglobulin G subclass 1 in a biological specimen.	Immunoglobulin G Subclass 1 Measurement
C12212 8	IGG2	Immunoglobulin G Subclass 2	A measurement of the immunoglobulin G subclass 2 in a biological specimen.	Immunoglobulin G Subclass 2 Measurement
C12212 9	IGG3	Immunoglobulin G Subclass 3	A measurement of the immunoglobulin G subclass 3 in a biological specimen.	Immunoglobulin G Subclass 3 Measurement
C12213 0	IGG4	Immunoglobulin G Subclass 4	A measurement of the immunoglobulin G subclass 4 in a biological specimen.	Immunoglobulin G Subclass 4 Measurement
C14737 2	IGGALB	IgG/Albumin;Immunoglobulin G/Albumin	A relative measurement (ratio or percentage) of the immunoglobulin G to albumin in a biological specimen.	Immunoglobulin G to Albumin Ratio Measurement
C14737 3	IGGC	IgG Clearance	A measurement of the IgG clearance in a biological specimen.	IgG Clearance
C14737 4	IGGCALBC	IgG Clearance/Albumin Clearance	A relative measurement (ratio) of the IgG clearance to albumin clearance in a biological specimen.	IgG Clearance to Albumin Clearance Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119285	IGGCREAT	Immunoglobulin G/Creatinine	A relative measurement (ratio or percentage) of the immunoglobulin G to creatinine in a biological specimen.	Immunoglobulin G to Creatinine Ratio Measurement
C147375	IGGSYNRT	IgG Synthesis Rate	A measurement of the IgG synthesis rate in a biological specimen.	IgG Synthesis Rate
C81972	IGM	Immunoglobulin M	A measurement of the total immunoglobulin M in a biological specimen.	Immunoglobulin M Measurement
C117835	IGSOL	Soluble Immunoglobulin	A measurement of the soluble total immunoglobulin in a biological specimen.	Soluble Immunoglobulin Measurement
C128970	IL122340	Interleukin 12+23 p40	A measurement of the p40 subunit of the interleukins 12 and 23 in a biological specimen.	Interleukin 12+23 p40 Measurement
C142281	IL1RL1	Interleukin 1 Receptor-Like 1	A measurement of the interleukin 1 receptor-like 1 in a biological specimen.	Interleukin 1 Receptor-Like 1 Measurement
C117836	IL1SR1	Soluble Interleukin-1 Receptor Type I	A measurement of the soluble interleukin-1 receptor type I in a biological specimen.	Soluble Interleukin-1 Receptor Type I Measurement
C142282	IL2RA	IL-2Ra;Interleukin 2 Receptor Subunit Alpha	A measurement of the interleukin 2 receptor subunit alpha in a biological specimen.	Interleukin 2 Receptor Subunit Alpha Measurement
C142283	IL2RB	IL-2Rb;Interleukin 2 Receptor Subunit Beta	A measurement of the interleukin 2 receptor subunit beta in a biological specimen.	Interleukin 2 Receptor Subunit Beta Measurement
C102280	IL2SRA	Soluble Interleukin 2 Receptor Activity	A measurement of the soluble interleukin 2 receptor activity in a biological specimen.	Soluble Interleukin 2 Receptor Activity Measurement
C117837	IL6SR	Soluble Interleukin 6 Receptor	A measurement of the soluble interleukin 6 receptor in a biological specimen.	Soluble Interleukin 6 Receptor Measurement
C103410	ILE	Isoleucine	A measurement of the isoleucine in a biological specimen.	Isoleucine Measurement
C81869	IMMGLB	Immunoglobulin	A measurement of the total immunoglobulin in a biological specimen.	Immunoglobulin Measurement
C147376	IMMGLC	Immunoglobulin Light Chains	A measurement of the total immunoglobulin (kappa and lambda) light chains in a biological specimen.	Immunoglobulin Light Chain Measurement
C116184	INCLBOD	Inclusion Bodies	A measurement of the inclusion bodies in a biological specimen.	Inclusion Body Measurement
C82044	INDICAN	Indican	A measurement of the indican present in a biological specimen.	Indican Measurement
C120677	INFAAG	Influenza A Antigen	A measurement of the influenza A antigen in a biological specimen.	Influenza A Antigen Measurement
C120678	INFABAG	Influenza A/B Antigen	A measurement of the influenza A/B antigen in a biological specimen.	Influenza A/B Antigen Measurement
C120679	INFBAG	Influenza B Antigen	A measurement of the influenza B antigen in a biological specimen.	Influenza B Antigen Measurement
C81987	INGAPAB	Islet Neogenesis Assoc Protein Antibody	A measurement of the islet neogenesis associated protein antibody in a biological specimen.	Islet Neogenesis Associated Protein Antibody Measurement
C82020	INHIBINA	Inhibin A	A measurement of the inhibin A in a biological specimen.	Inhibin A Measurement
C96681	INHIBINB	Inhibin B	A measurement of the inhibin B in a biological specimen.	Inhibin B Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98748	INLCLR	Inulin Clearance	A measurement of the volume of serum or plasma that would be cleared of inulin by excretion of urine for a specified unit of time (e.g. one minute).	Inulin Clearance
C64805	INR	Prothrombin Intl. Normalized Ratio	A ratio that represents the prothrombin time for a plasma specimen, divided by the result for a control plasma specimen, further standardized for the International Sensitivity Index of the tissue factor (thromboplastin) used in the test.	International Normalized Ratio of Prothrombin Time
C11928 6	INSAAB	Insulin Autoantibody	A measurement of the antibody to endogenous insulin in a biological specimen.	Insulin Autoantibody Measurement
C11928 7	INSAB	Insulin Antibody	A measurement of the antibody to insulin in a biological specimen.	Insulin Antibody Measurement
C14737 7	INSLNFR	Insulin, Free	A measurement of the free insulin in a biological specimen.	Free Insulin Measurement
C74788	INSULIN	Insulin	A measurement of the insulin in a biological specimen.	Insulin Measurement
C12345 8	INSULINR	Insulin Resistance	A measurement of the insulin resistance (a cell's inability to respond to insulin) in a biological specimen.	Insulin Resistance Measurement
C12345 9	INSULINS	Insulin Sensitivity	A measurement of the insulin sensitivity (cells are stimulated by lower than normal insulin levels) in a biological specimen.	Insulin Sensitivity Measurement
C74805	INTLK1	Interleukin 1	A measurement of the interleukin 1 in a biological specimen.	Interleukin 1 Measurement
C74806	INTLK10	Interleukin 10	A measurement of the interleukin 10 in a biological specimen.	Interleukin 10 Measurement
C74807	INTLK11	Interleukin 11	A measurement of the interleukin 11 in a biological specimen.	Interleukin 11 Measurement
C74808	INTLK12	Interleukin 12;Interleukin 12 p70	A measurement of the interleukin 12 in a biological specimen.	Interleukin 12 Measurement
C12762 3	INTLK12B	Interleukin 12 Beta;Interleukin 12 p40	A measurement of interleukin 12 beta in a biological specimen.	Interleukin 12 Beta Measurement
C74809	INTLK13	Interleukin 13	A measurement of the interleukin 13 in a biological specimen.	Interleukin 13 Measurement
C74810	INTLK14	Interleukin 14	A measurement of the interleukin 14 in a biological specimen.	Interleukin 14 Measurement
C74811	INTLK15	Interleukin 15	A measurement of the interleukin 15 in a biological specimen.	Interleukin 15 Measurement
C74812	INTLK16	Interleukin 16	A measurement of the interleukin 16 in a biological specimen.	Interleukin 16 Measurement
C74813	INTLK17	Interleukin 17	A measurement of the interleukin 17 in a biological specimen.	Interleukin 17 Measurement
C74814	INTLK18	Interleukin 18	A measurement of the interleukin 18 in a biological specimen.	Interleukin 18 Measurement
C74815	INTLK19	Interleukin 19	A measurement of the interleukin 19 in a biological specimen.	Interleukin 19 Measurement
C12213 1	INTLK1A	Interleukin 1 Alpha	A measurement of interleukin 1 alpha in a biological specimen.	Interleukin 1 Alpha Measurement
C11232 3	INTLK1B	IL-1B;IL1Beta;Interleukin 1 Beta;Interleukin 1B	A measurement of interleukin 1 beta in a biological specimen.	Interleukin 1 Beta Measurement
C11232 4	INTLK1RA	IL-1RA;Interleukin 1 Receptor Antagonist	A measurement of the interleukin 1 receptor antagonist in a biological specimen.	Interleukin 1 Receptor Antagonist Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74816	INTLK2	Interleukin 2	A measurement of the interleukin 2 in a biological specimen.	Interleukin 2 Measurement
C74817	INTLK20	Interleukin 20	A measurement of the interleukin 20 in a biological specimen.	Interleukin 20 Measurement
C74818	INTLK21	Interleukin 21	A measurement of the interleukin 21 in a biological specimen.	Interleukin 21 Measurement
C74819	INTLK22	Interleukin 22	A measurement of the interleukin 22 in a biological specimen.	Interleukin 22 Measurement
C74820	INTLK23	Interleukin 23	A measurement of the interleukin 23 in a biological specimen.	Interleukin 23 Measurement
C74821	INTLK24	Interleukin 24	A measurement of the interleukin 24 in a biological specimen.	Interleukin 24 Measurement
C74822	INTLK25	Interleukin 25	A measurement of the interleukin 25 in a biological specimen.	Interleukin 25 Measurement
C74823	INTLK26	Interleukin 26	A measurement of the interleukin 26 in a biological specimen.	Interleukin 26 Measurement
C74824	INTLK27	Interleukin 27	A measurement of the interleukin 27 in a biological specimen.	Interleukin 27 Measurement
C74825	INTLK28	Interleukin 28	A measurement of the interleukin 28 in a biological specimen.	Interleukin 28 Measurement
C74826	INTLK29	Interleukin 29	A measurement of the interleukin 29 in a biological specimen.	Interleukin 29 Measurement
C74827	INTLK3	Interleukin 3	A measurement of the interleukin 3 in a biological specimen.	Interleukin 3 Measurement
C74828	INTLK30	Interleukin 30	A measurement of the interleukin 30 in a biological specimen.	Interleukin 30 Measurement
C74829	INTLK31	Interleukin 31	A measurement of the interleukin 31 in a biological specimen.	Interleukin 31 Measurement
C74830	INTLK32	Interleukin 32	A measurement of the interleukin 32 in a biological specimen.	Interleukin 32 Measurement
C74831	INTLK33	Interleukin 33	A measurement of the interleukin 33 in a biological specimen.	Interleukin 33 Measurement
C74832	INTLK4	Interleukin 4	A measurement of the interleukin 4 in a biological specimen.	Interleukin 4 Measurement
C74833	INTLK5	Interleukin 5	A measurement of the interleukin 5 in a biological specimen.	Interleukin 5 Measurement
C74834	INTLK6	Interleukin 6	A measurement of the interleukin 6 in a biological specimen.	Interleukin 6 Measurement
C74835	INTLK7	Interleukin 7	A measurement of the interleukin 7 in a biological specimen.	Interleukin 7 Measurement
C74836	INTLK8	Interleukin 8	A measurement of the interleukin 8 in a biological specimen.	Interleukin 8 Measurement
C74837	INTLK9	Interleukin 9	A measurement of the interleukin 9 in a biological specimen.	Interleukin 9 Measurement
C12594 5	INULIN	Inulin	A measurement of the inulin in a biological specimen.	Inulin Measurement
C10043 9	IOHEXCLR	Iohexol Clearance	A measurement of the volume of serum or plasma that would be cleared of Iohexol by excretion of urine for a specified unit of time (e.g. one minute).	Iohexol Clearance
C12594 6	IOHEXOL	Iohexol	A measurement of iohexol in a biological specimen.	Iohexol Measurement
C98749	IOTCLR	Iothalamate Clearance	A measurement of the volume of serum or plasma that would be cleared of iothalamate by excretion of urine for a specified unit of time (e.g. one minute).	Iothalamate Clearance

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98750	IOTCLRBS	Iothalamate Clearance Adjusted for BSA	A measurement of the volume of serum or plasma that would be cleared of iothalamate by excretion of urine for a specified unit of time (e.g. one minute), adjusted for body surface area.	Iothalamate Clearance Adjusted for BSA
C102276	IRF	Immature Reticulocyte Fraction	A measurement of the immature reticulocyte fraction present in a biological specimen.	Immature Reticulocyte Fraction Measurement
C74679	IRON	FE;Iron	A measurement of the iron in a biological specimen.	Iron Measurement
C117838	IRONEXR	Iron Excretion Rate	A measurement of the amount of iron being excreted in urine over a defined amount of time (e.g. one hour).	Iron Urine Excretion Rate
C80180	ISOPRF2	F2-Isoprostane	A measurement of the F2-isoprostane in a biological specimen.	F2 Isoprostane Measurement
C112326	JCVAB	JC Polyomavirus Antibody;JC Virus Antibody;JCV Antibody;John Cunningham Virus Antibody	A measurement of the JC virus antibody in a biological specimen.	JC Virus Antibody Measurement
C147378	JEVAB	Japanese Encephalitis Virus Antibody	A measurement of the Japanese encephalitis virus antibody in a biological specimen.	Japanese Encephalitis Virus Antibody Measurement
C100459	JO1AB	Jo-1 Antibody	A measurement of the Jo-1 antibody in a biological specimen.	Jo-1 Antibody Measurement
C64853	K	Potassium	A measurement of the potassium in a biological specimen.	Potassium Measurement
C147379	KAPPALC	Kappa Light Chain	A measurement of the total kappa light chains in a biological specimen.	Kappa Light Chain Measurement
C106560	KCLR	Potassium Clearance	A measurement of the volume of serum or plasma that would be cleared of potassium by excretion of urine for a specified unit of time (e.g. one minute).	Potassium Clearance Measurement
C79462	KCREAT	Potassium/Creatinine	A relative measurement (ratio or percentage) of the potassium to creatinine in a biological specimen.	Potassium to Creatinine Ratio Measurement
C147380	KERAT	Keratocyte	A measurement of the keratocytes in a biological specimen.	Keratocyte Count
C111239	KETONEBD	Ketone Bodies	A measurement of the ketone bodies (acetone, acetoacetic acid, beta-hydroxybutyric acid, beta-ketopentanoate and beta-hydroxypentanoate) in a biological specimen.	Ketone Body Measurement
C64854	KETONES	Ketones	A measurement of the ketones in a biological specimen.	Ketone Measurement
C117839	KEXR	Potassium Excretion Rate	A measurement of the amount of potassium being excreted in urine over a defined amount of time (e.g. one hour).	Potassium Urine Excretion Rate
C100433	KIM1	Hepatitis A Virus Cellular Receptor 1;KIM-1;Kidney Injury Molecule-1	A measurement of the kidney injury molecule-1 (Kim-1) in a biological specimen.	Kidney Injury Molecule-1 Measurement
C98730	KLCFR	Bence-Jones, Kappa;Kappa Light Chain, Free	A measurement of the free kappa light chain in a biological specimen.	Free Kappa Light Chain Measurement
C98731	KLCLLCFR	Kappa Lt Chain,Free/Lambda Lt Chain,Free	A relative measurement (ratio or percentage) of the free kappa light chain to the free lambda light chain in a biological specimen.	Free Kappa Light Chain to Free Lambda Light Chain Ratio Measurement
C132372	KLHIGGAB	Keyhole Limpet Hemocyanin IgG Antibody	A measurement of the keyhole limpet hemocyanin IgG antibody in a biological specimen.	Keyhole Limpet Hemocyanin IgG Antibody Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13237 3	KLHIGMAB	Keyhole Limpet Hemocyanin IgM Antibody	A measurement of the keyhole limpet hemocyanin IgM antibody in a biological specimen.	Keyhole Limpet Hemocyanin IgM Antibody Measurement
C13237 4	KLK2	Kallikrein-2	A measurement of the kallikrein-2 in a biological specimen.	Kallikrein-2 Measurement
C12762 4	KLOTHO	Klotho	A measurement of the total klotho protein in a biological specimen.	Klotho Protein Measurement
C96688	KRCYMG	Megakaryocytes	A measurement of the megakaryocytes per unit of a biological specimen.	Megakaryocyte Count
C98867	KRCYMGCE	Megakaryocytes/Total Cells	A relative measurement (ratio or percentage) of the megakaryocytes to total cells in a biological specimen (for example a bone marrow specimen).	Megakaryocyte to Total Cell Ratio Measurement
C96682	KURLOFCE	Kurloff Cells	A measurement of the large secretory granule-containing immune cells in a biological specimen taken from members of certain genera of the Caviidae family.	Kurloff Cells Measurement
C79450	LACTICAC	2-hydroxypropanoic acid;Lactate;Lactic Acid	A measurement of the lactic acid in a biological specimen.	Lactic Acid Measurement
C12594 7	LAM	Lipoarabinomannan	A measurement of the lipoarabinomannan in a biological specimen.	Lipoarabinomannan Measurement
C12213 2	LAP	Leucine Aminopeptidase	A measurement of the total leucine aminopeptidase present in a biological specimen.	Leucine Aminopeptidase Measurement
C10653 9	LCN2	Lipocalin-2	A measurement of lipocalin-2 in a biological specimen.	Lipocalin-2 Measurement
C10654 0	LCN2CREA	Lipocalin-2/Creatinine	A relative measurement (ratio or percentage) of the lipocalin-2 to creatinine present in a sample.	Lipocalin-2 to Creatinine Ratio Measurement
C14738 1	LCTHSPGM	LS Ratio;Lecithin/Sphingomyelin	A relative measurement (ratio) of the lecithin to sphingomyelin in a biological specimen.	Lecithin to Sphingomyelin Ratio Measurement
C64855	LDH	Lactate Dehydrogenase	A measurement of the lactate dehydrogenase in a biological specimen.	Lactate Dehydrogenase Measurement
C74887	LDH1	LDH Isoenzyme 1	A measurement of the lactate dehydrogenase isoenzyme 1 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 1 Measurement
C79451	LDH1LDH	LDH Isoenzyme 1/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 1 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 1 to LDH Ratio Measurement
C74888	LDH2	LDH Isoenzyme 2	A measurement of the lactate dehydrogenase isoenzyme 2 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 2 Measurement
C79452	LDH2LDH	LDH Isoenzyme 2/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 2 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 2 to LDH Ratio Measurement
C74889	LDH3	LDH Isoenzyme 3	A measurement of the lactate dehydrogenase isoenzyme 3 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 3 Measurement
C79453	LDH3LDH	LDH Isoenzyme 3/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 3 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 3 to LDH Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74890	LDH4	LDH Isoenzyme 4	A measurement of the lactate dehydrogenase isoenzyme 4 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 4 Measurement
C79454	LDH4LDH	LDH Isoenzyme 4/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 4 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 4 to LDH Ratio Measurement
C74891	LDH5	LDH Isoenzyme 5	A measurement of the lactate dehydrogenase isoenzyme 5 in a biological specimen.	Lactate Dehydrogenase Isoenzyme 5 Measurement
C79455	LDH5LDH	LDH Isoenzyme 5/LDH	A relative measurement (ratio or percentage) of the lactate dehydrogenase isoenzyme 5 to total lactate dehydrogenase in a biological specimen.	LDH Isoenzyme 5 to LDH Ratio Measurement
C79449	LDHCREAT	Lactate Dehydrogenase/Creatinine	A relative measurement (ratio or percentage) of the lactate dehydrogenase to creatinine in a biological specimen.	Lactate Dehydrogenase to Creatinine Ratio Measurement
C10558 8	LDL	LDL Cholesterol	A measurement of the low density lipoprotein cholesterol in a biological specimen.	Low Density Lipoprotein Cholesterol Measurement
C12118 2	LDLHDL	LDL Cholesterol/HDL Cholesterol	A relative measurement (ratio or percentage) of the low density lipoprotein cholesterol to high density lipoprotein cholesterol in a biological specimen.	LDL Cholesterol to HDL Cholesterol Ratio Measurement
C11928 8	LDLOXAB	Oxidized LDL Cholesterol Antibody	A measurement of the total oxidized low density lipoprotein cholesterol antibody in a biological specimen.	Oxidized LDL Cholesterol Antibody Measurement
C12063 5	LDLOXI	Oxidized LDL Cholesterol	A measurement of the oxidized low density lipoprotein cholesterol in a biological specimen.	Oxidized LDL Cholesterol Measurement
C12063 6	LDLP	LDL Particles	A measurement of the concentration of the total LDL particles in a biological specimen.	LDL Particles Measurement
C12063 7	LDLPATT	LDL Subtype Pattern	A description of the low density lipoprotein particle pattern (an interpretation of the amounts of LDL particles based on size and density) in a biological specimen.	LDL Subtype Pattern
C10341 2	LDLPSZ	LDL Particle Size	A measurement of the average particle size of low-density lipoprotein in a biological specimen.	LDL Particle Size Measurement
C14738 2	LEAD	Lead;Pb	A measurement of the lead in a biological specimen.	Lead Measurement
C12762 5	LEIM	Immature Leukocytes	A measurement of the immature leukocytes in a biological specimen.	Immature Leukocyte Count
C12762 6	LEIMLE	Immature Leukocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature leukocytes to leukocytes in a biological specimen.	Immature Leukocyte to Leukocytes Ratio Measurement
C74866	LEPTIN	Leptin	A measurement of the leptin hormone in a biological specimen.	Leptin Measurement
C12213 3	LEU	Leucine	A measurement of the leucine in a biological specimen.	Leucine Measurement
C64856	LEUKASE	Leukocyte Esterase	A measurement of the enzyme which indicates the presence of white blood cells in a biological specimen.	Leukocyte Esterase Measurement
C11619 5	LEUKCE	Leukemic Cells;Residual Leukemic Cells	A measurement of the leukemic cells in a biological specimen.	Leukemic Cells Measurement
C14738 3	LEUKCRBC	Leukocytes Corrected for Nucleated Erythrocytes;Leuks Corrected for Nucl Erythrocytes	A measurement of the leukocytes corrected for nucleated erythrocytes in a biological specimen.	Leukocytes Corrected for Nucleated Erythrocytes Count

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C79467	LGLUCLE	Large Unstained Cells/Leukocytes	A relative measure (ratio or percentage) of the large unstained cells to leukocytes in a biological specimen.	Large Unstained Cells to Leukocytes Ratio Measurement
C74659	LGUNSCE	Large Unstained Cells	A measurement of the large, peroxidase-negative cells which cannot be further characterized (i.e. as large lymphocytes, virocytes, or stem cells) present in a biological specimen.	Large Unstained Cell Count
C74790	LH	Luteinizing Hormone;Lutropin	A measurement of the luteinizing hormone in a biological specimen.	Luteinizing Hormone Measurement
C130163	LIF	Leukemia Inhibitory Factor	A measurement of leukemia inhibitory factor in a biological specimen.	Leukemia Inhibitory Factor Measurement
C117840	LIPASEG	Gastric Triacylglycerol Lipase;LIPF;Lipase, Gastric	A measurement of the gastric triacylglycerol lipase in a biological specimen.	Gastric Lipase Measurement
C117841	LIPASEP	Lipase, Pancreatic;PNLIP;Pancreatic Triacylglycerol Lipase	A measurement of the pancreatic triacylglycerol lipase in a biological specimen.	Pancreatic Lipase Measurement
C117748	LIPASET	Lipase;Total Lipase	A measurement of the total lipase in a biological specimen.	Lipase Measurement
C117842	LIPASLAL	Acid Cholesteryl Ester Hydrolase;LAL;LIPA;Lipase, Lysosomal Acid;Lysosomal Lipase	A measurement of the lysosomal acid lipase in a biological specimen.	Lysosomal Acid Lipase Measurement
C111242	LIPEMIAI	Lipemia;Lipemic Index	A measurement of the abnormally high concentration of lipid in a biological specimen.	Lipemic Index
C142284	LIQUFT	Liquefaction Time	A measurement of the time it takes for a gelatinous or semi-solid substance to change to a liquid.	Liquefaction Time Measurement
C96683	LKM1AB	LKM-1;Liver Kidney Microsomal Type 1 Antibody	A measurement of the liver kidney microsomal type 1 antibody in a biological specimen.	Liver Kidney Microsomal Type 1 Antibody Measurement
C100456	LKM1IAAB	Liver Kidney Microsomal Type 1 IgA Ab	A measurement of the liver kidney microsomal type 1 IgA antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgA Antibody Measurement
C100454	LKM1IGAB	Liver Kidney Microsomal Type 1 IgG Ab	A measurement of the liver kidney microsomal type 1 IgG antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgG Antibody Measurement
C100455	LKM1IMAB	Liver Kidney Microsomal Type 1 IgM Ab	A measurement of the liver kidney microsomal type 1 IgM antibodies in a biological specimen.	Liver Kidney Microsomal Type 1 IgM Antibody Measurement
C98732	LLCFR	Bence-Jones, Lambda;Lambda Light Chain, Free	A measurement of the free lambda light chain in a biological specimen.	Free Lambda Light Chain Measurement
C147384	LMBDLC	Lambda Light Chain	A measurement of the total lambda light chains in a biological specimen.	Lambda Light Chain Measurement
C82022	LPA	Lipoprotein-a	A measurement of the lipoprotein-a in a biological specimen.	Lipoprotein a Measurement
C92275	LPNAG	Legionella pneumophila Antigen	A measurement of the Legionella pneumophila antigen in a biological specimen.	Legionella pneumophila Antigen Measurement
C92277	LPNGMAB	Legionella pneumophila IgG IgM Antibody	A measurement of the Legionella pneumophila IgG and IgM in a biological specimen.	Legionella pneumophila IgG IgM Antibody Measurement
C92276	LPNIGGAB	Legionella pneumophila IgG Antibody	A measurement of the Legionella pneumophila IgG antibody in a biological specimen.	Legionella pneumophila IgG Antibody Measurement
C92278	LPNIGMAB	Legionella pneumophila IgM Antibody	A measurement of the Legionella pneumophila IgM antibody in a biological specimen.	Legionella pneumophila IgM Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120638	LPPLA2	Lipoprotein Associated Phospholipase A2	A measurement of the lipoprotein associated phospholipase A2 in a biological specimen.	Lipoprotein Associated Phospholipase A2 Measurement
C75374	LRZPM	Lorazepam	A measurement of the lorazepam present in a biological specimen.	Lorazepam Measurement
C75354	LSD	Acid;Lysergate Diethylamide;Lysergic Acid Diethylamide	A measurement of the lysergic acid diethylamine (LSD) in a biological specimen.	Lysergide Measurement
C132375	LTA	Lymphotoxin Alpha;TNF-beta;Tumor Necrosis Factor Beta	A measurement of the lymphotoxin alpha in a biological specimen.	Lymphotoxin Alpha Measurement
C103413	LTB4	Leukotriene B4	A measurement of the leukotriene B4 in a biological specimen.	Leukotriene B4 Measurement
C103414	LTD4	Leukotriene D4	A measurement of the leukotriene D4 in a biological specimen.	Leukotriene D4 Measurement
C103415	LTE4	Leukotriene E4	A measurement of the leukotriene E4 in a biological specimen.	Leukotriene E4 Measurement
C82021	LTF	Lactoferrin;Lactotransferrin	A measurement of the lactoferrin in a biological specimen.	Lactoferrin Measurement
C120639	LTFAB	Lactoferrin Antibody	A measurement of the lactoferrin antibody in a biological specimen.	Lactoferrin Antibody Measurement
C147385	LVFBRSC	Liver Fibrosis Score	A biomarker test that measures liver pathology through the assessment of multiple blood test parameters, taking into account the age and gender of the patient.	Liver Fibrosis Score
C147386	LVTRCTM	Levetiracetam	A measurement of the levetiracetam in a biological specimen.	Levetiracetam Measurement
C51949	LYM	Lymphocytes	A measurement of the lymphocytes in a biological specimen.	Lymphocyte Count
C119289	LYMA	Lymphocytes Activated	A measurement of the total activated lymphocytes in a biological specimen.	Activated Lymphocytes Measurement
C64818	LYMAT	Lymphocytes Atypical;Lymphocytes, Variant	A measurement of the atypical lymphocytes in a biological specimen.	Atypical Lymphocyte Count
C64819	LYMATLE	Lymphocytes Atypical/Leukocytes;Lymphocytes, Variant/Leukocytes	A relative measurement (ratio or percentage) of the atypical lymphocytes to leukocytes in a biological specimen.	Atypical Lymphocyte to Leukocyte Ratio
C98751	LYMCE	Lymphocytes/Total Cells	A relative measurement (ratio or percentage) of the lymphocytes to total cells in a biological specimen (for example a bone marrow specimen).	Lymphocyte to Total Cell Ratio Measurement
C147387	LYMCLF	Lymphocytes, Clefted	A measurement of the clefted lymphocytes in a biological specimen.	Clefted Lymphocytes Count
C147388	LYMCLFLE	Lymphocytes, Clefted/Leukocytes	A relative measurement (ratio or percentage) of the clefted lymphocytes to total leukocytes in a biological specimen.	Clefted Lymphocytes to Leukocytes Ratio Measurement
C100444	LYMIM	Immature Lymphocytes	A measurement of the immature lymphocytes in a biological specimen.	Immature Lymphocytes Measurement
C100443	LYMIMLE	Immature Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the immature lymphocytes to leukocytes in a biological specimen.	Immature Lymphocytes to Leukocytes Ratio Measurement
C64820	LYMLE	Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the lymphocytes to leukocytes in a biological specimen.	Lymphocyte to Leukocyte Ratio

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74613	LYMMCE	Lymphoma Cells	A measurement of the malignant lymphocytes in a biological specimen.	Lymphoma Cell Count
C147389	LYMMCELE	Lymphoma Cells/Leukocytes	A relative measurement (ratio or percentage) of the malignant lymphocytes to all leukocytes in a biological specimen.	Lymphoma Cells to Leukocytes Ratio Measurement
C74910	LYMMCELY	Lymphoma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the malignant lymphocytes to all lymphocytes in a biological specimen.	Lymphoma Cell to Lymphocyte Ratio Measurement
C135430	LYMNSQE	Lymphocytes/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the lymphocytes to non-squamous epithelial cells in a biological specimen.	Lymphocytes to Non-Squamous Epithelial Cells Ratio Measurement
C139064	LYMPHOID	Lymphoid Cells	A measurement of the total lymphoid lineage cells in a biological specimen.	Lymphoid Cell Count
C81955	LYMPHOTC	Chemokine Ligand 1;Lymphotactin	A measurement of the lymphotactin in a biological specimen.	Lymphotactin Measurement
C74618	LYMPL	Plasmacytoid Lymphocytes;Plymphocytes	A measurement of the plasmacytoid lymphocytes (lymphocytes with peripherally clumped chromatin and often deep blue cytoplasm, and that appear similar to plasma cells) in a biological specimen.	Plasmacytoid Lymphocyte Count
C74648	LYMPLLY	Plasmacytoid Lymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the plasmacytoid lymphocytes (lymphocytes with peripherally clumped chromatin and often deep blue cytoplasm, and that appear similar to plasma cells) to all lymphocytes in a biological specimen.	Plasmacytoid Lymphocyte to Lymphocyte Ratio Measurement
C74629	LYMRCT	Reactive Lymphocytes	A measurement of the reactive lymphocytes (lymphocytes which have become large due to an antigen reaction) in a biological specimen.	Reactive Lymphocyte Count Measurement
C74654	LYMRCTLY	Reactive Lymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the reactive lymphocytes (lymphocytes which have become large due to an antigen reaction) to all lymphocytes in a biological specimen.	Reactive Lymphocyte to Lymphocyte Ratio Measurement
C111329	LYMVAC	Vacuolated Lymphocytes	A measurement of the vacuolated lymphocytes in a biological specimen.	Vacuolated Lymphocyte Count
C127627	LYMVACLE	Vacuolated Lymphocytes/Leukocytes	A relative measurement (ratio or percentage) of the vacuolated lymphocytes to leukocytes in a biological specimen.	Vacuolated Lymphocyte to Leukocyte Ratio Measurement
C122134	LYS	Lysine	A measurement of the lysine in a biological specimen.	Lysine Measurement
C120640	LYSOZYME	Lysozyme	A measurement of lysozyme in a biological specimen.	Lysozyme Measurement
C147390	MACROBLD	Macroscopic Blood;Visible Blood	A measurement of the blood in body products such as a urine or stool sample, and visibly detectable on gross examination.	Macroscopic Blood Measurement
C64821	MACROCY	Macrocytes	A measurement of the macrocytes in a biological specimen.	Macrocyte Count
C111246	MASTCE	Mast Cells;Mastocytes	A measurement of the mast cells in a biological specimen.	Mast Cell Count
C111247	MASTCECE	Mast Cells/Total Cells	A relative measurement (ratio or percentage) of the mast cells to total cells in a biological specimen.	Mast Cell to Total Cell Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74614	MAYHEG	May-Hegglin Anomaly	A measurement of the May-Hegglin anomaly in a blood sample. This anomaly is characterized by large, misshapen platelets and the presence of Dohle bodies in leukocytes.	May-Hegglin Anomaly Measurement
C122135	MBP	Myelin Basic Protein	A measurement of the myelin basic protein in a biological specimen.	Myelin Basic Protein Measurement
C64797	MCH	Ery. Mean Corpuscular Hemoglobin	A measurement of the mean amount of hemoglobin per erythrocyte in a biological specimen, calculated as the product of hemoglobin times ten, divided by the number of erythrocytes.	Erythrocyte Mean Corpuscular Hemoglobin
C64798	MCHC	Ery. Mean Corpuscular HGB Concentration	An indirect measurement of the average concentration of hemoglobin per erythrocyte in a biological specimen, calculated as the ratio of hemoglobin to hematocrit.	Erythrocyte Mean Corpuscular Hemoglobin Concentration
C82025	MCP1	Monocyte Chemotactic Protein 1	A measurement of the monocyte chemotactic protein 1 in a biological specimen.	Monocyte Chemotactic Protein 1 Measurement
C74798	MCPHG	Macrophages	A measurement of the macrophages in a biological specimen.	Macrophage Count
C111244	MCPHGCE	Macrophages/Total Cells	A relative measurement (ratio or percentage) of the macrophages to total cells in a biological specimen.	Macrophage to Total Cell Ratio Measurement
C123460	MCPHGLE	Macrophages/Leukocytes	A relative measurement (ratio or percentage) of the macrophages to leukocytes in a biological specimen.	Macrophage to Leukocyte Ratio
C135431	MCPHNSQE	Macrophages/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the macrophages to non-squamous epithelial cells in a biological specimen.	Macrophages to Non-Squamous Epithelial Cells Ratio Measurement
C92291	MCPROT	Monoclonal Immunoglobulin Protein; Monoclonal Protein; Paraprotein	A measurement of homogenous immunoglobulin resulting from the proliferation of a single clone of plasma cells in a biological specimen.	Monoclonal Protein Measurement
C80191	MCSF	Macrophage Colony Stimulating Factor	A measurement of the macrophage colony stimulating factor in a biological specimen.	Macrophage Colony Stimulating Factor Measurement
C64799	MCV	Ery. Mean Corpuscular Volume; Erythrocytes Mean Corpuscular Volume; RBC Mean Corpuscular Volume	A measurement of the mean cellular volume per erythrocyte in a biological specimen.	Erythrocyte Mean Corpuscular Volume
C114215	MCVRETIC	MCV Reticulocytes; MCVr; Mean Corpuscular Volume Reticulocytes	A measurement of the mean volume of reticulocytes in a biological specimen.	Reticulocyte Mean Corpuscular Volume
C81956	MDC	Chemokine Ligand 22; Macrophage-Derived Chemokine	A measurement of the macrophage-derived chemokine in a biological specimen.	Macrophage-Derived Chemokine Measurement
C75359	MDMA	3,4-methylenedioxymethamphetamine; Ecstasy	A measurement of the 3,4-methylenedioxymethamphetamine (MDMA) in a biological specimen.	3,4-Methylenedioxymethamphetamine Measurement
C139083	MDZLM	Midazolam	A measurement of the midazolam present in a biological specimen.	Midazolam Measurement
C139079	MDZPM	Medazepam	A measurement of the medazepam present in a biological specimen.	Medazepam Measurement
C147391	MECONIUM	Meconium	A measurement of the meconium in a biological specimen.	Meconium Measurement
C111250	MENGL	Meningeal Cells	A measurement of the meningeal cells in a biological specimen.	Meningeal Cell Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11125 1	MENGLCE	Meningeal Cells/Total Cells	A relative measurement (ratio or percentage) of the meningeal cells to total cells in a biological specimen.	Meningeal Cell to Total Cell Ratio Measurement
C14739 2	MEPRDN	Meperidine	A measurement of the meperidine in a biological specimen.	Meperidine Measurement
C12762 8	MERCECE	Maturing Erythroid/Total Cells	A relative measurement (ratio or percentage) of the maturing erythroid cells to total cells in a biological specimen.	Maturing Erythroid Cell to Total Cell Ratio Measurement
C14739 3	MERCURY	Hg;Mercury	A measurement of the mercury in a biological specimen.	Mercury Measurement
C12223 8	MET	Methionine	A measurement of the methionine in a biological specimen.	Methionine Measurement
C74615	METAMY	Metamyelocytes	A measurement of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) in a biological specimen.	Metamyelocyte Count
C98754	METAMYCE	Metamyelocytes/Total Cells	A relative measurement (ratio or percentage ) of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) to total cells in a biological specimen (for example a bone marrow specimen).	Metamyelocyte to Total Cell Ratio Measurement
C74645	METAMYLE	Metamyelocytes/Leukocytes	A relative measurement (ratio or percentage) of the metamyelocytes (small, myelocytic neutrophils with an indented nucleus) to all leukocytes in a biological specimen.	Metamyelocyte to Leukocyte Ratio Measurement
C11619 8	METANEPH	Metadrenaline;Metanephrine	A measurement of the metanephrine in a biological specimen.	Metanephrine Measurement
C12897 1	METARBCE	Metarubricyte/Total Cells	A relative measurement (ratio or percentage) of the metarubricytes to total cells in a biological specimen.	Metarubricyte to Total Cell Ratio Measurement
C12897 2	METARUB	Metarubricyte;Orthochromatophilic Normoblast;Orthochromic Erythroblast;Orthochromic Normoblast	A measurement of the metarubricytes in a biological specimen.	Metarubricyte Count
C75348	METHAMPH	Methamphetamine	A measurement of the methamphetamine drug present in a biological specimen.	Methamphetamine Measurement
C14739 4	METHANOL	Methanol	A measurement of the methanol in a biological specimen.	Methanol Measurement
C74881	METHDN	Methadone	A measurement of the methadone present in a biological specimen.	Methadone Measurement
C74882	METHQLDN	Methaqualone	A measurement of the methaqualone present in a biological specimen.	Methaqualone Measurement
C11784 3	MFILARIA	Microfilaria	Presence of microfilaria stage of filarial nematodes in smears prepared from whole blood or other body fluids.	Microfilaria Measurement
C64840	MG	Magnesium	A measurement of the magnesium in a biological specimen.	Magnesium Measurement
C79436	MGB	Myoglobin	A measurement of myoglobin in a biological specimen.	Myoglobin Measurement
C10654 6	MGBCREAT	Myoglobin/Creatinine	A relative measurement (ratio or percentage) of the myoglobin to creatinine present in a sample.	Myoglobin to Creatinine Ratio Measurement
C79456	MGCREAT	Magnesium/Creatinine	A relative measurement (ratio or percentage) of the magnesium to creatinine in a biological specimen.	Magnesium to Creatinine Ratio Measurement
C64822	MICROCY	Microcytes	A measurement of the microcytes in a biological specimen.	Microcyte Count

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C11619 9	MIDCEF	Mid Cell Fraction;Mid Cells	A measurement of the mid cell fraction, including eosinophils, basophils, monocytes and other precursor white blood cells, in a biological specimen.	Mid Cell Fraction Measurement
C82023	MIP1A	Chemokine Ligand 3;Macrophage Inflammatory Protein 1 Alpha	A measurement of the macrophage inflammatory protein 1 alpha in a biological specimen.	Macrophage Inflammatory Protein 1 Alpha Measurement
C82024	MIP1B	Chemokine Ligand 4;Macrophage Inflammatory Protein 1 Beta	A measurement of the macrophage inflammatory protein 1 beta in a biological specimen.	Macrophage Inflammatory Protein 1 Beta Measurement
C13016 4	MIP1G	Macrophage Inflammatory Protein 1 Gamma	A measurement of the macrophage inflammatory protein 1 gamma in a biological specimen.	Macrophage Inflammatory Protein 1 Gamma Measurement
C14739 5	MITOM2AB	Mitochondrial M2 Antibody	A measurement of the mitochondrial antibodies of M2 specificity in a biological specimen.	Mitochondrial M2 Antibody Measurement
C13543 2	MKCMKBMP	Megakaryocyte and Megakaryoblast Morph;Megakaryocyte and Megakaryoblast Morphology	An examination or assessment of the form and structure of megakaryoblasts and megakaryocytes.	Megakaryocyte and Megakaryoblast Morphology Assessment
C74867	MLATONIN	Melatonin	A measurement of the melatonin hormone in a biological specimen.	Melatonin Measurement
C74660	MLIGCE	Malignant Cells, NOS	A measurement of the malignant cells of all types in a biological specimen.	Malignant Cell Count
C74643	MLIGCEBC	Malignant Cells, NOS/Blood Cells	A relative measurement (ratio or percentage) of the malignant cells of all types to all blood cells in a biological specimen.	Malignant Cell to Blood Cell Ratio Measurement
C16790	MLR	Mixed Leukocyte Reaction;Mixed Lymphocyte Reaction	A measurement of the histocompatibility at the HL-A locus between two populations of lymphocytes taken from two separate individuals.	Mixed Lymphocyte Reaction Test
C96690	MMA	Methylmalonate;Methylmalonic Acid	A measurement of the methylmalonic acid in a biological specimen.	Methylmalonic Acid Measurement
C80192	MMP1	Interstitial Collagenase;Matrix Metalloproteinase 1	A measurement of the matrix metalloproteinase 1 in a biological specimen.	Matrix Metalloproteinase 1 Measurement
C80193	MMP2	Gelatinase A;Matrix Metalloproteinase 2	A measurement of the matrix metalloproteinase 2 in a biological specimen.	Matrix Metalloproteinase 2 Measurement
C80194	MMP3	Matrix Metalloproteinase 3;Stromelysin 1	A measurement of the matrix metalloproteinase 3 in a biological specimen.	Matrix Metalloproteinase 3 Measurement
C80195	MMP7	Matrilysin;Matrix Metalloproteinase 7	A measurement of the matrix metalloproteinase 7 in a biological specimen.	Matrix Metalloproteinase 7 Measurement
C80196	MMP8	Matrix Metalloproteinase 8;Neutrophil Collagenase	A measurement of the matrix metalloproteinase 8 in a biological specimen.	Matrix Metalloproteinase 8 Measurement
C80197	MMP9	Gelatinase B;Matrix Metalloproteinase 9	A measurement of the matrix metalloproteinase 9 in a biological specimen.	Matrix Metalloproteinase 9 Measurement
C12213 6	MMPIGGAB	Mumps Virus IgG Antibody	A measurement of the mumps virus IgG antibody in a biological specimen.	Mumps Virus IgG Antibody Measurement
C12762 9	MMYCECE	Maturing Myeloid/Total Cells	A relative measurement (ratio or percentage) of the maturing myeloid cells to total cells in a biological specimen.	Maturing Myeloid Cell to Total Cell Ratio Measurement
C11127 6	MOCYCE	Monocytoid Cells	A measurement of the monocytoid cells in a biological specimen.	Monocytoid Cell Count



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11127 7	MOCYCECE	Monocytoid Cells/Total Cells	A relative measurement (ratio or percentage) of the monocytoid cells to total cells in a biological specimen.	Monocytoid Cell to Total Cell Ratio Measurement
C12064 1	MOCYCELE	Monocytoid Cells/Leukocytes	A relative measurement (ratio or percentage) of the monocytoid cells to leukocytes in a biological specimen.	Monocytoid Cells to Leukocytes Ratio Measurement
C14739 6	MONMPHLE	Monocytes and Macrophages/Leukocytes	A relative measurement (ratio or percentage) of the monocytes and macrophages to total leukocytes in a biological specimen.	Monocytes and Macrophages to Leukocytes Ratio Measurement
C64823	MONO	Monocytes	A measurement of the monocytes in a biological specimen.	Monocyte Count
C74631	MONOBL	Monoblasts	A measurement of the monoblast cells in a biological specimen.	Monoblast Count
C74646	MONOBLLE	Monoblasts/Leukocytes	A relative measurement (ratio or percentage) of the monoblasts to leukocytes in a biological specimen.	Monoblast to Leukocyte Ratio Measurement
C98872	MONOCE	Monocytes/Total Cells	A relative measurement (ratio or percentage) of the monocytes to total cells in a biological specimen (for example a bone marrow specimen).	Monocytes to Total Cell Ratio Measurement
C96676	MONOIM	Immature Monocytes	A measurement of the immature monocytes in a biological specimen.	Immature Monocyte Count
C96677	MONOIMLE	Immature Monocytes/Leukocytes	A relative measurement (ratio or percentage) of immature monocytes to total leukocytes in a biological specimen.	Immature Monocyte to Leukocyte Ratio Measurement
C64824	MONOLE	Monocytes/Leukocytes	A relative measurement (ratio or percentage) of the monocytes to leukocytes in a biological specimen.	Monocyte to Leukocyte Ratio
C10654 4	MONOMA	Monocytes/Macrocytes	A relative measurement (ratio or percentage) of the monocytes to macrocytes present in a sample.	Monocytes to Macrocytes Ratio Measurement
C13543 3	MONONSQE	Monocytes/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the monocytes to non-squamous epithelial cells in a biological specimen.	Monocytes to Non-Squamous Epithelial Cells Ratio Measurement
C14739 7	MONOPTPT	Monoclonal Protein/Total Protein	A relative measurement (ratio or percentage) of the monoclonal protein to total protein in a biological specimen.	Monoclonal Protein to Total Protein Ratio Measurement
C74883	MORPHINE	Morphine	A measurement of the morphine present in a biological specimen.	Morphine Measurement
C96686	MPC	Mean Platelet Component	A measurement of the mean platelet component (platelet activity) in a blood specimen.	Mean Platelet Component Measurement
C11421 4	MPM	Mean Platelet Dry Mass	A measurement of the mean platelet dry mass in a biological specimen.	Mean Platelet Dry Mass
C80198	MPO	Myeloperoxidase	A measurement of the myeloperoxidase in a biological specimen.	Myeloperoxidase Measurement
C92280	MPOAB	Myeloperoxidase Antibody	A measurement of the myeloperoxidase antibody in a biological specimen.	Myeloperoxidase Antibody Measurement
C74730	MPV	Mean Platelet Volume	A measurement of the average size of the platelets present in a blood sample.	Mean Platelet Volume Measurement
C11929 0	MPXI	Myeloperoxidase Index	The mean peroxidase activity index or staining intensity of the neutrophil population relative to the archetype.	Neutrophil Myeloperoxidase Index

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11784 4	MSPIKE	Monoclonal Protein Spike	A measurement of the monoclonal protein in the region of the electrophoresis field containing a spike (increase) in protein.	Monoclonal Protein Spike Measurement
C14739 8	MSTHCE	Mesothelial Cells	A measurement of the mesothelial cells in a biological specimen.	Mesothelial Cells Count
C14739 9	MSTHCELE	Mesothelial Cells/Leukocytes	A relative measurement (ratio or percentage) of the mesothelial cells to total leukocytes in a biological specimen.	Mesothelial Cells to Leukocytes Ratio Measurement
C12434 6	MTBIGAAB	Mycobacterium tuberculosis IgA Antibody	A measurement of the Mycobacterium tuberculosis IgA antibodies in a biological specimen.	Mycobacterium tuberculosis IgA Antibody Measurement
C12434 7	MTBIGEAB	Mycobacterium tuberculosis IgE Antibody	A measurement of the Mycobacterium tuberculosis IgE antibodies in a biological specimen.	Mycobacterium tuberculosis IgE Antibody Measurement
C12434 8	MTBIGGAB	Mycobacterium tuberculosis IgG Antibody	A measurement of the Mycobacterium tuberculosis IgG antibodies in a biological specimen.	Mycobacterium tuberculosis IgG Antibody Measurement
C14740 0	MTNEPHFR	Metanephrine, Free	A measurement of the free metanephrine in a biological specimen.	Free Metanephrine Measurement
C74721	MUCTHR	Mucous Threads	A measurement of the mucous threads present in a biological specimen.	Mucous Thread Measurement
C12763 0	MUG	Murinoglobulin	A measurement of the murinoglobulin in a biological specimen.	Murinoglobulin Measurement
C74632	MYBLA	Myeloblasts	A measurement of the myeloblast cells in a biological specimen.	Myeloblast Count
C64825	MYBLALE	Myeloblasts/Leukocytes	A relative measurement (ratio or percentage) of the myeloblasts to leukocytes in a biological specimen.	Myeloblast to Leukocyte Ratio
C92283	MYBLAT1	Type I Myeloblasts	A measurement of type I myeloblast cells per unit of a biological specimen.	Type I Myeloblasts Measurement
C92284	MYBLAT2	Type II Myeloblasts	A measurement of type II myeloblast cells per unit of a biological specimen.	Type II Myeloblasts Measurement
C92285	MYBLAT3	Type III Myeloblasts	A measurement of type III myeloblast cells per unit of a biological specimen.	Type III Myeloblasts Measurement
C13543 4	MYCEMIDX	Myeloid Maturation Index	A relative measurement (ratio) of the sum of myeloid maturation phase cells (pool) to the sum of myeloid proliferative phase cells (pool) in a biological specimen.	Myeloid Maturation Index
C13543 5	MYCEMPOL	Myeloid Maturation Pool	A measurement of the myeloid maturation phase cells (metamyelocytes, band neutrophils, and segmented neutrophils) in a biological specimen.	Myeloid Maturation Pool Count
C13543 6	MYCEPIDX	Myeloid Proliferation Index	A relative measurement (ratio) of the sum of myeloid proliferative phase cells (pool) to the sum of myeloid maturation phase cells (pool) in a biological specimen.	Myeloid Proliferation Index
C13543 7	MYCEPPOL	Myeloid Proliferation Pool	A measurement of the myeloid proliferative phase cells (myeloblasts, promyelocytes, and myelocytes) in a biological specimen.	Myeloid Proliferation Pool Count
C74662	MYCY	Myelocytes	A measurement of the myelocytes in a biological specimen.	Myelocyte Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98868	MYCYCE	Myelocytes/Total Cells	A relative measurement (ratio or percentage) of the myelocytes to total cells in a biological specimen (for example a bone marrow specimen).	Myelocyte to Total Cell Ratio Measurement
C64826	MYCYLE	Myelocytes/Leukocytes	A relative measurement (ratio or percentage) of the myelocytes to leukocytes in a biological specimen.	Myelocyte to Leukocyte Ratio
C103418	MYELINAB	Myelin Antibodies	A measurement of the myelin antibodies in a biological specimen.	Myelin Antibodies Measurement
C106547	MYL3	Cardiac myosin light chain 1;Myosin Light Chain 3;Myosin light chain 1, slow-twitch muscle B/ventricular isoform	A measurement of myosin light chain 3 in a biological specimen.	Myosin Light Chain 3 Measurement
C130165	MYPC	Myeloid Progenitor Cells	A measurement of the myeloid progenitor cells in a biological specimen.	Myeloid Progenitor Cell Count
C92242	MYPCERPC	Myeloid/Erythroid Ratio	A relative measurement of myeloid progenitor cells to erythrocyte precursor cells in a biological specimen.	Myeloid to Erythroid Ratio Measurement
C92241	MYTBGIR	M. tuberculosis IFN Gamma Response;Mycobacterium tuberculosis IFN Gamma Response	A measurement of the amount of interferon gamma that is released when Mycobacterium tuberculosis antigen is incubated with a biological specimen, usually blood. Increased amounts of interferon gamma suggests a prior or existing M. tuberculosis infection.	Mycobacterium tuberculosis Interferon Gamma Response
C92279	MYTBNUAC	Mycobacterium tuberculosis Nucleic Acid	A measurement of the Mycobacterium tuberculosis nucleic acid in a biological specimen.	Mycobacterium tuberculosis Nucleic Acid Measurement
C106568	NACL8	Sodium Clearance	A measurement of the volume of serum or plasma that would be cleared of sodium by excretion of urine for a specified unit of time (e.g. one minute).	Sodium Clearance Measurement
C79464	NACREAT	Sodium/Creatinine	A relative measurement (ratio or percentage) of the sodium to creatinine in a biological specimen.	Sodium to Creatinine Ratio Measurement
C79459	NAG	N-Acetyl Glucosamide;N-Acetyl Glucosamine	A measurement of N-acetyl glucosamide (sugar derivative) in a biological specimen.	N-Acetyl Glucosamide Measurement
C103419	NAGASE	Beta-N-acetyl-D-glucosaminidase;N-acetyl-beta-D-glucosaminidase	A measurement of the N-acetyl-beta-D-glucosaminidase (enzyme) in a biological specimen.	N-acetyl-beta-D-glucosaminidase Measurement
C79460	NAGCREAT	N-Acetyl Glucosamide/Creatinine	A relative measurement (ratio or percentage) of the N-acetyl glucosamide to creatinine in a biological specimen.	N-Acetyl Glucosamide to Creatinine Ratio Measurement
C122137	NAK	Sodium/Potassium	A relative measurement (ratio or percentage) of the sodium to potassium in a biological specimen.	Sodium to Potassium Ratio Measurement
C79437	NCTD5P	5 Prime Nucleotidase;5'-Ribonucleotide Phosphohydrolase	A measurement of the 5'-nucleotidase in a biological specimen.	5 Prime Nucleotidase Measurement
C80199	NEOPTERN	Neopterin	A measurement of the neopterin in a biological specimen.	Neopterin Measurement
C63321	NEUT	ANC;Neutrophils	A measurement of the neutrophils in a biological specimen.	Absolute Neutrophil Count
C116200	NEUTAGR	Agranular Neutrophils	A measurement of the agranular neutrophils in a biological specimen.	Agranular Neutrophils Measurement
C64830	NEUTB	Neutrophils Band Form	A measurement of the banded neutrophils in a biological specimen.	Neutrophil Band Form Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64831	NEUTBLE	Neutrophils Band Form/Leukocytes	A relative measurement (ratio or percentage) of the banded neutrophils to leukocytes in a biological specimen.	Neutrophil Band Form to Leukocyte Ratio
C12064 2	NEUTBNE	Neutrophils Band Form/ Neutrophils	A relative measurement (ratio or percentage) of banded neutrophils to total neutrophils in a biological specimen.	Neutrophils Band Form to Neutrophils Ratio Measurement
C98763	NEUTCE	Neutrophils/Total Cells	A relative measurement (ratio or percentage) of the neutrophils to total cells in a biological specimen (for example a bone marrow specimen).	Neutrophil to Total Cell Ratio Measurement
C11116 6	NEUTCYBS	Cytoplasmic Basophilia Neutrophil	A measurement of the neutrophils in a biological specimen showing a dark staining pattern in the cytoplasm due to increased acidic content.	Cytoplasmic Basophilia Neutrophil Count
C96651	NEUTGT	Giant Neutrophils	A measurement of the giant neutrophils in a biological specimen.	Giant Neutrophil Count
C11620 1	NEUTHYGR	Hypogranular Neutrophils	A measurement of the hypogranular neutrophils in a biological specimen.	Hypogranular Neutrophil Measurement
C96678	NEUTIM	Immature Neutrophils	A measurement of the total immature neutrophils in a biological specimen.	Immature Neutrophil Count
C10044 2	NEUTIMLE	Immature Neutrophils/Leukocytes	A relative measurement (ratio or percentage) of the immature neutrophils to leukocytes in a biological specimen.	Immature Neutrophils to Leukocytes Ratio Measurement
C64827	NEUTLE	Neutrophils/Leukocytes	A relative measurement (ratio or percentage) of the neutrophils to leukocytes in a biological specimen.	Neutrophil to Leukocyte Ratio
C11620 2	NEUTLS	Left Shift Neutrophils	An observation of the above normal incidence of immature neutrophils, including band neutrophils and neutrophil precursors in a biological specimen.	Left Shift Neutrophil Measurement
C84822	NEUTMM	Neutrophilic Metamyelocytes	A measurement of the neutrophilic metamyelocytes in a biological specimen.	Neutrophilic Metamyelocyte Count
C84823	NEUTMY	Neutrophilic Myelocytes	A measurement of the neutrophilic myelocytes in a biological specimen.	Neutrophilic Myelocyte Count
C13543 8	NEUTNSQE	Neutrophils/Non-Squam Epi Cells	A relative measurement (ratio or percentage) of the neutrophils to non-squamous epithelial cells in a biological specimen.	Neutrophils to Non-Squamous Epithelial Cells Ratio Measurement
C81997	NEUTSG	Neutrophils, Segmented	A measurement of the segmented neutrophils in a biological specimen.	Segmented Neutrophil Count
C82045	NEUTSGLE	Neutrophils, Segmented/Leukocytes	A relative measurement (ratio or percentage) of segmented neutrophils to leukocytes in a biological specimen.	Segmented Neutrophil to Leukocyte Ratio Measurement
C12064 3	NEUTSGNE	Neutrophils, Segmented/Neutrophils	A relative measurement (ratio or percentage) of segmented neutrophils to total neutrophils in a biological specimen.	Segmented Neutrophils to Neutrophils Ratio Measurement
C13237 6	NEUTTOXC	Neutrophilic Toxic Change	A measurement of any type of toxic change in cells of the neutrophilic lineage in a biological specimen.	Neutrophilic Toxic Change Assessment
C74628	NEUTVAC	Vacuolated Neutrophils	A measurement of the neutrophils containing small vacuoles in a biological specimen.	Vacuolated Neutrophil Count
C14228 5	NFLP	Neurofilament Light Chain Protein;Neurofilament Light Polypeptide;Protein Phosphatase 1, Regulatory Subunit 110	A measurement of the neurofilament light chain protein in a biological specimen.	Neurofilament Light Chain Protein Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13543 9	NGF	Nerve Growth Factor	A measurement of the nerve growth factor in a biological specimen.	Nerve Growth Factor Measurement
C92298	NGON	Neisseria gonorrhoeae Screening	Examination of a biological specimen to detect the presence of Neisseria gonorrhoeae.	Neisseria gonorrhoeae Screening
C14740 1	NHMCE	Nonhematic Cells	A measurement of the cells of nonhematopoietic origin in a biological specimen.	Nonhematic Cells Count
C14740 2	NHMCELE	Nonhematic Cells/Leukocytes	A relative measurement (ratio) of the nonhematic cells to total leukocytes in a biological specimen.	Nonhematic Cells to Leukocytes Ratio Measurement
C14740 3	NICOTINE	Nicotine	A measurement of the nicotine in a biological specimen.	Nicotine Measurement
C11236 0	NITRICOX	NO;Nitric Oxide	A measurement of the nitric oxide in a biological specimen.	Nitric Oxide Measurement
C64810	NITRITE	Nitrite	A measurement of the nitrite in a urine specimen.	Nitrite Measurement
C98762	NKCE	Natural Killer Cells	A measurement of the total natural killer cells in a biological specimen.	Natural Killer Cell Count
C11620 3	NKCEFUNC	Natural Killer Cell Activity;Natural Killer Cell Function	A measurement of the natural killer cell function in a biological specimen.	Natural Killer Cell Activity Measurement
C14740 4	NMH	N-methylhistamine	A measurement of the N-methylhistamine in a biological specimen.	N-methylhistamine Measurement
C12064 4	NOHDLHDL	Non-HDL Cholesterol/HDL Cholesterol	A relative measurement (ratio or percentage) of non-high density lipoprotein cholesterol to high density lipoprotein cholesterol in a biological specimen.	Non-HDL Cholesterol to HDL Cholesterol Ratio Measurement
C11620 4	NONHDL	Non-HDL Cholesterol;Non-High Density Lipoprotein	A measurement of the non-high density lipoprotein cholesterol in a biological specimen.	Non-High Density Lipoprotein Cholesterol Measurement
C74868	NOREPIN	Noradrenaline;Norepinephrine	A measurement of the norepinephrine hormone in a biological specimen.	Noradrenaline Measurement
C14740 5	NORMBASO	Basophilic Normoblast	A measurement of the basophilic normoblasts in a biological specimen taken from a non-human organism.	Basophilic Normoblast Count
C12213 8	NORMETA	Normetanephine	A measurement of the normetanephine in a biological specimen.	Normetanephine Measurement
C14740 6	NORNCTN	Nornicotine	A measurement of the nornicotine in a biological specimen.	Nornicotine Measurement
C10043 4	NPAP	Non-Prostatic Acid Phosphatase	A measurement of the non-prostatic acid phosphatase in a biological specimen.	Non-Prostatic Acid Phosphatase Measurement
C74892	NPY	Neuropeptide Y	A measurement of the neuropeptide Y in a biological specimen.	Neuropeptide Y Measurement
C13907 6	NRDZPM	Nordazepam;Nordiazepam	A measurement of the nordazepam present in a biological specimen.	Nordazepam Measurement
C11620 5	NSE	Enolase 2;Gamma-enolase;Neuron Specific Enolase	A measurement of the neuron specific enolase in a biological specimen.	Neuron Specific Enolase Measurement
C14228 6	NSPMTSPM	Normal Sperm/Total Sperm;Sperm Morphology	A measurement (ratio or percentage) of the normal spermatozoa to total spermatozoa in a biological specimen.	Normal Sperm to Total Sperm Ratio Measurement
C12064 5	NTELOCRT	N-telopeptide/Creatinine	A relative measurement (ratio or percentage) of the N-telopeptide to creatinine in a biological specimen.	N-telopeptide to Creatinine Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74743	NTELOP	N-telopeptide	A measurement of the N-telopeptide in a biological specimen.	N-Telopeptide Measurement
C147407	NTRLFAT	Neutral Fats	A measurement of the total neutral fats in a biological specimen.	Neutral Fats Measurement
C82039	NTXI	Type I Collagen N-Telopeptides;Type I Collagen X-Linked N-Telopeptides	A measurement of the type I collagen cross-linked N-telopeptides in a biological specimen.	Type I Collagen N-Telopeptide Measurement
C147408	NTXICRT	T1 Collagen X-link N-Telopeptides/Creat;Type I Collagen X-linked N-Telopeptides/Creatinine	A relative measurement (ratio or percentage) of the type 1 collagen cross-linked N-telopeptides to creatinine in a biological specimen.	Type 1 Collagen X-link N-Telopeptides to Creatinine Ratio Measurement
C82041	NTXII	Type II Collagen N-Telopeptides;Type II Collagen X-Linked N-Telopeptides	A measurement of the type II collagen cross-linked N-telopeptides in a biological specimen.	Type II Collagen N-Telopeptide Measurement
C114213	NUCSWELL	Nuclear Swelling	A measurement of the expansion of the nucleus of the cells in a biological specimen.	Nuclear Swelling Measurement
C111284	O2CT	Oxygen Content	A measurement of the amount of oxygen content in a biological specimen.	Oxygen Measurement
C74686	OCCBLD	Occult Blood	A measurement of the blood in body products such as a urine or stool sample, not detectable on gross examination.	Occult Blood Measurement
C122139	OLIGBAND	Oligoclonal Bands	A measurement of the oligoclonal bands in a biological specimen.	Oligoclonal Bands Measurement
C116206	OPG	OCIF;Osteoclastogenesis Inhibitory Factor;Osteoprotegerin;TNFRS11B;Tumor Necrosis Factor Receptor Superfamily Member 11b	A measurement of the osteoprotegerin in a biological specimen.	Osteoprotegerin Measurement
C74796	OPIATE	Opiate	A measurement of any opiate class drug present in a biological specimen.	Opiate Measurement
C124349	OPN	Osteopontin	A measurement of the osteopontin in a biological specimen.	Osteopontin Measurement
C122140	ORNITHIN	Ornithine	A measurement of the ornithine in a biological specimen.	Ornithine Measurement
C132377	OSM	Oncostatin M	A measurement of the oncostatin M in a biological specimen.	Oncostatin M Measurement
C74801	OSMLTY	Osmolality	A measurement of the osmoles of solute per unit of biological specimen.	Osmolality Measurement
C74802	OSMRTY	Osmolarity	A measurement of the osmoles of solute per liter of solution.	Osmolarity Measurement
C74744	OSTEOC	Osteocalcin	A measurement of the osteocalcin in a biological specimen.	Osteocalcin Measurement
C142287	OVALCY	Ovalocytes	A measurement of the ovalocytes (oval shaped cell with rounded ends and a long axis less than twice its short axis) in a biological specimen.	Ovalocyte Count
C100452	OVAPARS	Ova and Parasite	A measurement of the parasites and ova in a biological specimen.	Ova and Parasite Measurement
C117983	OXACREAT	Oxalate/Creatinine	A relative measurement (ratio or percentage) of the oxalate to creatinine in a biological specimen.	Oxalate to Creatinine Ratio Measurement
C92250	OXALATE	Ethanedioate;Oxalate	A measurement of the oxalate in a biological specimen.	Oxalate Measurement
C147409	OXMORPHN	Oxymorphone	A measurement of the Oxymorphone in a biological specimen.	Oxymorphone Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96614	OXYCAP	Oxygen Capacity	A measurement of the maximum amount of oxygen that can be combined chemically with hemoglobin in a volume of blood.	Oxygen Capacity Measurement
C74884	OXYCDN	Oxycodone;Oxycontin	A measurement of the oxycodone present in a biological specimen.	Oxycodone Measurement
C60832	OXYSAT	Oxygen Saturation	A measurement of the oxygen-hemoglobin saturation of a volume of blood.	Oxygen Saturation Measurement
C74869	OXYTOCIN	Oxytocin;Oxytoxin	A measurement of the oxytocin hormone in a biological specimen.	Oxytocin Measurement
C75375	OXZPM	Oxazepam	A measurement of the oxazepam present in a biological specimen.	Oxazepam Measurement
C96625	P1NP	Amino-terminal propeptide of type 1 procollagen;P1NP Aminoterm Type 1;Procollagen 1 N-Terminal Propeptide	A measurement of the procollagen 1 N-terminal propeptide in a biological specimen.	Procollagen 1 N-Terminal Propeptide Measurement
C12897 3	P3NP	Procollagen 3 N-Terminal Propeptide	A measurement of the procollagen 3 N-terminal propeptide in a biological specimen.	Procollagen 3 N-Terminal Propeptide Measurement
C10227 9	P50OXYGN	P50 Oxygen	A measurement of the partial pressure of oxygen when hemoglobin is half saturated in a biological specimen.	P50 Oxygen Measurement
C11129 2	PAF	Platelet Activating Factor	A measurement of the platelet activating factor in a biological specimen.	Platelet Activating Factor Measurement
C12763 1	PAH	P-Aminohippurate Sodium	A measure of the para-aminohippurate sodium in a biological specimen.	Para-Aminohippurate Sodium Measurement
C82030	PAI1	Plasminogen Activator Inhibitor-1	A measurement of the plasminogen activator inhibitor-1 in a biological specimen.	Plasminogen Activator Inhibitor-1 Measurement
C81989	PAI1AG	Plasminogen Activator Inhibitor-1 AG	A measurement of the plasminogen activator inhibitor-1 antigen in a biological specimen.	Plasminogen Activator Inhibitor-1 Antigen Measurement
C80204	PAP	Prostatic Acid Phosphatase	A measurement of the prostatic acid phosphatase in a biological specimen.	Prostatic Acid Phosphatase Measurement
C82031	PAPPA	Pregnancy-Associated Plasma Protein-A	A measurement of the pregnancy-associated plasma protein-A in a biological specimen.	Pregnancy-Associated Plasma Protein-A Measurement
C74616	PAPPEN	Pappenheimer Bodies	A measurement of the cells containing Pappenheimer Bodies (violet or blue staining ferritin granules usually found along the periphery of the red blood cells) in a biological specimen.	Pappenheimer Body Count
C11620 7	PARICEAB	Anti-Parietal Cell Antibody;Parietal Cell Antibody	A measurement of the parietal cell antibody in a biological specimen.	Parietal Cell Antibody Measurement
C14741 0	PAROXET	Paroxetine	A measurement of the paroxetine present in a biological specimen.	Paroxetine Measurement
C96617	PB19GGAB	Parvovirus B19 IgG Antibody	A measurement of the Parvovirus B19 IgG antibody in a biological specimen.	Parvovirus B19 IgG Antibody Measurement
C96618	PB19GMAB	Parvovirus B19 IgM Antibody	A measurement of the Parvovirus B19 IgM antibody in a biological specimen.	Parvovirus B19 IgM Antibody Measurement
C13237 8	PC3MPSAM	PCA3 mRNA/PSA mRNA	A relative measurement (ratio) of the prostate cancer antigen 3 mRNA to prostate specific antigen mRNA in a biological specimen.	PCA3 mRNA to PSA mRNA Ratio Measurement
C13237 9	PCA3MRNA	Prostate Cancer Antigen 3 mRNA	A measurement of the prostate cancer antigen 3 mRNA in a biological specimen.	Prostate Cancer Antigen 3 mRNA Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11129 4	PCDW	Platelet Component Distribution Width	A measurement of a marker of platelet shape change in a biological specimen.	Platelet Component Distribution Width Measurement
C12064 6	PCNAG	Cyclin;Proliferating Cell Nuclear Antigen	A measurement of the proliferating cell nuclear antigen in a biological specimen.	Proliferating Cell Nuclear Antigen Measurement
C82625	PCO2	Partial Pressure Carbon Dioxide	A measurement of the pressure of carbon dioxide in a biological specimen.	Partial Pressure of Carbon Dioxide Measurement
C14741 1	PCO2ADJT	Partial Pressure Carbon Dioxide Adj Temp	A measurement of the pressure of carbon dioxide, which has been adjusted for body temperature, in a biological specimen.	Partial Pressure of Carbon Dioxide Adjusted for Body Temperature Measurement
C74694	PCP	Phencyclidine;Phencyclohexylpiperidine	A measurement of the phencyclidine present in a biological specimen.	Phencyclidine Measurement
C12064 7	PCSK9	Proprotein Convertase Subtilisin/Kexin 9	A measurement of the proprotein convertase subtilisin/kexin type 9 in a biological specimen.	Proprotein Convertase Subtilisin/Kexin Type 9 Measurement
C10343 0	PCT	Procalcitonin	A measurement of the procalcitonin in a biological specimen.	Procalcitonin Measurement
C11620 8	PDGFAB	PDGF Isoform AB;Platelet Derived Growth Factor IsoformAB;Platelet Derived Growth Factor-AB Isoform	A measurement of the platelet derived growth factor isoform AB in a biological specimen.	Platelet Derived Growth Factor Isoform AB Measurement
C81962	PDW	Platelet Distribution Width	A measurement of the range of platelet sizes in a biological specimen.	Platelet Distribution Width Measurement
C74617	PELGERH	Pelger Huet Anomaly	A measurement of the Pelger Huet Anomaly (nuclei of neutrophils and eosinophils appear rod-like, spherical or dumbbell shaped) in a biological specimen.	Pelger Huet Anomaly Measurement
C81988	PEMAB	Pemphigoid Antibodies	A measurement of the pemphigoid antibodies in a biological specimen.	Pemphigoid Antibody Measurement
C10012 2	PEPSNG	Pepsinogen	A measurement of the pepsinogen in a biological specimen.	Pepsinogen Measurement
C10046 9	PEPSNGA	PGA;Pepsinogen A	A measurement of the pepsinogen A in a biological specimen.	Pepsinogen A Measurement
C10047 0	PEPSNGC	PGC;Pepsinogen C	A measurement of the pepsinogen C in a biological specimen.	Pepsinogen C Measurement
C10046 7	PEPSNGI	PGI;Pepsinogen I	A measurement of the pepsinogen I in a biological specimen.	Pepsinogen I Measurement
C10046 8	PEPSNGII	PGII;Pepsinogen II	A measurement of the pepsinogen II in a biological specimen.	Pepsinogen II Measurement
C12763 2	PERCECE	Proliferating Erythroid/Total Cells	A relative measurement (ratio or percentage) of the proliferating erythroid cells to total cells in a biological specimen.	Proliferating Erythroid Cell to Total Cell Ratio Measurement
C11239 5	PERIOSTN	OSF2;Osteoblast Specific Factor 2;POSTN;Periostin	A measurement of the periostin in a biological specimen.	Periostin Measurement
C11929 1	PF2AI8CR	8-Iso-PGF2alpha/Creatinine	A relative measurement (ratio or percentage) of the prostaglandin F2 alpha isoform 8 to creatinine in a biological specimen.	8-Iso-Prostaglandin F2 Alpha to Creatinine Ratio Measurement
C14741 2	PF4HCIAB	Platelet Factor 4 Heparin Complex Induced Antibody;Platelet Fctr 4 Heparin Cmplx Induced Ab	A measurement of the platelet factor 4 heparin complex induced antibody in a biological specimen.	Platelet Factor 4-Heparin Complex Induced Antibody Measurement
C11129 5	PFCT	PFCT;Platelet Function Closure Time	A measurement of the platelet function closure time in a biological specimen.	Platelet Function Closure Time Measurement
C10334 3	PG	Prostaglandin	A measurement of the total prostaglandin in a biological specimen.	Prostaglandin Measurement



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10343 1	PGD2	Prostaglandin D2	A measurement of the prostaglandin D2 in a biological specimen.	Prostaglandin D2 Measurement
C10343 2	PGD2S	Prostaglandin D2 Synthase	A measurement of the prostaglandin D2 synthase in a biological specimen.	Prostaglandin D2 Synthase Measurement
C10343 4	PGE1	Prostaglandin E1	A measurement of the prostaglandin E1 in a biological specimen.	Prostaglandin E1 Measurement
C10343 5	PGE2	Prostaglandin E2	A measurement of the prostaglandin E2 in a biological specimen.	Prostaglandin E2 Measurement
C10343 3	PGES	Prostaglandin E Synthase	A measurement of the prostaglandin E synthase in a biological specimen.	Prostaglandin E Synthase Measurement
C10343 6	PGF1A	Prostaglandin F1 Alpha	A measurement of the prostaglandin F1 alpha in a biological specimen.	Prostaglandin F1 Alpha Measurement
C10343 7	PGF2A	Prostaglandin F2 Alpha	A measurement of the prostaglandin F2 alpha in a biological specimen.	Prostaglandin F2 Alpha Measurement
C11929 2	PGF2AI8	8-Iso-Prostaglandin F2 Alpha	A measurement of the prostaglandin F2 alpha isoform 8 in a biological specimen.	8-Iso-Prostaglandin F2 Alpha Measurement
C45997	PH	pH	The negative logarithm (base 10) of the concentration of hydronium ions, which is used as a measure of the acidity or alkalinity of a fluid.	pH
C81280	PHE	Phenylalanine	A measurement of the phenylalanine in a biological specimen.	Phenylalanine Measurement
C74695	PHENTHZ	Dibenzothiazine;Phenothiazine	A measurement of the phenothiazine present in a biological specimen.	Phenothiazine Measurement
C14741 3	PHENYTN	Phenytoin	A measurement of the phenytoin in a biological specimen.	Phenytoin Measurement
C75368	PHNBRBTL	Phenobarbital	A measurement of the phenobarbital present in a biological specimen.	Phenobarbital Measurement
C14741 4	PHNKET	Phenyl Ketones;Phenylketones	A measurement of the total phenylketones in a biological specimen	Phenylketone Measurement
C64857	PHOS	Inorganic Phosphate;Phosphate;Phosphorus	A measurement of the phosphate in a biological specimen.	Phosphate Measurement
C10655 3	PHOSCLR	Phosphate Clearance	A measurement of the volume of serum or plasma that would be cleared of phosphate by excretion of urine for a specified unit of time (e.g. one minute).	Phosphate Clearance Measurement
C79461	PHOSCRT	Phosphate/Creatinine	A relative measurement (ratio or percentage) of the phosphate to creatinine in a biological specimen.	Phosphate to Creatinine Ratio Measurement
C11784 5	PHOSEXR	Phosphorus Excretion Rate	A measurement of the amount of phosphorus being excreted in urine over a defined amount of time (e.g. one hour).	Phosphorus Urine Excretion Rate
C96623	PHOSLPD	Phospholipid	A measurement of the phospholipids in a biological specimen.	Phospholipid Measurement
C82033	PICP	Procollagen Type I Carboxy Term Peptide	A measurement of the procollagen-1 carboxy-terminal peptide in a biological specimen.	Procollagen Type I Carboxy Terminal Peptide Measurement
C11421 0	PLAGGCVT	Platelet Aggregation Curve Type	The classification of the curve pattern that is formed as a result of platelet aggregation.	Platelet Aggregometry Curve Type
C11421 1	PLAGMAMP	Platelet Aggregation Mean Amplitude	An average of the measurements of the magnitude of the platelet aggregation in a biological specimen.	Platelet Aggregometry Mean Amplitude

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C11421 2	PLAGMCVT	Platelet Aggregation Mean Curve Type	The classification of the curve pattern that is formed as the average result of the platelet aggregation curve measurements.	Platelet Aggregometry Mean Curve Type
C51951	PLAT	Platelets	A measurement of the platelets (non-nucleated thrombocytes) in a biological specimen.	Platelet Count
C10342 7	PLATAGGR	Platelet Aggregation;Platelet Function	A measurement of the association of platelets to one another via adhesion molecules in a biological sample.	Platelet Aggregation Measurement
C14741 5	PLATAGRN	Platelets, Agranular	A measurement of the agranular platelets in a biological specimen.	Agranular Platelets Count
C96624	PLATCLMP	PLT Clumps;Platelet Clumps	A measurement of the platelet clumps in a biological specimen.	Platelet Clumps Count
C13544 0	PLATEST	Platelets, Estimated	An estimated measurement of the platelets (non-nucleated thrombocytes) in a biological specimen.	Estimated Platelets Measurement
C74728	PLATGNT	Giant Platelets	A measurement of the giant (larger than 7um in diameter) platelets in a biological specimen.	Giant Platelet Count
C10042 4	PLATHCT	Platelet Hematocrit;Thrombocytocrit	A relative measurement (ratio or percentage) of the proportion of the volume of blood taken up by platelets.	Platelet Hematocrit Measurement
C74729	PLATLRG	Large Platelets	A measurement of the large (between 4 um and 7um in diameter) platelets in a biological specimen.	Large Platelet Count
C11620 9	PLATSAT	Platelet Satellitism	An examination or assessment of the platelet satellitism (platelet rosetting around cells) in a biological specimen.	Platelet Satellitism Assessment
C12763 3	PLG	Plasminogen	A measurement of the plasminogen (antigen) in a biological specimen.	Plasminogen Measurement
C14741 6	PLSIMCCE	Immature Plasma Cells/Total Cells	A relative measurement (ratio or percentage) of the immature plasma cells (plasmacytes) to total cells in a biological specimen.	Immature Plasma Cells to Total Cells Ratio Measurement
C96679	PLSIMCE	Immature Plasma Cells	A measurement of the immature plasma cells in a biological specimen.	Immature Plasma Cell Count
C96680	PLSIMCLY	Immature Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of immature plasma cells to total lymphocytes in a biological specimen.	Immature Plasma Cell to Lymphocyte Ratio Measurement
C74661	PLSMCE	Mature Plasma Cells;Plasmacytes	A measurement of the mature plasma cells (plasmacytes) in a biological specimen.	Mature Plasma Cell Count
C98869	PLSMCECE	Mature Plasma Cells/Total Cells	A relative measurement (ratio or percentage) of the mature plasma cells (plasmacytes) to total cells in a biological specimen (for example a bone marrow specimen).	Plasma Cell to Total Cell Ratio Measurement
C74911	PLSMCELY	Mature Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the mature plasma cells (plasmacytes) to all lymphocytes in a biological specimen.	Mature Plasma Cell to Lymphocyte Ratio Measurement
C10045 3	PLSMDM	Malaria;Plasmodium	Examination of a biological specimen to detect the presence of any protozoan belonging to the Plasmodium genus.	Plasmodium Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74619	PLSPCE	Plasmablast;Precursor Plasma Cells	A measurement of the precursor (blast stage) plasma cells (antibody secreting cells derived from B cells via antigen stimulation) in a biological specimen.	Precursor Plasma Cell Count
C74650	PLSPCELY	Precursor Plasma Cells/Lymphocytes	A relative measurement (ratio or percentage) of the precursor (blast stage) plasma cells (antibody secreting cells derived from B cells via antigen stimulation) to all lymphocytes in a biological specimen.	Precursor Plasma Cell to Lymphocyte Ratio Measurement
C12897 4	PLSTCE	Total Plasma Cells	A measurement of the total plasma cells in a biological specimen.	Plasma Cell Count
C12897 5	PLSTCELE	Total Plasma Cells/Leukocytes	A relative measurement (ratio or percentage) of the total plasma cells to leukocytes in a biological specimen.	Plasma Cells to Leukocytes Ratio Measurement
C11129 3	PLTAGAMP	Platelet Aggregation Amplitude	A measurement of the magnitude of the platelet aggregation in a biological specimen.	Platelet Aggregation Amplitude Measurement
C11129 6	PLTMORPH	Platelet Morphology	An examination or assessment of the form and structure of platelets.	Platelet Morphology Measurement
C13238 0	PMDW	Platelet Mass Distribution Width	A measurement which represents the variation defined by two standard deviations of the platelet dry mass distribution in a biological specimen.	Platelet Mass Distribution Width
C12763 4	PMYCECE	Proliferating Myeloid Cells/Total Cells	A relative measurement (ratio or percentage) of the proliferating myeloid cells to total cells in a biological specimen.	Proliferating Myeloid Cell to Total Cell Ratio Measurement
C80201	PNCTPP	Pancreatic Polypeptide	A measurement of the pancreatic polypeptide in a biological specimen.	Pancreatic Polypeptide Measurement
C75367	PNTBRBTL	Pentobarbital	A measurement of the pentobarbital present in a biological specimen.	Pentobarbital Measurement
C71251	PO2	Partial Pressure Oxygen	A measurement of the pressure of oxygen in a biological specimen.	Partial Pressure of Oxygen Measurement
C14741 7	PO2ADJT	Partial Pressure Oxygen Adj for Temp	A measurement of the pressure of oxygen, which has been adjusted for body temperature, in a biological specimen.	Partial Pressure of Oxygen Adjusted for Body Temperature Measurement
C11929 3	PO2FIO2	PAO2/FIO2;PP Arterial O2/Fraction Inspired O2	A relative measurement (ratio or percentage) of the force per unit area (pressure) of oxygen dissolved in arterial blood to the percentage oxygen of an inhaled mixture of gasses.	Partial Pressure Arterial Oxygen to Fraction Inspired Oxygen Ratio Measurement
C79602	POIKILO	Poikilocytes	A measurement of the odd-shaped erythrocytes in a whole blood specimen.	Poikilocyte Measurement
C74649	POIKRBC	Poikilocytes/Erythrocytes	A relative measurement (ratio or percentage) of the poikilocytes, or irregularly shaped erythrocytes, to all erythrocytes in a biological specimen.	Poikilocyte to Erythrocyte Ratio Measurement
C64803	POLYCHR	Polychromasia	A measurement of the blue-staining characteristic of newly generated erythrocytes.	Polychromasia
C14741 8	POLYERY	Polychromatophilic Erythroblast	A measurement of the polychromatophilic erythroblasts in a biological specimen taken from a non-human organism.	Polychromatophilic Erythroblast Count
C14741 9	POLYNORM	Polychromatophilic Normoblast	A measurement of the polychromatophilic normoblasts in a biological specimen taken from a non-human organism.	Polychromatophilic Normoblast Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120648	PORPH	Porphyrin	A measurement of the total porphyrin in a biological specimen.	Porphyrin Measurement
C147420	PPTDCALB	Phosphatidylcholine/Albumin	A relative measurement (ratio or percentage) of the phosphatidylcholine to albumin in a biological specimen.	Phosphatidylcholine to Albumin Ratio Measurement
C116210	PRAB	PRA Score;Panel Reactive Antibody;Percent Reactive Antibody	A measurement of the panel reactive antibody that is achieved by mixing and assessing the reactivity between the recipient's immune cells and the donor's human leukocyte antigen, in which anti-HLA class I and class II antibody specificities are measured separately in a biological specimen.	Panel Reactive Antibody Test
C132381	PRABC	Calculated Panel Reactive Antibody	A measurement of the calculated panel reactive antibody, which is based on the number/type of unacceptable HLA antigens to which an organ recipient has been sensitized, and which algorithmically estimates the level of sensitization in the recipient. The CPRA is computed from HLA antigen frequencies in a given donor population using both anti-HLA class I and class II antibody specificities; it also represents the percentage of actual organ donors that express one or more unacceptable HLA antigens to which a recipient may react adversely.	Calculated Panel Reactive Antibody Measurement
C132382	PRCTC	Prostate Circulating Tumor Cells	A measurement of the prostate circulating tumor cells in a biological specimen.	Circulating Prostate Tumor Cell Count
C100435	PREALB	Prealbumin;Thyroxine-binding Prealbumin;Transthyretin	A measurement of the prealbumin in a biological specimen.	Prealbumin Measurement
C147421	PRGNENLN	Pregnenolone	A measurement of the pregnenolone in a biological specimen.	Pregnenolone Measurement
C111299	PRINSINS	Proinsulin/Insulin Ratio	A relative measurement (ratio or percentage) of the proinsulin to insulin in a biological specimen.	Proinsulin to Insulin Ratio Measurement
C64829	PRLYMLE	Prolymphocytes/Leukocytes	A relative measurement (ratio or percentage) of prolymphocytes to leukocytes in a biological specimen.	Prolymphocyte to Leukocyte Ratio
C122141	PRO	Proline	A measurement of the proline in a biological specimen.	Proline Measurement
C74791	PROGEST	Progesterone	A measurement of the progesterone hormone in a biological specimen.	Progesterone Measurement
C117846	PROGESTR	NR3C3;PR;Progesterone Receptor	A measurement of the progesterone receptor protein in a biological specimen.	Progesterone Receptor Measurement
C81967	PROINSUL	Proinsulin	A measurement of the proinsulin in a biological specimen.	Proinsulin Measurement
C74870	PROLCTN	Prolactin	A measurement of the prolactin hormone in a biological specimen.	Prolactin Measurement
C74620	PROLYM	Prolymphocytes	A measurement of the prolymphocytes in a biological specimen.	Prolymphocyte Count
C74651	PROLYMLY	Prolymphocytes/Lymphocytes	A relative measurement (ratio or percentage) of the prolymphocytes to all lymphocytes in a biological specimen.	Prolymphocyte to Lymphocyte Ratio Measurement
C74652	PROMONLE	Promonocytes/Leukocytes	A relative measurement (ratio or percentage) of the promonocytes to all leukocytes in a biological specimen.	Promonocyte to Lymphocyte Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74621	PROMONO	Promonocytes	A measurement of the promonocytes in a biological specimen.	Promonocyte Count
C74622	PROMY	Promyelocytes	A measurement of the promyelocytes (immature myelocytes) in a biological specimen.	Promyelocyte Count
C11784 7	PROMYB	Promyeloblasts	A measurement of the promyeloblasts in a biological specimen.	Promyeloblasts Measurement
C98773	PROMYCE	Promyelocytes/Total Cells	A relative measurement (ratio or percentage) of the promyelocytes (immature myelocytes) to total cells in a biological specimen (for example a bone marrow specimen).	Promyelocyte to Total Cell Ratio Measurement
C74653	PROMYLE	Promyelocytes/Leukocytes	A relative measurement (ratio or percentage) of the promyelocytes (immature myelocytes) to all leukocytes in a biological specimen.	Promyelocyte to Lymphocyte Ratio Measurement
C74885	PROPOX	Propoxyphene	A measurement of the propoxyphene present in a biological specimen.	Propoxyphene Measurement
C12897 6	PRORUB	Basophilic Erythroblast;Basophilic Normoblast;Prorubricyte	A measurement of the prorubricytes in a biological specimen.	Prorubricyte Count
C12897 7	PRORUBCE	Prorubricyte/Total Cells	A relative measurement (ratio or percentage) of the prorubricytes to total cells in a biological specimen.	Prorubricyte to Total Cell Ratio Measurement
C64858	PROT	Protein	A measurement of the total protein in a biological specimen.	Total Protein Measurement
C79463	PROTCRT	Protein/Creatinine	A relative measurement (ratio or percentage) of the total protein to creatinine in a biological specimen.	Protein to Creatinine Ratio Measurement
C11784 8	PROTEXR	Protein Excretion Rate	A measurement of the amount of total protein being excreted in urine over a defined amount of time (e.g. one hour).	Total Protein Urine Excretion Rate
C92240	PROTOSML	Protein/Osmolality;Protein/Osmolality Ratio	A relative measurement (ratio or percentage) of total proteins to the osmolality of a biological specimen.	Protein to Osmolality Ratio Measurement
C11784 9	PROTOZOA	Protozoa	Examination of a biological specimen to detect the presence of protozoa in a biological specimen.	Protozoa Measurement
C14742 2	PROTPATN	Protein Pattern	A measurement of the protein band pattern in a biological specimen.	Protein Pattern Measurement
C10043 6	PROTS	Protein S	A measurement of the total protein S in a biological specimen.	Protein S Measurement
C12214 2	PROTSFR	Protein S, Free	A measurement of the unbound protein S in a biological specimen.	Free Protein S Measurement
C12064 9	PRTN3AB	Proteinase 3 Antibody	A measurement of the proteinase 3 antibody in a biological specimen.	Proteinase 3 Antibody Measurement
C13908 0	PRZPM	Prazepam	A measurement of the prazepam present in a biological specimen.	Prazepam Measurement
C17634	PSA	Prostate Specific Antigen	A measurement of the total prostate specific antigen in a biological specimen.	Prostate Specific Antigen Measurement
C13238 3	PSAF	Prostate Specific Antigen, Free	A measurement of the unbound prostate-specific antigen in a biological specimen.	Free Prostate Specific Antigen Measurement
C13238 4	PSAFPSAT	PSA, Free/PSA	A relative measurement (percentage) of the free prostate specific antigen to total prostate specific antigen in a biological specimen.	Free PSA to Total PSA Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13238 5	PSAMRNA	Prostate Specific Antigen mRNA	A measurement of the prostate-specific antigen mRNA in a biological specimen.	Prostate Specific Antigen mRNA Measurement
C74696	PSDEPHD	Pseudoephedrine	A measurement of the pseudoephedrine present in a biological specimen.	Pseudoephedrine Measurement
C14742 3	PSDGLSRF	Phosphatidylglycerol/Lung Surfactant;Phosphatidylglycerol/Pulmonary Surfactant	A relative measurement (ratio) of the phosphatidylglycerol to total lung surfactant in a biological specimen.	Phosphatidylglycerol to Lung Surfactant Ratio Measurement
C11785 0	PSELECT	GMP-140;P-Selectin	A measurement of total P-selectin in a biological specimen.	P-Selectin Measurement
C12065 0	PSELECTS	Soluble P-Selectin	A measurement of the soluble P-selectin in a biological specimen.	Soluble P-Selectin Measurement
C12214 3	PSIGAAB	Phosphatidylserine IgA Antibody	A measurement of the phosphatidylserine IgA antibody in a biological specimen.	Phosphatidylserine Antibody IgA Measurement
C12214 4	PSIGGAB	Phosphatidylserine IgG Antibody	A measurement of the phosphatidylserine IgG antibody in a biological specimen.	Phosphatidylserine Antibody IgG Measurement
C12214 5	PSIGMAB	Phosphatidylserine IgM Antibody	A measurement of the phosphatidylserine IgM antibody in a biological specimen.	Phosphatidylserine Antibody IgM Measurement
C12065 1	PSP100AB	P100 Polymyositis-scleroderma Autoag Ab	A measurement of the p100 polymyositis-scleroderma overlap syndrome-associated autoantigen antibody in a biological specimen.	P100 Polymyositis-scleroderma Autoantigen Antibody Measurement
C62656	PT	Prothrombin Time	A blood clotting measurement that evaluates the extrinsic pathway of coagulation.	Prothrombin Time
C98774	PTA	Factor II Activity;Prothrombin Activity	A measurement of the biological activity of prothrombin in a biological specimen.	Prothrombin Activity Measurement
C82034	PTF1_2	Prothrombin Fragments 1 + 2	A measurement of the prothrombin fragments 1 and 2 in a biological specimen.	Prothrombin Fragments 1 and 2 Measurement
C81964	PTHCT	Parathyrin Hormone, C-Terminal;Parathyroid Hormone, C-Terminal	A measurement of the C-terminal fragment of parathyroid hormone in a biological specimen.	C-Terminal Parathyroid Hormone Measurement
C74784	PTHFG	Parathyrin Hormone, Fragmented;Parathyroid Hormone, Fragmented	A measurement of the fragmented parathyroid hormone in a biological specimen.	Fragmented Parathyroid Hormone Measurement
C74789	PTHI	Parathyrin, Intact;Parathyroid Hormone, Intact	A measurement of the intact parathyroid hormone (consisting of amino acids 1-84 or 7-84) in a biological specimen.	Intact Parathyroid Hormone Measurement
C81965	PTHMM	Parathyrin Hormone, Mid-Molecule;Parathyroid Hormone, Mid-Molecule	A measurement of the mid-molecule fragment of parathyroid hormone in a biological specimen.	Mid-Molecule Parathyroid Hormone Measurement
C81966	PTHNT	Parathyrin Hormone, N-Terminal;Parathyroid Hormone, N-Terminal	A measurement of the N-terminal fragment of parathyroid hormone in a biological specimen.	N-Terminal Parathyroid Hormone Measurement
C11785 1	PTHRP	Parathyrin Hormone-related Protein;Parathyroid Hormone-related Peptide;Parathyroid Hormone-related Protein	A measurement of parathyroid hormone-related protein in a biological specimen.	Parathyroid Hormone-related Protein Measurement
C10345 1	PTHW	Parathyrin Hormone, Whole;Parathyroid Hormone, Whole	A measurement of the whole parathyroid hormone (consisting of amino acids 1-84) in a biological specimen.	Whole Parathyroid Hormone Measurement
C14742 4	PTSAAC	Protein S Activity Actual/Control;Protein S Activity Actual/Normal;Protein S Activity Actual/Protein S Activity Control	A relative measurement (ratio or percentage) of the biological activity of protein S in a subject's specimen when compared to the same activity in a control specimen.	Protein S Activity Actual to Control Ratio Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14742 5	PTSFAAC	Protein S Free Activity Actual/Control;Protein S Free Activity Actual/Normal;Protein S Free Activity Actual/Protein S Free Activity Control	A relative measurement (ratio or percentage) of the biological activity of free protein S in a subject's specimen when compared to the same activity in a control specimen.	Free Protein S Activity Actual to Control Ratio Measurement
C14742 6	PYDCREAT	Pyridinoline/Creatinine	A relative measurement (ratio or percentage) of the pyridinoline to creatinine in a biological specimen.	Pyridinoline to Creatinine Ratio Measurement
C80211	PYRIDNLN	Pyridinoline	A measurement of the pyridinoline in a biological specimen.	Pyridinoline Measurement
C14742 7	PYRUVATE	Pyruvate;Pyruvic Acid	A measurement of the pyruvate in a biological specimen.	Pyruvate Measurement
C80202	PYY	Peptide Tyrosine Tyrosine;Peptide YY	A measurement of the peptide YY in a biological specimen.	Peptide YY Measurement
C11785 2	RANKL	Receptor Activator Nuclear KappaB Ligand;Receptor Activator of Nuclear Kappa-B Ligand	A measurement of the receptor activator of nuclear kappa-B ligand in a biological specimen.	Receptor Activator Nuclear KappaB Ligand Measurement
C81957	RANTES	Chemokine Ligand 5;Reg upon Act Normal T-cell Exprd Secrtd	A measurement of the RANTES (regulated on activation, normally, T-cell expressed, and secreted) chemokine in a biological specimen.	Reg upon Act Normal T-cell Exprd Secrtd Measurement
C51946	RBC	Erythrocytes;Red Blood Cells	A measurement of the total erythrocytes in a biological specimen.	Erythrocyte Count
C11119 7	RBCAGGLU	Autoagglutination;Erythrocyte Agglutination;RBC Agglutination	A measurement of the erythrocyte agglutination in a biological specimen.	Erythrocyte Agglutination Measurement
C92245	RBCCLMP	Erythrocyte Cell Clumps;RBC Aggregates;RBC Clumps;Red Blood Cell Clumps	A measurement of red blood cell clumps in a biological specimen.	Erythrocyte Cell Clumps Measurement
C11785 3	RBCDIPOP	Dimorphic Erythrocyte Population;Dimorphic RBC Population	Examination of a biological specimen to detect the presence of dimorphic erythrocyte population.	Dimorphic Erythrocyte Population
C13544 1	RBCDYSM	Dysmorphic Erythrocytes	A measurement of the dysmorphic erythrocytes in a biological specimen.	Dysmorphic Erythrocyte Count
C11621 2	RBCFRAG	Erythrocyte Fragment;RBC Fragment	A measurement of the red blood cell fragments (red cell fragments that have a reticular-like shape with rounded ends and no spicules, differentiating them from schistocytes and acanthocytes) in a biological specimen.	Erythrocyte Fragment Measurement
C96605	RBCGHOST	Erythrocyte Ghosts;RBC Ghosts	A measurement of the erythrocyte ghosts (erythrocytes in which hemoglobin has been removed through hemolysis) in a biological specimen.	Erythrocyte Ghost Count
C92296	RBCMORPH	Erythrocyte Cell Morphology;RBC Morphology;Red Blood Cell Morphology	An examination or assessment of the form and structure of red blood cells.	Erythrocyte Cell Morphology
C74705	RBCNUC	Nucleated Erythrocytes;Nucleated Red Blood Cells	A measurement of the nucleated erythrocytes (large, immature nucleated erythrocytes) in a biological specimen.	Nucleated Red Blood Cell Count
C82046	RBCNUCLE	Nucleated Erythrocytes/Leukocytes	A relative measurement (ratio or percentage) of nucleated erythrocytes to leukocytes in a biological specimen.	Nucleated Erythrocyte to Leukocyte Ratio Measurement
C74647	RBCNURBC	Nucleated Erythrocytes/Erythrocytes;Nucleated Red Blood Cells/Erythrocytes	A relative measurement (ratio or percentage) of the nucleated erythrocytes (large, immature nucleated erythrocytes) to all erythrocytes in a biological specimen.	Nucleated Red Blood Cell to Erythrocyte Ratio Measurement
C11241 2	RBOIGGAB	Measles IgG Antibody;Rubeola IgG Antibody	A measurement of the Measles (Rubeola) virus IgG antibody in a biological specimen.	Rubeola IgG Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112413	RBOIGMAB	Measles IgM Antibody;Rubeola IgM Antibody	A measurement of the Measles (Rubeola) virus IgM antibody in a biological specimen.	Rubeola IgM Antibody Measurement
C100437	RBP	Retinol Binding Protein	A measurement of the total retinol binding protein in a biological specimen.	Retinol Binding Protein Measurement
C147428	RDCSUB	Reducing Substances	A measurement of the reducing substances (e.g., sugars, glutathione, creatinine, uric acid, and ascorbic acid) in a biological specimen.	Reducing Substance Measurement
C147429	RDCSUG	Reducing Sugars	A measurement of the reducing sugars in a biological specimen.	Reducing Sugar Measurement
C64800	RDW	Erythrocytes Distribution Width;RDW-CV;Red Blood Cell Distribution Width;Red Cell Volume Distribution Width	A relative measurement (ratio or percentage) of the standard deviation of the red blood cell volume to the mean distribution of the red blood cell volume in a biological specimen.	Erythrocyte Distribution Width Measurement
C139074	RDWR	RDWR;Ret Volume Distribution Width;Reticulocyte Volume Distribution Width	A relative measurement (ratio or percentage) of the standard deviation of the reticulocyte volume to the mean distribution of the reticulocyte volume in a biological specimen.	Reticulocyte Volume Distribution Width
C139072	RDWRCV	RDWR-CV;Red Cell Volume Distribution Width Coefficient of Variation in Reticulocytes;Ret RDW Coefficient of Variation;Reticulocyte Volume Distribution Width Coefficient of Variation	A measurement of the volume dispersion within a reticulocyte population, calculated as the standard deviation of the mean reticulocyte volume divided by the mean reticulocyte volume, multiplied by 100 to convert to a percentage.	Reticulocyte Volume Distribution Width Coefficient of Variation
C139073	RDWRSD	RDWR-SD;Red Cell Volume Distribution Width Standard Deviation in Reticulocytes;Ret RDW Standard Deviation;Reticulocyte Volume Distribution Width Standard Deviation	A measurement of the volume dispersion within a reticulocyte population, calculated as the width of the distribution curve at the 20 percent frequency level.	Reticulocyte Volume Distribution Width Standard Deviation
C139071	RDWSD	RDW Standard Deviation;RDW-SD;Red Cell Volume Distribution Width Standard Deviation	A measurement of the volume dispersion within an erythrocyte population, calculated as the width of the distribution curve at the 20 percent frequency level.	Red Cell Volume Distribution Width Standard Deviation
C74893	RENIN	Active Renin;Angiotensinogenase;Direct Renin;Renin	A measurement of the renin in a biological specimen.	Renin Measurement
C111305	RENINA	Renin Activity	A measurement of the renin activity in a biological specimen.	Renin Activity Measurement
C80205	RESISTIN	Resistin	A measurement of the resistin in a biological specimen.	Resistin Measurement
C102274	RETCRRBC	HCT Corrected Reticulocytes/Erythrocytes	A relative measurement (ratio or percentage) of the hematocrit corrected reticulocytes to erythrocytes in a biological specimen.	Hematocrit Corrected Reticulocytes to Erythrocytes Ratio Measurement
C51947	RETI	Reticulocytes	A measurement of the reticulocytes in a biological specimen.	Reticulocyte Count
C98776	RETICH	Chr;Ret. Corpuscular Hemoglobin Content;Reticulocyte Cellular Hemoglobin Content	A measurement of the total amount of hemoglobin in the reticulocyte population.	Reticulocyte Corpuscular Hemoglobin Content
C116188	RETIH	High Absorption Reticulocytes	A measurement of the high absorption reticulocytes in a biological specimen.	High Absorption Reticulocyte Measurement
C102273	RETIHCR	Hematocrit Corrected Reticulocytes	A measurement of the hematocrit corrected reticulocytes in a biological specimen.	Hematocrit Corrected Reticulocyte Count



**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C116189	RETIHRTC	High Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the high absorption reticulocytes to total reticulocytes in a biological specimen.	High Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C116190	RETIL	Low Absorption Reticulocytes	A measurement of the low absorption reticulocytes in a biological specimen.	Low Absorption Reticulocyte Measurement
C116191	RETILRTC	Low Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the low absorption reticulocytes to total reticulocytes in a biological specimen.	Low Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C116192	RETIM	Medium Absorption Reticulocytes	A measurement of the medium absorption reticulocytes in a biological specimen.	Medium Absorption Reticulocyte Measurement
C116193	RETIMRTC	Medium Absorption Retic/Reticulocytes	A relative measurement (ratio or percentage) of the medium absorption reticulocytes to total reticulocytes in a biological specimen.	Medium Absorption Reticulocytes to Total Reticulocytes Ratio Measurement
C64828	RETIRBC	Reticulocytes/Erythrocytes	A relative measurement (ratio or percentage) of reticulocytes to erythrocytes in a biological specimen.	Reticulocyte to Erythrocyte Ratio
C135442	RETPALM	Retinol Palmitate;Retinyl Palmitate;Vitamin A Palmitate	A measurement of the endogenous retinyl palmitate vitamin A in a biological specimen.	Retinyl Palmitate Measurement
C74717	RF	Rheumatoid Factor	A measurement of the rheumatoid factor antibody in a biological specimen.	Rheumatoid Factor Measurement
C120652	RFIGAAB	Rheumatoid Factor IgA Antibody	A measurement of the rheumatoid factor IgA antibody in a biological specimen.	Rheumatoid Factor Antibody IgA Measurement
C120653	RFIGGAB	Rheumatoid Factor IgG Antibody	A measurement of the rheumatoid factor IgG antibody in a biological specimen.	Rheumatoid Factor Antibody IgG Measurement
C120654	RFIGMAB	Rheumatoid Factor IgM Antibody	A measurement of the rheumatoid factor IgM antibody in a biological specimen.	Rheumatoid Factor Antibody IgM Measurement
C92948	RH	Rh Factor	A measurement of non-specified Rhesus factor antigen(s) in a biological specimen.	Rh Factor Measurement
C125948	RHD	RhD Factor	A measurement of the Rhesus factor D antigen in a biological specimen.	RhD Factor Measurement
C120655	RLP	RLP Cholesterol	A measurement of the cholesterol remnant-like particles in a biological specimen.	Remnant-like Particle Cholesterol Measurement
C120656	RMNTLP	Remnant Lipoprotein	A measurement of the remnant lipoproteins in a biological specimen.	Remnant Lipoprotein Measurement
C132301	RNA	Ribonucleic Acid	A measurement of a targeted ribonucleic acid (RNA) in a biological specimen.	Ribonucleic Acid Measurement
C120657	RNP70AB	Ribonucleoprotein-70 Antibody;snRNP70 Antibody	A measurement of the small nuclear ribonucleoprotein 70 antibody in a biological specimen.	Ribonucleoprotein-70 Antibody Measurement
C100457	RNPAB	RNP Antibody;Ribonucleoprotein Antibody;Ribonucleoprotein Extractable Nuclear Antibody	A measurement of the total ribonucleoprotein antibodies in a biological specimen.	Ribonucleoprotein Antibody Measurement
C120658	RNPSMAB	Ribonucleoprotein Smith Complex Antibody	A measurement of the ribonucleoprotein Smith complex antibody in a biological specimen.	Ribonucleoprotein Smith Complex Antibody Measurement
C122146	ROM	Reactive Oxygen Metabolite	A measurement of the reactive oxygen metabolite in a biological specimen.	Reactive Oxygen Metabolite Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74624	ROULEAUX	Rouleaux Formation	A measurement of the stacking red blood cells in a biological specimen.	Rouleaux Formation Count
C142288	ROUNDCE	Round Cells	A measurement of the round cells (round shaped cells mainly comprised of white blood cells and immature spermatogenic cells) in a biological specimen.	Round Cell Count
C122147	RP3IGGAB	RNA Polymerase III IgG Antibody	A measurement of the RNA polymerase III IgG antibody in a biological specimen.	RNA Polymerase III IgG Antibody Measurement
C142289	RPA1	Renal Papillary Antigen 1	A measurement of the renal papillary antigen 1 in a biological specimen.	Renal Papillary Antigen 1 Measurement
C120659	RPPAB	Ribosomal P Protein Antibody	A measurement of the total ribosomal P protein antibody in a biological specimen.	Ribosomal P Protein Antibody Measurement
C74716	RPR	Rapid Plasma Reagin	A measurement of the antibodies produced by cellular damage caused by <i>Treponema pallidum</i> (syphilis) in a biological specimen.	Rapid Plasma Reagin Measurement
C147430	RPTLAAC	Reptilase Activity Actual/Control;Reptilase Activity Actual/Normal;Reptilase Activity Actual/Reptilase Activity Control	A relative measurement (ratio or percentage) of the biological activity of reptilase dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Reptilase Activity Actual to Control Ratio Measurement
C96628	RPTLTIME	Reptilase Time	A measurement of the time it takes a plasma sample to clot after adding the active enzyme reptilase.	Reptilase Time Measurement
C81968	RT3	Triiodothyronine, Reverse	A measurement of the reverse triiodothyronine in a biological specimen.	Reverse Triiodothyronine Measurement
C128978	RUB	Polychromatophilic Erythroblast;Polychromatophilic Normoblast;Rubricyte	A measurement of the rubricytes in a biological specimen.	Rubricyte Count
C129006	RUBCE	Rubricyte/Total Cells	A relative measurement (ratio or percentage) of the rubricytes to total cells in a biological specimen.	Rubricyte to Total Cell Ratio Measurement
C103440	RUBIGGAB	Rubella IgG Antibody	A measurement of the Rubella IgG antibody in a biological specimen.	Rubella IgG Antibody Measurement
C127635	S100B	S100 Calcium-Binding Protein B	A measure of the S100 calcium-binding protein B in a biological specimen.	S100 Calcium-Binding Protein B Measurement
C147431	SALCYLT	Salicylates	A measurement of the salicylates in a biological specimen.	Salicylates Measurement
C75369	SCBRBTL	Secobarbital	A measurement of the secobarbital present in a biological specimen.	Secobarbital Measurement
C120660	SCCAG	Squamous Cell Carcinoma Antigen	A measurement of the squamous cell carcinoma antigen in a biological specimen.	Squamous Cell Carcinoma Antigen Measurement
C82035	SCF	KIT Ligand;Stem Cell Factor	A measurement of the stem cell factor in a biological specimen.	Stem Cell Factor Measurement
C74706	SCHISTO	Schistocytes	A measurement of the schistocytes (fragmented red blood cells) in a biological specimen.	Schistocyte Count
C74656	SCKCERBC	Sickle Cells/Erythrocytes	A relative measurement (ratio or percentage) of the sickle cells (sickle shaped red blood cells) to all erythrocytes in a biological specimen.	Sickle Cell to Erythrocyte Ratio Measurement
C74626	SCKLCE	Sickle Cells	A measurement of the sickle cells (sickle shaped red blood cells) in a biological specimen.	Sickle Cell Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C10045 8	SCL70AB	Scl-70 Antibody;Scleroderma-70 Antibody	A measurement of the total Scl-70 antibody in a biological specimen.	Scl-70 Antibody Measurement
C12214 8	SCL70GAB	Scl-70 IgG Antibody;Scleroderma-70 IgG Antibody	A measurement of the Scl-70 IgG antibody in a biological specimen.	Scl-70 IgG Antibody Measurement
C79465	SDH	Sorbitol Dehydrogenase	A measurement of the sorbitol dehydrogenase in a biological specimen.	Sorbitol Dehydrogenase Measurement
C74871	SECRETIN	Secretin	A measurement of the secretin hormone in a biological specimen.	Secretin Measurement
C10574 4	SEDEXAM	Microscopic Sediment Analysis;Sediment Analysis;Sediment Examination	An observation, assessment or examination of the sediment in a biological specimen.	Sediment Analysis
C12214 9	SER	Serine	A measurement of the serine in a biological specimen.	Serine Measurement
C14743 2	SERTRAL	Sertraline	A measurement of the sertraline present in a biological specimen.	Sertraline Measurement
C74625	SEZCE	Sezary Cells	A measurement of the Sezary cells (atypical lymphocytes with cerebriform nuclei) in a biological specimen.	Sezary Cell Count
C74655	SEZCELY	Sezary Cells/Lymphocytes	A relative measurement (ratio or percentage of the Sezary cells (atypical lymphocytes with cerebriform nuclei) to all lymphocytes in a biological specimen.	Sezary Cell to Lymphocyte Ratio Measurement
C11132 2	SFTPD	SP-D;Surfactant Protein D	A measurement of the surfactant protein D in a biological specimen.	Surfactant Protein D Measurement
C74745	SHBG	Sex Hormone Binding Globulin;Sex Hormone Binding Protein	A measurement of the sex hormone binding (globulin) protein in a biological specimen.	Sex Hormone Binding Protein Measurement
C13238 6	SICAM1	Soluble Intercell Adhesion Molecule 1	A measurement of the soluble intercellular adhesion molecule 1 in a biological specimen.	Soluble Intercellular Adhesion Molecule 1 Measurement
C74876	SIXMAM	6-Monoacetylmorphine	A measurement of the 6-monoacetylmorphine present in a biological specimen.	6-Monoacetylmorphine Measurement
C12066 1	SJSA52AB	Sjogrens SS-A52 Antibody	A measurement of the Sjogrens SS-A52 antibody in a biological specimen.	Sjogrens SS-A52 Antibody Measurement
C12066 2	SJSA60AB	Sjogrens SS-A60 Antibody	A measurement of the Sjogrens SS-A60 antibody in a biological specimen.	Sjogrens SS-A60 Antibody Measurement
C92236	SJSSAAB	Ro Antibody;Sjogrens SS-A Antibody	A measurement of the Sjogrens SS-A antibody in a biological specimen.	Sjogren's SS-A Antibody Measurement
C92237	SJSSBAB	La Antibody;Sjogrens SS-B Antibody	A measurement of the Sjogrens SS-B antibody in a biological specimen.	Sjogren's SS-B Antibody Measurement
C12215 0	SLAIGGAB	Soluble Liver Antigen IgG Antibody	A measurement of the soluble liver antigen IgG antibody in a biological specimen.	Soluble Liver Antigen IgG Antibody Measurement
C10043 8	SLTFRNRC	Soluble Transferrin Receptor	A measurement of the soluble transferrin receptor in a biological specimen.	Soluble Transferrin Receptor Measurement
C11422 3	SLXAG	SLeX;Sialyl Lewis X Antigen;Sialyl Lex;Sialyl SSEA-1 Antigen;Sialyl-CD15	A measurement of the sialyl stage-specific embryonic antigen-1 in a biological specimen.	Sialyl SSEA-1 Antigen Measurement
C74627	SMDGCE	Basket Cells;Gumprecht Shadow Cells;Shadow Cells;Smudge Cells	A measurement of the smudge cells (the nuclear remnant of a ruptured white blood cell) in a biological specimen.	Smudge Cell Count

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119294	SMDGCELE	Basket Cells/Leukocytes;Gumprecht Shadow Cells/Leukocytes;Shadow Cells/Leukocytes;Smudge Cells/Leukocytes	A relative measurement (ratio or percentage) of smudge cells to leukocytes in a biological specimen.	Smudge Cells to Leukocytes Ratio Measurement
C92281	SMTHAB	Smith Antibody;Smith Extractable Nuclear Antibody	A measurement of the total Smith antibodies in a biological specimen.	Smith Antibody Measurement
C111317	SMUSCAB	Anti-Smooth Muscle Antibody;Smooth Muscle Antibody	A measurement of the total smooth muscle antibody in a biological specimen.	Smooth Muscle Antibody Measurement
C122151	SMUSCGAB	Actin IgG Antibody;Smooth Muscle IgG Antibody	A measurement of the smooth muscle IgG antibody in a biological specimen.	Smooth Muscle IgG Antibody Measurement
C114224	SO2	Sulfur Dioxide	A measurement of the sulfur dioxide in a biological specimen.	Sulfur Dioxide Measurement
C64809	SODIUM	Sodium	A measurement of the sodium in a biological specimen.	Sodium Measurement
C117856	SODMEXR	Sodium Excretion Rate	A measurement of the amount of sodium being excreted in urine over a defined amount of time (e.g. one hour).	Sodium Urine Excretion Rate
C80360	SOMATRO	Growth Hormone;Somatotrophin;Somatotropin	A measurement of the somatotrophin (growth) hormone in a biological specimen.	Somatotrophin Measurement
C117857	SOST	Sclerostin	A measurement of the sclerostin in a biological specimen.	Sclerostin Measurement
C74663	SPERM	Spermatozoa	A measurement of the spermatozoa cells present in a biological specimen.	Spermatozoa Cell Count
C102281	SPERMML	Sperm Motility	A measurement of the sperm capable of forward, progressive movement in a semen specimen.	Sperm Motility Measurement
C64832	SPGRAV	Specific Gravity	A ratio of the density of a fluid to the density of water.	Specific Gravity
C74707	SPHERO	Spherocytes	A measurement of the spherocytes (small, sphere-shaped red blood cells) in a biological specimen.	Spherocyte Count
C120663	SPLA2II	Type II Secretory Phospholipase A2	A measurement of the type II secretory phospholipase A2 in a biological specimen.	Type II Secretory Phospholipase A2 Measurement
C142290	SPMAGGLU	Sperm Agglutination	A measurement of the motile spermatozoa agglutination in a biological specimen.	Sperm Agglutination Measurement
C142291	SPMAGGR	Sperm Aggregation	A measurement of the immotile spermatozoa aggregation in a biological specimen.	Sperm Aggregation Measurement
C147433	SPMMSPM	Motile Sperm/Total Sperm	A relative measurement (ratio or percentage) of the motile sperm to total sperm in a biological specimen.	Motile Sperm to Total Sperm Ratio Measurement
C142232	SPNAB	Streptococcus pneumoniae IgG Antibody	A measurement of the Streptococcus pneumoniae IgG antibody in a biological specimen.	Streptococcus pneumoniae IgG Antibody Measurement
C122152	SPNAG	Streptococcus pneumoniae Antigen	A measurement of the Streptococcus pneumoniae antigen in a biological specimen.	Streptococcus pneumoniae Antigen Measurement
C106569	SPWEIGHT	Specimen Weight	A measurement of the weight of a biological specimen.	Specimen Weight Measurement
C74872	SRTONIN	Serotonin	A measurement of the serotonin hormone in a biological specimen.	Serotonin Measurement
C96567	STIPBASO	Basophilic Stippling	A measurement of the basophilic stippling in a biological specimen.	Basophilic Stippling Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74708	STOMCY	Stomatocytes	A measurement of the stomatocytes (red blood cells with an oval or rectangular area of central pallor, producing the appearance of a cell mouth) in a biological specimen.	Stomatocyte Count
C11785 8	STRIGGAB	Strongyloides IgG Antibody	A measurement of strongyloides IgG antibody in a biological specimen.	Strongyloides IgG Antibody Measurement
C13544 3	STROPONI	Skeletal Troponin I;sTnl	A measurement of the total skeletal troponin I in a biological specimen.	Skeletal Troponin I Measurement
C92282	STRPLOAB	Antistreptolysin O;Streptolysin O Antibody	A measurement of Streptolysin O Antibody in a biological specimen.	Streptolysin O Antibody Measurement
C12215 3	SULFATE	Sulfate;Sulphate	A measurement of the sulfate in a biological specimen.	Sulfate Measurement
C92533	SVCAM1	Soluble Vasc Cell Adhesion Molecule 1	A measurement of the soluble vascular cell adhesion molecule 1 in a biological specimen.	Soluble Vascular Cell Adhesion Molecule 1
C74747	T3	Total T3;Triiodothyronine	A measurement of the total (free and bound) triiodothyronine in a biological specimen.	Triiodothyronine Measurement
C74787	T3FR	Free T3;Triiodothyronine, Free	A measurement of the free triiodothyronine in a biological specimen.	Free Triiodothyronine Measurement
C74748	T3UP	T3RU;T3U;Triiodothyronine Uptake	A measurement of the binding of triiodothyronine to thyroxine binding globulin protein in a biological specimen.	Triiodothyronine Uptake Measurement
C74794	T4	Thyroxine;Total T4	A measurement of the total (free and bound) thyroxine in a biological specimen.	Total Thyroxine Measurement
C74786	T4FR	Free T4;Thyroxine, Free	A measurement of the free thyroxine in a biological specimen.	Free Thyroxine Measurement
C12066 4	T4FRIND	Thyroxine, Free, Indirect	An indirect measurement of the free thyroxine in a biological specimen.	Indirect Free Thyroxine Measurement
C10657 4	TAT	Thrombin/Antithrombin;Thrombin/Antithrombin III	A relative measurement (ratio or percentage) of the thrombin to antithrombin present in a sample.	Thrombin to Antithrombin Ratio Measurement
C12215 4	TAURINE	Tauric Acid;Taurine	A measurement of the taurine in a biological specimen.	Taurine Measurement
C74746	TBG	Thyroxine Binding Globulin	A measurement of the thyroxine binding globulin protein in a biological specimen.	Thyroxine Binding Globulin Protein Measurement
C11785 9	TDTAG	Terminal Deoxynucleotidyl Transferase Ag;Terminal Deoxynucleotidyl Transferase Antigen	A measurement of the terminal deoxynucleotidyl transferase antigen in a biological specimen.	Terminal Deoxynucleotidyl Transferase Antigen Measurement
C64801	TEARDCY	Dacryocytes;Tear Shaped Erythrocytes;Teardrop Cells	A measurement of dacryocytes in a biological specimen.	Dacryocyte Analysis
C74793	TESTOS	Testosterone;Total Testosterone	A measurement of the total (free and bound) testosterone in a biological specimen.	Total Testosterone Measurement
C11786 0	TESTOSBA	Bioavailable Testosterone	A measurement of bioavailable testosterone in a biological specimen.	Bioavailable Testosterone Measurement
C74785	TESTOSFR	Testosterone, Free	A measurement of the free testosterone in a biological specimen.	Free Testosterone Measurement
C14743 4	TESTOSWB	Testosterone, Weakly Bound	A measurement of the weakly bound testosterone (testosterone bound to albumin) in a biological specimen.	Weakly Bound Testosterone Measurement
C82037	TFERRIN	Transferrin	A measurement of the total transferrin in a biological specimen.	Transferrin Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98792	TFRRNSAT	Iron Binding Capacity Saturation;Iron Saturation;Iron to TIBC;Transferrin Saturation	A measurement of the iron bound to transferrin in a biological specimen.	Transferrin Saturation Measurement
C12215 5	TGFB	Transforming Growth Factor Beta	A measurement of the total transforming growth factor beta in a biological specimen.	Transforming Growth Factor Beta Measurement
C11786 1	TGFB1	Transforming Growth Factor Beta 1	A measurement of the transforming growth factor beta 1 in a biological specimen.	Transforming Growth Factor Beta 1 Measurement
C10344 6	TGLOB	TG;Thyroglobulin	A measurement of the thyroglobulin in a biological specimen.	Thyroglobulin Measurement
C14743 5	TGLOBRR	Thyroglobulin Recovery Rate	A measurement of the thyroglobulin recovery rate in a biological specimen obtained by measuring the thyroglobulin concentration before and after a known amount of thyroglobulin has been added to the specimen.	Thyroglobulin Recovery Rate
C13908 9	TGNIGGAB	Toxoplasma gondii IgG Antibody	A measurement of the Toxoplasma gondii IgG antibody in a biological specimen.	Toxoplasma gondii IgG Antibody Measurement
C13909 0	TGNIGMAB	Toxoplasma gondii IgM Antibody	A measurement of the Toxoplasma gondii IgM antibody in a biological specimen.	Toxoplasma gondii IgM Antibody Measurement
C13544 4	THBD	BDCA3;Thrombomodulin	A measurement of the thrombomodulin in a biological specimen.	Thrombomodulin Measurement
C14743 6	THC	Tetrahydrocannabinol	A measurement of the tetrahydrocannabinol in a biological specimen.	Tetrahydrocannabinol Measurement
C14229 3	THCCOOH	11-Nor-Delta9-THC-9-Carboxylic Acid;THC-COOH	A measurement of 11-nor-delta-9-tetrahydrocannabinol-9-carboxylic acid present in a biological specimen.	11-Nor-Delta9-THC-9-Carboxylic Acid Measurement
C10544 5	THEOPHYL	Theophylline	A measurement of the Theophylline present in a biological specimen.	Theophylline Measurement
C14743 7	THMBAAC	Thrombin Activity Actual/Control;Thrombin Activity Actual/Normal;Thrombin Activity Actual/Thrombin Activity Control	A relative measurement (ratio or percentage) of the biological activity of thrombin dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	Thrombin Activity Actual to Control Ratio Measurement
C12215 6	THR	Threonine	A measurement of the threonine in a biological specimen.	Threonine Measurement
C74873	THRMPTN	Thrombopoietin	A measurement of the thrombopoietin hormone in a biological specimen.	Thrombopoietin Measurement
C11128 3	THROMNUC	Nucleated Thrombocytes;Thrombocytes	A measurement of the nucleated platelets, namely thrombocytes, in a biological specimen. This is typically measured in birds and other non-mammalian vertebrates.	Nucleated Thrombocyte Count
C81990	THYAB	Thyroid Antibodies	A measurement of the thyroid antibodies in a biological specimen.	Thyroid Antibody Measurement
C81991	THYAMAB	Thyroid Antimicrosomal Antibodies	A measurement of the thyroid antimicrosomal antibodies in a biological specimen.	Thyroid Antimicrosomal Antibody Measurement
C81992	THYATAB	Thyroid Antithyroglobulin Antibodies	A measurement of the thyroid antithyroglobulin antibodies in a biological specimen.	Thyroid Antithyroglobulin Antibody Measurement
C96639	THYPXD	Thyroid Peroxidase;Thyroperoxidase	A measurement of the thyroperoxidase in a biological specimen.	Thyroperoxidase Measurement
C96638	THYPXDAB	Thyroperoxidase Antibody	A measurement of the thyroperoxidase antibody in a biological specimen.	Thyroperoxidase Antibody Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C82036	TIMP1	Tissue Inhibitor of Metalloproteinase 1	A measurement of the tissue inhibitor of metalloproteinase 1 in a biological specimen.	Tissue Inhibitor of Metalloproteinase 1 Measurement
C106575	TIMP1CRE	TIMP1/Creatinine;Tissue Inhibitor of Metalloproteinase 1/Creatinine	A relative measurement (ratio or percentage) of the tissue inhibitor of metalloproteinase 1 to creatinine present in a sample.	Tissue Inhibitor of Metalloproteinase 1 to Creatinine Ratio Measurement
C120665	TK	Thymidine Kinase	A measurement of the total thymidine kinase in a biological specimen.	Thymidine Kinase Measurement
C135445	TK1	Thymidine Kinase 1;Thymidine Kinase, Cytosolic	A measurement of the thymidine kinase 1 in a biological specimen.	Thymidine Kinase 1 Measurement
C135446	TK2	Thymidine Kinase 2;Thymidine Kinase, Mitochondrial	A measurement of the thymidine kinase 2 in a biological specimen.	Thymidine Kinase 2 Measurement
C132387	TKG	T-Kininogen	A measurement of the total T-kininogen in a biological specimen.	T-Kininogen Measurement
C122157	TLYCE	T-Lymphocytes	A measurement of the total thymocyte-derived lymphocytes in a biological specimen.	T-Lymphocyte Count
C128979	TLYXMX	T-lymphocyte Crossmatch	A measurement to determine human leukocyte antigens (HLA) histocompatibility between the recipient and the donor by examining the presence or absence of the recipient's anti-HLA antibody reactivity towards HLA antigens expressed on the donor T-lymphocytes.	T-lymphocyte Crossmatch Measurement
C75376	TMZPM	Temazepam	A measurement of the temazepam present in a biological specimen.	Temazepam Measurement
C74751	TNF	Tumor Necrosis Factor;Tumor Necrosis Factor alpha	A measurement of the total tumor necrosis factor (cachexin) cytokine in a biological specimen.	Tumor Necrosis Factor Measurement
C117862	TNFAPIA	TNF-a Production Inhibitory Activity	A measurement of TNF-a production inhibitory activity in a biological specimen.	TNF-a Production Inhibitory Activity Measurement
C120666	TNFR1	CD120a;Tumor Necrosis Factor Receptor 1	A measurement of the tumor necrosis factor receptor 1 (CD120a) in a biological specimen.	Tumor Necrosis Factor Receptor 1 Measurement
C117749	TNFSR	Soluble Tumor Necrosis Factor Receptor	A measurement of the total soluble tumor necrosis factor receptor in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Measurement
C117863	TNFSR1	Soluble TNF Receptor Type I	A measurement of the soluble tumor necrosis factor receptor type I in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Type I Measurement
C117864	TNFSR2	Soluble TNF Receptor Type II	A measurement of the soluble tumor necrosis factor receptor type II in a biological specimen.	Soluble Tumor Necrosis Factor Receptor Type II Measurement
C96641	TOXGRAN	Toxic Granulation	A measurement of the toxic granulation in granulocytic blood cells.	Toxic Granulation Measurement
C127813	TOXVAC	Toxic Vacuolation	A measurement of the toxic vacuolation in any of the granulocytic blood cells.	Toxic Vacuolation Assessment
C81993	TPAAG	Tissue Plasminogen Activator Antigen	A measurement of the tissue plasminogen activator antigen in a biological specimen.	Tissue Plasminogen Activator Antigen Measurement
C132388	TPLAB	Treponema pallidum Antibody	A measurement of the total Treponema pallidum antibody in a biological specimen.	Treponema pallidum Antibody Measurement
C84811	TPRONP	Non-Phosphorylated Tau Protein	A measurement of the non-phosphorylated Tau protein in a biological specimen.	Nonphosphorylated Tau Protein Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C84810	TPROT	Tau Protein;Total Tau Protein	A measurement of the total Tau protein in a biological specimen.	Tau Protein Measurement
C84812	TPROTP	Phosphorylated Tau Protein	A measurement of the phosphorylated Tau protein in a biological specimen.	Phosphorylated Tau Protein Measurement
C117865	TRACP5B	TRAP5B;Tartrate-Resistant Acid Phosphatase 5b	A measurement of tartrate-resistant acid phosphatase 5b in a biological specimen.	Tartrate-Resistant Acid Phosphatase 5b Measurement
C80208	TRAP	Total Radical-Trap Antioxidant Potential	A measurement of the ability of the antioxidants in a biological specimen to buffer free radicals in a suspension.	Total Radical-Trap Antioxidant Potential Measurement
C100420	TRCYANDP	Tricyclic Antidepressants	A measurement of tricyclic antidepressants in a biological specimen.	Tricyclic Antidepressant Measurement
C96636	TRGTCE	Codocytes;Leptocytes;Mexican Hat Cells;Target Cells	A measurement of the target cells in a biological specimen.	Target Cell Count
C74874	TRH	Thyrotropin Releasing Factor;Thyrotropin Releasing Hormone	A measurement of the thyrotropin releasing hormone in a biological specimen.	Thyrotropin Releasing Hormone Measurement
C92238	TRICH	Trichomonas	Examination of a biological specimen to detect the presence of any protozoan belonging to the Trichomonas genus.	Trichomonas Screening
C64812	TRIG	Triglycerides	A measurement of the triglycerides in a biological specimen.	Triglyceride Measurement
C121183	TRIGHDL	Triglycerides/HDL Cholesterol	A relative measurement (ratio or percentage) of the triglycerides to high density lipoprotein cholesterol in a biological specimen.	Triglycerides to HDL Cholesterol Ratio Measurement
C74749	TROPONI	Troponin I	A measurement of the actin binding troponin in a biological specimen.	Troponin I Measurement
C135447	TROPONI1	Slow-Twitch Skeletal Muscle Troponin I;Troponin I Type 1;ssTnI	A measurement of the troponin I type 1 (slow twitch skeletal muscle) in a biological specimen.	Troponin I Type 1 Measurement
C127636	TROPONI2	Fast-Twitch Skeletal Muscle Troponin I;Troponin I Type 2;fsTnI	A measurement of the troponin I type 2 (fast twitch skeletal muscle) in a biological specimen.	Troponin I Type 2 Measurement
C135448	TROPONI3	Cardiac Troponin I;TNNC1;Troponin I Type 3;cTnI	A measurement of the troponin I type 3 (cardiac muscle) in a biological specimen.	Troponin I Type 3 Measurement
C111327	TROPONIN	Troponin	A measurement of the total troponin in a biological specimen.	Troponin Measurement
C74750	TROPONT	Troponin T	A measurement of the tropomyosin binding troponin in a biological specimen.	Troponin T Measurement
C135449	TRP1TRG1	Trypsin 1 and Trypsinogen 1	A measurement of the trypsin 1 and trypsinogen 1 in a biological specimen.	Trypsin 1 and Trypsinogen 1 Measurement
C135450	TRPTRG	Trypsin and Trypsinogen	A measurement of the total trypsin and total trypsinogen in a biological specimen.	Trypsin and Trypsinogen Measurement
C92292	TRYPTASE	Tryptase	A measurement of the tryptase in a biological specimen.	Tryptase Measurement
C64813	TSH	Thyroid Stimulating Hormone;Thyrotropin	A measurement of the thyrotropin in a biological specimen.	Thyrotropin Measurement
C122158	TSHRAB	Thyroid Stimulating Hormone Receptor Antibody;Thyrotropin Receptor Antibody	A measurement of the thyrotropin receptor antibody in a biological specimen.	Thyroid Stimulating Hormone Receptor Antibody Measurement
C147438	TSI	Thyroid Stimulating Immunoglobulin	A measurement of the thyroid stimulating immunoglobulin in a biological specimen.	Thyroid Stimulating Immunoglobulin Measurement



## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147439	TSTFTST	Testosterone, Free/Testosterone	A relative measurement (ratio or percentage) of the amount of the bioavailable testosterone compared to total testosterone in a biological specimen.	Free Testosterone to Testosterone Ratio Measurement
C147440	TSTFWTST	Testosterone Free+Weakly Bound/Testost;Testosterone, Free and Weakly Bound/Testosterone	A relative measurement (ratio or percentage) of the free and weakly bound testosterone to total testosterone in a biological specimen.	Free Testosterone and Weakly Bound to Total Testosterone Ratio Measurement
C128980	TSTSFRPT	Testosterone, Free/Total Protein	A relative measurement (ratio or percentage) of free testosterone to total proteins in a biological specimen.	Free Testosterone to Total Protein Ratio Measurement
C80365	TT	Thrombin Time	A measurement of the time it takes a plasma sample to clot after adding the active enzyme thrombin. (NCI)	Thrombin Time
C147441	TTGIGAAB	Tissue Transglutaminase IgA Antibody	A measurement of the tissue transglutaminase IgA antibody in a biological specimen.	Tissue Transglutaminase IgA Antibody Measurement
C147442	TTGIGMAB	Tissue Transglutaminase IgM Antibody	A measurement of the tissue transglutaminase IgM antibody in a biological specimen.	Tissue Transglutaminase IgM Antibody Measurement
C74723	TURB	Turbidity	A measurement of the opacity of a biological specimen.	Turbidity Measurement
C103445	TXB2	Thromboxane B2	A measurement of the thromboxane B2 in a biological specimen.	Thromboxane B2 Measurement
C103344	TXB2_D11	11-Dehydro-Thromboxane B2	A measurement of the 11-dehydro-thromboxane B2 in a biological specimen.	11-Dehydro-Thromboxane B2 Measurement
C122159	TYR	Tyrosine	A measurement of the tyrosine in a biological specimen.	Tyrosine Measurement
C147443	UBQN	Ubiquitin Protein	A measurement of the total ubiquitin protein in a biological specimen.	Ubiquitin Protein Measurement
C112241	UNSPCE	Unspecified Cells	A measurement of the cells not otherwise identified or specified in a biological specimen.	Count of Unspecified Cells
C114225	UNSPCECE	Unspecified Cells/Total Cells	A relative measurement (ratio or percentage) of the cells not otherwise identified or specified to total cells in a biological specimen.	Unspecified Cells to Total Cell Ratio Measurement
C64814	URATE	Urate;Uric Acid	A measurement of the urate in a biological specimen.	Urate Measurement
C117866	URATECRT	Urate/Creatinine	A relative measurement (ratio or percentage) of the urate to creatinine in a biological specimen.	Urate to Creatinine Ratio Measurement
C64815	UREA	Urea	A measurement of the urea in a biological specimen.	Urea Measurement
C96645	UREACRT	Urea/Creatinine	A relative measurement (ratio or percentage) of the urea to creatinine in a biological specimen.	Urea to Creatinine Ratio Measurement
C125949	UREAN	Urea Nitrogen	A measurement of the urea nitrogen in a biological specimen.	Urea Nitrogen Measurement
C125950	UREANCRT	Urea Nitrogen/Creatinine	A relative measurement (ratio or percentage) of the urea nitrogen to creatinine in a biological specimen.	Urea Nitrogen to Creatinine Ratio Measurement
C64816	UROBIL	Urobilinogen	A measurement of the urobilinogen in a biological specimen.	Urobilinogen Measurement
C122160	VAL	Valine	A measurement of the valine in a biological specimen.	Valine Measurement
C130166	VBCE	Viable Cells	A measurement of the viable cells in a biological specimen.	Viable Cell Count

## C65047 LBTESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C82042	VCAM1	Vascular Cell Adhesion Molecule 1	A measurement of the vascular cell adhesion molecule 1 in a biological specimen.	Vascular Cell Adhesion Molecule 1 Measurement
C92514	VEGF	Vascular Endothelial Growth Factor	A measurement of the vascular endothelial growth factor in a biological specimen.	Vascular Endothelial Growth Factor Measurement
C132389	VEGFA	Vascular Endothelial Growth Factor A	A measurement of the vascular endothelial growth factor A in a biological specimen.	Vascular Endothelial Growth Factor A Measurement
C147444	VENLAFAX	Venlafaxine	A measurement of the venlafaxine present in a biological specimen.	Venlafaxine Measurement
C75912	VISC	Viscosity	The resistance of a liquid to shear forces and flow. (NCI)	Viscosity
C74895	VITA	Retinol;Vitamin A	A measurement of the Vitamin A in a biological specimen.	Vitamin A Measurement
C74896	VITB1	Thiamine;Vitamin B1	A measurement of the thiamine in a biological specimen.	Vitamin B1 Measurement
C64817	VITB12	Cobalamin;Vitamin B12	A measurement of the Vitamin B12 in a biological specimen.	Vitamin B12 Measurement
C74897	VITB17	Amygdalin;Vitamin B17	A measurement of the Vitamin B17 in a biological specimen.	Vitamin B17 Measurement
C74898	VITB2	Riboflavin;Vitamin B2	A measurement of the riboflavin in a biological specimen.	Vitamin B2 Measurement
C74899	VITB3	Niacin;Vitamin B3	A measurement of the niacin in a biological specimen.	Vitamin B3 Measurement
C74900	VITB5	Pantothenic Acid;Vitamin B5	A measurement of the Vitamin B5 in a biological specimen.	Vitamin B5 Measurement
C74901	VITB6	Pyridoxine;Vitamin B6	A measurement of the Vitamin B6 in a biological specimen.	Vitamin B6 Measurement
C74902	VITB7	Biotin;Vitamin B7	A measurement of the Vitamin B7 in a biological specimen.	Vitamin B7 Measurement
C74676	VITB9	Folate;Folic Acid;Vitamin B9	A measurement of the folic acid in a biological specimen.	Folic Acid Measurement
C74903	VITC	Ascorbate;Ascorbic Acid;Vitamin C	A measurement of the Vitamin C in a biological specimen.	Vitamin C Measurement
C84818	VITD	Total Vitamin D;Vitamin D	A measurement of the total Vitamin D in a biological specimen.	Vitamin D Measurement
C74904	VITD2	Ergocalciferol;Vitamin D2	A measurement of the Vitamin D2 in a biological specimen.	Vitamin D2 Measurement
C147445	VITD23OH	Vitamin D2 + Vitamin D3 + 25-Hydroxy Vitamin D;Vitamin D2 D3 25-OH	A measurement of the vitamin D2 and vitamin D3 and 25-hydroxyvitamin D in a biological specimen.	Vitamin D2 and Vitamin D3 and 25-Hydroxyvitamin D Measurement
C74905	VITD3	Cholecalciferol;Vitamin D3	A measurement of the Vitamin D3 in a biological specimen.	Vitamin D3 Measurement
C92267	VITDAT	1, 25-Dihydroxyvitamin D;Active Vitamin D	A measurement of the total active Vitamin D in a biological specimen.	1, 25-Dihydroxyvitamin D Measurement
C92268	VITDIT	25-Hydroxyvitamin D;Calcidiol;Inactive Vitamin D	A measurement of the total inactive Vitamin D in a biological specimen.	25-Hydroxyvitamin D Measurement
C74906	VITE	Vitamin E	A measurement of the Vitamin E in a biological specimen.	Vitamin E Measurement
C103448	VITECHOL	Vitamin E/Cholesterol	A relative measurement (ratio or percentage) of vitamin E to total cholesterol in a biological specimen.	Vitamin E to Cholesterol Ratio Measurement
C74907	VITK	Naphthoquinone;Vitamin K	A measurement of the total Vitamin K in a biological specimen.	Vitamin K Measurement
C103449	VITK1	Phylloquinone;Phytomenadione;Vitamin K1	A measurement of the Vitamin K1 in a biological specimen.	Vitamin K1 Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105589	VLDL	VLDL Cholesterol	A measurement of the very low density lipoprotein cholesterol in a biological specimen.	Very Low Density Lipoprotein Cholesterol Measurement
C120667	VLDL1	VLDL Cholesterol Subtype 1	A measurement of the very low density lipoprotein cholesterol subtype 1 in a biological specimen.	VLDL Cholesterol Subtype 1 Measurement
C120668	VLDL2	VLDL Cholesterol Subtype 2	A measurement of the very low density lipoprotein cholesterol subtype 2 in a biological specimen.	VLDL Cholesterol Subtype 2 Measurement
C120669	VLDL3	VLDL Cholesterol Subtype 3	A measurement of the very low density lipoprotein cholesterol subtype 3 in a biological specimen.	VLDL Cholesterol Subtype 3 Measurement
C103450	VLDLPSZ	VLDL Particle Size	A measurement of the average particle size of very-low-density lipoprotein in a biological specimen.	VLDL Particle Size Measurement
C74875	VMA	Vanillyl Mandelic Acid;Vanillylmandelate;Vanilmandelic Acid	A measurement of the vanillyl mandelic acid metabolite in a biological specimen.	Vanillyl Mandelic Acid Measurement
C74720	VOLUME	Volume	A measurement of the volume of a biological specimen.	Volume Measurement
C147446	VTD2D3IT	25-Hydroxyvit D2 + 25-Hydroxyvit D3	A measurement of the total inactive vitamin D2 and vitamin D3 in a biological specimen.	25-Hydroxyvitamin D2 and 25-Hydroxyvitamin D3 Measurement
C147447	VWFAAC	von Will Factor Act Actual/Control;von Willebrand Factor Activity Actual/Normal;von Willebrand Factor Activity Actual/von Willebrand Factor Activity Control	A relative measurement (ratio or percentage) of the biological activity of the von Willebrand factor dependent coagulation in a subject's specimen when compared to the same activity in a control specimen.	von Willebrand Factor Activity Actual to Control Ratio Measurement
C117867	VZVAB	Varicella Zoster Virus Antibody	A measurement of the total varicella zoster virus antibody in a biological specimen.	Varicella Zoster Virus Antibody Measurement
C98795	VZVIGAAB	Varicella Zoster Virus IgA Antibody	A measurement of the Varicella Zoster virus IgA antibodies in a biological specimen.	Varicella Zoster Virus IgA Antibody Measurement
C98796	VZVIGGAB	Varicella Zoster Virus IgG Antibody	A measurement of the Varicella Zoster virus IgG antibodies in a biological specimen.	Varicella Zoster Virus IgG Antibody Measurement
C98797	VZVIGMAB	Varicella Zoster Virus IgM Antibody	A measurement of the Varicella Zoster virus IgM antibodies in a biological specimen.	Varicella Zoster Virus IgM Antibody Measurement
C51948	WBC	Leukocytes;White Blood Cells	A measurement of the leukocytes in a biological specimen.	Leukocyte Count
C135451	WBCCE	Leukocytes/Total Cells;WBC/Total Cells	A relative measurement (ratio or percentage) of the leukocytes to total cells in a biological specimen.	Leukocytes to Total Cells Ratio Measurement
C92246	WBCCLMP	Leukocyte Cell Clumps;WBC Clumps;White Blood Cell Clumps	A measurement of white blood cell clumps in a biological specimen.	Leukocyte Cell Clumps Measurement
C92297	WBCMORPH	Leukocyte Cell Morphology;WBC Morphology;White Blood Cell Morphology	An examination or assessment of the form and structure of white blood cells.	Leukocyte Cell Morphology
C127637	WDR26	CDW2;MIP2;Macrophage Inflammatory Protein-2;WD Repeat-Containing Protein 26	A measurement of the WD repeat-containing protein 26 in a biological specimen.	WD Repeat-Containing Protein 26 Measurement
C147448	WNVAB	West Nile Virus Antibody	A measurement of the west Nile virus antibody in a biological specimen.	West Nile Virus Antibody Measurement
C147449	XNTHCHR	Xanthochromia	A measurement of the yellowish appearance of a biological specimen due to the presence of bilirubin produced by the degradation of heme from erythrocytes that have entered the biological specimen.	Xanthochromia Measurement

**C65047 LBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74664	YEAST	Yeast Cells	A measurement of the yeast cells present in a biological specimen.	Yeast Cell Measurement
C106504	YEASTBUD	Budding Yeast;Yeast Budding	A measurement of the budding yeast present in a biological specimen.	Budding Yeast Measurement
C92239	YEASTHYP	Yeast Hyphae	A measurement of the yeast hyphae present in a biological specimen.	Yeast Hyphae Screening
C147450	YFVAB	Yellow Fever Virus Antibody	A measurement of the yellow fever virus antibody in a biological specimen.	Yellow Fever Virus Antibody Measurement
C142294	YKL40P	Chitinase-3-Like Protein 1;YKL-40 Protein	A measurement of the YKL-40 protein in a biological specimen.	YKL-40 Protein Measurement
C80210	ZINC	Zinc	A measurement of the zinc in a biological specimen.	Zinc Measurement
C147451	ZKVAB	Zika Virus Antibody	A measurement of the Zika virus antibody in a biological specimen.	Zika Virus Antibody Measurement
C147452	ZPP	Zinc Protoporphyrin	A measurement of the zinc protoporphyrin (zinc bound protoporphyrin) in a biological specimen.	Zinc Protoporphyrin Measurement

## LEADABN (Lead Abnormality)

NCI Code: C101862, Codelist extensible: Yes

C101862 LEADABN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C99924	CONDUCTOR FAILURE		Conductor failure manifests by high lead impedance either absolutely (above manufacturer's product specifications) or by a significant increase from previously stable chronic values.	Cardiac Device Conductor Failure
C99922	DEFIBRILLATION ISSUES		The cardiac lead is not performing as expected with issues such as oversensing with or without shock or ATP, or failed shocks or inadequate DFT safety margins defibrillation activity.	Cardiac Defibrillator Issue
C99951	EXTRACARDIAC STIMULATION		This manifests as stimulation by the lead of non-cardiac structures such as the diaphragm, chest wall, or pectoral muscle.	Extracardiac Stimulation
C99954	FAILED TO SHOCK WITH INADEQUATE DFT SAFETY MARGIN		The cardiac lead failed to administer a shock and had an inadequate defibrillator threshold safety margin.	Failure to Shock with Inadequate Defibrillator Threshold Safety Margin
C99953	FAILURE TO CAPTURE WITH ACCEPTABLE SAFETY MARGIN		Failure to capture manifests as a high pacing threshold that results in either intermittent failure to capture at maximal programmed output or excessive battery drain leading to premature battery exhaustion.	Failure to Capture with Acceptable Safety Margin
C99528	FAILURE TO PACE		Failure to pace manifests as absence of pacemaker stimulation artifacts on electrocardiographic recordings despite rates below pacemaker programmed rate.	Failure of Cardiac Pacemaker to Pace
C99932	INSULATION FAILURE		Insulation failure manifests as low lead impedance either absolutely (below manufacturer's product specifications) or by a significant decrease from previously stable chronic values.	Cardiac Lead Insulation Failure
C100034	LEAD DISLODGE MENT REQUIRING REPOSITION/REOPERATI ON		The movement (macroscopic or microscopic) of an existing lead within the heart or vascular tree away from the original implantation site.	Cardiac Lead Dislodgement Requiring Reposition/Reoperation
C99926	OVERSENSING		Oversensing manifests as sensing of electrical signals not related to cardiac depolarization of the lead chamber that cannot be resolved acceptably by device reprogramming.	Cardiac Device Oversensing
C99927	OVERSENSING WITH SHOCK OR ATP		This manifests as sensing of non-cardiac depolarization signals that met arrhythmia detection criteria and elicited programmed tachyarrhythmia therapy.	Cardiac Device Oversensing with Shock or Anti-Tachycardia Pacing
C99928	OVERSENSING WITHOUT SHOCK OR ATP		This manifests as sensing of non-cardiac depolarization signals that did not meet arrhythmia detection criteria and do not elicit programmed tachyarrhythmia therapy.	Cardiac Device Oversensing without Shock or Anti-Tachycardia Pacing
C99929	SET SCREW PROBLEM		The pacing and/or sensing problem associated with high impedance due to a poor connection between a lead and generator caused by a loose set screw.	Cardiac Device Set Screw Problem
C99930	UNDERSENSING		Undersensing manifests as failure to sense appropriate cardiac depolarizations that cannot be resolved with reprogramming.	Cardiac Device Undersensing

## LEADSTAT (Lead Status)

NCI Code: C101867, Codelist extensible: Yes

<b>C101867 LEADSTAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99906	ABANDONED		The lead has been left in situ but is not in use.	Abandoned Lead
C102283	EXTRACTED		The lead has been removed from the body.	Extracted Lead
C102284	REUSED		The lead has been left in situ and reused.	Reused Lead

## LEC01TC (Life Events Checklist for DSM-5 Standard Version Questionnaire Test Code)

NCI Code: C135690, Codelist extensible: No

<b>C135690 LEC01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135820	LEC0101A	LEC01-Natural Disaster: Happened	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Happened to me.	LEC-5 Standard Version - Natural Disaster: Happened
C135821	LEC0101B	LEC01-Natural Disaster: Witnessed	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Witnessed it.	LEC-5 Standard Version - Natural Disaster: Witnessed
C135822	LEC0101C	LEC01-Natural Disaster: Learned	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Learned about it.	LEC-5 Standard Version - Natural Disaster: Learned
C135823	LEC0101D	LEC01-Natural Disaster: Job	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Part of my job.	LEC-5 Standard Version - Natural Disaster: Job
C135824	LEC0101E	LEC01-Natural Disaster: Not Sure	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Not sure.	LEC-5 Standard Version - Natural Disaster: Not Sure
C135825	LEC0101F	LEC01-Natural Disaster: Not Apply	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Doesn't apply.	LEC-5 Standard Version - Natural Disaster: Not Apply
C135826	LEC0102A	LEC01-Fire or Explosion: Happened	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Happened to me.	LEC-5 Standard Version - Fire or Explosion: Happened
C135827	LEC0102B	LEC01-Fire or Explosion: Witnessed	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Witnessed it.	LEC-5 Standard Version - Fire or Explosion: Witnessed
C135828	LEC0102C	LEC01-Fire or Explosion: Learned	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Learned about it.	LEC-5 Standard Version - Fire or Explosion: Learned
C135829	LEC0102D	LEC01-Fire or Explosion: Job	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Part of my job.	LEC-5 Standard Version - Fire or Explosion: Job
C135830	LEC0102E	LEC01-Fire or Explosion: Not Sure	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Not sure.	LEC-5 Standard Version - Fire or Explosion: Not Sure
C135831	LEC0102F	LEC01-Fire or Explosion: Not Apply	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Doesn't apply.	LEC-5 Standard Version - Fire or Explosion: Not Apply
C135832	LEC0103A	LEC01-Transportation Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Happened to me.	LEC-5 Standard Version - Transportation Accident: Happened
C135833	LEC0103B	LEC01-Transportation Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Witnessed it.	LEC-5 Standard Version - Transportation Accident: Witnessed
C135834	LEC0103C	LEC01-Transportation Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Learned about it.	LEC-5 Standard Version - Transportation Accident: Learned
C135835	LEC0103D	LEC01-Transportation Accident: Job	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Part of my job.	LEC-5 Standard Version - Transportation Accident: Job
C135836	LEC0103E	LEC01-Transportation Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Not sure.	LEC-5 Standard Version - Transportation Accident: Not Sure
C135837	LEC0103F	LEC01-Transportation Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Doesn't apply.	LEC-5 Standard Version - Transportation Accident: Not Apply
C135838	LEC0104A	LEC01-Serious Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Happened to me.	LEC-5 Standard Version - Serious Accident: Happened
C135839	LEC0104B	LEC01-Serious Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Witnessed it.	LEC-5 Standard Version - Serious Accident: Witnessed

**C135690 LEC01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135840	LEC0104C	LEC01-Serious Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Learned about it.	LEC-5 Standard Version - Serious Accident: Learned
C135841	LEC0104D	LEC01-Serious Accident: Job	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Part of my job.	LEC-5 Standard Version - Serious Accident: Job
C135842	LEC0104E	LEC01-Serious Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Not sure.	LEC-5 Standard Version - Serious Accident: Not Sure
C135843	LEC0104F	LEC01-Serious Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Doesn't apply.	LEC-5 Standard Version - Serious Accident: Not Apply
C135844	LEC0105A	LEC01-Toxic Substance: Happened	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Happened to me.	LEC-5 Standard Version - Toxic Substance: Happened
C135845	LEC0105B	LEC01-Toxic Substance: Witnessed	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Witnessed it.	LEC-5 Standard Version - Toxic Substance: Witnessed
C135846	LEC0105C	LEC01-Toxic Substance: Learned	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Learned about it.	LEC-5 Standard Version - Toxic Substance: Learned
C135847	LEC0105D	LEC01-Toxic Substance: Job	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Part of my job.	LEC-5 Standard Version - Toxic Substance: Job
C135848	LEC0105E	LEC01-Toxic Substance: Not Sure	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Not sure.	LEC-5 Standard Version - Toxic Substance: Not Sure
C135849	LEC0105F	LEC01-Toxic Substance: Not Apply	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Doesn't apply.	LEC-5 Standard Version - Toxic Substance: Not Apply
C135850	LEC0106A	LEC01-Physical Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Happened to me.	LEC-5 Standard Version - Physical Assault: Happened
C135851	LEC0106B	LEC01-Physical Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Witnessed it.	LEC-5 Standard Version - Physical Assault: Witnessed
C135852	LEC0106C	LEC01-Physical Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Learned about it.	LEC-5 Standard Version - Physical Assault: Learned
C135853	LEC0106D	LEC01-Physical Assault: Job	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Part of my job.	LEC-5 Standard Version - Physical Assault: Job
C135854	LEC0106E	LEC01-Physical Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Not sure.	LEC-5 Standard Version - Physical Assault: Not Sure
C135855	LEC0106F	LEC01-Physical Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Doesn't apply.	LEC-5 Standard Version - Physical Assault: Not Apply
C135856	LEC0107A	LEC01-Assault With a Weapon: Happened	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Happened to me.	LEC-5 Standard Version - Assault With a Weapon: Happened
C135857	LEC0107B	LEC01-Assault With a Weapon: Witnessed	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Witnessed it.	LEC-5 Standard Version - Assault With a Weapon: Witnessed
C135858	LEC0107C	LEC01-Assault With a Weapon: Learned	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Learned about it.	LEC-5 Standard Version - Assault With a Weapon: Learned
C135859	LEC0107D	LEC01-Assault With a Weapon: Job	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Part of my job.	LEC-5 Standard Version - Assault With a Weapon: Job
C135860	LEC0107E	LEC01-Assault With a Weapon: Not Sure	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Not sure.	LEC-5 Standard Version - Assault With a Weapon: Not Sure



**C135690 LEC01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135861	LEC0107F	LEC01-Assault With a Weapon: Not Apply	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Doesn't apply.	LEC-5 Standard Version - Assault With a Weapon: Not Apply
C135862	LEC0108A	LEC01-Sexual Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Happened to me.	LEC-5 Standard Version - Sexual Assault: Happened
C135863	LEC0108B	LEC01-Sexual Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Witnessed it.	LEC-5 Standard Version - Sexual Assault: Witnessed
C135864	LEC0108C	LEC01-Sexual Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Learned about it.	LEC-5 Standard Version - Sexual Assault: Learned
C135865	LEC0108D	LEC01-Sexual Assault: Job	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Part of my job.	LEC-5 Standard Version - Sexual Assault: Job
C135866	LEC0108E	LEC01-Sexual Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Not sure.	LEC-5 Standard Version - Sexual Assault: Not Sure
C135867	LEC0108F	LEC01-Sexual Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Doesn't apply.	LEC-5 Standard Version - Sexual Assault: Not Apply
C135868	LEC0109A	LEC01-Unwanted Sex Experience: Happened	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Happened to me.	LEC-5 Standard Version - Unwanted Sex Experience: Happened
C135869	LEC0109B	LEC01-Unwanted Sex Experience: Witnessed	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Witnessed it.	LEC-5 Standard Version - Unwanted Sex Experience: Witnessed
C135870	LEC0109C	LEC01-Unwanted Sex Experience: Learned	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Learned about it.	LEC-5 Standard Version - Unwanted Sex Experience: Learned
C135871	LEC0109D	LEC01-Unwanted Sex Experience: Job	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Part of my job.	LEC-5 Standard Version - Unwanted Sex Experience: Job
C135872	LEC0109E	LEC01-Unwanted Sex Experience: Not Sure	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Not sure.	LEC-5 Standard Version - Unwanted Sex Experience: Not Sure
C135873	LEC0109F	LEC01-Unwanted Sex Experience: Not Apply	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Doesn't apply.	LEC-5 Standard Version - Unwanted Sex Experience: Not Apply
C135874	LEC0110A	LEC01-Combat/Exp to War-Zone: Happened	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Happened to me.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Happened
C135875	LEC0110B	LEC01-Combat/Exp to War-Zone: Witnessed	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Witnessed it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Witnessed
C135876	LEC0110C	LEC01-Combat/Exp to War-Zone: Learned	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Learned about it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Learned
C135877	LEC0110D	LEC01-Combat/Exp to War-Zone: Job	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Part of my job.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Job
C135878	LEC0110E	LEC01-Combat/Exp to War-Zone: Not Sure	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Not sure.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Sure
C135879	LEC0110F	LEC01-Combat/Exp to War-Zone: Not Apply	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Doesn't apply.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Apply

**C135690 LEC01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135880	LEC0111A	LEC01-Captivity: Happened	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Happened to me.	LEC-5 Standard Version - Captivity: Happened
C135881	LEC0111B	LEC01-Captivity: Witnessed	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Witnessed it.	LEC-5 Standard Version - Captivity: Witnessed
C135882	LEC0111C	LEC01-Captivity: Learned	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Learned about it.	LEC-5 Standard Version - Captivity: Learned
C135883	LEC0111D	LEC01-Captivity: Job	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Part of my job.	LEC-5 Standard Version - Captivity: Job
C135884	LEC0111E	LEC01-Captivity: Not Sure	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Not sure.	LEC-5 Standard Version - Captivity: Not Sure
C135885	LEC0111F	LEC01-Captivity: Not Apply	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Doesn't apply.	LEC-5 Standard Version - Captivity: Not Apply
C135886	LEC0112A	LEC01-Life-threatening Illness: Happened	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Happened to me.	LEC-5 Standard Version - Life-threatening Illness: Happened
C135887	LEC0112B	LEC01-Life-threatening Illness: Witness	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Witnessed it.	LEC-5 Standard Version - Life-threatening Illness: Witnessed
C135888	LEC0112C	LEC01-Life-threatening Illness: Learned	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Learned about it.	LEC-5 Standard Version - Life-threatening Illness: Learned
C135889	LEC0112D	LEC01-Life-threatening Illness: Job	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Part of my job.	LEC-5 Standard Version - Life-threatening Illness: Job
C135890	LEC0112E	LEC01-Life-threatening Illness: Not Sure	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Not sure.	LEC-5 Standard Version - Life-threatening Illness: Not Sure
C135891	LEC0112F	LEC01-Life-threatening Illness: No Apply	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Doesn't apply.	LEC-5 Standard Version - Life-threatening Illness: Not Apply
C135892	LEC0113A	LEC01-Severe Human Suffering: Happened	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Happened to me.	LEC-5 Standard Version - Severe Human Suffering: Happened
C135893	LEC0113B	LEC01-Severe Human Suffering: Witnessed	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Witnessed it.	LEC-5 Standard Version - Severe Human Suffering: Witnessed
C135894	LEC0113C	LEC01-Severe Human Suffering: Learned	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Learned about it.	LEC-5 Standard Version - Severe Human Suffering: Learned
C135895	LEC0113D	LEC01-Severe Human Suffering: Job	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Part of my job.	LEC-5 Standard Version - Severe Human Suffering: Job
C135896	LEC0113E	LEC01-Severe Human Suffering: Not Sure	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Not sure.	LEC-5 Standard Version - Severe Human Suffering: Not Sure
C135897	LEC0113F	LEC01-Severe Human Suffering: Not Apply	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Doesn't apply.	LEC-5 Standard Version - Severe Human Suffering: Not Apply
C135898	LEC0114A	LEC01-Sudden Violent Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Happened to me.	LEC-5 Standard Version - Sudden Violent Death: Happened
C135899	LEC0114B	LEC01-Sudden Violent Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Witnessed it.	LEC-5 Standard Version - Sudden Violent Death: Witnessed
C135900	LEC0114C	LEC01-Sudden Violent Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Learned about it.	LEC-5 Standard Version - Sudden Violent Death: Learned

**C135690 LEC01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135901	LEC0114D	LEC01-Sudden Violent Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Part of my job.	LEC-5 Standard Version - Sudden Violent Death: Job
C135902	LEC0114E	LEC01-Sudden Violent Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Not sure.	LEC-5 Standard Version - Sudden Violent Death: Not Sure
C135903	LEC0114F	LEC01-Sudden Violent Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Doesn't apply.	LEC-5 Standard Version - Sudden Violent Death: Not Apply
C135904	LEC0115A	LEC01-Sudden Accidental Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Happened to me.	LEC-5 Standard Version - Sudden Accidental Death: Happened
C135905	LEC0115B	LEC01-Sudden Accidental Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Witnessed it.	LEC-5 Standard Version - Sudden Accidental Death: Witnessed
C135906	LEC0115C	LEC01-Sudden Accidental Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Learned about it.	LEC-5 Standard Version - Sudden Accidental Death: Learned
C135907	LEC0115D	LEC01-Sudden Accidental Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Part of my job.	LEC-5 Standard Version - Sudden Accidental Death: Job
C135908	LEC0115E	LEC01-Sudden Accidental Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Not sure.	LEC-5 Standard Version - Sudden Accidental Death: Not Sure
C135909	LEC0115F	LEC01-Sudden Accidental Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Doesn't apply.	LEC-5 Standard Version - Sudden Accidental Death: Not Apply
C135910	LEC0116A	LEC01-Serious Injury Caused: Happened	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Happened to me.	LEC-5 Standard Version - Serious Injury Caused: Happened
C135911	LEC0116B	LEC01-Serious Injury Caused: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Witnessed it.	LEC-5 Standard Version - Serious Injury Caused: Witnessed
C135912	LEC0116C	LEC01-Serious Injury Caused: Learned	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Learned about it.	LEC-5 Standard Version - Serious Injury Caused: Learned
C135913	LEC0116D	LEC01-Serious Injury Caused: Job	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Part of my job.	LEC-5 Standard Version - Serious Injury Caused: Job
C135914	LEC0116E	LEC01-Serious Injury Caused: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Not sure.	LEC-5 Standard Version - Serious Injury Caused: Not Sure
C135915	LEC0116F	LEC01-Serious Injury Caused: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Doesn't apply.	LEC-5 Standard Version - Serious Injury Caused: Not Apply
C135916	LEC0117A	LEC01-Other Stressful Event: Happened	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Happened to me.	LEC-5 Standard Version - Other Stressful Event: Happened
C135917	LEC0117B	LEC01-Other Stressful Event: Witnessed	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Witnessed it.	LEC-5 Standard Version - Other Stressful Event: Witnessed
C135918	LEC0117C	LEC01-Other Stressful Event: Learned	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Learned about it.	LEC-5 Standard Version - Other Stressful Event: Learned
C135919	LEC0117D	LEC01-Other Stressful Event: Job	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Part of my job.	LEC-5 Standard Version - Other Stressful Event: Job
C135920	LEC0117E	LEC01-Other Stressful Event: Not Sure	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Not sure.	LEC-5 Standard Version - Other Stressful Event: Not Sure
C135921	LEC0117F	LEC01-Other Stressful Event: Not Apply	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Doesn't apply.	LEC-5 Standard Version - Other Stressful Event: Not Apply

**LEC01TN (Life Events Checklist for DSM-5 Standard Version Questionnaire Test Name)**

NCI Code: C135689, Codelist extensible: No

<b>C135689 LEC01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135856	LEC01-Assault With a Weapon: Happened	LEC01-Assault With a Weapon: Happened	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Happened to me.	LEC-5 Standard Version - Assault With a Weapon: Happened
C135859	LEC01-Assault With a Weapon: Job	LEC01-Assault With a Weapon: Job	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Part of my job.	LEC-5 Standard Version - Assault With a Weapon: Job
C135858	LEC01-Assault With a Weapon: Learned	LEC01-Assault With a Weapon: Learned	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Learned about it.	LEC-5 Standard Version - Assault With a Weapon: Learned
C135861	LEC01-Assault With a Weapon: Not Apply	LEC01-Assault With a Weapon: Not Apply	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Doesn't apply.	LEC-5 Standard Version - Assault With a Weapon: Not Apply
C135860	LEC01-Assault With a Weapon: Not Sure	LEC01-Assault With a Weapon: Not Sure	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Not sure.	LEC-5 Standard Version - Assault With a Weapon: Not Sure
C135857	LEC01-Assault With a Weapon: Witnessed	LEC01-Assault With a Weapon: Witnessed	Life Events Checklist for DSM-5, Standard Version - Assault with a weapon (for example, being shot, stabbed, threatened with a knife, gun, bomb): Witnessed it.	LEC-5 Standard Version - Assault With a Weapon: Witnessed
C135880	LEC01-Captivity: Happened	LEC01-Captivity: Happened	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Happened to me.	LEC-5 Standard Version - Captivity: Happened
C135883	LEC01-Captivity: Job	LEC01-Captivity: Job	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Part of my job.	LEC-5 Standard Version - Captivity: Job
C135882	LEC01-Captivity: Learned	LEC01-Captivity: Learned	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Learned about it.	LEC-5 Standard Version - Captivity: Learned
C135885	LEC01-Captivity: Not Apply	LEC01-Captivity: Not Apply	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Doesn't apply.	LEC-5 Standard Version - Captivity: Not Apply
C135884	LEC01-Captivity: Not Sure	LEC01-Captivity: Not Sure	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Not sure.	LEC-5 Standard Version - Captivity: Not Sure
C135881	LEC01-Captivity: Witnessed	LEC01-Captivity: Witnessed	Life Events Checklist for DSM-5, Standard Version - Captivity (for example, being kidnapped, abducted, held hostage, prisoner of war): Witnessed it.	LEC-5 Standard Version - Captivity: Witnessed
C135874	LEC01-Combat/Exp to War-Zone: Happened	LEC01-Combat/Exp to War-Zone: Happened	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Happened to me.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Happened
C135877	LEC01-Combat/Exp to War-Zone: Job	LEC01-Combat/Exp to War-Zone: Job	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Part of my job.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Job
C135876	LEC01-Combat/Exp to War-Zone: Learned	LEC01-Combat/Exp to War-Zone: Learned	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Learned about it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Learned
C135879	LEC01-Combat/Exp to War-Zone: Not Apply	LEC01-Combat/Exp to War-Zone: Not Apply	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Doesn't apply.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Apply
C135878	LEC01-Combat/Exp to War-Zone: Not Sure	LEC01-Combat/Exp to War-Zone: Not Sure	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Not sure.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Not Sure
C135875	LEC01-Combat/Exp to War-Zone: Witnessed	LEC01-Combat/Exp to War-Zone: Witnessed	Life Events Checklist for DSM-5, Standard Version - Combat or exposure to a war-zone (in the military or as a civilian): Witnessed it.	LEC-5 Standard Version - Combat or Exposure to War-Zone: Witnessed
C135826	LEC01-Fire or Explosion: Happened	LEC01-Fire or Explosion: Happened	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Happened to me.	LEC-5 Standard Version - Fire or Explosion: Happened
C135829	LEC01-Fire or Explosion: Job	LEC01-Fire or Explosion: Job	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Part of my job.	LEC-5 Standard Version - Fire or Explosion: Job

**C135689 LEC01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135828	LEC01-Fire or Explosion: Learned	LEC01-Fire or Explosion: Learned	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Learned about it.	LEC-5 Standard Version - Fire or Explosion: Learned
C135831	LEC01-Fire or Explosion: Not Apply	LEC01-Fire or Explosion: Not Apply	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Doesn't apply.	LEC-5 Standard Version - Fire or Explosion: Not Apply
C135830	LEC01-Fire or Explosion: Not Sure	LEC01-Fire or Explosion: Not Sure	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Not sure.	LEC-5 Standard Version - Fire or Explosion: Not Sure
C135827	LEC01-Fire or Explosion: Witnessed	LEC01-Fire or Explosion: Witnessed	Life Events Checklist for DSM-5, Standard Version - Fire or explosion: Witnessed it.	LEC-5 Standard Version - Fire or Explosion: Witnessed
C135886	LEC01-Life-threatening Illness: Happened	LEC01-Life-threatening Illness: Happened	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Happened to me.	LEC-5 Standard Version - Life-threatening Illness: Happened
C135889	LEC01-Life-threatening Illness: Job	LEC01-Life-threatening Illness: Job	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Part of my job.	LEC-5 Standard Version - Life-threatening Illness: Job
C135888	LEC01-Life-threatening Illness: Learned	LEC01-Life-threatening Illness: Learned	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Learned about it.	LEC-5 Standard Version - Life-threatening Illness: Learned
C135891	LEC01-Life-threatening Illness: No Apply	LEC01-Life-threatening Illness: No Apply	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Doesn't apply.	LEC-5 Standard Version - Life-threatening Illness: Not Apply
C135890	LEC01-Life-threatening Illness: Not Sure	LEC01-Life-threatening Illness: Not Sure	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Not sure.	LEC-5 Standard Version - Life-threatening Illness: Not Sure
C135887	LEC01-Life-threatening Illness: Witness	LEC01-Life-threatening Illness: Witness	Life Events Checklist for DSM-5, Standard Version - Life-threatening illness or injury: Witnessed it.	LEC-5 Standard Version - Life-threatening Illness: Witnessed
C135820	LEC01-Natural Disaster: Happened	LEC01-Natural Disaster: Happened	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Happened to me.	LEC-5 Standard Version - Natural Disaster: Happened
C135823	LEC01-Natural Disaster: Job	LEC01-Natural Disaster: Job	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Part of my job.	LEC-5 Standard Version - Natural Disaster: Job
C135822	LEC01-Natural Disaster: Learned	LEC01-Natural Disaster: Learned	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Learned about it.	LEC-5 Standard Version - Natural Disaster: Learned
C135825	LEC01-Natural Disaster: Not Apply	LEC01-Natural Disaster: Not Apply	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Doesn't apply.	LEC-5 Standard Version - Natural Disaster: Not Apply
C135824	LEC01-Natural Disaster: Not Sure	LEC01-Natural Disaster: Not Sure	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Not sure.	LEC-5 Standard Version - Natural Disaster: Not Sure
C135821	LEC01-Natural Disaster: Witnessed	LEC01-Natural Disaster: Witnessed	Life Events Checklist for DSM-5, Standard Version - Natural disaster (for example, flood, hurricane, tornado, earthquake): Witnessed it.	LEC-5 Standard Version - Natural Disaster: Witnessed
C135916	LEC01-Other Stressful Event: Happened	LEC01-Other Stressful Event: Happened	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Happened to me.	LEC-5 Standard Version - Other Stressful Event: Happened
C135919	LEC01-Other Stressful Event: Job	LEC01-Other Stressful Event: Job	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Part of my job.	LEC-5 Standard Version - Other Stressful Event: Job
C135918	LEC01-Other Stressful Event: Learned	LEC01-Other Stressful Event: Learned	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Learned about it.	LEC-5 Standard Version - Other Stressful Event: Learned
C135921	LEC01-Other Stressful Event: Not Apply	LEC01-Other Stressful Event: Not Apply	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Doesn't apply.	LEC-5 Standard Version - Other Stressful Event: Not Apply
C135920	LEC01-Other Stressful Event: Not Sure	LEC01-Other Stressful Event: Not Sure	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Not sure.	LEC-5 Standard Version - Other Stressful Event: Not Sure

**C135689 LEC01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135917	LEC01-Other Stressful Event: Witnessed	LEC01-Other Stressful Event: Witnessed	Life Events Checklist for DSM-5, Standard Version - Any other very stressful event or experience: Witnessed it.	LEC-5 Standard Version - Other Stressful Event: Witnessed
C135850	LEC01-Physical Assault: Happened	LEC01-Physical Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Happened to me.	LEC-5 Standard Version - Physical Assault: Happened
C135853	LEC01-Physical Assault: Job	LEC01-Physical Assault: Job	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Part of my job.	LEC-5 Standard Version - Physical Assault: Job
C135852	LEC01-Physical Assault: Learned	LEC01-Physical Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Learned about it.	LEC-5 Standard Version - Physical Assault: Learned
C135855	LEC01-Physical Assault: Not Apply	LEC01-Physical Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Doesn't apply.	LEC-5 Standard Version - Physical Assault: Not Apply
C135854	LEC01-Physical Assault: Not Sure	LEC01-Physical Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Not sure.	LEC-5 Standard Version - Physical Assault: Not Sure
C135851	LEC01-Physical Assault: Witnessed	LEC01-Physical Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Physical assault (for example, being attacked, hit, slapped, kicked, beaten up): Witnessed it.	LEC-5 Standard Version - Physical Assault: Witnessed
C135838	LEC01-Serious Accident: Happened	LEC01-Serious Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Happened to me.	LEC-5 Standard Version - Serious Accident: Happened
C135841	LEC01-Serious Accident: Job	LEC01-Serious Accident: Job	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Part of my job.	LEC-5 Standard Version - Serious Accident: Job
C135840	LEC01-Serious Accident: Learned	LEC01-Serious Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Learned about it.	LEC-5 Standard Version - Serious Accident: Learned
C135843	LEC01-Serious Accident: Not Apply	LEC01-Serious Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Doesn't apply.	LEC-5 Standard Version - Serious Accident: Not Apply
C135842	LEC01-Serious Accident: Not Sure	LEC01-Serious Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Not sure.	LEC-5 Standard Version - Serious Accident: Not Sure
C135839	LEC01-Serious Accident: Witnessed	LEC01-Serious Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious accident at work, home, or during recreational activity: Witnessed it.	LEC-5 Standard Version - Serious Accident: Witnessed
C135910	LEC01-Serious Injury Caused: Happened	LEC01-Serious Injury Caused: Happened	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Happened to me.	LEC-5 Standard Version - Serious Injury Caused: Happened
C135913	LEC01-Serious Injury Caused: Job	LEC01-Serious Injury Caused: Job	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Part of my job.	LEC-5 Standard Version - Serious Injury Caused: Job
C135912	LEC01-Serious Injury Caused: Learned	LEC01-Serious Injury Caused: Learned	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Learned about it.	LEC-5 Standard Version - Serious Injury Caused: Learned
C135915	LEC01-Serious Injury Caused: Not Apply	LEC01-Serious Injury Caused: Not Apply	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Doesn't apply.	LEC-5 Standard Version - Serious Injury Caused: Not Apply
C135914	LEC01-Serious Injury Caused: Not Sure	LEC01-Serious Injury Caused: Not Sure	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Not sure.	LEC-5 Standard Version - Serious Injury Caused: Not Sure
C135911	LEC01-Serious Injury Caused: Witnessed	LEC01-Serious Injury Caused: Witnessed	Life Events Checklist for DSM-5, Standard Version - Serious injury, harm, or death you caused to someone else: Witnessed it.	LEC-5 Standard Version - Serious Injury Caused: Witnessed
C135892	LEC01-Severe Human Suffering: Happened	LEC01-Severe Human Suffering: Happened	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Happened to me.	LEC-5 Standard Version - Severe Human Suffering: Happened
C135895	LEC01-Severe Human Suffering: Job	LEC01-Severe Human Suffering: Job	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Part of my job.	LEC-5 Standard Version - Severe Human Suffering: Job

**C135689 LEC01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135894	LEC01-Severe Human Suffering: Learned	LEC01-Severe Human Suffering: Learned	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Learned about it.	LEC-5 Standard Version - Severe Human Suffering: Learned
C135897	LEC01-Severe Human Suffering: Not Apply	LEC01-Severe Human Suffering: Not Apply	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Doesn't apply.	LEC-5 Standard Version - Severe Human Suffering: Not Apply
C135896	LEC01-Severe Human Suffering: Not Sure	LEC01-Severe Human Suffering: Not Sure	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Not sure.	LEC-5 Standard Version - Severe Human Suffering: Not Sure
C135893	LEC01-Severe Human Suffering: Witnessed	LEC01-Severe Human Suffering: Witnessed	Life Events Checklist for DSM-5, Standard Version - Severe human suffering: Witnessed it.	LEC-5 Standard Version - Severe Human Suffering: Witnessed
C135862	LEC01-Sexual Assault: Happened	LEC01-Sexual Assault: Happened	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Happened to me.	LEC-5 Standard Version - Sexual Assault: Happened
C135865	LEC01-Sexual Assault: Job	LEC01-Sexual Assault: Job	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Part of my job.	LEC-5 Standard Version - Sexual Assault: Job
C135864	LEC01-Sexual Assault: Learned	LEC01-Sexual Assault: Learned	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Learned about it.	LEC-5 Standard Version - Sexual Assault: Learned
C135867	LEC01-Sexual Assault: Not Apply	LEC01-Sexual Assault: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Doesn't apply.	LEC-5 Standard Version - Sexual Assault: Not Apply
C135866	LEC01-Sexual Assault: Not Sure	LEC01-Sexual Assault: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Not sure.	LEC-5 Standard Version - Sexual Assault: Not Sure
C135863	LEC01-Sexual Assault: Witnessed	LEC01-Sexual Assault: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sexual assault (rape, attempted rape, made to perform any type of sexual act through force or threat of harm): Witnessed it.	LEC-5 Standard Version - Sexual Assault: Witnessed
C135904	LEC01-Sudden Accidental Death: Happened	LEC01-Sudden Accidental Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Happened to me.	LEC-5 Standard Version - Sudden Accidental Death: Happened
C135907	LEC01-Sudden Accidental Death: Job	LEC01-Sudden Accidental Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Part of my job.	LEC-5 Standard Version - Sudden Accidental Death: Job
C135906	LEC01-Sudden Accidental Death: Learned	LEC01-Sudden Accidental Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Learned about it.	LEC-5 Standard Version - Sudden Accidental Death: Learned
C135909	LEC01-Sudden Accidental Death: Not Apply	LEC01-Sudden Accidental Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Doesn't apply.	LEC-5 Standard Version - Sudden Accidental Death: Not Apply
C135908	LEC01-Sudden Accidental Death: Not Sure	LEC01-Sudden Accidental Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Not sure.	LEC-5 Standard Version - Sudden Accidental Death: Not Sure
C135905	LEC01-Sudden Accidental Death: Witnessed	LEC01-Sudden Accidental Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden accidental death: Witnessed it.	LEC-5 Standard Version - Sudden Accidental Death: Witnessed
C135898	LEC01-Sudden Violent Death: Happened	LEC01-Sudden Violent Death: Happened	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Happened to me.	LEC-5 Standard Version - Sudden Violent Death: Happened
C135901	LEC01-Sudden Violent Death: Job	LEC01-Sudden Violent Death: Job	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Part of my job.	LEC-5 Standard Version - Sudden Violent Death: Job
C135900	LEC01-Sudden Violent Death: Learned	LEC01-Sudden Violent Death: Learned	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Learned about it.	LEC-5 Standard Version - Sudden Violent Death: Learned

**C135689 LEC01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135903	LEC01-Sudden Violent Death: Not Apply	LEC01-Sudden Violent Death: Not Apply	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Doesn't apply.	LEC-5 Standard Version - Sudden Violent Death: Not Apply
C135902	LEC01-Sudden Violent Death: Not Sure	LEC01-Sudden Violent Death: Not Sure	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Not sure.	LEC-5 Standard Version - Sudden Violent Death: Not Sure
C135899	LEC01-Sudden Violent Death: Witnessed	LEC01-Sudden Violent Death: Witnessed	Life Events Checklist for DSM-5, Standard Version - Sudden violent death (for example, homicide, suicide): Witnessed it.	LEC-5 Standard Version - Sudden Violent Death: Witnessed
C135844	LEC01-Toxic Substance: Happened	LEC01-Toxic Substance: Happened	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Happened to me.	LEC-5 Standard Version - Toxic Substance: Happened
C135847	LEC01-Toxic Substance: Job	LEC01-Toxic Substance: Job	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Part of my job.	LEC-5 Standard Version - Toxic Substance: Job
C135846	LEC01-Toxic Substance: Learned	LEC01-Toxic Substance: Learned	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Learned about it.	LEC-5 Standard Version - Toxic Substance: Learned
C135849	LEC01-Toxic Substance: Not Apply	LEC01-Toxic Substance: Not Apply	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Doesn't apply.	LEC-5 Standard Version - Toxic Substance: Not Apply
C135848	LEC01-Toxic Substance: Not Sure	LEC01-Toxic Substance: Not Sure	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Not sure.	LEC-5 Standard Version - Toxic Substance: Not Sure
C135845	LEC01-Toxic Substance: Witnessed	LEC01-Toxic Substance: Witnessed	Life Events Checklist for DSM-5, Standard Version - Exposure to toxic substance (for example, dangerous chemicals, radiation): Witnessed it.	LEC-5 Standard Version - Toxic Substance: Witnessed
C135832	LEC01-Transportation Accident: Happened	LEC01-Transportation Accident: Happened	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Happened to me.	LEC-5 Standard Version - Transportation Accident: Happened
C135835	LEC01-Transportation Accident: Job	LEC01-Transportation Accident: Job	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Part of my job.	LEC-5 Standard Version - Transportation Accident: Job
C135834	LEC01-Transportation Accident: Learned	LEC01-Transportation Accident: Learned	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Learned about it.	LEC-5 Standard Version - Transportation Accident: Learned
C135837	LEC01-Transportation Accident: Not Apply	LEC01-Transportation Accident: Not Apply	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Doesn't apply.	LEC-5 Standard Version - Transportation Accident: Not Apply
C135836	LEC01-Transportation Accident: Not Sure	LEC01-Transportation Accident: Not Sure	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Not sure.	LEC-5 Standard Version - Transportation Accident: Not Sure
C135833	LEC01-Transportation Accident: Witnessed	LEC01-Transportation Accident: Witnessed	Life Events Checklist for DSM-5, Standard Version - Transportation accident (for example, car accident, boat accident, train wreck, plane crash): Witnessed it.	LEC-5 Standard Version - Transportation Accident: Witnessed
C135868	LEC01-Unwanted Sex Experience: Happened	LEC01-Unwanted Sex Experience: Happened	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Happened to me.	LEC-5 Standard Version - Unwanted Sex Experience: Happened
C135871	LEC01-Unwanted Sex Experience: Job	LEC01-Unwanted Sex Experience: Job	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Part of my job.	LEC-5 Standard Version - Unwanted Sex Experience: Job
C135870	LEC01-Unwanted Sex Experience: Learned	LEC01-Unwanted Sex Experience: Learned	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Learned about it.	LEC-5 Standard Version - Unwanted Sex Experience: Learned
C135873	LEC01-Unwanted Sex Experience: Not Apply	LEC01-Unwanted Sex Experience: Not Apply	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Doesn't apply.	LEC-5 Standard Version - Unwanted Sex Experience: Not Apply
C135872	LEC01-Unwanted Sex Experience: Not Sure	LEC01-Unwanted Sex Experience: Not Sure	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Not sure.	LEC-5 Standard Version - Unwanted Sex Experience: Not Sure
C135869	LEC01-Unwanted Sex Experience: Witnessed	LEC01-Unwanted Sex Experience: Witnessed	Life Events Checklist for DSM-5, Standard Version - Other unwanted or uncomfortable sexual experience: Witnessed it.	LEC-5 Standard Version - Unwanted Sex Experience: Witnessed



## LOC (Anatomical Location)

NCI Code: C74456, Codelist extensible: Yes

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C116163	5TH LUMBAR SPINOUS PROCESS		The spinous process of the 5th lumbar vertebra.	Fifth Lumbar Spinous Process
C32038	ABDOMINAL AORTA		The portion of the descending aorta that lies within the abdomen, beginning below the diaphragm and ending at its division into the right and left common iliac arteries. (NCI)	Abdominal Aorta
C12664	ABDOMINAL CAVITY	Abdomen	The body cavity between the thoracic and pelvic cavities in mammals.	Abdomen
C12360	ABDOMINAL LYMPH NODE		Any lymph node within the abdomen.	Intra-Abdominal Lymph Node
C139186	ABDOMINAL REGION		Any portion of the body that lies within the boundary, either internally or externally, of the abdomen: superior margin, the thorax; inferior margin, the pelvis; lateral margins, the ribs.	Abdominal Region
C52758	ABDOMINAL SKIN	Abdominal Skin	The integument that covers the abdomen.	Abdominal Skin
C77608	ABDOMINAL WALL		The tissue that surrounds the organs present in the abdominal cavity.	Abdominal Wall
C12665	ABDUCENS NERVE		The sixth cranial nerve.	Abducens Nerve
C116183	ACCESSORY RENAL ARTERY		An additional renal vessel originating from the aorta and entering the kidney at the proximal or distal end of the organ. Accessory renal arteries are found in 26-30% of humans.	Accessory Renal Artery
C32042	ACETABULUM	Acetabulum	Two cup shaped areas, one each on the lateral side of the lower pelvis that house the head of the femur to form the ball and socket joint of the hip. (NCI)	Acetabulum
C32043	ACHILLES TENDON		The tendon that, in general, attaches the gastrocnemius muscle to the calcaneous bone in the tarsus.	Achilles Tendon
C32047	ACROMIOCLAVICULAR JOINT	Acromioclavicular Joint	The junction of the upper distal end of the scapula to the distal edge of the collarbone, also known as the acromion and the clavicle. (NCI)	Acromioclavicular Joint
C32048	ACROMION	Acromion	The upper distal process of the scapula. (NCI)	Acromion
C102285	ACUTE MARGINAL ARTERY	ACUTE MARGINAL ARTERY SEGMENT(S);AMARG	The arteries that arise at the junction of the proximal and mid-right coronary artery conduit segments.	Acute Marginal Artery
C52888	ADDUCTOR POLLICIS MUSCLE		A skeletal muscle of the forearm originating from the posterior surfaces of the ulna and radius and the interosseous membrane. (NCI)	Abductor Pollicis Longus
C12666	ADRENAL GLAND		The endocrine glands adjacent to the kidneys that consist of the outer adrenal cortex and the inner adrenal medulla in mammals.	Adrenal Gland
C12440	AMYGDALA	Amygdala;Amygdaloid Body;Amygdaloid Nucleus	A group of nuclei adjacent to the lateral ventricle of the brain within the temporal lobe, and is part of the limbic system.	Amygdala
C12375	ANAL CANAL		The terminal section of the alimentary canal, which extends from the anorectal junction and ends at the anal opening. (NCI)	Anal Canal
C15609	ANASTOMOSIS	Anastomosis	A natural or surgically-induced connection between tubular structures in the body. (NCI)	Anastomosis
C32078	ANKLE JOINT	Ankle;Ankle Joint	A gliding joint between the distal ends of the tibia and fibula and the proximal end of the talus. (NCI)	Ankle Joint
C117868	ANKLE MORTISE	Talar Mortise	A rectangular socket or bony arch that connects the ends of the tibia and fibula to the talus.	Ankle Mortise
C139185	ANTERIOR CINGULATE CORTEX		The part of the cingulate cortex that lies most frontal, with the most anterior portion of the cortex bending in a horseshoe shape around the genu of the corpus callosum.	Anterior Cingulate Cortex

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C96217	ANTERIOR CINGULATE GYRUS		The part of the cingulate gyrus that lies inferior to the superior frontal gyrus, and is separated from it by the cingulate sulcus; it ends inferior to the rostrum of the corpus callosum.	Cingulate Gyrus
C32637	ANTERIOR HORN OF THE LATERAL VENTRICLE	Frontal Horn of the Lateral Ventricle	The part of the lateral ventricle located in the frontal lobe, anterior to the interventricular foramen of Monroe, and bounded by the septum pellucidum, fornix, and genu of the corpus callosum.	Frontal Horn of the Lateral Ventricle
C139187	ANTERIOR SUPERIOR ILIAC SPINE		A bony projection from the anterior region of the iliac crest, and is the site of attachment for the sartorius and tensor fascia latae muscles and the inguinal ligament.	Anterior Superior Iliac Spine
C12825	ANTERIOR TIBIAL ARTERY		An artery of the lower extremity that supplies blood to the anterior part of the leg and the foot.	Anterior Tibial Artery
C12259	ANTRUM PYLORI	Antrum Pylori	The initial part of the pyloric canal of the stomach. This site contains endocrine cells that produce gastrin and somatostatin. (NCI)	Antrum Pylori
C43362	ANUS		The distal orifice of the digestive tract located between the rectum and the external surface of the body, comprising glandular, transitional, and squamous epithelium.	Anus
C12669	AORTA		The major artery of the body; it arises from the left ventricle of the heart and terminally bifurcates into the common iliac arteries.	Aorta
C32123	AORTIC ARCH	Aortic Arch	The curved segment of the aorta between the ascending and the descending segments.	Aortic Arch
C12670	AORTIC VALVE		A cardiac valve located between the left ventricle and the aorta.	Aortic Valve
C130167	AORTIC VALVE ANNULUS		A fibrous membrane that attaches to, and provides support for, the aortic valve leaflets.	Aortic Valve Annulus
C127638	AORTIC VALVE, LEFT CORONARY CUSP	Aortic Valve, Left Semilunar Cusp	The cusp of the aortic valve that overlies the left coronary ostium.	Left Coronary Cusp of the Aortic Valve
C127639	AORTIC VALVE, NON-CORONARY CUSP	Aortic Valve, Posterior Semilunar Cusp	The cusp of the aortic valve that is positioned posteriorly relative to the left and right aortic cusps.	Non-Coronary Cusp of the Aortic Valve
C127640	AORTIC VALVE, RIGHT CORONARY CUSP	Aortic Valve, Right Semilunar Cusp	The cusp of the aortic valve that overlies the right coronary ostium.	Right Coronary Cusp of the Aortic Valve
C116166	AORTO-ILIAC PERIPHERAL ARTERY		The segment of the blood vessels that includes the iliac artery and its origin from the aorta.	Aortoiliac Artery Segment
C118775	AORTOCAVAL LYMPH NODE		A lymph node located in the area between the abdominal aorta and inferior vena cava. (NCI)	Aortocaval Lymph Node
C116165	AORTOPULMONARY WINDOW LYMPH NODE		A lymph node located in the aortopulmonary window.	Aortopulmonary Window Lymph Node
C83470	APPENDICEAL TIP		The distal end of the appendix. (NCI)	Appendiceal Tip
C49477	APPENDICULAR SKELETON		The part of the skeleton that includes the bones of the upper and lower limbs, including the shoulder and pelvic girdles	Appendicular Skeleton
C12380	APPENDIX		A pouch-like tissue attached to the cecum, which may exist as a diverticulum.	Appendix
C32141	ARM	Arm	The portion of the upper extremity between the shoulder and the elbow. For clinical purposes this term is also used to refer to the whole superior limb. (NCI)	Arm
C52754	ARM SKIN	Arm Skin	The integument that covers the arm.	Arm Skin
C12372	ARTERY	Artery	A blood vessel that carries blood away from the heart. (NCI)	Artery
C32150	ASCENDING AORTA		The portion of the aorta that emerges from the left ventricle and precedes the aortic arch.	Ascending Aorta
C127641	ASCENDING AORTA, AORTIC ROOT		The portion of the ascending aorta between the aortic annulus and the sinotubular junction.	Aortic Root
C127642	ASCENDING AORTA, SINOTUBULAR JUNCTION		The terminus of the aortic root; the point at which the aorta attains a tubular configuration.	Sinotubular Junction

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C33557	ASCENDING AORTA, SINUS OF VALSALVA		Any one of the naturally occurring sinuses of the aortic root distal to the semilunar valve.	Sinus of Valsalva
C32172	AXIAL SKELETON		The part of the skeleton that includes the skull and spinal column and sternum and ribs. (NCI)	Axial Skeleton
C12674	AXILLA	Axilla	The underside concavity where the arm and the shoulder are joined. (NCI)	Axilla
C32169	AXILLARY ARTERY		An artery that originates from the subclavian artery at the lateral margin of the first rib. It supplies the brachial artery.	Axillary Artery
C12904	AXILLARY LYMPH NODE		Lymph node(s) in the axillary region.	Axillary Lymph Node
C123461	AXILLARY LYMPH NODE LEVEL I		Axillary lymph nodes located inferolateral to pectoralis minor.	Axillary Lymph Node Level I
C123462	AXILLARY LYMPH NODE LEVEL II		Axillary lymph nodes located posterior to pectoralis minor.	Axillary Lymph Node Level II
C123463	AXILLARY LYMPH NODE LEVEL III		Axillary lymph nodes located superomedial to pectoralis minor.	Axillary Lymph Node Level III
C32171	AXILLARY VEIN		A large blood vessel which returns blood to the heart from the lateral thorax, axilla and upper limb. Each side of the body contains one axillary vein.	Axillary Vein
C13062	BACK	Back	The dorsal area between the base of the neck and the sacrum. (NCI)	Back
C12447	BASAL GANGLIA		Clusters of neurons comprising the globus pallidus, putamen, caudate, nucleus accumbens, substantia nigra and subthalamic nucleus.	Basal Ganglia
C32197	BASILIC VEIN	Basilic Vein	One of the moderately large superficial veins of the forearm that transports blood from the hand and the medial aspect of the forearm to the axillary vein. (NCI)	Basilic Vein
C32200	BICEPS BRACHII MUSCLE		A muscle of the proximal arm/forelimb, in general extending from the scapula to the radius and adjacent fascia; primary function is flexion of the elbow joint and, in some species, also functions in supination of the antebrachium.	Biceps
C53147	BICEPS FEMORIS MUSCLE		A muscle in the thigh, in general extending from the ischial tuberosity and posterior femur to the fibula; primary function is to extend the femorotibial joint.	Biceps Femoris
C12376	BILE DUCT		Any of the ducts conveying bile between the liver and the intestine, including hepatic, cystic, and common bile duct.	Bile Duct
C12678	BILIARY TRACT	Biliary Tract	The duct system that transports bile from its origination by hepatocytes in the liver to the small intestine. It is comprised of the common bile duct that connects the liver and gall bladder to the small intestine and the cystic duct that connects the gall bladder to the common bile duct. (NCI)	Biliary Tract
C12414	BLADDER		The distensible sac-like organ that functions as a reservoir of urine, collecting from the kidneys and eliminating via the urethra. (NCI)	Bladder
C48941	BLADDER WALL		The tissue layers that form the urinary bladder. They include the mucosa, submucosa, smooth muscle, and serosa.	Bladder Wall
C12332	BLADDER, DOME	Dome of the Bladder	The upper, convex surface of the bladder. (NCI)	Dome of the Bladder
C48939	BLADDER, FUNDUS	Fundus of the Bladder	The portion of the bladder that is formed by the posterior wall and is located opposite to the bladder opening. (NCI)	Bladder Fundus
C12336	BLADDER, NECK	Neck of the Bladder	The inferior portion of the urinary bladder which is formed as the walls of the bladder converge and become contiguous with the proximal urethra. (NCI)	Bladder Neck
C12331	BLADDER, TRIGONE	Trigone of the Bladder	The triangular area in the bladder mucosa that is formed by the two ureteral orifices and the urethral orifice. (NCI)	Bladder Trigone

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12434	BLOOD	Peripheral Blood;Whole Blood	A liquid tissue with the primary function of transporting oxygen and carbon dioxide. It supplies the tissues with nutrients, removes waste products, and contains various components of the immune system defending the body against infection.	Blood
C12679	BLOOD VESSEL		A tubular structure through which the blood circulates in the body. Blood vessels constitute a network composed of arteries, arterioles, capillaries, venules, and veins. (NCI)	Blood Vessel
C13041	BODY	Body	The entire physical structure of an organism. It is composed of anatomic systems, regions, cavities, and spaces. (NCI)	Body
C12258	BODY OF STOMACH	Body of Stomach	The main section of the digestive tube that connects the esophagus to the small intestine. The body proper excludes the upper and lower sections of the fundus and pyloric portion respectively. (NCI)	Body of Stomach
C12366	BONE		Calcified connective tissue that forms the skeletal components of the body. (NCI)	Bone
C12431	BONE MARROW		The tissue occupying the spaces of some bones. It consists of blood vessel sinuses and a network of hematopoietic cells.	Bone Marrow
C12681	BRACHIAL ARTERY		An artery of the forelimb; in general it arises from the axillary artery and branches to form the radial and ulnar arteries.	Brachial Artery
C92221	BRACHIAL LYMPH NODE		Lymph node(s) adjacent to the brachial vein.	Brachial Lymph Node
C12682	BRACHIAL PLEXUS	Brachial Plexus	A nerve network originating from spinal nerves in the cervical and thoracic vertebrae and giving rise to multiple nerves that innervate the arm/forelimb.	Brachial Plexus
C53149	BRACHIALIS MUSCLE		A muscle that originates from the lower two-thirds of the anterior surface of the humerus that flexes the elbow. (NCI)	Brachialis
C12439	BRAIN	Nervous System, Brain	An organ composed of grey and white matter that is the center for intelligence and reasoning. It is protected by the bony cranium.	Brain
C12441	BRAIN STEM	Brain Stem	The part of the brain that connects the cerebral hemispheres with the spinal cord. It consists of the mesencephalon, pons, and medulla oblongata. (NCI)	Brain Stem
C12356	BRAIN VENTRICLE	Brain Ventricle	The four connected cavities (hollow spaces) centrally located within the brain that connect posteriorly with the central canal of the spinal cord. (NCI)	Brain Ventricle
C12834	BRAIN VENTRICLE, LATERAL		The rostral extensions of the ventricular system of the brain consisting of two cavities, one on each side of the brain within the central regions of each cerebral hemisphere. Cerebrospinal fluid flows from the lateral ventricles into the centrally third ventricle via the foramen of Monroe. (NCI)	Lateral Ventricle
C132390	BRAIN, PERIVENTRICULAR REGION		The area of the body surrounding the ventricles of the brain.	Periventricular Region
C12827	BRAIN, THIRD VENTRICLE		A centrally placed component of the ventricular system of the brain that is located in the diencephalon; the thalamus and the hypothalamus border the third ventricle.	Third Ventricle
C12971	BREAST	Breast	One of two hemispheric projections of variable size situated in the subcutaneous layer over the pectoralis major muscle on either side of the chest. (NCI)	Breast
C12683	BRONCHUS	Bronchi	Tubular structure in continuation with the trachea, serving as an air passage.	Bronchus
C12505	BUCCAL MUCOSA		The mucosal membranes located on the inside of the cheek, in the buccal cavity. (NCI)	Buccal Mucosa
C89806	BUTTOCK	Buttock	Either of the fleshy mounds in the rear pelvic area of the human body formed by the gluteal muscles.	Buttock
C32239	C1 VERTEBRA	C1 Vertebra	The first of the seven cervical vertebrae. (NCI)	C1 Vertebra

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C32240	C2 VERTEBRA	C2 Vertebra	The second of the seven cervical vertebrae. (NCI)	C2 Vertebra
C32241	C3 VERTEBRA	C3 Vertebra	The third of the seven cervical vertebrae. (NCI)	C3 Vertebra
C32242	C4 VERTEBRA	C4 Vertebra	The fourth of the seven cervical vertebrae. (NCI)	C4 Vertebra
C32243	C5 VERTEBRA	C5 Vertebra	The fifth of the seven cervical vertebrae. (NCI)	C5 Vertebra
C32244	C6 VERTEBRA	C6 Vertebra	The sixth of the seven cervical vertebrae. (NCI)	C6 Vertebra
C32245	C7 VERTEBRA	C7 Vertebra	The seventh of the seven cervical vertebrae. (NCI)	C7 Vertebra
C142295	CALCANEAL TUBEROSITY		A roughened surface on the superior portion of the posterior half of the calcaneus, where the calcaneal (Achilles) tendon inserts.	Calcaneal Tuberosity
C32250	CALCANEUS		The irregular and largest tarsal bone that forms the heel. (NCI)	Calcaneum
C32252	CALCARINE SULCUS		A cerebral fissure that originates near the occipital lobe and terminates below the corpus callosum. (NCI)	Calcarine Sulcus
C93027	CALF		The posterior aspect of the lower extremity that extends from the knee to the foot. (NCI)	Calf
C32258	CANINE TOOTH	Canine Tooth	A single-cusped (pointed) and usually single-rooted tooth located between the incisors and premolars. (NCI)	Canine Tooth
C12856	CAPITATE BONE	Capitate Bone	The largest of eight carpal bones, located in the center of the hand. (NCI)	Capitate Bone
C139188	CAPITATE-HAMATE JOINT		A condyloid synovial joint within the wrist connecting the capitate bone to the hamate bone.	Capitate-Hamate Joint
C139189	CAPITATE-LUNATE JOINT		A condyloid synovial joint within the wrist connecting the capitate bone to the lunate bone.	Capitate-Lunate Joint
C12729	CARDIAC VALVE		A valve located in the heart.	Cardiac Valve
C139201	CARDIAC WALL		All of the tissue that comprises the solid, outer structure of the heart, including the epicardium, the myocardium, and the endocardium.	Cardiac Wall
C12686	CARDIOVASCULAR SYSTEM	Circulatory System	A collection of organs including the heart and the blood vessels.	Cardiovascular System
C12687	CAROTID ARTERY	Common Carotid Artery	An artery of the mediastinum and neck; in general it arises as a primary or secondary branch of the aortic arch and branches into the internal and external carotid arteries.	Carotid Artery
C12688	CARPAL BONE		Any of the bones of the joint located between the radius and ulna and metacarpus.	Carpal Bone
C32265	CARPOMETACARPAL JOINT		The articulation of the proximal bases of the metacarpal bones and the distal carpal bones in the fingers, and the first metacarpal bone and the trapezium bone of the wrist in the thumb.	Carpometacarpal Joint
C103912	CARPOMETACARPAL JOINT 1	CMC1	A saddle-shaped synovial joint between the metacarpal of the thumb and the trapezium. (NCI)	Carpometacarpal Joint 1
C103913	CARPOMETACARPAL JOINT 2	CMC2	A plane joint primarily between the second metacarpal and the trapezoid, which also connects with the trapezium and capitate. (NCI)	Carpometacarpal Joint 2
C103914	CARPOMETACARPAL JOINT 3	CMC3	A plane joint between the third metacarpal and the capitate. (NCI)	Carpometacarpal Joint 3
C103915	CARPOMETACARPAL JOINT 4	CMC4	A plane joint between the fourth metacarpal and the hamate. (NCI)	Carpometacarpal Joint 4
C103916	CARPOMETACARPAL JOINT 5	CMC5	A plane joint between the fifth metacarpal and the pisiform. (NCI)	Carpometacarpal Joint 5
C12451	CAUDATE NUCLEUS		The grey matter adjacent to each lateral ventricle of the brain that comprises the medial dorsal striatum of the basal ganglia.	Caudate Nucleus
C12381	CECUM		The pouch-like portion of the proximal large intestine opening into the colon.	Cecum

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C65166	CELIAC LYMPH NODE	Celiac Axis Lymph Node;Celiac Lymph Node	A lymph node at the base of the celiac artery. (NCI)	Celiac Lymph Node
C12438	CENTRAL NERVOUS SYSTEM		The part of the nervous system that consists of the brain, spinal cord, and meninges. (NCI)	Central Nervous System
C32286	CEPHALIC VEIN	Vena Cephalica	A vein of the arm/forelimb; in general it arises from the dorsal venous network of the hand/forefoot and drains into the axillary vein.	Cephalic Vein
C12445	CEREBELLUM		The portion of the brain that extends from the brainstem through the cerebellar folia.	Cerebellum
C12691	CEREBRAL ARTERY		Any artery supplying the cerebral cortex.	Cerebral Artery
C12443	CEREBRAL CORTEX	Cerebral Cortex	The outer layer of the cerebrum composed of neurons and unmyelinated nerve fibers. It is responsible for memory, attention, consciousness and other higher levels of mental function.	Cerebral Cortex
C32955	CEREBRAL HEMISPHERE, LEFT		The left half of the cerebrum.	Left Cerebral Hemisphere
C33472	CEREBRAL HEMISPHERE, RIGHT		The right half of the cerebrum.	Right Cerebral Hemisphere
C98712	CEREBRAL SUBCORTEX	Cerebral Subcortex	The layer located below the cerebral cortex that includes the forebrain, midbrain and hindbrain. (NCI)	Cerebral Subcortex
C12351	CEREBRUM		The portion of the brain comprising the frontal, parietal, temporal, and occipital lobes and extending through the thalamus.	Cerebral Hemisphere
C32298	CERVICAL LYMPH NODE		Lymph node(s) in the cervical region, or neck.	Cervical Lymph Node
C69313	CERVICAL SPINE		The vertebrae located above the thoracic vertebrae.	Cervical Spine
C12693	CERVICAL VERTEBRA		Any one of the vertebrae situated between the skull and the thoracic vertebrae.	Cervical Vertebra
C12311	CERVIX UTERI	Cervix Uteri;Uterine Cervix	The portion of the uterus (or uterine horns) that empties into the vagina.	Cervix Uteri
C13070	CHEEK		The soft tissue on the lateral aspects of the face, generally bounded by the eyes, nose, ear, and jaw line.	Cheek
C25389	CHEST	Chest	The anterior side of the thorax from the neck to the abdomen. The shape of the chest is often regarded as potential insight into a disease process, as in the case of barrel chest and respiratory dysfunction. (NCI)	Chest
C62484	CHEST WALL	Chest Wall	The total system of structures outside the lungs that move as a part of breathing; it includes all structures from the skin to the parietal pleura. (NCI)	Chest Wall
C81169	CHIN		The part of the face below the lower lip and including the protruding part of the lower jaw.	Mentum
C12344	CHOROID		A blood vessel-containing membrane of the eye that lies between the retina and the sclera. (NCI)	Choroid
C12694	CHOROID PLEXUS		Blood vessels and ependyma forming villous structures in the ventricles of the brain.	Choroid Plexus
C12345	CILIARY BODY		Circumferential tissue located behind the iris and composed of muscle and epithelium.	Ciliary Body
C52713	CINGULATE CORTEX		Part of the medial aspect of the cerebral cortex. (NCI)	Cingulate Cortex
C102287	CIRCUMFLEX ARTERY AV GROOVE CONTINUATION ARTERY	CIRC AV;CIRCUMFLEX ARTERY AV GROOVE CONTINUATION ARTERY SEGMENT	The segment of the left circumflex artery that is distal to the third marginal branch, located in the atrioventricular groove.	Circumflex Artery AV Groove Continuation Artery
C102286	CIRCUMFLEX, OBTUSE MARGINALS, LEFT POSTEROLETERAL AND LEFT POSTERIOR DESCENDING ARTERY BRANCHES		The left circumflex coronary artery and all of its branches.	Circumflex Artery and its Branches
C12695	CLAVICLE		The paired bone that is situated between the sternum and the shoulder.	Clavicle

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12308	CLITORIS		The erectile tissue in the vulva. It is composed of the corpora cavernosa and the glans clitoris.	Clitoris
C32334	COCCYGEAL VERTEBRA	Coccygeal Vertebra	Four vertebral segments positioned at the base of the spine that are fused. (NCI)	Coccygeal Vertebra
C12696	COCCYX	Coccyx	A small bone located at the bottom of the spine. The coccyx is a result of 3-5 fused rudimentary vertebrae. (NCI)	Coccyx
C12382	COLON		The portion of the large intestine which extends from the cecum (or small intestine in animals that don't have a cecum) to the rectum.	Colon
C12265	COLON, ASCENDING	Ascending Colon	The first part of the colon (large intestine) that starts in the right lower quadrant of the abdomen and ends at the transverse colon in the right upper quadrant of the abdomen. (NCI)	Ascending Colon
C12268	COLON, DESCENDING	Descending Colon	The fourth portion of the large intestine (colon) that communicates with the transverse colon in the left-upper quadrant of the abdomen and the rectum below. (NCI)	Descending Colon
C33929	COLON, LEFT	Left Colon	The portion of the large intestine that includes the descending and sigmoid colon. (NCI)	Left Colon
C103438	COLON, RECTOSIGMOID		A portion of the large intestine that includes the descending colon, sigmoid colon and rectum.	Rectosigmoid Colon
C12383	COLON, RIGHT	Right Colon	The proximal segment of the large intestine that is located in the right side of the abdominal cavity. It includes the cecum (with the attached appendix) and the ascending colon. (NCI)	Right Colon
C12384	COLON, SIGMOID	Sigmoid Colon	The portion of the colon that connects to the descending colon above and the rectum below. (NCI)	Sigmoid Colon
C12385	COLON, TRANSVERSE	Transverse Colon	The third division of the colon (large intestine). It communicates with the ascending colon in the upper right-hand quadrant of the abdomen and the descending colon in the upper left-hand quadrant. (NCI)	Transverse Colon
C32354	COMMON FEMORAL ARTERY		An artery arising from the external iliac artery at the inguinal ligament which bifurcates forming the deep and superficial femoral arteries.	Common Femoral Artery
C32357	COMMON ILIAC ARTERY		An artery arising from the bifurcation of the abdominal aorta which then bifurcates forming the internal and external iliac arteries.	Common Iliac Artery
C103384	COMMON ILIAC LYMPH NODE		A lymph node located adjacent to the common iliac artery. (NCI)	Common Iliac Lymph Node
C12341	CONJUNCTIVA		A thin tissue divided into the palpebral conjunctiva (covering the inner side of the eye lid) and the bulbar conjunctiva (covering the eyeball). (NCI)	Conjunctiva
C12342	CORNEA		The transparent, avascular tissue covering the front of the eye and is continuous with the sclera.	Cornea
C12843	CORONARY ARTERY		One of the arteries of the heart; in general it arises from the aortic root and supplies the myocardium.	Coronary Artery
C32089	CORONARY ARTERY, ANTERIOR DESCENDING	Anterior Descending Coronary Artery;Left Anterior Descending Coronary Artery	A left coronary artery branch that descends on the anterior portion of the heart through the anterior interventricular groove. (NCI)	Anterior Descending Coronary Artery
C12872	CORONARY ARTERY, LEFT	LM;Left Coronary Artery;Left Main Coronary Artery;Left Main Coronary Artery Segment	A coronary artery that arises from the aorta and bifurcates into the left anterior descending artery and the left circumflex artery. (NCI)	Left Coronary Artery
C12875	CORONARY ARTERY, RIGHT	Right Coronary Artery	A coronary artery that originates above the right coronary cusp and supplies blood predominantly to the right side of the heart. (NCI)	Right Coronary Artery
C32378	CORONARY SINUS		The coronary vein that terminates in the right atrium and transports deoxygenated blood from the coronary circulation.	Coronary Sinus
C12882	CORONARY VEIN		A blood vessel in the heart which returns coronary blood to the right atrium.	Coronary Vein

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12446	CORPUS CALLOSUM		A white matter structure within the brain that connects the left and right cerebral hemispheres.	Corpus Callosum
C32216	CORPUS CALLOSUM, BODY		An area within the corpus callosum between the genu (anterior region) and the splenium (posterior region).	Body of the Corpus Callosum
C32675	CORPUS CALLOSUM, GENU		The anterior portion of the corpus callosum that bends down and back.	Genu of the Corpus Callosum
C33610	CORPUS CALLOSUM, SPLENIUM		The thick, convex posterior region of the corpus callosum.	Splenium of the Corpus Callosum
C26465	CORPUS LUTEUM	Corpus Luteum	A group of cells that remain of the Graafian follicle following ovulation. This structure is composed of endocrine tissue and produces progesterone. This is needed to prepare the uterine lining for implantation by the fertilized egg. (NCI)	Corpus Luteum
C12448	CORPUS STRIATUM		The portion of the brain consisting of the neostriatum and globus pallidus.	Corpus Striatum
C32391	COSTAL CARTILAGE	Costal Cartilage	The cartilage positioned between the anterior end of the rib and the sternum. Its elasticity allows the ribcage to expand while breathing. (NCI)	Costal Cartilage
C102288	COSTOCHONDRAL JOINT 1		The first hyaline cartilaginous joint between the ribs and costal cartilage.	Costochondral Joint 1
C102289	COSTOCHONDRAL JOINT 7		The seventh hyaline cartilaginous joint between the ribs and costal cartilage.	Costochondral Joint 7
C77638	CRANIAL CAVITY	Intracranial Cavity	The space that is formed by the bones of the skull, and contains the brain.	Cranial Cavity
C12700	CRANIAL NERVE		Any of the 12 paired nerves that originate in the brain stem. (NCI)	Cranial Nerve
C32414	CUBOID BONE	Cuboid Bone	A bone on the lateral side of the tarsus between the calcaneus and the fourth and fifth metatarsal bones. (NCI)	Cuboid Bone
C32446	DELTOID MUSCLE		The muscle that creates the rounded contour of the shoulder which originates from the lateral third of the clavicle, the superior surface of the acromion process, and the posterior border of the spine of the scapula and inserts on the lateral side of the shaft of the humerus. (NCI)	Deltoid
C12702	DIAPHRAGM		A musculotendinous sheet separating the thoracic cavity from the abdominal cavity.	Diaphragm
C132391	DIAPHRAGMATIC LYMPH NODE		Lymph node located adjacent to the diaphragm.	Diaphragmatic Lymph Node
C102290	DISTAL CIRCUMFLEX ARTERY	DCIRC;DISTAL CIRCUMFLEX ARTERY SEGMENT	The segment of the left circumflex artery that is between the second and third obtuse marginal branches.	Distal Circumflex Artery
C139208	DISTAL FEMUR R1		The portion of the distal femur, identified during a dual x-ray absorptiometry (DXA) scan, that contains primarily metaphyseal or trabecular bone.	Distal Femur R1
C102291	DISTAL INTERPHALANGEAL JOINT 2	DIP2	A condyloid synovial joint within the second digit of the hand or foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 2
C114198	DISTAL INTERPHALANGEAL JOINT 2 OF THE FOOT	DIP2 of the Foot	A ginglymoid (hinge) synovial joint within the second digit of the foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 2 of the Foot
C114188	DISTAL INTERPHALANGEAL JOINT 2 OF THE HAND	DIP2 of the Hand	A ginglymoid (hinge) synovial joint within the second digit of the hand articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 2 of the Hand
C102292	DISTAL INTERPHALANGEAL JOINT 3	DIP3	A condyloid synovial joint within the third digit of the hand or foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 3
C114199	DISTAL INTERPHALANGEAL JOINT 3 OF THE FOOT	DIP3 of the Foot	A ginglymoid (hinge) synovial joint within the third digit of the foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 3 of the Foot



C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114189	DISTAL INTERPHALANGEAL JOINT 3 OF THE HAND	DIP3 of the Hand	A ginglymoid (hinge) synovial joint within the third digit of the hand articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 3 of the Hand
C102293	DISTAL INTERPHALANGEAL JOINT 4	DIP4	A condyloid synovial joint within the fourth digit of the hand or foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 4
C114275	DISTAL INTERPHALANGEAL JOINT 4 OF THE FOOT	DIP4 of the Foot	A ginglymoid (hinge) synovial joint within the fourth digit of the foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 4 of the Foot
C114273	DISTAL INTERPHALANGEAL JOINT 4 OF THE HAND	DIP4 of the Hand	A ginglymoid (hinge) synovial joint within the fourth digit of the hand articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 4 of the Hand
C102294	DISTAL INTERPHALANGEAL JOINT 5	DIP5	A condyloid synovial joint within the fifth digit of the hand or foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 5
C114276	DISTAL INTERPHALANGEAL JOINT 5 OF THE FOOT	DIP5 of the Foot	A ginglymoid (hinge) synovial joint within the fifth digit of the foot articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 5 of the Foot
C114274	DISTAL INTERPHALANGEAL JOINT 5 OF THE HAND	DIP5 of the Hand	A ginglymoid (hinge) synovial joint within the fifth digit of the hand articulating the middle and distal phalanges. (NCI)	Distal Interphalangeal Joint 5 of the Hand
C102295	DISTAL LAD ARTERY	DISTAL LAD ARTERY SEGMENT;DLAD	The segment of the left anterior descending (LAD) artery that is distal to the third diagonal branch.	Distal Left Anterior Descending Artery
C139190	DISTAL PHALANX 2 OF THE HAND		The bone that forms the tip of the second finger, as counted from the thenar side of the hand.	Hand Digit 2 Distal Phalanx
C139191	DISTAL PHALANX 3 OF THE HAND		The bone that forms the tip of the third finger, as counted from the thenar side of the hand.	Hand Digit 3 Distal Phalanx
C139192	DISTAL PHALANX 4 OF THE HAND		The bone that forms the tip of the fourth finger, as counted from the thenar side of the hand.	Hand Digit 4 Distal Phalanx
C139193	DISTAL PHALANX 5 OF THE HAND		The bone that forms the tip of the fifth finger, as counted from the thenar side of the hand.	Hand Digit 5 Distal Phalanx
C139194	DISTAL RADIOULNAR JOINT		The articulation of the distal head of the ulna bone and the ulnar notch of the radius.	Distal Radioulnar Joint
C102296	DISTAL RIGHT CORONARY ARTERY CONDUIT	DISTAL RIGHT CORONARY ARTERY CONDUIT SEGMENT;DRCA	The section of the right coronary artery distal to the origin of the acute marginal artery.	Distal Right Coronary Artery Conduit
C12934	DORSAL MOTOR NUCLEUS		A brain nucleus located in the medulla oblongata. (NCI)	Dorsal Motor Nucleus
C32478	DORSALIS PEDIS ARTERY	Dorsalis Pedis Artery	An artery of the dorsal surface of the foot, originating from the anterior tibial artery of the lower leg. The following arterial branches originate from the dorsalis pedis artery: the arcuate artery of the foot and deep plantar artery. (NCI)	Dorsalis Pedis Artery
C12263	DUODENUM		The portion of the small intestine between the stomach and jejunum.	Duodenum
C102627	DURAL VENOUS SINUS		Venous channels within the dura mater of the brain which receives both blood from blood vessels within the brain as well as cerebrospinal fluid then drains into the internal jugular vein. Unlike other blood vessels, dural venous sinuses lack valves and other vessel associated layers.	Dural Venous Sinus
C12394	EAR		A sensory organ that contains auditory and vestibular apparatuses.	Ear
C12499	EAR, INNER	Internal Ear;Labyrinth	The innermost portion of the ear that contains the vestibule, cochlea and semicircular canals.	Inner Ear
C12292	EAR, OUTER	Auricle;External Ear	The external part of the ear. (NCI)	External Ear
C32497	ELBOW JOINT	Elbow Joint	A joint involving the humerus, radius and ulna bones.	Elbow Joint
C13004	ENDOCARDIUM		The layer of endothelial cells and connective tissue lining the chambers of the heart. (NCI)	Endocardium

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12309	ENDOCERVIX		The portion of the cervix which is lined by single columnar epithelium (mucosa). (NCI)	Endocervix
C32514	ENDOMETRIAL CAVITY	Endometrial Cavity	A space inside the uterus lined by a layer of mucous membranes called the endometrium.	Endometrial Cavity
C12313	ENDOMETRIUM		The mucous membrane comprising the inner layer of the uterine wall.	Endometrium
C97338	ENTORHINAL CORTEX		A brain region in the medial temporal lobe near the hippocampus. (NCI)	Entorhinal Cortex
C13164	EPICARDIUM		The outer membranous connective tissue layer of the heart tissue. (NCI)	Epicardium
C69300	EPICONDYLE	Epicondyle	A bone prominence to which ligaments and tendons of the joints are attached. (NCI)	Epicondyle
C12328	EPIDIDYMIS		A crescent-like structure located adjacent to the testis. It consists of a single highly coiled duct and is divided into 3 regions: caput (head), corpus (body) and cauda (tail).	Epididymis
C41449	EPIDURAL SPACE		The body space between the dura mater and the walls of the vertebral canal.	Epidural Spinal Canal Space
C139195	EPIGASTRIC LYMPH NODE		A parietal lymph node located along the inferior epigastric vessels.	Epigastric Lymph Node
C32525	EPIGASTRIC REGION		The most superior, central area of the abdomen, lying immediately superior to the umbilicus and bounded laterally by the costal margins.	Epigastric Region
C12709	EPIGLOTTIS	Epiglottis	A small cartilagenous flap-like valve that closes over the larynx during swallowing to prevent food entering the lungs. (NCI)	Epiglottis
C98182	EPITROCHLEAR LYMPH NODE		A lymph node located above and adjacent to the elbow. (NCI)	Epitrochlear Lymph Node
C139196	ESOPHAGEAL LYMPH NODE		Any lymph node located near the esophagus, including cervical, and upper, middle, and lower thoracic lymph nodes.	Esophageal Lymph Node
C12389	ESOPHAGUS		The portion of the digestive tract between the pharynx and stomach.	Esophagus
C12252	ESOPHAGUS, ABDOMINAL	Abdominal Esophagus	Clinical esophageal segment composed of smooth muscle. It corresponds to the inferior part of the lower third topographic segment of the esophagus. (NCI)	Abdominal Esophagus
C12250	ESOPHAGUS, CERVICAL	Cervical Esophagus	Clinical esophageal segment composed of skeletal muscle. It corresponds to the superior part of the upper third topographic segment of the esophagus. (NCI)	Cervical Esophagus
C12255	ESOPHAGUS, LOWER THIRD	Lower Third of the Esophagus	The lower one third of the esophagus in which the muscle layer is composed of muscle cells predominantly of the smooth type. (NCI)	Lower Third of the Esophagus
C12254	ESOPHAGUS, MIDDLE THIRD	Middle Third of the Esophagus	The middle one third of the esophagus in which the muscle layer is composed of muscle cells of the striated and smooth types.	Middle Third of the Esophagus
C12251	ESOPHAGUS, THORACIC	Thoracic Esophagus	Clinical esophageal segment composed of smooth muscle. It includes the middle third topographic segment, as well as parts of the upper and lower thirds. (NCI)	Thoracic Esophagus
C12253	ESOPHAGUS, UPPER THIRD	Upper Third of the Esophagus	The upper one third of esophagus in which the muscle layer is composed of muscle cells of the striated type. (NCI)	Upper Third of the Esophagus
C12711	ETHMOID BONE	Ethmoid Bone	A light and spongy bone that is cubical in shape. This bone is positioned at the anterior part of the cranium, sitting between the two orbits, at the roof of the nose. It consists of four parts: a horizontal or cribriform plate; a perpendicular plate; and two lateral masses or labyrinths. (NCI)	Ethmoid Bone
C12276	ETHMOID SINUS	Ethmoid Sinus	A sinus of the meatuses of the nasal cavity. (NCI)	Ethmoid Sinus

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C32558	EXTERNAL ILIAC ARTERY		An artery arising from the bifurcation of the common iliac artery in the lower torso. The external iliac artery becomes the femoral artery and is the main blood supply for the leg.	External Iliac Artery
C88143	EXTERNAL ILIAC LYMPH NODE		A lymph node located along the external iliac artery. (NCI)	External Iliac Lymph Node
C32573	EXTRAHEPATIC BILE DUCT		The portion of the biliary tract outside the liver; the common hepatic duct joins the cystic duct to form the common bile duct. (NCI)	Extrahepatic Bile Duct
C12401	EYE	Eyeball	The sensory organ of vision.	Eye
C12667	EYE, ANTERIOR CHAMBER		The space in the eye filled with aqueous humor and bounded by the cornea, a small portion of the sclera, a small portion of the ciliary body, the iris and lens. (Cline et al., Dictionary of Visual Science, 4th ed, p109)	Anterior Chamber of the Eye
C33885	EYE, VITREOUS CHAMBER	Postremal Chamber	The largest space within the eye which is bounded by the lens and the retina and filled with the gelatinous vitreous humor. (NCI)	Vitreous Chamber
C32576	EYELASH		Anyone of the short hairs that grow on the edge of the eyelid. (NCI)	Eyelash
C12713	EYELID	Palpebra	The section of skin, containing muscle and conjunctiva, that covers and protects the eye.	Eyelid
C13071	FACE		The portion of the head that contains the structures such as the eyes, nose, mouth, and jaws.	Face
C32577	FACET JOINT	Facet Joint	A synovial joint between two adjacent vertebrae. The facet joint links the articular process of one vertebra and the inferior articular process of the adjacent vertebra. (NCI)	Facet Joint
C63706	FACIAL BONE	Facial Bone	Any bone that contributes to the facial structures, except those bones that are part of the braincase. (NCI)	Facial Bone
C12714	FACIAL NERVE	Seventh Cranial Nerve	A cranial nerve extending from the brain stem between the pons and medulla, which innervates the facial muscles, glands and the tongue.	Facial Nerve
C32582	FALCIFORM LIGAMENT		A fold of tissue consisting of two layers of peritoneum extending from the notch of the anterior margin of the liver to the anterior abdominal wall and diaphragm.	Falciform Ligament
C12403	FALLOPIAN TUBE	Fallopian Tube	The tube through which eggs pass from an ovary.	Fallopian Tube
C13108	FASCIA		A sheet or band of fibrous connective tissue enveloping, separating, or binding together muscles, organs and other soft structures of the body.	Fascia
C61600	FEMALE GENITALIA	Female Genitalia	Female internal and external organs of reproduction.	Female Genitalia
C12402	FEMALE REPRODUCTIVE SYSTEM		The sex organs of the female.	Female Reproductive System
C12715	FEMORAL ARTERY		An artery of the thigh; in general it arises from the external iliac artery distal to the inguinal ligment and continues as the popliteal artery.	Femoral Artery
C114186	FEMORAL CONDYLE		The rounded bony projection at the distal end of the femur.	Femoral Condyle
C32718	FEMORAL HEAD	Femur Head	The highest portion of the femoral bone that articulates with the acetabulum. (NCI)	Head of the Femur
C98183	FEMORAL LYMPH NODE		A lymph node located in the upper inner portion of the thigh. (NCI)	Femoral Lymph Node
C61563	FEMORAL NECK	Femoral Neck	The short, constricted portion of the thigh bone between the femur head and the trochanter. (NCI)	Femoral Neck
C12716	FEMORAL VEIN		A vein of the thigh; in general it arises from the popliteal vein and drains into the external iliac vein.	Femoral Vein
C116167	FEMORO-POPLITEAL PERIPHERAL ARTERY		The segment of the blood vessels that includes the popliteal artery and its origin from the femoral artery.	Femoropopliteal Artery Segment
C12717	FEMUR	Bone, Femoral	The bone positioned between the pelvis and the femorotibial joint.	Femur

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C96209	FEMUR SHAFT		The cylindrical body of the femur. (NCI)	Femoral Shaft
C12718	FIBULA		The long bone that is lateral to the tibia.	Fibula
C120670	FIBULA SHAFT		The elongated bony body of the fibula.	Fibular Shaft
C32608	FINGER	Finger	Any of the digits of the hand. (NCI)	Finger
C32609	FINGERNAIL	Fingernail	The nail at the end of a finger. (NCI)	Fingernail
C102297	FIRST DIAGONAL BRANCH ARTERY	1ST DIAG;FIRST DIAGONAL BRANCH ARTERY SEGMENT	The first artery arising from the left anterior descending (LAD) artery that supplies the anterolateral wall, when counted from proximal to distal.	First Diagonal Branch Artery
C139197	FIRST DORSAL INTEROSSEOUS MUSCLE OF THE FOOT		A dorsal interosseous muscle of the foot that originates on the lateral side of the first metatarsal and the medial side of the second metatarsal, and inserts into the medial side of the base of the proximal phalanx of the second toe.	First Dorsal Interosseous Muscle of the Foot
C139198	FIRST DORSAL INTEROSSEOUS MUSCLE OF THE HAND		A dorsal interosseous muscle of the hand that originates on the proximal half of the lateral border of the index metacarpal and the full length of the medial border of the thumb metacarpal, and inserts into the lateral side of the index finger.	First Dorsal Interosseous Muscle of the Hand
C102298	FIRST LEFT POSTEROLATERAL BRANCH ARTERY	1ST LPL;FIRST LEFT POSTEROLATERAL BRANCH ARTERY SEGMENT	In an individual with a left-dominant heart, this is the first branch that arises from the circumflex artery atrioventricular groove continuation when counted from proximal to distal. It supplies the posterolateral wall.	First Left Posterolateral Branch Artery
C102299	FIRST OBTUSE MARGINAL BRANCH ARTERY	1ST OM;FIRST OBTUSE MARGINAL BRANCH ARTERY SEGMENT	The first artery arising from the left circumflex artery that supplies the lateral wall, when counted from proximal to distal.	First Obtuse Marginal Branch Artery
C102300	FIRST RIGHT POSTEROLATERAL ARTERY	1ST RPL;FIRST RIGHT POSTEROLATERAL ARTERY SEGMENT	In an individual with a right-dominant heart, this is the first branch that arises from the right coronary artery distal to the right posterior descending artery, when counted from proximal to distal.	First Right Posterolateral Artery
C93028	FLANK		The region on either side of the body that extends from the last rib to the hip.	Flank
C53155	FLEXOR CARPI RADIALIS MUSCLE		A muscle in the forearm running from the head of the humerus to the radial side of the wrist that flexes and radially abducts the hand. (NCI)	Flexor Carpi Radialis
C53156	FLEXOR CARPI ULNARIS MUSCLE		A muscle in the forearm running from the humeral and ulnar heads to the ulnar side of the wrist that flexes and abducts the hand toward the ulna. (NCI)	Flexor Carpi Ulnaris
C52923	FLEXOR DIGITORUM PROFUNDUS MUSCLE		A muscle in the forearm beginning at the head of the ulna and ending with four tendons projecting to the second, third, fourth, and fifth fingers which flexes the midcarpal, metacarpophalangeal and interphalangeal joints. (NCI)	Flexor Digitorum Profundus
C54187	FLOOR OF MOUTH		The area of the mouth under the ventral surface of the tongue.	Floor of Mouth
C32622	FOOT		The entire structure distal to the ankle joint/tarsus, which includes the metatarsus and digit(s).	Foot
C52839	FOOT DIGIT 1	Big Toe	The largest and most medial toe of the foot. (NCI)	Foot Digit 1
C52840	FOOT DIGIT 2	Index Toe	The second toe from the medial side of the foot. (NCI)	Foot Digit 2
C52841	FOOT DIGIT 3	Middle Toe	The middle or third toe from the medial side of the foot. (NCI)	Foot Digit 3
C52842	FOOT DIGIT 4	Fourth Toe	The fourth toe from the medial side of the foot. (NCI)	Foot Digit 4
C52843	FOOT DIGIT 5	Little Toe	The smallest and most lateral toe of the foot. (NCI)	Foot Digit 5
C52772	FOOT PHALANX	Foot Phalanx	A bone of the foot. (NCI)	Foot Phalanx
C32628	FOREARM	Forearm	The structure on the upper limb, between the elbow and the wrist. (NCI)	Forearm
C40185	FOREBRAIN		The largest part of the brain composed of the cerebral hemispheres, thalamus, hypothalamus, and the limbic system. (NCI)	Forebrain

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C89803	FOREHEAD	Forehead	The part of the face between the eyebrows and the normal hairline.	Forehead
C12352	FRONTAL LOBE	Frontal Lobe	The part of the brain located anterior to the parietal lobes at the front of each cerebral hemisphere. (NCI)	Frontal Lobe
C12277	FRONTAL SINUS	Frontal Sinus	The paired, mucosal lined air spaces located above the orbit and communicating with the nasal passages. (NCI)	Frontal Sinus
C135172	FUNDUS OF THE EYE		The portion of the interior of the eye that includes the sensory retina, the optic disc, and the macula.	Eye Fundus
C12257	FUNDUS OF THE STOMACH		The blind sac region of the glandular stomach.	Fundus of the Stomach
C12377	GALLBLADDER		A sac-like organ located adjacent to the liver that stores and concentrates bile produced by the liver.	Gallbladder
C12719	GANGLION	Ganglia;Ganglion;Neural Ganglion	A cluster of nervous tissue principally composed of neuronal cell bodies external to the central nervous system (CNS). (NCI)	Ganglion
C12256	GASTRIC CARDIA		The region of the stomach adjacent to the esophogastric junction.	Gastric Cardia
C32668	GASTROESOPHAGEAL JUNCTION	Gastroesophageal Junction	The anatomical location where the esophagus joins to the stomach. (NCI)	Gastroesophageal Junction
C12378	GASTROINTESTINAL SYSTEM	Gastrointestinal System	The system that includes the esophagus, stomach, small and large intestine, anus, liver, biliary tract, and pancreas. (NCI)	Digestive System
C34082	GASTROINTESTINAL TRACT	Gastrointestinal Tract	The upper gastrointestinal (GI) tract is comprised of mouth, pharynx, esophagus and stomach while the lower GI tract consists of intestines and anus. The primary function of the GI tract is to ingest, digest, absorb and ultimately excrete food stuff. (NCI)	Gastrointestinal Tract
C33010	GASTROINTESTINAL TRACT, LOWER	Lower Gastrointestinal Tract	The lower part of the gastrointestinal tract that includes the jejunum and ileum of the small intestine and the large intestine. (NCI)	Lower Gastrointestinal Tract
C33837	GASTROINTESTINAL TRACT, UPPER	Upper Gastrointestinal Tract	The upper part of the gastrointestinal tract that includes the esophagus, stomach, and duodenum. (NCI)	Upper Gastrointestinal Tract
C25177	GENITALIA		The external sex organs. (NCI)	Genitalia
C32677	GINGIVA	Gum	The soft tissue surrounding the neck of individual teeth as well as covering the alveolar bone. The tissue is fibrous and continuous with the periodontal ligament and mucosal covering. (NCI)	Gingiva
C139199	GINGIVAL MUCOSA		The portion of the oral mucosa that surrounds the cervical aspect of teeth and the alveolar process of the jaw.	Gingival Mucosa
C32682	GLENOID FOSSA	Glenoid Fossa	The trough in the head of the scapula that receives the head of the humerus to form the shoulder joint. (NCI)	Glenoid Fossa
C12449	GLOBUS PALLIDUS		Paired nuclei at the base of the forebrain that, along with the putamen, form the lentiform nucleus of the basal ganglia.	Globus Pallidus
C13250	GLOMERULUS		A cluster of convoluted capillaries beginning at each nephric tubule in the kidney and held together by connective tissue.	Glomerulus
C12723	GLOSSOPHARYNGEAL NERVE		The ninth cranial nerve.	Glossopharyngeal Nerve
C12724	GLOTTIS	Glottis	The space in which the vocal cords are located. (NCI)	Glottis
C52560	GLUTEUS MAXIMUS		The outermost and largest muscle of the buttocks. (NCI)	Gluteus Maximus
C32698	GREAT TROCHANTER	Great Trochanter	A large, irregular, quadrilateral area of bone found at the neck of the femur. (NCI)	Great Trochanter
C12262	GREATER CURVATURE OF THE STOMACH	Greater Curvature of the Stomach	The lateral and inferior border of the stomach. Attached to it is the greater omentum. (NCI)	Greater Curvature of the Stomach
C12936	GUT-ASSOCIATED LYMPHOID TISSUE	GALT	Lymphoid tissue located in the mucosa of the digestive tract.	Gut-Associated Lymphoid Tissue

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C32705	HAIR	Hair	The filamentous outgrowth of the epidermis. (NCI)	Hair
C32706	HAIR BULB		The lower segment of the hair that circles the dermal papilla and the hair matrix. (NCI)	Hair Bulb
C13317	HAIR FOLLICLE		A tube-like invagination of the epidermis from which the hair shaft develops and into which the sebaceous glands open; the follicle is lined by a cellular inner and outer root sheath of epidermal origin and is invested with a fibrous sheath derived from the dermis. (NCI)	Hair Follicle
C32711	HAIR ROOT		The portion of the hair that is enclosed within the hair follicle. (NCI)	Hair Root
C33543	HAIR SHAFT	Shaft of the Hair	The segment of the hair that projects above the skin surface. (NCI)	Shaft of the Hair
C12860	HAMATE BONE	Hamate Bone	The medial bone in the distal row of carpal bones. (NCI)	Hamate Bone
C32712	HAND	Hand	The distal portion of the upper extremity. It consists of the carpus, metacarpus, and digits. (NCI)	Hand
C52834	HAND DIGIT 1	Thumb	The thick and short hand digit which is next to the index finger in humans. (NCI)	Hand Digit 1
C52835	HAND DIGIT 2	Index Finger	The second finger from the radial side of the hand, next to the thumb. (NCI)	Hand Digit 2
C52836	HAND DIGIT 3	Middle Finger	The middle or third finger from the radial side of the hand. (NCI)	Hand Digit 3
C52837	HAND DIGIT 4	Ring Finger	The fourth finger from the radial side of the hand. (NCI)	Hand Digit 4
C52838	HAND DIGIT 5	Little Finger	The fifth and smallest finger from the radial side of the hand. (NCI)	Hand Digit 5
C52771	HAND PHALANX	Hand Phalanx	A bone of the hand. (NCI)	Hand Phalanx
C12230	HARD PALATE		The part of the roof of the mouth supported by bone.	Hard Palate
C12419	HEAD		The portion of the body containing the mouth, the brain and multiple sensory organs.	Head
C12418	HEAD AND NECK		The area of the body comprising the skull, facial bones and the cervical vertebrae, sinuses, orbits, salivary glands, oral cavity, oropharynx, larynx, thyroid, facial and neck musculature, soft tissue and lymph nodes draining these areas.	Head and Neck
C32720	HEAD OF THE HUMERUS	Head of the Humerus	The upper rounded part of the humerus that fits into the glenoid cavity of the scapula. (NCI)	Head of the Humerus
C12727	HEART		A hollow muscular organ which receives the blood from the veins and pumps it into the arteries.	Heart
C32126	HEART, APEX	Apex of the Heart	The most outer superficial part of the heart which is situated on the left 5th intercostal space. (NCI)	Apex of the Heart
C12728	HEART, ATRIUM	Cardiac Atrium	The smaller chamber(s) of the heart that receives blood from the peripheral circulation and/or the lungs.	Cardiac Atrium
C48589	HEART, BASE	Base of the Heart	The superior portion of the heart located opposite to the apical portion. It is formed mainly by the left atrium. (NCI)	Base of the Heart
C127643	HEART, LEFT ATRIAL APPENDAGE		A small muscular pouch located in the wall of the left atrium.	Left Atrial Appendage
C12869	HEART, LEFT ATRIUM		The smaller chamber on the left side of the heart, which receives oxygenated blood from the pulmonary veins and pumps it through the left atrioventricular valve into the left ventricle.	Left Atrium
C12871	HEART, LEFT VENTRICLE	Left Ventricle	The larger chamber on the left side of the heart, which receives oxygenated blood from the left atrium and pumps it through the aortic valve into the aorta.	Left Ventricle
C127644	HEART, LEFT VENTRICULAR OUTFLOW TRACT		The structure through which blood flows from the left ventricle into the aortic root.	Left Ventricular Outflow Tract

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127645	HEART, LEFT VENTRICULAR WALL		The wall of the left ventricle, comprising anterior, inferior, lateral, apical, basal wall; and excluding the interventricular septum.	Left Ventricular Wall
C127646	HEART, RIGHT ATRIAL APPENDAGE		A small muscular pouch located in the wall of the right atrium.	Right Atrial Appendage
C12868	HEART, RIGHT ATRIUM		The smaller chamber on the right side of the heart, which receives deoxygenated blood from the body and pumps it through the right atrioventricular valve into the right ventricle.	Right Atrium
C12870	HEART, RIGHT VENTRICLE	Right Ventricle	The larger chamber on the right side of the heart, which receives deoxygenated blood from the right atrium and pumps it through the pulmonic valve into the pulmonary arteries.	Right Ventricle
C127647	HEART, RIGHT VENTRICULAR FREE WALL		The lateral segment of the right ventricular wall, excluding the anterior and inferior right ventricular wall.	Right Ventricular Free Wall
C127648	HEART, RIGHT VENTRICULAR OUTFLOW TRACT		The structure through which blood flows from the right ventricle into the pulmonary trunk.	Right Ventricular Outflow Tract
C127649	HEART, RIGHT VENTRICULAR WALL		The wall of the right ventricle, comprising anterior, inferior, and lateral walls; and excluding the interventricular septum.	Right Ventricular Wall
C49485	HEART, SEPTUM	Cardiac Septum	The tissue in the heart that separates the two atria (atrial septum) and the two ventricles (ventricular septum). (NCI)	Heart Septum
C12730	HEART, VENTRICLE	Cardiac Ventricle	The larger chamber(s) of the heart that receives blood from an atrium and pushes it out of the heart into the peripheral circulation and/or the lungs.	Cardiac Ventricle
C119295	HEART, VENTRICULAR WALL		The tissue layers that form the cardiac ventricle. They include myocardium, endocardium, and pericardium. (NCI)	Ventricular Wall of the Heart
C32729	HEPATIC ARTERY		An artery arising from the celiac trunk that supplies the liver and branches to form the cystic, gastro-duodenalis and pyloric arteries.	Hepatic Artery
C77640	HEPATIC LYMPH NODE		Lymph node(s) adjacent to the liver.	Hepatic Lymph Node
C32736	HEPATIC VEIN		The blood vessels that drain blood from the central veins of the liver into the inferior vena cava.	Hepatic Vein
C25724	HILAR	Hilar	Refers to the area associated with the hilum. (NCI)	Hilar
C98187	HILAR LYMPH NODE		A lymph node located in the hilum of the lung within the mediastinum.	Pulmonary Hilar Lymph Node
C64193	HIP	Hip	The lateral prominence of the pelvis from the waist to the thigh. (NCI)	Hip
C32742	HIP JOINT	Coxofemoral Joint; Hip Joint	A ball-and-socket joint between the head of the femur and the acetabulum. (NCI)	Hip Joint
C12444	HIPPOCAMPUS		A curved gray matter structure of the cerebrum that is part of the limbic system.	Hippocampus
C114187	HUMERAL EPICONDYLE		The bone prominence at the distal end of the humerus to which ligaments and tendons of the joints are attached.	Humeral Epicondyle
C12731	HUMERUS	Bone, Humeral	The bone between the scapulohumeral and humeroulnar joints.	Humerus
C120671	HUMERUS SHAFT		The cylindrical, elongated bony body of the humerus.	Humeral Shaft
C32752	HYOID BONE	Hyoid Bone	A U-shaped bone supporting the tongue. This bone is located at the base of the tongue and is suspended from the tips of the styloid processes of the temporal bones by the stylohyoid ligaments. (NCI)	Hyoid Bone
C12732	HYPOGLOSSAL NERVE		The twelfth cranial nerve.	Hypoglossal Nerve
C12246	HYPOPHARYNX	Hypopharynx	The lower part of the pharynx that connects to the esophagus. (NCI)	Hypopharynx
C12458	HYPOTHALAMUS		A small region of the brain composed of multiple nuclei and located underneath the thalamus.	Hypothalamus

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12387	ILEUM		The portion of the small intestine between the jejunum and large intestine.	Ileum
C33757	ILEUM, TERMINAL	Terminal Ileum	The most distal section of the ileum that is continuous with the cecum. (NCI)	Terminal Ileum
C103818	ILIAC CREST		A predominate bone structure which borders the ilium wing stretching from the anterior superior iliac spine to the posterior superior iliac spine.	Iliac Crest
C103454	ILIAC FOSSA		The large smooth and concave surface of the ilium. (NCI)	Iliac Fossa
C32761	ILIAC LYMPH NODE		Lymph node(s) adjacent to the iliac vessels in the iliosacral region and cranial to the iliofemoral lymph node.	Iliac Lymph Node
C139207	ILIOTIBIAL BAND		A dense band of avascular, regular connective tissue. It is formed as the union of the superficial and deep layers of the tensor fascia latae, creating a thick band that extends inferiorly, taking its origins from the iliac crest, the tensor fascia latae, and the gluteus maximus, travelling inferiolaterally along the thigh, and inserting on Gerdy's tubercle on the lateral aspect of the tibia. Functionally, the iliotibial band helps to flex, abduct, and medially rotate the femur at the hip joint, and it also helps to stabilize the knee laterally.	Iliotibial Band
C32765	ILIUM	Ilium	The broad, dorsal, upper, and widest of the three principal bones composing either half of the pelvis. (NCI)	Ilium
C32769	INCISOR		A tooth between the canines in either jaw.	Incisor
C32770	INCUS	Incus	One of the three bones comprising the middle ear. This anvil-shaped bone is positioned between the malleus and the stapes. (NCI)	Incus
C132392	INFERIOR PUBIC RAMUS		The portion of the pubic ramus that lies between the superior pubic ramus and the inferior ramus of the ischium.	Inferior Pubic Ramus
C12815	INFERIOR VENA CAVA		A large vein that returns blood from the lower half of the body to the heart.	Inferior Vena Cava
C63705	INFRACLAVICULAR LYMPH NODE	Infraclavicular Lymph Node;Subclavicular Lymph Node	A lymph node located in the area below the clavicle. (NCI)	Infraclavicular Lymph Node
C116179	INFRARENAL AORTA		The portion of the abdominal aorta distal to the renal arteries.	Infrarenal Aortic Segment
C12509	INFRATENTORIAL BRAIN		The part of the brain below the tentorium cerebellum. (NCI)	Infratentorial Brain
C32801	INGUINAL LYMPH NODE		Lymph node(s) in the inguinal region.	Inguinal Lymph Node
C12726	INGUINAL REGION	Groin	The lower region of the anterior abdominal wall located laterally to the pubic region. (NCI)	Inguinal Region
C32278	INSULAR CORTEX	Central Lobe	A distinct cerebral lobe positioned in the depth of the Sylvian fissures and overlaid entirely by adjacent regions of the cerebral hemispheres.	Central Lobe
C32845	INTERNAL ILIAC ARTERY		A short thick blood vessel arising from the bifurcation of the common iliac artery with numerous branches that supply the organs, walls and viscera of the pelvis as well as the inner thigh.	Internal Iliac Artery
C88142	INTERNAL ILIAC LYMPH NODE		A lymph node located along the internal iliac artery. (NCI)	Internal Iliac Lymph Node
C52941	INTERNAL MAMMARY ARTERY		An artery of the thoracic wall; in general it arises from the subclavian artery and branches into the musculophrenic and superior epigastric arteries.	Internal Mammary Artery
C32853	INTERNAL MAMMARY LYMPH NODE		Lymph node(s) in or adjacent to the mammary gland.	Internal Mammary Lymph Node
C102301	INTERPHALANGEAL JOINT 1	IP1	A ginglymoid (hinge) synovial joint within the first digit of the hand or foot articulating the proximal and distal phalanges. (NCI)	Interphalangeal Joint 1



C74456 LOC					
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term	
C114200	INTERPHALANGEAL JOINT 1 OF THE FOOT	IP1 of the Foot	A ginglymoid (hinge) synovial joint within the first digit of the foot articulating the proximal and distal phalanges. (NCI)	Interphalangeal Joint 1 of the Foot	
C102302	INTERPHALANGEAL JOINT 2	IP2	A ginglymoid (hinge) synovial joint between the phalanges of the second digit of the hand or foot. (NCI)	Interphalangeal Joint 2	
C114201	INTERPHALANGEAL JOINT 2 OF THE FOOT	IP2 of the Foot	A ginglymoid (hinge) synovial joint between the phalanges of the second digit of the foot. (NCI)	Interphalangeal Joint 2 of the Foot	
C114190	INTERPHALANGEAL JOINT 2 OF THE HAND	IP2 of the Hand	A ginglymoid (hinge) synovial joint between the phalanges of the second digit of the hand. (NCI)	Interphalangeal Joint 2 of the Hand	
C102303	INTERPHALANGEAL JOINT 3	IP3	A ginglymoid (hinge) synovial joint between the phalanges of the third digit of the hand or foot. (NCI)	Interphalangeal Joint 3	
C114202	INTERPHALANGEAL JOINT 3 OF THE FOOT	IP3 of the Foot	A ginglymoid (hinge) synovial joint between the phalanges of the third digit of the foot. (NCI)	Interphalangeal Joint 3 of the Foot	
C114191	INTERPHALANGEAL JOINT 3 OF THE HAND	IP3 of the Hand	A ginglymoid (hinge) synovial joint between the phalanges of the third digit of the hand. (NCI)	Interphalangeal Joint 3 of the Hand	
C102304	INTERPHALANGEAL JOINT 4	IP4	A ginglymoid (hinge) synovial joint between the phalanges of the fourth digit of the hand or foot. (NCI)	Interphalangeal Joint 4	
C114203	INTERPHALANGEAL JOINT 4 OF THE FOOT	IP4 of the Foot	A ginglymoid (hinge) synovial joint between the phalanges of the fourth digit of the foot. (NCI)	Interphalangeal Joint 4 of the Foot	
C114192	INTERPHALANGEAL JOINT 4 OF THE HAND	IP4 of the Hand	A ginglymoid (hinge) synovial joint between the phalanges of the fourth digit of the hand. (NCI)	Interphalangeal Joint 4 of the Hand	
C102305	INTERPHALANGEAL JOINT 5	IP5	A ginglymoid (hinge) synovial joint between the phalanges of the fifth digit of the hand or foot. (NCI)	Interphalangeal Joint 5	
C114204	INTERPHALANGEAL JOINT 5 OF THE FOOT	IP5 of the Foot	A ginglymoid (hinge) synovial joint between the phalanges of the fifth digit of the foot. (NCI)	Interphalangeal Joint 5 of the Foot	
C114193	INTERPHALANGEAL JOINT 5 OF THE HAND	IP5 of the Hand	A ginglymoid (hinge) synovial joint between the phalanges of the fifth digit of the hand. (NCI)	Interphalangeal Joint 5 of the Hand	
C32868	INTERPHALANGEAL JOINT OF THE HAND	Interphalangeal Joint of the Hand	The hinge synovial joints between the phalanges of the fingers. (NCI)	Interphalangeal Joint of the Hand	
C32867	INTERPHALANGEAL OF THE FOOT	IP of the Foot	The hinge synovial joints between the bones of the toes. (NCI)	Interphalangeal Joint of the Foot	
C102306	INTERPHALANGEAL THUMB JOINT	IP THUMB;IP1 of the Hand;Interphalangeal Joint 1 of the Hand	A condyloid synovial joint within the thumb articulating the proximal and distal phalanges.	Interphalangeal Thumb Joint	
C120672	INTERTROCHANTERIC REGION		The bony region in the proximal portion of the femur between the greater, lesser and sub- (also called the third) trochanters.	Intertrochanteric Region	
C32874	INTERVENTRICULAR SEPTUM	Interventricular Septal Wall	The wall that separates the left and right ventricles of the heart. (NCI)	Interventricular Septum	
C12736	INTESTINE		The portion of the gastrointestinal tract that includes the small and large intestines.	Intestine	
C12677	INTRAHEPATIC BILE DUCT		The bile ducts that pass through and drain bile from the liver. (NCI)	Intrahepatic Bile Duct	
C12359	INTRATHORACIC LYMPH NODE		Any lymph node within the thoracic cavity.	Intrathoracic Lymph Node	
C12737	IRIS		The tissue in the eye that separates the anterior chamber from the posterior chamber.	Iris	
C105446	ISCHIAL TUBEROSITY		The bony prominence of the lower part of the ischium. (NCI)	Ischial Tuberosity	
C103455	ISCHIORECTAL FOSSA		A tetrahedral region of adipose tissue located in the ischiorectal region with its base between the tuberosity of the ischium and the lower end of the rectum and its apex at the point where the obturator fascia and the Levator ani membrane divide.	Ischiorectal Fossa	
C32884	ISCHIUM	Ischium	The most posterior and ventral bone making up the pelvis. (NCI)	Ischium	
C12388	JEJUNUM		The portion of the small intestine between the duodenum and ileum.	Jejunum	

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C13044	JOINT	Articulation;Joint	The connection point between two bones or skeletal elements. The joint may be fixed or movable. (NCI)	Joint
C12738	JUGULAR VEIN	Vena Jugularis	One of the veins of the neck; in general it arises from the junction of the maxillary and linguofacial veins and drains into the brachiocephalic or the cranial caval vein.	Jugular Vein
C12415	KIDNEY		The organs of the urinary tract located in the retroperitoneal cavity adjacent to the spine and composed of the renal cortex and the renal medulla.	Kidney
C12739	KIDNEY, CORTEX	Renal Cortex	The division of the renal parenchyma located between the renal capsule and the renal medulla, which contains glomeruli and tubules for filtering blood.	Renal Cortex
C32740	KIDNEY, HILUM	Hilar Area of the Kidney	The concave area of the kidney through which the renal artery enters and the renal vein and ureter exit the organ. (NCI)	Hilar Area of the Kidney
C93180	KIDNEY, LOWER LOBE	Lower Lobe of the Kidney	The lobe of the kidney located in the lowest portion of the kidney. (NCI)	Lower Lobe of Kidney
C12740	KIDNEY, MEDULLA	Renal Medulla	The deepest division of the renal parenchyma, comprising the renal pyramids, which contain a dense network of nephrons, all of which are part of the blood filtration process.	Renal Medulla
C93179	KIDNEY, UPPER LOBE	Upper Lobe of the Kidney	The lobe of the kidney located in the uppermost region of the kidney. (NCI)	Upper Lobe of Kidney
C32898	KNEE JOINT	Femorotibial Joint;Joint, Stifle;Knee;Tibiofemoral Joint	The joint connecting the lower part of the femur with the upper part of the tibia.	Knee Joint
C32899	L1 VERTEBRA	L1 Vertebra	The first lumbar vertebra counting from the top down. (NCI)	L1 Vertebra
C32900	L2 VERTEBRA	L2 Vertebra	The second lumbar vertebra counting from the top down. (NCI)	L2 Vertebra
C112327	L2-L3 INTERVERTEBRAL SPACE		The space between the L2 and L3 vertebrae.	L2-L3 Intervertebral Space
C32901	L3 VERTEBRA	L3 Vertebra	The third lumbar vertebra counting from the top down. (NCI)	L3 Vertebra
C112328	L3-L4 INTERVERTEBRAL SPACE		The space between the L3 and L4 vertebrae.	L3-L4 Intervertebral Space
C32902	L4 VERTEBRA	L4 Vertebra	The fourth lumbar vertebra counting from the top down. (NCI)	L4 Vertebra
C142296	L4-L5 INTERVERTEBRAL SPACE		The space between the L4 and L5 vertebrae.	L4-L5 Intervertebral Space
C32903	L5 VERTEBRA	L5 Vertebra	The fifth lumbar vertebra counting from the top down. (NCI)	L5 Vertebra
C120673	L6 VERTEBRA		A congenital anomaly of the spine, where an extra or supernumerary lumbar vertebra arises from below the 5th lumbar vertebra.	Extra Lumbar Vertebra
C32906	LACRIMAL BONE	Lacrimal Bone	A small rectangular thin plate forming part of the medial orbit wall. It is located posterior to the frontal process of the maxilla and articulates with the inferior nasal concha, ethmoid, frontal, and maxillary bones. (NCI)	Lacrimal Bone
C12346	LACRIMAL GLAND		The exocrine glands that produce the watery serous component of tears.	Lacrimal Gland
C102313	LAD SEPTAL PERFORATOR ARTERY	LAD SEPTAL PERFORATOR ARTERY SEGMENTS;LAD SP	The arteries that arise from the left anterior descending (LAD) artery that supply the interventricular septum.	Left Anterior Descending Septal Perforator Artery
C12379	LARGE INTESTINE	Large Bowel	The avillous section of the intestine composed of crypts and extending from the terminal small intestine to the external orifice.	Large Intestine
C12420	LARYNX		The cartilaginous structure of the respiratory tract between the pharynx and the trachea.	Larynx

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102307	LATERAL FIRST DIAGONAL BRANCH ARTERY	LAT 1ST DIAG;LATERAL FIRST DIAGONAL BRANCH ARTERY SEGMENT	The lateral branch distal to a bifurcation of the first diagonal artery.	Lateral First Diagonal Branch Artery
C102308	LATERAL FIRST OBTUSE MARGINAL BRANCH ARTERY	First Obtuse Marginal Lateral Branch;LAT 1ST OM;LATERAL FIRST OBTUSE MARGINAL BRANCH ARTERY SEGMENT	The lateral branch distal to a bifurcation of the first obtuse marginal artery.	Lateral First Obtuse Marginal Branch Artery
C139202	LATERAL HUMERAL EPICONDYLE		A bone prominence at the distal end of the humerus to which the radial collateral ligament of the elbow joint, the anconeus and supinator muscles, and the common extensor tendon are attached.	Lateral Humeral Epicondyle
C102309	LATERAL RAMUS INTERMEDIUS ARTERY	LAT RAMUS;LATERAL RAMUS INTERMEDIUS ARTERY SEGMENT	The lateral branch distal to a bifurcation of the ramus intermedius artery.	Lateral Ramus Intermidius Artery
C102310	LATERAL SECOND DIAGONAL BRANCH ARTERY	LAT 2ND DIAG;LATERAL SECOND DIAGONAL BRANCH ARTERY SEGMENT	The lateral branch distal to a bifurcation of the second diagonal artery.	Lateral Second Diagonal Branch Artery
C102311	LATERAL SECOND OBTUSE MARGINAL BRANCH ARTERY	LAT 2ND OM;LATERAL SECOND OBTUSE MARGINAL BRANCH ARTERY SEGMENT;Second Obtuse Marginal Lateral Branch	The lateral branch distal to a bifurcation of the second obtuse marginal artery.	Lateral Second Obtuse Marginal Branch Artery
C102312	LATERAL THIRD DIAGONAL BRANCH ARTERY	LAT 3RD DIAG;LATERAL THIRD DIAGONAL BRANCH ARTERY SEGMENT	The lateral branch distal to a bifurcation of the third diagonal artery.	Lateral Third Diagonal Branch Artery
C102425	LATERAL THIRD OBTUSE MARGINAL BRANCH ARTERY	LAT 3RD OM;LATERAL THIRD OBTUSE MARGINAL BRANCH ARTERY SEGMENT;Third Obtuse Marginal Lateral Branch	The lateral branch distal to a bifurcation of the third obtuse marginal artery.	Lateral Third Obtuse Marginal Branch Artery
C116175	LEFT ANTERIOR DESCENDING ARTERY OSTIUM		The opening of the left anterior descending coronary artery at its origin.	Left Anterior Descending Artery Ostium
C116177	LEFT ATRIOVENTRICULAR ARTERY		The first posterolateral branch originating from the posterior atrioventricular left circumflex artery in left dominant and mixed circulations.	Left Atrioventricular Artery
C116176	LEFT CIRCUMFLEX ARTERY OSTIUM		The opening of the left circumflex artery at its origin.	Left Circumflex Artery Ostium
C12874	LEFT CIRCUMFLEX CORONARY ARTERY		An artery arising from the bifurcation of the left coronary artery that runs along the coronary groove.	Circumflex Branch of the Left Coronary Artery
C116174	LEFT MAIN CORONARY ARTERY BIFURCATION		The portion of the distal end of the left main coronary artery that branches into the left anterior descending artery and the left circumflex artery.	Left Main Coronary Artery Bifurcation
C116173	LEFT MAIN CORONARY ARTERY BODY		The segment of the left main coronary artery that is bounded by its ostium and bifurcation.	Left Main Coronary Artery Body
C116172	LEFT MAIN CORONARY ARTERY OSTIUM		The opening of the left coronary artery at its origin.	Left Main Coronary Artery Ostium
C116178	LEFT POSTERIOR DESCENDING ARTERY		The second posterolateral branch originating from the posterior atrioventricular left circumflex artery in left dominant and mixed circulations.	Left Posterior Descending Artery
C102314	LEFT POSTEROLATERAL DESCENDING ARTERY	LEFT POSTEROLATERAL DESCENDING ARTERY SEGMENT;LPDA	In an individual with a left-dominant heart, this branch arises from the circumflex artery atrioventricular groove continuation and supplies the inferior apex of the heart.	Left Posterolateral Descending Artery

## C74456 LOC

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127650	LEFT VENTRICULAR APEX SEGMENT		The apical cap division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Apex Segment
C127651	LEFT VENTRICULAR APICAL ANTERIOR SEGMENT		The anterior portion of the apical division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Apical Anterior Segment
C127652	LEFT VENTRICULAR APICAL INFERIOR SEGMENT		The inferior portion of the apical division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Apical Inferior Segment
C127653	LEFT VENTRICULAR APICAL LATERAL SEGMENT		The lateral portion of the apical division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Apical Lateral Segment
C127654	LEFT VENTRICULAR APICAL SEPTAL SEGMENT		The septal portion of the apical division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Apical Septal Segment
C127655	LEFT VENTRICULAR BASAL ANTERIOR SEGMENT		The anterior portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Anterior Segment

## C74456 LOC

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127656	LEFT VENTRICULAR BASAL ANTEROLATERAL SEGMENT		The anterolateral portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Anterolateral Segment
C127657	LEFT VENTRICULAR BASAL ANTEROSEPTAL SEGMENT		The anteroseptal portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Anteroseptal Segment
C127658	LEFT VENTRICULAR BASAL INFERIOR SEGMENT		The inferior portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Inferior Segment
C127659	LEFT VENTRICULAR BASAL INFEROLATERAL SEGMENT		The inferolateral portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Inferolateral Segment
C127660	LEFT VENTRICULAR BASAL INFEROSEPTAL SEGMENT		The inferoseptal portion of the basal division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Basal Inferoseptal Segment
C102315	LEFT VENTRICULAR EPICARDIUM		The outermost layer of cardiac tissue lining of the left ventricle.	Left Ventricular Epicardium
C127661	LEFT VENTRICULAR MID ANTERIOR SEGMENT		The anterior portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Anterior Segment

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127662	LEFT VENTRICULAR MID ANTEROLATERAL SEGMENT		The anterolateral portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Anterolateral Segment
C127663	LEFT VENTRICULAR MID ANTEROSEPTAL SEGMENT		The anteroseptal portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Anteroseptal Segment
C127664	LEFT VENTRICULAR MID INFERIOR SEGMENT		The inferior portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Inferior Segment
C127665	LEFT VENTRICULAR MID INFEROLATERAL SEGMENT		The inferolateral portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Inferolateral Segment
C127666	LEFT VENTRICULAR MID INFEROSEPTAL SEGMENT		The inferoseptal portion of the mid-cavity division of the left ventricular myocardium as determined using the AHA 17-Segment Model (Cerqueira MD, Weissman NJ, Dilsizian V, Jacobs AK, Kaul S, Laskey WK, Pennell DJ, Rumberger JA, Ryan T, Verani MS; American Heart Association Writing Group on Myocardial Segmentation and Registration for Cardiac Imaging. Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. A statement for healthcare professionals from the Cardiac Imaging Committee of the Council on Clinical Cardiology of the American Heart Association. Circulation. 2002 Jan 29;105(4):539-42.).	Left Ventricular Mid Inferoseptal Segment
C32974	LEG	Leg	One of the two lower extremities in humans used for locomotion and support. (NCI)	Leg
C52749	LEG SKIN	Leg Skin	The integument that covers the leg.	Leg Skin
C12743	LENS	Crystalline Lens;Ocular Lens	The structure of the eye through which light is focused onto the retina.	Lens
C32979	LEPTOMENINGES		The two innermost layers of tissue that cover the brain and spinal cord, the arachnoid mater and the pia mater. (NCI)	Leptomeninges
C32982	LESSER TROCHANTER		A cone-shaped projection in the shaft of the femur in which the iliopsoas muscle is attached. (NCI)	Lesser Trochanter

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13046	LIGAMENT	Ligament	Band of fibrous tissue connecting bone to bone or cartilage to bone thereby supporting or strengthening a joint. (NCI)	Ligament
C12429	LIMB	Extremity	A jointed extremity of the upper/thoracic or lower/pelvic regions.	Limb
C12742	LIMB, LOWER	Lower Extremity	The limb that is composed of the hip, thigh, leg and foot. (NCI)	Lower Extremity
C12671	LIMB, UPPER	Upper Extremity	The region of the body that extends distal to the scapulohumeral joint.	Upper Extremity
C40373	LINGULA OF THE LUNG		A small tongue-like projection from the lower portion of the upper lobe of the left lung.	Lingula of the Lung
C12220	LIP	Lip	Fleshy fold which surrounds the opening of the mouth. (NCI)	Lip
C12222	LIP, LOWER	External Lower Lip	The external surface of the lower lip. (NCI)	External Lower Lip
C12221	LIP, UPPER	External Upper Lip	The external surface of the upper lip. (NCI)	External Upper Lip
C12392	LIVER		An abdominal organ that has variable lobation which are composed mainly of hepatic lobules.	Liver
C32996	LIVER FISSURE	Liver Fissure	A groove on the surface of the liver.	Liver Fissure
C33000	LIVER, CAUDATE LOBE		The lobe of the liver situated posteriorly located between the left lobe and the inferior vena cava.	Caudate Lobe
C32965	LIVER, LEFT LOBE		The smaller lobe of the liver extending into the left side of the body.	Left Lobe of the Liver
C112404	LIVER, QUADRATE LOBE		An oblong shaped area of the liver that is situated inferior to the right lobe, bounded by the anterior margin of the liver and the porta hepatis.	Quadrato Lobe of Liver
C33481	LIVER, RIGHT LOBE		The larger lobe of the liver extending into the right side of the body.	Right Lobe of the Liver
C97333	LOCUS CERULEUS		A brainstem nucleus. It is the major brain site for the synthesis and secretion of norepinephrine. (NCI)	Locus Coeruleus
C132512	LOWER JUGULAR LYMPH NODE		Any lymph nodes located within close proximity to the lower third of the internal jugular vein, extending from the inferior border of the cricoid cartilage (superiorly) to the clavicle (inferiorly). The anterior (medial) boundary is the lateral border of the sternohyoid muscle and the posterior (lateral) boundary is the posterior border of the sternocleidomastoid muscle. (AJCC 8th ed.)	Lower Jugular Lymph Node Group (Level IV)
C33012	LOWER RESPIRATORY SYSTEM		The part of the respiratory system below the bifurcation of the trachea. It includes the lungs and the parts of the lungs such as the bronchi, bronchioles and alveoli.	Lower Respiratory System
C34004	LUMBAR REGION		The area of the body below the ribs and above the hipbones. (NCI)	Lumbar Region
C69314	LUMBAR SPINE		The vertebrae located below the thoracic and above the sacral vertebrae.	Lumbar Spine
C12744	LUMBAR VERTEBRA	Lumbar Vertebra	Any of the vertebrae situated between the thoracic vertebrae and the sacrum in the lower part of the spine.	Lumbar Vertebra
C12786	LUNATE BONE	Lunate Bone	The bone in the proximal row of carpal bones that lies between the scaphoid and triquetral bones. (NCI)	Lunate Bone
C12468	LUNG		A thoracic organ that has variable lobation and is the primary respiratory organ of mammals.	Lung
C49282	LUNG, HILUM	Hilar Area of the Lung	The wedge-shaped area at the central portion of the lung through which the bronchi, vessels and nerves enter or exit the organ. (NCI)	Hilar Area of the Lung
C32967	LUNG, LEFT	Left Lung	The 2-lobed lung located on the left side of the body. (NCI)	Left Lung
C33020	LUNG, LEFT LOWER LOBE	Lower Lobe of the Left Lung	The larger lobe of the left lung, situated below and behind the oblique fissure. (NCI)	Lower Lobe of the Left Lung
C33021	LUNG, LEFT UPPER LOBE	Upper Lobe of the Left Lung	The smaller lobe of the left lung, situated above and in front the oblique fissure, which includes the apex. (NCI)	Upper Lobe of the Left Lung

<b>C74456 LOC</b>					
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>	
C132393	LUNG, LEFT, INFERIOR LOBE, ANTERIOR BASAL SEGMENT		The anterior basal segment of the inferior lobe of the left lung.	Left Lung, Inferior Lobe, Anterior Basal Segment	
C132394	LUNG, LEFT, INFERIOR LOBE, LATERAL BASAL SEGMENT		The lateral basal segment of the inferior lobe of the left lung.	Left Lung, Inferior Lobe, Lateral Basal Segment	
C132395	LUNG, LEFT, INFERIOR LOBE, MEDIAL BASAL SEGMENT		The medial basal segment of the inferior lobe of the left lung.	Left Lung, Inferior Lobe, Medial Basal Segment	
C132396	LUNG, LEFT, INFERIOR LOBE, POSTERIOR BASAL SEGMENT		The posterior basal segment of the inferior lobe of the left lung.	Left Lung, Inferior Lobe, Posterior Basal Segment	
C132397	LUNG, LEFT, INFERIOR LOBE, SUPERIOR SEGMENT		The superior segment of the inferior lobe of the left lung.	Left Lung, Inferior Lobe, Superior Segment	
C132398	LUNG, LEFT, SUPERIOR LOBE, ANTERIOR SEGMENT		The anterior segment of the superior lobe of the left lung.	Left Lung, Superior Lobe, Anterior Segment	
C132399	LUNG, LEFT, SUPERIOR LOBE, APICOPOSTERIOR SEGMENT		The apicoposterior segment of the superior lobe of the left lung.	Left Lung, Superior Lobe, Apicoposterior Segment	
C132400	LUNG, LEFT, SUPERIOR LOBE, INFERIOR LINGULAR SEGMENT		The inferior lingular segment of the superior lobe of the left lung.	Left Lung, Superior Lobe, Inferior Lingular Segment	
C132401	LUNG, LEFT, SUPERIOR LOBE, SUPERIOR LINGULAR SEGMENT		The superior lingular segment of the superior lobe of the left lung.	Left Lung, Superior Lobe, Superior Lingular Segment	
C33483	LUNG, RIGHT	Right Lung	The 3-lobed lung located on the right side of the body. (NCI)	Right Lung	
C33022	LUNG, RIGHT LOWER LOBE	Lower Lobe of the Right Lung	The lobe of the right lung situated below the oblique fissure. (NCI)	Lower Lobe of the Right Lung	
C12286	LUNG, RIGHT MIDDLE LOBE	Middle Lobe of the Right Lung	The smallest lobe of the right lung, situated above the oblique fissure and below the horizontal fissure. (NCI)	Middle Lobe of the Right Lung	
C33023	LUNG, RIGHT UPPER LOBE	Upper Lobe of the Right Lung	The lobe of the right lung, situated above the horizontal fissure, which includes the apex. (NCI)	Upper Lobe of the Right Lung	
C132402	LUNG, RIGHT, INFERIOR LOBE, ANTERIOR BASAL SEGMENT		The anterior basal segment of the inferior lobe of the right lung.	Right Lung, Inferior Lobe, Anterior Basal Segment	
C132403	LUNG, RIGHT, INFERIOR LOBE, LATERAL BASAL SEGMENT		The lateral basal segment of the inferior lobe of the right lung.	Right Lung, Inferior Lobe, Lateral Basal Segment	
C132404	LUNG, RIGHT, INFERIOR LOBE, MEDIAL BASAL SEGMENT		The medial basal segment of the inferior lobe of the right lung.	Right Lung, Inferior Lobe, Medial Basal Segment	
C132405	LUNG, RIGHT, INFERIOR LOBE, POSTERIOR BASAL SEGMENT		The posterior basal segment of the inferior lobe of the right lung.	Right Lung, Inferior Lobe, Posterior Basal Segment	
C132406	LUNG, RIGHT, INFERIOR LOBE, SUPERIOR SEGMENT		The superior segment of the inferior lobe of the right lung.	Right Lung, Inferior Lobe, Superior Segment	
C132407	LUNG, RIGHT, MIDDLE LOBE, LATERAL SEGMENT		The lateral segment of the middle lobe of the right lung.	Right Lung, Middle Lobe, Lateral Segment	
C132408	LUNG, RIGHT, MIDDLE LOBE, MEDIAL SEGMENT		The medial segment of the middle lobe of the right lung.	Right Lung, Middle Lobe, Medial Segment	
C132409	LUNG, RIGHT, SUPERIOR LOBE, ANTERIOR SEGMENT		The anterior segment of the superior lobe of the right lung.	Right Lung, Superior Lobe, Anterior Segment	
C132410	LUNG, RIGHT, SUPERIOR LOBE, APICAL SEGMENT		The apical segment of the superior lobe of the right lung.	Right Lung, Superior Lobe, Apical Segment	



<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132411	LUNG, RIGHT, SUPERIOR LOBE, POSTERIOR SEGMENT		The posterior segment of the superior lobe of the right lung.	Right Lung, Superior Lobe, Posterior Segment
C12745	LYMPH NODE	Lymphatic Gland	Secondary lymphoid organ associated with lymphatic vessels and consisting of an outer cortex, inner medulla and sinuses.	Lymph Node
C33031	LYMPH NODE HILUM	Lymph Node Hilum	The concave side of the lymph node. (NCI)	Lymph Node Hilum
C32968	MAIN BRONCHUS, LEFT	Left Main Bronchus	One of the two main bronchi. It is narrower but longer than the right main bronchus and connects to the left lung. (NCI)	Left Main Bronchus
C33486	MAIN BRONCHUS, RIGHT	Right Main Bronchus	One of the two main bronchi. It is wider but shorter than the left main bronchus and connects to the right lung. (NCI)	Right Main Bronchus
C61599	MALE GENITALIA	Male Genitalia	Male internal and external organs of reproduction.	Male Genitalia
C12722	MALE REPRODUCTIVE SYSTEM		The sex organs of the male.	Male Reproductive System
C33051	MALLEUS	Malleus	A hammer-shaped bone, part of three interconnected small bones located in the middle ear. It is attached to the inner surface of the tympanic membrane and its function is to transmit sound vibrations. (NCI)	Malleus
C12367	MAMMARY GLAND		The exocrine glands of the mammae that produce milk in females, and are composed of lobules, alveolar ducts and alveoli.	Mammary Gland
C12290	MANDIBLE	Bone, Mandibular;Inferior Maxillary Bone;Lower Jaw;Mandible	The lower jaw bone holding the lower teeth. (NCI)	Mandible
C12503	MASTOID PROCESS	Mastoid Process	A honeycombed section of bone located near the base of the skull, protruding behind the outer ear. It is connected to the middle ear. (NCI)	Mastoid Process
C26470	MAXILLA		The upper jaw bone holding the upper teeth.	Maxilla
C12275	MAXILLARY SINUS	Maxillary Sinus	A pyramidal-shaped, thin-walled, air-filled cavity located in the maxilla. It is lined by mucus membrane and periosteum (mucoperiosteum) which contains cilia. It is adjacent to the nasal cavity and communicates with the middle meatus of the nose. It is the largest paranasal sinus and is composed of three recesses: alveolar, zygomatic, and infraorbital. (NCI)	Maxillary Sinus
C139204	MEDIAL FEMORAL CONDYLE		A rounded, bony projection on the inner side of the distal end of the femur to which the medial collateral and the posterior cruciate ligaments are attached.	Medial Femoral Condyle
C103417	MEDIAN OR LOWER CERVICAL LYMPH NODE		A lymph node located in the median or lower region of the neck. (NCI)	Median Or Lower Cervical Lymph Node
C33073	MEDIASTINAL LYMPH NODE		Lymph node(s) in the mediastinal region.	Mediastinal Lymph Node
C12748	MEDIASTINUM		The central region of the thoracic cavity of mammals containing a group of organs surrounded by loose connective tissue, which separates the two pleural sacs.	Mediastinum
C32098	MEDIASTINUM, ANTERIOR	Anterior Mediastinum	The area between the lungs; it contains the thymus, some lymph nodes, and vessels and branches of the internal thoracic artery. (NCI)	Anterior Mediastinum
C33123	MEDIASTINUM, MIDDLE	Middle Mediastinum	The broadest part of the lower portion of the mediastinum. It contains the heart and the great vessels. (NCI)	Middle Mediastinum
C33368	MEDIASTINUM, POSTERIOR	Posterior Mediastinum	The part of the lower portion of the mediastinum that is located behind the pericardium. (NCI)	Posterior Mediastinum
C33684	MEDIASTINUM, SUPERIOR	Superior Mediastinum	The part of the mediastinum that is located between the upper part of the sternum in the front and the upper thoracic vertebrae in the back. (NCI)	Superior Mediastinum
C12442	MEDULLA OBLONGATA		The portion of the brainstem between the pons and cervical spinal cord.	Medulla Oblongata

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12348	MENINGES		Any one of three membranes that surround the brain and spinal cord. (NCI)	Meninges
C52975	MESENTERIC ARTERY		One of the arteries of the abdomen; in general it arises from the abdominal aorta and supplies blood mainly to the intestines.	Mesenteric Artery
C77641	MESENTERIC LYMPH NODE		Lymph node(s) in or adjacent to the mesentery.	Mesenteric Lymph Node
C33103	MESENTERY		A double layer of peritoneum that attaches to the wall of the abdominal cavity and supports the small intestines.	Mesentery
C127667	METACARPAL 1 BASE		The proximal end of the first metacarpal bone.	Metacarpal 1 Base
C12751	METACARPAL BONE		Any of the five bones between the wrist and the fingers that form the skeleton of the palm. (NCI)	Metacarpal Bone
C52796	METACARPAL BONE 1		The first of the five long bones located in the palm of the hand, as counted from the thenar side of the hand; it articulates proximally with the trapezium and distally with the thenar phalanx (thumb).	Metacarpal Bone Digit 1
C52795	METACARPAL BONE 2		The second of the five long bones located in the palm of the hand, as counted from the thenar side of the hand; it articulates proximally with the trapezoid and distally with the second phalanx (index finger).	Metacarpal Bone Digit 2
C52794	METACARPAL BONE 3		The third of the five long bones located in the palm of the hand, as counted from the thenar side of the hand; it articulates proximally with the capitate and the second and fourth metacarpals, and distally with the third phalanx (middle finger).	Metacarpal Bone Digit 3
C52793	METACARPAL BONE 4		The fourth of the five long bones located in the palm of the hand, as counted from the thenar side of the hand; it articulates proximally with the capitate, hamate, and third and fifth metacarpal bones, and distally with the fourth phalanx (ring finger).	Metacarpal Bone Digit 4
C52792	METACARPAL BONE 5		The fifth of the five long bones located in the palm of the hand, as counted from the thenar side of the hand; it articulates proximally with the hamate and fourth metacarpal, and distally with the fifth phalanx (small finger).	Metacarpal Bone Digit 5
C102316	METACARPOPHALANGEAL JOINT 1	MCP1	A condyloid synovial joint within the first digit of the hand articulating the metacarpal to the proximal phalanx.	Metacarpophalangeal Joint 1
C102317	METACARPOPHALANGEAL JOINT 2	MCP2	A condyloid synovial joint within the second digit of the hand articulating the metacarpal to the proximal phalanx.	Metacarpophalangeal Joint 2
C102318	METACARPOPHALANGEAL JOINT 3	MCP3	A condyloid synovial joint within the third digit of the hand articulating the metacarpal to the proximal phalanx.	Metacarpophalangeal Joint 3
C102319	METACARPOPHALANGEAL JOINT 4	MCP4	A condyloid synovial joint within the fourth digit of the hand articulating the metacarpal to the proximal phalanx.	Metacarpophalangeal Joint 4
C102320	METACARPOPHALANGEAL JOINT 5	MCP5	A condyloid synovial joint within the fifth digit of the hand articulating the metacarpal to the proximal phalanx.	Metacarpophalangeal Joint 5
C12752	METATARSAL BONE	Metatarsal Bone	A bone belonging to the middle part of the foot located between toes and ankle. There are 5 metatarsal bones and they are numbered from the medial side. (NCI)	Metatarsal Bone
C33108	METATARSOPHALANGEAL JOINT	Metatarsophalangeal Joint	A spheroid joint located between the heads of the metatarsal bone and the base of the proximal phalanx of the toe. (NCI)	Metatarsophalangeal Joint
C102321	METATARSOPHALANGEAL JOINT 1	MTP1	A condyloid synovial joint within the first digit of the foot articulating metatarsal with the proximal phalanx.	Metatarsophalangeal Joint 1
C102322	METATARSOPHALANGEAL JOINT 2	MTP2	A condyloid synovial joint within the second digit of the foot articulating metatarsal with the proximal phalanx.	Metatarsophalangeal Joint 2
C102323	METATARSOPHALANGEAL JOINT 3	MTP3	A condyloid synovial joint within the third digit of the foot articulating metatarsal with the proximal phalanx.	Metatarsophalangeal Joint 3

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102324	METATARSOPHALANGEAL JOINT 4	MTP4	A condyloid synovial joint within the fourth digit of the foot articulating metatarsal with the proximal phalanx.	Metatarsophalangeal Joint 4
C102325	METATARSOPHALANGEAL JOINT 5	MTP5	A condyloid synovial joint within the fifth digit of the foot articulating metatarsal with the proximal phalanx.	Metatarsophalangeal Joint 5
C102326	MID-CIRCUMFLEX ARTERY	MCIRC;MID-CIRCUMFLEX ARTERY SEGMENT	The segment of the left circumflex artery between the first and second marginal branches.	Mid-Circumflex Artery
C132511	MID-JUGULAR LYMPH NODE		Any lymph nodes located within close proximity to the middle third of the internal jugular vein, extending from the inferior border of the hyoid bone (superiorly) to the inferior border of the cricoid cartilage (inferiorly). The anterior (medial) boundary is the lateral border of the sternohyoid muscle, and the posterior (lateral) boundary is the posterior border of the sternocleidomastoid muscle. (AJCC 8th ed.)	Middle Jugular Lymph Node Group (Level III)
C102328	MID-LAD ARTERY	MID-LAD ARTERY SEGMENT;MLAD	The segment of the left anterior descending (LAD) artery between the first and third diagonal branches.	Mid-Left Anterior Descending Artery
C102329	MID-RIGHT CORONARY ARTERY CONDUIT	MID-RIGHT CORONARY ARTERY CONDUIT SEGMENT;MRCA;Mid-right Coronary Artery	The section of the right coronary artery between the right ventricular artery and the acute marginal artery.	Mid-Right Coronary Artery Conduit
C102327	MID/DISTAL LEFT ANTERIOR DESCENDING CORONARY ARTERY AND ALL DIAGONAL CORONARY BRANCHES		All of the arterial branches distal to the proximal left anterior descending coronary artery.	Mid-Distal Left Anterior Descending Coronary Artery and All Diagonal Coronary Branches
C12510	MIDBRAIN	Mesencephalon	The portion of the brainstem between the pons and diencephalon.	Mesencephalon
C12274	MIDDLE EAR		The part of the ear including the eardrum and ossicles.	Middle Ear
C142297	MIDDLE PHALANX 2 OF THE HAND		The long bone in the second finger, as counted from the thenar side of the hand; it is located between, and articulates with, the proximal and distal phalanges.	Hand Digit 2 Middle Phalanx
C142298	MIDDLE PHALANX 3 OF THE HAND		The long bone in the third finger, as counted from the thenar side of the hand; it is located between, and articulates with, the proximal and distal phalanges.	Hand Digit 3 Middle Phalanx
C142299	MIDDLE PHALANX 4 OF THE HAND		The long bone in the fourth finger, as counted from the thenar side of the hand; it is located between, and articulates with, the proximal and distal phalanges.	Hand Digit 4 Middle Phalanx
C142300	MIDDLE PHALANX 5 OF THE HAND		The long bone in the fifth finger, as counted from the thenar side of the hand; it is located between, and articulates with, the proximal and distal phalanges.	Hand Digit 5 Middle Phalanx
C12753	MITRAL VALVE	Mitral Valve	A cardiac valve located between the left atrium and ventricle.	Mitral Valve
C127306	MITRAL VALVE ANNULUS		A fibrous membrane that attaches to, and provides support for, the mitral valve leaflets.	Mitral Valve Annulus
C127668	MITRAL VALVE, ANTERIOR ANNULUS	Mitral Valve, Anteroseptal Annulus	The portion of the mitral valve annulus that attaches to the anterior mitral valve leaflet.	Anterior Annulus of the Mitral Valve
C127669	MITRAL VALVE, ANTERIOR CUSP		The cusp of the mitral valve that is anchored to the aortic-mitral curtain.	Anterior Cusp of the Mitral Valve
C127670	MITRAL VALVE, POSTERIOR ANNULUS	Mitral Valve, Posterolateral Annulus	The portion of the mitral valve annulus that attaches to the posterior mitral valve leaflet.	Posterior Annulus of the Mitral Valve
C127671	MITRAL VALVE, POSTERIOR CUSP		The cusp of the mitral valve that is located posterior to the two commissures, and which has no attachment to the aortic root.	Posterior Cusp of the Mitral Valve
C97339	MOTOR CORTEX		A brain region that is located in the dorsal part of the precentral gyrus. (NCI)	Primary Motor Cortex
C13166	MUCOSA	Mucosa;Mucous Membrane	The moist, inner lining of some organs and body cavities (such as the nose, mouth, lungs, and stomach). Glands in the mucosa make mucus (a thick, slippery fluid).	Mucosa
C12226	MUCOSA OF THE LIP		The lining of the fleshy folds surrounding the mouth. It is comprised of the epithelium, basement membrane, lamina propria mucosae, and lamina muscularis mucosae. (NCI)	Mucosa of the Lip

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C13056	MUSCLE		A fibrous soft tissue with the ability to contract to produce force and motion.	Muscle
C12754	MUSCULOSKELETAL SYSTEM		The system of muscles, tendons, ligaments, bones, joints and associated tissues.	Musculoskeletal System
C12314	MYOMETRIUM	Myometrium	The smooth muscle lining the uterus. (NCI)	Myometrium
C33156	NAIL	Nail	The cutaneous plate on the dorsal surface of the distal end of a finger or toe. (NCI)	Nail
C33157	NASAL BONE	Nasal Bone	One of two small oblong bones placed side by side at the middle and upper part of the face. (NCI)	Nasal Bone
C12424	NASAL CAVITY		The upper respiratory tract extending from the nares to the pharynx.	Nasal Cavity
C33160	NASAL SEPTUM	Nasal Septum	The thin wall between the two nasal cavities. (NCI)	Nasal Septum
C12423	NASOPHARYNX		The part of the pharynx above the soft palate, which is continuous with the nasal cavity and extends to the oropharynx.	Nasopharynx
C33162	NAVICULAR BONE	Navicular Bone	An oval-shaped bone of the tarsus found on the medial side of the foot. (NCI)	Navicular Bone
C13063	NECK	Neck	The region that connects the head to the rest of the body. (NCI)	Neck
C12466	NERVE		A bundle of neuronal fibers that transmits electrochemical impulses encoding sensory and motor information from one body part to another.	Nerve
C12299	NIPPLE		The protuberance in the skin where the ducts of the mammary gland open.	Nipple
C12756	NOSE	Nose	A structure of special sense serving as an organ of the sense of smell and as an entrance to the respiratory tract. (NCI)	Nose
C33178	NOSTRIL	Nostril	One of the two channels of the nose, from the point where they divide to the external opening. (NCI)	Nostril
C142301	NUCHAL LYMPH NODE		Any lymph node located in the posterior of the neck, including the postauricular, superficial occipital, middle posterior cervical chain, and lower posterior cervical chain.	Nuchal Lymph Node
C52733	NUCLEUS ACCUMBENS		A nucleus comprising neurons in the forebrain, ventral to the dorsal caudate and putamen.	Accumbens Nucleus
C97342	NUCLEUS OF DIAGONAL BAND	BASAL NUCLEUS/DIAGONAL BAND	A brain structure that is part of the septal nuclear complex. It is connected with the hippocampus, hypothalamus and amygdala.	Nucleus of Diagonal Band
C33191	OBTURATOR EXTERNUS MUSCLE		A muscle of the pelvis that originates on the obturator foramen and obturator membrane and inserts on the trochanteric fossa of the femur.	Obturator Externus Muscle
C33192	OBTURATOR INTERNUS MUSCLE		A muscle of the pelvis that originates on the ischiopubic ramus and obturator membrane and inserts on the greater trochanter.	Obturator Internus Muscle
C33193	OBTURATOR MUSCLE		One of two muscles located in the pelvis: the obturator externus muscle or the obturator internus muscle. (NCI)	Obturator Muscle
C12355	OCCIPITAL LOBE		One of the four regions of cortex in each cerebral hemisphere, located posterior to the temporal lobe and inferior to the parietal lobe.	Occipital Lobe
C98188	OCCIPITAL LYMPH NODE		A lymph node located in the back of the head adjacent to the trapezius muscle.	Occipital Lymph Node
C103456	OCCIPITAL SCALP		The occipital region of the skin that covers the top of the head. (NCI)	Occipital Scalp
C12758	OCULOMOTOR NERVE		The third cranial nerve.	Oculomotor Nerve
C33200	OLECRANON	Olecranon	A prominence at the proximal end of the ulna. It forms the tip of the elbow. (NCI)	Olecranon
C28401	OLFACTORY BULB		The portion of the vertebrate forebrain that lies behind the ethmoid bones; it begins the rhinencephalon.	Olfactory Bulb

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C33205	OLFACTORY MUCOSA		The mucosal membranes that line the nasal cavity.	Olfactory Mucosa
C12759	OLFACTORY NERVE		The first cranial nerve.	Olfactory Nerve
C33209	OMENTUM		A double layer of peritoneum covering abdominal organs.	Omentum
C33216	OPHTHALMIC ARTERY		An artery arising from the internal carotid artery that branches into two groups of vessels; the orbital group that supplies the orbit and surrounding parts and the ocular group that supplies the globe and muscles of the eye.	Ophthalmic Artery
C12760	OPTIC DISC	Optic Nerve Head	The portion of the retina at which the axons of the ganglion cells exit the eyeball to form the optic nerve.	Optic Disc
C12761	OPTIC NERVE	Second Cranial Nerve	A cranial nerve extending between the retina and optic chiasma, which innervates the eye.	Optic Nerve
C12421	ORAL CAVITY	Mouth	The cavity of the mouth.	Oral Cavity
C77637	ORAL MUCOSA		The mucosal membranes that line the oral cavity.	Oral Mucosa
C12347	ORBIT	Eye Socket;Ocular Orbit;Orbit	The bony cavity that contains the eye and its associated structures.	Orbit
C12762	OROPHARYNX		The part of the pharynx between the soft palate and the upper portion of the epiglottis. (NCI)	Oropharynx
C33244	OVARIAN FOLLICLE		A spherical aggregation of cells found in the ovaries that contains a single oocyte. (NCI)	Ovarian Follicle
C12404	OVARY		The female gonad.	Ovary
C52745	PALATINE BONE	Palatine Bone	An irregularly shaped bone positioned at the back part of the nasal cavity between the maxilla and the pterygoid process of the sphenoid. It forms the posterior part of the hard palate and the lateral wall of the nasal fossa and helps to form the floor of the orbit as well as several adjoining parts. (NCI)	Palatine Bone
C33252	PALM		The undersurface of the hand. (NCI)	Palmar Region
C12393	PANCREAS		A digestive organ in the abdomen that has both endocrine and exocrine functions.	Pancreas
C12270	PANCREAS, BODY	Body of the Pancreas	The part of the pancreas from the point where it crosses the portal vein to the point where it enters the lienorenal ligament. (NCI)	Body of the Pancreas
C12608	PANCREAS, ENDOCRINE	Endocrine Pancreas	The pancreatic tissue that contains the islets of Langerhans. It is responsible for the production and secretions of the pancreatic hormones. (NCI)	Islet of Langerhans
C32546	PANCREAS, EXOCRINE	Exocrine Pancreas	An enzyme producing region of the pancreatic tissue containing the pancreatic acini and exocrine intralobular ducts which collectively secrete the digestive enzymes into the main pancreatic duct to drain into the duodenal part of the small intestine. (NCI)	Exocrine Pancreas
C12269	PANCREAS, HEAD	Head of the Pancreas	That portion of the pancreas lying in the concavity of the duodenum. (NCI)	Head of the Pancreas
C12271	PANCREAS, TAIL	Tail of the Pancreas	The left extremity of the pancreas within the lienorenal ligament. (NCI)	Tail of the Pancreas
C12272	PANCREATIC DUCT		A duct that conveys pancreatic secretions from the pancreas to the duodenum.	Pancreatic Duct
C77643	PARA-AORTIC LYMPH NODE	Lymph Node, Para-Aortic	Lymph node(s) adjacent to the lumbar vertebral column.	Paraaortic Lymph Node
C117869	PARACAVAL LYMPH NODE		A lymph node located adjacent to the lumbar region of the spine, along the right lateral aspect of the inferior vena cava. (NCI)	Paracaval Lymph Node
C89787	PARACOLIC GUTTER		Naturally occurring spaces between the colon and the abdominal wall, lateral to the ascending and descending colons.	Paracolic Gutter
C147453	PARALARYNGEAL LYMPH NODE		A lymph node located adjacent to the larynx, in the parapharyngeal space.	Paralaryngeal Lymph Node

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12320	PARAMETRIUM	Parametrium	The subserous connective tissue of the pelvic floor of the supracervical portion of the uterus. The parametrium extends laterally between the layers of the broad ligament. (NCI)	Parametrium
C12763	PARANASAL SINUS		The air-filled cavities adjacent to the nasal cavity lined by a mucous membrane and located in the bones of the skull.	Paranasal Sinus
C142302	PARAPHARYNGEAL LYMPH NODE		Any lymph node located in the potential space of the neck, which is bounded superiorly by the base of the skull, inferiorly by the greater cornu of the hyoid bone, anteriorly by the investing fascia of the deep cervical fascia covering the medial pterygoid muscle, posteriorly by the prevertebral layer of the deep cervical fascia, medially by the middle (pretracheal) layer of the deep cervical fascia, and laterally by the investing fascia of the deep cervical fascia covering the deep lobe of the parotid.	Parapharyngeal Lymph Node
C52557	PARASYMPATHETIC GANGLIA		A usually small autonomic ganglion of the parasympathetic nervous system. The majority are located near or in the organs that they innervate. (NCI)	Parasympathetic Ganglion
C12765	PARATHYROID GLAND		Endocrine gland, usually in close proximity to the thyroid gland, that produces parathyroid hormone.	Parathyroid Gland
C103426	PARATRACHEAL LYMPH NODE		A lymph node located adjacent to the trachea within the mediastinum. (NCI)	Paratracheal Lymph Node
C97925	PARAVERTEBRAL GANGLIA		A cluster of neuronal cell bodies and their dendrites located just ventral and lateral to the spinal cord that give rise to the sympathetic nervous system.	Para-Spinal Ganglion
C12354	PARIETAL LOBE	Parietal Lobe	One of the lobes of the cerebral hemisphere located superiorly to the occipital lobe and posteriorly to the frontal lobe. Cognition and visuospatial processing are its main function. (NCI)	Parietal Lobe
C12427	PAROTID GLAND		The salivary gland located adjacent to the ear.	Parotid Gland
C33278	PAROTID GLAND LYMPH NODE	Parotid Gland Lymph Node	Lymph node(s) in or adjacent to the parotid gland.	Parotid Gland Lymph Node
C97341	PARS COMPACTA		A part of the substantia nigra. The pars compacta nerve cells contain melanin and are involved in motor control. (NCI)	Pars Compacta
C33282	PATELLA		A small bone in front of the femorotibial joint that articulates with the femur.	Patella
C33287	PELVIC BONE	Pelvic Bone	The bony structure composed of the ilium, ishium, pubis and sacrum, which are typically fused during maturation.	Pelvic Bone
C12363	PELVIC LYMPH NODE	Pelvic Lymph Node	Any lymph node within the pelvic region. (NCI)	Pelvic Lymph Node
C12767	PELVIS	Pelvic Region;Pelvis	The bony, basin-shaped structure formed by the bones of the pelvis.	Pelvis
C12409	PENIS		The male organ of urination and copulation. (NCI)	Penis
C12325	PENIS, BODY		The portion of the penis between the glans penis and the radix penis.	Body of the Penis
C12324	PENIS, GLANS		The most distal portion of the penis covered by the foreskin.	Glans Penis
C124350	PENIS, RADIX		The portion of the penis between the descending portion of the pubic bone and the body of the penis.	Radix Penis
C99148	PERIANAL REGION		The skin area around the anus. (NCI)	Perianal Region
C38662	PERICARDIAL CAVITY		The body space between the epicardium and the pericardium.	Pericardial Cavity
C117870	PERICARDIAL LYMPH NODE		A lymph node located anterior to the pericardium, posterior to the xiphoid process, and in the right and left cardiophrenic fat. (NCI)	Pericardial Lymph Node
C127672	PERICARDIAL WALL		The tissue layers that form the pericardium of the heart, including the fibrous pericardium, and the parietal and visceral layers of the serous pericardium.	Pericardial Wall

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13005	PERICARDIUM		The membrane surrounding the heart and roots of the vessels at the base of the heart.	Pericardium
C102330	PERIHILAR LYMPH NODE		A lymph node located in the area around the hilum.	Perihilar Lymph Node
C33301	PERINEUM	Perineum	The area located between the anus and vulva in females, and anus and scrotum in males. (NCI)	Perineum
C77642	PERIPANCREATIC LYMPH NODE		Lymph node(s) in or adjacent to the pancreas.	Pancreatic Lymph Node
C12768	PERIPHERAL NERVE		Any nerve outside the brain or spinal cord that connects with peripheral receptors or effectors. (NCI)	Peripheral Nerve
C12769	PERITONEAL CAVITY		A part of the abdominal cavity that lies between the visceral and parietal peritoneum.	Peritoneal Cavity
C12770	PERITONEUM		The membrane that lines the abdominal and pelvic cavities.	Peritoneum
C139205	PERIUMBILICAL REGION		The region of the body that immediately surrounds the umbilicus.	Periumbilical Region
C132412	PERIURETERAL REGION		The tissue surrounding the ureter.	Periureteral Region
C111287	PERIURETHRAL REGION		The tissue surrounding the urethra.	Periurethral Region
C33314	PERONEAL ARTERY		An artery arising from the posterior tibial artery that supplies the muscles on the lateral side of the lower leg.	Peroneal Artery
C33318	PHARYNGEAL TONSIL	Adenoid	A tonsil in the mucosa of the nasopharynx.	Pharyngeal Tonsil
C12425	PHARYNX		A passageway in the head and neck that includes the nasopharynx, oropharynx and laryngopharynx.	Pharynx
C12398	PINEAL GLAND	Pineal Body	A small endocrine gland that arises from the central posterior aspect of the diencephalon.	Pineal Gland
C12855	PISIFORM BONE	Pisiform Bone	The medial bone of the proximal row of carpal bones. (NCI)	Pisiform Bone
C12399	PITUITARY GLAND	Hypophysis;Hypophysis Cerebri	A small endocrine gland extending from the hypothalamus at the base of the brain.	Pituitary Gland
C12469	PLEURA		The serous membrane that lines the wall of the thoracic cavity and the surface of the lungs.	Pleura
C12840	PLEURAL CAVITY		A part of the thoracic cavity that lies between the visceral and parietal pleura.	Pleural Cavity
C12511	PONS VAROLII	Pons Varolii	The portion of the brainstem between the midbrain and medulla oblongata.	Pons Varolii
C116180	POPLITEAL ARTERY ABOVE KNEE		The segment of the popliteal artery that is located above the knee.	Popliteal Artery Above the Knee
C116181	POPLITEAL ARTERY BELOW KNEE		The segment of the popliteal artery that is located below the knee.	Popliteal Artery Below the Knee
C53146	POPLITEAL LYMPH NODE		Lymph node(s) adjacent to the femorotibial joint.	Popliteal Lymph Node
C117871	PORTA HEPATIS LYMPH NODE		A lymph node located in the transverse fissure of the liver. (NCI)	Porta Hepatis Lymph Node
C117872	PORTACAVAL LYMPH NODE	Portocaval Lymph Node	A lymph node located in the space between the portal vein and inferior vena cava, along the hepatoduodenal ligament. (NCI)	Portacaval Lymph Node
C77645	PORTAL LYMPH NODE	Periportal Lymph Node	Lymph node(s) adjacent to the portal vein.	Portal Lymph Node
C33343	PORTAL VEIN	Hepatic Portal Vein	A vein lying in the lower part of the abdomen; in general it arises from the junction of the mesenteric and splenic veins and draining into the liver.	Portal Vein
C132413	PORTAL VEIN BIFURCATION		The portion of the distal end of the main portal vein that branches into the left and right portal veins.	Portal Vein Bifurcation
C103428	POSTERIOR CERVICAL LYMPH NODE		A lymph node located in the posterior region of the neck. (NCI)	Posterior Cervical Lymph Node

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102348	POSTERIOR DESCENDING SEPTAL PERFORATORS ARTERY	PDSP;POSTERIOR DESCENDING SEPTAL PERFORATORS ARTERY SEGMENT	The arteries arising from the right posterior descending artery that supply the interventricular septum.	Septal Perforator Artery
C142303	POSTERIOR POLE OF THE EYE		The scleral curvature of the eye comprising the retina, inclusive of the macula and optic disc.	Posterior Pole of the Eye
C139206	POSTERIOR SUPERIOR ILIAC SPINE		A bony projection from the posterior region of the iliac crest that lies over the sacroiliac joint and is the site of attachment for the thoracolumbar fascia and the posterior sacroiliac and sacrotuberous ligaments.	Posterior Superior Iliac Spine
C12826	POSTERIOR TIBIAL ARTERY		A terminal branch of the popliteal artery that runs along the tibia from the lower portion of the popliteus muscle to the lower ankle with numerous branches supplying the lower leg and foot.	Posterior Tibial Artery
C116170	POSTEROLATERAL SEGMENTAL ARTERY		In an individual with a right-dominant heart, the arterial branch that arises from the distal right coronary artery in the posterior atrioventricular groove after the origin of the right posterior descending artery.	Posterolateral Coronary Artery
C103429	PREAURICULAR LYMPH NODE		A lymph node located anterior to the auricle of the ear. (NCI)	Preauricular Lymph Node
C112399	PRECUNEUS		The posteromedial region of the parietal lobe bounded by the marginal branch of the cingulate sulcus anteriorly, by the medial portion of the parieto-occipital fissure posteriorly and by the subparietal sulcus inferiorly.	Precuneus
C147454	PRELARYNGEAL LYMPH NODE		A lymph node located anterior to the larynx.	Prelaryngeal Lymph Node
C79432	PREPUTIAL GLAND		Exocrine glands of the male reproductive system located adjacent to the prepuce.	Preputial Gland
C132414	PRESACRAL SPACE		The potential body space formed between the rectum and the sacrum.	Presacral Space
C147455	PRETRACHEAL LYMPH NODE		A lymph node located anterior to the trachea, between the isthmus of the thyroid gland and the innominate vein.	Pretracheal Lymph Node
C97340	PRIMARY VISUAL CORTEX		A brain region in the occipital cortex that receives visual stimuli from the retina. (NCI)	Primary Visual Cortex
C32436	PROFUNDA FEMORIS ARTERY		An artery arising from the common femoral artery just below the inguinal ligament running close to the femur and ending in the lower third of the thigh with branches supplying the thigh muscles.	Deep Femoral Artery
C12410	PROSTATE GLAND		The male reproductive accessory gland that produces prostatic fluid and is located adjacent to or around the urethra distal to the urinary bladder in mammals.	Prostate Gland
C13092	PROSTATE GLAND, LATERAL LOBE	Lateral Lobe of the Prostate	The prostate gland lobe that is located on the lateral side of the organ. (NCI)	Lateral Lobe of the Prostate
C13094	PROSTATE GLAND, MIDDLE LOBE	Middle Lobe of the Prostate	The upper, smaller part of the prostate between the ejaculatory ducts and the urethra. (NCI)	Middle Lobe of the Prostate
C13093	PROSTATE GLAND, POSTERIOR LOBE	Posterior Lobe of the Prostate	The prostate gland lobe that is located on the posterior side of the organ. (NCI)	Posterior Lobe of the Prostate
C102331	PROXIMAL CIRCUMFLEX ARTERY	PCIRC;PROXIMAL CIRCUMFLEX ARTERY SEGMENT	The section of the left circumflex coronary artery that arises from the left main coronary artery and extends to the first marginal branch.	Proximal Circumflex Artery
C102332	PROXIMAL INTERPHALANGEAL JOINT 2	PIP2	A condyloid synovial joint within the second digit of the hand or foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 2
C114205	PROXIMAL INTERPHALANGEAL JOINT 2 OF THE FOOT	PIP2 of the Foot	A ginglymoid (hinge) synovial joint within the second digit of the foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 2 of the Foot
C114194	PROXIMAL INTERPHALANGEAL JOINT 2 OF THE HAND	PIP2 of the Hand	A ginglymoid (hinge) synovial joint within the second digit of the hand articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 2 of the Hand



C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102333	PROXIMAL INTERPHALANGEAL JOINT 3	PIP3	A condyloid synovial joint within the third digit of the hand or foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 3
C114206	PROXIMAL INTERPHALANGEAL JOINT 3 OF THE FOOT	PIP3 of the Foot	A ginglymoid (hinge) synovial joint within the third digit of the foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 3 of the Foot
C114195	PROXIMAL INTERPHALANGEAL JOINT 3 OF THE HAND	PIP3 of the Hand	A ginglymoid (hinge) synovial joint within the third digit of the hand articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 3 of the Hand
C102334	PROXIMAL INTERPHALANGEAL JOINT 4	PIP4	A condyloid synovial joint within the fourth digit of the hand or foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 4
C114207	PROXIMAL INTERPHALANGEAL JOINT 4 OF THE FOOT	PIP4 of the Foot	A condyloid synovial joint within the fourth digit of the hand or foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 4 of the Foot
C114196	PROXIMAL INTERPHALANGEAL JOINT 4 OF THE HAND	PIP4 of the Hand	A ginglymoid (hinge) synovial joint within the fourth digit of the hand articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 4 of the Hand
C102335	PROXIMAL INTERPHALANGEAL JOINT 5	PIP5	A condyloid synovial joint within the fifth digit of the hand or foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 5
C114208	PROXIMAL INTERPHALANGEAL JOINT 5 OF THE FOOT	PIP5 of the Foot	A ginglymoid (hinge) synovial joint within the fifth digit of the foot articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 5 of the Foot
C114197	PROXIMAL INTERPHALANGEAL JOINT 5 OF THE HAND	PIP5 of the Hand	A ginglymoid (hinge) synovial joint within the fifth digit of the hand articulating the proximal and middle phalanges. (NCI)	Proximal Interphalangeal Joint 5 of the Hand
C102336	PROXIMAL LAD ARTERY	PLAD;PROXIMAL LAD ARTERY SEGMENT	The section of the left anterior descending coronary artery that arises from the left main coronary artery and extends to the first diagonal branch.	Proximal Left Anterior Descending Artery
C142304	PROXIMAL PHALANX 2 OF THE HAND		The long bone in the second finger, as counted from the thenar side of the hand; it is located between, and articulates with, the second metacarpal and the middle phalanx.	Hand Digit 2 Proximal Phalanx
C142305	PROXIMAL PHALANX 3 OF THE HAND		The long bone in the third finger, as counted from the thenar side of the hand; it is located between, and articulates with, the third metacarpal and the middle phalanx.	Hand Digit 3 Proximal Phalanx
C142306	PROXIMAL PHALANX 4 OF THE HAND		The long bone in the fourth finger, as counted from the thenar side of the hand; it is located between, and articulates with, the fourth metacarpal and the middle phalanx.	Hand Digit 4 Proximal Phalanx
C142307	PROXIMAL PHALANX 5 OF THE HAND		The long bone in the fifth finger, as counted from the thenar side of the hand; it is located between, and articulates with, the fifth metacarpal and the middle phalanx.	Hand Digit 5 Proximal Phalanx
C102337	PROXIMAL RIGHT CORONARY ARTERY CONDUIT	PRCA;PROXIMAL RIGHT CORONARY ARTERY CONDUIT SEGMENT	The section of the right coronary artery proximal to the origin of the right ventricular artery.	Proximal Right Coronary Artery Conduit
C115335	PROXIMAL URETHRA		The part of the urethra that is close to the bladder.	Proximal Urethra
C33423	PUBIC BONE		Either of the two bones (left and right) that form the front of the pelvis. (NCI)	Pubic Bone
C12774	PULMONARY ARTERY BRANCH		One of the arteries of the thorax; in general it arises from the pulmonary trunk and branches into the lungs.	Pulmonary Artery
C116918	PULMONARY TRUNK	Main Pulmonary Artery	The artery arising from the right ventricle of the heart that bifurcates into the left and right pulmonary arteries.	Pulmonary Trunk
C12775	PULMONARY VALVE		A cardiac valve located between the right atrium and the pulmonary artery.	Pulmonary Valve
C127673	PULMONARY VALVE, ANTERIOR CUSP	Pulmonary Valve, Anterior Semilunar Cusp	The cusp of the pulmonic valve that has no attachment to the cardiac septum.	Anterior Cusp of the Pulmonary Valve
C127674	PULMONARY VALVE, LEFT CUSP	Pulmonary Valve, Left Semilunar Cusp	The cusp of the pulmonic valve attached to the left side of the cardiac septum.	Left Cusp of the Pulmonary Valve

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127675	PULMONARY VALVE, RIGHT CUSP	Pulmonary Valve, Right Semilunar Cusp	The cusp of the pulmonic valve attached to the right side of the cardiac septum.	Right Cusp of the Pulmonary Valve
C33429	PUPIL		The round opening in the center of the iris in the eye.	Pupil
C12452	PUTAMEN	Putamen	The grey matter, located between the globus pallidus and the external capsule of the brain, that comprises the lateral dorsal striatum of the basal ganglia.	Putamen
C33433	PYLORIC SPHINCTER	Pyloric Sphincter	The muscular structure at the distal portion of the stomach, opening into the duodenum. (NCI)	Pyloric Sphincter
C142308	PYRAMIDAL TRACTS, BRAINSTEM		The segments of the corticospinal and corticobulbar tracts that either traverse or terminate in the brainstem. (NCI)	Brainstem Portion of the Pyramidal Tracts
C142309	PYRAMIDAL TRACTS, INTERNAL CAPSULE		The segments of the corticospinal and corticobulbar tracts that traverse the internal capsule.	Internal Capsule of the Pyramidal Tracts
C33441	QUADRICEPS MUSCLE		A group of muscles in the thigh, in general extending from the pelvis to the patella and tibia; primary function is extension of the femorotibial joint.	Quadriceps Muscle of the Thigh
C12838	RADIAL ARTERY	Radial Artery	The branch of the brachial artery that passes down the forearm. (NCI)	Radial Artery
C12777	RADIUS		The long bone that lies between the radiohumeral joint and the carpus and is adjacent to the ulna.	Radius Bone
C120674	RADIUS SHAFT		The slightly curved, prismatic, elongated bony body of the radius.	Radius Shaft
C142310	RADIUS-LUNATE JOINT		A condyloid synovial joint within the wrist articulating the radius bone to the lunate bone.	Radius-Lunate Joint
C102338	RAMUS INTERMEDIUS ARTERY	RAMUS;RAMUS ARTERY;RAMUS INTERMEDIUS ARTERY SEGMENT	An artery that arises from the left main coronary artery and is positioned between the left anterior descending coronary artery and the circumflex artery.	Ramus Intermedius Artery
C97335	RAPHE		A group of nuclei that are located in the midline of the brainstem and release serotonin. (NCI)	Raphe Nuclei
C33447	RECTO-UTERINE POUCH		An extension of the peritoneum between the uterus and the rectum in females, which is formally bounded thusly: anteriorly by the uterus and posterior fornix of the vagina; posteriorly by the rectum; inferiorly by the peritoneal rectovaginal fold.	Recto-Vaginal Pouch
C54188	RECTOSIGMOID JUNCTION		The area where the sigmoid colon joins the rectum.	Rectosigmoid Region
C142311	RECTOVAGINAL SPACE		The anatomical space located between the vagina and rectum, extending from the superior border of the perineal body to the underside of the rectouterine Douglas pouch, which has its formal borders noted thusly: anteriorly by the rectovaginal septum; posteriorly by the anterior rectal wall; and laterally by the descending rectal septa that separate the rectovaginal space from the pararectal space on each side.	Rectovaginal Space
C12390	RECTUM		The terminal portion of the large intestine extending from the terminus of the colon to the anus or anal canal.	Rectum
C53175	RECTUS FEMORIS MUSCLE		A muscle in the quadriceps femoris muscle group between the vastus lateralis and vastus medialis and lying on the vastus intermedius; primary function is extension of the femorotibial joint.	Rectus Femoris
C49018	REGIONAL LYMPH NODE		Lymph node(s) that drains the lymph from a region of interest.	Regional Lymph Node
C12778	RENAL ARTERY		One of the arteries of the abdomen; in general it arises from the abdominal aorta and supplies blood to the kidney.	Renal Artery
C142312	RENAL FOSSA		The usual retroperitoneal location of the kidney in the dorsolumbar region of the body.	Renal Fossa
C12887	RENAL PELVIS		The funnel-shaped proximal portion of the ureter located within the kidney into which urine is secreted, from the collecting duct system of the kidney. (NCI)	Renal Pelvis

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12779	RESPIRATORY SYSTEM		The organs and anatomic structures involved in inspiration and expiration of air and the exchange of carbon dioxide and oxygen.	Respiratory System
C12343	RETINA	Retina	A light-sensitive membrane that lines the back wall of the eyeball. The retina is continuous with the optic nerve and this way transmits optical images to the brain. (NCI)	Retina
C52997	RETINAL ARTERY		An artery arising from the ophthalmic artery that supplies the retina.	Retinal Artery
C32953	RETINAL NERVE FIBER LAYER		A retina layer that contains the axons of ganglion cells. It collects the visual impulses. (NCI)	Layer of the Ophthalmic Nerve Fibers
C33470	RETINAL PIGMENTED EPITHELIAL LAYER		A continuous, insulating monolayer of cuboidal/columnar epithelium which extends from the margins of the optic nerve head to the ora serrata where it is continuous with the pigment epithelium of the pars plana. (NCI)	Retinal Pigment Epithelium
C142313	RETROAURICULAR LYMPH NODE	Mastoid Lymph Node;Posterior Auricular Lymph Node	The lymph nodes located immediately posterior to the ear.	Retroauricular Lymph Node
C103439	RETROCRURAL LYMPH NODE		A lymph node located within the most inferior portion of the posterior mediastinum. (NCI)	Retrocrural Lymph Node
C98189	RETROPERITONEAL LYMPH NODE		A lymph node located in the retroperitoneal space. (NCI)	Retroperitoneal Lymph Node
C12298	RETROPERITONEUM		The region of the abdomen outside the peritoneum, where the kidneys lie and the great blood vessels run.	Retroperitoneum
C77649	RETROPHARYNGEAL LYMPH NODE	Supratharyngeal Lymph Node	Lymph node(s) in the retropharyngeal space.	Retropharyngeal Lymph Node
C12782	RIB		Any one of the paired bones, extending from the thoracic vertebrae toward the median line on the ventral aspect of the trunk.	Rib
C52770	RIB 1	Rib 1	The first rib counting from the top of the rib cage down. (NCI)	Rib 1
C52769	RIB 10	Rib 10	The tenth rib counting from the top of the rib cage down. (NCI)	Rib 10
C52768	RIB 11	Rib 11	The eleventh rib counting from the top of the rib cage down. (NCI)	Rib 11
C52767	RIB 12	Rib 12	The twelfth rib counting from the top of the rib cage down. (NCI)	Rib 12
C52766	RIB 2	Rib 2	The second rib counting from the top of the rib cage down. (NCI)	Rib 2
C52765	RIB 3	Rib 3	The third rib counting from the top of the rib cage down. (NCI)	Rib 3
C52764	RIB 4	Rib 4	The fourth rib counting from the top of the rib cage down. (NCI)	Rib 4
C52763	RIB 5	Rib 5	The fifth rib counting from the top of the rib cage down. (NCI)	Rib 5
C52762	RIB 6	Rib 6	The sixth rib counting from the top of the rib cage down. (NCI)	Rib 6
C52761	RIB 7	Rib 7	The seventh rib counting from the top of the rib cage down. (NCI)	Rib 7
C52760	RIB 8	Rib 8	The eighth rib counting from the top of the rib cage down. (NCI)	Rib 8
C52759	RIB 9	Rib 9	The ninth rib counting from the top of the rib cage down. (NCI)	Rib 9
C102339	RIGHT ATRIAL ENDOCARDIUM		The innermost layer of endothelial cells and connective tissue that lines the right atrium.	Right Atrial Endocardium
C116169	RIGHT CORONARY ARTERY OSTIUM		The opening of the right coronary artery at its origin.	Right Coronary Artery Ostium

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102340	RIGHT CORONARY ARTERY, RIGHT POSTERIOR DESCENDING, RIGHT POSTERIORLATERAL AND ACUTE MARGINAL BRANCHES		The right coronary artery and all of its branches.	Right Coronary Artery and its Branches
C102341	RIGHT POSTERIOR ATRIOVENTRICULAR ARTERY	RIGHT POSTERIOR ATRIOVENTRICULAR ARTERY SEGMENT;RPAV	The arterial branch between the right posterior descending artery segment and the first right posterolateral segment.	Right Posterior Atrioventricular Artery
C102342	RIGHT POSTERIOR DESCENDING ARTERY	RIGHT POSTERIOR DESCENDING ARTERY SEGMENT;RPDA	In an individual with a right-dominant heart, the arterial branch that arises from the distal right coronary artery between the acute marginal artery and the first right posterolateral segment. It supplies the inferior apex of the heart.	Right Posterior Descending Artery
C116171	RIGHT VENTRICULAR BRANCH		The branch of the right coronary artery that supplies blood to the right ventricular wall.	Right Ventricular Branch of Right Coronary Artery
C102343	RIGHT VENTRICULAR ENDOCARDIUM		The innermost layer of endothelial cells and connective tissue that lines the right ventricle.	Right Ventricular Endocardium
C105447	SACRAL TUBEROSITY		The prominence on the lateral surface of the sacrum, posterior to the auricular surface of the sacrum. (NCI)	Sacral Tuberosity
C12853	SACRAL VERTEBRA		Any one of the vertebrae situated between the lumbar vertebrae and the caudal vertebrae or coccyx.	Sacral Vertebra
C33507	SACROILIAC JOINT	Sacroiliac Joint	The joint located between the sacrum and the ilium. (NCI)	Sacroiliac Joint
C33508	SACRUM	Sacrum	The triangular bone, made up of 5 fused bones of the spine, located in the lower area of the spine between the fifth lumbar vertebra and the coccyx. (NCI)	Sacrum
C12426	SALIVARY GLAND		Any number of exocrine glands that secrete saliva into the oral cavity.	Salivary Gland
C12234	SALIVARY GLAND, SUBLINGUAL		The salivary gland located under the tongue in the floor of the oral cavity or adjacent to the submandibular salivary gland.	Sublingual Salivary Gland
C33511	SAPHENOUS VEIN	Saphenous Vein	A vein of the leg/hindlimb; in general it arises from the venous network of the leg/hindfoot and drains into the femoral vein.	Saphenous Vein
C89807	SCALP		The skin which covers the top of the head and which is usually covered by hair. (NCI)	Scalp
C12854	SCAPHOID BONE	Scaphoid Bone	A nut-shaped bone of the wrist located in the radial site of the hand. It is one of the eight carpal bones. (NCI)	Scaphoid Bone
C127676	SCAPHOID-CAPITATE JOINT		A condyloid synovial joint within the wrist articulating the scaphoid bone to the capitate bone.	Scaphoid-Capitate Joint
C142314	SCAPHOID-LUNATE JOINT		A condyloid synovial joint within the wrist articulating the scaphoid bone to the lunate bone.	Scaphoid-Lunate Joint
C127677	SCAPHOID-LUNATE-CAPITATE JOINT		A condyloid synovial joint within the wrist articulating the scaphoid, lunate, and capitate bones.	Scaphoid-Lunate-Capitate Joint
C142315	SCAPHOID-RADIUS JOINT		A condyloid synovial joint within the wrist articulating the scaphoid bone to the radius bone.	Scaphoid-Radius Joint
C127678	SCAPHOID-TRAPEZIUM JOINT		A condyloid synovial joint within the wrist articulating the scaphoid bone to the trapezium bone.	Scaphoid-Trapezium Joint
C142316	SCAPHOID-TRAPEZOID JOINT		A condyloid synovial joint within the wrist articulating the scaphoid bone to the trapezoid bone.	Scaphoid-Trapezoid Joint
C12783	SCAPULA	Shoulder Blade	A bone that articulates with the humerus and is part of the scapulohumeral joint.	Scapula
C52810	SCIATIC NERVE		A nerve arising from the merge of the lumbar and sacral rami in the pelvis and dividing into the common peroneal and tibial nerves, and which innervates the muscles of the thigh.	Sciatic Nerve
C12784	SCLERA		The fibrous, outer tunic of the eyeball that is continuous with the cornea.	Sclera

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12785	SCROTUM		The pouch that encloses the testicles.	Scrotum
C33519	SEBACEOUS GLAND		Small glands located within the skin that are usually associated with the hair follicle.	Sebaceous Gland
C102344	SECOND DIAGONAL BRANCH ARTERY	2ND DIAG;SECOND DIAGONAL BRANCH ARTERY SEGMENT	The second artery arising from the left anterior descending (LAD) artery that supplies the anterolateral wall, when counted from proximal to distal.	Second Diagonal Branch Artery
C102345	SECOND LEFT POSTEROLATERAL BRANCH ARTERY	2ND LPL;SECOND LEFT POSTEROLATERAL BRANCH ARTERY SEGMENT	In an individual with a left-dominant heart, this is the second branch that arises from the circumflex artery atrioventricular groove continuation when counted from proximal to distal. It supplies the posterolateral wall.	Second Left Posterolateral Branch Artery
C102346	SECOND OBTUSE MARGINAL BRANCH ARTERY	2ND OM;SECOND OBTUSE MARGINAL BRANCH ARTERY SEGMENT	The second artery arising from the left circumflex artery that supplies the lateral wall, when counted from proximal to distal.	Second Obtuse Marginal Branch Artery
C102347	SECOND RIGHT POSTEROLATERAL ARTERY	2ND RPL;SECOND RIGHT POSTEROLATERAL ARTERY SEGMENT	In an individual with a right-dominant heart, this is the second branch that arises from the right coronary artery distal to the right posterior descending artery, when counted from proximal to distal.	Second Right Posterolateral Artery
C12787	SEMINAL VESICLE	Seminal Sacs	A mammalian male reproductive accessory gland located adjacent to the urinary bladder and proximal to the prostate.	Seminal Vesicle
C53176	SEMITENDINOSUS MUSCLE		A muscle of the thigh, in general extends from the ishium to the medial tibia; primary function is the extension of the hip.	Semitendinosus
C25203	SHOULDER	Shoulder	The region of the body between the neck and the upper arm. (NCI)	Shoulder
C33548	SHOULDER JOINT	Shoulder Joint	A ball-and-socket joint at the upper end of the humerus, located at the junction of humerus and scapula. (NCI)	Shoulder Joint
C33556	SINUS	Sinus	A recess, cavity, or channel. (NCI)	Sinus
C12470	SKIN	Integument;Skin	An organ that constitutes the external surface of the body. It consists of the epidermis, dermis, and skin appendages. (NCI)	Skin
C142317	SKIN BETWEEN EYEBROWS		The integument that covers the area located medial to the orbital ridges and superior to the nose.	Skin Between the Eyebrows
C116164	SKIN OF THE AXILLA		The integument that covers the underarm.	Skin Of The Axilla
C142318	SKIN OF THE BACK		The integument that covers the back.	Skin Of The Back
C142319	SKIN OF THE CHIN		The integument that covers the chin.	Skin Of The Chin
C33561	SKIN OF THE FACE		The skin or integument that covers the face.	Skin of the Face
C52753	SKIN OF THE HAND		The integument that covers the hand.	Hand Skin
C52757	SKIN OF THE HEAD		The integument that covers the head.	Head Skin
C12291	SKIN OF THE LIP		The skin portion of the lip that contains hair.	Skin of the Lip
C52756	SKIN OF THE NECK		The integument that covers the neck.	Neck Skin
C12295	SKIN OF THE TRUNK	Skin of the Trunk	The integument that covers the trunk of the body.	Skin of the Trunk
C12789	SKULL	Cranium	The bones that form the head, made up of the bones of the braincase and face. (NCI)	Skull
C12493	SKULL, BASE	Base of the Skull	The portion of the skull that forms the floor on which the brain lies; the internal surface of the cranial base has three large depressions that lie on different levels known as the anterior, middle, and posterior cranial fossae.	Base of the Skull
C12386	SMALL INTESTINE		The villous section of the intestine extending from the pylorus to the proximal large intestine.	Small Intestine
C33546	SMALL SAPHENOUS VEIN		A superficial vein originating from the dorsal vein at the fifth toe and the dorsal venous arch of the foot; it extends up the back of the leg to empty into the popliteal vein at the knee joint.	Short Saphenous Vein
C12231	SOFT PALATE		The part of the roof of the mouth not supported by bone.	Soft Palate

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12471	SOFT TISSUE	Soft Tissue	Refers to muscle, fat, fibrous tissue, blood vessels, organ parenchyma, or other supporting tissue of the body.	Soft Tissue
C33326	SOLE		The undersurface of the foot. (NCI)	Plantar Region
C53075	SOLEUS MUSCLE		A muscle in the crus, in general extending from the tibia and fibula to the calcaneus; primary function is plantarflexion of the foot.	Soleus
C32041	SPINAL ACCESSORY NERVE	ACCESSORY NERVE;CRANIAL ACCESSORY NERVE	The eleventh cranial nerve.	Accessory Nerve
C12464	SPINAL CORD	Medulla Spinalis	The portion of the central nervous system that lies within the vertebral canal and from which the spinal nerves emerge.	Spinal Cord
C116112	SPINOUS PROCESS		A bony projection arising from the posterior vertebral arch that serves for the attachment of muscles and ligaments.	Spinous Process
C12432	SPLEEN		An abdominal organ that is part of the hematopoietic and immune systems. It is composed of the white pulp and the red pulp and is surrounded by a capsule.	Spleen
C33601	SPLEEN, HILUM	Splenic Hilum	The area of the spleen through which the vessels and nerves enter or exit the organ. (NCI)	Splenic Hilum
C33597	SPLENIC ARTERY		An artery arising from the celiac trunk with four main branches that supply the spleen, stomach and pancreas.	Splenic Artery
C33600	SPLENIC HILAR LYMPH NODE		A lymph node located in the hilar region of the spleen. (NCI)	Splenic Hilar Lymph Node
C142320	SPLENIC LYMPH NODE		Any lymph node located along the splenic artery that receives afferent drainage from the pancreas, spleen, and stomach, and which generally has their efferents join the celiac group of preaortic lymph nodes.	Splenic Lymph Node
C33608	SPLENIC VEIN		A vein arising from the splenic trabecular vein in the hilum of the spleen that drains into the portal vein.	Splenic Vein
C52730	STERNAL MANUBRIUM	Sternal Manubrium	The upper segment of the sternum, quadrangular in shape, as well as wider superiorly and narrower inferiorly. The sternal manubrium articulates with the clavicle and first two ribs. (NCI)	Sternal Manubrium
C33615	STERNOCLAVICULAR JOINT	Sternoclavicular Joint	The synovial juncture between the medial end of the clavicle and the anterior segment of the sternum. (NCI)	Sternoclavicular Joint
C12793	STERNUM	Sterna	The long, flat bone or sternebrae connecting with the cartilage of some ribs.	Sternum
C12391	STOMACH		The portion of the gastrointestinal tract located between the esophagus and the proximal duodenum.	Stomach
C142370	STRIATUM		A group of subcortical nuclei of the basal ganglia comprising the caudate and putamen dorsally, and the nucleus accumbens as well as the olfactory tubercle ventrally.	Striatum Nuclei
C117873	SUBCARINAL LYMPH NODE		A lymph node located in the thoracic cavity between the lungs. It is bordered by the carina of the trachea, lower lobe bronchus on the left and the bronchus intermedius on the right. (NCI)	Subcarinal Lymph Node
C33643	SUBCLAVIAN ARTERY		One of the arteries of the thorax; in general it arises from the brachiocephalic artery or the aortic arch and branches into several arteries to supply blood to the head, neck, and arm/forelimb.	Subclavian Artery
C12794	SUBCLAVIAN VEIN		The vein that drains the axillary vein and joins the internal jugular vein to form the brachiocephalic vein. It runs parallel to the subclavian artery.	Subclavian Vein
C33645	SUBCUTIS	Subcutaneous Tissue	Adipose and connective tissue located deep to the dermis.	Subcutis
C12280	SUBGLOTTIS	Subglottis	The area of the larynx below the vocal cords down to the trachea. (NCI)	Subglottis
C102349	SUBLINGUAL REGION		A body region relating to the area under or adjacent to the tongue.	Sublingual Region

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C12233	SUBMANDIBULAR GLAND	Gland, Salivary, Mandibular; Submaxillary Gland	The salivary gland located adjacent to the mandible.	Submandibular Gland
C77650	SUBMANDIBULAR LYMPH NODE	Lymph Node, Submandibular	Lymph node(s) adjacent to the mandible.	Submandibular Lymph Node
C142322	SUBMENTAL LYMPH NODE	Suprahyoid Lymph Nodes	The lymph nodes located between the anterior bellies of the digastric muscles. (NCI)	Submental Lymph Node
C12453	SUBSTANTIA NIGRA		The portion of the midbrain composed of two parts, the pars compacta and pars reticulata.	Substantia Nigra
C33653	SUBTALAR JOINT	Talocalcaneal Joint	The plane synovial joint between the talus and calcaneus bones of the foot.	Subtalar Joint
C33712	SUDORIFEROUS GLAND	Sweat Gland	The small coiled tubular glands in the skin that produce and secrete sweat.	Sweat Gland
C33661	SUPERFICIAL FEMORAL ARTERY		The portion of the femoral artery distal to the branching of the deep femoral artery that runs close to the skin.	Superficial Femoral Artery
C102716	SUPERFICIAL LYMPH NODE		A lymph node located in a superficial part of the body.	Superficial Lymph Node
C132415	SUPERIOR PUBIC RAMUS		The portion of the pubic ramus that lies between the body of the ilium and the inferior pubic ramus.	Superior Pubic Ramus
C12816	SUPERIOR VENA CAVA		The large vein that terminates in the right atrium and transports deoxygenated blood from the head, neck, arms, and chest to the heart.	Superior Vena Cava
C142323	SUPRACLAVICULAR FOSSA		A depression found at the base of the neck that is bounded thusly: superiorly by the posterior belly of the omohyoid muscle; inferiorly by the clavicle; and medially by the sternocleidomastoid muscle.	Supraclavicular Fossa
C12903	SUPRACLAVICULAR LYMPH NODE	Supraclavicular Lymph Node	A lymph node which is located above the clavicle. (NCI)	Supraclavicular Lymph Node
C12279	SUPRAGLOTTIS		The upper part of the larynx, including the epiglottis; the area above the vocal cords.	Supraglottis
C32755	SUPRAPUBIC REGION		The lowest central region of the abdomen, below the umbilical region and between the two iliac regions. (NCI)	Hypogastric Region
C130168	SUPRARENAL AORTA		The portion of the abdominal aorta cranial to the renal arteries.	Suprarenal Aorta
C12512	SUPRATENTORIAL BRAIN		The part of the brain above the tentorium cerebellum. (NCI)	Supratentorial Brain
C12467	SYMPATHETIC GANGLIA		A mass containing the cell bodies of sympathetic nerves. Sympathetic ganglia exist as paravertebral ganglia (located bilaterally adjacent to the spinal cord) or prevertebral ganglia (located close to the target organ).	Sympathetic Ganglion
C33718	SYNOVIAL FLUID	Synovia	The fluid within a joint capsule.	Synovial Fluid
C33720	T1 VERTEBRA	T1 Vertebra	The first thoracic vertebra counting from the top down. (NCI)	T1 Vertebra
C33721	T10 VERTEBRA	T10 Vertebra	The tenth thoracic vertebra counting from the top down. (NCI)	T10 Vertebra
C33722	T11 VERTEBRA	T11 Vertebra	The eleventh thoracic vertebra counting from the top down. (NCI)	T11 Vertebra
C33723	T12 VERTEBRA	T12 Vertebra	The twelfth thoracic vertebra counting from the top down. (NCI)	T12 Vertebra
C33724	T2 VERTEBRA	T2 Vertebra	The second thoracic vertebra counting from the top down. (NCI)	T2 Vertebra
C33725	T3 VERTEBRA	T3 Vertebra	The third thoracic vertebra counting from the top down. (NCI)	T3 Vertebra
C33726	T4 VERTEBRA	T4 Vertebra	The fourth thoracic vertebra counting from the top down. (NCI)	T4 Vertebra
C33727	T5 VERTEBRA	T5 Vertebra	The fifth thoracic vertebra counting from the top down. (NCI)	T5 Vertebra

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C33728	T6 VERTEBRA	T6 Vertebra	The sixth thoracic vertebra counting from the top down. (NCI)	T6 Vertebra
C33729	T7 VERTEBRA	T7 Vertebra	The seventh thoracic vertebra counting from the top down. (NCI)	T7 Vertebra
C33730	T8 VERTEBRA	T8 Vertebra	The eighth thoracic vertebra counting from the top down. (NCI)	T8 Vertebra
C33731	T9 VERTEBRA	T9 Vertebra	The ninth thoracic vertebra counting from the top down. (NCI)	T9 Vertebra
C52799	TALUS	Talus	The bone of the foot that connects with the tibia and fibula to form the ankle joint. (NCI)	Talus
C33735	TARSAL JOINT		A joint formed by the union of tarsal bones.	Tarsal Joint
C12796	TARSUS BONE	Bone, Tarsal	Any of the short bones between the tibiotarsal joint and the tarsometatarsal joint.	Tarsal Bone
C142369	TEMPLE		The flat area on either side of the head that is located posterior to the eye and forehead, anterior to the ear, and superior to the cheekbone.	Temple
C33741	TEMPORAL ARTERY		A terminal branch of the external carotid artery that branches into the anterior and posterior temporal arteries. (NCI)	Temporal Artery
C12797	TEMPORAL BONE	Temporal Bone	A large irregular bone situated at the base and side of the skull, connected with the mandible via the temporomandibular joint. The temporal bone consists of the squamous, tympanic and petrous parts. The petrous portion of the temporal bone contains the vestibulocochlear organ of the inner ear. (NCI)	Temporal Bone
C12353	TEMPORAL LOBE		The second largest of the four cerebral lobes, the temporal lobe is approximately twenty two percent of the total neocortical volume. The temporal lobe can be divided into two main sections: first, the neocortex, comprising its lateral and inferolateral surfaces, and its standard cerebral cortex; and, second, the mesial temporal lobe, which is sometimes referred to as the limbic lobe, and includes the hippocampus, the amygdala, and the parahippocampal gyrus. Grossly, the lobe extends superiorly to the Sylvian fissure, and posteriorly to an imaginary line, the lateral parietotemporal line, which separates the temporal lobe from the inferior parietal lobule superiorly and the occipital lobe inferiorly. The middle cranial fossa forms its anterior and inferior boundaries.	Temporal Lobe
C32888	TEMPOROMANDIBULAR JOINT	Jaw Joint;TMJ	The joint between the head of the lower mandible and the temporal bone. (NCI)	Jaw Joint
C33749	TENTORIUM CEREBELLI		A laminar extension of the dura mater that lies between, and separates, the cerebrum and the cerebellum. (NCI)	Tentorium Cerebelli
C12412	TESTIS	Testicle	The male gonad.	Testis
C12459	THALAMUS		The portion of the diencephalon forming most of each lateral wall of the third ventricle.	Thalamus
C33763	THIGH	Thigh	A part of the lower limb, located between hip and knee. (NCI)	Thigh
C102350	THIRD DIAGONAL BRANCH ARTERY	3RD DIAG;THIRD DIAGONAL BRANCH ARTERY SEGMENT	The third artery arising from the left anterior descending (LAD) artery that supplies the anterolateral wall, when counted from proximal to distal.	Third Diagonal Branch Artery
C102351	THIRD OBTUSE MARGINAL BRANCH ARTERY	3RD OM;THIRD OBTUSE MARGINAL BRANCH ARTERY SEGMENT	The third artery arising from the left circumflex artery that supplies the lateral wall, when counted from proximal to distal.	Third Obtuse Marginal Branch Artery
C102352	THIRD POSTEROLATERAL DESCENDING ARTERY	3RD LPL;THIRD POSTEROLATERAL DESCENDING ARTERY SEGMENT	In an individual with a left-dominant heart, this is the third branch that arises from the circumflex artery atrioventricular groove continuation when counted from proximal to distal. It supplies the posterolateral wall.	Third Posterolateral Descending Artery
C102353	THIRD RIGHT POSTEROLATERAL ARTERY	3RD RPL;THIRD RIGHT POSTEROLATERAL ARTERY SEGMENT	In an individual with a right-dominant heart, this is the third branch that arises from the right coronary artery distal to the right posterior descending artery, when counted from proximal to distal.	Third Right Posterolateral Artery



C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C33766	THORACIC AORTA		The section of the aorta between the lower border of the fourth dorsal vertebrae and the aortic opening in the diaphragm. (NCI)	Thoracic Aorta
C142325	THORACIC ARTERY		An artery that branches from the axillary artery or one of its branches, and that supplies the muscles and organs of the thorax.	Thoracic Artery
C12905	THORACIC CAVITY		The cavity enclosed by the ribs between the diaphragm and the neck.	Thoracic Cavity
C33769	THORACIC LYMPH NODE		Lymph node located in the thoracic cavity. (NCI)	Thoracic Lymph Node
C69315	THORACIC SPINE		The vertebrae of the thoracic spine, numbered one through twelve in humans.	Thoracic Spine
C12798	THORACIC VERTEBRA	Thoracic Vertebra	Any of the vertebrae situated between the cervical and lumbar vertebrae.	Thoracic Vertebra
C12799	THORAX	Thorax	The division of the body lying between the neck and the abdomen. (NCI)	Thorax
C54272	THROAT	Throat	The narrow passage from the mouth to the cavity at the back of the mouth. (NCI)	Throat
C12433	THYMUS GLAND	Thymus Gland	A primary lymphoid organ generally located in the mediastinum near the thoracic inlet and/or along lateral aspects of the neck.	Thymus Gland
C12400	THYROID GLAND		Endocrine gland(s) adjacent to the trachea in mammals that produce thyroxine and other hormones.	Thyroid Gland
C32887	THYROID GLAND ISTHMUS		The narrow, central portion of the thyroid gland that crosses the trachea anteriorly and connects the two lobes of the gland. (NCI)	Thyroid Gland Isthmus
C32973	THYROID GLAND, LEFT LOBE	Left Thyroid Gland Lobe	The cone-like lobe of the thyroid gland that is located in the left side of the trachea. (NCI)	Left Thyroid Gland Lobe
C33491	THYROID GLAND, RIGHT LOBE	Right Thyroid Gland Lobe	The cone-like lobe of the thyroid gland that is located in the right side of the trachea. (NCI)	Right Thyroid Gland Lobe
C12800	TIBIA		The long bone that is medial to the fibula.	Tibia
C120675	TIBIA SHAFT		The triangular prismoid, elongated bony body of the tibia.	Tibial Shaft
C116168	TIBIAL-CRURAL PERIPHERAL ARTERY		The blood vessels segment that includes the crural artery and the tibial artery.	Tibialcrural Artery
C117874	TIBIALIS ANTERIOR MUSCLE		A muscle that originates from the lateral condyle of tibia, spans the upper two-thirds of the lateral surface of the tibia, and is attached to the first cuneiform and metatarsal bones of the foot. It is a dorsiflexor of the ankle and invertor of the foot.	Tibialis Anterior Muscle
C116182	TIBIO-PERONEAL TRUNK		An arterial trunk that contains parts of the posterior tibial artery and fibular artery.	Tibioperoneal Arterial Trunk
C33788	TOE	Toe	One of the terminal digits of the foot. (NCI)	Toe
C33790	TOENAIL	Toenail	A thin, horny translucent plate covering the end of each toe. (NCI)	Toenail
C12422	TONGUE		The muscular organ in the mouth used in taste perception and food ingestion.	Tongue
C12802	TONSIL		A secondary lymphoid tissue in the mucosa of the pharynx.	Tonsil
C12506	TOOTH		A hard calcified structure in the jaw; primarily used for eating.	Tooth
C66864	TOOTH CANAL	Tooth Canal	The anatomic space in the root of a tooth that contains nerves, blood vessels, and connective tissue. (NCI)	Tooth Canal
C12428	TRACHEA	Windpipe	The fibrocartilaginous tube extending from the larynx to the bronchi.	Trachea
C117875	TRACHEOBRONCHIAL TREE		An anatomical structure comprised of trachea, bronchi, and bronchioles that terminate with the alveolar ducts, sacs, and alveoli. (NCI)	Tracheobronchial Tree

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102354	TRANSVERSE TARSAL JOINT		A combination of syndesmosis and synovial joints formed by the articulation of the talus with the navicular and the calcaneus with the cuboid.	Transverse Tarsal Joint
C12857	TRAPEZIAL BONE	Trapezium	A carpal bone on the thumb side of the hand that articulates with the 1st and 2nd metacarpals. (NCI)	Trapezial Bone
C142326	TRAPEZIUM-TRAPEZOID JOINT		A condyloid synovial joint within the wrist articulating the trapezium bone to the trapezoid bone.	Trapezium-Trapezoid Joint
C33809	TRAPEZIUS MUSCLE	Trapezius Muscle	One of a pair of flat, large, triangular muscles that extend from the external occipital protuberance and the medial third of the superior nuchal line of the occipital bone to the middle of the back. The trapezius muscle is involved in moving the shoulder and arm. (NCI)	Trapezius Muscle
C12859	TRAPEZOID BONE	Trapezoid Bone	A carpal bone located between the trapezium and capitate bones. (NCI)	Trapezoid Bone
C142327	TRAPEZOID-CAPITATE JOINT		A condyloid synovial joint within the wrist articulating the trapezoid bone to the capitate bone.	Trapezoid-Capitate Joint
C12858	TRIANGULAR BONE	Triquetral Bone	A carpal bone located between the lunate and pisiform bones. (NCI)	Triangular Bone
C139200	TRIANGULAR-HAMATE JOINT	Triquetral-Hamate Joint;Triquetrum-Hamate Joint	The point of articulation in the wrist between the hamate and the triquetral bones.	Triangular-Hamate Joint
C139203	TRIANGULAR-LUNATE JOINT	Triquetral-Lunate Joint;Triquetrum-Lunate Joint	The point of articulation in the wrist between the lunate and the triquetral bones.	Lunotriquetral Joint
C12805	TRICUSPID VALVE	Tricuspid Valve	A cardiac valve located between the right atrium and ventricle.	Tricuspid Valve
C130047	TRICUSPID VALVE ANNULUS		A fibrous membrane that attaches to, and provides support for, the tricuspid valve leaflets.	Tricuspid Valve Annulus
C32799	TRICUSPID VALVE, ANTERIOR CUSP		The cusp of the tricuspid valve that is located between the atrioventricular orifice and the conus arteriosus.	Anterior Cusp of the Tricuspid Valve
C130169	TRICUSPID VALVE, POSTERIOR ANNULUS		The portion of the tricuspid valve annulus that attaches to both the posterior and lateral tricuspid valve leaflets.	Posterior Annulus of the Tricuspid Valve
C33055	TRICUSPID VALVE, POSTERIOR CUSP		The cusp of the tricuspid valve that is located posterior and on the margin of the right ventricle.	Posterior Cusp of the Tricuspid Valve
C33534	TRICUSPID VALVE, SEPTAL CUSP		The cusp of the tricuspid valve that is attached to the right and left fibrous trigones and the atrial and ventricular septa.	Septal Cusp of the Tricuspid Valve
C12806	TRIGEMINAL NERVE	Fifth Cranial Nerve	A cranial nerve extending from the pons, which innervates the skin, mucous membranes, and masticatory muscles of the head.	Trigeminal Nerve
C33814	TROCHANTER	Trochanter	A bony protrusion on the femoral bone to which muscles are attached. (NCI)	Trochanter
C12808	TROCHLEAR NERVE	Trochlear Nerve	The cranial nerve that controls the superior oblique muscle of the eye. (NCI)	Trochlear Nerve
C33816	TRUNK	Torso	The body excluding the head, neck and appendages.	Trunk
C33820	TUNICA INTIMA	Tunica Intima	The inner most layer of the blood vessel wall. The consistency of the intima will vary depending on the type of blood vessel, but will always have an endothelial layer with a basal lamina. It may contain collagen and elastic fibers. (NCI)	Tunica Intima
C12502	TYMPANIC MEMBRANE	Tympanic Membrane	A thin membrane that separates the external auditory canal from the middle ear. The movement of the tympanic membrane in response to air pressure changes in the external ear facilitates the transmission of sound energy by causing vibration of the ossicular chain. (NCI)	Tympanic Membrane
C12809	ULNA		The bone that contains the olecranon process, lies between the radiohumeral joint and the carpus, and is adjacent to the radius.	Ulna
C120676	ULNA SHAFT		The prismatic, elongated bony body of the ulna.	Ulnar Shaft

<b>C74456 LOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C34320	UMBILICAL CORD		Extraembryonic structure that connects the fetus to the placenta.	Umbilical Cord
C77533	UMBILICUS	Navel	The depression or scar on the abdomen that marks the former site of attachment of the umbilical cord. (NCI)	Umbilicus
C62432	UNCINATE PROCESS OF PANCREAS	Uncinate Process of Pancreas	A portion of the pancreas that extends behind the superior mesenteric artery and superior mesenteric vein. (NCI)	Uncinate Process of Pancreas
C103447	UPPER CERVICAL LYMPH NODE		A lymph node located in the upper region of the neck. (NCI)	Upper Cervical Lymph Node
C33839	UPPER RESPIRATORY SYSTEM		The sinuses and those parts of the respiratory system above the trachea. It includes the nares, nasopharynx, oropharynx, larynx, vocal cords, glottis and upper trachea.	Upper Respiratory System
C142328	UPPER URINARY SYSTEM		The division of the urinary tract comprising the kidney and the ureters.	Upper Urinary System
C12338	URACHAL TRACT		A cord of fibrous tissue that extends from the urinary bladder to the umbilicus; the urachus is a remnant of the fetal urinary canal.	Urachus
C12416	URETER		The tube that extends from each kidney to the urinary bladder.	Ureter
C12337	URETERIC ORIFICE		The opening of the ureter in the bladder that is situated at the lateral angle of the trigone.	Ureteric Orifice
C12417	URETHRA		The tube that extends from the urinary bladder to the urethral opening.	Urethra
C61125	URETHRA, ANTERIOR	Anterior Portion of the Urethra	The portion of the urethra that extends from the meatus to the membranous urethra. (NCI)	Anterior Portion of the Urethra
C61123	URETHRA, PENILE	Penile Portion of the Urethra	The portion of the urethra that spans the corpus spongiosum. (NCI)	Penile Portion of the Urethra
C61126	URETHRA, POSTERIOR	Posterior Portion of the Urethra	The portion of the urethra that is located on the posterior aspect of the urogenital diaphragm. (NCI)	Posterior Portion of the Urethra
C13101	URETHRA, PROSTATIC	Prostatic Urethra	That part of the male urethra that passes through the prostate gland. (NCI)	Prostatic Urethra
C12413	URINARY SYSTEM	Urinary System	The organs involved in the creation and excretion of urine. (NCI)	Urinary System
C142329	UTERINE ARTERY		An artery that arises most often as a branch of the anterior division of the internal iliac artery; it continues medially in the pelvis within the base of the broad ligament, to the exterior surface of the uterus where it branches into the descending, transverse, and ascending divisions, which further branch into the following: the helicine branches that supply the uterus; the vaginal branch, which anastomoses with the vaginal artery to supply the vagina; the ovarian branch, which anastomoses with ovarian artery to supply the ovaries; and the tubal branch that supplies the fallopian tubes.	Uterine Artery
C12405	UTERUS	Womb	A hollow muscular organ within which the fertilized egg implants and the embryo/fetus develops during pregnancy.	Uterus
C12811	UVEA	Uvea	The pigmented layer of the eyeball between the tough, white outer coat of the eye and the retina. (NCI)	Uvea
C12407	VAGINA	Vagina	The female genital canal, extending from the uterus to the vulva. (NCI)	Vagina
C12812	VAGUS NERVE	Tenth Cranial Nerve	A cranial nerve arising from the medulla oblongata, which provides efferent parasympathetic innervation to tissues and viscera in the neck, thorax and abdomen; it also includes somatic and visceral afferent nerve fibers.	Vagus Nerve
C12813	VAS DEFERENS	Ductus Deferens	A duct carrying spermatozoa from the epididymides to the urethra.	Vas Deferens
C117876	VASTUS INTERMEDIUS MUSCLE		A muscle in the quadriceps femoris muscle group between the vastus lateralis and vastus medialis deep to the rectus femoris; primary function is the extension of the femorotibial joint.	Vastus Intermedius Muscle

C74456 LOC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C53073	VASTUS LATERALIS MUSCLE		A muscle in the quadriceps femoris muscle group lateral to the vastus intermedius; primary function is the extension of the femorotibial joint.	Vastus Lateralis
C117736	VASTUS MEDIALIS MUSCLE		A muscle in the quadriceps femoris muscle group medial to the vastus intermedius; primary function is the extension of the femorotibial joint.	Vastus Medialis Muscle
C12814	VEIN	Vein	A blood vessel that carries blood towards the heart.	Vein
C12817	VENA CAVA		The two major veins (caudal or cranial) that carry deoxygenated blood from the body and drain into the right atrium of the heart.	Vena Cava
C12819	VERTEBRAL ARTERY		The first branch of the subclavian artery that ascends both sides of the neck and merges at the middle line to form the basilar artery at the level of the pons.	Vertebral Artery
C12998	VERTEBRAL COLUMN	Vertebral Column	The series of vertebrae and other tissues extending from the skull to the last tailbone.	Vertebral Column
C12996	VESTIBULOCOCHLEAR NERVE		The eighth cranial nerve.	Vestibulocochlear Nerve
C12822	VOCAL CORD	Vocal Cord	A pair of small bands of muscle that stretch from the thyroid cartilage in front to the arytenoid cartilage in back of the larynx. The vocal cords help prevent food entering the lungs and produce sound through vibration. (NCI)	Vocal Cord
C33888	VOMER	Vomer	A thin, paired or unpaired, trapezoidal bone of the skull located in the floor of the nasal cavity. The vomer forms the posterior and inferior parts of the nasal septum. (NCI)	Vomer
C12408	VULVA		The external, visible part of the female genitalia surrounding the urethral and vaginal opening(s).	Vulva
C94529	VULVOVAGINAL REGION		The body region comprising the vulva and vagina.	Vulvovaginal Region
C64192	WAIST	Waist	The abdominal circumference at the navel. (NCI)	Waist
C73468	WALDEYER'S TONSILLAR RING		The ring of lymphoid tissue located in the pharynx, consisting of the pharyngeal, tubal, palatine, and lingual tonsils. (NCI)	Waldeyer's Tonsillar Ring
C122161	WARDS TRIANGLE		An area of low density in the femoral neck, as seen by radiography, which is bounded by the principle compressive, secondary compressive and primary tensile trabeculae.	Ward's Triangle
C33894	WRIST JOINT	Radiocarpal Joint	A joint between the distal end of the radius and the proximal row of carpal bones. (NCI)	Wrist Joint
C33895	XIPHOID PROCESS	Xiphoid Process	The cartilage just below the sternal body. (NCI)	Xiphoid Process

## LPPSS1TC (Lansky Play-Performance Status Scale Clinical Classification Test Code)

NCI Code: C138215, Codelist extensible: No

<b>C138215 LPPSS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138364	LPPSS101	LPPSS1-Lansky Play-Performance Status	Lansky Play-Performance Status Scale - Lansky play-performance status.	LPSS - Lansky Play-Performance Status

## LPPSS1TN (Lansky Play-Performance Status Scale Clinical Classification Test Name)

NCI Code: C138214, Codelist extensible: No

<b>C138214 LPPSS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138364	LPPSS1-Lansky Play-Performance Status	LPPSS1-Lansky Play-Performance Status	Lansky Play-Performance Status Scale - Lansky play-performance status.	LPSS - Lansky Play-Performance Status

## LSNCMPX (Lesion Complexity)

NCI Code: C101861, Codelist extensible: No

<b>C101861 LSNCMPX</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100037	ACC/AHA LESION COMPLEXITY SCORE A	Low Risk	Discrete (less than 10 mm length) and concentric and readily accessible and non-angulated segment less than 45 degrees and smooth contour and little or no calcification and less than totally occlusive and not ostial in location and no major branch involvement and absence of thrombus.	American College of Cardiology/American Heart Association Lesion Complexity Score A
C100038	ACC/AHA LESION COMPLEXITY SCORE B	Medium Risk	Tubular (10-20 mm length) or eccentric or moderate tortuosity of proximal segment or moderately angulated segment, 45-90 degrees or irregular contour or moderate to heavy calcification or ostial in location or bifurcation lesions requiring double guidewires or some thrombus present or total occlusion less than 3 months old.	American College of Cardiology/American Heart Association Lesion Complexity Score B
C100039	ACC/AHA LESION COMPLEXITY SCORE C	High Risk	Diffuse (length greater than 2cm) or excessive tortuosity of proximal segment or extremely angulated segments greater than 90 degrees or total occlusions greater than 3 months old and/or bridging collaterals or inability to protect major side branches or degenerated vein grafts with friable lesions.	American College of Cardiology/American Heart Association Lesion Complexity Score C

## LVEFMRE (Left Ventricular Ejection Fraction Measurement Result)

NCI Code: C101868, Codelist extensible: Yes

<b>C101868 LVEFMRE</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99512	HYPERDYNAMIC		A pathologically high percentage of blood that is forced from the heart ventricle to produce cardiac output. This is often the result of ventricular dilation due to hypertrophic cardiomyopathy. Quantitatively, the ejection fraction is considered higher than 70%.	Hyperdynamic Ventricular Ejection Fraction
C99507	MILD DYSFUNCTION		Slightly less than normal amount of blood that is forced from the heart ventricle to produce cardiac output. Quantitatively, the ejection fraction is considered between 40% to 49%.	Mildly Abnormal Ejection Fraction
C99508	MODERATE DYSFUNCTION		Moderately less than normal amount of blood that is forced from the heart ventricle to produce cardiac output. Quantitatively, the ejection fraction is considered between 30% to 39%.	Moderately Abnormal Ejection Fraction
C99513	NORMAL EJECTION FRACTION		The usual amount of blood that is forced from the heart ventricle to produce cardiac output. Quantitatively, the ejection fraction is considered between 50% to 70%.	Normal Ventricular Ejection Fraction
C99509	SEVERE DYSFUNCTION		Severely less than normal amount of blood that is forced from the heart ventricle to produce cardiac output. Quantitatively, the ejection fraction is considered less than 30%.	Severely Abnormal Ventricular Ejection Fraction



## MARISTAT (Marital Status Response)

NCI Code: C76348, Codelist extensible: Yes

<b>C76348 MARISTAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C76240	ANNULLED		Marriage contract has been declared null and to not have existed. (HL7)	Annulled
C51776	DIVORCED		Marriage contract has been declared dissolved and inactive. (HL7)	Divorced
C53262	DOMESTIC PARTNER	Domestic Partner	Person declares that a domestic partnership relationship exists. (HL7)	Domestic Partnership
C76241	INTERLOCUTORY		Temporary order issued during the course of litigation. (HL7)	Interlocutory Marital Status
C51777	LEGALLY SEPARATED		A person living apart from his/her spouse by legal arrangement. (HL7)	Separated
C51773	MARRIED		A current marriage contract is active. (HL7)	Married
C51774	NEVER MARRIED		No marriage contract has ever been entered. (HL7)	Never Married
C76242	POLYGAMOUS		More than 1 current spouse. (HL7)	Polygamous
C51775	WIDOWED		The spouse has died. (HL7)	Widowed

## MBTEST (Microbiology Test Name)

NCI Code: C120528, Codelist extensible: Yes

C120528 MBTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C128981	Acid-Fast Bacilli	Acid-Fast Bacilli	A measurement of any rod-shaped bacteria that resist decolorizing by acid after accepting an aqueous stain solution, due to the mycolic acids in their cell walls.	Acid-Fast Bacilli Measurement
C139113	Burkholderia	Burkholderia	A measurement of the organisms that are not assigned to the species level but are assigned to the Burkholderia genus level in a biological specimen.	Burkholderia Measurement
C147456	Burkholderia cepacia	B. cepacia;Burkholderia cepacia;Pseudomonas cepacia	A measurement of the Burkholderia cepacia in a biological specimen.	Burkholderia cepacia Measurement
C135409	Deoxyribonucleic Acid	Deoxyribonucleic Acid	A measurement of a targeted deoxyribonucleic acid (DNA) in a biological specimen.	Deoxyribonucleic Acid Measurement
C135410	Ebola Virus IgM Antibody	Ebola Virus IgM Antibody	A measurement of the Ebola virus IgM antibodies in a biological specimen.	Ebola Virus IgM Antibody Measurement
C147458	Haemophilus	Haemophilus	A measurement of the organisms that are not assigned to the species level but are assigned to the Haemophilus genus level in a biological specimen.	Haemophilus Measurement
C147457	Haemophilus influenzae	H. influenzae;Haemophilus influenzae	A measurement of the Haemophilus influenza virus in a biological specimen.	Haemophilus influenzae Measurement
C142330	Hepatitis C Virus RNA	Hepatitis C Virus RNA	A measurement of the Hepatitis C virus RNA in a biological specimen.	Hepatitis C Virus RNA Measurement
C142331	Hepatitis E Virus RNA	Hepatitis E Virus RNA	A measurement of the Hepatitis E virus RNA in a biological specimen.	Hepatitis E Virus RNA Measurement
C120677	Influenza A Antigen	Influenza A Antigen	A measurement of the influenza A antigen in a biological specimen.	Influenza A Antigen Measurement
C120678	Influenza A/B Antigen	Influenza A/B Antigen	A measurement of the influenza A/B antigen in a biological specimen.	Influenza A/B Antigen Measurement
C120679	Influenza B Antigen	Influenza B Antigen	A measurement of the influenza B antigen in a biological specimen.	Influenza B Antigen Measurement
C132416	Microbial Organism Identification	Microbial Organism Identification	The identification of the type of a microbial organism in a biological specimen.	Microorganism Identification
C128982	Mycobacterium tuberculosis	Mycobacterium tuberculosis	A measurement of the organisms that are assigned to the Mycobacterium tuberculosis species in a biological specimen.	Mycobacterium Tuberculosis Measurement
C128983	Mycobacterium tuberculosis Complex	Mycobacterium tuberculosis Complex	A measurement of the organisms assignable to the Mycobacterium tuberculosis complex in a biological specimen.	Mycobacterium tuberculosis Complex Measurement
C147459	Nontuberculous Mycobacteria	NTM;Non-tuberculous mycobacteria;Nontuberculous Mycobacteria	A measurement of the organisms that are assigned to the Mycobacterium genus but are not tuberculosis or leprosy-causing in a biological specimen.	Nontuberculous Mycobacteria Measurement
C139108	P. aeruginosa, Mucoïd	P. aeruginosa, Mucoïd;Pseudomonas aeruginosa, Mucoïd	A measurement of the mucoïd strain of Pseudomonas aeruginosa in a biological specimen.	Mucoïd Pseudomonas aeruginosa Measurement
C139107	P. aeruginosa, Non-mucoïd	P. aeruginosa, Non-Mucoïd;Pseudomonas aeruginosa, Non-Mucoïd	A measurement of the non-mucoïd strain of Pseudomonas aeruginosa in a biological specimen.	Non-Mucoïd Pseudomonas aeruginosa Measurement
C139109	P. aeruginosa, Small-colony Variant	P. aeruginosa, Small-colony Variant;Pseudomonas aeruginosa, SCV;Pseudomonas aeruginosa, Small-colony Variant	A measurement of the small-colony variant strain of Pseudomonas aeruginosa in a biological specimen.	Small-Colony Variant Pseudomonas aeruginosa Measurement
C132417	Plasmodium knowlesi, Asexual	Plasmodium knowlesi, Asexual	A measurement of the Plasmodium knowlesi in an asexual replication stage in a biological specimen.	Asexual Plasmodium knowlesi Measurement
C132418	Plasmodium knowlesi, Sexual	Plasmodium knowlesi, Sexual	A measurement of the Plasmodium knowlesi in a sexual replication stage in a biological specimen.	Sexual Plasmodium knowlesi Measurement

**C120528 MBTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139110	S. aureus, Methicillin-resistant	S. aureus, Methicillin-Resistant;Staphylococcus aureus, Methicillin-Resistant	A measurement of the methicillin-resistant strain of Staphylococcus aureus in a biological specimen.	Methicillin-resistant Staphylococcus aureus Measurement
C139111	S. aureus, Methicillin-susceptible	S. aureus, Methicillin-Susceptible;Staphylococcus aureus, Methicillin-Susceptible	A measurement of the methicillin-susceptible strain of Staphylococcus aureus in a biological specimen.	Methicillin-susceptible Staphylococcus aureus Measurement
C147460	Staphylococcus aureus	S. aureus;Staphylococcus aureus	A measurement of the Staphylococcus aureus in a biological specimen.	Staphylococcus aureus Measurement
C139112	Stenotrophomonas maltophilia	Stenotrophomonas maltophilia	A measurement of the organisms that are assigned to the Stenotrophomonas maltophilia species in a biological specimen.	Stenotrophomonas maltophilia Measurement
C132420	Zaire Ebolavirus	Zaire Ebolavirus	A measurement of the Zaire ebolavirus present in a biological specimen.	Zaire Ebolavirus Measurement

## MBTESTCD (Microbiology Test Code)

NCI Code: C120527, Codelist extensible: Yes

C120527 MBTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C128981	AFB	Acid-Fast Bacilli	A measurement of any rod-shaped bacteria that resist decolorizing by acid after accepting an aqueous stain solution, due to the mycolic acids in their cell walls.	Acid-Fast Bacilli Measurement
C147456	BCEPACIA	B. cepacia;Burkholderia cepacia;Pseudomonas cepacia	A measurement of the Burkholderia cepacia in a biological specimen.	Burkholderia cepacia Measurement
C139113	BURKHOLD	Burkholderia	A measurement of the organisms that are not assigned to the species level but are assigned to the Burkholderia genus level in a biological specimen.	Burkholderia Measurement
C135409	DNA	Deoxyribonucleic Acid	A measurement of a targeted deoxyribonucleic acid (DNA) in a biological specimen.	Deoxyribonucleic Acid Measurement
C135410	EBOIGMAB	Ebola Virus IgM Antibody	A measurement of the Ebola virus IgM antibodies in a biological specimen.	Ebola Virus IgM Antibody Measurement
C147457	HAEMINF	H. influenzae;Haemophilus influenzae	A measurement of the Haemophilus influenza virus in a biological specimen.	Haemophilus influenzae Measurement
C147458	HAEMOPH	Haemophilus	A measurement of the organisms that are not assigned to the species level but are assigned to the Haemophilus genus level in a biological specimen.	Haemophilus Measurement
C142330	HCRNA	Hepatitis C Virus RNA	A measurement of the Hepatitis C virus RNA in a biological specimen.	Hepatitis C Virus RNA Measurement
C142331	HERNA	Hepatitis E Virus RNA	A measurement of the Hepatitis E virus RNA in a biological specimen.	Hepatitis E Virus RNA Measurement
C120677	INFAAG	Influenza A Antigen	A measurement of the influenza A antigen in a biological specimen.	Influenza A Antigen Measurement
C120678	INFABAG	Influenza A/B Antigen	A measurement of the influenza A/B antigen in a biological specimen.	Influenza A/B Antigen Measurement
C120679	INFBAG	Influenza B Antigen	A measurement of the influenza B antigen in a biological specimen.	Influenza B Antigen Measurement
C132416	MCORGIDN	Microbial Organism Identification	The identification of the type of a microbial organism in a biological specimen.	Microorganism Identification
C139110	MRSA	S. aureus, Methicillin-Resistant;Staphylococcus aureus, Methicillin-Resistant	A measurement of the methicillin-resistant strain of Staphylococcus aureus in a biological specimen.	Methicillin-resistant Staphylococcus aureus Measurement
C139111	MSSA	S. aureus, Methicillin-Susceptible;Staphylococcus aureus, Methicillin-Susceptible	A measurement of the methicillin-susceptible strain of Staphylococcus aureus in a biological specimen.	Methicillin-susceptible Staphylococcus aureus Measurement
C128982	MTB	Mycobacterium tuberculosis	A measurement of the organisms that are assigned to the Mycobacterium tuberculosis species in a biological specimen.	Mycobacterium Tuberculosis Measurement
C128983	MTBCMLX	Mycobacterium tuberculosis Complex	A measurement of the organisms assignable to the Mycobacterium tuberculosis complex in a biological specimen.	Mycobacterium tuberculosis Complex Measurement
C147459	NTBMYCO	NTM;Non-tuberculous mycobacteria;Nontuberculous Mycobacteria	A measurement of the organisms that are assigned to the Mycobacterium genus but are not tuberculosis or leprosy-causing in a biological specimen.	Nontuberculous Mycobacteria Measurement
C139108	PAERGMUC	P. aeruginosa, Mucoïd;Pseudomonas aeruginosa, Mucoïd	A measurement of the mucoïd strain of Pseudomonas aeruginosa in a biological specimen.	Mucoïd Pseudomonas aeruginosa Measurement
C139107	PAERGNMC	P. aeruginosa, Non-Mucoïd;Pseudomonas aeruginosa, Non-Mucoïd	A measurement of the non-mucoïd strain of Pseudomonas aeruginosa in a biological specimen.	Non-Mucoïd Pseudomonas aeruginosa Measurement
C139109	PAERGSCV	P. aeruginosa, Small-colony Variant;Pseudomonas aeruginosa, SCV;Pseudomonas aeruginosa, Small-colony Variant	A measurement of the small-colony variant strain of Pseudomonas aeruginosa in a biological specimen.	Small-Colony Variant Pseudomonas aeruginosa Measurement

**C120527 MBTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132417	PKNOWLA	Plasmodium knowlesi, Asexual	A measurement of the Plasmodium knowlesi in an asexual replication stage in a biological specimen.	Asexual Plasmodium knowlesi Measurement
C132418	PKNOWLS	Plasmodium knowlesi, Sexual	A measurement of the Plasmodium knowlesi in a sexual replication stage in a biological specimen.	Sexual Plasmodium knowlesi Measurement
C147460	SAUREUS	S. aureus;Staphylococcus aureus	A measurement of the Staphylococcus aureus in a biological specimen.	Staphylococcus aureus Measurement
C139112	STENMALT	Stenotrophomonas maltophilia	A measurement of the organisms that are assigned to the Stenotrophomonas maltophilia species in a biological specimen.	Stenotrophomonas maltophilia Measurement
C132420	ZEBOV	Zaire Ebolavirus	A measurement of the Zaire ebolavirus present in a biological specimen.	Zaire Ebolavirus Measurement

## MCIDCERT (Microbial Identification Certainty)

NCI Code: C102581, Codelist extensible: No

<b>C102581 MCIDCERT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C62607	DEFINITIVE		Supplying or being a final or conclusive settlement or result.	Definitive
C102697	PRESUMPTIVE		Supplying or being a probable or reasonable settlement or result.	Presumptive

## MCRCSPTM (Mechanical Circulatory Support Placement Timing)

NCI Code: C101845, Codelist extensible: No

<b>C101845 MCRCSPTM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99981	IN PLACE AT START OF PROCEDURE	In Place at Start of Procedure	Mechanical Circulatory Support was in place at the start of the procedure.	Mechanical Circulatory Support in Place at Start of Procedure
C99962	INSERTED DURING A NON-PERCUTANEOUS CORONARY INTERVENTION PROCEDURE	Inserted during a Non PCI Procedure	Mechanical Circulatory Support was inserted during a non-Percutaneous Coronary Intervention (PCI) procedure.	Inserted During a Non-Percutaneous Coronary Intervention
C99964	INSERTED DURING PROCEDURE AND AFTER PERCUTANEOUS CORONARY INTERVENTION STARTED	Inserted during Procedure and after PCI Started	Mechanical Circulatory Support was inserted during the procedure after Percutaneous Coronary Intervention (PCI) started.	Inserted During Procedure and After Percutaneous Coronary Intervention Began
C99963	INSERTED DURING PROCEDURE BUT PRIOR TO PERCUTANEOUS CORONARY INTERVENTION	Inserted during Procedure but Prior to PCI	Mechanical Circulatory Support was inserted during the procedure prior to percutaneous coronary intervention (PCI).	Inserted During a Procedure but Prior to Percutaneous Coronary Intervention

## MEDEVAL (Medical Evaluator)

NCI Code: C96777, Codelist extensible: Yes

C96777 MEDEVAL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C96561	ADJUDICATOR		An individual that presides over and arbitrates between individuals or organizations.	Adjudicator
C125951	CARDIOLOGIST		A physician who specializes in the diagnosis and treatment of heart disorders.	Cardiologist
C142332	CLINICAL PATHOLOGIST		A physician specializing in medical diagnosis based on laboratory analysis and the macroscopic and the microscopic changes to tissues and organs caused by disease.	Clinical Pathologist
C17816	DERMATOLOGIST		A doctor who specializes in diagnosis and treatment of skin conditions.	Dermatologist
C147461	DEVELOPMENTAL BEHAVIORAL PEDIATRICIAN		A pediatrician who specializes in diagnosing and treating developmental and behavioral disorders in children.	Developmental Behavioral Pediatrician
C147462	DEVELOPMENTAL PSYCHOLOGIST		A psychologist who specializes in diagnosing and treating emotional and behavioral problems associated with developmental delay or disability.	Developmental Psychologist
C142333	FORENSIC PATHOLOGIST		A physician specializing in the diagnosis of both the cause of death and the manner of death of another human being.	Forensic Pathologist
C17831	HEMATOLOGIST		A doctor who specializes in diagnosing and treating diseases and disorders of the blood and blood-forming organs. (NCI)	Hematologist
C132303	MICROSCOPIST		A health care professional trained in the visualization of structures too small to be seen by the naked eye, using various microscopic techniques.	Microscopist
C132421	MICROSCOPIST 1		A microscopist performing the assessment that is given the designation of one.	Microscopist 1
C132422	MICROSCOPIST 2		A microscopist performing the assessment that is given the designation of two.	Microscopist 2
C132423	MICROSCOPIST 3		A microscopist performing the assessment that is given the designation of three.	Microscopist 3
C17721	NEUROLOGIST		A physician who specializes in diagnosing and treating diseases and disorders of the nervous system.	Neurologist
C96692	NEUROLOGIST 1		A neurologist performing the assessment that is given the designation of one.	Neurologist 1
C96606	NEUROLOGIST 2		A neurologist performing the assessment that is given the designation of two.	Neurologist 2
C17821	ONCOLOGIST		A physician who specializes in diagnosing and treating cancer. (NCI)	Oncologist
C96611	ONCOLOGIST 1		An oncologist performing the assessment that is given the designation of one.	Oncologist 1
C96612	ONCOLOGIST 2		An oncologist performing the assessment that is given the designation of two.	Oncologist 2
C17822	OPHTHALMOLOGIST		A physician with a Doctor of Medicine or Doctor of Osteopathic Medicine degree (or analogous) who specializes in diagnosing and treating eye disorders, including more complex disorders that require surgery. (NCI)	Ophthalmologist
C132424	OPTOMETRIST		A physician with a Doctor of Optometry degree (or analogous) who specializes in the diagnosis and treatment of eye disorders.	Optometrist
C17723	PATHOLOGIST		A physician who specializes in the science of pathology.	Pathologist
C147463	PEDIATRIC NEUROLOGIST		A neurologist who specializes in diagnosing and treating children.	Pediatric Neurologist
C17824	RADIOLOGIST		A physician who specializes in the diagnostic and/or therapeutic uses of radiation. (NCI)	Radiologist



<b>C96777 MEDEVAL</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C94530	RADIOLOGIST 1		A radiologist performing the assessment that is given the designation of one.	Radiologist 1
C94531	RADIOLOGIST 2		A radiologist performing the assessment that is given the designation of two.	Radiologist 2
C132304	RATER		An individual qualified to perform an assessment.	Rater
C132425	RATER 1		A rater performing the assessment that is given the designation of one.	Rater 1
C132426	RATER 2		A rater performing the assessment that is given the designation of two.	Rater 2
C28747	READER		An individual who takes non-quantifiable data and provides quantifiable assessments for that data.	Reader
C94532	READER 1		A reader performing the assessment that is given the designation of one.	Reader 1
C94533	READER 2		A reader performing the assessment that is given the designation of two.	Reader 2
C139209	READER 3		A reader performing the assessment that is given the designation of three.	Reader 3
C17826	UROLOGIST		A doctor who specializes in diseases of the urinary organs in females and the genitourinary organs in males.	Urologist

## MELD01TC (Model for End Stage Liver Disease Clinical Classification Test Code)

NCI Code: C120991, Codelist extensible: No

C120991 MELD01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121076	MELD0101	MELD01-Score	Model for End Stage Liver Disease - MELD score.	MELD - Score

**MELD01TN (Model for End Stage Liver Disease Clinical Classification Test Name)**

NCI Code: C120990, Codelist extensible: No

<b>C120990 MELD01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121076	MELD01-Score	MELD01-Score	Model for End Stage Liver Disease - MELD score.	MELD - Score

**METHOD (Method)**

NCI Code: C85492, Codelist extensible: Yes

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135452	ACCELERATOR MASS SPECTROMETRY	AMS	A type of mass spectrometry in which ions in the sample are accelerated to very high kinetic energies, thus allowing for the separation of rare isotopes from more abundant isotopes. (NCI)	Accelerator Mass Spectrometry
C23015	ACID FAST STAIN		A microscopy staining method used to examine a specimen for the presence of acid-fast microorganisms, specifically mycobacteria.	Acid Fast Bacillae Staining Method
C85554	ACRIDINE ORANGE STAIN		A microscopy staining method that utilizes acridine orange, a fluorescent cationic dye that is selective for nucleic acids, to determine the presence of viable cells or microorganisms in a sample. Acridine orange interacts with RNA and DNA and the lysosomal compartment of cells.	Acridine Orange Staining Method
C85555	AGAR DILUTION		A method to determine microbial susceptibility to antibiotics in which test bacteria is inoculated onto agar plates with serial dilutions of known quantities of antibiotics. The minimum inhibitory concentration of antibiotic is assessed.	Agar Dilution Method
C130170	AHG-ENHANCED COMPLEMENT-DEPENDENT LYMPHOCYTOTOXICITY ASSAY		A form of complement-dependent lymphocytotoxicity assay with the addition of anti-human globulin (AHG) which is a complement fixing antibody to human immunoglobulin. AHG binds to both complement proteins and non-complement-fixing antibodies.	AHG-enhanced Complement-dependent Lymphocytotoxicity Assay
C92304	ALCIAN BLUE AND PERIODIC ACID SCHIFF STAIN		A microscopy staining method that utilizes periodic acid, an oxoacid of iodine, Schiff reagent, the reaction product of fuchsin and sodium bisulfite, and Alcian blue, a water soluble copper phthalocyanine dye. This staining method is used to differentially stain glycoproteins.	Alcian Blue and Periodic Acid Schiff Staining Method
C92299	ALCIAN BLUE STAIN		A microscopy staining method that utilizes alcian blue, a cationic, water soluble copper-containing phthalocyanine dye to determine the presence of acid mucopolysaccharides and glycosaminoglycans.	Alcian Blue Staining Method
C123464	AMSLER GRID		A diagrammatic method to test visual acuity and presence of macular degeneration, which uses a uniform square grid of lines with a dot in the center.	Amsler Grid
C120681	ANALYTICAL ULTRACENTRIFUGATION		A high-speed centrifugation-based method that uses an optical detection system to monitor and record data during the centrifugation process.	Analytical Ultracentrifugation
C20080	ANGIOGRAPHY		A method used to create an image of blood vessels.	Angiography
C85557	ANTIBIOTIC AGAR SCREEN		A method used to detect organisms that have resistance to a single concentration of antibiotics in an agar matrix.	Antibiotic Agar Screening Method
C85558	ANTIMICROBIAL COMBINATION TESTING		A method to determine the microbial susceptibility to two or more antibiotics. Numerical result translated into indifference, antagonism, synergism, or additive.	Antimicrobial Combination Testing Method
C120682	APPLANATION TONOMETRY		A method in which a constant pressure is applied to the surface of the cornea in order to flatten a prespecified area of the membrane, which is used to calculate intraocular pressure.	Applanation Tonometry
C116450	ARTERIAL SPIN LABELING FUNCTIONAL MRI	ASL fMRI	A noninvasive fMRI technique that uses arterial water as an endogenous tracer to measure cerebral blood flow by magnetically labeling the proton spins of the arterial water prior to reaching the imaged volume.	Arterial Spin Labeling Magnetic Resonance Imaging
C85574	ATOMIC ABSORPTION SPECTROMETRY		A spectrometric method that determines the type and concentration of metal elements in a sample, based upon the principle that each elemental metal absorbs a particular wavelength of ultraviolet light when exposed to heat.	Atomic Absorption Spectroscopy
C38036	AUDIOMETRY		Testing conducted utilizing a manual or microprocessor audiometer to test for hearing loss.	Audiometric Test

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102599	AURAMINE STAIN	Auramine O	A microscopy acid fast staining method that utilizes auramine O, a bright yellow ketonimine dye, which binds to the mycolic acid in the cell walls of acid fast microorganisms.	Auramine Staining Method
C85573	AUSCULTATION		Listening with a device, such as a stethoscope, to anatomical locations that produce audible sounds like the heart, lungs and abdomen.	Auscultation
C116157	BAC ACGH	BAC Array-based CGH;Bacterial Artificial Chromosome Array-based CGH;Bacterial Artificial Chromosome Array-based Comparative Genomic Hybridization	A molecular cytogenetic method combining chromosomal comparative genomic hybridization technique and microarray to detect chromosomal aberrations and changes in DNA copy numbers, using bacterial artificial chromosome clones containing target DNA fragments for hybridization.	Bacterial Artificial Chromosome Array-based Comparative Genomic Hybridization
C85576	BETA LACTAMASE		A test that detects beta lactamase produced by Staphylococcus species, Haemophilus species, Moraxella catarrhalis, and Neisseria gonorrhoeae.	Beta Lactamase Screening Method
C15189	BIOPSY		The removal of tissue specimens or fluid from the living body for microscopic examination, performed to establish a diagnosis.	Biopsy
C85577	CALCOFLUOR WHITE STAIN		A microscopy staining method that utilizes calcofluor, a fluorescent dye that preferentially stains chitin and cellulose on the cell walls of fungi, parasites, and some cysts of the Pneumocystis genus.	Calcofluor White Staining Method
C54125	CALCULATION		The procedure or activity of determining a result by mathematical or logical methods. (NCI)	Calculation
C17637	CAPILLARY ELECTROPHORESIS		An electrophoresis procedure, in which a sample is introduced into a capillary tube and the components are separated by the application of high voltage. (NCI)	Capillary Electrophoresis
C85578	CELLULOSE TAPE		A microbiological technique for specimen collection and mounting for microscopic examination that utilizes a cellulose-based adhesive ribbon.	Cellulose Tape Method
C16410	CENTRIFUGATION		A separation technique used to isolate substances of different densities based on centrifugal force.	Centrifugation
C16431	CHROMATOGRAPHY		A technique for the separation of complex mixtures that relies on the differential affinities of substances for a gas or liquid mobile medium and for a stationary adsorbing medium through which they pass.	Chromatography
C127679	CINEANGIOGRAPHY		A type of angiography in which motion picture camera technology is used to record the passage of dye (usually fluorescent) through blood vessels and the heart.	Cineangiography
C40960	CISH	Chromogenic in Situ Hybridization	A laboratory procedure that combines the sequence-specific detection aspects of FISH with the simple detection methods of immunohistochemistry. Briefly, sequence-specific probes are hybridized to cells fixed on slides and the sequestered probe is visualized by a peroxidase reaction. It has the advantage of being a less costly assay that does not require fluorescence microscopy with results that are stable over time.	Chromogenic In Situ Hybridization
C142334	CLAUSS METHOD		An in vitro method to determine the plasma concentration of fibrin, based on the correlation of fibrinogen concentration with the clotting time of diluted plasma mixed with excess thrombin. The method is calibrated using a standard curve based on plasma with decreasing fibrinogen concentrations.	Clauss Method
C124351	CLINICAL EVALUATION		An appraisal of a patient's condition by a clinician that is based on a physical exam, medical history, patient's account of symptoms, laboratory assessments, and/or imaging analysis.	Clinical Evaluation
C111163	CLIP	Cross-Linking and Immunoprecipitation	A type of immunoprecipitation protocol that employs UV-light induced covalent cross-linking of molecules (for instance protein and RNA) prior to the immunoprecipitation and purification steps.	Cross-Linking and Immunoprecipitation
C116152	CLIP SEQUENCING	CLIP-Seq;Cross-linking Immunoprecipitation High-throughput Sequencing;HITS-CLIP	A molecular biology method combining crosslinking-immunoprecipitation and high-throughput sequencing techniques to detect and map RNA-protein interactions.	Cross-linking Immunoprecipitation High-throughput Sequencing

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111095	CLOT DETECTION		Any of several methods used to detect the presence of or quantify the formation of a thrombus in a specimen. (NCI)	Clot Detection
C111096	COLORIMETRY		A method to measure the absorbance of visible wavelengths of light using a colorimeter.	Colorimetry
C130171	COMPLEMENT-DEPENDENT LYMPHOCYTOTOXICITY ASSAY		A method that detects the presence and reaction of complement-fixing alloantibodies to donor lymphocytes, via the addition of complement proteins and lysis of the lymphocytes.	Complement-dependent Lymphocytotoxicity Assay
C120683	CONTACT SPECULAR MICROSCOPY		A type of specular microscopy in which the specular microscope makes contact with the cornea of the eye.	Contact Specular Microscopy
C137805	CONTRAST ENHANCED CT SCAN		A type of CT scan in which images are enhanced by the addition of contrast agents into the body.	Computed Tomography with Contrast
C46087	CONTRAST ENHANCED MRI		A technique that uses radiofrequency waves and a magnet to image the body. The images are enhanced by the addition of contrast agents which selectively intensify anatomical regions to intensify the clarity of the image for diagnostic purposes. (NCI)	Contrast-enhanced Magnetic Resonance Imaging
C142335	CONTRAST ENHANCED PET/CT SCAN		An imaging technique that utilizes positron emission tomography and computed tomography in a single machine, in which images are enhanced by the addition of contrast agents into the body.	Contrast Enhanced PET-CT Scan
C147464	CONTRAST ENHANCED TRANSESOPHAGEAL ECHOCARDIOGRAPHY		A type of transesophageal echocardiography in which images are enhanced by the addition of contrast agents into the body.	Transesophageal Echocardiography With Contrast
C147465	CONTRAST ENHANCED TRANSTHORACIC ECHOCARDIOGRAPHY		A type of transthoracic echocardiography in which images are enhanced by the addition of contrast agents into the body.	Transthoracic Echocardiography With Contrast
C100085	CORONARY ANGIOGRAPHY		A procedure in which the catheter is passed into the aortic root or other great vessels for the purpose of angiography of the native coronary arteries or bypass grafts supplying native coronary arteries.	Coronary Angiography
C122162	CRYOSCOPY		A method for measuring the molar concentration of a substance in solution by determining the freezing point of the solution.	Cryoscopy
C17204	CT SCAN	CT;Computed Tomography	An imaging technique for examining structures within the body by scanning them with X rays and using a computer to construct a series of cross-sectional scans along a single axis.	Computed Tomography
C137806	CT SCAN WITHOUT CONTRAST		A type of CT scan in which the images are not enhanced by the addition of contrast agents into the body.	Computed Tomography without Contrast
C16482	CYSTOSCOPY		Endoscopic examination of the urinary bladder or urethra.	Cystoscopy
C85837	DARK FIELD MICROSCOPY		A microscopic technique in which the light that does not come into contact with the structure or details of interest is subtracted from the ocular image. This yields an image in which the structure or details are alight while the areas where the structures or details are absent are dark.	Dark Field Microscopy
C64862	DIFFUSION TENSOR MRI	DT-MRI;DTI;Diffusion Tensor Imaging	A type of MRI technique that maps the diffusion of water in three dimensions.	Diffusion Tensor Imaging
C111116	DIFFUSION WEIGHTED MRI	DW-MRI;DWI;Diffusion Weighted Imaging	A type of MRI technique in which diffusion-sensitizing gradients are applied to the imaging sequence.	Diffusion Weighted Imaging
C116158	DIGITAL PCR ARRAY	Digital PCR;Digital Polymerase Chain Reaction;dPCR	A technique used to deliver high-throughput digital PCR. The digital array partitions a sample premixed with PCR reagents into hundreds of individual PCR reactions, which allows the absolute quantification of target sequences and rare allele detection, as compared to conventional real-time quantitative PCR.	Digital Array
C106516	DIPSTICK		A strip of composite material that is coated or impregnated with reagents designed to detect the presence of an analyte in a liquid by producing a color change.	Dipstick

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C116154	DIRECT SEQUENCING		A technique used to identify the sequence of individual nucleotides in a single strand of DNA fragment template which does not require subcloning and can be a plasmid insert, genomic DNA or a PCR product.	Direct Sequencing
C85595	DISK DIFFUSION		A method to determine microbial susceptibility to antibiotics in which filter paper disks containing known concentrations of antibiotics are placed on the agar surface that has been previously inoculated with the bacteria of interest. Microbial susceptibility is assessed by measuring the area around the disk that is free of microbial growth.	Disk Diffusion Method
C18158	DNA MICROARRAY	DNA Chip;Gene Chip;Gene Expression Array	An orderly array of DNA samples affixed to a support. The chip is used in various types of hybridization experiments. Used when a more specific microarray methodology is not specified.	DNA Microarray Chip
C123465	DUCTOGRAPHY	Galactography	A type of mammography that uses contrast medium to visualize the ducts of the breast.	Ductography
C122163	DUKE INCISION METHOD		A method for assessing bleeding time in which a controlled incision is made on the ear or fingertip.	Duke Incision Method
C48789	DXA SCAN	DEXA Scan	A technique for scanning bone and measuring bone mineral density (BMD).	Dual X-ray Absorptiometry
C62665	DYNAMIC CONTRAST ENHANCED MRI		A type of contrast-enhanced MRI that allows observation of functional properties in addition to structural properties.	Dynamic Contrast-Enhanced Magnetic Resonance Imaging
C62329	DYNAMIC LIGHT SCATTERING	Photon Correlation Spectroscopy;Quasi-elastic Light Scattering	A type of spectroscopy that utilizes a laser beam to irradiate a sample containing particles in suspension, resulting in light scattering.	Photon Correlation Spectroscopy
C116453	DYNAMIC SUSCEPTIBILITY-CONTRAST MRI	DSC-MRI	A type of MRI that uses the transient signal reduction induced by the first pass of gadolinium chelate through the brain vessels to calculate cerebral blood flow maps, and to determine the ratio between the cerebral blood volume in the lesion and the cerebral blood volume in normal tissue.	Dynamic Susceptibility Contrast-Enhanced Magnetic Resonance Imaging
C16525	ECHOCARDIOGRAPHY		A procedure that uses high-frequency sound waves (ultrasound) to create an image of the heart.	Echocardiography
C38054	EEG	ELECTROENCEPHALOGRAPHY	A technique used to capture and record spontaneous electrical activity of the brain by the application of electrodes to the scalp.	Electroencephalography
C17455	EIA	Enzyme Immunoassay	Any of several immunoassay methods that use an enzyme covalently linked to an antigen or antibody as a label; the most common types are enzyme-linked immunosorbent assay (ELISA) and enzyme-multiplied immunoassay technique (EMIT).	Enzyme Immunoassay
C106517	ELASTOGRAPHY		An ultrasound-based imaging technique used to examine the stiffness or elasticity of a tissue by applying mechanical compression or vibration to the tissue being imaged. (NCI)	Elastography
C111193	ELECTROCHEMILUMINESCENCE		A method in which electromagnetic radiation, in the form of light emission, is generated from an electrochemical reaction in a solution. (NCI)	Electrochemiluminescence
C111194	ELECTROCHEMILUMINESCENCE IMMUNOASSAY		A method in which electromagnetic radiation, in the form of light emission, is generated from an electrochemical reaction in a solution due to the formation of antigen-antibody complexes.	Electrochemiluminescence Immunoassay
C38056	ELECTROMYOGRAPHY		A method to assess skeletal muscle function and nerve control, obtained by recording and studying the intrinsic electrical properties of the muscles.	Electromyography
C16536	ELECTROPHORESIS		The motion of charged particles in a colloid under the influence of an electric field; particles with a positive charge go to the cathode and negative to the anode.	Electrophoresis

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16553	ELISA	Enzyme-linked Immunosorbent Assay	An immunoassay for detecting and measuring antigens or antibodies in a solution; the solution is run over a surface to which immobilized antibodies specific to the substance have been attached, and if the substance is present, it will bind to the antibody layer, and its presence is verified and visualized with an application of antibodies that have been tagged in some way.	ELISA
C102632	ELISPOT	Enzyme-linked Immunosorbent Spot Assay	A highly sensitive immunoassay capable of detecting secreted materials from individuals cells upon activation. If the material of interest is secreted in response to a particular stimulus, then the material will bind to a specific immobilized antibody. Binding is then verified and visualized by applying other antibodies that have been tagged in some way.	Enzyme-linked Immunosorbent Spot Assay
C147466	ELLA	Enzyme-Linked Lectin Assay	An enzyme immunoassay that utilizes enzyme-lectin conjugates to detect specific carbohydrate end groups on immobilized glycoproteins on microtiter plates.	Enzyme-Linked Lectin Assay
C16546	ENDOSCOPY		An examination of the body using an endoscope.	Endoscopic Procedure
C120684	ENDPOINT DILUTION ASSAY		An in vitro cell based assay in which plated host cells are inoculated with serial dilutions of an infective agent and observed for cytotoxic effects in order to calculate the titer.	Endpoint Dilution Assay
C111195	ENZYMATIC COLORIMETRY		A type of colorimetry that makes use of an enzymatic reaction to induce a color change. (NCI)	Enzymatic Colorimetry
C122164	ENZYMATIC ULTRACENTRIFUGATION		A high-speed centrifugation-based method that uses enzymatic catalytic reaction to quantify a substance.	Enzymatic Ultracentrifugation
C111196	ENZYME MULTIPLIED IMMUNOASSAY TECHNIQUE	EMIT	A type of homogenous immunoassay in which sample is applied to a reagent mixture of enzyme-labeled ligand, antibody, and substrate. Substrate binding to enzyme leads to inactivation and unlabeled-ligand in the sample can be quantified by colorimetric analysis.	Enzyme Multiplied Immunoassay Technique
C85596	EPSILOMETER		A method to determine microbial susceptibility to antibiotics in which a plastic strip impregnated with the antibiotic of interest is placed on an agar plate that has been inoculated with bacteria. The antibiotic diffuses from the strip producing a concentration gradient of drug on the agar. The point at which the elliptical shaped area of growth inhibition meets the strip is the minimum inhibitory concentration of the drug of interest.	Epsilonometry
C117877	ETDRS EYE CHART		A diagrammatic method to test visual acuity which incorporates the Bailey-Lovie layout in conjunction with Sloan optotypes.	Early Treatment of Diabetic Retinopathy Study Eye Chart
C130172	FARNSWORTH-MUNSELL 100 HUE TEST		A diagrammatic method to test color blindness or deficiencies, which uses 100 colors from the Munsell color system arranged in rows of four color families and containing 25 hues for each color. The subject must put the hues in order based on the anchor colors on the ends of each row.	Farnsworth-Munsell 100 Hue Test
C17563	FISH	Fluorescence in Situ Hybridization	A physical mapping approach that uses fluorescent tags to detect hybridization of probes within metaphase chromosomes or less condensed somatic interphase chromatin. This technique can be used for identification of chromosomal abnormalities and for gene mapping.	Fluorescence In Situ Hybridization
C106523	FLAME PHOTOMETRY		A type of atomic spectroscopy that qualitatively or quantitatively measures select cations (particularly Na, K, Rb, Cs, Ca, Ba, Cu) by utilizing a low temperature flame capable of exciting a valence electron to an upper energy state which emits light at a wavelength unique to each cation as the electron returns to its ground state. (NCI)	Flame Photometry
C16585	FLOW CYTOMETRY		A technique for counting, examining or sorting microscopic particles suspended in a stream of fluid. The cells are placed in a fluid (with or without light-sensitive dye) and passed in a stream before a laser or other type of light.	Flow Cytometry



C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112284	FLOW MICROSCOPY		A method of measuring the number of cells in a sample by placing the cells in a fluid and passing them, in a stream, through a special light microscope that can record and analyze images of the cells to determine the presence of foreign particles, cell counts, protein aggregates and morphology information.	Flow Microscopy
C116569	FLUORESCENCE ANGIOGRAPHY		An examination technique that uses fluorescent dye and a specialized camera to inspect blood flow within vessels.	Fluorescence Angiography
C142336	FLUORESCENT ENZYME IMMUNOASSAY	FEIA	An assay technique that uses one or more antibodies to detect an analyte, where either the analyte or antibody is labelled with an enzyme. The binding of antibody to analyte is detected by the enzyme converting a substrate to a fluorescent product.	Fluorescent Enzyme Immunoassay
C17370	FLUORESCENT IMMUNOASSAY	Fluorescent Antibody Assay;Immunofluorescence Assay	A bioassay in which fluorescent-coupled antibodies or antigens are used to quantify or qualify a biological response to a stimulus.	Fluorescent Antibody Procedure
C16856	FLUORESCENT MICROSCOPY		Microscopy of specimens stained with fluorescent dye (usually fluorescein isothiocyanate) or of naturally fluorescent materials, which emit light when exposed to ultraviolet or blue light.	Fluorescence Microscopy
C132427	FLUORESCENT SPOT TEST		A method to assess enzymatic activity in which a substrate reagent is incubated with a biological specimen and spotted on filter paper. The spots are then examined for fluorescence, which correlates with enzyme activity.	Fluorescent Spot Test
C62322	FLUORIMETRY		An analytical method that utilizes ultraviolet light to excite the sample and detects the fluorescence emitted during the return of the sample to its ground state. (NCI)	Fluorimetry
C122165	FORCED OSCILLATION TECHNIQUE	FOT	A non-invasive method to evaluate respiratory mechanical properties of the lung and airways using small-amplitude pressure oscillations superimposed on the normal, tidal breathing of a subject.	Forced Oscillation Technique
C135453	FREEZING POINT DEPRESSION		The addition of a solute to a solvent that results in a decrease in the temperature at which the solute-solvent mixture (solution) freezes.	Freezing Point Depression
C17958	FUNCTIONAL MRI	fMRI	A type of MRI that takes a series of images of an organ in quick succession and statistically analyzes the differences between the images.	Functional Magnetic Resonance Imaging
C147467	FUNDUS PHOTOGRAPHY		A method of capturing images of the vitreous, retina, choroid, and optic nerve using a fundus camera, a specialized low power microscope with an attached camera.	Eye Fundus Photography
C135454	GC/FID	Gas Chromatography/Flame Ionization Detector	An analytical technique where gas chromatography is coupled with flame ionization detection in order to separate, identify, and quantify substances in a sample.	Gas Chromatography and Flame Ionization Detection
C111203	GC/MS	Gas Chromatography/Mass Spectrometry	An analytical technique where gas chromatography is coupled with mass spectrometry in order to separate, identify, and quantify substances in a sample. (NCI)	Gas Chromatography Mass Spectrometry
C120686	GC/MS-CI		An analytical technique where gas chromatography is coupled with chemical ionization mass spectrometry in order to separate, identify, and quantify substances in a sample.	Gas Chromatography/Chemical Ionization Mass Spectrometry
C120687	GC/MS-EI		An analytical technique where gas chromatography is coupled with electron ionization mass spectrometry in order to separate, identify, and quantify substances in a sample.	Gas Chromatography/Electron Ionization Mass Spectrometry
C120685	GC/MS/MS		An analytical technique where gas chromatography is coupled to tandem mass spectrometry in order to separate, identify, and quantify substances in a sample.	Gas Chromatography/Tandem Mass Spectrometry
C18091	GEL ELECTROPHORESIS		A method of separating large molecules (such as DNA fragments or proteins) from a mixture of similar molecules by electrophoretic filtration through a gelatinous matrix.	Gel Electrophoresis

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85598	GIEMSA STAIN		A microscopy staining method that utilizes Giemsa, a mixture of ethylene blue and eosin, which forms purplish-black crystals when dried. This stain preferentially binds to the phosphate groups of DNA and aggregates at areas with an increase in adenine-thymine binding, thus leading to chromosomal staining patterns that lend themselves to g-banding analysis. Additionally Giemsa can be used as a differential stain to determine microbial cell adherence to human cells as well as in the diagnosis of malaria, spirochete, and protozoal infections.	Giemsa Staining Method
C85599	GRADIENT DIFFUSION		A method to determine microbial susceptibility to antibiotics in which an agar plate, which has a concentration gradient of the drug within the agar, is streaked with the microorganism of interest. Microbial susceptibility as well as minimum inhibitory concentration of antibiotic is assessed.	Gradient Diffusion Method
C23014	GRAM STAIN		A microscopy staining method for staining and identifying bacteria, based on the differential retention of a crystal violet-iodine complex within the cell membrane. Gram-positive organisms will appear blue-black or purple while Gram-negative organisms will appear red.	Gram Staining Method
C111205	HANSEL STAIN		A microscopy staining method that uses Hansel reagent to differentiate eosinophils and neutrophils in a specimen. (NCI)	Hansel Staining Method
C130173	HEMAGGLUTINATION ASSAY		An in vitro assay that is used to determine the relative concentration of viruses, bacteria, or antibodies in which serial dilutions of solution containing virus, bacteria, or antibody are applied to red blood cells in culture to look for the presence of hemagglutination.	Hemagglutination Assay
C120688	HEMAGGLUTINATION INHIBITION ASSAY		An in vitro assay that is used to determine whether antibodies present in serum samples will inhibit hemagglutination in a cell culture plate containing red blood cells and a hemagglutinating agent.	Hemagglutination Inhibition Assay
C23011	HEMATOXYLIN AND EOSIN STAIN	H&E Stain	A microscopy staining method that utilizes two separate dyes, one staining the nucleus and the other staining the cytoplasm and connective tissue. Hematoxylin is a dark purplish dye that stains the chromatin (nuclear material) within the nucleus. Eosin is an orangish-pink to red dye that stains the cytoplasmic material including connective tissue and collagen.	Hematoxylin and Eosin Staining Method
C120689	HEMOCYOMETRY		A method that uses a thick glass slide containing a chamber with a defined volume, which is etched with a precisely ruled grid and is used to quantify cells or cell-sized particles in suspension.	Hemocytometry
C95525	HEPATITIS C VIRUS RECOMBINANT IMMUNOBLOT ASSAY		An assay used to verify the presence of anti-HCV antibodies in a blood sample. Serum is incubated with a membrane strip on which four recombinant viral proteins are attached. The immunoblot is considered positive if two or more proteins react, and indeterminate if only one positive band is detected. (NCI)	Hepatitis C Virus Recombinant Immunoblot Assay
C85556	HIGH LEVEL AMINOGLYCOSIDE SCREEN		A method to determine microbial susceptibility to high concentrations of aminoglycoside antibiotics.	Aminoglycoside Screening Method
C130174	HIGH RESOLUTION MELT ANALYSIS		A reverse real-time polymerase chain reaction technique in which fluorescently labeled double-stranded DNA is slowly melted apart by increasing temperature.	High Resolution Melt Analysis
C132428	HILLMEN COLOR CHART		A visual color scale created by Hillman et al in 2004 to enable standardization of urine color in the assessment of hemoglobinuria.	Hillmen Color Chart
C16434	HPLC	High Performance Liquid Chromatography	Frequently referred to simply as HPLC, this form of column chromatography is used frequently in biochemistry. The analyte is forced through a column by liquid at high pressure, which decreases the time the separated components remain on the stationary phase. Less time on the column then translates to narrower peaks in the resulting chromatogram and thence to better selectivity and sensitivity.	High Performance Liquid Chromatography

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120692	HPLC-FL		An analytical technique where high performance liquid chromatography with a fluorescence detector is used to separate, identify, and quantify substances in a sample.	High-performance Liquid Chromatography-Fluorescence
C120693	HPLC-UV		An analytical technique where high performance liquid chromatography with an ultraviolet light detector is used to separate, identify, and quantify substances in a sample.	High-performance Liquid Chromatography-UV
C120690	HPLC/IEX		An analytical technique where high performance liquid chromatography is coupled to ion exchange chromatography in order to separate proteins based on net charge.	High-performance Liquid Chromatography/Ion-Exchange Chromatography
C103513	HPLC/MS	High Performance Liquid Chromatography/Mass Spectrometry	An analytical technique wherein high performance liquid chromatography is coupled to mass spectrometry in order to separate, identify, and quantify substances in a sample.	High Performance Liquid Chromatography Mass Spectrometry
C120691	HPLC/MS/MS		An analytical technique where high performance liquid chromatography is coupled to tandem mass spectrometry in order to separate, identify, and quantify substances in a sample.	High-performance Liquid Chromatography/Tandem Mass Spectrometry
C62328	ICP-MS		A mass spectrometry technique that uses inductively-coupled plasma generated from argon gas to atomize and ionize a sample. The resulting ions are separated and analyzed using a mass spectrometer.	Inductively-Coupled Plasma Mass Spectrometry
C23020	IHC	Immunohistochemistry	Immunohistochemical staining techniques allow for the visualization of antigens via the sequential application of a specific antibody to the antigen (primary antibody), a secondary antibody to the primary antibody and an enzyme complex with a chromogenic substrate. The enzymatic activation of the chromogen results in a visible reaction product at the antigen site. The specimen may then be counterstained and coverslipped. Results are interpreted using a light microscope and aid in the differential diagnosis of pathophysiological processes, which may or may not be associated with a particular antigen.	Immunohistochemistry Staining Method
C16714	IMMUNOASSAY		An immunological procedure involving the usage of enzyme-antibody or enzyme-antigen conjugates, antienzyme antibodies, or enzyme-antienzyme complexes.	Immunoenzyme Procedure
C17638	IMMUNOBLOT		A technique for analyzing or identifying proteins immobilized on a filter by complementary reaction with specific antibodies. (NCI)	Immunoblot Analysis
C111235	IMMUNOCHEMILUMINOMETRIC ASSAY	Chemiluminescence Immunoassay;ICMA	An immunoassay in which the antigen-antibody complex is quantified using light emission, which is generated from a chemical reaction.	Immunochemiluminometric Assay
C54536	IMMUNOFIXATION ELECTROPHORESIS	IFE	An enhancement of immunoelectrophoresis in which a series of post-electrophoretic gel slabs are layered with cellulose-acetate gels saturated with specific antibodies. The resulting antigen-antibody complexes fixed on the second gel may then be stained, allowing sensitive and specific qualitative visual identification of proteins by electrophoretic position.	Immunofixation
C142337	IMMUNOFLUORESCENT STAIN		A microscopy staining method that utilizes immunofluorescent markers for use with histological applications of preserved cells.	Immunofluorescent Staining Method
C142338	IMMUNOMAGNETIC FLUORESCENCE MICROSCOPY		An imaging technique in which fluorescently labeled cells are immunomagnetically selected and imaged by fluorescent microscopy.	Immunomagnetic Fluorescence Microscopy
C16724	IMMUNOPRECIPITATION		Antigen aggregation with antibody, in the right ratios, to cause precipitation. (NCI)	Immunoprecipitation
C111236	IMMUNORADIOMETRIC ASSAY	IRMA	An antibody-excess, non-competition radioimmunoassay in which ligand is sandwiched between an immobilized antibody on a solid phase and a radiolabeled antibody raised against a different epitope of the ligand.	Immunoradiometric Assay

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106536	IMMUNOTURBIDIMETRY		A method that measures the absorbance of light from a sample which is used for quantifying an amount of analyte based on the level of turbidity produced by the formation and precipitation of an immune complex containing the analyte. (NCI)	Immunoturbidimetry
C122166	IMPULSE OSCILLOMETRY	IOS	A non-invasive method to measure pulmonary resistance and reactance, and the impedance of the respiratory system, using small pressure oscillation of a regular square wave of pressure 5 times per second.	Impulse Oscillometry
C17562	IN SITU HYBRIDIZATION		Use of a DNA or RNA probe to detect the presence of complementary sequences in chromosomes, cells, or tissues. (NCI)	In Situ Hybridization
C122039	INCISION-INDUCED BLEEDING METHOD		A method for assessing bleeding time in which a controlled incision is made in the dermis and the time to bleeding cessation is measured.	Incision-induced Bleeding Method
C85642	INDIA INK STAIN		A microscopy staining method that utilizes India Ink, a water soluble carbon-based black ink, to determine the presence of microorganisms that are surrounded by a gelatinous capsule. This is a negative staining method in which background is stained in black and the microbes and microscopic structures of interest remain white.	India Ink Staining Method
C85643	INFRARED SPECTROMETRY		A spectrometric method that determines the type and concentration of elements or chemicals in a sample, based upon the principle that the atoms in a sample will vibrate or rotate at a specific frequency when exposed to infrared light.	Infrared Spectrometry
C124352	INTERRUPTER TECHNIQUE	RINT	A non-invasive method of measuring airway resistance during which the subject breathes normally while airflow is interrupted at a predetermined rate and volume during the early exhalation phase.	Interrupter Technique
C99535	INTRAVASCULAR ULTRASOUND	IVUS	An invasive procedure in which sound waves (called ultrasound) are bounced off of vascular tissues from within the vessel and the echoes produce a picture (sonogram).	Intravascular Ultrasound
C85649	IODINE STAIN		A microscopy staining method that utilizes Iodine, an element belonging to the halogen group, which specifically stains polysaccharides such as cellulose, chitin, glycogen, and starch a blue color.	Iodine Staining Method
C85650	IRON HEMATOXYLIN STAIN		A microscopy staining method that utilizes a mixture of iron and hematoxylin to visualize intracellular structures in a microscopic sample. In this dye system, iron acts as a mordant to hematoxylin rendering it insoluble, thereby allowing irreversible blue-black colored dyeing to the cell nucleus.	Iron Hematoxylin Staining Method
C123466	ISHIHARA COLOR PLATES		A diagrammatic method to test color blindness or deficiencies, which uses a circular form composed of multiple size circles in varying colors. A number or symbol is present in the middle and is composed of similar sized circles, which are a different color from those of the outer circular form.	Ishihara Color Plates
C122167	IVY INCISION METHOD		A method for assessing bleeding time in which a controlled incision is made on the underside of the arm and blood is drawn off of the incision site with blotting paper every 30 seconds until bleeding stops.	Ivy Incision Method
C130175	JAEGER EYE CHART		A diagrammatic method to test visual acuity that uses paragraphs of text in differing font sizes to assess near vision.	Jaeger Eye Chart
C120694	JAFFE REACTION		A colorimetric method used to measure creatinine, in which color change is directly related to the amount of creatinine in an alkaline solution containing picric acid.	Jaffe Reaction
C16768	KARYOTYPING		The preparation, analysis, and interpretation of a karyotype, the representation of the chromosome set of a cell sample.	Karyotyping
C142339	KINETIC CHROMOGENIC ASSAY		A bioassay in which a biological specimen is incubated with a kinetic substrate, followed by optical assessment of color change.	Kinetic Chromogenic Assay

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111240	KINETIC MICROPARTICLE IMMUNOASSAY		A type of immunoassay in which the antigen of interest found in a biological specimen competes with a lattice of antigen-antibody complexes. Competing antigen inhibits lattice formation and decreases absorbance in proportion to the amount of antigen present in a biological specimen. (NCI)	Kinetic Microparticle Immunoassay
C85651	KINYOUN STAIN		A microscopy acid fast staining method that utilizes kinyoun carbol fuchsin, a dye containing basic fuchsin in solution with ethyl alcohol and aqueous phenol. This acid fast staining technique does not require heating during the primary staining step involving the carbol fuchsin.	Kinyoun Staining Method
C142340	LANDOLT RING		A diagrammatic method to test visual acuity in which a symbol, in the shape of the letter C, is presented to the patient who must identify on which side of the symbol the gap is present. Both the size of the gap and the size of the symbol are reduced until the subject makes a predetermined rate of errors, thus ending the test. (NCI)	Landolt Ring
C16969	LAPAROSCOPY		A technique used to examine the abdominopelvic region with a laparoscope.	Laparoscopy
C19263	LASER CAPTURE MICRODISSECTION	LCM;LMD;Laser Microdissection	A technique used for the highly specific and selective capture and isolation of a cell population from a heterogeneous tissue section, cytological preparation, or live cell culture. This technique uses direct visualization of the cells via microscopy as well as a laser energy source for cutting and extraction of the cells.	Laser Capture Microdissection
C122169	LC-FL		An analytical technique where liquid chromatography with a fluorescence detector is used to separate, identify, and quantify substances in a sample.	Liquid Chromatography-Fluorescence
C18475	LC/MS	Liquid Chromatography/Mass Spectrometry	An analytical technique wherein liquid chromatography is coupled to mass spectrometry in order to separate, identify, and quantify substances in a sample.	Liquid Chromatography Mass Spectrometry
C122168	LC/MS/MS		An analytical technique where liquid chromatography is coupled to tandem mass spectrometry in order to separate, identify, and quantify substances in a sample.	Liquid Chromatography/Tandem Mass Spectrometry
C92301	LEAD CITRATE STAIN		A microscopy staining method that utilizes lead citrate, a mixture of lead nitrate and sodium citrate, and has applications for electron microscopy staining.	Lead Citrate Staining Method
C17995	LIGHT MICROSCOPY		Light microscopy is a technique for producing visible images of structures or details which are too small to be otherwise seen by the human eye. It involves passing light transmitted through or reflected from the subject through a series of lenses to be detected directly by the eye, imaged on a photographic plate, or captured digitally.	Light Microscopy
C20059	LIGHT SCATTERING SPECTROSCOPY	LISSP	A type of spectroscopy that measures power spectral density of surface morphology by exploiting the tendency of light to disperse into a range of directions as a result of physical interaction.	Light-Scattering Spectroscopy
C102656	LINE PROBE ASSAY	LPA;LiPA	A microbial identification technique in which polymerase chain reaction is used to amplify specific nucleic acid sequences in a biospecimen. The product of this reaction is then applied to a nitrocellulose test strip containing complementary DNA probes.	Line Probe Assay
C122170	LIQUID SCINTILLATION COUNTING		A method for measuring the amount of ionizing radiation in a liquid substance. Samples are mixed with a mixture of solvent, surfactant and scintillators that can convert beta particles into light energy, which can be measured.	Liquid Scintillation Counting
C102661	LOOP-MEDIATED ISOTHERMAL AMPLIFICATION	LAMP	A type of nucleic acid amplification test in which sample DNA is exposed to a single temperature in the presence of multiple sets of primers and a polymerase with replication and high strand displacement activity. This test negates the need for thermal cyclers and may be a low cost alternative to PCR.	Loop-mediated Isothermal Amplification

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92300	LUXOL FAST BLUE AND CRESYL VIOLET STAIN		A microscopy staining method that utilizes luxol fast blue, an alcohol soluble copper phthalocyanine dye, and cresyl violet, an organic compound that is commonly used as a counter stain, to determine the presence of myelin as well as helicobacter and campylobacter bacterial species.	Luxol Fast Blue and Cresyl Violet Staining Method
C85697	MACRO BROTH DILUTION		A method to determine the minimum inhibitory concentration (MIC) of antibiotics in which growth media is pipetted into a test tube. Each tube contains a known concentration of drug and is inoculated with a known quantity of bacteria. The tubes are incubated for a specified period of time and each is assessed for bacterial cell growth. The drug concentration in the first tube showing no growth is known as the MIC for that antibiotic.	Macro Broth Dilution Method
C19338	MAGNETIC RESONANCE ELASTOGRAPHY	MRE	An imaging technique that combines MRI with ultrasound to assess the mechanical properties of tissues. An MRI machine captures a cross sectional image of the sound waves, produced by ultrasound techniques, which are then processed by computer to produce an image showing the hardness or elasticity of tissues within the cross section.	Magnetic Resonance Elastography
C48040	MALDI	Matrix-Assisted Laser Desorption Ionization Mass Spectrometry	A mass spectrometric technique that is used for the analysis of large biomolecules. Analyte molecules are embedded in an excess matrix of small organic molecules that show a high resonant absorption at the laser wavelength used. The matrix absorbs the laser energy, thus inducing a soft disintegration of the sample- matrix mixture into free (gas phase) matrix and analyte molecules and molecular ions. In general, only molecular ions of the analyte molecules are produced and almost no fragmentation occurs. This makes the method well suited for molecular weight determinations and mixture analysis. (CHI)	Matrix-Assisted Laser Desorption Ionization Mass Spectrometry
C19935	MALDI-TOF	Matrix-Assisted Laser Desorption/Ionization-Time of Flight Mass Spectrometry	In MALDI-TOF, a laser pulse is fired into a protein or peptide sample contained in a light-absorbing matrix. A small explosion vaporizes and ionizes the sample. In the presence of a high electric field, peptide ions are accelerated down an evacuated flight tube. Because large particles travel more slowly than small ones, the masses of the ionized particles are determined by measuring their arrival time at the end of the tube.	Matrix-Assisted Laser Desorption/Ionization-Time of Flight Mass Spectrometry
C16818	MAMMOGRAPHY		A type of radiography used specifically to examine breast tissue. The procedure utilizes a low-dose of x-rays or radiation to generate an image.	Mammography
C111245	MANUAL CLOT DETECTION		A clot detection method that uses a manual means (visual discernment) to detect the presence and/or quantify the formation of a thrombus in a specimen. (NCI)	Manual Clot Detection
C116159	MAPH	Multiplex Amplifiable Probe Hybridization	A screening method used to determine changes in complex genomes. This method uses unique short probes which are quantitatively recovered and amplified after hybridization to genomic DNA.	Multiplex Amplifiable Probe Hybridization
C17156	MASS SPECTROMETRY	MassSpec	An analytical technique wherein ions are separated according to their ratio of charge to mass. From the mass spectrum produced, the atomic weight of the particle can be deduced.	Mass Spectrometry
C111249	MECHANICAL CLOT DETECTION		A clot detection method that uses a mechanical means (electromagnetic mechanical or electromechanical) to detect the presence of or quantify the formation of a thrombus in a specimen. (NCI)	Mechanical Clot Detection
C16829	MEDIASTINOSCOPY		A technique used to examine the thorax with a mediastinoscope.	Mediastinoscopy
C85701	MICRO BROTH DILUTION		A method to determine the minimum inhibitory concentration (MIC) of antibiotics in which growth media is pipetted into a multi-well plate. Each well contains a known concentration of drug which is inoculated with a known quantity of bacteria. The plate is incubated for a specified period of time and each well is assessed for bacterial cell growth. The drug concentration in the first well showing no growth is known as the MIC for that antibiotic.	Micro Broth Dilution Method

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142341	MICRO-LATEX PARTICLE-MEDIATED IMMUNOASSAY		An immunoassay that involves coating microbeads of latex with antigens or antibodies, mixing them with a fluid specimen, and then observing for any agglutination.	Micro-Latex Particle-Mediated Immunoassay
C44282	MICROARRAY		A piece of glass or plastic on which different samples have been affixed at separate locations in an ordered manner thus forming a microscopic array. The samples are usually DNA fragments but may also be antibodies, other proteins, or tissues.	Microarray
C51955	MICROBIAL BIOCHEMICAL IDENTIFICATION		Any of a number of biochemical tests performed to identify the genus and/or species of a microorganism. These may include the assessment of gram reaction or metabolic characteristics.	Bacterial Typing Procedure
C85702	MICROBIAL CONCENTRATION		Any technique in which a sample is condensed in order to afford greater sensitivity for the detection of microorganisms.	Microbial Concentration Method
C25300	MICROBIAL CULTURE	Culture Procedure	Any method for growing microorganisms.	Microbial Culture Procedure
C102668	MICROBIAL CULTURE, LIQUID		A method for growing microorganisms in liquid culture media.	Microbial Liquid Culture
C102669	MICROBIAL CULTURE, SOLID		A method for growing microorganisms in solid culture media.	Microbial Solid Culture
C120695	MICRONEUTRALIZATION ASSAY		An in vitro assay that is used to determine whether antibodies that can block viral infection are present in a biological specimen.	Microneutralization Assay
C111252	MICROPARTICLE ENZYME IMMUNOASSAY	MEIA	An enzyme immunoassay that uses antigen-coated microparticles as a substrate for antibody binding.	Microparticle Enzyme Immunoassay
C16853	MICROSCOPY		The application of microscope magnification to the study of materials that cannot be properly seen by the unaided eye. (NCI)	Microscopy
C85736	MODIFIED ACID FAST STAIN		A microscopy staining method, that does not utilize heat in the slide preparation, used to examine a specimen for the presence of acid-fast microorganisms, specifically nocardia.	Modified Acid Fast Staining Method
C16809	MRI	Magnetic Resonance Imaging	Imaging that uses radiofrequency waves and a strong magnetic field rather than x-rays to provide amazingly clear and detailed pictures of internal organs and tissues. The technique is valuable for the diagnosis of many pathologic conditions, including cancer, heart and vascular disease, stroke, and joint and musculoskeletal disorders.	Magnetic Resonance Imaging
C114184	MRI WITHOUT CONTRAST		A technique that uses radiofrequency waves and a magnet to image the body, in which the images are not enhanced by the addition of contrast agents.	MRI Without Contrast
C29934	MRS	Magnetic Resonance Spectroscopy	Magnetic resonance spectroscopy is a noninvasive imaging technique that operates by exciting and recording signals from a range of magnetic resonance frequencies, allowing the identification and quantification of several biologically significant molecules containing proton groups that resonate in the appropriate frequency range. The technique facilitates observation of the spatial distribution of metabolic patterns over a region of interest and surrounding tissue at a high spatial resolution. (NCI)	Magnetic Resonance Spectroscopic Imaging
C38073	MUGA	Radionuclide Ventriculogram Scan	A multi-gated acquisition (MUGA) scan and a form of radionuclide imaging that provides a comprehensive look at blood flow and the function of the lower chambers of the heart ventricles. (NCI)	Radionuclide Ventriculogram Scan
C106545	MULTI-SLICE SPIRAL CT		A type of spiral computed tomography that employs multiple rows of detectors, each capable of producing a simultaneous image (slice). (NCI)	Multi-slice Spiral Computed Tomography
C130176	MULTIPLE BREATH WASHOUT		A test of lung function in which changes in exhaled tracer gas concentration is analyzed for a specified number of tidal expirations, a defined period of time, or a defined index of expired gas volume.	Multiple Breath Washout

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C116160	MULTIPLE-COMPLETE-DIGEST RESTRICTION FRAGMENT MAPPING	Multiple Complete Digestion	A DNA mapping technique based on complete restriction enzyme digestion of a set of overlapping clones that provides highly redundant coverage of the mapping target.	Multiple Complete Digest Restriction Fragment Mapping
C116161	MULTIPLEX LIGATION-DEPENDENT PROBE AMPLIFICATION	MLPA	A type of high-throughput, multiplex PCR method that uses a single pair of PCR primers to amplify multiple targets and to determine changes in complex genomes.	Multiplex Ligation-dependent Probe Amplification
C135455	MULTIPLEXED BEAD BASED IMMUNOASSAY		A type of solid-phase immunoassay that uses distinctly colored microbeads coated with one or more reagents, which may be antigens, antibodies, oligonucleotides, enzyme substrates, or receptors, for the simultaneous detection and measurement of one or many analytes within a single sample.	Multiplexed Bead Based Immunoassay
C147468	MULTIPLEXED OPSONOPHAGOCYTIC KILLING ASSAY	MOPA	An assay technique that measures the opsonophagocytic killing activity of antibodies against multiple serotypes in a single serum assay.	Multiplexed Opsonophagocytic Killing Assay
C111281	NEPHELOMETRY		A method to quantify the concentration of particulate matter suspended in a liquid or gas using a nephelometer.	Nephelometry
C120696	NEURAMINIDASE INHIBITION ASSAY		A type of enzyme-based assay that assesses neuraminidase activity in the presence of an enzyme inhibitor.	Neuraminidase Inhibition Assay
C101293	NEXT GENERATION SEQUENCING	Massively Parallel Sequencing	Technologies that facilitate the rapid determination of the DNA sequence of large numbers of strands or segments of DNA, using spatially separated, clonally amplified DNA templates or molecules in a flow cell.	Next Generation Sequencing
C130177	NEXT GENERATION TARGETED SEQUENCING		A type of next generation sequencing in which specific genes or portions of genes are targeted for sequencing using amplicon-based workflow.	Next Generation Targeted Sequencing
C120697	NON-CONTACT SPECULAR MICROSCOPY		A type of specular microscopy in which the specular microscope does not make contact with the cornea of the eye.	Non-Contact Specular Microscopy
C16810	NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY		A type of spectroscopy that detects and measures the resonant spectra of molecular species in a tissue or sample.	Magnetic Resonance Spectroscopy
C127514	NUCLEAR RADIOLOGY		Any type of imaging method that uses radioactive materials.	Nuclear Radiology Imaging Procedure
C20055	NUCLEIC ACID AMPLIFICATION TEST	NAAT	Any of a number of molecular biological techniques that are used to copy nucleic acid sequences within a specimen, leading to an increase in the number of copies of that sequence of interest. These techniques may be used for detection of a particular gene or microorganism of interest.	Nucleic Acid Amplification Test
C16924	NUCLEIC ACID HYBRIDIZATION		A method in which single stranded nucleic acids are allowed to interact so that complexes, or hybrids, are formed by molecules with sufficiently similar, complementary sequences. By this means the degree of sequence identity can be assessed and specific sequences detected. (From Biology-online)	Nucleic Acid Hybridization
C18881	NUCLEIC ACID SEQUENCING		The process of determining the sequence of purines and pyrimidines in nucleic acids and polynucleotides.	Nucleic Acid Sequencing
C25598	OBSERVATION		Watching something and taking note of what happens.	Observation
C116156	OLIGO ACGH	Oligonucleotide Array-based CGH;Oligonucleotide Array-based Comparative Genomic Hybridization	A molecular cytogenetic method combining chromosomal comparative genomic hybridization technique and microarray to detect chromosomal aberrations and changes in DNA copy numbers in the genome, using oligonucleotides as targets for hybridization.	Oligonucleotide Array-based Comparative Genomic Hybridization
C120698	OPHTHALMOSCOPY	Fundoscopy	A technique used to examine the fundus and other anatomical structures of the eye with a magnifying instrument.	Ophthalmoscopy



<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C20828	OPTICAL COHERENCE TOMOGRAPHY		Optical Coherence Tomography (OCT) combines the principles of ultrasound with the imaging performance of a microscope. OCT uses infrared light waves that reflect off the internal microstructure within the biological tissues. The frequencies and bandwidths of infrared light are orders of magnitude higher than medical ultrasound signals, resulting in greatly increased image resolution, 8-25 times greater than any existing modality. In addition to providing high-level resolutions for the evaluation of microanatomic structures OCT is also able to provide information regarding tissue composition. (NCI)	Optical Coherence Tomography
C85776	OPTICAL DENSITY MEASUREMENT		A quantification of the amount of light that is absorbed by or transmitted through a substance.	Optical Density Measurement
C116162	OPTICAL MAPPING	Optical Map	A technique used for constructing the ordered and high-resolution genome or chromosome sized restriction enzyme map of an organism from a single, stained DNA molecule, digested by the restriction enzyme and imaged by an optical microscope.	Optical Mapping
C16950	PALPATION		A method of feeling with the hands during a physical examination. The health care provider touches and feels the patient's body to examine the size, consistency, texture, location and tenderness of an organ or body part.	Palpation
C94528	PANENDOSCOPY		An endoscopic examination of the pharynx, larynx, trachea and esophagus.	Panendoscopy
C128984	PAP STAIN	Papanicolaou Stain	A microscopy staining method that utilizes a mixture of dyes including hematoxylin, orange G (OG), and eosin azure, which contains variable portions of Eosin Y, light green SF yellowish, and Bismarck brown Y. This multichromatic staining method is used to differentially stain samples containing mixed cell populations.	Papanicolaou Staining Method
C125952	PARTICLE-ENHANCED NEPHELOMETRIC IMMUNOASSAY	PENIA	A method to quantify the concentration of immunoaggregates suspended in a liquid or gas using a nephelometer. The immunoaggregates are target antigens agglutinated to antigen-specific antibody-coated polystyrene latex-enhanced particles.	Particle-Enhanced Nephelometric Immunoassay
C125953	PARTICLE-ENHANCED TURBIDIMETRIC IMMUNOASSAY	PETIA	A method to quantify the opaqueness of a liquid using a turbidimeter, by measuring the decrease in light intensity due to the scattering effect of suspended immunoaggregates in a liquid sample. The immunoaggregates are target antigens agglutinated to antigen-specific antibody-coated polystyrene latex-enhanced particles.	Particle-Enhanced Turbidimetric Immunoassay
C125006	PATHOLOGICAL EVALUATION		An appraisal by a pathologist that is based on microscopic and macroscopic structural and functional changes that result from disease processes.	Pathologic Examination
C122171	PEAK FLOWMETRY		A method for measuring the flow of air through the bronchi upon expiration.	Peak Flowmetry
C117878	PELLI-ROBSON EYE CHART		A diagrammatic method to test visual acuity and contrast sensitivity, which uses large letters (at a 20/60 acuity) that decrease in contrast from right to left and top to bottom.	Pelli-Robson Contrast Sensitivity Eye Chart
C62298	PERCUSSION		A diagnostic test performed on a tooth by tapping on the crown with a dental instrument.	Dental Percussion
C23019	PERIODIC ACID SCHIFF STAIN		A microscopy staining method that utilizes Schiff's reagent, a solution composed of pararosanilin treated with sulfurous acid, which selectively reacts with and stains aldehydes pink to determine the presence of glycogen, mucin, mucoprotein, glycoprotein, as well as fungi. Periodic Acid Schiff staining is useful for outlining tissue structures such as basement membranes, capsules and blood vessels.	Periodic Acid Schiff Staining Method
C117879	PERIPHERAL ANGIOGRAPHY		A procedure in which the catheter is passed into a peripheral vessel (usually in the groin) for the purpose of angiography of the abdomen, hands, arms, feet and legs.	Peripheral Angiography

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C17007	PET SCAN		An imaging technique for measuring the gamma radiation produced by collisions of electrons and positrons (anti-electrons) within living tissue. In positron emission tomography (PET), a subject is given a dose of a positron-emitting radionuclide attached to a metabolically active substance. A scanner reveals the tissue location of the metabolically-active substance administered.	Positron Emission Tomography
C103512	PET/CT SCAN		An imaging technique that utilizes positron emission tomography and computed tomography in a single machine.	Positron Emission Tomography and Computed Tomography Scan
C142342	PET/CT SCAN WITHOUT CONTRAST		An imaging technique that utilizes positron emission tomography and computed tomography in a single machine, in which the images are not enhanced by the addition of contrast agents into the body.	PET-CT Scan Without Contrast
C103514	PET/MRI SCAN		An imaging technique that utilizes positron emission tomography and magnetic resonance imaging in a single machine.	Positron Emission Tomography and Magnetic Resonance Imaging
C111297	PET/SPECT SCAN		An imaging technique that utilizes positron emission tomography and single-photon emission computed tomography in a single machine.	Positron Emission Tomography and Single Photon Emission Computed Tomography Scan
C122172	PH METER		An electronic device used to measure the alkalinity or acidity of a liquid or semi-solid substance.	pH Meter
C16857	PHASE CONTRAST MICROSCOPY		A microscopic technique in which the amplitude shift that occurs when light passes through a specimen highlights structures or details within the specimen.	Phase-Contrast Microscopy
C135456	PHASE-CONTRAST MRI	PCMR	A type of MRI in which a phase shift between flowing tissue and static tissue is generated in order to determine the quantity and velocity of body fluid.	Phase-Contrast Magnetic Resonance Imaging
C130178	PHENOTYPIC MULTIPLE ANTIGEN BEAD-BASED MULTIPLEX ASSAY		A type of solid-phase multiplex assay that uses microbeads coated with recombinant or purified antigens that will identify multiple antibodies.	Phenotypic Multiple Antigen Bead-based Multiplex Assay
C120699	PHOROPTER		An instrument composed of multiple lenses that refract the light going into the subject's eye, allowing the examiner to determine the refractive error of the eye.	Phoropter
C94527	PHOTOGRAPHY		The process by which an image is acquired by recording light emissions.	Photography
C111291	PHOTOMETRIC CLOT DETECTION		A clot detection method that uses a photometric means (measuring the absorbancy of monochromatic light) to detect the presence and/or quantify the formation of a thrombus in a specimen. (NCI)	Photometric Clot Detection
C65109	PHOTOMETRY		Measurement of the properties of light, especially luminous intensity. (NCI)	Photometry
C20989	PHYSICAL EXAMINATION	Physical Exam	A systemic evaluation of the body and its functions using visual inspection, palpation, percussion and auscultation. The purpose is to determine the presence or absence of physical signs of disease or abnormality for an individual's health assessment.	Physical Examination
C122173	PLETHYSMOGRAPHY	Body Box	A method used to measure changes in volume, pressure and resistance within an organ or whole body by means of a plethysmograph.	Plethysmography
C17003	POLYMERASE CHAIN REACTION	PCR	A method for amplifying a DNA base sequence using multiple rounds of heat denaturation of the DNA and annealing of oligonucleotide primers complementary to flanking regions in the presence of a heat-stable polymerase. This results in duplication of the targeted DNA region. Newly synthesized DNA strands can subsequently serve as additional templates for the same primer sequences, so that successive rounds of primer annealing, strand elongation, and dissociation produce rapid and highly specific amplification of the desired sequence. PCR also can be used to detect the existence of the defined sequence in a DNA sample.	Polymerase Chain Reaction

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114185	POLYSOMNOGRAPHY	PSG	A group of tests taken during sleep to capture and record brain wave changes, eye movements, breathing rate, blood pressure, heart rate, and the electrical activity of the heart and other muscles.	Polysomnography
C135457	POPULATION SEQUENCING		A process by which the individual genomes of most or all of an entire population of a species undergoes a large-scale comparison of the DNA sequences within that population, using probabilistic matching tools.	Population Sequencing
C142343	POTENTIOMETRY		An electroanalytical technique in which the electrical potential of a solution is measured to determine the composition of the sample, by comparing the constant potential of the reference electrode with the actual potential of the indicator electrode.	Potentiometry
C38085	PULSE OXIMETRY		A non-invasive method that provides estimates of arterial hemoglobin oxygen saturation by utilizing selected wavelengths of light.	Pulse Oximetry
C120700	PUPILLOMETRY		A technique used to measure the diameter of a single pupil in response to stimuli.	Monocular Pupillometry
C99481	PYROSEQUENCING		A DNA sequencing technique that is based on the detection of released pyrophosphate during DNA synthesis.	Pyrosequencing
C120701	QUANTITATIVE CORONARY ANGIOGRAPHY		A type of angiographic procedure that allows for direct quantitative assessment of the native coronary arteries or bypass grafts supplying native coronary arteries.	Quantitative Coronary Angiography
C120702	QUANTITATIVE PERIPHERAL ANGIOGRAPHY		A type of angiographic procedure that allows for direct quantitative assessment of the vessels of the hands, arms, feet and legs.	Quantitative Peripheral Angiography
C28408	QUANTITATIVE REVERSE TRANSCRIPTASE POLYMERASE CHAIN REACTION	qRT-PCR	A modified polymerase chain reaction (PCR) technique in which RNA sequences are reverse transcribed into complementary DNA (cDNA) transcripts by the enzyme reverse transcriptase. The cDNA is then amplified by a PCR reaction and quantified by comparing to a standard, using fluorescent probes.	Quantitative Reverse Transcriptase PCR
C119296	RADIAL IMMUNODIFFUSION		A quantitative technique used to detect and estimate the concentration of an antigen by measuring the diameter of the ring of precipitation (precipitin ring) which is formed as a result of the interaction of the antigen and an antibody at optimal concentration. (NCI)	Radial Immunodiffusion
C128940	RADIOGRAPHY	Radiographic Exam	A radiographic procedure using the emission of penetrating energy waves to form an image of the structure.	Radiographic Examination
C135458	RAJI CELL EIA	Raji Cell Enzyme Immunoassay	A type of complement receptor-dependent immune complex assay that uses Raji cells washed with anti-IgA, anti-IgG, anti-IgM, and anti-Ig (A+G+M) conjugated with an enzyme to detect the presence of circulating immune complexes in biologic fluids. (NCI)	Raji Cell Enzyme Immunoassay
C135459	RAJI CELL RIA	Raji Cell Radioimmunoassay	A type of complement receptor-dependent immune complex assay that uses radiolabeled anti-IgA, anti-IgG, or anti-IgM Raji cells to detect the presence of soluble immune complexes in biologic fluids. (NCI)	Raji Cell Radioimmunoassay
C51962	REAL-TIME POLYMERASE CHAIN REACTION ASSAY	Quantitative PCR;Real Time-PCR;qPCR	A modified polymerase chain reaction (PCR) technique in which DNA amplification is detected and quantified as the PCR reaction progresses, through the use of fluorescent DNA probes in the reaction mixture.	Real Time PCR
C120703	REBOUND TONOMETRY		A method in which a probe is bounced off of the surface of the cornea, creating an induction current that is used to calculate intraocular pressure.	Rebound Tonometry
C19340	REFLECTANCE SPECTROSCOPY		The spectroscopic analysis of light reflected from a polished sample.	Reflectance or Transmission Spectroscopy
C111304	REFRACTOMETRY		A method to measure the refractive index (propensity for light to bend) of a sample. (NCI)	Refractometry
C40211	REPRESENTATIONAL OLIGONUCLEOTIDE MICROARRAY ANALYSIS	ROMA	A genomic microarray-based method that analyzes two restriction enzyme digested full genomes to identify regions in the genome that have undergone large scale variation.	Representational Oligonucleotide Microarray Analysis

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C18136	REVERSE TRANSCRIPTASE PCR	RT-PCR;Reverse Transcription Polymerase Chain Reaction	A molecular biology technique used to recreate and amplify complimentary DNA (cDNA) from total RNA or messenger RNA (mRNA).	Reverse Transcriptase-Polymerase Chain Reaction
C17057	RIA	Radioimmunoassay	Radioimmunoassay (RIA) is an immunological technique, which quantitatively determines antigen and antibody concentrations, using a radioactively labeled substance (radioligand), either directly or indirectly.	Radioimmunoassay
C85801	RYAN BLUE STAIN		A microscopy staining method that utilizes a modified trichrome stain to determine the presence of microspordial, sporulating species. This staining technique substitutes aniline blue for the fast green counterstain of the original trichrome staining method and decreased levels of phosphotungstic acid in the reagent.	Ryan Blue Staining Method
C19641	SANGER SEQUENCING		A DNA sequencing technique in which a mixture of deoxynucleosidetriphosphates (dNTPs) and chain-terminating dNTPs (which are radioactively or fluorescently labeled) are combined within the reaction mixture. Once the polymerase chain reaction is complete the DNA strands are separated by size and the labeled chain terminating dNTPs can be read in sequence by the investigator or a machine.	Dideoxy Chain Termination DNA Sequencing
C16855	SCANNING ELECTRON MICROSCOPY		An electron microscopy imaging technique that is utilized to examine structural components of a sample by passing electrons through a specimen that has been coated with a heavy metal.	Scanning Electron Microscopy
C62667	SCINTIGRAPHY		An imaging technique that uses a small dose of a radioactive chemical (isotope) called a tracer that can detect sites of cancer growth, trauma, infection or degenerative disorders. The tracer, which is either injected into a vein or swallowed, travels through the bloodstream to the target organ, and emits gamma rays, which are detected by a gamma camera and analyzed by a computer to form an image of the target organ. (NCI)	Radionuclide Imaging
C130179	SEQUENCE SPECIFIC PRIMER POLYMERASE CHAIN REACTION	PCR-SSP	A modified polymerase chain reaction (PCR) technique in which primer pair(s) are used to select a highly specific nucleotide sequence of interest, which will be the only sequence amplified.	Allele Specific Primer Polymerase Chain Reaction
C130180	SEQUENCE-BASED TYPING POLYMERASE CHAIN REACTION	SBT	A method that uses PCR amplification of specific nucleotides to produce templates and primers that are used to provide the entirety of the nucleotide sequence of a specific DNA strand, allowing for reliable and thorough genotyping of the allele in question.	Sequence-based Typing
C130181	SEQUENCE-SPECIFIC OLIGONUCLEOTIDE PROBE POLYMERASE CHAIN REACTION	PCR-SSOP	A modified polymerase chain reaction (PCR) technique that uses distinct probes, specifically synthesized according to the polymorphic region of the gene of interest, to detect nucleotide differences during genotype testing.	Sequence-specific Oligonucleotide Probe Polymerase Chain Reaction
C116155	SEQUENCING		A process to identify and determine the primary structure of, and the order of constituents in a biopolymer. Used when a more specific sequencing methodology is not specified.	Biopolymer Sequencing
C130182	SINGLE ANTIGEN BEAD-BASED MULTIPLEX ASSAY		A type of solid-phase multiplex assay that uses microbeads coated with a recombinant or purified antigen that will identify a single antibody.	Single Antigen Bead-based Multiplex Assay
C106567	SINGLE-SLICE SPIRAL CT		A type of spiral computed tomography that employs only one detector and produces one image (slice). (NCI)	Single-slice Spiral Computed Tomography
C130183	SINGLE-STRAND CONFORMATION POLYMERASE CHAIN REACTION	PCR-SSCP	A modified polymerase chain reaction (PCR) technique followed by electrophoresis such that DNA molecular weights and three-dimensional structures are used to identify mutations.	Single-strand Conformation Polymerase Chain Reaction
C142344	SISH	Silver-Enhanced in Situ Hybridization	A type of in situ hybridization that uses a hybridization probe linked to an enzyme that elicits neutralization and deposition of silver onto the probe target site.	Silver-Enhanced in Situ Hybridization
C16433	SIZE EXCLUSION CHROMATOGRAPHY		Gel permeation or sieve chromatography that is performed on porous gels that separate solutes on the basis of size.	Gel Filtration Chromatography

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C75583	SLIT LAMP		Examination of the anterior segment of the eye using a medical instrument called a slit lamp.	Slit-lamp Examination
C117880	SLOAN LETTER EYE CHART 1.25%		A diagrammatic method to test visual acuity that uses the Sloan optotypes and a 1.25% contrast level.	Sloan Letter Eye Chart 1.25 Percent
C117881	SLOAN LETTER EYE CHART 2.5%		A diagrammatic method to test visual acuity that uses the Sloan optotypes and a 2.5% contrast level.	Sloan Letter Eye Chart 2.5 Percent
C65126	SMEAR		The action of spreading a thin layer of material across a surface.	Smear
C123467	SNELLEN EYE CHART		A diagrammatic method to test visual acuity, which uses a chart containing 11 lines of Sloan optotypes in varying sizes with the largest located at the top of the chart and decreasing in size toward the bottom of the chart.	Snellen Eye Chart
C116151	SNP ARRAY	Genotype Chip;SNP Genotyping;SNP Probe;Single Nucleotide Polymorphism Array	A genomic microarray-based method able to detect single nucleotide polymorphisms.	Single Nucleotide Polymorphism Array
C17203	SPECT SCAN		A type of tomography in which gamma photon-emitting radionuclides are administered to the patient and then detected by one or more gamma cameras rotated around the patient. From the series of two-dimensional images produced, a three-dimensional image can be created by computer reconstruction.	Single Photon Emission Computed Tomography
C116701	SPECTROPHOTOMETRY		A technique used to calculate the transmittance of light through a material.	Spectrophotometry
C120542	SPECULAR MICROSCOPY		A noninvasive photographic technique used to visualize and examine the corneal endothelium, in which a source of light is projected onto the cornea and the subsequent image reflected from the optical interface between the corneal endothelium and the aqueous humor is captured.	Specular Microscopy
C20645	SPIRAL CT	Spiral Computed Tomography	A method of examining body organs by scanning them with X rays and using a computer to construct a series of cross-sectional scans along a single axis.	Spiral CT
C85397	SPIROMETRY		A method used to measure the breathing capacity of the lung by means of a spirometer.	Spirometry
C80407	STRESS ECHOCARDIOGRAPHY		An echocardiographic technique in which an image of the heart is produced by ultrasonography under conditions (e.g., exercise, pharmacologic agents or pacing) intended to elicit signs and symptoms of myocardial ischemia.	Stress Echocardiography
C142345	TELLER ACUITY CARDS		A diagrammatic method to test visual acuity that uses a set of cards with parallel lines, used for those individuals who are unable to provide a verbal response to questions, including infants, toddlers, and other non verbal individuals.	Teller Acuity Cards
C122174	TEMPLATE INCISION METHOD		A method for assessing bleeding time in which two controlled incisions are made on the forearm using a template to guide placement of the scalpel or blade.	Template Incision Method
C50322	TEST STRIP		A piece of chemically treated medium designed to react in the presence of specific amounts of a trigger substance.	Test Strip Device
C85819	THICK SMEAR		A blood smear technique used to make a thick blood smear on a microscope slide which is generally used to look for blood parasites such as those causing malaria.	Thick Smear Technique
C85820	THIN SMEAR		A blood smear technique used to make a thin blood smear on a microscope slide which is generally used to look for blood parasites such as those causing malaria.	Thin Smear Technique
C92302	TOLUIDINE BLUE STAIN		A microscopy staining method that utilizes toluidine blue, a solution composed of tolonium chloride, to determine the presence of mast cells, lignin, proteoglycans and glycosaminoglycans.	Toluidine Blue Staining Method

C85492 METHOD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C120543	TONOMETRY		A method in which pressure is applied to the surface of the cornea in order to flatten a prespecified area of the membrane.	Tonometry
C15350	TOTAL BODY IRRADIATION		A therapeutic procedure that involves the irradiation of the whole body with ionizing or non-ionizing radiation. (NCI)	Total-Body Irradiation
C96640	TOTAL BODY RADIOGRAPHY		A diagnostic radiologic test that involves the examination of the entire body in a single procedure.	Total Body Radiography
C122175	TRANSCRIPTION-MEDIATED AMPLIFICATION		A technique used to selectively replicate nucleic acid sequences from RNA templates using reverse transcriptase and RNA polymerase.	Transcription-mediated Amplification
C80405	TRANSESOPHAGEAL ECHOCARDIOGRAPHY	TEE	A cardiac ultrasound performed by passing a specialized probe containing a transducer into the patient's esophagus.	Transesophageal Echocardiography
C18216	TRANSMISSION ELECTRON MICROSCOPY		An electron microscopy imaging technique that is utilized to examine structural components of a sample by passing electrons through the specimen.	Transmission Electron Microscopy
C80404	TRANSTHORACIC ECHOCARDIOGRAPHY	TTE	A non-invasive cardiac ultrasound performed by placing the transducer on the chest.	Transthoracic Echocardiography
C23012	TRICHROME STAIN		A microscopy staining method that utilizes two or more colored, acidic dyes of contrasting colors. Masson trichrome is a mixture of three dyes including aniline blue, Beibrich scarlet and Weigert's iron hematoxylin. Other related, modified trichrome staining methods include Lillie's trichrome, Gomori's trichrome and Mallory's trichrome.	Trichrome Staining Method
C130184	TRIPLE-PHASE MRI SCAN		A type of magnetic resonance imaging (MRI) in which images are taken during three distinct timing points (phases) following the injection of contrast material: arterial, venous, and delayed.	Triple Phase MRI
C19907	TRIPLE-PHASE SPIRAL CT SCAN		A type of computed tomography (CT) in which images are taken during three distinct timing points (phases) following the injection of contrast material: arterial, venous, and delayed.	Triple-Phase Spiral CT
C111328	TURBIDIMETRY		A method to quantify the opaqueness of a liquid using a turbidimeter, by measuring the decrease in light intensity due to the scattering effect of suspended particles in the liquid sample.	Turbidimetry
C116153	TWO-COLOR MICROARRAY	Dual-channel Microarray;Two-channel Expression Array;Two-channel Microarray;Two-color Microarray-based Gene Expression	A genomic microarray-based method using cDNA from two samples, labeled with two separate fluorophores/dyes at different emission wavelengths, and hybridized to a single microarray. The relative fluorescence intensity of each dye is being measured.	Two Color Microarray
C122176	U-HPLC/MS/MS		An analytical technique where ultra-high performance liquid chromatography is coupled to tandem mass spectrometry in order to separate, identify, and quantify substances in a sample.	Ultra High-performance Liquid Chromatography/Tandem Mass Spectrometry
C17230	ULTRASOUND		A technique in which high-frequency sound waves are bounced off internal organs and the echo pattern is converted into a 2 dimensional picture of the structures beneath the transducer.	Ultrasonography
C92303	URANYL ACETATE STAIN		A microscopy staining method that utilizes uranyl acetate, a water insoluble yellow crystalline solid, which is used as a negative stain in electron microscopy.	Uranyl Acetate Staining Method
C38100	VENTILATION PERFUSION LUNG SCAN		A nuclear imaging test that uses radiopharmaceuticals to produce an image of the blood flow to the lungs.	Ventilation Perfusion Scanning
C85828	WEBER GREEN STAIN		A microscopy staining method that utilizes a modified trichrome stain to determine the presence of microsporidial, sporulating species. The staining method utilizes chromotrope 2R, a red acidic dye, the counterstain fast green, and phosphotungstic acid.	Weber Green Staining Method

<b>C85492 METHOD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16357	WESTERN BLOT		A method for the detection or identification of proteins or peptides that have been separated by gel electrophoresis and transferred onto nitrocellulose or other type of paper or nylon membrane. The proteins are then detected by reaction with enzymatically labeled or radiolabeled antibody probes.	Western Blotting
C85829	WRIGHT STAIN		A microscopy staining method that utilizes the Romanowsky stains, eosin and methylene blue, solubilized in methanol. In this staining protocol, methanol is also utilized as a fixative agent prior to staining.	Wright Staining Method
C23041	WRIGHT-GIEMSA STAIN		A microscopy staining method that is a combination of the Wright and Giemsa staining protocols and utilizes the Romanowsky stains, which are mixtures of eosin and thiazine dyes such as methylene blue. It produces darker blue and magenta shades than the giemsa stain alone, which may provide better contrast in microscopy.	Wright-Giemsa Staining Method
C38101	X-RAY	Static X-Ray	A radiographic procedure using the emission of x-rays, a type of penetrating energy wave.	X-Ray Imaging
C85830	X-RAY FLUORESCENCE SPECTROMETRY		A spectrometric method that determines the type and concentration of elements or chemicals in a sample, based upon the principle that each element emits fluorescent light of a particular wavelength when exposed to an X-ray.	X-Ray Fluorescence Spectrometry
C85831	ZIEHL NEELSEN ACID FAST STAIN		A microscopy acid fast staining method that utilizes Ziehl-Neelsen carbol fuchsin, acid alcohol and methylene blue, to determine the presence of acid fast microorganisms. This acid fast staining technique requires heating during the primary staining step involving the carbol fuchsin.	Ziehl Neelsen Acid Fast Staining Method

## MFIS01TC (Modified Fatigue Impact Scale Questionnaire Test Code)

NCI Code: C113858, Codelist extensible: No

C113858 MFIS01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C113967	MFIS0101	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113968	MFIS0102	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113969	MFIS0103	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113970	MFIS0104	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113971	MFIS0105	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113972	MFIS0106	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113973	MFIS0107	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS0108	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113975	MFIS0109	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113976	MFIS0110	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort
C113977	MFIS0111	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113978	MFIS0112	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113979	MFIS0113	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113980	MFIS0114	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113981	MFIS0115	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113982	MFIS0116	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113983	MFIS0117	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113984	MFIS0118	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113985	MFIS0119	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113986	MFIS0120	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113987	MFIS0121	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer



**MFIS01TN (Modified Fatigue Impact Scale Questionnaire Test Name)**

NCI Code: C113857, Codelist extensible: No

<b>C113857 MFIS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113970	MFIS01-Been Clumsy and Uncoordinated	MFIS01-Been Clumsy and Uncoordinated	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been clumsy and uncoordinated.	MFIS - Have Been Clumsy and Uncoordinated
C113980	MFIS01-Been Physically Uncomfortable	MFIS01-Been Physically Uncomfortable	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been physically uncomfortable.	MFIS - Been Physically Uncomfortable
C113982	MFIS01-Difficulty Organizing My Thoughts	MFIS01-Difficulty Organizing My Thoughts	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty organizing my thoughts when doing things at home or at work.	MFIS - Difficulty Organizing My Thoughts
C113969	MFIS01-Have Been Unable to Think Clearly	MFIS01-Have Been Unable to Think Clearly	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been unable to think clearly.	MFIS - Unable to Think Clearly
C113977	MFIS01-Have Difficulty Making Decisions	MFIS01-Have Difficulty Making Decisions	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty making decisions.	MFIS - Have Difficulty Making Decisions
C113968	MFIS01-Have Difficulty Paying Attention	MFIS01-Have Difficulty Paying Attention	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had difficulty paying attention for long periods of time.	MFIS - Have Difficulty Paying Attention for Long Time
C113986	MFIS01-Have Limited My Physical Activity	MFIS01-Have Limited My Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have limited my physical activities.	MFIS - Have Limited My Physical Activities
C113971	MFIS01-I Have Been Forgetful	MFIS01-I Have Been Forgetful	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been forgetful.	MFIS - Have Been Forgetful
C113967	MFIS01-I Have Been Less Alert	MFIS01-I Have Been Less Alert	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less alert.	MFIS - Have Been Less Alert
C113985	MFIS01-I Have Had Trouble Concentrating	MFIS01-I Have Had Trouble Concentrating	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble concentrating.	MFIS - Have Trouble Concentrating
C113983	MFIS01-Less Able Complete Physical Tasks	MFIS01-Less Able Complete Physical Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less able to complete tasks that require physical effort.	MFIS - Less Able to Complete Tasks That Require Physical Effort
C113973	MFIS01-Less Motivated, Physical Effort	MFIS01-Less Motivated, Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires physical effort.	MFIS - Less Motivated to Do Anything That Requires Physical Effort
C113974	MFIS01-Less Motivated, Social Activity	MFIS01-Less Motivated, Social Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to participate in social activities.	MFIS - Less Motivated to Participate in Social Activities
C113978	MFIS01-Less Motivated, Thinking	MFIS01-Less Motivated, Thinking	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been less motivated to do anything that requires thinking.	MFIS - Less Motivated to Do Anything That Requires Thinking
C113975	MFIS01-Limited in Ability Away From Home	MFIS01-Limited in Ability Away From Home	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have been limited in my ability to do things away from home.	MFIS - Limited in My Abilities to Do Things Away From Home
C113979	MFIS01-My Muscles Have Felt Weak	MFIS01-My Muscles Have Felt Weak	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my muscles have felt weak.	MFIS - Muscles Have Felt Weak
C113984	MFIS01-My Thinking Has Been Slowed Down	MFIS01-My Thinking Has Been Slowed Down	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks my thinking has been slowed down.	MFIS - My Thinking Has Been Slowed Down
C113987	MFIS01-Need to Rest More Often or Longer	MFIS01-Need to Rest More Often or Longer	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have needed to rest more often or for longer periods.	MFIS - Need to Rest More Often or Longer
C113972	MFIS01-Pace Myself in Physical Activity	MFIS01-Pace Myself in Physical Activity	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had to pace myself in my physical activities.	MFIS - Pace Myself in Physical Activities
C113981	MFIS01-Trouble Finishing Thinking Tasks	MFIS01-Trouble Finishing Thinking Tasks	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble finishing tasks that require thinking.	MFIS - Have Trouble Finishing Tasks That Require Thinking
C113976	MFIS01-Trouble Maintain Physical Effort	MFIS01-Trouble Maintain Physical Effort	Modified Fatigue Impact Scale - Because of my fatigue during the past 4 weeks I have had trouble maintaining physical effort for long periods.	MFIS - Have Trouble Maintain Physical Effort

## MHEDTTYP (Medical History Event Date Type)

NCI Code: C124301, Codelist extensible: Yes

<b>C124301 MHEDTTYP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15220	DIAGNOSIS	Diagnostic	The investigation, analysis and recognition of the presence and nature of disease, condition, or injury from expressed signs and symptoms; also, the scientific determination of any kind; the concise results or summary of such an investigation. (NCI)	Diagnosis
C75539	EPISODE		A noteworthy happening that is distinctive in a series of related events.	Episode
C124138	EXACERBATION		An increase in frequency and/or worsening of a symptom, condition, or disease.	Exacerbation
C124353	SYMPTOM ONSET		The point at which the symptoms began or were first noted.	Symptom Onset

**MHIS01TC (Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Code)**

NCI Code: C112445, Codelist extensible: No

<b>C112445 MHIS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112618	MHIS0101	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112619	MHIS0102	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112813	MHIS0103	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112620	MHIS0104	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112621	MHIS0105	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112622	MHIS0106	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112623	MHIS0107	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112624	MHIS0108	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112625	MHIS0109	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

**MHIS01TN (Modified Hachinski Ischemic Scale-NACC Version Questionnaire Test Name)**

NCI Code: C112444, Codelist extensible: No

<b>C112444 MHIS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112813	MHIS01- Somatic Complaints	MHIS01- Somatic Complaints	Modified Hachinski Ischemic Scale-NACC Version - Somatic complaints.	MHIS-NACC - Somatic Complaints
C112618	MHIS01-Abrupt Onset	MHIS01-Abrupt Onset	Modified Hachinski Ischemic Scale-NACC Version - Abrupt onset (re: cognitive status).	MHIS-NACC - Abrupt Onset
C112620	MHIS01-Emotional Incontinence	MHIS01-Emotional Incontinence	Modified Hachinski Ischemic Scale-NACC Version - Emotional incontinence.	MHIS-NACC - Emotional Incontinence
C112624	MHIS01-Focal Neurological Signs	MHIS01-Focal Neurological Signs	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological signs.	MHIS-NACC - Focal Neurological Signs
C112623	MHIS01-Focal Neurological Symptoms	MHIS01-Focal Neurological Symptoms	Modified Hachinski Ischemic Scale-NACC Version - Focal neurological symptoms.	MHIS-NACC - Focal Neurological Symptoms
C112622	MHIS01-History of Stroke	MHIS01-History of Stroke	Modified Hachinski Ischemic Scale-NACC Version - History of stroke.	MHIS-NACC - History of Stroke
C112621	MHIS01-History or Presence Hypertension	MHIS01-History or Presence Hypertension	Modified Hachinski Ischemic Scale-NACC Version - History or presence of hypertension.	MHIS-NACC - History or Presence of Hypertension
C112619	MHIS01-Stepwise Deterioration	MHIS01-Stepwise Deterioration	Modified Hachinski Ischemic Scale-NACC Version - Stepwise deterioration (re: cognitive status).	MHIS-NACC - Stepwise Deterioration
C112625	MHIS01-Total Score	MHIS01-Total Score	Modified Hachinski Ischemic Scale-NACC Version - Sum all circled answers for a total score.	MHIS-NACC - Total Score

## MICROORG (Microorganism)

NCI Code: C85491, Codelist extensible: Yes

C85491 MICROORG				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C86077	ABIOTROPHIA		Any bacteria that is not assigned to the species level but can be assigned to the Abiotrophia genus level.	Abiotrophia
C86078	ABIOTROPHIA DEFECTIVA		Any bacterial organism that can be assigned to the species Abiotrophia defectiva.	Abiotrophia defectiva
C119580	ABSIDIA		Any fungal organism that is not assigned to the species level but can be assigned to the Absidia genus level.	Absidia
C118934	ACANTHAMOEBA		Any amoebic organism that is not assigned to the species level but can be assigned to the Acanthamoeba genus level.	Acanthamoeba
C119297	ACANTHAMOEBA ASTRONYXIS		Any amoebic organism that can be assigned to the species Acanthamoeba astronyxis.	Acanthamoeba astronyxis
C119298	ACANTHAMOEBA CASTELLANII		Any amoebic organism that can be assigned to the species Acanthamoeba castellanii.	Acanthamoeba castellanii
C119299	ACANTHAMOEBA CULBERTSONI		Any amoebic organism that can be assigned to the species Acanthamoeba culbertsoni.	Acanthamoeba culbertsoni
C119300	ACANTHAMOEBA GRIFFINI		Any amoebic organism that can be assigned to the species Acanthamoeba griffini.	Acanthamoeba griffini
C119301	ACANTHAMOEBA HATCHETTI		Any amoebic organism that can be assigned to the species Acanthamoeba hatchetti.	Acanthamoeba hatchetti
C119302	ACANTHAMOEBA LUGDUNENSIS		Any amoebic organism that can be assigned to the species Acanthamoeba lugdunensis.	Acanthamoeba lugdunensis
C119303	ACANTHAMOEBA PALESTINENSIS		Any amoebic organism that can be assigned to the species Acanthamoeba palestinensis.	Acanthamoeba palestinensis
C119304	ACANTHAMOEBA POLYPHAGA		Any amoebic organism that can be assigned to the species Acanthamoeba polyphaga.	Acanthamoeba polyphaga
C119305	ACANTHAMOEBA QUINA		Any amoebic organism that can be assigned to the species Acanthamoeba quina.	Acanthamoeba quina
C119306	ACANTHAMOEBA RHYSODES		Any amoebic organism that can be assigned to the species Acanthamoeba rhyodes.	Acanthamoeba rhyodes
C86079	ACHROMOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the Achromobacter genus level.	Achromobacter
C86080	ACHROMOBACTER DENITRIFICANS	Alcaligenes denitrificans	Any bacterial organism that can be assigned to the species Achromobacter denitrificans.	Achromobacter denitrificans
C86081	ACHROMOBACTER PIECHAUDII		Any bacterial organism that can be assigned to the species Achromobacter piechaudii.	Achromobacter piechaudii
C119307	ACHROMOBACTER RUHLANDII	Alcaligenes ruhlantii;Hydrogenomonas ruhlantii;Pseudomonas ruhlantii	Any bacterial organism that can be assigned to the species Achromobacter ruhlantii.	Achromobacter ruhlantii
C86082	ACHROMOBACTER XYLOSOXIDANS	Alcaligenes xylosoxidans	Any bacterial organism that can be assigned to the species Achromobacter xylosoxidans.	Achromobacter xylosoxidans
C86083	ACIDAMINOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Acidaminococcus genus level.	Acidaminococcus
C86084	ACIDAMINOCOCCUS FERMENTANS		Any bacterial organism that can be assigned to the species Acidaminococcus fermentans.	Acidaminococcus fermentans
C127680	ACIDAMINOCOCCUS INTESTINI		Any bacterial organism that can be assigned to the species Acidaminococcus intestini.	Acidaminococcus intestini
C86085	ACIDOVORAX		Any bacteria that is not assigned to the species level but can be assigned to the Acidovorax genus level.	Acidovorax
C86086	ACIDOVORAX DELAFIELDII		Any bacterial organism that can be assigned to the species Acidovorax delafieldii.	Acidovorax delafieldii

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86087	ACIDOVORAX FACILIS		Any bacterial organism that can be assigned to the species <i>Acidovorax facilis</i> .	<i>Acidovorax facilis</i>
C86088	ACIDOVORAX TEMPERANS		Any bacterial organism that can be assigned to the species <i>Acidovorax temperans</i> .	<i>Acidovorax temperans</i>
C76200	ACINETOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Acinetobacter</i> genus level.	<i>Acinetobacter</i>
C86089	ACINETOBACTER ANITRATUS	<i>Acinetobacter baumannii</i> ; <i>Acinetobacter calcoaceticus</i> subsp. <i>anitratu</i> s	Any bacterial organism that can be assigned to the species <i>Acinetobacter anitratu</i> s.	<i>Acinetobacter anitratu</i> s
C86090	ACINETOBACTER CALCOACETICUS		Any bacterial organism that can be assigned to the species <i>Acinetobacter calcoaceticu</i> s.	<i>Acinetobacter calcoaceticu</i> s
C86091	ACINETOBACTER CALCOACETICUS-BAUMANNII COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the <i>Acinetobacter calcoaceticu</i> s and <i>Acinetobacter baumannii</i> species.	<i>Acinetobacter calcoaceticu</i> s/ <i>baumannii</i> Complex
C86092	ACINETOBACTER HAEMOLYTICUS		Any bacterial organism that can be assigned to the species <i>Acinetobacter haemolyticu</i> s.	<i>Acinetobacter haemolyticu</i> s
C86093	ACINETOBACTER JOHNSONII		Any bacterial organism that can be assigned to the species <i>Acinetobacter johnsonii</i> .	<i>Acinetobacter johnsonii</i>
C86094	ACINETOBACTER JUNII		Any bacterial organism that can be assigned to the species <i>Acinetobacter junii</i> .	<i>Acinetobacter junii</i>
C86095	ACINETOBACTER LWOFFII	<i>Acinetobacter calcoaceticu</i> s subsp. <i>lwoffii</i>	Any bacterial organism that can be assigned to the species <i>Acinetobacter lwoffii</i> .	<i>Acinetobacter lwoffii</i>
C119308	ACINETOBACTER PARVUS	<i>Acinetobacter</i> sp. phenon 4	Any bacterial organism that can be assigned to the species <i>Acinetobacter parvu</i> s.	<i>Acinetobacter parvu</i> s
C86096	ACINETOBACTER RADIORESISTENS		Any bacterial organism that can be assigned to the species <i>Acinetobacter radioresistens</i> .	<i>Acinetobacter radioresistens</i>
C119309	ACINETOBACTER URSINGII	<i>Acinetobacter</i> sp. phenon 1	Any bacterial organism that can be assigned to the species <i>Acinetobacter ursingii</i> .	<i>Acinetobacter ursingii</i>
C118935	ACREMONIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Acremonium</i> genus level.	<i>Acremonium</i>
C119310	ACREMONIUM ATROGRISEUM	<i>Gliomastix atrogriseu</i> m; <i>Phaeoscopulariopsis atrogrisea</i>	Any fungal organism that can be assigned to the species <i>Acremonium atrogriseu</i> m.	<i>Acremonium atrogriseu</i> m
C86097	ACTINOBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Actinobacillus</i> genus level.	<i>Actinobacillus</i>
C86098	ACTINOBACILLUS ACTINOMYCETEMCOMITANS		Any bacterial organism that can be assigned to the species <i>Actinobacillus actinomycetemcomitans</i> .	<i>Actinobacillus actinomycetemcomitans</i>
C86099	ACTINOBACILLUS EQUULI		Any bacterial organism that can be assigned to the species <i>Actinobacillus equuli</i> .	<i>Actinobacillus equuli</i>
C86100	ACTINOBACILLUS LIGNIERESII		Any bacterial organism that can be assigned to the species <i>Actinobacillus ligniersii</i> .	<i>Actinobacillus ligniersii</i>
C86101	ACTINOBACILLUS PLEUROPNEUMONIAE	<i>Haemophilus pleuropneumoniae</i>	Any bacterial organism that can be assigned to the species <i>Actinobacillus pleuropneumoniae</i> .	<i>Actinobacillus pleuropneumoniae</i>
C86102	ACTINOBACILLUS SUIS		Any bacterial organism that can be assigned to the species <i>Actinobacillus suis</i> .	<i>Actinobacillus suis</i>
C86103	ACTINOBACILLUS URAEAE	<i>Pasteurella ureae</i>	Any bacterial organism that can be assigned to the species <i>Actinobacillus ureae</i> .	<i>Actinobacillus ureae</i>
C119311	ACTINOBACULUM SCHAALII		Any bacterial organism that can be assigned to the species <i>Actinobaculum schaalii</i> .	<i>Actinobaculum schaalii</i>
C86104	ACTINOMADURA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Actinomadura</i> genus level.	<i>Actinomadura</i>
C86105	ACTINOMADURA MADURAE		Any bacterial organism that can be assigned to the species <i>Actinomadura madurae</i> .	<i>Actinomadura madurae</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86106	ACTINOMADURA PELLETIERI		Any bacterial organism that can be assigned to the species <i>Actinomadura pelletieri</i> .	<i>Actinomadura pelletieri</i>
C76201	ACTINOMYCES		Any bacteria that is not assigned to the species level but can be assigned to the <i>Actinomyces</i> genus level.	<i>Actinomyces</i>
C86107	ACTINOMYCES BOVIS	<i>Actinocladothrix bovis</i> ; <i>Cladothrix bovis</i> ; <i>Discomyces bovis</i> ; <i>Nocardia bovis</i> ; <i>Oospora bovis</i> ; <i>Proactinomyces bovis</i> ; <i>Sarcoomyces bovis</i> ; <i>Sphaerotilus bovis</i> ; <i>Streptothrix bovis</i>	Any bacterial organism that can be assigned to the species <i>Actinomyces bovis</i> .	<i>Actinomyces bovis</i>
C119312	ACTINOMYCES EUROPAEUS		Any bacterial organism that can be assigned to the species <i>Actinomyces europaeus</i> .	<i>Actinomyces europaeus</i>
C86108	ACTINOMYCES ISRAELII		Any bacterial organism that can be assigned to the species <i>Actinomyces israelii</i> .	<i>Actinomyces israelii</i>
C86109	ACTINOMYCES MEYERII		Any bacterial organism that can be assigned to the species <i>Actinomyces meyerii</i> .	<i>Actinomyces meyerii</i>
C86110	ACTINOMYCES NAESLUNDII		Any bacterial organism that can be assigned to the species <i>Actinomyces naseslundii</i> .	<i>Actinomyces naeslundii</i>
C86111	ACTINOMYCES NEUII		Any bacterial organism that can be assigned to the species <i>Actinomyces neuii</i> .	<i>Actinomyces neuii</i>
C119313	ACTINOMYCES NEUII SUBSP. NEUII	CDC coryneform group 1	Any bacterial organism that can be assigned to the species <i>Actinomyces neuii</i> subspecies <i>neuii</i> .	<i>Actinomyces neuii</i> Subspecies <i>neuii</i>
C86112	ACTINOMYCES ODONTOLYTICUS		Any bacterial organism that can be assigned to the species <i>Actinomyces odontolyticus</i> .	<i>Actinomyces odontolyticus</i>
C86113	ACTINOMYCES RADINGAE		Any bacterial organism that can be assigned to the species <i>Actinomyces radingae</i> .	<i>Actinomyces radingae</i>
C86114	ACTINOMYCES TURICENSIS		Any bacterial organism that can be assigned to the species <i>Actinomyces turicensis</i> .	<i>Actinomyces turicensis</i>
C86115	ACTINOMYCES VISCOSUS		Any bacterial organism that can be assigned to the species <i>Actinomyces viscosus</i> .	<i>Actinomyces viscosus</i>
C14179	ADENOVIRIDAE		Any viral organism that can be assigned to the family <i>Adenoviridae</i> .	<i>Adenoviridae</i>
C86116	AEROBIC GRAM-NEGATIVE BACILLUS	Aerobic Gram-negative Rod	Any rod-shaped bacteria with an oxygen-based metabolism and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Aerobic Gram Negative Bacillus
C125954	AEROBIC GRAM-NEGATIVE COCCOBACILLUS		Any bacterial organism with an oxygen-based metabolism, and is intermediate in morphology between a spherical-shaped coccus and a rod-shaped bacillus that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Aerobic Gram-Negative Coccobacillus
C86117	AEROBIC GRAM-NEGATIVE COCCUS		Any spherical-shaped bacteria with an oxygen-based metabolism and a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Aerobic Gram Negative Coccus
C86118	AEROBIC GRAM-POSITIVE BACILLUS	Aerobic Gram-positive Rod	Any rod-shaped bacteria with an oxygen-based metabolism and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Aerobic Gram Positive Bacillus
C86119	AEROBIC GRAM-POSITIVE COCCUS		Any spherical-shaped bacteria with an oxygen-based metabolism and a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Aerobic Gram Positive Coccus
C86120	AEROBIC STREPTOCOCCUS		Any bacteria assigned to the genus <i>Streptococcus</i> that requires oxygen to grow or respire.	Aerobic <i>Streptococcus</i>
C85913	AEROCOCCACEAE		Any bacteria that are not assigned to the species level but can be assigned to the <i>Aerococcaceae</i> family level.	<i>Aerococcaceae</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86121	AEROCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Aerococcus genus level.	Aerococcus
C119314	AEROCOCCUS SANGUINICOLA		Any bacterial organism that can be assigned to the species Aerococcus sanguinicola.	Aerococcus sanguinicola
C86122	AEROCOCCUS URINAE		Any bacterial organism that can be assigned to the species Aerococcus urinae.	Aerococcus urinae
C86123	AEROCOCCUS VIRIDANS		Any bacterial organism that can be assigned to the species Aerococcus viridans.	Aerococcus viridans
C86124	AEROMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Aeromonas genus level.	Aeromonas
C86125	AEROMONAS HYDROPHILA		Any bacterial organism that can be assigned to the species Aeromonas hydrophila.	Aeromonas hydrophila
C86126	AEROMONAS JANDAEI		Any bacterial organism that can be assigned to the species Aeromonas jandaei.	Aeromonas jandaei
C86127	AEROMONAS PUNCTATA	Aeromonas caviae	Any bacterial organism that can be assigned to the species Aeromonas punctata.	Aeromonas punctata
C86128	AEROMONAS SALMONICIDA		Any bacterial organism that can be assigned to the species Aeromonas salmonicida.	Aeromonas salmonicida
C86129	AEROMONAS SCHUBERTII		Any bacterial organism that can be assigned to the species Aeromonas schubertii.	Aeromonas schubertii
C86130	AEROMONAS SOBRIA		Any bacterial organism that can be assigned to the species Aeromonas sobria.	Aeromonas sobria
C86131	AEROMONAS VERONII		Any bacterial organism that can be assigned to the species Aeromonas veronii.	Aeromonas veronii
C86132	AGGREGATIBACTER		Any bacteria that is not assigned to the species level but can be assigned to the Aggregatibacter genus level.	Aggregatibacter
C86133	AGGREGATIBACTER ACTINOMYCETEMCOMITANS	Haemophilus actinomycetemcomitans	Any bacterial organism that can be assigned to the species Aggregatibacter actinomycetemcomitans.	Aggregatibacter actinomycetemcomitans
C86134	AGGREGATIBACTER APHROPHILUS	Haemophilus aphrophilus; Haemophilus paraphrophilus	Any bacterial organism that can be assigned to the species Aggregatibacter aphrophilus.	Aggregatibacter aphrophilus
C119315	AGGREGATIBACTER APHROPHILUS, BETA-LACTAMASE NEGATIVE	Haemophilus aphrophilus, Beta-lactamase Negative	Any bacterial organism that can be assigned to the species Aggregatibacter aphrophilus and is beta-lactamase negative.	Aggregatibacter aphrophilus, Beta-lactamase Negative
C119316	AGGREGATIBACTER APHROPHILUS, BETA-LACTAMASE POSITIVE	Haemophilus aphrophilus, Beta-lactamase Positive	Any bacterial organism that can be assigned to the species Aggregatibacter aphrophilus and is beta-lactamase positive.	Aggregatibacter aphrophilus, Beta-lactamase Positive
C119317	AGGREGATIBACTER APHROPHILUS, PENICILLINASE NEGATIVE	Haemophilus aphrophilus, Penicillinase Negative	Any bacterial organism that can be assigned to the species Aggregatibacter aphrophilus and is penicillinase negative.	Aggregatibacter aphrophilus, Penicillinase Negative
C119318	AGGREGATIBACTER APHROPHILUS, PENICILLINASE POSITIVE	Haemophilus aphrophilus, Penicillinase Positive	Any bacterial organism that can be assigned to the species Aggregatibacter aphrophilus and is penicillinase positive.	Aggregatibacter aphrophilus, Penicillinase Positive
C86135	AGGREGATIBACTER SEGNIS	Haemophilus segnis	Any bacterial organism that can be assigned to the species Aggregatibacter segnis.	Aggregatibacter segnis
C86011	AGROBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Agrobacterium genus level.	Agrobacterium
C86137	AGROBACTERIUM RADIOBACTER		Any bacterial organism that can be assigned to the species Agrobacterium radiobacter.	Agrobacterium radiobacter
C86138	AGROBACTERIUM TUMEFACIENS	Rhizobium radiobacter	Any bacterial organism that can be assigned to the species Agrobacterium tumefaciens.	Agrobacterium tumefaciens
C77186	AJELLOMYCES CAPSULATUS		Any fungal organism that can be assigned to the species Ajellomyces capsulatus.	Ajellomyces capsulatus



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85914	ALCALIGENACEAE		Any bacteria that are not assigned to the species level but can be assigned to the Alcaligenaceae family level.	Alcaligenaceae
C86012	ALCALIGENES		Any bacteria that is not assigned to the species level but can be assigned to the Alcaligenes genus level.	Alcaligenes
C86140	ALCALIGENES FAECALIS	Alcaligenes odorans	Any bacterial organism that can be assigned to the species Alcaligenes faecalis.	Alcaligenes faecalis
C86870	ALISTIPES		Any bacterial organism that is not assigned to the species level but can be assigned to the Alistipes genus level.	Alistipes
C86871	ALISTIPES PUTREDINIS	Bacteroides putredinis	Any bacterial organism that can be assigned to the species Alistipes putredinis.	Alistipes putredinis
C114246	ALISTIPES SHAHII		Any bacterial organism that can be assigned to the species Alistipes shahii.	Alistipes shahii
C119319	ALPHACORONAVIRUS	Coronavirus Group 1	Any viral organism that is not assigned to the species level but can be assigned to the Alphacoronavirus genus level.	Alphacoronavirus
C112030	ALPHAVIRUS	Arboviruses Group A	Any viral organism that can be assigned to the genus Alphavirus.	Alphavirus
C119320	ALTERNARIA		Any fungal organism that is not assigned to the species level but can be assigned to the Alternaria genus level.	Alternaria
C119581	AMOEBA	Ameba	Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Amoeba genus level.	Amoeba
C119321	ANAEROBIC BACTERIA	Anaerobe	Any bacterial organism that does not require oxygen to grow or respire and cannot be assigned to a specific genus or species.	Anaerobic Bacteria
C119322	ANAEROBIC COCCUS		Any spherical shaped bacterial organism that does not require oxygen to grow or respire and cannot be assigned to a specific genus or species.	Anaerobic Coccus
C86142	ANAEROBIC GRAM-NEGATIVE BACILLUS	Anaerobic Gram-negative Rod	Any rod-shaped bacteria that does not require oxygen to grow or respire and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Anaerobic Gram Negative Bacillus
C119323	ANAEROBIC GRAM-NEGATIVE BACTERIA	Gram-negative Anaerobe	Any bacterial organism that does not require oxygen to grow or respire, cannot be assigned to a specific genus or species, and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Anaerobic Gram-negative Bacteria
C125955	ANAEROBIC GRAM-NEGATIVE COCCOBACILLUS		Any bacterial organism that does not require oxygen to grow or respire, and is intermediate in morphology between a spherical-shaped coccus and a rod-shaped bacillus that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Anaerobic Gram-Negative Coccobacillus
C86143	ANAEROBIC GRAM-NEGATIVE COCCUS		Any spherical-shaped bacteria that does not require oxygen to grow or respire and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Anaerobic Gram Negative Coccus
C86144	ANAEROBIC GRAM-POSITIVE BACILLUS	Anaerobic Gram-positive Rod	Any rod-shaped bacteria that does not require oxygen to grow or respire and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Anaerobic Gram Positive Bacillus
C120704	ANAEROBIC GRAM-POSITIVE BACTERIA	Gram-positive Anaerobe	Any bacterial organism that does not require oxygen to grow or respire, cannot be assigned to a specific genus or species, and has a cell wall that contains high levels of peptidoglycan and stains purple with the Gram staining technique.	Anaerobic Gram Positive Bacteria
C86145	ANAEROBIC GRAM-POSITIVE COCCUS		Any spherical-shaped bacteria that does not require oxygen to grow or respire and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Anaerobic Gram Positive Coccus

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86146	ANAEROBIC STREPTOCOCCUS		Any bacteria assigned to the genus Streptococcus that does not require oxygen to grow or respire.	Anaerobic Streptococcus
C86872	ANAEROCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Anaerococcus genus level.	Anaerococcus
C86874	ANAEROCOCCUS HYDROGENALIS	Peptostreptococcus hydrogenalis	Any bacterial organism that can be assigned to the species Anaerococcus hydrogenalis.	Anaerococcus hydrogenalis
C86875	ANAEROCOCCUS PREVOTII	Micrococcus prevotii;Peptococcus prevotii;Peptostreptococcus prevotii	Any bacterial organism that can be assigned to the species Anaerococcus prevotii.	Anaerococcus prevotii
C86876	ANAEROCOCCUS TETRADIUS	Gaffkya anaerobia;Peptostreptococcus tetradius	Any bacterial organism that can be assigned to the species Anaerococcus tetradius.	Anaerococcus tetradius
C86877	ANAEROCOCCUS VAGINALIS		Any bacterial organism that can be assigned to the species Anaerococcus vaginalis.	Anaerococcus vaginalis
C120705	ANCYLOSTOMA		Any nematode parasite that is not assigned to the species level but can be assigned to the Ancylostoma genus level.	Ancylostoma
C122239	ANCYLOSTOMA BRAZILIENSE	Ancylostoma ceylanicum;Ancylostoma ceylonicum	Any nematode parasite that can be assigned to the species Ancylostoma braziliense.	Ancylostoma braziliense
C122240	ANCYLOSTOMA CANINUM	Dog Hookworm	Any nematode parasite that can be assigned to the species Ancylostoma caninum.	Ancylostoma caninum
C122241	ANCYLOSTOMA DUODENALE	European Hookworm;Old World Hookworm	Any nematode parasite that can be assigned to the species Ancylostoma duodenale.	Ancylostoma duodenale
C123646	ANCYLOSTOMATOIDEA	Hookworms	Any nematode parasite that can be assigned to the family of Ancylostomatoidea.	Ancylostomatoidea
C122042	ANGIOSTRONGYLUS		Any nematode parasite that is not assigned to the species level but can be assigned to the Angiostrongylus genus level.	Angiostrongylus
C122242	ANGIOSTRONGYLUS CANTONENSIS	Rat Lungworm	Any nematode parasite that can be assigned to the species Angiostrongylus cantonensis.	Angiostrongylus cantonensis
C122043	ANISAKIS		Any nematode parasite that is not assigned to the species level but can be assigned to the Anisakis genus level.	Anisakis
C122243	ANISAKIS SIMPLEX	Herring Worm	Any nematode parasite that can be assigned to the species Anisakis simplex.	Anisakis simplex
C112229	APHTHOVIRUS		Any viral organism that can be assigned to the genus Aphthovirus.	Aphthovirus
C127681	APOPHYSOMYCES ELEGANS		Any fungal organism that can be assigned to the species Apophysomyces elegans.	Apophysomyces elegans
C112230	ARBOVIRUS	Arthropod-borne Virus	A non-taxonomic grouping of viruses that are transmitted through an arthropod vector and replicate in a vertebrate host.	Arbovirus
C86147	ARCANOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Arcanobacterium genus level.	Arcanobacterium
C86148	ARCANOBACTERIUM BERNARDIAE		Any bacterial organism that can be assigned to the species Arcanobacterium bernardiae.	Arcanobacterium bernardiae
C86149	ARCANOBACTERIUM HAEMOLYTICUM	Corynebacterium haemolyticum;Corynebacterium haemolyticus	Any bacterial organism that can be assigned to the species Arcanobacterium haemolyticum.	Arcanobacterium haemolyticum
C86152	ARCOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the Arcobacter genus level.	Arcobacter
C86153	ARCOBACTER BUTZLERI	Campylobacter butzleri	Any bacterial organism that can be assigned to the species Arcobacter butzleri.	Arcobacter butzleri
C86154	ARCOBACTER CRYAEROPHILUS	Campylobacter cryaerophilus	Any bacterial organism that can be assigned to the species Arcobacter cryaerophilus.	Arcobacter cryaerophilus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14306	ARENAVIRUS		Any viral organism that can be assigned to the genus Arenavirus.	Arenavirus
C127682	ARTHRIINIUM PHAEOSPERMUM		Any fungal organism that can be assigned to the species Arthrinium phaeospermum.	Arthrinium phaeospermum
C86155	ARTHROBACTER		Any bacteria that is not assigned to the species level but can be assigned to the Arthrobacter genus level.	Arthrobacter
C114248	ARTHROBACTER CUMMINSII		Any bacterial organism that can be assigned to the species Arthrobacter cummingsii.	Arthrobacter cummingsii
C127683	ARTHRODERMA FULVUM	Microsporium fulvum	Any fungal organism that can be assigned to the species Arthroderma fulvum.	Arthroderma fulvum
C127684	ARTHRODERMA OBTUSUM	Microsporium nanum	Any fungal organism that can be assigned to the species Arthroderma obtusum.	Arthroderma obtusum
C127685	ARTHRODERMA OTAE	Microsporium canis;Nannizzia otae	Any fungal organism that can be assigned to the species Arthroderma otae.	Arthroderma otae
C127686	ARTHRODERMA PERSICOLOR	Trichophyton persicolor	Any fungal organism that can be assigned to the species Arthroderma persicolor.	Arthroderma persicolor
C127687	ARTHRODERMA SIMII	Trichophyton simii	Any fungal organism that can be assigned to the species Arthroderma simii.	Arthroderma simii
C139106	ARTHROGRAPHIS		Any fungal organism that is not assigned to the species level but can be assigned to the Arthrographis genus level.	Arthrographis
C122177	ASCARIS LUMBRICOIDES	Giant Roundworm	Any nematode parasite that can be assigned to the species Ascaris lumbricoides.	Ascaris lumbricoides
C77180	ASPERGILLUS		Any fungal organism that is not assigned to the species level but can be assigned to the Aspergillus genus level.	Aspergillus
C77181	ASPERGILLUS FLAVUS		Any fungal organism that can be assigned to the species Aspergillus flavus.	Aspergillus flavus
C122244	ASPERGILLUS FLAVUS COMPLEX		A non-taxonomic grouping of fungal species that are morphologically similar to the Aspergillus flavus species.	Aspergillus Flavus Complex
C77182	ASPERGILLUS FUMIGATUS	Aspergillus fumigates	Any fungal organism that can be assigned to the species Aspergillus fumigatus.	Aspergillus fumigatus
C122245	ASPERGILLUS FUMIGATUS COMPLEX		A non-taxonomic grouping of fungal species that are morphologically similar to the Aspergillus fumigatus species.	Aspergillus Fumigatus Complex
C121138	ASPERGILLUS NIGER		Any fungal organism that can be assigned to the species Aspergillus niger.	Aspergillus niger
C87508	ASPERGILLUS OCHRACEUS		Any fungal organism that can be assigned to the species Aspergillus ochraceus.	Aspergillus ochraceus
C87511	ASPERGILLUS TERREUS	Aspergillus terrestris	Any fungal organism that can be assigned to the species Aspergillus terreus.	Aspergillus terreus
C127688	ASPERGILLUS VERSICOLOR	Sterigmatocystis versicolor	Any fungal organism that can be assigned to the species Aspergillus versicolor.	Aspergillus versicolor
C127689	ASTEROTREMELLA HUMICOLA	Apiotrichum humicola;Azymoprocandida humicola;Candida humicola;Cryptococcus humicola;Mycotorula humicola;Torula humicola;Vanrija humicola;Vanrija humicola	Any fungal organism that can be assigned to the species Asterotremella humicola.	Asterotremella humicola
C112231	ASTROVIRIDAE		Any viral organism that can be assigned to the family Astroviridae.	Astroviridae
C86156	ATOPOBIUM MINUTUM	Lactobacillus minutis;Lactobacillus minutus	Any bacterial organism that can be assigned to the species Atopobium minutum.	Atopobium minutum
C86157	ATOPOBIUM PARVULUM	Streptococcus parvulus	Any bacterial organism that can be assigned to the species Atopobium parvulum.	Atopobium parvulum

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114244	ATOPOBIUM RIMAE	Lactobacillus rimae	Any bacterial organism that can be assigned to the species Atopobium rimae.	Atopobium rimae
C122178	ATOPOBIUM VAGINAE		Any bacterial organism that can be assigned to the species Atopobium vaginae.	Atopobium vaginae
C127690	AUREOBASIDIUM PULLULANS	Aureobasidium pullulans var. pullulans	Any fungal organism that can be assigned to the species Aureobasidium pullulans.	Aureobasidium pullulans
C86158	AVIBACTERIUM PARAGALLINARUM	Haemophilus paragallinarum	Any bacterial organism that can be assigned to the species Avibacterium paragallinarum.	Avibacterium paragallinarum
C122040	BABESIA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Babesia genus level.	Babesia
C122179	BABESIA DIVERGENS		Any unicellular, eukaryotic organism that can be assigned to the species Babesia divergens.	Babesia divergens
C122180	BABESIA MICROTI		Any unicellular, eukaryotic organism that can be assigned to the species Babesia microti.	Babesia microti
C76202	BACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the Bacillus genus level.	Bacillus
C86159	BACILLUS ALVEI		Any bacterial organism that can be assigned to the species Bacillus alvei.	Bacillus alvei
C86160	BACILLUS ANTHRACIS		Any bacterial organism that can be assigned to the species Bacillus anthracis.	Bacillus anthracis
C86161	BACILLUS CEREUS		Any bacterial organism that can be assigned to the species Bacillus cereus.	Bacillus cereus
C86162	BACILLUS LENTUS		Any bacterial organism that can be assigned to the species Bacillus lentus.	Bacillus lentus
C86163	BACILLUS LICHENIFORMIS		Any bacterial organism that can be assigned to the species Bacillus licheniformis.	Bacillus licheniformis
C86164	BACILLUS MEGATERIUM		Any bacterial organism that can be assigned to the species Bacillus megaterium.	Bacillus megaterium
C86165	BACILLUS MYCOIDES		Any bacterial organism that can be assigned to the species Bacillus mycooides.	Bacillus mycooides
C86166	BACILLUS POLYMYXA		Any bacterial organism that can be assigned to the species Bacillus polymyxa.	Bacillus polymyxa
C122181	BACILLUS PUMILUS	Bacillus aminoglucosidicus	Any bacterial organism that can be assigned to the species Bacillus pumilus.	Bacillus pumilus
C86167	BACILLUS SUBTILIS		Any bacterial organism that can be assigned to the species Bacillus subtilis.	Bacillus subtilis
C14187	BACTERIA	Bacterium;Eubacteria	Any organism assigned to the kingdom Bacteria.	Bacteria
C76204	BACTEROIDES		Any bacteria that is not assigned to the species level but can be assigned to the Bacteroides genus level.	Bacteroides
C86168	BACTEROIDES CACCAE		Any bacterial organism that can be assigned to the species Bacteroides caccae.	Bacteroides caccae
C86169	BACTEROIDES CAPILLOSUS		Any bacterial organism that can be assigned to the species Bacteroides capillosus.	Bacteroides capillosus
C86170	BACTEROIDES CELLULOSOLVENS		Any bacterial organism that can be assigned to the species Bacteroides cellulosolvens.	Bacteroides cellulosolvens
C111133	BACTEROIDES DOREI		Any bacterial organism that can be assigned to the species Bacteroides dorei.	Bacteroides dorei
C86171	BACTEROIDES EGGERTHII		Any bacterial organism that can be assigned to the species Bacteroides eggertii.	Bacteroides eggertii
C111134	BACTEROIDES FAECIS		Any bacterial organism that can be assigned to the species Bacteroides faecis.	Bacteroides faecis
C86172	BACTEROIDES FRAGILIS		Any bacterial organism that can be assigned to the species Bacteroides fragilis.	Bacteroides fragilis

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86173	BACTEROIDES FRAGILIS GROUP		A non-taxonomic grouping of bacteria that belongs to the fragilis group of the genus Bacteroides.	Bacteroides fragilis Group
C119324	BACTEROIDES INTESTINALIS		Any bacterial organism that can be assigned to the species Bacteroides intestinalis.	Bacteroides intestinalis
C86174	BACTEROIDES NORDII		Any bacterial organism that can be assigned to the species Bacteroides nordii.	Bacteroides nordii
C86175	BACTEROIDES OVATUS		Any bacterial organism that can be assigned to the species Bacteroides ovatus.	Bacteroides ovatus
C86178	BACTEROIDES PYOGENES	Bacteroides tectum;Bacteroides tectus	Any bacterial organism that can be assigned to the species Bacteroides pyogenes.	Bacteroides tectus
C122182	BACTEROIDES SALYERSIAE		Any bacterial organism that can be assigned to the species Bacteroides salyersiae.	Bacteroides salyersiae
C86177	BACTEROIDES STERCORIS	Bacteroides fragilis subsp. A	Any bacterial organism that can be assigned to the species Bacteroides stercoris.	Bacteroides stercoris
C86179	BACTEROIDES THETAIOAOMICRON		Any bacterial organism that can be assigned to the species Bacteroides thetaiotamicon.	Bacteroides thetaiotaomicron
C86180	BACTEROIDES UNIFORMIS		Any bacterial organism that can be assigned to the species Bacteroides uniformis.	Bacteroides uniformis
C86182	BACTEROIDES VULGATUS		Any bacterial organism that can be assigned to the species Bacteroides vulgatus.	Bacteroides vulgatus
C122183	BACTEROIDES XYLANISOLVENS		Any bacterial organism that can be assigned to the species Bacteroides xylanisolvans.	Bacteroides xylanisolvans
C122041	BALAMUTHIA		Any amoebic organism that is not assigned to the species level but can be assigned to the Balamuthia genus level.	Balamuthia
C122184	BALAMUTHIA MANDRILLARIS		Any amoebic organism that can be assigned to the species Balamuthia mandrillaris.	Balamuthia mandrillaris
C122246	BALANTIDIUM COLI	Paramecium coli	Any unicellular, eukaryotic organism that can be assigned to the species Balantidium coli.	Balantidium coli
C112232	BARMAH FOREST VIRUS		Any viral organism that can be assigned to the species Barmah Forest virus.	Barmah Forest Virus
C86184	BARTONELLA		Any bacteria that is not assigned to the species level but can be assigned to the Bartonella genus level.	Bartonella
C86185	BARTONELLA ELIZABETHAE	Rochalimaea elizabethae	Any bacterial organism that can be assigned to the species Bartonella elizabethae.	Bartonella elizabethae
C86186	BARTONELLA HENSELAE	Rochalimaea henselae	Any bacterial organism that can be assigned to the species Bartonella henselae.	Bartonella henselae
C86187	BARTONELLA QUINTANA	Rochalimaea quintana	Any bacterial organism that can be assigned to the species Bartonella quintana.	Bartonella quintana
C86188	BERGEYELLA		Any bacteria that is not assigned to the species level but can be assigned to the Bergeyella genus level.	Bergeyella
C86189	BERGEYELLA ZOOHELUM	Weeksella zoohelcum	Any bacterial organism that can be assigned to the species Bergeyella zoohelcum.	Bergeyella zoohelcum
C86191	BETA STREPTOCOCCUS, GROUP C		A non-taxonomic grouping of beta-hemolytic species within the Streptococcus genus that are assigned to the C group.	Beta Streptococcus Group C
C86192	BETA STREPTOCOCCUS, GROUP F		A non-taxonomic grouping of beta-hemolytic species within the Streptococcus genus that are assigned to the F group.	Beta Streptococcus Group F
C86193	BETA STREPTOCOCCUS, GROUP G		A non-taxonomic grouping of beta-hemolytic species within the Streptococcus genus that are assigned to the G group.	Beta Streptococcus Group G
C113207	BETACORONAVIRUS	Coronavirus Group 2	Any viral organism that can be assigned to the genus Betacoronavirus.	Betacoronavirus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86194	BIFIDOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Bifidobacterium genus level.	Bifidobacterium
C86195	BIFIDOBACTERIUM ADOLESCENTIS		Any bacterial organism that can be assigned to the species Bifidobacterium adolescentis.	Bifidobacterium adolescentis
C86196	BIFIDOBACTERIUM ANGULATUM		Any bacterial organism that can be assigned to the species Bifidobacterium angulatum.	Bifidobacterium angulatum
C122247	BIFIDOBACTERIUM ANIMALIS		Any bacterial organism that can be assigned to the species Bifidobacterium animalis.	Bifidobacterium animalis
C86197	BIFIDOBACTERIUM BIFIDUM		Any bacterial organism that can be assigned to the species Bifidobacterium bifidum.	Bifidobacterium bifidum
C122248	BIFIDOBACTERIUM BREVE	Bifidobacterium parvulorum	Any bacterial organism that can be assigned to the species Bifidobacterium breve.	Bifidobacterium breve
C86198	BIFIDOBACTERIUM DENTIUM	Bifidobacterium appendicitis	Any bacterial organism that can be assigned to the species Bifidobacterium dentium.	Bifidobacterium dentium
C86199	BIFIDOBACTERIUM LONGUM		Any bacterial organism that can be assigned to the species Bifidobacterium longum.	Bifidobacterium longum
C122249	BIFIDOBACTERIUM PSEUDOCATENULATUM		Any bacterial organism that can be assigned to the species Bifidobacterium pseudocatenulatum.	Bifidobacterium pseudocatenulatum
C86200	BILOPHILA		Any bacteria that is not assigned to the species level but can be assigned to the Bilophila genus level.	Bilophila
C86201	BILOPHILA WADSWORTHIA		Any bacterial organism that can be assigned to the species Bilophila wadsworthia.	Bilophila wadsworthia
C122250	BIPOLARIS		Any fungal organism that is not assigned to the species level but can be assigned to the Bipolaris genus level.	Bipolaris
C89820	BK POLYOMAVIRUS	BK Virus	Any viral organism that can be assigned to the species BK polyomavirus.	BK Virus
C122251	BLASTOCYSTIS HOMINIS		Any unicellular, eukaryotic organism that can be assigned to the species Blastocystis hominis.	Blastocystis hominis
C127691	BOCAPARVOVIRUS	Bocavirus	Any viral organism that can be assigned to the genus Bocaparvovirus.	Bocaparvovirus
C86202	BORDETELLA		Any bacteria that is not assigned to the species level but can be assigned to the Bordetella genus level.	Bordetella
C86203	BORDETELLA AVIUM		Any bacterial organism that can be assigned to the species Bordetella avium.	Bordetella avium
C86204	BORDETELLA BRONCHISEPTICA	Bordetella bronchicanis	Any bacterial organism that can be assigned to the species Bordetella bronchiseptica.	Bordetella bronchiseptica
C127692	BORDETELLA HINZII		Any bacterial organism that can be assigned to the species Bordetella hinzii.	Bordetella hinzii
C135460	BORDETELLA HOLMESII	CDC Nonoxidizer Group 2	Any bacterial organism that can be assigned to the species Bordetella holmesii.	Bordetella holmesii
C86205	BORDETELLA PARAPERTUSSIS		Any bacterial organism that can be assigned to the species Bordetella parapertussis.	Bordetella parapertussis
C76205	BORDETELLA PERTUSSIS		Any bacterial organism that can be assigned to the species Bordetella pertussis.	Bordetella pertussis
C127693	BORDETELLA PETRII		Any bacterial organism that can be assigned to the species Bordetella petrii.	Bordetella petrii
C86206	BORRELIA		Any bacteria that is not assigned to the species level but can be assigned to the Borrelia genus level.	Borrelia
C76208	BORRELIA BURGENDORFERI		Any bacterial organism that can be assigned to the species Borrelia burgdorferi.	Borrelia burgdorferi
C122252	BORRELIA MIYAMOTOI		Any bacterial organism that can be assigned to the species Borrelia miyamotoi.	Borrelia miyamotoi

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86207	BREVIBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the Brevibacillus genus level.	Brevibacillus
C86208	BREVIBACILLUS LATEROSPORUS		Any bacterial organism that can be assigned to the species Brevibacillus laterosporus.	Brevibacillus laterosporus
C86209	BREVIBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Brevibacterium genus level.	Brevibacterium
C86210	BREVIBACTERIUM CASEI		Any bacterial organism that can be assigned to the species Brevibacterium casei.	Brevibacterium casei
C86211	BREVIBACTERIUM EPIDERMIDIS		Any bacterial organism that can be assigned to the species Brevibacterium epidermidis.	Brevibacterium epidermidis
C86212	BREVUNDIMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Brevundimonas genus level.	Brevundimonas
C86213	BREVUNDIMONAS DIMINUTA	Pseudomonas diminuta	Any bacterial organism that can be assigned to the species Brevundimonas diminuta.	Brevundimonas diminuta
C86214	BREVUNDIMONAS VESICULARIS	Pseudomonas vesicularis	Any bacterial organism that can be assigned to the species Brevundimonas vesicularis.	Brevundimonas vesicularis
C86215	BRUCELLA		Any bacteria that is not assigned to the species level but can be assigned to the Brucella genus level.	Brucella
C86216	BRUCELLA ABORTUS		Any bacterial organism that can be assigned to the species Brucella abortus.	Brucella abortus
C86217	BRUCELLA CANIS		Any bacterial organism that can be assigned to the species Brucella canis.	Brucella canis
C86218	BRUCELLA MELITENSIS		Any bacterial organism that can be assigned to the species Brucella melitensis.	Brucella melitensis
C86219	BRUCELLA SUIS		Any bacterial organism that can be assigned to the species Brucella suis.	Brucella suis
C86220	BUDVICIA		Any bacteria that is not assigned to the species level but can be assigned to the Budvicia genus level.	Budvicia
C86221	BUDVICIA AQUATICA		Any bacterial organism that can be assigned to the species Budvicia aquatica.	Budvicia aquatica
C86222	BURKHOLDERIA		Any bacteria that is not assigned to the species level but can be assigned to the Burkholderia genus level.	Burkholderia
C86223	BURKHOLDERIA CENOCEPACIA		Any bacterial organism that can be assigned to the species Burkholderia cenocepacia.	Burkholderia cenocepacia
C76376	BURKHOLDERIA CEPACIA	Pseudomonas cepacia	Any bacterial organism that can be assigned to the species Burkholderia cepacia.	Burkholderia cepacia
C86224	BURKHOLDERIA CEPACIA COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the Burkholderia cepacia species.	Burkholderia cepacia Complex
C86225	BURKHOLDERIA GLADIOLI	Pseudomonas gladioli	Any bacterial organism that can be assigned to the species Burkholderia gladioli.	Burkholderia gladioli
C86226	BURKHOLDERIA MALLEI	Actinobacillus mallei	Any bacterial organism that can be assigned to the species Burkholderia mallei.	Burkholderia mallei
C86227	BURKHOLDERIA PSEUDOMALLEI	Burkholderia pseudomallei;Pseudomonas pseudomallei	Any bacterial organism that can be assigned to the species Burkholderia pseudomallei.	Burkholderia pseudomallei
C86228	BUTTIAUXELLA		Any bacteria that is not assigned to the species level but can be assigned to the Buttiauxella genus level.	Buttiauxella
C86229	BUTTIAUXELLA AGRESTIS		Any bacterial organism that can be assigned to the species Buttiauxella agrestis.	Buttiauxella agrestis
C122253	BUTTIAUXELLA FERRAGUTIAE	CDC Enteric Group 63	Any bacterial organism that can be assigned to the species Buttiauxella ferragutiae.	Buttiauxella ferragutiae

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122254	BUTTIAUXELLA GAVINIAE	CDC Enteric Group 64	Any bacterial organism that can be assigned to the species <i>Buttiauxella gaviniae</i> .	<i>Buttiauxella gaviniae</i>
C122255	BUTTIAUXELLA NOACKIAE	CDC Enteric Group 59	Any bacterial organism that can be assigned to the species <i>Buttiauxella noackiae</i> .	<i>Buttiauxella noackiae</i>
C127694	BYSSOCHLAMYS SPECTABILIS	<i>Paecilomyces spectabilis</i> ; <i>Paecilomyces variotii</i> ; <i>Talaromyces spectabilis</i>	Any fungal organism that can be assigned to the species <i>Byssochlamys spectabilis</i> .	<i>Byssochlamys spectabilis</i>
C14304	CALICIVIRIDAE		Any viral organism that can be assigned to the family <i>Caliciviridae</i> .	<i>Caliciviridae</i>
C122256	CALODIUM HEPATICUM	<i>Capillaria hepatica</i>	Any nematode parasite that can be assigned to the species <i>Calodium hepaticum</i> .	<i>Calodium hepaticum</i>
C76211	CAMPYLOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Campylobacter</i> genus level.	<i>Campylobacter</i>
C86230	CAMPYLOBACTER COLI		Any bacterial organism that can be assigned to the species <i>Campylobacter coli</i> .	<i>Campylobacter coli</i>
C86231	CAMPYLOBACTER CONCUSUS		Any bacterial organism that can be assigned to the species <i>Campylobacter concisus</i> .	<i>Campylobacter concisus</i>
C86232	CAMPYLOBACTER CURVUS	<i>Wolinella curva</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter curvus</i> .	<i>Campylobacter curvus</i>
C86233	CAMPYLOBACTER FETUS	<i>Vibrio fetus</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter fetus</i> .	<i>Campylobacter fetus</i>
C86234	CAMPYLOBACTER GRACILIS	<i>Bacteroides gracilis</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter gracilis</i> .	<i>Campylobacter gracilis</i>
C86235	CAMPYLOBACTER JEJUNI		Any bacterial organism that can be assigned to the species <i>Campylobacter jejuni</i> .	<i>Campylobacter jejuni</i>
C86236	CAMPYLOBACTER LARI	<i>Campylobacter laridis</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter lari</i> .	<i>Campylobacter lari</i>
C86237	CAMPYLOBACTER RECTUS	<i>Wolinella recta</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter rectus</i> .	<i>Campylobacter rectus</i>
C86238	CAMPYLOBACTER UPSALIENSIS		Any bacterial organism that can be assigned to the species <i>Campylobacter upsaliensis</i> .	<i>Campylobacter upsaliensis</i>
C86181	CAMPYLOBACTER UREOLYTICUS	<i>Bacteroides corrodens</i> ; <i>Bacteroides ureolyticus</i>	Any bacterial organism that can be assigned to the species <i>Campylobacter ureolyticus</i> .	<i>Bacteroides ureolyticus</i>
C77163	CANDIDA		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Candida</i> genus level.	<i>Candida</i>
C77170	CANDIDA ALBICANS	<i>Candida stellatoidea</i>	Any fungal organism that can be assigned to the species <i>Candida albicans</i> .	<i>Candida albicans</i>
C127695	CANDIDA BOIDINII	<i>Hansenula alcolica</i>	Any fungal organism that can be assigned to the species <i>Candida boidinii</i> .	<i>Candida boidinii</i>
C114255	CANDIDA DUBLINIENSIS		Any fungal organism that can be assigned to the species <i>Candida dubliniensis</i> .	<i>Candida dubliniensis</i>
C127696	CANDIDA FAMATA		Any fungal organism that can be assigned to the species <i>Candida famata</i> .	<i>Candida famata</i>
C77179	CANDIDA GLABRATA	<i>Torulopsis glabrata</i>	Any fungal organism that can be assigned to the species <i>Candida glabrata</i> .	<i>Candida glabrata</i>
C127697	CANDIDA INCONSPICUA	<i>Torulopsis inconspicua</i>	Any fungal organism that can be assigned to the species <i>Candida inconspicua</i> .	<i>Candida inconspicua</i>
C120706	CANDIDA INTERMEDIA	<i>Blastodendron intermedium</i> ; <i>Blastodendron intermedium</i> ; <i>Cryptococcus intermedium</i> ; <i>Kluyveromyces cellobiovorus</i> ; <i>Mycotorula intermedia</i>	Any fungal organism that can be assigned to the species <i>Candida intermedia</i> .	<i>Candida intermedia</i>
C114260	CANDIDA ORTHOSILOSIOSIS	<i>Candida parapsilosis</i> group II	Any fungal organism that can be assigned to the species <i>Candida orthopsilosis</i> .	<i>Candida orthopsilosis</i>



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C77176	CANDIDA PARAPSILOSIS		Any fungal organism that can be assigned to the species <i>Candida parapsilosis</i> .	<i>Candida parapsilosis</i>
C114258	CANDIDA PARARUGOSA		Any fungal organism that can be assigned to the species <i>Candida pararugosa</i> .	<i>Candida pararugosa</i>
C114254	CANDIDA RUGOSA		Any fungal organism that can be assigned to the species <i>Candida rugosa</i> .	<i>Candida rugosa</i>
C127698	CANDIDA SAKE		Any fungal organism that can be assigned to the species <i>Candida sake</i> .	<i>Candida sake</i>
C77177	CANDIDA TROPICALIS		Any fungal organism that can be assigned to the species <i>Candida tropicalis</i> .	<i>Candida tropicalis</i>
C114261	CANDIDA ZEYLANOIDES	<i>Candida krissii</i>	Any fungal organism that can be assigned to the species <i>Candida zeylanoides</i> .	<i>Candida zeylanoides</i>
C122044	CAPILLARIA	Hairworm	Any nematode parasite that is not assigned to the species level but can be assigned to the <i>Capillaria</i> genus level.	<i>Capillaria</i>
C122257	CAPILLARIA PHILIPPINENSIS	<i>Paracapillaria philippinensis</i>	Any nematode parasite that can be assigned to the species <i>Capillaria philippinensis</i> .	<i>Capillaria philippinensis</i>
C76269	CAPNOCYTOPHAGA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Capnocytophaga</i> genus level.	<i>Capnocytophaga</i>
C86239	CAPNOCYTOPHAGA CANIMORSUS		Any bacterial organism that can be assigned to the species <i>Capnocytophaga canimorsus</i> .	<i>Capnocytophaga canimorsus</i>
C86240	CAPNOCYTOPHAGA GINGIVALIS		Any bacterial organism that can be assigned to the species <i>Capnocytophaga gingivalis</i> .	<i>Capnocytophaga gingivalis</i>
C86241	CAPNOCYTOPHAGA OCHRACEA		Any bacterial organism that can be assigned to the species <i>Capnocytophaga ochracea</i> .	<i>Capnocytophaga ochracea</i>
C86242	CAPNOCYTOPHAGA SPUTIGENA		Any bacterial organism that can be assigned to the species <i>Capnocytophaga sputigena</i> .	<i>Capnocytophaga sputigena</i>
C86243	CARDIOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Cardiobacterium</i> genus level.	<i>Cardiobacterium</i>
C86244	CARDIOBACTERIUM HOMINIS		Any bacterial organism that can be assigned to the species <i>Cardiobacterium hominis</i> .	<i>Cardiobacterium hominis</i>
C86245	CEDECEA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Cedecea</i> genus level.	<i>Cedecea</i>
C86246	CEDECEA DAVISAE		Any bacterial organism that can be assigned to the species <i>Cedecea davisae</i> .	<i>Cedecea davisae</i>
C86247	CEDECEA LAPAGEI		Any bacterial organism that can be assigned to the species <i>Cedecea lapagei</i> .	<i>Cedecea lapagei</i>
C86248	CEDECEA NETERI	<i>Cedecea Species 4</i>	Any bacterial organism that can be assigned to the species <i>Cedecea neteri</i> .	<i>Cedecea neteri</i>
C86249	CELLULOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Cellulomonas</i> genus level.	<i>Cellulomonas</i>
C86250	CELLULOMONAS HOMINIS		Any bacterial organism that can be assigned to the species <i>Cellulomonas hominis</i> .	<i>Cellulomonas hominis</i>
C86251	CELLULOSIMICROBIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Cellulosimicrobium</i> genus level.	<i>Cellulosimicrobium</i>
C86252	CELLULOSIMICROBIUM CELLULANS	<i>Arthrobacter luteus</i> ; <i>Cellulomonas cellulans</i> ; <i>Nocardia cellulans</i> ; <i>Oerskovia xanthineolytica</i>	Any bacterial organism that can be assigned to the species <i>Cellulosimicrobium cellulans</i> .	<i>Cellulosimicrobium cellulans</i>
C122045	CESTODA	Tapeworm	Any parasitic flatworm that is not assigned to the species level but can be assigned to the <i>Cestoda</i> class level.	<i>Cestoda</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122258	CHAETOMIUM		Any fungal organism that is not assigned to the species level but can be assigned to the Chaetomium genus level.	Chaetomium
C125638	CHIKUNGUNYA VIRUS		Any viral organism that can be assigned to the species Chikungunya virus.	Chikungunya Virus
C122259	CHILOMASTIX MESNILI		Any unicellular, eukaryotic organism that can be assigned to the species Chilomastix mesnili.	Chilomastix mesnili
C76271	CHLAMYDIA		Any bacteria that is not assigned to the species level but can be assigned to the Chlamydia genus level.	Chlamydia
C86253	CHLAMYDIA TRACHOMATIS		Any bacterial organism that can be assigned to the species Chlamydia trachomatis.	Chlamydia trachomatis
C86254	CHLAMYDOPHILA		Any bacteria that is not assigned to the species level but can be assigned to the Chlamyidophila genus level.	Chlamyidophila
C76272	CHLAMYDOPHILA PNEUMONIAE	Chlamydia pneumoniae	Any bacterial organism that can be assigned to the species Chlamyidophila pneumoniae.	Chlamyidophila pneumoniae
C86255	CHLAMYDOPHILA PSITTACI	Chlamydia psittaci	Any bacterial organism that can be assigned to the species Chlamyidophila psittaci.	Chlamyidophila psittaci
C86256	CHROMOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Chromobacterium genus level.	Chromobacterium
C86257	CHROMOBACTERIUM VIOLACEUM		Any bacterial organism that can be assigned to the species Chromobacterium violaceum.	Chromobacterium violaceum
C86258	CHRYSEOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Chryseobacterium genus level.	Chryseobacterium
C86259	CHRYSEOBACTERIUM GLEUM	Flavobacterium gleum	Any bacterial organism that can be assigned to the species Chryseobacterium gleum.	Chryseobacterium gleum
C86260	CHRYSEOBACTERIUM INDOLOGENES	Flavobacterium indologenes	Any bacterial organism that can be assigned to the species Chryseobacterium indologenes.	Chryseobacterium indologenes
C86261	CHRYSEOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Chryseomonas genus level.	Chryseomonas
C122260	CHRYSOSPORIUM		Any fungal organism that is not assigned to the species level but can be assigned to the Chrysosporium genus level.	Chrysosporium
C76273	CITROBACTER		Any bacteria that is not assigned to the species level but can be assigned to the Citrobacter genus level.	Citrobacter
C86262	CITROBACTER AMALONATICUS	Levinea amalonatica	Any bacterial organism that can be assigned to the species Citrobacter amalonaticus.	Citrobacter amalonaticus
C86263	CITROBACTER BRAAKII		Any bacterial organism that can be assigned to the species Citrobacter braakii.	Citrobacter braakii
C86264	CITROBACTER FARMERI	Citrobacter amalonaticus Biogroup 1	Any bacterial organism that can be assigned to the species Citrobacter farmeri.	Citrobacter farmeri
C86265	CITROBACTER FREUNDII	Colobactrum freundii	Any bacterial organism that can be assigned to the species Citrobacter freundii.	Citrobacter freundii
C86266	CITROBACTER FREUNDII COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the Citrobacter freundii species.	Citrobacter freundii Complex
C86267	CITROBACTER KOSERI	Citrobacter diversus	Any bacterial organism that can be assigned to the species Citrobacter koseri.	Citrobacter koseri
C139100	CITROBACTER WERKMANII	Citrobacter Genomospecies 7	Any bacterial organism that can be assigned to the species Citrobacter werkmanii.	Citrobacter werkmanii
C86268	CITROBACTER YOUNGAE		Any bacterial organism that can be assigned to the species Citrobacter youngae.	Citrobacter youngae

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122261	CLADOSPORIUM		Any fungal organism that is not assigned to the species level but can be assigned to the Cladosporium genus level.	Cladosporium
C77174	CLAVISPORA LUSITANIAE	Candida lusitaniae	Any fungal organism that can be assigned to the species Clavispora lusitaniae.	Clavispora lusitaniae
C122262	CLONORCHIS SINENSIS	Oriental liver fluke	Any trematode parasite that can be assigned to the species Clonorchis sinensis.	Clonorchis sinensis
C76275	CLOSTRIDIUM		Any bacteria that is not assigned to the species level but can be assigned to the Clostridium genus level.	Clostridium
C86269	CLOSTRIDIUM ACETOBUTYLICUM		Any bacterial organism that can be assigned to the species Clostridium acetobutylicum.	Clostridium acetobutylicum
C122263	CLOSTRIDIUM ALDENENSE		Any bacterial organism that can be assigned to the species Clostridium aldenense.	Clostridium aldenense
C86270	CLOSTRIDIUM BARATII	Clostridium barati	Any bacterial organism that can be assigned to the species Clostridium baratii.	Clostridium baratii
C86271	CLOSTRIDIUM BEIJERINCKII		Any bacterial organism that can be assigned to the species Clostridium beijerinckii.	Clostridium beijerinckii
C86272	CLOSTRIDIUM BIFERMENTANS		Any bacterial organism that can be assigned to the species Clostridium bifermentans.	Clostridium bifermentans
C114250	CLOSTRIDIUM BOLTEAE		Any bacterial organism that can be assigned to the species Clostridium bolteae.	Clostridium bolteae
C86273	CLOSTRIDIUM BUTYRICUM	Clostridium pseudotetanicum	Any bacterial organism that can be assigned to the species Clostridium butyricum.	Clostridium butyricum
C86274	CLOSTRIDIUM CADAVERIS		Any bacterial organism that can be assigned to the species Clostridium cadaveris.	Clostridium cadaveris
C86275	CLOSTRIDIUM CELATUM		Any bacterial organism that can be assigned to the species Clostridium celatum.	Clostridium celatum
C122264	CLOSTRIDIUM CITRONIAE		Any bacterial organism that can be assigned to the species Clostridium citroniae.	Clostridium citroniae
C86276	CLOSTRIDIUM CLOSTRIDIOFORME	Clostridium clostridiiforme	Any bacterial organism that can be assigned to the species Clostridium clostridioforme.	Clostridium clostridioforme
C86277	CLOSTRIDIUM COCHLEARIUM		Any bacterial organism that can be assigned to the species Clostridium cochlearium.	Clostridium cochlearium
C86278	CLOSTRIDIUM COCLEATUM		Any bacterial organism that can be assigned to the species Clostridium cocleatum.	Clostridium cocleatum
C76276	CLOSTRIDIUM DIFFICILE	Clostridium difficilis	Any bacterial organism that can be assigned to the species Clostridium difficile.	Clostridium difficile
C86279	CLOSTRIDIUM FALLAX	Clostridium pseudofallax	Any bacterial organism that can be assigned to the species Clostridium fallax.	Clostridium fallax
C86280	CLOSTRIDIUM GLYCOLICUM		Any bacterial organism that can be assigned to the species Clostridium glycolicum.	Clostridium glycolicum
C86281	CLOSTRIDIUM HAEMOLYTICUM		Any bacterial organism that can be assigned to the species Clostridium haemolyticum.	Clostridium haemolyticum
C114251	CLOSTRIDIUM HATHEWAYI		Any bacterial organism that can be assigned to the species Clostridium hathewayi.	Clostridium hathewayi
C86282	CLOSTRIDIUM HISTOLYTICUM		Any bacterial organism that can be assigned to the species Clostridium histolyticum.	Clostridium histolyticum
C86283	CLOSTRIDIUM INNOCUUM		Any bacterial organism that can be assigned to the species Clostridium innocuum.	Clostridium innocuum
C86284	CLOSTRIDIUM LIMOSUM		Any bacterial organism that can be assigned to the species Clostridium limosum.	Clostridium limosum
C86285	CLOSTRIDIUM NOVYI		Any bacterial organism that can be assigned to the species Clostridium novyi.	Clostridium novyi
C86286	CLOSTRIDIUM OCEANICUM		Any bacterial organism that can be assigned to the species Clostridium oceanicum.	Clostridium oceanicum

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122265	CLOSTRIDIUM OROTICUM	Zymbacterium oroticum	Any bacterial organism that can be assigned to the species Clostridium oroticum.	Clostridium oroticum
C86287	CLOSTRIDIUM PARAPUTRIFICUM		Any bacterial organism that can be assigned to the species Clostridium paraputrificum.	Clostridium paraputrificum
C86288	CLOSTRIDIUM PERFRINGENS	Clostridium welchii	Any bacterial organism that can be assigned to the species Clostridium perfringens.	Clostridium perfringens
C86289	CLOSTRIDIUM PUTRIFICUM	Clostridium lentoputrescens	Any bacterial organism that can be assigned to the species Clostridium putrificum.	Clostridium putrificum
C86290	CLOSTRIDIUM RAMOSUM	Actinomyces ramosus	Any bacterial organism that can be assigned to the species Clostridium ramosum.	Clostridium ramosum
C86291	CLOSTRIDIUM RECTUM		Any bacterial organism that can be assigned to the species Clostridium rectum.	Clostridium rectum
C119325	CLOSTRIDIUM SARTAGOFORME		Any bacterial organism that can be assigned to the species Clostridium sartagoforme.	Clostridium sartagoforme
C86292	CLOSTRIDIUM SEPTICUM		Any bacterial organism that can be assigned to the species Clostridium septicum.	Clostridium septicum
C86293	CLOSTRIDIUM SORDELLII		Any bacterial organism that can be assigned to the species Clostridium sordellii.	Clostridium sordellii
C122266	CLOSTRIDIUM SPIROFORME		Any bacterial organism that can be assigned to the species Clostridium spiroforme.	Clostridium spiroforme
C86294	CLOSTRIDIUM SPOROGENES		Any bacterial organism that can be assigned to the species Clostridium sporogenes.	Clostridium sporogenes
C86295	CLOSTRIDIUM SUBTERMINALE		Any bacterial organism that can be assigned to the species Clostridium subterminale.	Clostridium subterminale
C86296	CLOSTRIDIUM SYMBIOSUM	Bacteroides symbiosus	Any bacterial organism that can be assigned to the species Clostridium symbiosum.	Clostridium symbiosum
C86297	CLOSTRIDIUM TERTIUM		Any bacterial organism that can be assigned to the species Clostridium tertium.	Clostridium tertium
C86298	CLOSTRIDIUM TETANI		Any bacterial organism that can be assigned to the species Clostridium tetani.	Clostridium tetani
C86299	CLOSTRIDIUM TYROBUTYRICUM		Any bacterial organism that can be assigned to the species Clostridium tyrobutyricum.	Clostridium tyrobutyricum
C62584	COAGULASE NEGATIVE STAPHYLOCOCCUS		Any bacteria assigned to the genus Staphylococcus that does not express the enzyme coagulase.	Coagulase-Negative Staphylococcus
C62585	COAGULASE POSITIVE STAPHYLOCOCCUS		Any bacteria assigned to the genus Staphylococcus that expresses the enzyme coagulase.	Coagulase-Positive Staphylococcus
C122046	COLIFORM BACTERIA		A non-taxonomic grouping of rod-shaped, gram-negative, non-spore forming bacteria that ferment lactose, producing acid and gas.	Coliform Bacteria
C122267	COLIFORM BACTERIA, LACTOSE FERMENTING		A non-taxonomic grouping of coliform bacteria that can ferment lactose.	Coliform Bacteria, Lactose Fermenting
C122268	COLIFORM BACTERIA, NON-LACTOSE FERMENTING		A non-taxonomic grouping of coliform bacteria that cannot ferment lactose.	Coliform Bacteria, Non-Lactose Fermenting
C86300	COLLINSELLA		Any bacteria that is not assigned to the species level but can be assigned to the Collinsella genus level.	Collinsella
C86301	COLLINSELLA AEROFACIENS	Eubacterium aerofaciens	Any bacterial organism that can be assigned to the species Collinsella aerofaciens.	Collinsella aerofaciens
C86302	COLLINSELLA INTESTINALIS		Any bacterial organism that can be assigned to the species Collinsella intestinalis.	Collinsella intestinalis
C112240	COLORADO TICK FEVER VIRUS	CTFV	Any viral organism that can be assigned to the species Colorado tick fever virus.	Colorado Tick Fever Virus
C86303	COMAMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Comamonas genus level.	Comamonas

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86304	COMAMONAS TERRIGENA		Any bacterial organism that can be assigned to the species <i>Comamonas terrigena</i> .	<i>Comamonas terrigena</i>
C86305	COMAMONAS TESTOSTERONI	<i>Pseudomonas testosteroni</i>	Any bacterial organism that can be assigned to the species <i>Comamonas testosteroni</i> .	<i>Comamonas testosteroni</i>
C123468	CONIOCHAETA	<i>Lecythophora</i>	Any fungal organism that is not assigned to the species level but can be assigned to the <i>Coniochaeta</i> genus level.	<i>Coniochaeta</i>
C127699	COPRINELLUS RADIANS	<i>Coprinus radians</i>	Any fungal organism that can be assigned to the species <i>Coprinellus radians</i> .	<i>Coprinellus radians</i>
C113205	CORONAVIRIDAE		Any viral organism that can be assigned to the family <i>Coronaviridae</i> .	<i>Coronaviridae</i>
C76308	CORYNEBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Corynebacterium</i> genus level.	<i>Corynebacterium</i>
C86306	CORYNEBACTERIUM ACCOLENS	CDC Coryneform Group G-1	Any bacterial organism that can be assigned to the species <i>Corynebacterium accolens</i> .	<i>Corynebacterium accolens</i>
C86307	CORYNEBACTERIUM AFERMENTANS	<i>Corynebacterium ANF-1</i>	Any bacterial organism that can be assigned to the species <i>Corynebacterium afermentans</i> .	<i>Corynebacterium afermentans</i>
C86308	CORYNEBACTERIUM AMYCOLATUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium amycolatum</i> .	<i>Corynebacterium amycolatum</i>
C86309	CORYNEBACTERIUM ARGENTORATENSE		Any bacterial organism that can be assigned to the species <i>Corynebacterium argentoratense</i> .	<i>Corynebacterium argentoratense</i>
C127700	CORYNEBACTERIUM AURIMUCOSUM	<i>Corynebacterium nigricans</i>	Any bacterial organism that can be assigned to the species <i>Corynebacterium aurimucosum</i> .	<i>Corynebacterium aurimucosum</i>
C86310	CORYNEBACTERIUM AURIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium auris</i> .	<i>Corynebacterium auris</i>
C86311	CORYNEBACTERIUM BOVIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium bovis</i> .	<i>Corynebacterium bovis</i>
C122269	CORYNEBACTERIUM COYLEAE		Any bacterial organism that can be assigned to the species <i>Corynebacterium coyleae</i> .	<i>Corynebacterium coyleae</i>
C86312	CORYNEBACTERIUM DIPHTHERIAE		Any bacterial organism that can be assigned to the species <i>Corynebacterium diphtheriae</i> .	<i>Corynebacterium diphtheriae</i>
C122270	CORYNEBACTERIUM DIPHTHERIAE TYPE GRAVIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium diphtheriae</i> subspecies <i>gravis</i> .	<i>Corynebacterium diphtheriae</i> bv. <i>gravis</i>
C122271	CORYNEBACTERIUM DIPHTHERIAE TYPE INTERMEDIUS		Any bacterial organism that can be assigned to the species <i>Corynebacterium diphtheriae</i> subspecies <i>intermedius</i> .	<i>Corynebacterium diphtheriae</i> bv. <i>intermedius</i>
C122272	CORYNEBACTERIUM DIPHTHERIAE TYPE MITIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium diphtheriae</i> subspecies <i>mitis</i> .	<i>Corynebacterium diphtheriae</i> bv. <i>mitis</i>
C122273	CORYNEBACTERIUM DIPHTHERIAE VAR. BELFANTI		Any bacterial organism that can be assigned to the species <i>Corynebacterium diphtheriae</i> subspecies <i>belfanti</i> .	<i>Corynebacterium diphtheriae</i> bv. <i>belfanti</i>
C86313	CORYNEBACTERIUM GENITALIUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium genitalium</i> .	<i>Corynebacterium genitalium</i>
C86955	CORYNEBACTERIUM GLUCURONOLYTICUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium glucuronolyticum</i> .	<i>Corynebacterium glucuronolyticum</i>
C76307	CORYNEBACTERIUM JEIKEIUM	CDC Coryneform Group JK	Any bacterial organism that can be assigned to the species <i>Corynebacterium jeikeium</i> .	<i>Corynebacterium jeikeium</i>
C86314	CORYNEBACTERIUM KUTSCHERI		Any bacterial organism that can be assigned to the species <i>Corynebacterium kutscheri</i> .	<i>Corynebacterium kutscheri</i>
C86315	CORYNEBACTERIUM MACGINLEYI		Any bacterial organism that can be assigned to the species <i>Corynebacterium macginleyi</i> .	<i>Corynebacterium macginleyi</i>
C86316	CORYNEBACTERIUM MATRUCHOTII	<i>Bacterionema matruchotii</i>	Any bacterial organism that can be assigned to the species <i>Corynebacterium matruchotii</i> .	<i>Corynebacterium matruchotii</i>
C86317	CORYNEBACTERIUM MINUTISSIMUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium minutissimum</i> .	<i>Corynebacterium minutissimum</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122274	CORYNEBACTERIUM MUCIFACIENS		Any bacterial organism that can be assigned to the species <i>Corynebacterium mucifaciens</i> .	<i>Corynebacterium mucifaciens</i>
C86318	CORYNEBACTERIUM PILOSUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium pilosum</i> .	<i>Corynebacterium pilosum</i>
C86319	CORYNEBACTERIUM PROPINQUUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium propinquum</i> .	<i>Corynebacterium propinquum</i>
C86320	CORYNEBACTERIUM PSEUDODIPHATHERITICUM	<i>Corynebacterium hofmannii</i>	Any bacterial organism that can be assigned to the species <i>Corynebacterium pseudodiphtheriticum</i> .	<i>Corynebacterium pseudodiphtheriticum</i>
C86321	CORYNEBACTERIUM PSEUDOTUBERCULOSIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium pseudotuberculosis</i> .	<i>Corynebacterium pseudotuberculosis</i>
C86322	CORYNEBACTERIUM RENALE		Any bacterial organism that can be assigned to the species <i>Corynebacterium renale</i> .	<i>Corynebacterium renale</i>
C122275	CORYNEBACTERIUM SIMULANS		Any bacterial organism that can be assigned to the species <i>Corynebacterium simulans</i> .	<i>Corynebacterium simulans</i>
C86323	CORYNEBACTERIUM STRIATUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium striatum</i> .	<i>Corynebacterium striatum</i>
C114249	CORYNEBACTERIUM TUBERCULOSTEARICUM		Any bacterial organism that can be assigned to the species <i>Corynebacterium tuberculostearicum</i> .	<i>Corynebacterium tuberculostearicum</i>
C86324	CORYNEBACTERIUM ULCERANS		Any bacterial organism that can be assigned to the species <i>Corynebacterium ulcerans</i> .	<i>Corynebacterium ulcerans</i>
C86325	CORYNEBACTERIUM UREALYTICUM	CDC Coryneform Group D-2	Any bacterial organism that can be assigned to the species <i>Corynebacterium urealyticum</i> .	<i>Corynebacterium urealyticum</i>
C86326	CORYNEBACTERIUM XEROSIS		Any bacterial organism that can be assigned to the species <i>Corynebacterium xerosis</i> .	<i>Corynebacterium xerosis</i>
C86327	CORYNEFORM GRAM-POSITIVE BACILLUS	Coryneform Gram-positive Rod	Any bacteria whose shape is similar to those bacteria assigned to the <i>Corynebacterium</i> genus and have a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Coryneform Gram Positive Bacillus
C76309	COXIELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Coxiella</i> genus level.	<i>Coxiella</i>
C86328	COXIELLA BURNETII		Any bacterial organism that can be assigned to the species <i>Coxiella burnetii</i> .	<i>Coxiella burnetii</i>
C112242	COXSACKIE A VIRUS	Coxsackie Virus A	Any viral organism that can be assigned to the Human Enterovirus A, B and/or C species and subtype Coxsackie A virus.	Coxsackie A Virus
C112243	COXSACKIE B VIRUS	Coxsackie Virus B	Any viral organism that can be assigned to the Human Enterovirus B species and subtype Coxsackie B virus.	Coxsackie B Virus
C86329	CRONOBACTER SAKAZAKII	<i>Enterobacter sakazakii</i>	Any bacterial organism that can be assigned to the species <i>Cronobacter sakazakii</i> .	<i>Cronobacter sakazakii</i>
C77184	CRYPTOCOCCUS		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Cryptococcus</i> genus level.	<i>Cryptococcus</i>
C114267	CRYPTOCOCCUS ALBIDUS	<i>Rhodotorula albida</i> ; <i>Torulopsis albida</i> ; <i>Torulopsis nadaensis</i> ; <i>Torulopsis neoformans</i> var. <i>albida</i>	Any fungal organism that can be assigned to the species <i>Cryptococcus albicus</i> .	<i>Cryptococcus albicus</i>
C127701	CRYPTOCOCCUS ALBIDUS VAR. ALBIDUS		Any fungal organism that can be assigned to the species <i>Cryptococcus albicus</i> variant <i>albicus</i> .	<i>Cryptococcus albicus</i> Var. <i>albicus</i>
C127702	CRYPTOCOCCUS DIFFLUENS	<i>Cryptococcus albicus</i> var. <i>diffluens</i> ; <i>Cryptococcus diffluens</i> var. <i>diffluens</i> ; <i>Torulopsis diffluens</i>	Any fungal organism that can be assigned to the species <i>Cryptococcus diffluens</i> .	<i>Cryptococcus diffluens</i>
C114268	CRYPTOCOCCUS GATTII	<i>Cryptococcus bacillisporus</i>	Any fungal organism that can be assigned to the species <i>Cryptococcus gattii</i> .	<i>Cryptococcus gattii</i>
C114269	CRYPTOCOCCUS LAURENTII		Any fungal organism that can be assigned to the species <i>Cryptococcus laurentii</i> .	<i>Cryptococcus laurentii</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14195	CRYPTOCOCCUS NEOFORMANS	Blastomyces neoformans;Debaryomyces neoformans;Lipomyces neoformans;Saccharomyces neoformans;Torula neoformans;Torulopsis neoformans	Any fungal organism that can be assigned to the species Cryptococcus neoformans.	Cryptococcus neoformans
C114266	CRYPTOCOCCUS RANDHAWII		Any fungal organism that can be assigned to the species Cryptococcus randhawii.	Cryptococcus randhawii
C127703	CRYPTOCOCCUS TERREUS		Any fungal organism that can be assigned to the species Cryptococcus terreus.	Cryptococcus terreus
C77214	CRYPTOSPORIDIUM		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Cryptosporidium genus level.	Cryptosporidium
C122276	CRYPTOSPORIDIUM PARVUM		Any unicellular, eukaryotic organism that can be assigned to the species Cryptosporidium parvum.	Cryptosporidium parvum
C86330	CUPRIAVIDUS		Any bacteria that is not assigned to the species level but can be assigned to the Cupriavidus genus level.	Cupriavidus
C86331	CUPRIAVIDUS PAUCULUS	CDC Group IVc-2;Ralstonia paucula;Wautersia paucula	Any bacterial organism that can be assigned to the species Cupriavidus pauculus.	Cupriavidus pauculus
C122277	CURVULARIA		Any fungal organism that is not assigned to the species level but can be assigned to the Curvularia genus level.	Curvularia
C122047	CYCLOSPORA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Cyclospora genus level.	Cyclospora
C122278	CYCLOSPORA CAYETANENSIS	Cyclospora cayetanensis	Any unicellular, eukaryotic organism that can be assigned to the species Cyclospora cayetanensis.	Cyclospora cayetanensis
C127704	CYTOBASIDIUM MINUTUM	Rhodotorula minuta;Torula minuta	Any fungal organism that can be assigned to the species Cystobasidium minutum.	Cystobasidium minutum
C123647	CYSTOISOSPORA BELLI	Isospora belli	Any unicellular, eukaryotic organism that can be assigned to the species Cystoisospora belli.	Cystoisospora belli
C14196	CYTOMEGALOVIRUS		Any viral organism that can be assigned to the genus Cytomegalovirus.	Cytomegalovirus
C86332	DELFTIA		Any bacteria that is not assigned to the species level but can be assigned to the Delftia genus level.	Delftia
C86333	DELFTIA ACIDOVORANS	Comamonas acidovorans;Pseudomonas acidovorans	Any bacterial organism that can be assigned to the species Delftia acidovorans.	Delftia acidovorans
C122279	DELTACORONAVIRUS	Coronavirus Group 3	Any viral organism that can be assigned to the genus Deltacoronavirus.	Deltacoronavirus
C14347	DELTARETROVIRUS		Any viral organism that can be assigned to the genus Deltaretrovirus.	Deltaretrovirus
C112036	DENGUE VIRUS		Any viral organism that can be assigned to the species Dengue virus.	Dengue Virus
C112266	DENGUE VIRUS 1	DEN-1;DENV-1;Dengue Virus Type 1	Any viral organism that can be assigned to the Dengue virus serotype 1.	Dengue Virus 1
C112267	DENGUE VIRUS 2	DEN-2;DENV-2;Dengue Virus Type 2	Any viral organism that can be assigned to the Dengue virus serotype 2.	Dengue Virus 2
C112268	DENGUE VIRUS 3	DEN-3;DENV-3;Dengue Virus Type 3	Any viral organism that can be assigned to the Dengue virus serotype 3.	Dengue Virus 3
C112269	DENGUE VIRUS 4	DEN-4;DENV-4;Dengue Virus Type 4	Any viral organism that can be assigned to the Dengue virus serotype 4.	Dengue Virus 4
C86334	DERMABACTER		Any bacteria that is not assigned to the species level but can be assigned to the Dermabacter genus level.	Dermabacter
C86335	DERMABACTER HOMINIS		Any bacterial organism that can be assigned to the species Dermabacter hominis.	Dermabacter hominis

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86336	DERMACOCCUS NISHINOMIYAENSIS	Micrococcus nishinomiyaensis	Any bacterial organism that can be assigned to the species <i>Dermaococcus nishinomiyaensis</i> .	Dermaococcus nishinomiyaensis
C86337	DERMATOPHILUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Dermatophilus</i> genus level.	Dermatophilus
C86338	DERMATOPHILUS CONGOLENSIS		Any bacterial organism that can be assigned to the species <i>Dermatophilus congolensis</i> .	Dermatophilus congolensis
C86339	DESULFOVIBRIO	Desulfomonas	Any bacteria that is not assigned to the species level but can be assigned to the <i>Desulfovibrio</i> genus level.	Desulfovibrio
C86340	DESULFOVIBRIO DESULFURICANS		Any bacterial organism that can be assigned to the species <i>Desulfovibrio desulfuricans</i> .	Desulfovibrio desulfuricans
C86341	DESULFOVIBRIO FAIRFIELDENSIS		Any bacterial organism that can be assigned to the species <i>Desulfovibrio fairfieldensis</i> .	Desulfovibrio fairfieldensis
C86342	DESULFOVIBRIO PIGER	Desulfomonas pigra	Any bacterial organism that can be assigned to the species <i>Desulfovibrio pigra</i> .	Desulfovibrio pigra
C122280	DIALISTER MICRAEROPHILUS		Any bacterial organism that can be assigned to the species <i>Dialister micraerophilus</i> .	Dialister micraerophilus
C122281	DIALISTER PNEUMOSINTES	Bacillus pneumosintes;Bacteroides pneumosintes	Any bacterial organism that can be assigned to the species <i>Dialister pneumosintes</i> .	Dialister pneumosintes
C127705	DICKEYA DADANTII		Any bacterial organism that can be assigned to the species <i>Dickeya dadantii</i> .	Dickeya dadantii
C122282	DIENTAMOEBIA FRAGILIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Dientamoeba fragilis</i> .	Dientamoeba fragilis
C122283	DIPETALONEMA		Any nematode parasite that is not assigned to the species level but can be assigned to the <i>Dipetalonema</i> genus level.	Dipetalonema
C86343	DIPHATHEROID BACILLUS		Any of a number of rod-shaped bacteria that resemble <i>Corynebacterium diphtheriae</i> , either in morphology or etiology.	Diphtheroid Bacillus
C122284	DIPHYLLOBOTHRIUM LATUM	Broad Fish Tapeworm	Any cestode parasite that can be assigned to the species <i>Diphyllobothrium latum</i> .	Diphyllobothrium latum
C122285	DIPYLIDIUM CANINUM	Cucumber Tapeworm;Double-pore Tapeworm;Flea Tapeworm	Any cestode parasite that can be assigned to the species <i>Dipylidium caninum</i> .	Dipylidium caninum
C122286	DOLOSIGRANULUM PIGRUM		Any bacterial organism that can be assigned to the species <i>Dolosigranulum pigrum</i> .	Dolosigranulum pigrum
C122287	DOREA		Any bacterial organism that can be assigned to the genus <i>Dorea</i> .	Dorea
C122288	DRACUNCULUS MEDINENSIS	Guinea worm	Any nematode parasite that can be assigned to the species <i>Dracunculus medinensis</i> .	Dracunculus medinensis
C112271	EBOLA VIRUS	EBOV	Any viral organism that can be assigned to the genus <i>Ebola virus</i> .	Ebola Virus
C122289	ECHINOCOCCUS GRANULOSUS	Hydatid Worm;Hyper Tapeworm	Any cestode parasite that can be assigned to the species <i>Echinococcus granulosus</i> .	Echinococcus granulosus
C122290	ECHINOCOCCUS MULTILOCULARIS		Any cestode parasite that can be assigned to the species <i>Echinococcus multilocularis</i> .	Echinococcus multilocularis
C122291	ECHINOCOCCUS VOGELI		Any cestode parasite that can be assigned to the species <i>Echinococcus vogeli</i> .	Echinococcus vogeli
C112272	ECHOVIRUS		Any viral organism that can be assigned to the species <i>Echovirus</i> .	Echovirus
C86344	EDWARDSIELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Edwardsiella</i> genus level.	Edwardsiella
C86345	EDWARDSIELLA HOSHINAE		Any bacterial organism that can be assigned to the species <i>Edwardsiella hoshinae</i> .	Edwardsiella hoshinae
C86346	EDWARDSIELLA ICTALURI		Any bacterial organism that can be assigned to the species <i>Edwardsiella ictaluri</i> .	Edwardsiella ictaluri



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86347	EDWARDSIELLA TARDA		Any bacterial organism that can be assigned to the species <i>Edwardsiella tarda</i> .	Edwardsiella tarda
C86348	EGGERTHELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Eggerthella</i> genus level.	Eggerthella
C86349	EGGERTHELLA LENTA	Eubacterium lentum	Any bacterial organism that can be assigned to the species <i>Eggerthella lenta</i> .	Eggerthella lenta
C122292	EHRlichIA	Cowdria;Kurlovia;Nicollea	Any bacterial organism that is not assigned to the species level but can be assigned to the <i>Ehrlichia</i> genus level.	Ehrlichia
C86350	EIKENELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Eikenella</i> genus level.	Eikenella
C86351	EIKENELLA CORRODENS		Any bacterial organism that can be assigned to the species <i>Eikenella corrodens</i> .	Eikenella corrodens
C86352	ELIZABETHKINGIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Elizabethkingia</i> genus level.	Elizabethkingia
C86353	ELIZABETHKINGIA MENINGOCEPTICA	Chryseobacterium meningosepticum;Flavobacterium meningosepticum	Any bacterial organism that can be assigned to the species <i>Elizabethkingia meningoseptica</i> .	Elizabethkingia meningoseptica
C86354	EMPEDOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Empedobacter</i> genus level.	Empedobacter
C86355	EMPEDOBACTER BREVIS	Flavobacterium breve	Any bacterial organism that can be assigned to the species <i>Empedobacter brevis</i> .	Empedobacter brevis
C122293	ENCEPHALITOOZON	Septata	Any fungal organism that is not assigned to the species level but can be assigned to the <i>Encephalitozoon</i> genus level.	Encephalitozoon
C122294	ENDOLIMAX NANA		Any unicellular, eukaryotic organism that can be assigned to the species <i>Endolimax nana</i> .	Endolimax nana
C122048	ENTAMOEBA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the <i>Entamoeba</i> genus level.	Entamoeba
C122295	ENTAMOEBA COLI		Any unicellular, eukaryotic organism that can be assigned to the species <i>Entamoeba coli</i> .	Entamoeba coli
C122296	ENTAMOEBA HARTMANNI		Any unicellular, eukaryotic organism that can be assigned to the species <i>Entamoeba hartmanni</i> .	Entamoeba hartmanni
C122297	ENTAMOEBA HISTOLYTICA		Any unicellular, eukaryotic organism that can be assigned to the species <i>Entamoeba histolytica</i> .	Entamoeba histolytica
C122298	ENTAMOEBA POLECKI		Any unicellular, eukaryotic organism that can be assigned to the species <i>Entamoeba polecki</i> .	Entamoeba polecki
C127706	ENTERIC BACTERIA		Any rod-shaped bacterial organism that does not require oxygen to grow or respire, cannot be assigned to a specific genus or species, has a cell wall that stains Gram-negative, and that occurs normally or pathogenically in the intestinal tracts of animals.	Enteric Bacteria
C76310	ENTEROBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Enterobacter</i> genus level.	Enterobacter
C86356	ENTEROBACTER AEROGENES	Aerobacter aerogenes	Any bacterial organism that can be assigned to the species <i>Enterobacter aerogenes</i> .	Enterobacter aerogenes
C86357	ENTEROBACTER AMNIGENUS	Enterobacter amnigenus I	Any bacterial organism that can be assigned to the species <i>Enterobacter amnigenus</i> .	Enterobacter amnigenus
C86358	ENTEROBACTER ASBURIAE	CDC Enteric Group 17	Any bacterial organism that can be assigned to the species <i>Enterobacter asburiae</i> .	Enterobacter asburiae
C86359	ENTEROBACTER CANCEROGENUS	CDC Enteric Group 19;Enterobacter taylorae	Any bacterial organism that can be assigned to the species <i>Enterobacter cancerogenus</i> .	Enterobacter cancerogenus

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86360	ENTEROBACTER CLOACAE		Any bacterial organism that can be assigned to the species <i>Enterobacter cloacae</i> .	Enterobacter cloacae
C122299	ENTEROBACTER CLOACAE COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the <i>Enterobacter cloacae</i> species.	Enterobacter cloacae Complex
C86361	ENTEROBACTER GERGOVIAE		Any bacterial organism that can be assigned to the species <i>Enterobacter gergoviae</i> .	Enterobacter gergoviae
C86362	ENTEROBACTER HORMAECHEI	CDC Enteric Group 75	Any bacterial organism that can be assigned to the species <i>Enterobacter hormaechei</i> .	Enterobacter hormaechei
C85932	ENTEROBACTERIACEAE	Enterobacteraceae	Any bacteria that is not assigned to the species level but can be assigned to the Enterobacteriaceae family level.	Enterobacteriaceae
C122300	ENTEROBIUS VERMICULARIS		Any nematode parasite that can be assigned to the species <i>Enterobius vermicularis</i> .	Enterobius vermicularis
C76311	ENTEROCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Enterococcus genus level.	Enterococcus
C86364	ENTEROCOCCUS AVIUM	<i>Streptococcus avium</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus avium</i> .	Enterococcus avium
C86365	ENTEROCOCCUS CASSELI FLAVUS		Any bacterial organism that can be assigned to the species <i>Enterococcus casseliflavus</i> .	Enterococcus casseliflavus
C86366	ENTEROCOCCUS DISPAR		Any bacterial organism that can be assigned to the species <i>Enterococcus dispar</i> .	Enterococcus dispar
C86367	ENTEROCOCCUS DURANS	<i>Streptococcus durans</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus durans</i> .	Enterococcus durans
C86368	ENTEROCOCCUS FAECALIS	<i>Streptococcus faecalis</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus faecalis</i> .	Enterococcus faecalis
C86369	ENTEROCOCCUS FAECIUM	<i>Streptococcus faecium</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus faecium</i> .	Enterococcus faecium
C86370	ENTEROCOCCUS GALLINARUM		Any bacterial organism that can be assigned to the species <i>Enterococcus gallinarum</i> .	Enterococcus gallinarum
C86371	ENTEROCOCCUS HIRAE		Any bacterial organism that can be assigned to the species <i>Enterococcus hirae</i> .	Enterococcus hirae
C86372	ENTEROCOCCUS MALODORATUS		Any bacterial organism that can be assigned to the species <i>Enterococcus malodoratus</i> .	Enterococcus malodoratus
C86373	ENTEROCOCCUS MUNDTII		Any bacterial organism that can be assigned to the species <i>Enterococcus mundtii</i> .	Enterococcus mundtii
C86374	ENTEROCOCCUS PSEUDOAVIUM		Any bacterial organism that can be assigned to the species <i>Enterococcus pseudoavium</i> .	Enterococcus pseudoavium
C86375	ENTEROCOCCUS RAFFINOSUS		Any bacterial organism that can be assigned to the species <i>Enterococcus raffinosus</i> .	Enterococcus raffinosus
C122301	ENTEROCOCCUS SACCHAROLYTICUS	<i>Streptococcus saccharolyticus</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus saccharolyticus</i> .	Enterococcus saccharolyticus
C114243	ENTEROCOCCUS THAILANDICUS	<i>Enterococcus sanguinicola</i>	Any bacterial organism that can be assigned to the species <i>Enterococcus thailandicus</i> .	Enterococcus thailandicus
C122302	ENTEROCYTOZOON		Any fungal organism that is not assigned to the species level but can be assigned to the Enterocytozoon genus level.	Enterocytozoon
C122303	ENTEROMONAS HOMINIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Enteromonas hominis</i> .	Enteromonas hominis
C14203	ENTEROVIRUS		Any viral organism that can be assigned to the genus <i>Enterovirus</i> .	Enterovirus
C122304	EPICOCCUM		Any fungal organism that is not assigned to the species level but can be assigned to the Epicoccum genus level.	Epicoccum
C127707	EPIDERMOPHYTON FLOCCOSUM	<i>Acrothecium floccosum</i> ; <i>Epidermophyton floccosum</i> var. <i>nigricans</i>	Any fungal organism that can be assigned to the species <i>Epidermophyton floccosum</i> .	Epidermophyton floccosum

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86376	ERYSIPELOTHRIX	Erysipelothrix insidiosa	Any bacteria that is not assigned to the species level but can be assigned to the Erysipelothrix genus level.	Erysipelothrix
C86377	ERYSIPELOTHRIX RHUSIOPATHIAE		Any bacterial organism that can be assigned to the species Erysipelothrix rhusiopathiae.	Erysipelothrix rhusiopathiae
C77208	ESCHERICHIA		Any bacteria that is not assigned to the species level but can be assigned to the Escherichia genus level.	Escherichia
C86378	ESCHERICHIA ALBERTII		Any bacterial organism that can be assigned to the species Escherichia albertii.	Escherichia albertii
C86379	ESCHERICHIA BLATTAE		Any bacterial organism that can be assigned to the species Escherichia blattae.	Escherichia blattae
C14206	ESCHERICHIA COLI	E. coli	Any bacterial organism that can be assigned to the species Escherichia coli.	Escherichia coli
C86881	ESCHERICHIA COLI O111		Any bacterial organism that can be assigned to the species Escherichia coli and strain O111.	Escherichia coli strain O111
C86882	ESCHERICHIA COLI O157 (NOT H7)		Any bacterial organism that can be assigned to the species Escherichia coli and strain O157.	Escherichia coli strain O157
C86883	ESCHERICHIA COLI O157:H7		Any bacterial organism that can be assigned to the species Escherichia coli and strain O157:H7.	Escherichia coli strain O157:H7
C86884	ESCHERICHIA COLI O26		Any bacterial organism that can be assigned to the species Escherichia coli and strain O26.	Escherichia coli strain O26
C122305	ESCHERICHIA COLI, ESBL	Escherichia coli, Extended-spectrum Beta-lactamases	Any bacterial organism that can be assigned to the species Escherichia coli and produces extended-spectrum beta-lactamases (ESBL).	Escherichia coli, Extended-spectrum Beta-lactamase Positive
C86380	ESCHERICHIA FERGUSONII	CDC Enteric Group 10	Any bacterial organism that can be assigned to the species Escherichia fergusonii.	Escherichia fergusonii
C86381	ESCHERICHIA HERMANNII	CDC Enteric Group 11	Any bacterial organism that can be assigned to the species Escherichia hermannii.	Escherichia hermannii
C86382	ESCHERICHIA VULNERIS	CDC Enteric Group 1	Any bacterial organism that can be assigned to the species Escherichia vulneris.	Escherichia vulneris
C86383	EUBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Eubacterium genus level.	Eubacterium
C86384	EUBACTERIUM ALACTOLYTICUM		Any bacterial organism that can be assigned to the species Eubacterium adactolyticum.	Eubacterium alactolyticum
C86385	EUBACTERIUM CONTORTUM		Any bacterial organism that can be assigned to the species Eubacterium contortum.	Eubacterium contortum
C86386	EUBACTERIUM LIMOSUM		Any bacterial organism that can be assigned to the species Eubacterium limosum.	Eubacterium limosum
C86387	EUBACTERIUM NODATUM		Any bacterial organism that can be assigned to the species Eubacterium nodatum.	Eubacterium nodatum
C86388	EUBACTERIUM RECTALE		Any bacterial organism that can be assigned to the species Eubacterium rectale.	Eubacterium rectale
C86389	EUBACTERIUM VENTRIOSUM		Any bacterial organism that can be assigned to the species Eubacterium ventriosum.	Eubacterium ventriosum
C127708	EUROTIIUM HERBARIORUM	Aspergillus glaucus;Aspergillus herbariorum	Any fungal organism that can be assigned to the species Eurotium herbariorum.	Eurotium herbariorum
C86390	EWINGELLA		Any bacteria that is not assigned to the species level but can be assigned to the Ewingella genus level.	Ewingella
C86391	EWINGELLA AMERICANA		Any bacterial organism that can be assigned to the species Ewingella americana.	Ewingella americana
C86885	EXIGUOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Exiguobacterium genus level.	Exiguobacterium
C86886	EXIGUOBACTERIUM ACETYLICUM	Brevibacterium acetylicum	Any bacterial organism that can be assigned to the species Exiguobacterium acetylicum.	Exiguobacterium acetylicum

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127709	EXOPHIALA DERMATITIDIS	Wangiella dermatitidis	Any fungal organism that can be assigned to the species <i>Exophiala dermatitidis</i> .	Exophiala dermatitidis
C127710	EXOPHIALA JEANSELMEI	Phialophora jeanselmei; Pullularia jeanselmei; Torula jeanselmei	Any fungal organism that can be assigned to the species <i>Exophiala jeanselmei</i> .	Exophiala jeanselmei
C122306	EXSEROHILUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Exserohilum</i> genus level.	Exserohilum
C86392	FACKLAMIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Facklamia</i> genus level.	Facklamia
C122307	FACKLAMIA HOMINIS		Any bacterial organism that can be assigned to the species <i>Facklamia hominis</i> .	Facklamia hominis
C86393	FAECALIBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Faecalibacterium</i> genus level.	Faecalibacterium
C86394	FAECALIBACTERIUM PRAUSNITZII	<i>Fusobacterium prausnitzii</i>	Any bacterial organism that can be assigned to the species <i>Faecalibacterium prausnitzii</i> .	Faecalibacterium prausnitzii
C122308	FASCIOLA HEPATICA	Sheep liver fluke	Any trematode parasite that can be assigned to the species <i>Fasciola hepatica</i> .	Fasciola hepatica
C122309	FASCIOLOPSIS BUSKI		Any trematode parasite that can be assigned to the species <i>Fasciolopsis buski</i> .	Fasciolopsis buski
C86395	FERMENTATIVE GRAM-NEGATIVE BACILLUS	Fermentative Gram-negative Rod	Any rod-shaped, anaerobic bacteria that can convert carbohydrates into acids and alcohols and has a cell wall contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Fermentative Gram Negative Bacillus
C114265	FILOBASIDIUM UNIGUTTULATUM	<i>Cryptococcus neoformans</i> var. <i>uniguttulatus</i> ; <i>Cryptococcus uniguttulatus</i> ; <i>Eutorulopsis uniguttulata</i>	Any fungal organism that can be assigned to the species <i>Filobasidium uniguttulatum</i> .	Filobasidium uniguttulatum
C112031	FILOVIRIDAE	Filovirus	Any viral organism that can be assigned to the family <i>Filoviridae</i> .	Filoviridae
C86887	FINEGOLDIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Finegoldia</i> genus level.	Finegoldia
C86888	FINEGOLDIA MAGNA	<i>Peptostreptococcus magnus</i>	Any bacterial organism that can be assigned to the species <i>Finegoldia magna</i> .	Finegoldia magna
C14208	FLAVIVIRUS		Any viral organism that can be assigned to the genus <i>Flavivirus</i> .	Flavivirus
C76320	FLAVOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Flavobacterium</i> genus level.	Flavobacterium
C122310	FLAVONIFRACTOR		Any bacterial organism that is not assigned to the species level but can be assigned to the <i>Flavonifractor</i> genus level.	Flavonifractor
C122311	FONSECAEA		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Fonsecaea</i> genus level.	Fonsecaea
C86396	FRANCISELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Francisella</i> genus level.	Francisella
C86397	FRANCISELLA TULARENSIS	<i>Pasteurella tularensis</i>	Any bacterial organism that can be assigned to the species <i>Francisella tularensis</i> .	Francisella tularensis
C14209	FUNGI		Any organism assigned to the kingdom <i>Fungi</i> .	Fungus
C77185	FUSARIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Fusarium</i> genus level.	Fusarium
C127711	FUSARIUM CHLAMYDOSPORUM		Any fungal organism that can be assigned to the species <i>Fusarium chlamydosporum</i> .	Fusarium chlamydosporum

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127712	FUSARIUM INCARNATUM	Fusarium pallidoroseum;Fusarium semitectum	Any fungal organism that can be assigned to the species Fusarium incarnatum.	Fusarium incarnatum
C128551	FUSARIUM SOLANI	Neocosmospora solani	Any fungal organism that can be assigned to the species Fusarium solani.	Fusarium solani
C76323	FUSOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Fusobacterium genus level.	Fusobacterium
C86398	FUSOBACTERIUM GONIDIAFORMANS		Any bacterial organism that can be assigned to the species Fusobacterium gonidiaformans.	Fusobacterium gonidiaformans
C86399	FUSOBACTERIUM MORTIFERUM		Any bacterial organism that can be assigned to the species Fusobacterium mortiferum.	Fusobacterium mortiferum
C114252	FUSOBACTERIUM NAVIFORME	Bacillus naviformis;Fusobacterium naviforme;Pseudobacterium naviformis;Ristella naviformis	Any bacterial organism that can be assigned to the species Fusobacterium naviforme.	Fusobacterium naviforme
C86400	FUSOBACTERIUM NECROGENES		Any bacterial organism that can be assigned to the species Fusobacterium necrogenes.	Fusobacterium necrogenes
C86401	FUSOBACTERIUM NECROPHORUM		Any bacterial organism that can be assigned to the species Fusobacterium necrophorum.	Fusobacterium necrophorum
C86404	FUSOBACTERIUM NUCLEATUM		Any bacterial organism that can be assigned to the species Fusobacterium nucleatum.	Fusobacterium nucleatum
C122312	FUSOBACTERIUM PERIODONTICUM		Any bacterial organism that can be assigned to the species Fusobacterium periodonticum.	Fusobacterium periodonticum
C86405	FUSOBACTERIUM RUSSII		Any bacterial organism that can be assigned to the species Fusobacterium russii.	Fusobacterium russii
C86406	FUSOBACTERIUM ULCERANS		Any bacterial organism that can be assigned to the species Fusobacterium ulcerans.	Fusobacterium ulcerans
C86407	FUSOBACTERIUM VARIUM	Fusobacterium necrophorum Biovar C;Fusobacterium pseudonecrophorum	Any bacterial organism that can be assigned to the species Fusobacterium varium.	Fusobacterium varium
C122313	GAMMACORONAVIRUS	Coronavirus group 3	Any viral organism that is not assigned to the species level but can be assigned to the Gammacoronavirus genus level.	Gammacoronavirus
C86409	GARDNERELLA		Any bacteria that is not assigned to the species level but can be assigned to the Gardnerella genus level.	Gardnerella
C86410	GARDNERELLA VAGINALIS	Corynebacterium vaginalis	Any bacterial organism that can be assigned to the species Gardnerella vaginalis.	Gardnerella vaginalis
C86889	GEMELLA		Any bacteria that is not assigned to the species level but can be assigned to the Gemella genus level.	Gemella
C86890	GEMELLA BERGERI		Any bacterial organism that can be assigned to the species Gemella bergeri.	Gemella bergeri
C86891	GEMELLA HAEMOLYSANS	Neisseria haemolysans	Any bacterial organism that can be assigned to the species Gemella haemolysans.	Gemella haemolysans
C86892	GEMELLA MORBILLORUM	Streptococcus morbillorum	Any bacterial organism that can be assigned to the species Gemella morbillorum.	Gemella morbillorum
C86893	GEMELLA SANGUINIS		Any bacterial organism that can be assigned to the species Gemella sanguinis.	Gemella sanguinis
C122314	GEOMYCES		Any fungal organism that is not assigned to the species level but can be assigned to the Geomyces genus level.	Geomyces
C122315	GEOTRICHUM		Any fungal organism that is not assigned to the species level but can be assigned to the Geotrichum genus level.	Geotrichum
C127713	GEOTRICHUM KLEBAHNII	Geotrichum penicillatum;Trichosporon penicillatum	Any fungal organism that can be assigned to the species Geotrichum klebahnii.	Geotrichum klebahnii

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C77213	GIARDIA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Giardia genus level.	Giardia
C122316	GIARDIA LAMBLIA	Giardia duodenalis;Giardia intestinalis;Lambliia intestinalis	Any unicellular, eukaryotic organism that can be assigned to the species Giardia lamblia.	Giardia lamblia
C122317	GLIOCLADIUM		Any fungal organism that is not assigned to the species level but can be assigned to the Gliocladium genus level.	Gliocladium
C86411	GLOBICATELLA		Any bacteria that is not assigned to the species level but can be assigned to the Globicatella genus level.	Globicatella
C86412	GLOBICATELLA SANGUINIS	Globicatella sanguis	Any bacterial organism that can be assigned to the species Globicatella sanguinis.	Globicatella sanguinis
C86413	GLOBICATELLA SULFIDIFACIENS		Any bacterial organism that can be assigned to the species Globicatella sulfidifaciens.	Globicatella sulfidifaciens
C122023	GNATHOSTOMA		Any nematode parasite that is not assigned to the species level but can be assigned to the Gnathostoma genus level.	Gnathostoma
C122318	GNATHOSTOMA SPINIGERUM		Any nematode parasite that can be assigned to the species Gnathostoma spinigerum.	Gnathostoma spinigerum
C86414	GORDONIA		Any bacteria that is not assigned to the species level but can be assigned to the Gordonia genus level.	Gordonia
C86415	GORDONIA AICHIENSIS	Gordona aichiensis;Tsukamurella aichiensis	Any bacterial organism that can be assigned to the species Gordonia aichiensis.	Gordonia aichiensis
C86416	GORDONIA BRONCHIALIS	Gordona bronchialis;Rhodococcus bronchialis	Any bacterial organism that can be assigned to the species Gordonia bronchialis.	Gordonia bronchialis
C86417	GORDONIA RUBRIPERTINCTA	Gordona rubropertincta;Rhodococcus rubripertincta	Any bacterial organism that can be assigned to the species Gordonia rubripertincta.	Gordonia rubripertincta
C86418	GORDONIA SPUTI	Gordona sputi	Any bacterial organism that can be assigned to the species Gordonia sputi.	Gordonia sputi
C86419	GORDONIA TERRAE	Gordona terrae;Rhodococcus terrae	Any bacterial organism that can be assigned to the species Gordonia terrae.	Gordonia terrae
C86420	GRACILIBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the Gracilibacillus genus level.	Gracilibacillus
C86421	GRAM-NEGATIVE BACILLUS		Any rod-shaped bacteria that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Gram Negative Bacillus
C122319	GRAM-NEGATIVE COCCOBACILLUS		Any bacteria intermediate in morphology between a spherical-shaped coccus and a rod-shaped bacillus that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Gram-Negative Coccobacillus
C86422	GRAM-NEGATIVE COCCUS		Any spherical-shaped bacteria that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Gram Negative Coccus
C122320	GRAM-NEGATIVE DIPLOCOCCUS		Any spherical-shaped bacteria in the form of two joined cells that contains low levels of peptidoglycan in its cell wall and stains pink with the Gram staining technique.	Gram-Negative Diplococcus
C122321	GRAM-NEGATIVE MICROAEROPHILIC BACILLUS		Any rod-shaped bacteria whose growth requires lower than atmospheric oxygen level and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Gram-Negative Microaerophilic Bacillus
C122322	GRAM-NEGATIVE MICROAEROPHILIC COCCUS		Any spherical-shaped bacteria whose growth requires lower than atmospheric oxygen level and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Gram-Negative Microaerophilic Coccus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123469	GRAM-NEGATIVE PLEOMORPHIC BACILLUS		Any rod-shaped bacteria with the ability to alter its shape or size in response to stimuli and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Gram-Negative Pleomorphic Bacillus
C62589	GRAM-POSITIVE BACILLUS		Any rod-shaped bacteria that has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Gram-Positive Rod
C86424	GRAM-POSITIVE COCCUS		Any spherical-shaped bacteria that has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Gram Positive Coccus
C123470	GRAM-POSITIVE DIPLOCOCCUS		Any spherical-shaped bacteria in the form of two joined cells and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Gram-Positive Diplococcus
C123471	GRAM-POSITIVE MICROAEROPHILIC BACILLUS		Any rod-shaped bacteria whose growth requires lower than atmospheric oxygen level and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Gram-Positive Microaerophilic Bacillus
C123472	GRAM-POSITIVE MICROAEROPHILIC COCCUS		Any spherical-shaped bacteria whose growth requires lower than atmospheric oxygen level and has a peptidoglycan-rich cell wall that stains dark purple with the Gram staining technique.	Gram-Positive Microaerophilic Coccus
C86425	GRANULICATELLA		Any bacteria that is not assigned to the species level but can be assigned to the Granulicatella genus level.	Granulicatella
C86426	GRANULICATELLA ADIACENS	Abiotrophia adiacens;Streptococcus adiacens	Any bacterial organism that can be assigned to the species Granulicatella adiacens.	Granulicatella adiacens
C111204	GRANULICATELLA ELEGANS	Abiotrophia elegans	Any bacterial organism that can be assigned to the species Granulicatella elegans.	Granulicatella elegans
C86427	GRIMONTIA HOLLISAE	Vibrio hollisae	Any bacterial organism that can be assigned to the species Grimontia hollisae.	Grimontia hollisae
C127714	GUEHOMYCES PULLULANS	Basidiotrichosporon pullulans;Monilia pullulans;Oidium pullulans;Oospora pullulans;Trichosporon pullulans	Any fungal organism that can be assigned to the species Guehomyces pullulans.	Guehomyces pullulans
C76324	HAEMOPHILUS		Any bacteria that is not assigned to the species level but can be assigned to the Haemophilus genus level.	Haemophilus
C86428	HAEMOPHILUS AEGYPTIUS		Any bacterial organism that can be assigned to the species Haemophilus aegyptius.	Haemophilus aegyptius
C86429	HAEMOPHILUS HAEMOGLOBINOPHILUS		Any bacterial organism that can be assigned to the species Haemophilus haemoglobinophilus.	Haemophilus haemoglobinophilus
C86430	HAEMOPHILUS HAEMOLYTICUS		Any bacterial organism that can be assigned to the species Haemophilus haemolyticus.	Haemophilus haemolyticus
C123473	HAEMOPHILUS HAEMOLYTICUS, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus haemolyticus and is beta-lactamase negative.	Haemophilus haemolyticus, Beta-Lactamase Negative
C123474	HAEMOPHILUS HAEMOLYTICUS, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus haemolyticus and is beta-lactamase positive.	Haemophilus haemolyticus, Beta-Lactamase Positive
C123475	HAEMOPHILUS HAEMOLYTICUS, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus haemolyticus and is penicillinase negative.	Haemophilus haemolyticus, Penicillinase Negative
C123476	HAEMOPHILUS HAEMOLYTICUS, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus haemolyticus and is penicillinase positive.	Haemophilus haemolyticus, Penicillinase Positive
C86431	HAEMOPHILUS INFLUENZAE	H-flu	Any bacterial organism that can be assigned to the species Haemophilus influenzae.	Haemophilus influenzae
C123477	HAEMOPHILUS INFLUENZAE, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus influenzae and is beta-lactamase negative.	Haemophilus influenzae, Beta-Lactamase Negative

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123478	HAEMOPHILUS INFLUENZAE, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus influenzae and is beta-lactamase positive.	Haemophilus influenzae, Beta-Lactamase Positive
C123479	HAEMOPHILUS INFLUENZAE, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus influenzae and is penicillinase negative.	Haemophilus influenzae, Penicillinase Negative
C123480	HAEMOPHILUS INFLUENZAE, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus influenzae and is penicillinase positive.	Haemophilus influenzae, Penicillinase Positive
C86432	HAEMOPHILUS PARAHAEMOLYTICUS		Any bacterial organism that can be assigned to the species Haemophilus parahaemolyticus.	Haemophilus parahaemolyticus
C123481	HAEMOPHILUS PARAHAEMOLYTICUS, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus parahaemolyticus and is beta-lactamase negative.	Haemophilus parahaemolyticus, Beta-Lactamase Negative
C123482	HAEMOPHILUS PARAHAEMOLYTICUS, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus parahaemolyticus and is beta-lactamase positive.	Haemophilus parahaemolyticus, Beta-Lactamase Positive
C123483	HAEMOPHILUS PARAHAEMOLYTICUS, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus parahaemolyticus and is penicillinase negative.	Haemophilus parahaemolyticus, Penicillinase Negative
C123484	HAEMOPHILUS PARAHAEMOLYTICUS, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus parahaemolyticus and is penicillinase positive.	Haemophilus parahaemolyticus, Penicillinase Positive
C86433	HAEMOPHILUS PARAINFLUENZAE	Hemophilus parainfluenzae	Any bacterial organism that can be assigned to the species Haemophilus parainfluenzae.	Haemophilus parainfluenzae
C123485	HAEMOPHILUS PARAINFLUENZAE, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus parainfluenzae and is beta-lactamase negative.	Haemophilus parainfluenzae, Beta-Lactamase Negative
C123486	HAEMOPHILUS PARAINFLUENZAE, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus parainfluenzae and is beta-lactamase positive.	Haemophilus parainfluenzae, Beta-Lactamase Positive
C123487	HAEMOPHILUS PARAINFLUENZAE, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species Haemophilus parainfluenzae and is penicillinase negative.	Haemophilus parainfluenzae, Penicillinase Negative
C123488	HAEMOPHILUS PARAINFLUENZAE, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Haemophilus parainfluenzae and is penicillinase positive.	Haemophilus parainfluenzae, Penicillinase Positive
C127715	HAEMOPHILUS PARAPHROHAEMOLYTICUS		Any bacterial organism that can be assigned to the species Haemophilus paraphrohaemolyticus.	Haemophilus paraphrohaemolyticus
C86434	HAFNIA		Any bacteria that is not assigned to the species level but can be assigned to the Hafnia genus level.	Hafnia
C86435	HAFNIA ALVEI	Enterobacter alvei	Any bacterial organism that can be assigned to the species Hafnia alvei.	Hafnia alvei
C86436	HALOBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the Halobacillus genus level.	Halobacillus
C127716	HANNAELLA LUTEOLA	Chromotorula luteola;Cryptococcus luteolus;Hannaella luteolus;Rhodotorula luteola;Torula luteola;Torulopsis luteola	Any fungal organism that can be assigned to the species Hannaella luteola.	Hannaella luteola
C127717	HANSENIASPORA GUILLIERMONDII		Any fungal organism that can be assigned to the species Hanseniaspora guilliermondii.	Hanseniaspora guilliermondii
C127718	HANSENIASPORA UVARUM	Hanseniaspora apiculata;Kloeckera apiculata;Kloeckeraspora uvarum	Any fungal organism that can be assigned to the species Hanseniaspora uvarum.	Hanseniaspora uvarum



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127719	HANSENIASPORA VALBYENSIS		Any fungal organism that can be assigned to the species <i>Hanseniaspora valbyensis</i> .	Hanseniaspora valbyensis
C14213	HANTAVIRUS		Any viral organism that can be assigned to the genus <i>Hantavirus</i> .	Hantavirus
C86873	HELCOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Helcococcus</i> genus level.	Helcococcus
C86878	HELCOCOCCUS KUNZII		Any bacterial organism that can be assigned to the species <i>Helcococcus kunzii</i> .	Helcococcus kunzii
C86879	HELCOCOCCUS PYOGENES		Any bacterial organism that can be assigned to the species <i>Helcococcus pyogenes</i> .	Helcococcus pyogenes
C86880	HELCOCOCCUS SUECIENSIS		Any bacterial organism that can be assigned to the species <i>Helcococcus sueciensis</i> .	Helcococcus sueciensis
C14296	HELICOBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Helicobacter</i> genus level.	Helicobacter
C86437	HELICOBACTER CINAEDI	<i>Campylobacter cinaedi</i>	Any bacterial organism that can be assigned to the species <i>Helicobacter cinaedi</i> .	Helicobacter cinaedi
C14330	HELICOBACTER FELIS		Any bacterial organism that can be assigned to the species <i>Helicobacter felis</i> .	Helicobacter felis
C86438	HELICOBACTER FENNELIAE	<i>Campylobacter fennelliae</i>	Any bacterial organism that can be assigned to the species <i>Helicobacter fennelliae</i> .	Helicobacter fennelliae
C86439	HELICOBACTER MUSTELAE	<i>Campylobacter mustelae</i>	Any bacterial organism that can be assigned to the species <i>Helicobacter mustelae</i> .	Helicobacter mustelae
C14289	HELICOBACTER PYLORI	<i>Campylobacter pylori</i> ; <i>H. pylori</i>	Any bacterial organism that can be assigned to the species <i>Helicobacter pylori</i> .	Helicobacter pylori
C86440	HELICOBACTER RAPPINI	<i>Flexispira rappini</i>	Any bacterial organism that can be assigned to the species <i>Helicobacter rappini</i> .	Helicobacter rappini
C112289	HENDRA VIRUS		Any viral organism that can be assigned to the species <i>Hendra virus</i> .	Hendra Virus
C112290	HENIPAVIRUS		Any viral organism that can be assigned to the genus <i>Henipavirus</i> .	Henipavirus
C14325	HEPATITIS A VIRUS	HAV	Any viral organism that can be assigned to the species <i>Hepatitis A virus</i> .	Hepatitis A Virus
C14215	HEPATITIS B VIRUS	HBV	Any viral organism that can be assigned to the species <i>Hepatitis B virus</i> .	Hepatitis B Virus
C14312	HEPATITIS C VIRUS	HCV	Any viral organism that can be assigned to the species <i>Hepatitis C virus</i> .	Hepatitis C Virus
C93324	HEPATITIS D VIRUS	HDV	Any viral organism that can be assigned to the species <i>Hepatitis D virus</i> .	Hepatitis D Virus
C14295	HEPATITIS E VIRUS	HEV	Any viral organism that can be assigned to the species <i>Hepatitis E virus</i> .	Hepatitis E Virus
C14328	HEPATITIS G VIRUS	GBV-C;HGV	Any viral organism that can be assigned to the species <i>Hepatitis G virus</i> .	GB virus C
C127720	HERBASPIRILLUM HUTTIENSE	<i>Pseudomonas huttienensis</i>	Any bacterial organism that can be assigned to the species <i>Herbaspirillum huttienense</i> .	Herbaspirillum huttienense
C123489	HETEROPHYES HETEROPHYES		Any trematode parasite that can be assigned to the species <i>Heterophyes heterophyes</i> .	Heterophyes heterophyes
C86441	HISTOPHILUS SOMNI	<i>Haemophilus somnus</i>	Any bacterial organism that can be assigned to the species <i>Histophilus somni</i> .	Histophilus somni
C86442	HOLDEMANIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Holdemania</i> genus level.	Holdemania
C86443	HOLDEMANIA FILIFORMIS		Any bacterial organism that can be assigned to the species <i>Holdemania filiformis</i> .	Holdemania filiformis

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127721	HORTAEA WERNECKII		Any fungal organism that can be assigned to the species Hortaea werneckii.	Hortaea werneckii
C14311	HUMAN HERPESVIRUS 1	HHV-1;HSV-1;Herpes Simplex Virus Type 1	Any viral organism that can be assigned to the species Human Herpesvirus 1 within the genus Simplexvirus.	Human Herpesvirus 1
C112313	HUMAN HERPESVIRUS 2	HHV-2;HSV-2;Herpes Simplex Virus Type 2	Any viral organism that can be assigned to the species Human Herpesvirus 2 within the genus Simplexvirus.	Human Herpesvirus 2
C71091	HUMAN HERPESVIRUS 3	HHV-3;VZV;Varicella Zoster Virus	Any viral organism that can be assigned to the species Human Herpesvirus 3.	Varicella Zoster Virus
C14204	HUMAN HERPESVIRUS 4	EBV;Epstein-Barr Virus;HHV-4	Any viral organism that can be assigned to the species Human Herpesvirus 4.	Epstein-Barr Virus
C112314	HUMAN HERPESVIRUS 5	HCMV;HHV-5;Human Cytomegalovirus	Any viral organism that can be assigned to the species Human Herpesvirus 5.	Human Herpesvirus 5
C14218	HUMAN HERPESVIRUS 6	HHV-6	Any viral organism that can be assigned to the species Human Herpesvirus 6.	Human Herpesvirus 6
C112315	HUMAN HERPESVIRUS 7	HHV-7	Any viral organism that can be assigned to the species Human Herpesvirus 7.	Human Herpesvirus 7
C14327	HUMAN HERPESVIRUS 8	HHV-8;KSHV;Kaposi's sarcoma-associated herpesvirus	Any viral organism that can be assigned to the species Human herpesvirus 8.	Human Herpesvirus 8
C14220	HUMAN IMMUNODEFICIENCY VIRUS 1	HIV-1;LAV-1	Any viral organism that can be assigned to the species Human Immunodeficiency virus 1.	Human Immunodeficiency Virus 1
C14221	HUMAN IMMUNODEFICIENCY VIRUS 2	HIV-2;LAV-2	Any viral organism that can be assigned to the species Human Immunodeficiency virus 2.	Human Immunodeficiency Virus 2
C125640	HUMAN METAPNEUMOVIRUS		An viral species which can be assigned to the species Human metapneumovirus.	Human Metapneumovirus
C14226	HUMAN PAPILLOMAVIRUS	HPV;Human Papilloma Virus	Any viral organism in humans that can be assigned to the family Papillomaviridae.	Human Papillomavirus
C125641	HUMAN PARAINFLUENZA VIRUS		Any viral organism that can be assigned to the Human Parainfluenza virus whose serotype is not identified.	Human Parainfluenza Virus
C14254	HUMAN PARAINFLUENZA VIRUS 1	HPIV-1;Human Parainfluenza Virus Type 1	Any viral organism that can be assigned to the Human Parainfluenza virus 1 serotype.	Human Parainfluenza Virus 1
C112316	HUMAN PARAINFLUENZA VIRUS 2	HPIV-2;Human Parainfluenza Virus Type 2	Any viral organism that can be assigned to the Human Parainfluenza virus 2 serotype.	Human Parainfluenza Virus 2
C112317	HUMAN PARAINFLUENZA VIRUS 3	HPIV-3;Human Parainfluenza Virus Type 3	Any viral organism that can be assigned to the Human Parainfluenza virus 3 serotype.	Human Parainfluenza Virus 3
C112318	HUMAN PARAINFLUENZA VIRUS 4	HPIV-4;Human Parainfluenza Virus Type 4	Any viral organism that can be assigned to the Human Parainfluenza virus 4 serotype.	Human Parainfluenza Virus 4
C89772	HUMAN PARVOVIRUS B19	B19 Virus;Human Erythrovirus B19;Parvovirus B19	Any viral organism that can be assigned to the species Human Parvovirus B19.	Parvovirus B19
C14267	HUMAN RESPIRATORY SYNCYTIAL VIRUS	Human RSV;RSV;hRSV	Any viral organism that can be assigned to the species Human Respiratory Syncytial virus.	Human Respiratory Syncytial Virus
C14223	HUMAN T-LYMPHOTROPIC VIRUS 1	Adult T-cell Leukemia Lymphoma ATLL;Adult T-cell Lymphoma Virus Type 1;HTLV-1	Any viral organism that can be assigned to the Human T-lymphotrophic virus serotype 1.	HTLV-1
C14224	HUMAN T-LYMPHOTROPIC VIRUS 2	HTLV-2;HTLV-II	Any viral organism that can be assigned to the Human T-lymphotrophic virus serotype 2.	HTLV-2
C124354	HYMENOLEPIS DIMINUTA	Rat Tapeworm	Any cestode parasite that can be assigned to the species Hymenolepis diminuta.	Hymenolepis diminuta
C122323	HYMENOLEPIS NANA	Dwarf Tapeworm;Taenia nana;Vampirolepis nana	Any cestode parasite that can be assigned to the species Hymenolepis nana.	Hymenolepis nana
C53454	INFLUENZA A VIRUS	FLUAV;Influenza Virus Type A	Any viral organism that can be assigned to the species Influenza A virus.	Influenza A Virus
C80445	INFLUENZA A VIRUS SUBTYPE H1N1		Any viral organism that can be assigned to the Influenza A species subtype H1N1.	Influenza A (H1N1) Virus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123490	INFLUENZA A VIRUS SUBTYPE H5N1		Any viral organism that can be assigned to the Influenza A species subtype H5N1.	Influenza A (H5N1) Virus
C53468	INFLUENZA B VIRUS	FLUBV;Influenza Virus Type B	Any viral organism that can be assigned to the species Influenza B virus.	Influenza B Virus
C97157	INFLUENZA C VIRUS	FLUCV;Influenza Virus Type C	Any viral organism that can be assigned to the species Influenza C virus.	Influenza C Virus
C86444	INQUILINUS		Any bacteria that is not assigned to the species level but can be assigned to the Inquilinus genus level.	Inquilinus
C86445	INQUILINUS LIMOSUS		Any bacterial organism that can be assigned to the species Inquilinus limosus.	Inquilinus limosus
C122324	INTESTINIBACTER BARTLETTII	Clostridium bartlettii	Any bacterial organism that can be assigned to the species Intestinibacter bartlettii.	Intestinibacter bartlettii
C123491	IODAMOEBIA BUTSCHLII		Any amoebic organism that can be assigned to the species Iodamoeba butschlii.	Iodamoeba butschlii
C122325	ISOSPORA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Isospora genus level.	Isospora
C14229	JC VIRUS	Human polyomavirus (type JC);Polyomavirus hominis 2;polyomavirus JC	Any viral organism that can be assigned to the species JC polyomavirus.	JC Virus
C86446	JEOTGALIBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the Jeotgalibacillus genus level.	Jeotgalibacillus
C86447	JOHNSONELLA		Any bacteria that is not assigned to the species level but can be assigned to the Johnsonella genus level.	Johnsonella
C86448	JOHNSONELLA IGNAVA		Any bacterial organism that can be assigned to the species Johnsonella ignava.	Johnsonella ignava
C127722	KERSTERSIA GYIORUM		Any bacterial organism that can be assigned to the species Kerstersia gyiorum.	Kerstersia gyiorum
C86449	KINGELLA		Any bacteria that is not assigned to the species level but can be assigned to the Kingella genus level.	Kingella
C86450	KINGELLA DENITRIFICANS		Any bacterial organism that can be assigned to the species Kingella denitrificans.	Kingella denitrificans
C86451	KINGELLA KINGAE	Moraxella kingae	Any bacterial organism that can be assigned to the species Kingella kingae.	Kingella kingae
C86452	KINGELLA ORALIS		Any bacterial organism that can be assigned to the species Kingella oralis.	Kingella oralis
C86453	KINGELLA POTUS		Any bacterial organism that can be assigned to the species Kingella potus.	Kingella potus
C28165	KLEBSIELLA		Any bacteria that is not assigned to the species level but can be assigned to the Klebsiella genus level.	Klebsiella
C86454	KLEBSIELLA GRANULOMATIS		Any bacterial organism that can be assigned to the species Klebsiella granulomatis.	Klebsiella granulomatis
C86455	KLEBSIELLA OXYTOCA		Any bacterial organism that can be assigned to the species Klebsiella oxytoca.	Klebsiella oxytoca
C139102	KLEBSIELLA OXYTOCA, ESBL	Klebsiella oxytoca, Extended-Spectrum Beta-Lactamases	Any bacterial organism that can be assigned to the species Klebsiella oxytoca and produces extended-spectrum beta-lactamases (ESBL).	Extended-spectrum Beta-lactamase Positive Klebsiella oxytoca
C86456	KLEBSIELLA OZAENAE	Klebsiella pneumoniae subsp. ozaenae	Any bacterial organism that can be assigned to the species Klebsiella ozaenae.	Klebsiella ozaenae
C86457	KLEBSIELLA PNEUMONIAE		Any bacterial organism that can be assigned to the species Klebsiella pneumoniae.	Klebsiella pneumoniae
C139101	KLEBSIELLA PNEUMONIAE, ESBL	Klebsiella pneumoniae, Extended-Spectrum Beta-Lactamases	Any bacterial organism that can be assigned to the species Klebsiella pneumoniae and produces extended-spectrum beta-lactamases (ESBL).	Extended-spectrum Beta-lactamase Positive Klebsiella pneumoniae

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86458	KLEBSIELLA RHINOSCLEROMATIS	Klebsiella pneumoniae subsp. rhinoscleromatis	Any bacterial organism that can be assigned to the species <i>Klebsiella rhinoscleromatis</i> .	Klebsiella rhinoscleromatis
C86459	KLEBSIELLA SINGAPORENSIS		Any bacterial organism that can be assigned to the species <i>Klebsiella singaporensis</i> .	Klebsiella singaporensis
C86460	KLEBSIELLA VARIICOLA		Any bacterial organism that can be assigned to the species <i>Klebsiella variicola</i> .	Klebsiella variicola
C127723	KLOECKERA JAPONICA		Any fungal organism that can be assigned to the species <i>Kloeckera japonica</i> .	Kloeckera japonica
C86461	KLUYVERA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Kluyvera</i> genus level.	Kluyvera
C86462	KLUYVERA ASCORBATA	CDC Enteric Group 8	Any bacterial organism that can be assigned to the species <i>Kluyvera ascorbata</i> .	Kluyvera ascorbata
C86463	KLUYVERA CRYOCRESCENS		Any bacterial organism that can be assigned to the species <i>Kluyvera cryocrescens</i> .	Kluyvera cryocrescens
C86464	KLUYVERA GEORGIANA		Any bacterial organism that can be assigned to the species <i>Kluyvera georgiana</i> .	Kluyvera georgiana
C86465	KLUYVERA INTERMEDIA	<i>Enterobacter intermedium</i> ; <i>Enterobacter intermedius</i> ; <i>Kluyvera cochleae</i>	Any bacterial organism that can be assigned to the species <i>Kluyvera intermedia</i> .	Kluyvera intermedia
C127724	KLUYVEROMYCES LACTIS	<i>Candida sphaerica</i> ; <i>Kluyveromyces drosophilae</i> ; <i>Kluyveromyces lactis</i> var. <i>drosophilae</i> ; <i>Kluyveromyces lactis</i> var. <i>lactis</i> ; <i>Kluyveromyces marxianus lactis</i> ; <i>Kluyveromyces marxianus</i> var. <i>drosophilae</i> ; <i>Kluyveromyces marxianus</i> var. <i>lactis</i>	Any fungal organism that can be assigned to the species <i>Kluyveromyces lactis</i> .	Kluyveromyces lactis
C114256	KLUYVEROMYCES MARXIANUS	<i>Candida pseudotropicalis</i> ; <i>Kluyveromyces cicerisporus</i> ; <i>Kluyveromyces fragilis</i>	Any fungal organism that can be assigned to the species <i>Kluyveromyces marxianus</i> .	Kluyveromyces marxianus
C86466	KNOELLIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Knoellia</i> genus level.	Knoellia
C86467	KOCURIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Kocuria</i> genus level.	Kocuria
C86468	KOCURIA KRISTINAE	<i>Micrococcus kristinae</i>	Any bacterial organism that can be assigned to the species <i>Kocuria kristinae</i> .	Kocuria kristinae
C127307	KOCURIA RHIZOPHILA		Any bacterial organism that can be assigned to the species <i>Kocuria rhizophila</i> .	Kocuria rhizophila
C86469	KOCURIA ROSEA		Any bacterial organism that can be assigned to the species <i>Kocuria rosea</i> .	Kocuria rosea
C86470	KOCURIA VARIANS		Any bacterial organism that can be assigned to the species <i>Kocuria varians</i> .	Kocuria varians
C127725	KODAMAEA OHMERI	<i>Candida guilliermondii</i> var. <i>membranifaciens</i> ; <i>Pichia ohmeri</i> ; <i>Yamadazyma ohmeri</i>	Any fungal organism that can be assigned to the species <i>Kodamaea ohmeri</i> .	Kodamaea ohmeri
C86471	KURTHIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Kurthia</i> genus level.	Kurthia
C86472	KYTOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Kytococcus</i> genus level.	Kytococcus
C86473	KYTOCOCCUS SEDENTARIUS		Any bacterial organism that can be assigned to the species <i>Kytococcus sedentarius</i> .	Kytococcus sedentarius
C76352	LACTOBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Lactobacillus</i> genus level.	Lactobacillus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86474	LACTOBACILLUS ACIDOPHILUS		Any bacterial organism that can be assigned to the species <i>Lactobacillus acidophilus</i> .	<i>Lactobacillus acidophilus</i>
C86475	LACTOBACILLUS BREVIS		Any bacterial organism that can be assigned to the species <i>Lactobacillus brevis</i> .	<i>Lactobacillus brevis</i>
C86476	LACTOBACILLUS CASEI		Any bacterial organism that can be assigned to the species <i>Lactobacillus casei</i> .	<i>Lactobacillus casei</i>
C86477	LACTOBACILLUS CATENAFORMIS	<i>Lactobacillus catenaforme</i>	Any bacterial organism that can be assigned to the species <i>Lactobacillus catenaformis</i> .	<i>Lactobacillus catenaformis</i>
C86478	LACTOBACILLUS FERMENTUM	<i>Lactobacillus cellobiosus</i>	Any bacterial organism that can be assigned to the species <i>Lactobacillus fermentum</i> .	<i>Lactobacillus fermentum</i>
C86479	LACTOBACILLUS GALLINARUM		Any bacterial organism that can be assigned to the species <i>Lactobacillus gallinarum</i> .	<i>Lactobacillus gallinarum</i>
C123492	LACTOBACILLUS GASSERI		Any bacterial organism that can be assigned to the species <i>Lactobacillus gasseri</i> .	<i>Lactobacillus gasseri</i>
C86480	LACTOBACILLUS JENSENII		Any bacterial organism that can be assigned to the species <i>Lactobacillus jensenii</i> .	<i>Lactobacillus jensenii</i>
C86481	LACTOBACILLUS JOHNSONII		Any bacterial organism that can be assigned to the species <i>Lactobacillus johnsonii</i> .	<i>Lactobacillus johnsonii</i>
C123493	LACTOBACILLUS ORIS		Any bacterial organism that can be assigned to the species <i>Lactobacillus oris</i> .	<i>Lactobacillus oris</i>
C123494	LACTOBACILLUS PARACASEI		Any bacterial organism that can be assigned to the species <i>Lactobacillus paracasei</i> .	<i>Lactobacillus paracasei</i>
C123495	LACTOBACILLUS RHAMNOSUS	<i>Lactobacillus casei rhamnosus</i>	Any bacterial organism that can be assigned to the species <i>Lactobacillus rhamnosus</i> .	<i>Lactobacillus rhamnosus</i>
C86482	LACTOBACILLUS SALIVARIUS		Any bacterial organism that can be assigned to the species <i>Lactobacillus salivarius</i> .	<i>Lactobacillus salivarius</i>
C123496	LACTOBACILLUS VAGINALIS		Any bacterial organism that can be assigned to the species <i>Lactobacillus vaginalis</i> .	<i>Lactobacillus vaginalis</i>
C86483	LACTOCOCCUS	<i>Doederlein bacillus</i>	Any bacteria that is not assigned to the species level but can be assigned to the <i>Lactococcus</i> genus level.	<i>Lactococcus</i>
C86484	LACTOCOCCUS GARVIEAE		Any bacterial organism that can be assigned to the species <i>Lactococcus garvieae</i> .	<i>Lactococcus garvieae</i>
C86485	LACTOCOCCUS LACTIS		Any bacterial organism that can be assigned to the species <i>Lactococcus lactis</i> .	<i>Lactococcus lactis</i>
C86894	LACTOCOCCUS LACTIS SUBSP. CREMORIS	<i>Lactococcus cremoris</i> ; <i>Streptococcus cremoris</i> ; <i>Streptococcus hollandicus</i> ; <i>Streptococcus lactis</i> B	Any bacterial organism that can be assigned to <i>Lactococcus lactis</i> subspecies <i>cremoris</i> .	<i>Lactococcus lactis</i> subsp <i>cremoris</i>
C123497	LACTOCOCCUS LACTIS SUBSP. LACTIS	<i>Lactobacillus xylosum</i> ; <i>Streptococcus diacetilactis</i>	Any bacterial organism that can be assigned to <i>Lactococcus lactis</i> subspecies <i>lactis</i> .	<i>Lactococcus lactis</i> subsp <i>lactis</i>
C86486	LECLERCIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Leclercia</i> genus level.	<i>Leclercia</i>
C86487	LECLERCIA ADECARBOXYLATA	CDC Enteric Group 41	Any bacterial organism that can be assigned to the species <i>Leclercia adecarboxylata</i> .	<i>Leclercia adecarboxylata</i>
C76353	LEGIONELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Legionella</i> genus level.	<i>Legionella</i>
C86488	LEGIONELLA LONGBEACHAE		Any bacterial organism that can be assigned to the species <i>Legionella longbeachae</i> .	<i>Legionella longbeachae</i>
C86489	LEGIONELLA PNEUMOPHILA		Any bacterial organism that can be assigned to the species <i>Legionella pneumophila</i> .	<i>Legionella pneumophila</i>
C123498	LEGIONELLA PNEUMOPHILA SEROGROUP 1		Any bacterial organism that can be assigned to the species <i>Legionella pneumophila</i> serogroup 1.	<i>Legionella pneumophila</i> Serogroup 1

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123499	LEGIONELLA PNEUMOPHILA SEROGROUP 2		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 2.	Legionella pneumophila Serogroup 2
C123500	LEGIONELLA PNEUMOPHILA SEROGROUP 3		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 3.	Legionella pneumophila Serogroup 3
C123501	LEGIONELLA PNEUMOPHILA SEROGROUP 4		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 4.	Legionella pneumophila Serogroup 4
C123502	LEGIONELLA PNEUMOPHILA SEROGROUP 5		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 5.	Legionella pneumophila Serogroup 5
C123503	LEGIONELLA PNEUMOPHILA SEROGROUP 6		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 6.	Legionella pneumophila Serogroup 6
C123504	LEGIONELLA PNEUMOPHILA SEROGROUP 7		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 7.	Legionella pneumophila Serogroup 7
C123505	LEGIONELLA PNEUMOPHILA SEROGROUP 8		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 8.	Legionella pneumophila Serogroup 8
C123506	LEGIONELLA PNEUMOPHILA SEROGROUP 9		Any bacterial organism that can be assigned to the species Legionella pneumophila serogroup 9.	Legionella pneumophila Serogroup 9
C86490	LEIFSONIA		Any bacteria that is not assigned to the species level but can be assigned to the Leifsonia genus level.	Leifsonia
C86491	LEIFSONIA AQUATICA	Corynebacterium aquaticum	Any bacterial organism that can be assigned to the species Leifsonia aquatica.	Leifsonia aquatica
C123507	LEISHMANIA BRAZILIENSIS	Leishmania brasiliensis;Leishmania viannia	Any unicellular, eukaryotic organism that can be assigned to the species Leishmania braziliensis.	Leishmania braziliensis
C123508	LEISHMANIA DONOVANI		Any unicellular, eukaryotic organism that can be assigned to the species Leishmania donovani.	Leishmania donovani
C123509	LEISHMANIA INFANTUM	Leishmania chagasi;Leishmania donovani infantum	Any unicellular, eukaryotic organism that can be assigned to the species Leishmania infantum.	Leishmania infantum
C123510	LEISHMANIA MEXICANA		Any unicellular, eukaryotic organism that can be assigned to the species Leishmania mexicana.	Leishmania mexicana
C123511	LEISHMANIA TROPICA	Leishmania tropica minor	Any unicellular, eukaryotic organism that can be assigned to the species Leishmania tropica.	Leishmania tropica
C86492	LEMINORELLA		Any bacteria that is not assigned to the species level but can be assigned to the Leminorella genus level.	Leminorella
C86493	LEMINORELLA GRIMONTII	CDC Enteric Group 57	Any bacterial organism that can be assigned to the species Leminorella grimontii.	Leminorella grimontii
C86494	LEMINORELLA RICHARDII		Any bacterial organism that can be assigned to the species Leminorella richardii.	Leminorella richardii
C14290	LENTIVIRUS	Lentivirinae	Any viral organism that can be assigned to the genus Lentivirus.	Lentivirus
C76355	LEPTOSPIRA		Any bacteria that is not assigned to the species level but can be assigned to the Leptospira genus level.	Leptospira
C76357	LEUCONOSTOC		Any bacteria that is not assigned to the species level but can be assigned to the Leuconostoc genus level.	Leuconostoc
C86495	LEUCONOSTOC CITREUM		Any bacterial organism that can be assigned to the species Leuconostoc citreum.	Leuconostoc citreum
C86496	LEUCONOSTOC LACTIS		Any bacterial organism that can be assigned to the species Leuconostoc lactis.	Leuconostoc lactis
C86497	LEUCONOSTOC MESENTEROIDES		Any bacterial organism that can be assigned to the species Leuconostoc mesenteroides.	Leuconostoc mesenteroides

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86498	LEUCONOSTOC PSEUDOMESENTEROIDES		Any bacterial organism that can be assigned to the species <i>Leuconostoc pseudomesenteroides</i> .	Leuconostoc pseudomesenteroides
C76359	LISTERIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Listeria</i> genus level.	Listeria
C86499	LISTERIA GRAYI		Any bacterial organism that can be assigned to the species <i>Listeria grayi</i> .	Listeria grayi
C86500	LISTERIA INNOCUA		Any bacterial organism that can be assigned to the species <i>Listeria innocua</i> .	Listeria innocua
C86501	LISTERIA IVANOVII	<i>Listeria monocytogenes</i> Serotype 5; <i>Listeria monocytogenes</i> Serovar 5	Any bacterial organism that can be assigned to the species <i>Listeria ivanovii</i> .	Listeria ivanovii
C86502	LISTERIA MONOCYTOGENES		Any bacterial organism that can be assigned to the species <i>Listeria monocytogenes</i> .	Listeria monocytogenes
C86503	LISTERIA SEELIGERI		Any bacterial organism that can be assigned to the species <i>Listeria seeligeri</i> .	Listeria seeligeri
C86504	LISTERIA WELSHIMERI		Any bacterial organism that can be assigned to the species <i>Listeria welshimeri</i> .	Listeria welshimeri
C123512	LOA LOA	Eye Worm	Any nematode parasite that can be assigned to the species <i>Loa loa</i> .	Loa loa
C117362	LOMENTOSPORA PROLIFICANS	<i>Scedosporium inflatum</i> ; <i>Scedosporium prolificans</i>	Any fungal organism that can be assigned to the species <i>Lomentospora prolificans</i> .	<i>Scedosporium prolificans</i>
C127727	LYSINIBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Lysinibacillus</i> genus level.	Lysinibacillus
C112330	LYSSAVIRUS		Any viral organism that can be assigned to the genus <i>Lyssavirus</i> .	Lyssavirus
C86505	MACROCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Macrococcus</i> genus level.	Macrococcus
C86506	MACROCOCCUS CASEOLYTICUS	<i>Staphylococcus caseolyticus</i>	Any bacterial organism that can be assigned to the species <i>Macrococcus caseolyticus</i> .	Macrococcus caseolyticus
C127728	MADURELLA MYCETOMATIS	<i>Madurella ikedae</i> ; <i>Madurella mycetomi</i> ; <i>Streptotrix mycetomatis</i>	Any fungal organism that can be assigned to the species <i>Madurella mycetomatis</i> .	Madurella mycetomatis
C114263	MAGNUSIOMYCES CAPITATUS	<i>Blastoschizomyces capitatus</i> ; <i>Dipodascus capitatus</i> ; <i>Geotrichum capitatum</i> ; <i>Saprochaete capitata</i> ; <i>Trichosporon capitatum</i>	Any fungal organism that can be assigned to the species <i>Magnusiomyces capitatus</i> .	Magnusiomyces capitatus
C127729	MALASSEZIA FURFUR	<i>Pityrosporum orbiculare</i> ; <i>Pityrosporum ovale</i> ; <i>Saccharomyces ovalis</i>	Any fungal organism that can be assigned to the species <i>Malassezia furfur</i> .	Malassezia furfur
C127730	MALASSEZIA PACHYDERMATIS	<i>Pityrosporum pachydermatis</i>	Any fungal organism that can be assigned to the species <i>Malassezia pachydermatis</i> .	Malassezia pachydermatis
C86507	MANNHEIMIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Mannheimia</i> genus level.	Mannheimia
C86508	MANNHEIMIA HAEMOLYTICA	<i>Pasteurella haemolytica</i>	Any bacterial organism that can be assigned to the species <i>Mannheimia haemolytica</i> .	Mannheimia haemolytica
C122326	MANSONELLA OZZARDI	<i>Filaria ozzardi</i> ; <i>Tetrapetalonema ozzardi</i>	Any nematode parasite that can be assigned to the species <i>Mansonella ozzardi</i> .	Mansonella ozzardi
C119326	MANSONELLA PERSTANS	<i>Dipetalonema perstans</i>	Any nematode parasite that can be assigned to the species <i>Mansonella perstans</i> .	Mansonella perstans
C122327	MANSONELLA STREPTOCERCA	<i>Dipetalonema streptocerca</i>	Any nematode parasite that can be assigned to the species <i>Mansonella streptocerca</i> .	Mansonella streptocerca
C112331	MARBURGVIRUS		Any viral organism that can be assigned to the genus <i>Marburgvirus</i> .	Marburgvirus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C14237	MEASLES VIRUS	Rougeole Virus;Rubeola Virus;SSPEV;Subacute Sclerosing Panencephalitis Virus	Any viral organism that can be assigned to the species Measles virus.	Measles Virus
C113447	MEGAMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Megamonas genus level.	Megamonas
C114247	MEGAMONAS FUNIFORMIS		Any bacterial organism that can be assigned to the species Megamonas funiformis.	Megamonas funiformis
C123513	MEGAMONAS HYPERMEGALE	Bacteroides hypermegas;Megamonas hypermegas;Sphaerophorus hypermegas	Any bacterial organism that can be assigned to the species Megamonas hypermegale.	Megamonas hypermegale
C86895	MEGASPHAERA		Any bacteria that is not assigned to the species level but can be assigned to the Megasphaera genus level.	Megasphaera
C86896	MEGASPHAERA ELSDENII	Peptostreptococcus elsdenii	Any bacterial organism that can be assigned to the species Megasphaera elsdenii.	Megasphaera elsdenii
C123514	METAGONIMUS YOKOGAWAI		Any trematode parasite that can be assigned to the species Metagonimus yokogawai.	Metagonimus yokogawai
C125956	METAPNEUMOVIRUS		Any viral organism that can be assigned to the genus Metapneumovirus.	Metapneumovirus
C123515	METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS	MRSA	Any bacterial organism that can be assigned to the species Staphylococcus aureus and is resistant to methicillin.	Methicillin Resistant Staphylococcus Aureus
C123516	METHICILLIN SUSCEPTIBLE STAPHYLOCOCCUS AUREUS	MSSA	Any bacterial organism that can be assigned to the species Staphylococcus aureus and is susceptible to methicillin.	Methicillin Susceptible Staphylococcus Aureus
C76361	METHYLOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Methylobacterium genus level.	Methylobacterium
C86510	METHYLOBACTERIUM MESOPHILICUM	Pseudomonas mesophilica	Any bacterial organism that can be assigned to the species Methylobacterium mesophilicum.	Methylobacterium mesophilicum
C127731	METSCHNIKOWIA PULCHERRIMA	Candida pulcherrima	Any fungal organism that can be assigned to the species Metschnikowia pulcherrima.	Metschnikowia pulcherrima
C77172	MEYEROZYMA GUILLIERMONDII	Candida guilliermondii;Candida guilliermondii var. carpophila;Endomyces guilliermondii;Pichia guilliermondii;Yamadazyma guilliermondii	Any fungal organism that can be assigned to the species Meyerozyma guilliermondii.	Pichia guilliermondii
C85511	MICROBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Microbacterium genus level.	Microbacterium
C86512	MICROBACTERIUM PARAOXYDANS		Any bacterial organism that can be assigned to the species Microbacterium paraoxydans.	Microbacterium paraoxydans
C77086	MICROCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Micrococcus genus level.	Micrococcus
C86513	MICROCOCCUS LUTEUS		Any bacterial organism that can be assigned to the species Micrococcus luteus.	Micrococcus luteus
C86514	MICROCOCCUS LYLAE		Any bacterial organism that can be assigned to the species Micrococcus lylae.	Micrococcus lylae
C123335	MICROSPORIDIA	Microspora;Microsporea;Microsporida	Any fungal organism that can be assigned to the phylum Microsporidia.	Microsporidia
C127732	MICROSPORUM AUDOUINII		Any fungal organism that can be assigned to the species Microsporium audouinii.	Microsporium audouinii
C127733	MICROSPORUM DISTORTUM	Microsporium canis var. distortum	Any fungal organism that can be assigned to the species Microsporium distortum.	Microsporium distortum
C127734	MICROSPORUM EQUINUM		Any fungal organism that can be assigned to the species Microsporium equinum.	Microsporium equinum



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127735	MICROSPORUM FERRUGINEUM		Any fungal organism that can be assigned to the species <i>Microsporium ferrugineum</i> .	Microsporium ferrugineum
C127736	MICROSPORUM GYPSEUM	Arthroderma gypseum;Gymnoascus gypseus;Nannizzia gypsea	Any fungal organism that can be assigned to the species <i>Microsporium gypseum</i> .	Microsporium gypseum
C86515	MITSUOKELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Mitsuokella</i> genus level.	Mitsuokella
C86516	MITSUOKELLA MULTACIDA		Any bacterial organism that can be assigned to the species <i>Mitsuokella multacida</i> .	Mitsuokella multacida
C120707	MIXED FLORA		The presence of more than one fungal and/or bacterial organism in a culture. (NCI)	Mixed Flora
C86517	MOBILUNCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Mobiluncus</i> genus level.	Mobiluncus
C86518	MOBILUNCUS CURTISII		Any bacterial organism that can be assigned to the species <i>Mobiluncus curtisii</i> .	Mobiluncus curtisii
C86519	MOBILUNCUS MULIERIS		Any bacterial organism that can be assigned to the species <i>Mobiluncus mulieris</i> .	Mobiluncus mulieris
C86520	MOELLERELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Moellerella</i> genus level.	Moellerella
C86521	MOELLERELLA WISCONSENSIS	CDC Enteric Group 46	Any bacterial organism that can be assigned to the species <i>Moellerella wisconsensis</i> .	Moellerella wisconsensis
C86898	MOGIBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Mogibacterium</i> genus level.	Mogibacterium
C86899	MOGIBACTERIUM TIMIDUM	Eubacterium timidum	Any bacterial organism that can be assigned to the species <i>Mogibacterium timidum</i> .	Mogibacterium timidum
C28266	MOLD	Filamentous fungus;Mould	A non-taxonomic grouping of fungi that grow in the form of mycelium of hyphae (vegetative filaments).	Mold
C112356	MOLLUSCIPOXVIRUS	Molluscipox Virus	Any viral organism that can be assigned to the genus <i>Molluscipoxvirus</i> .	Molluscipoxvirus
C112357	MOLLUSCUM CONTAGIOSUM VIRUS	MCV;MOCV	Any viral organism that can be assigned to the species <i>Molluscum contagiosum virus</i> .	Molluscum Contagiosum Virus
C127737	MONASCUS RUBER		Any fungal organism that can be assigned to the species <i>Monascus ruber</i> .	Monascus ruber
C86009	MORAXELLA	Branhamella	Any bacteria that is not assigned to the species level but can be assigned to the <i>Moraxella</i> genus level.	Moraxella
C86523	MORAXELLA ATLANTAE		Any bacterial organism that can be assigned to the species <i>Moraxella atlantae</i> .	Moraxella atlantae
C86524	MORAXELLA BOVIS		Any bacterial organism that can be assigned to the species <i>Moraxella bovis</i> .	Moraxella bovis
C86525	MORAXELLA CANIS		Any bacterial organism that can be assigned to the species <i>Moraxella canis</i> .	Moraxella canis
C76210	MORAXELLA CATARRHALIS	Branhamella catarrhalis	Any bacterial organism that can be assigned to the species <i>Moraxella catarrhalis</i> .	Moraxella catarrhalis
C123517	MORAXELLA CATARRHALIS, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species <i>Moraxella catarrhalis</i> and is beta-lactamase negative.	Moraxella catarrhalis, Beta-Lactamase Negative
C123518	MORAXELLA CATARRHALIS, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species <i>Moraxella catarrhalis</i> and is beta-lactamase positive.	Moraxella catarrhalis, Beta-Lactamase Positive
C123519	MORAXELLA CATARRHALIS, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species <i>Moraxella catarrhalis</i> and is penicillinase negative.	Moraxella catarrhalis, Penicillinase Negative

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123520	MORAXELLA CATARRHALIS, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Moraxella catarrhalis and is penicillinase positive.	Moraxella catarrhalis, Penicillinase Positive
C86526	MORAXELLA LACUNATA	Moraxella liquefaciens	Any bacterial organism that can be assigned to the species Moraxella lacunata.	Moraxella lacunata
C86527	MORAXELLA LINCOLNII		Any bacterial organism that can be assigned to the species Moraxella lincolnii.	Moraxella lincolnii
C86528	MORAXELLA NONLIQUEFACIENS		Any bacterial organism that can be assigned to the species Moraxella nonliquefaciens.	Moraxella nonliquefaciens
C86529	MORAXELLA OBLONGA		Any bacterial organism that can be assigned to the species Moraxella oblonga.	Moraxella oblonga
C86530	MORAXELLA OSLOENSIS		Any bacterial organism that can be assigned to the species Moraxella osloensis.	Moraxella osloensis
C14309	MORBILLIVIRUS		Any viral organism that can be assigned to the genus Morbillivirus.	Morbillivirus
C86531	MORGANELLA		Any bacteria that is not assigned to the species level but can be assigned to the Morganelle genus level.	Morganella
C86015	MORGANELLA MORGANII	Proteus morganii	Any bacterial organism that can be assigned to the species Morganelle morganii.	Morganella morganii
C123521	MORGANELLA MORGANII, LYSINE-POSITIVE		Any bacterial organism that can be assigned to the species Morganelle morganii and is able to metabolize lysine.	Morganella morganii, Lysine-Positive
C123522	MORGANELLA MORGANII, ORNITHINE-NEGATIVE		Any bacterial organism that can be assigned to the species Morganelle morganii and is unable to metabolize ornithine.	Morganella morganii, Ornithine-Negative
C120708	MUCOR		Any fungal organism that is not assigned to the species level but can be assigned to the Mucor genus level.	Mucor
C127738	MUCOR RAMOSISSIMUS		Any fungal organism that can be assigned to the species Mucor ramosissimus.	Mucor ramosissimus
C14244	MURINE LEUKEMIA VIRUS	Murine Leukemia Virus MLV; Murine Leukemia Virus MuLV	Any viral organism that can be assigned to the species Murine leukemia virus.	Mouse Leukemia Virus
C14241	MURINE LEUKEMIA VIRUS SUBTYPE MOLONEY	M-MuLV; MoMuLV; Moloney Murine Leukemia Virus M-MuLV; Rat Moloney Murine Leukemia Virus MoMuLV	Any viral organism that can be assigned to the Murine leukaemia virus species subtype Moloney.	Moloney Leukemia Virus
C76369	MYCOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Mycobacterium genus level.	Mycobacterium
C86533	MYCOBACTERIUM ABCESSUS	Mycobacterium chelonae subsp. abscessus	Any bacterial organism that can be assigned to the species Mycobacterium abscessus.	Mycobacterium abscessus
C85544	MYCOBACTERIUM AFRICANUM		Any bacterial organism that can be assigned to the species Mycobacterium africanum.	Mycobacterium africanum
C86535	MYCOBACTERIUM AVIUM		Any bacterial organism that can be assigned to the species Mycobacterium avium.	Mycobacterium avium
C76368	MYCOBACTERIUM AVIUM COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the Mycobacterium avium species.	Mycobacterium avium complex
C85545	MYCOBACTERIUM BOVIS		Any bacterial organism that can be assigned to the species Mycobacterium bovis.	Mycobacterium bovis
C85546	MYCOBACTERIUM BOVIS BCG		An attenuated form of Mycobacterium bovis that is used to generate the Bacillus Calmette-Guerin vaccine.	Mycobacterium bovis BCG
C85547	MYCOBACTERIUM CANETTII		Any bacterial organism that can be assigned to the species Mycobacterium canettii.	Mycobacterium canettii
C86536	MYCOBACTERIUM CHELONAE	Mycobacterium chelonae subsp. chelonae	Any bacterial organism that can be assigned to the species Mycobacterium chelonae.	Mycobacterium chelonae

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86537	MYCOBACTERIUM FLAVESCENS		Any bacterial organism that can be assigned to the species <i>Mycobacterium flavescens</i> .	<i>Mycobacterium flavescens</i>
C86538	MYCOBACTERIUM FORTUITUM		Any bacterial organism that can be assigned to the species <i>Mycobacterium fortuitum</i> .	<i>Mycobacterium fortuitum</i>
C86539	MYCOBACTERIUM FORTUITUM COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the <i>Mycobacterium fortuitum</i> species.	<i>Mycobacterium fortuitum</i> Complex
C86540	MYCOBACTERIUM GASTRI		Any bacterial organism that can be assigned to the species <i>Mycobacterium gastri</i> .	<i>Mycobacterium gastri</i>
C86541	MYCOBACTERIUM GORDONAE	<i>Mycobacterium aquae</i>	Any bacterial organism that can be assigned to the species <i>Mycobacterium gordonae</i> .	<i>Mycobacterium gordonae</i>
C86542	MYCOBACTERIUM HAEMOPHILUM		Any bacterial organism that can be assigned to the species <i>Mycobacterium haemophilum</i> .	<i>Mycobacterium haemophilum</i>
C91843	MYCOBACTERIUM INTRACELLULARE		Any bacterial organism that can be assigned to the species <i>Mycobacterium intracellulare</i> .	<i>Mycobacterium intracellulare</i>
C85543	MYCOBACTERIUM KANSASII		Any bacterial organism that can be assigned to the species <i>Mycobacterium kansasii</i> .	<i>Mycobacterium kansasii</i>
C86544	MYCOBACTERIUM LEPRAE		Any bacterial organism that can be assigned to the species <i>Mycobacterium leprae</i> .	<i>Mycobacterium leprae</i>
C86545	MYCOBACTERIUM MARINUM	<i>Mycobacterium balnei</i>	Any bacterial organism that can be assigned to the species <i>Mycobacterium marinum</i> .	<i>Mycobacterium marinum</i>
C85548	MYCOBACTERIUM MICROTI		Any bacterial organism that can be assigned to the species <i>Mycobacterium microti</i> .	<i>Mycobacterium microti</i>
C86546	MYCOBACTERIUM PEREGRINUM		Any bacterial organism that can be assigned to the species <i>Mycobacterium peregrinum</i> .	<i>Mycobacterium peregrinum</i>
C86547	MYCOBACTERIUM SCROFULACEUM		Any bacterial organism that can be assigned to the species <i>Mycobacterium scrofulaceum</i> .	<i>Mycobacterium scrofulaceum</i>
C86548	MYCOBACTERIUM SIMIAE	<i>Mycobacterium habana</i>	Any bacterial organism that can be assigned to the species <i>Mycobacterium simiae</i> .	<i>Mycobacterium simiae</i>
C86590	MYCOBACTERIUM SMEGMATIS		Any bacterial organism that can be assigned to the species <i>Mycobacterium smegmatis</i> .	<i>Mycobacterium smegmatis</i>
C86591	MYCOBACTERIUM SZULGAI		Any bacterial organism that can be assigned to the species <i>Mycobacterium szulgai</i> .	<i>Mycobacterium szulgai</i>
C86592	MYCOBACTERIUM TERRAE		Any bacterial organism that can be assigned to the species <i>Mycobacterium terrae</i> .	<i>Mycobacterium terrae</i>
C86593	MYCOBACTERIUM THERMORESISTIBILE		Any bacterial organism that can be assigned to the species <i>Mycobacterium thermoresistibile</i> .	<i>Mycobacterium thermoresistibile</i>
C76370	MYCOBACTERIUM TUBERCULOSIS		Any bacterial organism that can be assigned to the species <i>Mycobacterium tuberculosis</i> .	<i>Mycobacterium tuberculosis</i>
C86594	MYCOBACTERIUM TUBERCULOSIS COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the <i>Mycobacterium tuberculosis</i> species.	<i>Mycobacterium tuberculosis</i> Complex
C86595	MYCOBACTERIUM ULCERANS	<i>Mycobacterium buruli</i>	Any bacterial organism that can be assigned to the species <i>Mycobacterium ulcerans</i> .	<i>Mycobacterium ulcerans</i>
C73540	MYCOPLASMA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Mycoplasma</i> genus level.	<i>Mycoplasma</i>
C86597	MYCOPLASMA HOMINIS		Any bacterial organism that can be assigned to the species <i>Mycoplasma hominis</i> .	<i>Mycoplasma hominis</i>
C86598	MYCOPLASMA ORALE		Any bacterial organism that can be assigned to the species <i>Mycoplasma orale</i> .	<i>Mycoplasma orale</i>
C86599	MYCOPLASMA PNEUMONIAE		Any bacterial organism that can be assigned to the species <i>Mycoplasma pneumoniae</i> .	<i>Mycoplasma pneumoniae</i>
C86953	MYROIDES		Any bacteria that is not assigned to the species level but can be assigned to the <i>Myroides</i> genus level.	<i>Myroides</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86954	MYROIDES ODORATUS	Flavobacterium odoratum	Any bacterial organism that can be assigned to the species Myroides odoratus.	Myroides odoratus
C123422	NAEGLERIA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Naegleria genus level.	Naegleria
C123523	NAEGLERIA FOWLERI		Any unicellular, eukaryotic organism that can be assigned to the species Naegleria fowleri.	Naegleria fowleri
C112358	NAIROVIRUS		Any viral organism that can be assigned to the genus Nairovirus.	Nairovirus
C123524	NECATOR AMERICANUS		Any nematode parasite that can be assigned to the species Necator americanus.	Necator americanus
C76371	NEISSERIA		Any bacteria that is not assigned to the species level but can be assigned to the Neisseria genus level.	Neisseria
C86600	NEISSERIA CANIS		Any bacterial organism that can be assigned to the species Neisseria canis.	Neisseria canis
C86601	NEISSERIA CINEREA	Micrococcus cinereus	Any bacterial organism that can be assigned to the species Neisseria cinerea.	Neisseria cinerea
C123423	NEISSERIA ELONGATA		Any bacterial organism that can be assigned to the species Neisseria elongata.	Neisseria elongata
C123648	NEISSERIA ELONGATA SUBSP. NITROREDUCENS	CDC Group M-6	Any bacterial organism that can be assigned to the species Neisseria elongata subspecies nitroreducens.	Neisseria elongata subsp nitroreducens
C86602	NEISSERIA FLAVESCENS		Any bacterial organism that can be assigned to the species Neisseria flavescens.	Neisseria flavescens
C86603	NEISSERIA GONORRHOEAE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae.	Neisseria gonorrhoeae
C123525	NEISSERIA GONORRHOEAE, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae and is beta-lactamase negative.	Neisseria gonorrhoeae, Beta-lactamase Negative
C123526	NEISSERIA GONORRHOEAE, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae and is beta-lactamase positive.	Neisseria gonorrhoeae, Beta-lactamase Positive
C123527	NEISSERIA GONORRHOEAE, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae and is penicillinase negative.	Neisseria gonorrhoeae, Penicillinase Negative
C123528	NEISSERIA GONORRHOEAE, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae and is penicillinase positive.	Neisseria gonorrhoeae, Penicillinase Positive
C86604	NEISSERIA LACTAMICA		Any bacterial organism that can be assigned to the species Neisseria lactamica.	Neisseria lactamica
C86605	NEISSERIA MENINGITIDIS		Any bacterial organism that can be assigned to the species Neisseria meningitidis.	Neisseria meningitidis
C86606	NEISSERIA MUCOSA		Any bacterial organism that can be assigned to the species Neisseria mucosa.	Neisseria mucosa
C86607	NEISSERIA POLYSACCHAREA		Any bacterial organism that can be assigned to the species Neisseria polysaccharea.	Neisseria polysaccharea
C86608	NEISSERIA SICCA		Any bacterial organism that can be assigned to the species Neisseria sicca.	Neisseria sicca
C86609	NEISSERIA SUBFLAVA		Any bacterial organism that can be assigned to the species Neisseria subflava.	Neisseria subflava
C86610	NEISSERIA WEAVERII	CDC Group M-5	Any bacterial organism that can be assigned to the species Neisseria weaverii.	Neisseria weaverii
C14248	NEMATODA	Roundworms	Any parasitic roundworm that is not assigned to the species level but can be assigned to the Nematoda phylum level.	Nematoda
C93023	NEWCASTLE DISEASE VIRUS	Avian Paramyxovirus Type 1;NDV	Any viral organism that can be assigned to the species Newcastle disease virus.	Newcastle Disease Virus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123529	NIGROSPORA		Any fungal organism that is not assigned to the species level but can be assigned to the Nigrospora genus level.	Nigrospora
C112359	NIPAH VIRUS	NiV	Any viral organism that can be assigned to the species Nipah virus.	Nipah Virus
C76372	NOCARDIA		Any bacteria that is not assigned to the species level but can be assigned to the Nocardia genus level.	Nocardia
C86611	NOCARDIA ASTEROIDES		Any bacterial organism that can be assigned to the species Nocardia asteroides.	Nocardia asteroides
C86612	NOCARDIA ASTEROIDES COMPLEX		A non-taxonomic grouping of bacterial species that are phenotypically or genetically similar to the Nocardia asteroides species.	Nocardia asteroides Complex
C86613	NOCARDIA BRASILIENSIS		Any bacterial organism that can be assigned to the species Nocardia brasiliensis.	Nocardia brasiliensis
C128543	NOCARDIA CYRIACIGEORGICA		Any bacterial organism that can be assigned to the species Nocardia cyriacigeorgica.	Nocardia cyriacigeorgica
C86614	NOCARDIA DASSONVILLEI		Any bacterial organism that can be assigned to the species Nocardia dassonvillei.	Nocardia dassonvillei
C86615	NOCARDIA FARCINICA		Any bacterial organism that can be assigned to the species Nocardia farcinica.	Nocardia farcinica
C86616	NOCARDIA NOVA		Any bacterial organism that can be assigned to the species Nocardia nova.	Nocardia nova
C86617	NOCARDIA OTITIDISCAVIARUM	Nocardia caviae	Any bacterial organism that can be assigned to the species Nocardia otitidiscaviarum.	Nocardia otitidiscaviarum
C86618	NON-FERMENTATIVE GRAM-NEGATIVE BACILLUS	Non-fermentative Gram-negative Rod	Any rod-shaped, anaerobic bacteria that cannot convert carbohydrates into acids and alcohols and has a cell wall that contains low levels of peptidoglycan and stains pink with the Gram staining technique.	Non-Fermentative Gram Negative Bacillus
C125957	NORMAL FLORA		The presence of microorganisms that normally reside at an anatomical site and that under normal circumstances do not cause disease.	Normal Flora
C112362	NOROVIRUS	NoV;Norwalk-like virus	Any viral organism that can be assigned to the genus Norovirus.	Norovirus
C112363	NORWALK VIRUS	NV;Norwalk calicivirus	Any viral organism that can be assigned to the species Norwalk virus.	Norwalk Virus
C123530	NOSEMA		Any fungal organism that is not assigned to the species level but can be assigned to the Nosema genus level.	Nosema
C86619	OCHROBACTRUM		Any bacteria that is not assigned to the species level but can be assigned to the Ochrobactrum genus level.	Ochrobactrum
C86620	OCHROBACTRUM ANTHROPI	Achromobacter subsp. Biotype 1	Any bacterial organism that can be assigned to the species Ochrobactrum anthropi.	Ochrobactrum anthropi
C86621	OCHROBACTRUM INTERMEDIUM		Any bacterial organism that can be assigned to the species Ochrobactrum intermedium.	Ochrobactrum intermedium
C86176	ODORIBACTER SPLANCHNICUS	Bacteroides splanchnicus	Any bacterial organism that can be assigned to the species Odoribacter splanchnicus.	Bacteroides splanchnicus
C86622	OERSKOVIA		Any bacteria that is not assigned to the species level but can be assigned to the Oerskovia genus level.	Oerskovia
C86623	OERSKOVIA TURBATA		Any bacterial organism that can be assigned to the species Oerskovia turbata.	Oerskovia turbata
C123531	OIDIODENDRON		Any fungal organism that is not assigned to the species level but can be assigned to the Oidiodendron genus level.	Oidiodendron
C86624	OLIGELLA		Any bacteria that is not assigned to the species level but can be assigned to the Oligella genus level.	Oligella

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86625	OLIGELLA UREOLYTICA	CDC Group Ive	Any bacterial organism that can be assigned to the species <i>Oligella ureolytica</i> .	<i>Oligella ureolytica</i>
C86626	OLIGELLA URETHRALIS		Any bacterial organism that can be assigned to the species <i>Oligella urethralis</i> .	<i>Oligella urethralis</i>
C86627	OLSENELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Olsenella</i> genus level.	<i>Olsenella</i>
C86628	OLSENELLA ULI	<i>Lactobacillus uli</i>	Any bacterial organism that can be assigned to the species <i>Olsenella uli</i> .	<i>Olsenella uli</i>
C124355	ONCHOCERCA VOLVULUS		Any trematode parasite that can be assigned to the species <i>Onchocerca volvulus</i> .	<i>Onchocerca volvulus</i>
C124356	OPISTHORCHIS FELINEUS	Cat Liver Fluke	Any trematode parasite that can be assigned to the species <i>Opisthorchis felineus</i> .	<i>Opisthorchis felineus</i>
C112365	ORBIVIRUS		Any viral organism that can be assigned to the genus <i>Orbivirus</i> .	<i>Orbivirus</i>
C112366	ORTHOBUNYAVIRUS	<i>Bunyavirus</i>	Any viral organism that can be assigned to the genus <i>Orthobunyavirus</i> .	<i>Orthobunyavirus</i>
C96524	ORTHOPOXVIRUS		Any viral organism that can be assigned to the genus <i>Orthopoxvirus</i> .	<i>Orthopoxvirus</i>
C147469	OXACILLIN RESISTANT STAPHYLOCOCCUS AUREUS	ORSA	Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is resistant to the antibiotic oxacillin.	Oxacillin Resistant <i>Staphylococcus aureus</i>
C123532	PAECILOMYCES		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Paecilomyces</i> genus level.	<i>Paecilomyces</i>
C123533	PAENIBACILLUS GLUCANOLYTICUS	<i>Bacillus glucanolyticus</i>	Any bacterial organism that can be assigned to the species <i>Paenibacillus glucanolyticus</i> .	<i>Paenibacillus glucanolyticus</i>
C128544	PAENIBACILLUS PHOENICIS		Any bacterial organism that can be assigned to the species <i>Paenibacillus phoenicis</i> .	<i>Paenibacillus phoenicis</i>
C86629	PANDORAEA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Pandoraea</i> genus level.	<i>Pandoraea</i>
C123534	PANDORAEA APISTA		Any bacterial organism that can be assigned to the species <i>Pandoraea apista</i> .	<i>Pandoraea apista</i>
C86630	PANDORAEA PNOMENUSA		Any bacterial organism that can be assigned to the species <i>Pandoraea pnomenusa</i> .	<i>Pandoraea pnomenusa</i>
C119327	PANDORAEA SPUTORUM		Any bacterial organism that can be assigned to the species <i>Pandoraea sputorum</i> .	<i>Pandoraea sputorum</i>
C119328	PANNONIBACTER PHRAGMITETUS	<i>Achromobacter</i> group B; <i>Achromobacter</i> group E	Any bacterial organism that can be assigned to the species <i>Pannonibacter phragmitetus</i> .	<i>Pannonibacter phragmitetus</i>
C86631	PANTOEA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Pantoea</i> genus level.	<i>Pantoea</i>
C86632	PANTOEA AGGLOMERANS	<i>Enterobacter agglomerans</i>	Any bacterial organism that can be assigned to the species <i>Pantoea agglomerans</i> .	<i>Pantoea agglomerans</i>
C86633	PARABACTEROIDES		Any bacteria that is not assigned to the species level but can be assigned to the <i>Parabacteroides</i> genus level.	<i>Parabacteroides</i>
C86634	PARABACTEROIDES DISTASONIS	<i>Bacteroides distasonis</i>	Any bacterial organism that can be assigned to the species <i>Parabacteroides distasonis</i> .	<i>Parabacteroides distasonis</i>
C123535	PARABACTEROIDES GOLDSTEINII	<i>Bacteroides goldsteinii</i>	Any bacterial organism that can be assigned to the species <i>Parabacteroides goldsteinii</i> .	<i>Parabacteroides goldsteinii</i>
C123536	PARABACTEROIDES JOHNSONII		Any bacterial organism that can be assigned to the species <i>Parabacteroides johnsonii</i> .	<i>Parabacteroides johnsonii</i>
C86635	PARABACTEROIDES MERDAE	<i>Bacteroides fragilis</i> T4-1; <i>Bacteroides merdae</i>	Any bacterial organism that can be assigned to the species <i>Parabacteroides merdae</i> .	<i>Parabacteroides merdae</i>
C123537	PARACOCCLUS YEEI	CDC Group EO-2	Any bacterial organism that can be assigned to the species <i>Paracoccus yeei</i> .	<i>Paracoccus yeei</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123538	PARAGONIMUS WESTERMANI	Oriental Lung Fluke	Any trematode parasite that can be assigned to the species <i>Paragonimus westermani</i> .	<i>Paragonimus westermani</i>
C112367	PARAPOXVIRUS		Any viral organism that can be assigned to the genus <i>Parapoxvirus</i> .	<i>Parapoxvirus</i>
C86900	PARVIMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Parvimonas</i> genus level.	<i>Parvimonas</i>
C86901	PARVIMONAS MICRA	<i>Micromonas micros</i> ; <i>Peptostreptococcus micros</i>	Any bacterial organism that can be assigned to the species <i>Parvimonas micra</i> .	<i>Parvimonas micra</i>
C86636	PASTEURELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Pasteurella</i> genus level.	<i>Pasteurella</i>
C86637	PASTEURELLA AEROGENES		Any bacterial organism that can be assigned to the species <i>Pasteurella aerogenes</i> .	<i>Pasteurella aerogenes</i>
C86638	PASTEURELLA BETTYAE		Any bacterial organism that can be assigned to the species <i>Pasteurella bettyae</i> .	<i>Pasteurella bettyae</i>
C86639	PASTEURELLA CANIS	<i>Pasteurella multocida</i> Biotype 6	Any bacterial organism that can be assigned to the species <i>Pasteurella canis</i> .	<i>Pasteurella canis</i>
C76373	PASTEURELLA MULTOCIDA	<i>Pasteurella septica</i>	Any bacterial organism that can be assigned to the species <i>Pasteurella multocida</i> .	<i>Pasteurella multocida</i>
C86640	PASTEURELLA PNEUMOTROPICA		Any bacterial organism that can be assigned to the species <i>Pasteurella pneumotropica</i> .	<i>Pasteurella pneumotropica</i>
C86641	PEDIOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Pediococcus</i> genus level.	<i>Pediococcus</i>
C123539	PEDIOCOCCUS PENTOSACEUS	<i>Pediococcus hennebergii</i>	Any bacterial organism that can be assigned to the species <i>Pediococcus pentosaceus</i> .	<i>Pediococcus pentosaceus</i>
C123540	PENICILLIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Penicillium</i> genus level.	<i>Penicillium</i>
C123541	PENTATRICHOMONAS HOMINIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Pentatrachomonas hominis</i> .	<i>Pentatrachomonas hominis</i>
C86642	PEPTOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Peptococcus</i> genus level.	<i>Peptococcus</i>
C86643	PEPTOCOCCUS NIGER	<i>Micrococcus niger</i>	Any bacterial organism that can be assigned to the species <i>Peptococcus niger</i> .	<i>Peptococcus niger</i>
C86902	PEPTONIPHILUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Peptoniphilus</i> genus level.	<i>Peptoniphilus</i>
C86903	PEPTONIPHILUS ASACCHAROLYTICUS	<i>Peptococcus asaccharolyticus</i> ; <i>Peptostreptococcus asaccharolyticus</i>	Any bacterial organism that can be assigned to the species <i>Peptoniphilus asaccharolyticus</i> .	<i>Peptoniphilus asaccharolyticus</i>
C114245	PEPTONIPHILUS HAREI	<i>Peptostreptococcus harei</i> ; <i>Schleiferella harei</i>	Any bacterial organism that can be assigned to the species <i>Peptoniphilus harei</i> .	<i>Peptoniphilus harei</i>
C86904	PEPTONIPHILUS INDOLICUS	<i>Peptostreptococcus indolicus</i>	Any bacterial organism that can be assigned to the species <i>Peptoniphilus indolicus</i> .	<i>Peptoniphilus indolicus</i>
C86644	PEPTOSTREPTOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Peptostreptococcus</i> genus level.	<i>Peptostreptococcus</i>
C86645	PEPTOSTREPTOCOCCUS ANAEROBIUS		Any bacterial organism that can be assigned to the species <i>Peptostreptococcus anaerobius</i> .	<i>Peptostreptococcus anaerobius</i>
C119329	PEPTOSTREPTOCOCCUS STOMATIS		Any bacterial organism that can be assigned to the species <i>Peptostreptococcus stomatis</i> .	<i>Peptostreptococcus stomatis</i>
C123542	PESTALOTIOPSIS		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Pestalotiopsis</i> genus level.	<i>Pestalotiopsis</i>

C85491 MICROORG				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C123543	PHIALOPHORA		Any fungal organism that is not assigned to the species level but can be assigned to the Phialophora genus level.	Phialophora
C127739	PHIALOPHORA VERRUCOSA		Any fungal organism that can be assigned to the species Phialophora verrucosa.	Phialophora verrucosa
C112397	PHLEBOVIRUS		Any viral organism that can be assigned to the genus Phlebovirus.	Phlebovirus
C86646	PHOTOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the Photobacterium genus level.	Photobacterium
C86647	PHOTOBACTERIUM DAMSELAE	Photobacterium damsela subsp. damsela;Vibrio damsela	Any bacterial organism that can be assigned to the species Photobacterium damsela.	Photobacterium damsela
C86648	PHOTORHABDUS		Any bacteria that is not assigned to the species level but can be assigned to the Photorhabdus genus level.	Photorhabdus
C86649	PHOTORHABDUS LUMINESCENS		Any bacterial organism that can be assigned to the species Photorhabdus luminescens.	Photorhabdus luminescens
C123544	PICHIA	Hansenula	Any fungal organism that is not assigned to the species level but can be assigned to the Pichia genus level.	Pichia
C127740	PICHIA FERMENTANS	Candida fimetaria;Candida lambica;Mycoderma lambica	Any fungal organism that can be assigned to the species Pichia fermentans.	Pichia fermentans
C114270	PICHIA KLUYVERI		Any fungal organism that can be assigned to the species Pichia kluyveri.	Pichia kluyveri
C77173	PICHIA KUDRIAVZEVII	Candida krusei;Issatchenkia orientalis	Any fungal organism that can be assigned to the species Pichia kudriavzevii.	Candida krusei
C114259	PICHIA NORVEGENSIS	Candida mycoderma var. annulata	Any fungal organism that can be assigned to the species Pichia norvegensis.	Pichia norvegensis
C123545	PIEDRAIA		Any fungal organism that is not assigned to the species level but can be assigned to the Piedraia genus level.	Piedraia
C127741	PIEDRAIA HORTAE		Any fungal organism that can be assigned to the species Piedraia hortae.	Piedraia hortae
C123546	PITHOMYCES		Any fungal organism that is not assigned to the species level but can be assigned to the Pithomyces genus level.	Pithomyces
C86650	PLANOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Planococcus genus level.	Planococcus
C123547	PLASMODIUM FALCIPARUM		Any unicellular, eukaryotic organism that can be assigned to the species Plasmodium falciparum.	Plasmodium falciparum
C123548	PLASMODIUM MALARIAE		Any unicellular, eukaryotic organism that can be assigned to the species Plasmodium malariae.	Plasmodium malariae
C123549	PLASMODIUM OVALE		Any unicellular, eukaryotic organism that can be assigned to the species Plasmodium ovale.	Plasmodium ovale
C123550	PLASMODIUM VIVAX		Any unicellular, eukaryotic organism that can be assigned to the species Plasmodium vivax.	Plasmodium vivax
C124357	PLEISTOPHORA		Any fungal organism that is not assigned to the species level but can be assigned to the Pleistophora genus level.	Pleistophora
C86651	PLESIOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Plesiomonas genus level.	Plesiomonas
C86652	PLESIOMONAS SHIGELLOIDES	Aeromonas shigelloides	Any bacterial organism that can be assigned to the species Plesiomonas shigelloides.	Plesiomonas shigelloides
C124358	PNEUMOCYSTIS		Any fungal organism that is not assigned to the species level but can be assigned to the Pneumocystis genus level.	Pneumocystis



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127308	PNEUMOCYSTIS CARINII		Any fungal organism that can be assigned to the species <i>Pneumocystis carinii</i> .	<i>Pneumocystis carinii</i>
C117361	PNEUMOCYSTIS JIROVECI	<i>Pneumocystis carinii</i> f. sp. <i>Hominis</i>	Any fungal organism that can be assigned to the species <i>Pneumocystis jirovecii</i> .	<i>Pneumocystis jirovecii</i>
C112398	PNEUMOVIRUS		Any viral organism that can be assigned to the genus <i>Pneumovirus</i> .	<i>Pneumovirus</i>
C14259	POLIOVIRUS	Enterovirus C;Human enterovirus C	Any viral organism that can be assigned to the species <i>Poliovirus</i> .	<i>Poliovirus</i>
C14260	POLYOMAVIRUS		Any viral organism that can be assigned to the genus <i>Polyomavirus</i> .	<i>Polyomavirus</i>
C86653	PORPHYROMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Porphyromonas</i> genus level.	<i>Porphyromonas</i>
C86654	PORPHYROMONAS ASACCHAROLYTICA	<i>Bacteroides asaccharolyticus</i>	Any bacterial organism that can be assigned to the species <i>Porphyromonas asaccharolytica</i> .	<i>Porphyromonas asaccharolytica</i>
C128546	PORPHYROMONAS BENNONIS		Any bacterial organism that can be assigned to the species <i>Porphyromonas bennonis</i> .	<i>Porphyromonas bennonis</i>
C86655	PORPHYROMONAS CATONIAE		Any bacterial organism that can be assigned to the species <i>Porphyromonas catoniae</i> .	<i>Porphyromonas catoniae</i>
C86656	PORPHYROMONAS ENDODONTALIS	<i>Bacteroides endodontalis</i>	Any bacterial organism that can be assigned to the species <i>Porphyromonas endodontalis</i> .	<i>Porphyromonas endodontalis</i>
C86657	PORPHYROMONAS GINGIVALIS	<i>Bacteroides gingivalis</i>	Any bacterial organism that can be assigned to the species <i>Porphyromonas gingivalis</i> .	<i>Porphyromonas gingivalis</i>
C86658	PORPHYROMONAS LEVII	<i>Bacteroides levii</i> ; <i>Bacteroides melaninogenicus</i> subsp. <i>levii</i>	Any bacterial organism that can be assigned to the species <i>Porphyromonas levii</i> .	<i>Porphyromonas levii</i>
C86659	PORPHYROMONAS SOMERAE		Any bacterial organism that can be assigned to the species <i>Porphyromonas somerae</i> .	<i>Porphyromonas somerae</i>
C86660	PREVOTELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Prevotella</i> genus level.	<i>Prevotella</i>
C124359	PREVOTELLA AMNII		Any bacterial organism that can be assigned to the species <i>Prevotella amnii</i> .	<i>Prevotella amnii</i>
C124360	PREVOTELLA BARONIAE	<i>Prevotella</i> Genomospecies E4	Any bacterial organism that can be assigned to the species <i>Prevotella baroniae</i> .	<i>Prevotella baroniae</i>
C119330	PREVOTELLA BERGENSIS		Any bacterial organism that can be assigned to the species <i>Prevotella bergensis</i> .	<i>Prevotella bergensis</i>
C86661	PREVOTELLA BIVIA	<i>Bacteroides bivia</i>	Any bacterial organism that can be assigned to the species <i>Prevotella bivia</i> .	<i>Prevotella bivia</i>
C86662	PREVOTELLA BREVIS	<i>Bacteroides ruminicola</i> subsp. <i>brevis</i> ; <i>Bacteroides ruminicola</i> subsp. <i>brevus</i>	Any bacterial organism that can be assigned to the species <i>Prevotella brevis</i> .	<i>Prevotella brevis</i>
C86663	PREVOTELLA BUCCAE	<i>Bacteroides buccae</i>	Any bacterial organism that can be assigned to the species <i>Prevotella buccae</i> .	<i>Prevotella buccae</i>
C86664	PREVOTELLA BUCCALIS		Any bacterial organism that can be assigned to the species <i>Prevotella buccalis</i> .	<i>Prevotella buccalis</i>
C86665	PREVOTELLA CORPORIS		Any bacterial organism that can be assigned to the species <i>Prevotella corporis</i> .	<i>Prevotella corporis</i>
C86666	PREVOTELLA DENTALIS		Any bacterial organism that can be assigned to the species <i>Prevotella dentalis</i> .	<i>Prevotella dentalis</i>
C86667	PREVOTELLA DENTICOLA	<i>Bacteroides denticola</i>	Any bacterial organism that can be assigned to the species <i>Prevotella denticola</i> .	<i>Prevotella denticola</i>
C86668	PREVOTELLA DISIENS	<i>Bacteroides disiens</i>	Any bacterial organism that can be assigned to the species <i>Prevotella disiens</i> .	<i>Prevotella disiens</i>
C86669	PREVOTELLA HEPARINOLYTICA	<i>Bacteroides heparinolyticus</i>	Any bacterial organism that can be assigned to the species <i>Prevotella heparinolytica</i> .	<i>Prevotella heparinolytica</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C128545	PREVOTELLA HISTICOLA		Any bacterial organism that can be assigned to the species <i>Prevotella histicola</i> .	<i>Prevotella histicola</i>
C86670	PREVOTELLA INTERMEDIA	<i>Bacteroides intermedia</i>	Any bacterial organism that can be assigned to the species <i>Prevotella intermedia</i> .	<i>Prevotella intermedia</i>
C86671	PREVOTELLA INTERMEDIA/NIGRESCENS GROUP		A non-taxonomic grouping of bacteria that belongs to the <i>intermedia/nigrescens</i> group of the genus <i>Prevotella</i> .	<i>Prevotella intermedia/nigrescens</i> Group
C86672	PREVOTELLA LOESCHEII		Any bacterial organism that can be assigned to the species <i>Prevotella loescheii</i> .	<i>Prevotella loescheii</i>
C86673	PREVOTELLA MELANINOGENICA	<i>Bacteroides melaninogenicus</i>	Any bacterial organism that can be assigned to the species <i>Prevotella melaninogenica</i> .	<i>Prevotella melaninogenica</i>
C86674	PREVOTELLA NIGRESCENS		Any bacterial organism that can be assigned to the species <i>Prevotella nigrescens</i> .	<i>Prevotella nigrescens</i>
C86675	PREVOTELLA ORALIS	<i>Bacteroides oralis</i>	Any bacterial organism that can be assigned to the species <i>Prevotella oralis</i> .	<i>Prevotella oralis</i>
C86676	PREVOTELLA ORIS	<i>Bacteroides oris</i>	Any bacterial organism that can be assigned to the species <i>Prevotella oris</i> .	<i>Prevotella oris</i>
C86677	PREVOTELLA RUMINICOLA	<i>Bacteroides ruminicola</i>	Any bacterial organism that can be assigned to the species <i>Prevotella ruminicola</i> .	<i>Prevotella ruminicola</i>
C86678	PREVOTELLA TANNERAE		Any bacterial organism that can be assigned to the species <i>Prevotella tannerae</i> .	<i>Prevotella tannerae</i>
C124361	PREVOTELLA TIMONENSIS		Any bacterial organism that can be assigned to the species <i>Prevotella timonensis</i> .	<i>Prevotella timonensis</i>
C86679	PREVOTELLA VERORALIS		Any bacterial organism that can be assigned to the species <i>Prevotella veroralis</i> .	<i>Prevotella veroralis</i>
C86013	PROPIONIBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Propionibacterium</i> genus level.	<i>Propionibacterium</i>
C14378	PROPIONIBACTERIUM ACNES	<i>Bacillus acnes</i> ; <i>Corynebacterium acnes</i> ; <i>Corynebacterium parvum</i>	Any bacterial organism that can be assigned to the species <i>Propionibacterium acnes</i> .	<i>Propionibacterium acnes</i>
C86681	PROPIONIBACTERIUM AVIDUM		Any bacterial organism that can be assigned to the species <i>Propionibacterium avidum</i> .	<i>Propionibacterium avidum</i>
C86682	PROPIONIBACTERIUM GRANULOSUM	<i>Corynebacterium granulosum</i>	Any bacterial organism that can be assigned to the species <i>Propionibacterium granulosum</i> .	<i>Propionibacterium granulosum</i>
C86683	PROPIONIBACTERIUM PROPIONICUM	<i>Actinomyces propionicus</i>	Any bacterial organism that can be assigned to the species <i>Propionibacterium propionicum</i> .	<i>Propionibacterium propionicum</i>
C76374	PROTEUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Proteus</i> genus level.	<i>Proteus</i>
C86684	PROTEUS HAUSERI		Any bacterial organism that can be assigned to the species <i>Proteus hauseri</i> .	<i>Proteus hauseri</i>
C84582	PROTEUS INCONSTANS	<i>Providencia inconstans</i>	Any bacterial organism that can be assigned to the species <i>Proteus inconstans</i> .	<i>Proteus inconstans</i>
C86019	PROTEUS MIRABILIS		Any bacterial organism that can be assigned to the species <i>Proteus mirabilis</i> .	<i>Proteus mirabilis</i>
C86687	PROTEUS MYXOFACIENS		Any bacterial organism that can be assigned to the species <i>Proteus myxofaciens</i> .	<i>Proteus myxofaciens</i>
C86688	PROTEUS PENNERI	Indole Negative <i>Proteus vulgaris</i>	Any bacterial organism that can be assigned to the species <i>Proteus penneri</i> .	<i>Proteus penneri</i>
C85250	PROTEUS VULGARIS		Any bacterial organism that can be assigned to the species <i>Proteus vulgaris</i> .	<i>Proteus vulgaris</i>
C124362	PROTOTHECA STAGNORUM	<i>Prototheca stagnora</i>	Any algal organism that can be assigned to the species <i>Prototheca stagnorum</i> .	<i>Prototheca stagnora</i>
C114271	PROTOTHECA WICKERHAMII		Any algal organism that can be assigned to the species <i>Prototheca wickerhamii</i> .	<i>Prototheca wickerhamii</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124363	PROTOTHECA ZOPFII		Any algal organism that can be assigned to the species <i>Prototheca zopfii</i> .	Prototheca zopfii
C86690	PROVIDENCIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Providencia</i> genus level.	Providencia
C86691	PROVIDENCIA ALCALIFACIENS		Any bacterial organism that can be assigned to the species <i>Providencia alcalifaciens</i> .	Providencia alcalifaciens
C86692	PROVIDENCIA HEIMBACHAE		Any bacterial organism that can be assigned to the species <i>Providencia heimbachae</i> .	Providencia heimbachae
C86693	PROVIDENCIA RETTGERI		Any bacterial organism that can be assigned to the species <i>Providencia rettgeri</i> .	Proteus rettgeri
C86694	PROVIDENCIA RUSTIGIANII	<i>Providencia alcalifaciens</i> Biogroup 3	Any bacterial organism that can be assigned to the species <i>Providencia rustigianii</i> .	Providencia rustigianii
C86695	PROVIDENCIA STUARTII		Any bacterial organism that can be assigned to the species <i>Providencia stuartii</i> .	Providencia stuartii
C124364	PROVIDENCIA STUARTII, UREA-POSITIVE		Any bacterial organism that can be assigned to the species <i>Providencia stuartii</i> and is able to metabolize urea.	Urea-Positive <i>Providencia stuartii</i>
C112401	PSEUDOCOWPOX VIRUS	<i>Paravaccinia virus</i> ; <i>Pseudocowpoxvirus</i>	Any viral organism that can be assigned to the species <i>Pseudocowpox virus</i> .	Pseudocowpox Virus
C76375	PSEUDOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Pseudomonas</i> genus level.	<i>Pseudomonas</i>
C86696	PSEUDOMONAS AERUGINOSA		Any bacterial organism that can be assigned to the species <i>Pseudomonas aeruginosa</i> .	<i>Pseudomonas aeruginosa</i>
C139104	PSEUDOMONAS AERUGINOSA, MUCOID		Any bacterial organism that can be assigned to the species <i>Pseudomonas aeruginosa</i> and the mucoid strain.	Mucoid <i>Pseudomonas aeruginosa</i>
C139103	PSEUDOMONAS AERUGINOSA, NON-MUCOID		Any bacterial organism that can be assigned to the species <i>Pseudomonas aeruginosa</i> and the non-mucoid strain.	Non-Mucoid <i>Pseudomonas aeruginosa</i>
C139105	PSEUDOMONAS AERUGINOSA, SMALL-COLONY VARIANT	<i>Pseudomonas aeruginosa</i> SCV	Any bacterial organism that can be assigned to the species <i>Pseudomonas aeruginosa</i> and the small-colony variant strain.	Small-Colony Variant <i>Pseudomonas aeruginosa</i>
C86697	PSEUDOMONAS ALCALIGENES		Any bacterial organism that can be assigned to the species <i>Pseudomonas alcaligenes</i> .	<i>Pseudomonas alcaligenes</i>
C86699	PSEUDOMONAS CHLORORAPHIS		Any bacterial organism that can be assigned to the species <i>Pseudomonas chlororaphis</i> .	<i>Pseudomonas chlororaphis</i>
C86700	PSEUDOMONAS FLUORESCENS	<i>Bacterium fluorescen</i> ; <i>Liquidomonas fluorescens</i>	Any bacterial organism that can be assigned to the species <i>Pseudomonas fluorescens</i> .	<i>Pseudomonas fluorescens</i>
C86962	PSEUDOMONAS FLUORESCENS/PUTIDA GROUP		A non-taxonomic grouping of bacteria that belongs to the <i>fluorescens/putida</i> group of the genus <i>Pseudomonas</i> .	<i>Pseudomonas fluorescens/putida</i> Group
C86701	PSEUDOMONAS LUTEOLA	<i>Chryseomonas luteola</i>	Any bacterial organism that can be assigned to the species <i>Pseudomonas luteola</i> .	<i>Pseudomonas luteola</i>
C86702	PSEUDOMONAS MENDOCINA		Any bacterial organism that can be assigned to the species <i>Pseudomonas mendocina</i> .	<i>Pseudomonas mendocina</i>
C86703	PSEUDOMONAS MOSSELLII		Any bacterial organism that can be assigned to the species <i>Pseudomonas mosselii</i> .	<i>Pseudomonas mosselii</i>
C124365	PSEUDOMONAS NITROREDUCENS	<i>Pseudomonas azelaica</i>	Any bacterial organism that can be assigned to the species <i>Pseudomonas nitroreducens</i> .	<i>Pseudomonas nitroreducens</i>
C76319	PSEUDOMONAS ORYZIHABITANS	<i>Flavimonas oryzihabitans</i>	Any bacterial organism that can be assigned to the species <i>Pseudomonas oryzihabitans</i> .	<i>Pseudomonas oryzihabitans</i>
C128547	PSEUDOMONAS OTITIDIS		Any bacterial organism that can be assigned to the species <i>Pseudomonas otitidis</i> .	<i>Pseudomonas otitidis</i>
C86704	PSEUDOMONAS PSEUDOALCALIGENES	<i>Pseudomonas alcaligenes</i> Biotype B	Any bacterial organism that can be assigned to the species <i>Pseudomonas pseudoalcaligenes</i> .	<i>Pseudomonas pseudoalcaligenes</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86705	PSEUDOMONAS PUTIDA		Any bacterial organism that can be assigned to the species <i>Pseudomonas putida</i> .	<i>Pseudomonas putida</i>
C86706	PSEUDOMONAS STUTZERI		Any bacterial organism that can be assigned to the species <i>Pseudomonas stutzeri</i> .	<i>Pseudomonas stutzeri</i>
C124366	PSEUDOTERRANOVA DECIPIENS	Codworm;Phocanema decipiens;Sealworm	Any nematode parasite that can be assigned to the species <i>Pseudoterranova decipiens</i> .	<i>Pseudoterranova decipiens</i>
C86707	PSYCHROBACTER		Any bacteria that is not assigned to the species level but can be assigned to the <i>Psychrobacter</i> genus level.	<i>Psychrobacter</i>
C86708	PSYCHROBACTER IMMOBILIS		Any bacterial organism that can be assigned to the species <i>Psychrobacter immobilis</i> .	<i>Psychrobacter immobilis</i>
C86709	PSYCHROBACTER PHENYLPIYRUVICUS	<i>Moraxella phenylpyruvica</i>	Any bacterial organism that can be assigned to the species <i>Psychrobacter phenylpyruvicus</i> .	<i>Psychrobacter phenylpyruvicus</i>
C127742	PURPUREOCILLIUM LILACINUM	<i>Paecilomyces lilacinus</i> ; <i>Penicillium lilacinum</i> ; <i>Purpureocillium lilacinus</i>	Any fungal organism that can be assigned to the species <i>Purpureocillium lilacinum</i> .	<i>Purpureocillium lilacinum</i>
C124367	PYRENOCHAETA		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Pyrenochaeta</i> genus level.	<i>Pyrenochaeta</i>
C112405	RABIES VIRUS		Any viral organism that can be assigned to the species <i>Rabies virus</i> .	<i>Rabies Virus</i>
C86710	RAHNELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Rahnella</i> genus level.	<i>Rahnella</i>
C86711	RAHNELLA AQUATILIS		Any bacterial organism that can be assigned to the species <i>Rahnella aquatilis</i> .	<i>Rahnella aquatilis</i>
C86712	RALSTONIA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Ralstonia</i> genus level.	<i>Ralstonia</i>
C111302	RALSTONIA MANNITOLILYTICA		Any bacterial organism that can be assigned to the species <i>Ralstonia mannitolilytica</i> .	<i>Ralstonia mannitolilytica</i>
C86713	RALSTONIA PICKETTII	<i>Burkholderia pickettii</i> ; <i>Pseudomonas pickettii</i>	Any bacterial organism that can be assigned to the species <i>Ralstonia pickettii</i> .	<i>Ralstonia pickettii</i>
C124368	RALSTONIA PICKETTII BIOVARIANT 1	<i>Pseudomonas</i> Group CDC Va-1	Any bacterial organism that can be assigned to the species <i>Pseudomonas pickettii</i> biovariant 1.	<i>Ralstonia pickettii</i> Biovariant 1
C86714	RAOULTELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Raoultella</i> genus level.	<i>Raoultella</i>
C86715	RAOULTELLA ORNITHINOLYTICA	<i>Klebsiella ornithinolytica</i>	Any bacterial organism that can be assigned to the species <i>Raoultella ornithinolytica</i> .	<i>Raoultella ornithinolytica</i>
C86716	RAOULTELLA PLANTICOLA		Any bacterial organism that can be assigned to the species <i>Raoultella planticola</i> .	<i>Raoultella planticola</i>
C86717	RAOULTELLA TERRIGENA	<i>Klebsiella terrigena</i>	Any bacterial organism that can be assigned to the species <i>Raoultella terrigena</i> .	<i>Raoultella terrigena</i>
C14310	RESPIROVIRUS	<i>Paramyxovirus</i>	Any viral organism that can be assigned to the genus <i>Paramyxovirus</i> .	<i>Paramyxovirus</i>
C124369	RETORTAMONAS INTESTINALIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Retortamonas intestinalis</i> .	<i>Retortamonas intestinalis</i>
C112407	RHINOVIRUS A	Human Rhinovirus A	Any viral organism that can be assigned to the species <i>Rhinovirus A</i> .	<i>Rhinovirus A</i>
C112408	RHINOVIRUS B	Human Rhinovirus B	Any viral organism that can be assigned to the species <i>Rhinovirus B</i> .	<i>Rhinovirus B</i>
C112409	RHINOVIRUS C	Human Rhinovirus C	Any viral organism that can be assigned to the species <i>Rhinovirus C</i> .	<i>Rhinovirus C</i>
C86718	RHIZOBIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Rhizobium</i> genus level.	<i>Rhizobium</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120541	RHIZOMUCOR		Any fungal organism that is not assigned to the species level but can be assigned to the Rhizomucor genus level.	Rhizomucor
C120709	RHIZOMUCOR PUSILLUS	Mucor pusillus	Any fungal organism that can be assigned to the species Rhizomucor pusillus.	Rhizomucor pusillus
C77196	RHIZOPUS		Any fungal organism that is not assigned to the species level but can be assigned to the Rhizopus genus level.	Rhizopus
C127743	RHIZOPUS ORYZAE	Rhizopus arrhizus;Rhizopus chiuniang;Rhizopus formosaensis;Rhizopus hangchow;Rhizopus javanicus Y. Takeda;Rhizopus liquefaciens;Rhizopus peka;Rhizopus pseudochinensis;Rhizopus suinus;Rhizopus tamarii;Rhizopus thermosus;Rhizopus tritici	Any fungal organism that can be assigned to the species Rhizopus oryzae.	Rhizopus oryzae
C76378	RHODOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Rhodococcus genus level.	Rhodococcus
C86719	RHODOCOCCUS EQUI	Corynebacterium equi	Any bacterial organism that can be assigned to the species Rhodococcus equi.	Rhodococcus equi
C124370	RHODOTORULA		Any fungal organism that is not assigned to the species level but can be assigned to the Rhodotorula genus level.	Rhodotorula
C114264	RHODOTORULA GLUTINIS		Any fungal organism that can be assigned to the species Rhodotorula glutinis.	Rhodotorula glutinis
C86027	RHODOTORULA MUCILAGINOSA	Rhodotorula pilimanae;Rhodotorula rubra;Sporobolomyces albo-rubescens	Any fungal organism that can be assigned to the species Rhodotorula mucilaginoso.	Rhodotorula mucilaginoso
C76379	RICKETTSIA		Any bacteria that is not assigned to the species level but can be assigned to the Rickettsia genus level.	Rickettsia
C86720	RICKETTSIA AFRICAE		Any bacterial organism that can be assigned to the species Rickettsia africae.	Rickettsia africae
C86721	RICKETTSIA FELIS		Any bacterial organism that can be assigned to the species Rickettsia felis.	Rickettsia felis
C86722	RICKETTSIA JAPONICA		Any bacterial organism that can be assigned to the species Rickettsia japonica.	Rickettsia japonica
C86723	RICKETTSIA PROWAZEKII		Any bacterial organism that can be assigned to the species Rickettsia prowazekii.	Rickettsia prowazekii
C86724	RICKETTSIA RICKETTSII		Any bacterial organism that can be assigned to the species Rickettsia rickettsii.	Rickettsia rickettsii
C86725	RICKETTSIA TYPHI		Any bacterial organism that can be assigned to the species Rickettsia typhi.	Rickettsia typhi
C112410	ROSEOLOVIRUS		Any viral organism that can be assigned to the genus Roseolovirus.	Roseolovirus
C86726	ROSEOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the Roseomonas genus level.	Roseomonas
C124371	ROSEOMONAS GILARDII		Any bacterial organism that can be assigned to the species Roseomonas gilardii.	Roseomonas gilardii
C124372	ROSEOMONAS MUCOSA		Any bacterial organism that can be assigned to the species Roseomonas mucosa.	Roseomonas mucosa
C112411	ROSS RIVER VIRUS	RRV	Any viral organism that can be assigned to the species Ross River virus.	Ross River Virus
C77199	ROTAVIRUS		Any viral organism that can be assigned to the genus Rotavirus.	Rotavirus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86727	ROTHIA	Stomatococcus	Any bacteria that is not assigned to the species level but can be assigned to the Rothia genus level.	Rothia
C86728	ROTHIA DENTOCARIOSA	Nocardia dentocariosa	Any bacterial organism that can be assigned to the species Rothia dentocariosa.	Rothia dentocariosa
C76382	ROTHIA MUCILAGINOSA	Stomatococcus mucilaginosus	Any bacterial organism that can be assigned to the species Rothia mucilaginosus.	Rothia mucilaginosus
C77198	RUBELLA VIRUS	German Measles Virus	Any viral organism that can be assigned to the species Rubella virus.	Rubella Virus
C112414	RUBIVIRUS		Any viral organism that can be assigned to the genus Rubivirus.	Rubivirus
C14326	RUBULAVIRUS		Any viral organism that can be assigned to the genus Rubulavirus.	Rubulavirus
C86729	RUMINOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Ruminococcus genus level.	Ruminococcus
C124373	RUMINOCOCCUS GNAVUS		Any bacterial organism that can be assigned to the species Ruminococcus gnavus.	Ruminococcus gnavus
C86730	RUMINOCOCCUS PRODUCTUS	Peptostreptococcus productus	Any bacterial organism that can be assigned to the species Ruminococcus productus.	Ruminococcus productus
C14271	SACCHAROMYCES CEREVISIAE	Bakers Yeast;Brewers Yeast;Saccharomyces capensis;Saccharomyces italicus;Saccharomyces oviformis;Saccharomyces uvarum var. melibiosus	Any fungal organism that can be assigned to the species Saccharomyces cerevisiae.	Saccharomyces cerevisiae
C76380	SALMONELLA		Any bacteria that is not assigned to the species level but can be assigned to the Salmonella genus level.	Salmonella
C91842	SALMONELLA BONGORI		Any bacterial organism that can be assigned to the species Salmonella bongori.	Salmonella bongori
C124374	SALMONELLA CHOLERAESUIS VAR. DECATUR	Salmonella decatur	Any bacterial organism that can be assigned to the species Salmonella choleraesuis variant decatur.	Salmonella enterica Serotype choleraesuis var. decatur
C86731	SALMONELLA ENTERICA		Any bacterial organism that can be assigned to the species Salmonella enterica.	Salmonella enterica
C86910	SALMONELLA ENTERICA SUBSP. ARIZONAE	Arizona arizonae;Arizona hinshawii;Paracolobactrum arizonae;Salmonella arizonae	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies arizonae.	Salmonella enterica subsp arizonae
C91844	SALMONELLA ENTERICA SUBSP. DIARIZONAE		Any bacterial organism that can be assigned to the species Salmonella enterica subspecies diarizonae.	Salmonella enterica subsp diarizonae
C86913	SALMONELLA ENTERICA SUBSP. ENTERICA		Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica.	Salmonella enterica subsp enterica
C124375	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	Bacillus enteritidis;Salmonella enteritidis	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica serovariant enteritidis.	Salmonella enterica subsp. enterica Serovar enteritidis
C124376	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR GALLINARUM	Salmonella gallinarum	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica serovariant gallinarum.	Salmonella enterica subsp. enterica Serovar gallinarum
C124377	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR PULLORUM	Salmonella pullorum	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica serovariant pullorum.	Salmonella enterica subsp. enterica Serovar Pullorum
C86926	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR TYPHI	Bacillus typhi;Salmonella serotype typhi;Salmonella typhi	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica serovariant typhi.	Salmonella Serotype Typhi
C124378	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR TYPHISUIS	Salmonella typhisuis	Any bacterial organism that can be assigned to the species Salmonella enterica subspecies enterica serovariant typhisuis.	Salmonella enterica subsp. enterica Serovar typhisuis
C91845	SALMONELLA ENTERICA SUBSP. HOUTENAE		Any bacterial organism that can be assigned to the species Salmonella enterica subspecies houtenae.	Salmonella enterica subsp houtenae

**C85491 MICROORG**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C91846	SALMONELLA ENTERICA SUBSP. INDICA		Any bacterial organism that can be assigned to the species <i>Salmonella enterica</i> subspecies <i>indica</i> .	<i>Salmonella enterica</i> subsp <i>indica</i>
C91847	SALMONELLA ENTERICA SUBSP. SALAMAE		Any bacterial organism that can be assigned to the species <i>Salmonella enterica</i> subspecies <i>salamae</i> .	<i>Salmonella enterica</i> subsp <i>salamae</i>
C86915	SALMONELLA SEROTYPE CHOLERAESUIS		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Choleraesuis</i> .	<i>Salmonella</i> Serotype <i>Choleraesuis</i>
C86918	SALMONELLA SEROTYPE DUBLIN		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Dublin</i> .	<i>Salmonella</i> Serotype <i>Dublin</i>
C86919	SALMONELLA SEROTYPE ENTERITIDIS		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Enteritidis</i> .	<i>Salmonella</i> Serotype <i>Enteritidis</i>
C124379	SALMONELLA SEROTYPE GROUP A		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> and serotype group A.	<i>Salmonella</i> Serotype Group A
C124380	SALMONELLA SEROTYPE GROUP B		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> and serotype group B.	<i>Salmonella</i> Serotype Group B
C124381	SALMONELLA SEROTYPE GROUP C		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> and serotype group C.	<i>Salmonella</i> Serotype Group C
C124382	SALMONELLA SEROTYPE GROUP C1		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> and serotype group C1.	<i>Salmonella</i> Serotype Group C1
C124383	SALMONELLA SEROTYPE GROUP C2		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> and serotype group C2.	<i>Salmonella</i> Serotype Group C2
C86921	SALMONELLA SEROTYPE NEWPORT		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Newport</i> .	<i>Salmonella</i> Serotype <i>Newport</i>
C86922	SALMONELLA SEROTYPE PARATYPHI A		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Paratyphi A</i> .	<i>Salmonella</i> Serotype <i>Paratyphi A</i>
C86924	SALMONELLA SEROTYPE PARATYPHI B		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Paratyphi B</i> .	<i>Salmonella</i> Serotype <i>Paratyphi B</i>
C86925	SALMONELLA SEROTYPE PARATYPHI C		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Paratyphi C</i> .	<i>Salmonella</i> Serotype <i>Paratyphi C</i>
C86927	SALMONELLA SEROTYPE TYPHIMURIUM		Any bacterial organism that can be assigned to the genus <i>Salmonella</i> with serotype <i>Typhimurium</i> .	<i>Salmonella</i> Serotype <i>Typhimurium</i>
C112029	SAPOVIRUS		Any viral organism that can be assigned to the genus <i>Sapovirus</i> .	<i>Sapovirus</i>
C112415	SAPPORO VIRUS	Human Calicivirus SLV;Human Calicivirus Sapporo-like Virus	Any viral organism that can be assigned to the species <i>Sapporo virus</i> .	<i>Sapporo Virus</i>
C124384	SARCINA VENTRICULI	<i>Zymosarcina ventriculi</i>	Any bacterial organism that can be assigned to the species <i>Sarcina ventriculi</i> .	<i>Sarcina ventriculi</i>
C124286	SARCOCYSTIS		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the <i>Sarcocystis</i> genus level.	<i>Sarcocystis</i>
C124385	SARCOCYSTIS HOMINIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Sarcocystis hominis</i> .	<i>Sarcocystis hominis</i>
C124386	SARCOCYSTIS SUIHOMINIS		Any unicellular, eukaryotic organism that can be assigned to the species <i>Sarcocystis suihominis</i> .	<i>Sarcocystis suihominis</i>
C112432	SARS CORONAVIRUS	HCoV-SARS;SARS;Severe Acute Respiratory Syndrome Coronavirus	Any viral organism that can be assigned to the species <i>SARS coronavirus</i> .	<i>SARS Coronavirus</i>
C127744	SCEDOSPORIUM BOYDII	<i>Allescheria boydii</i> ;Petriellidium boydii;Pseudallescheria boydii	Any fungal organism that can be assigned to the species <i>Scedosporium boydii</i> .	<i>Scedosporium boydii</i>
C124387	SCHISTOSOMA CERCARIAE		Any trematode parasite that can be assigned to the genus <i>Schistosoma</i> and is in the larval life stage.	<i>Schistosoma Cercariae</i>
C124388	SCHISTOSOMA HAEMATOBIIUM		Any trematode parasite that can be assigned to the species <i>Schistosoma haematobium</i> .	<i>Schistosoma haematobium</i>
C124389	SCHISTOSOMA INTERCALATUM		Any trematode parasite that can be assigned to the species <i>Schistosoma intercalatum</i> .	<i>Schistosoma intercalatum</i>
C124390	SCHISTOSOMA JAPONICUM		Any trematode parasite that can be assigned to the species <i>Schistosoma japonicum</i> .	<i>Schistosoma japonicum</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124391	SCHISTOSOMA MANSONI		Any trematode parasite that can be assigned to the species <i>Schistosoma mansoni</i> .	<i>Schistosoma mansoni</i>
C124392	SCHISTOSOMA MEKONGI		Any trematode parasite that can be assigned to the species <i>Schistosoma mekongi</i> .	<i>Schistosoma mekongi</i>
C124393	SCHIZOPHYLLUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Schizophyllum</i> genus level.	<i>Schizophyllum</i>
C127745	SCOLECOBASIDIUM TERREUM		Any fungal organism that can be assigned to the species <i>Scolecobasidium terreum</i> .	<i>Scolecobasidium terreum</i>
C124394	SCOPULARIOPSIS		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Scopulariopsis</i> genus level.	<i>Scopulariopsis</i>
C127746	SCOPULARIOPSIS BREVICAULIS	<i>Microascus brevicaulis</i>	Any fungal organism that can be assigned to the species <i>Scopulariopsis brevicaulis</i> .	<i>Scopulariopsis brevicaulis</i>
C86732	SELENOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Selenomonas</i> genus level.	<i>Selenomonas</i>
C86733	SELENOMONAS NOXIA		Any bacterial organism that can be assigned to the species <i>Selenomonas noxia</i> .	<i>Selenomonas noxia</i>
C86734	SELENOMONAS SPUTIGENA		Any bacterial organism that can be assigned to the species <i>Selenomonas sputigena</i> .	<i>Selenomonas sputigena</i>
C86010	SERRATIA	<i>Serratia</i>	Any bacteria that is not assigned to the species level but can be assigned to the <i>Serratia</i> genus level.	<i>Serratia</i>
C86736	SERRATIA FICARIA		Any bacterial organism that can be assigned to the species <i>Serratia ficaria</i> .	<i>Serratia ficaria</i>
C86737	SERRATIA FONTICOLA		Any bacterial organism that can be assigned to the species <i>Serratia fonticola</i> .	<i>Serratia fonticola</i>
C86738	SERRATIA LIQUEFACIENS	<i>Enterobacter liquefaciens</i>	Any bacterial organism that can be assigned to the species <i>Serratia liquefaciens</i> .	<i>Serratia liquefaciens</i>
C124395	SERRATIA LIQUEFACIENS GROUP		A non-taxonomic grouping of bacteria that belongs to the liquefaciens group of the genus <i>Serratia</i> .	<i>Serratia liquefaciens</i> Group
C14272	SERRATIA MARCESCENS		Any bacterial organism that can be assigned to the species <i>Serratia marcescens</i> .	<i>Serratia marcescens</i>
C86739	SERRATIA ODORIFERA		Any bacterial organism that can be assigned to the species <i>Serratia odorifera</i> .	<i>Serratia odorifera</i>
C124396	SERRATIA ODORIFERA BIOGROUP 1		Any bacterial organism that can be assigned to the species <i>Serratia odorifera</i> and biogroup 1.	<i>Serratia odorifera</i> Biogroup 1
C124397	SERRATIA ODORIFERA BIOGROUP 2		Any bacterial organism that can be assigned to the species <i>Serratia odorifera</i> and biogroup 2.	<i>Serratia odorifera</i> Biogroup 2
C86740	SERRATIA PLYMUTHICA		Any bacterial organism that can be assigned to the species <i>Serratia plymuthica</i> .	<i>Serratia plymuthica</i>
C86741	SERRATIA RUBIDAEA	<i>Serratia marinorubra</i>	Any bacterial organism that can be assigned to the species <i>Serratia rubidaea</i> .	<i>Serratia rubidaea</i>
C127747	SETOSPHAERIA ROSTRATA	<i>Exserohilum rostratum</i>	Any fungal organism that can be assigned to the species <i>Setosphaeria rostrata</i> .	<i>Setosphaeria rostrata</i>
C86742	SHEWANELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Shewanella</i> genus level.	<i>Shewanella</i>
C123551	SHEWANELLA ALGAE		Any bacterial organism that can be assigned to the species <i>Shewanella algae</i> .	<i>Shewanella algae</i>
C86743	SHEWANELLA PUTREFACIENS	<i>Alteromonas putrefaciens</i> ; <i>Pseudomonas putrefaciens</i>	Any bacterial organism that can be assigned to the species <i>Shewanella putrefaciens</i> .	<i>Shewanella putrefaciens</i>
C76381	SHIGELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Shigella</i> genus level.	<i>Shigella</i>



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86744	SHIGELLA BOYDII		Any bacterial organism that can be assigned to the species <i>Shigella boydii</i> .	<i>Shigella boydii</i>
C86745	SHIGELLA DYSENTERIAE		Any bacterial organism that can be assigned to the species <i>Shigella dysenteriae</i> .	<i>Shigella dysenteriae</i>
C86746	SHIGELLA FLEXNERI		Any bacterial organism that can be assigned to the species <i>Shigella flexneri</i> .	<i>Shigella flexneri</i>
C86747	SHIGELLA SONNEI		Any bacterial organism that can be assigned to the species <i>Shigella sonnei</i> .	<i>Shigella sonnei</i>
C112419	SIMPLEXVIRUS	Human Herpes Simplex Virus	Any viral organism that can be assigned to the genus Simplexvirus.	Herpes Simplex Virus
C111313	SLACKIA EXIGUA	Eubacterium exiguum	Any bacterial organism that can be assigned to the species <i>Slackia exigua</i> .	<i>Slackia exigua</i>
C123552	SOLOBACTERIUM MOOREI		Any bacterial organism that can be assigned to the species <i>Solobacterium moorei</i> .	<i>Solobacterium moorei</i>
C86957	SPHINGOBACTERIUM		Any bacteria that is not assigned to the species level but can be assigned to the <i>Sphingobacterium</i> genus level.	<i>Sphingobacterium</i>
C86958	SPHINGOBACTERIUM MIZUTAI	<i>Flavobacterium mizutae</i>	Any bacterial organism that can be assigned to the species <i>Sphingobacterium mizutai</i> .	<i>Sphingobacterium mizutai</i>
C86959	SPHINGOBACTERIUM MULTIVORUM	CDC Group IIk-2	Any bacterial organism that can be assigned to the species <i>Sphingobacterium multivorum</i> .	<i>Sphingobacterium multivorum</i>
C86960	SPHINGOBACTERIUM SPIRITIVORUM		Any bacterial organism that can be assigned to the species <i>Sphingobacterium spiritivorum</i> .	<i>Sphingobacterium spiritivorum</i>
C86961	SPHINGOBACTERIUM THALPOPHILUM	<i>Flavobacterium thalpopphilum</i>	Any bacterial organism that can be assigned to the species <i>Sphingobacterium thalpopphilum</i> .	<i>Sphingobacterium thalpopphilum</i>
C86748	SPHINGOMONAS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Sphingomonas</i> genus level.	<i>Sphingomonas</i>
C86749	SPHINGOMONAS PAUCIMOBILIS	<i>Pseudomonas paucimobilis</i>	Any bacterial organism that can be assigned to the species <i>Sphingomonas paucimobilis</i> .	<i>Sphingomonas paucimobilis</i>
C124288	SPIRILLUM		Any bacterial organism that is not assigned to the species level but can be assigned to the <i>Spirillum</i> genus level.	<i>Spirillum</i>
C124399	SPIRILLUM MINUS		Any bacterial organism that can be assigned to the species <i>Spirillum minus</i> .	<i>Spirillum minus</i>
C127748	SPORIDIOBOLUS SALMONICOLOR	<i>Aessosporon salmonicolor</i> ; <i>Sporobolomyces salmonicolor</i>	Any fungal organism that can be assigned to the species <i>Sporidiobolus salmonicolor</i> .	<i>Sporidiobolus salmonicolor</i>
C127749	SPOROTHRIX SCHENCKII		Any fungal organism that can be assigned to the species <i>Sporothrix schenckii</i> .	<i>Sporothrix schenckii</i>
C62583	STAPHYLOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Staphylococcus</i> genus level.	<i>Staphylococcus</i>
C86750	STAPHYLOCOCCUS ARLETTAE		Any bacterial organism that can be assigned to the species <i>Staphylococcus arlettae</i> .	<i>Staphylococcus arlettae</i>
C50921	STAPHYLOCOCCUS AUREUS	Staph. aureus	Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> .	<i>Staphylococcus Aureus</i>
C124400	STAPHYLOCOCCUS AUREUS, BETA-LACTAMASE NEGATIVE		Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is beta-lactamase negative.	Beta-Lactamase Negative <i>Staphylococcus Aureus</i>
C124401	STAPHYLOCOCCUS AUREUS, BETA-LACTAMASE POSITIVE		Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is beta-lactamase positive.	Beta-Lactamase Positive <i>Staphylococcus Aureus</i>
C124402	STAPHYLOCOCCUS AUREUS, PENICILLINASE NEGATIVE		Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is penicillinase negative.	Penicillinase Negative <i>Staphylococcus Aureus</i>
C124403	STAPHYLOCOCCUS AUREUS, PENICILLINASE POSITIVE		Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is penicillinase positive.	Penicillinase Positive <i>Staphylococcus Aureus</i>

**C85491 MICROORG**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C86751	STAPHYLOCOCCUS AURICULARIS		Any bacterial organism that can be assigned to the species <i>Staphylococcus auricularis</i> .	<i>Staphylococcus auricularis</i>
C86752	STAPHYLOCOCCUS CAPITIS		Any bacterial organism that can be assigned to the species <i>Staphylococcus capitis</i> .	<i>Staphylococcus capitis</i>
C86753	STAPHYLOCOCCUS CAPRAE		Any bacterial organism that can be assigned to the species <i>Staphylococcus caprae</i> .	<i>Staphylococcus caprae</i>
C86754	STAPHYLOCOCCUS CARNOSUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus carnosus</i> .	<i>Staphylococcus carnosus</i>
C86755	STAPHYLOCOCCUS CHROMOGENES		Any bacterial organism that can be assigned to the species <i>Staphylococcus chromogenes</i> .	<i>Staphylococcus chromogenes</i>
C86756	STAPHYLOCOCCUS COHNII		Any bacterial organism that can be assigned to the species <i>Staphylococcus cohnii</i> .	<i>Staphylococcus cohnii</i>
C124404	STAPHYLOCOCCUS COHNII SUBSP. UREALYTICUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus cohnii</i> subspecies <i>urealyticus</i> .	<i>Staphylococcus cohnii</i> subsp. <i>urealyticus</i>
C86757	STAPHYLOCOCCUS EPIDERMIDIS	<i>Staphylococcus albus</i>	Any bacterial organism that can be assigned to the species <i>Staphylococcus epidermidis</i> .	<i>Staphylococcus epidermidis</i>
C86758	STAPHYLOCOCCUS EQUORUM		Any bacterial organism that can be assigned to the species <i>Staphylococcus equorum</i> .	<i>Staphylococcus equorum</i>
C86759	STAPHYLOCOCCUS FELIS		Any bacterial organism that can be assigned to the species <i>Staphylococcus felis</i> .	<i>Staphylococcus felis</i>
C86760	STAPHYLOCOCCUS GALLINARUM		Any bacterial organism that can be assigned to the species <i>Staphylococcus gallinarum</i> .	<i>Staphylococcus gallinarum</i>
C86761	STAPHYLOCOCCUS HAEMOLYTICUS	<i>Staph. haemolyticus</i>	Any bacterial organism that can be assigned to the species <i>Staphylococcus haemolyticus</i> .	<i>Staphylococcus haemolyticus</i>
C86762	STAPHYLOCOCCUS HOMINIS	Coagulase Negative <i>Staphylococcus hominis</i>	Any bacterial organism that can be assigned to the species <i>Staphylococcus hominis</i> .	<i>Staphylococcus hominis</i>
C86763	STAPHYLOCOCCUS HYICUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus hyicus</i> .	<i>Staphylococcus hyicus</i>
C86764	STAPHYLOCOCCUS INTERMEDIUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus intermedius</i> .	<i>Staphylococcus intermedius</i>
C86765	STAPHYLOCOCCUS KLOOSII		Any bacterial organism that can be assigned to the species <i>Staphylococcus kloosii</i> .	<i>Staphylococcus kloosii</i>
C86766	STAPHYLOCOCCUS LENTUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus lentus</i> .	<i>Staphylococcus lentus</i>
C86767	STAPHYLOCOCCUS LUGDUNENSIS		Any bacterial organism that can be assigned to the species <i>Staphylococcus lugdunensis</i> .	<i>Staphylococcus lugdunensis</i>
C86768	STAPHYLOCOCCUS PASTEURII		Any bacterial organism that can be assigned to the species <i>Staphylococcus pasteurii</i> .	<i>Staphylococcus pasteurii</i>
C128548	STAPHYLOCOCCUS PETTENKOFERI		Any bacterial organism that can be assigned to the species <i>Staphylococcus pettenkoferi</i> .	<i>Staphylococcus pettenkoferi</i>
C86769	STAPHYLOCOCCUS SACCHAROLYTICUS	<i>Peptococcus saccharolyticus</i>	Any bacterial organism that can be assigned to the species <i>Staphylococcus saccharolyticus</i> .	<i>Staphylococcus saccharolyticus</i>
C86770	STAPHYLOCOCCUS SAPROPHYTICUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus saprophyticus</i> .	<i>Staphylococcus saprophyticus</i>
C86771	STAPHYLOCOCCUS SCHLEIFERI		Any bacterial organism that can be assigned to the species <i>Staphylococcus schleiferi</i> .	<i>Staphylococcus schleiferi</i>
C124405	STAPHYLOCOCCUS SCHLEIFERI SUBSP. COAGULANS		Any bacterial organism that can be assigned to the species <i>Staphylococcus schleiferi</i> subspecies <i>coagulans</i> .	<i>Staphylococcus schleiferi</i> subsp. <i>coagulans</i>
C86772	STAPHYLOCOCCUS SCIURI		Any bacterial organism that can be assigned to the species <i>Staphylococcus sciuri</i> .	<i>Staphylococcus sciuri</i>
C86773	STAPHYLOCOCCUS SIMULANS		Any bacterial organism that can be assigned to the species <i>Staphylococcus simulans</i> .	<i>Staphylococcus simulans</i>
C124406	STAPHYLOCOCCUS SUCCINUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus succinus</i> .	<i>Staphylococcus succinus</i>

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86774	STAPHYLOCOCCUS WARNERI		Any bacterial organism that can be assigned to the species <i>Staphylococcus warneri</i> .	Staphylococcus warneri
C86775	STAPHYLOCOCCUS XYLOSUS		Any bacterial organism that can be assigned to the species <i>Staphylococcus xylosus</i> .	Staphylococcus xylosus
C124407	STEMPHYLIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Stemphylium</i> genus level.	Stemphylium
C86776	STENOTROPHOMONAS	Stenotrophomonas	Any bacteria that is not assigned to the species level but can be assigned to the <i>Stenotrophomonas</i> genus level.	Stenotrophomonas
C76377	STENOTROPHOMONAS MALTOPHILIA	<i>Pseudomonas maltophilia</i> ; <i>Xanthomonas maltophilia</i>	Any bacterial organism that can be assigned to the species <i>Stenotrophomonas maltophilia</i> .	Stenotrophomonas maltophilia
C86777	STREPTOBACILLUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Streptobacillus</i> genus level.	Streptobacillus
C86778	STREPTOBACILLUS MONILIFORMIS	<i>Haverhillia multiformis</i>	Any bacterial organism that can be assigned to the species <i>Streptobacillus moniliformis</i> .	Streptobacillus moniliformis
C85967	STREPTOCOCCACEAE		Any bacteria that are not assigned to the species level but can be assigned to the <i>Streptococcaceae</i> family level.	Streptococcaceae
C76383	STREPTOCOCCUS	<i>Streptococci</i> sp.	Any bacteria that is not assigned to the species level but can be assigned to the <i>Streptococcus</i> genus level.	Streptococcus
C86779	STREPTOCOCCUS ACIDOMINIMUS		Any bacterial organism that can be assigned to the species <i>Streptococcus acidominimus</i> .	Streptococcus acidominimus
C86780	STREPTOCOCCUS AGALACTIAE	STREPT. GP B(AGALACT)	Any bacterial organism that can be assigned to the species <i>Streptococcus agalactiae</i> .	Streptococcus agalactiae
C86781	STREPTOCOCCUS ALACTOLYTICUS		Any bacterial organism that can be assigned to the species <i>Streptococcus alactolyticus</i> .	Streptococcus alactolyticus
C86141	STREPTOCOCCUS ALPHA-HEMOLYTIC		A bacteria that is assigned to the genus <i>Streptococcus</i> that is able to reduce the iron content in hemoglobin in red blood cells, thus producing green-colored colonies on blood agar plates.	Alpha-Hemolytic Streptococcus
C86782	STREPTOCOCCUS ANGINOSUS		Any bacterial organism that can be assigned to the species <i>Streptococcus anginosus</i> .	Streptococcus anginosus
C86783	STREPTOCOCCUS ANGINOSUS GROUP		A non-taxonomic grouping of bacteria that belongs to the <i>anginosus</i> group of the genus <i>Streptococcus</i> .	Streptococcus anginosus Group
C86190	STREPTOCOCCUS BETA-HEMOLYTIC		A bacteria that is assigned to the genus <i>Streptococcus</i> that is able to facilitate the complete rupturing of red blood cells, thus producing wide, clear, zones around colonies on blood agar plates.	Beta-Hemolytic Streptococcus
C86784	STREPTOCOCCUS BOVIS		Any bacterial organism that can be assigned to the species <i>Streptococcus bovis</i> .	Streptococcus bovis
C86785	STREPTOCOCCUS BOVIS GROUP		A non-taxonomic grouping of bacteria that belongs to the <i>bovis</i> group of the genus <i>Streptococcus</i> .	Streptococcus bovis Group
C86786	STREPTOCOCCUS CANIS		Any bacterial organism that can be assigned to the species <i>Streptococcus canis</i> .	Streptococcus canis
C86787	STREPTOCOCCUS CONSTELLATUS		Any bacterial organism that can be assigned to the species <i>Streptococcus constellatus</i> .	Streptococcus constellatus
C86788	STREPTOCOCCUS CRISTATUS		Any bacterial organism that can be assigned to the species <i>Streptococcus cristatus</i> .	Streptococcus cristatus
C86905	STREPTOCOCCUS DYSGALACTIAE		Any bacterial organism that can be assigned to the species <i>Streptococcus dysgalactiae</i> .	Streptococcus dysgalactiae
C91848	STREPTOCOCCUS DYSGALACTIAE SUBSP. DYSGALACTIAE		Any bacterial organism that can be assigned to the species <i>Streptococcus dysgalactiae</i> subspecies <i>dysgalactiae</i> .	Streptococcus dysgalactiae subsp dysgalactiae

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86906	STREPTOCOCCUS DYSGALACTIAE SUBSP. EQUISIMILIS	Streptococcus equisimilis	Any bacterial organism that can be assigned to the species Streptococcus dysgalactiae subspecies equisimilis.	Streptococcus dysgalactiae subsp equisimilis
C86789	STREPTOCOCCUS EQUI		Any bacterial organism that can be assigned to the species Streptococcus equi.	Streptococcus equi
C124408	STREPTOCOCCUS EQUI SUBSP. ZOOEPIDEMICUS		Any bacterial organism that can be assigned to the species Streptococcus equi subspecies zooepidemicus.	Streptococcus equi subsp. zooepidemicus
C86790	STREPTOCOCCUS EQUINUS		Any bacterial organism that can be assigned to the species Streptococcus equinus.	Streptococcus equinus
C86791	STREPTOCOCCUS GALLOLYTICUS		Any bacterial organism that can be assigned to the species Streptococcus gallolyticus.	Streptococcus gallolyticus
C86408	STREPTOCOCCUS GAMMA-HEMOLYTIC		A bacteria that is assigned to the genus Streptococcus that is unable to facilitate red blood cell lysis.	Gamma-Hemolytic Streptococcus
C86792	STREPTOCOCCUS GORDONII		Any bacterial organism that can be assigned to the species Streptococcus gordonii.	Streptococcus gordonii
C86793	STREPTOCOCCUS INFANTARIUS		Any bacterial organism that can be assigned to the species Streptococcus infantarius.	Streptococcus infantarius
C86794	STREPTOCOCCUS INTERMEDIUS		Any bacterial organism that can be assigned to the species Streptococcus intermedius.	Streptococcus intermedius
C124409	STREPTOCOCCUS LUTETIENSIS		Any bacterial organism that can be assigned to the species Streptococcus lutetiensis.	Streptococcus lutetiensis
C124410	STREPTOCOCCUS MASSILIENSIS		Any bacterial organism that can be assigned to the species Streptococcus massiliensis.	Streptococcus massiliensis
C86795	STREPTOCOCCUS MILLERI	Streptococcus milleri I	Any bacterial organism that can be assigned to the species Streptococcus milleri.	Streptococcus milleri
C86796	STREPTOCOCCUS MILLERI GROUP		A non-taxonomic grouping of bacteria that belongs to the milleri group of the genus Streptococcus.	Streptococcus milleri Group
C89774	STREPTOCOCCUS MITIS		Any bacterial organism that can be assigned to the species Streptococcus mitis.	Streptococcus mitis
C86797	STREPTOCOCCUS MITIS GROUP		A non-taxonomic grouping of bacteria that belongs to the mitis group of the genus Streptococcus.	Streptococcus mitis Group
C124411	STREPTOCOCCUS MUTANS		Any bacterial organism that can be assigned to the species Streptococcus mutans.	Streptococcus mutans
C86798	STREPTOCOCCUS MUTANS GROUP		A non-taxonomic grouping of bacteria that belongs to the mutans group of the genus Streptococcus.	Streptococcus mutans Group
C123553	STREPTOCOCCUS NON-HEMOLYTIC		A bacteria that is assigned to the genus Streptococcus that is not able to reduce the iron content in hemoglobin in red blood cells.	Non-Hemolytic Streptococcus
C123554	STREPTOCOCCUS NUTRITIONALLY VARIANT	NVS; Nutritionally Variant Streptococci	Any bacterial organism that can be assigned to a nutritionally variant group in the genus Streptococcus.	Nutritionally Variant Streptococcus
C86799	STREPTOCOCCUS ORALIS		Any bacterial organism that can be assigned to the species Streptococcus oralis.	Streptococcus oralis
C86800	STREPTOCOCCUS PARASANGUINIS	Streptococcus parasanguis	Any bacterial organism that can be assigned to the species Streptococcus parasanguinis.	Streptococcus parasanguinis
C124412	STREPTOCOCCUS PLURANIMALIUM		Any bacterial organism that can be assigned to the species Streptococcus pluranimalium.	Streptococcus pluranimalium
C76384	STREPTOCOCCUS PNEUMONIAE	Diplococcus pneumoniae	Any bacterial organism that can be assigned to the species Streptococcus pneumoniae.	Streptococcus pneumoniae
C86802	STREPTOCOCCUS PORCINUS		Any bacterial organism that can be assigned to the species Streptococcus porcinus.	Streptococcus porcinus

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86803	STREPTOCOCCUS PYOGENES	Group A Beta-hemolytic Streptococcus pyogenes; Micrococcus scarlatinae; Streptococcus erysipelatos; Streptococcus hemolyticus; Streptococcus scarlatinae	Any bacterial organism that can be assigned to the species Streptococcus pyogenes.	Streptococcus pyogenes
C86804	STREPTOCOCCUS SALIVARIUS		Any bacterial organism that can be assigned to the species Streptococcus salivarius.	Streptococcus salivarius
C86805	STREPTOCOCCUS SALIVARIUS GROUP		A non-taxonomic grouping of bacteria that belongs to the salivarius group of the genus Streptococcus.	Streptococcus salivarius Group
C86806	STREPTOCOCCUS SANGUINIS	Streptococcus sanguis	Any bacterial organism that can be assigned to the species Streptococcus sanguinis.	Streptococcus sanguinis
C86807	STREPTOCOCCUS SUIS		Any bacterial organism that can be assigned to the species Streptococcus suis.	Streptococcus suis
C128552	STREPTOCOCCUS SUIS SEROTYPE 2	Streptococcus Group R	Any bacterial organism that can be assigned to the species Streptococcus suis serotype 2.	Streptococcus suis serotype 2
C86808	STREPTOCOCCUS THERMOPHILUS		Any bacterial organism that can be assigned to the species Streptococcus thermophilus.	Streptococcus thermophilus
C86809	STREPTOCOCCUS UBERIS		Any bacterial organism that can be assigned to the species Streptococcus uberis.	Streptococcus uberis
C128549	STREPTOCOCCUS URINALIS		Any bacterial organism that can be assigned to the species Streptococcus urinalis.	Streptococcus urinalis
C86810	STREPTOCOCCUS VESTIBULARIS		Any bacterial organism that can be assigned to the species Streptococcus vestibularis.	Streptococcus vestibularis
C124413	STREPTOCOCCUS VIRIDANS		Any bacterial organism that can be assigned to the species Streptococcus viridans.	Streptococcus viridans
C86811	STREPTOCOCCUS VIRIDANS GROUP		A non-taxonomic grouping of species within the Streptococcus genus that are alpha-hemolytic and do not express Lancefield antigens.	Streptococcus viridans Group
C14278	STREPTOMYCES		Any bacteria that is not assigned to the species level but can be assigned to the Streptomyces genus level.	Streptomyces
C86812	STREPTOMYCES ALBUS		Any bacterial organism that can be assigned to the species Streptomyces albus.	Streptomyces albus
C86813	STREPTOMYCES GRISEUS		Any bacterial organism that can be assigned to the species Streptomyces griseus.	Streptomyces griseus
C125958	STREPTOMYCES PARAGUAYENSIS		Any bacterial organism that can be assigned to the species Streptomyces paraguayensis.	Streptomyces paraguayensis
C86814	STREPTOMYCES SOMALIENSIS		Any bacterial organism that can be assigned to the species Streptomyces somaliensis.	Streptomyces somaliensis
C125643	STRONGYLOIDES STERCORALIS		Any nematode parasite that can be assigned to the species Strongyloides stercoralis.	Strongyloides stercoralis
C86956	SUTTERELLA		Any bacteria that is not assigned to the species level but can be assigned to the Sutterella genus level.	Sutterella
C86815	SUTTONELLA		Any bacteria that is not assigned to the species level but can be assigned to the Suttonella genus level.	Suttonella
C86816	SUTTONELLA INDOLOGENES	Kingella indologenes	Any bacterial organism that can be assigned to the species Suttonella indologenes.	Suttonella indologenes
C125959	SYNCEPHALASTRUM		Any fungal organism that is not assigned to the species level but can be assigned to the Syncephalastrum genus level.	Syncephalastrum
C125925	TAENIA		Any cestode parasite that is not assigned to the species level but can be assigned to the Taenia genus level.	Taenia
C125960	TAENIA SAGINATA	Beef Tapeworm	Any cestode parasite that can be assigned to the species Taenia saginata.	Taenia saginata

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125961	TAENIA SOLIUM	Cysticercus cellulosae;Pork Tapeworm	Any cestode parasite that can be assigned to the species Taenia solium.	Taenia solium
C86817	TATLOCKIA MICDADEI	Legionella micdadei	Any bacterial organism that can be assigned to the species Legionella micdadei.	Tatlockia micdadei
C86818	TATUMELLA		Any bacteria that is not assigned to the species level but can be assigned to the Tatumella genus level.	Tatumella
C86819	TATUMELLA PTYSEOS	CDC Group EF-9	Any bacterial organism that can be assigned to the species Tatumella ptyseos.	Tatumella ptyseos
C86820	TETRAGENOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the Tetragenococcus genus level.	Tetragenococcus
C86821	TETRAGENOCOCCUS SOLITARIUS	Enterococcus solitarius	Any bacterial organism that can be assigned to the species Tetragenococcus solitarius.	Tetragenococcus solitarius
C112422	TICK-BORNE ENCEPHALITIS VIRUS	FSME virus;TBEV	Any viral organism that can be assigned to the species Tick-borne encephalitis virus.	Tick-Borne Encephalitis Virus
C86907	TISSIERELLA		Any bacteria that is not assigned to the species level but can be assigned to the Tissierella genus level.	Tissierella
C86908	TISSIERELLA PRAEACUTA		Any bacterial organism that can be assigned to the species Tissierella praeacuta.	Tissierella praeacuta
C125962	TORULASPORA DELBRUECKII		Any fungal organism that can be assigned to the species Torulaspora delbrueckii.	Torulaspora delbrueckii
C125927	TOXOCARA		Any nematode parasite that is not assigned to the species level but can be assigned to the Toxocara genus level.	Toxocara
C125963	TOXOCARA CANIS	Dog Roundworm	Any nematode parasite that can be assigned to the species Toxocara canis.	Toxocara canis
C125964	TOXOCARA CATI	Cat Roundworm;Feline Roundworm	Any nematode parasite that can be assigned to the species Toxocara cati.	Toxocara cati
C75538	TOXOPLASMA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Toxoplasma genus level.	Toxoplasma
C125644	TOXOPLASMA GONDII		Any unicellular, eukaryotic organism that can be assigned to the species Toxoplasma gondii.	Toxoplasma gondii
C86822	TRABULSIELLA		Any bacteria that is not assigned to the species level but can be assigned to the Trabulsiella genus level.	Trabulsiella
C86823	TRABULSIELLA GUAMENSIS	CDC Enteric Group 90	Any bacterial organism that can be assigned to the species Trabulsiella guamensis.	Trabulsiella guamensis
C123338	TREMATODA		Any parasitic flatworm that is not assigned to the species level but can be assigned to the Trematoda class level.	Trematoda
C127750	TREMATOSPHAERIA GRISEA	Madurella grisea	Any fungal organism that can be assigned to the species Trematosphaeria grisea.	Trematosphaeria grisea
C76385	TREPONEMA		Any bacteria that is not assigned to the species level but can be assigned to the Treponema genus level.	Treponema
C86825	TREPONEMA PALLIDUM		Any bacterial organism that can be assigned to the species Treponema pallidum.	Treponema pallidum
C91850	TREPONEMA PALLIDUM SUBSP. ENDEMICUM		Any bacterial organism that can be assigned to the species Treponema pallidum subspecies endemicum.	Treponema pallidum subsp endemicum
C91849	TREPONEMA PALLIDUM SUBSP. PALLIDUM		Any bacterial organism that can be assigned to the species Treponema pallidum subspecies pallidum.	Treponema pallidum subsp pallidum
C86909	TREPONEMA PALLIDUM SUBSP. PERTENUE	Treponema pertenue	Any bacterial organism that can be assigned to the species Treponema pallidum and subspecies pertenue.	Treponema pallidum subsp pertenue

**C85491 MICROORG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125928	TRICHINELLA		Any nematode parasite that is not assigned to the species level but can be assigned to the Trichinella genus level.	Trichinella
C125965	TRICHINELLA SPIRALIS		Any nematode parasite that can be assigned to the species Trichinella spiralis.	Trichinella spiralis
C125966	TRICHODERMA		Any fungal organism that is not assigned to the species level but can be assigned to the Trichoderma genus level.	Trichoderma
C125967	TRICHOMONAS VAGINALIS		Any unicellular, eukaryotic organism that can be assigned to the species Trichomonas vaginalis.	Trichomonas vaginalis
C127751	TRICHOMONASCUS CIFERRII	Candida ciferrii;Stephanoascus ciferrii	Any fungal organism that can be assigned to the species Trichomonascus ciferrii.	Trichomonascus ciferrii
C127752	TRICHOPHYTON EQUINUM		Any fungal organism that can be assigned to the species Trichophyton equinum.	Trichophyton equinum
C127753	TRICHOPHYTON MENTAGROPHYTES	Microsporum mentagrophytes	Any fungal organism that can be assigned to the species Trichophyton mentagrophytes.	Trichophyton mentagrophytes
C127754	TRICHOPHYTON RUBRUM	Epidermophyton rubrum;Trichophyton fischeri;Trichophyton kanei;Trichophyton megninii;Trichophyton raubitschekii	Any fungal organism that can be assigned to the species Trichophyton rubrum.	Trichophyton rubrum
C127755	TRICHOPHYTON SCHOENLEINII		Any fungal organism that can be assigned to the species Trichophyton schoenleinii.	Trichophyton schoenleinii
C127756	TRICHOPHYTON SOUDANENSE		Any fungal organism that can be assigned to the species Trichophyton soudanense.	Trichophyton soudanense
C127757	TRICHOPHYTON TONSURANS		Any fungal organism that can be assigned to the species Trichophyton tonsurans.	Trichophyton tonsurans
C127758	TRICHOPHYTON VERRUCOSUM		Any fungal organism that can be assigned to the species Trichophyton verrucosum.	Trichophyton verrucosum
C127759	TRICHOPHYTON VIOLACEUM		Any fungal organism that can be assigned to the species Trichophyton violaceum.	Trichophyton violaceum
C127760	TRICHOPHYTON YAOUNDEI		Any fungal organism that can be assigned to the species Trichophyton yaoundei.	Trichophyton yaoundei
C114129	TRICHOSPORON		Any fungal organism that is not assigned to the species level but can be assigned to the Trichosporon genus level.	Trichosporon
C114272	TRICHOSPORON ASAHII		Any fungal organism that can be assigned to the species Trichosporon asahii.	Trichosporon asahii
C127761	TRICHOSPORON BEIGELII		Any fungal organism that can be assigned to the species Trichosporon beigelii.	Trichosporon beigelii
C128550	TRICHOSPORON MUCOIDES		Any fungal organism that can be assigned to the species Trichosporon mucoides.	Trichosporon mucoides
C125930	TRICHOSTRONGYLUS		Any nematode parasite that is not assigned to the species level but can be assigned to the Trichostrongylus genus level.	Trichostrongylus
C125968	TRICHOSTRONGYLUS AXEI		Any nematode parasite that can be assigned to the species Trichostrongylus axei.	Trichostrongylus axei
C125969	TRICHOSTRONGYLUS COLUBRIFORMIS		Any nematode parasite that can be assigned to the species Trichostrongylus colubriformis.	Trichostrongylus colubriformis
C125970	TRICHOSTRONGYLUS ORIENTALIS		Any nematode parasite that can be assigned to the species Trichostrongylus orientalis.	Trichostrongylus orientalis
C125971	TRICHOSTRONGYLUS PROBOLURUS		Any nematode parasite that can be assigned to the species Trichostrongylus probolurus.	Trichostrongylus probolurus
C125972	TRICHOSTRONGYLUS VITRINUS		Any nematode parasite that can be assigned to the species Trichostrongylus vitrinus.	Trichostrongylus vitrinus
C125929	TRICHURIS		Any nematode parasite that is not assigned to the species level but can be assigned to the Trichuris genus level.	Trichuris

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125973	TRICHURIS TRICHIURA	Human Whipworm	Any nematode parasite that can be assigned to the species <i>Trichuris trichiura</i> .	Trichuris trichiura
C125974	TRITIRACHIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Tritirachium</i> genus level.	Tritirachium
C86826	TROIPHERYMA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Tropheryma</i> genus level.	Tropheryma
C86827	TROIPHERYMA WHIPPLEI		Any bacterial organism that can be assigned to the species <i>Tropheryma whipplei</i> .	Tropheryma whipplei
C86150	TRUEPERELLA PYOGENES	Actinomyces pyogenes; Arcanobacterium pyogenes; Corynebacterium pyogenes	Any bacterial organism that can be assigned to the species <i>Trueperella pyogenes</i> .	Arcanobacterium pyogenes
C125975	TRYPANOSOMA BRUCEI GAMBIENSE		Any unicellular, eukaryotic organism that can be assigned to the species <i>Trypanosoma brucei</i> subspecies <i>gambiense</i> .	Trypanosoma brucei gambiense
C125976	TRYPANOSOMA BRUCEI RHODESIENSE		Any unicellular, eukaryotic organism that can be assigned to the species <i>Trypanosoma brucei</i> subspecies <i>rhodesiense</i> .	Trypanosoma brucei rhodesiense
C125977	TRYPANOSOMA CRUZI		Any unicellular, eukaryotic organism that can be assigned to the species <i>Trypanosoma cruzi</i> .	Trypanosoma cruzi
C86828	TSUKAMURELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Tsukamurella</i> genus level.	Tsukamurella
C86829	TSUKAMURELLA PAUROMETABOLUM	<i>Gordona aurantiaca</i>	Any bacterial organism that can be assigned to the species <i>Tsukamurella paurometabolum</i> .	Tsukamurella paurometabolum
C114253	TSUKAMURELLA PULMONIS		Any bacterial organism that can be assigned to the species <i>Tsukamurella pulmonis</i> .	Tsukamurella pulmonis
C86830	TURICELLA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Turicella</i> genus level.	Turicella
C86831	TURICELLA OTITIDIS	<i>Rhodococcus aurantiazus</i>	Any bacterial organism that can be assigned to the species <i>Turicella otitidis</i> .	Turicella otitidis
C125978	ULOCLADIUM		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Ulocladium</i> genus level.	Ulocladium
C86832	UREAPLASMA		Any bacteria that is not assigned to the species level but can be assigned to the <i>Ureaplasma</i> genus level.	Ureaplasma
C86833	UREAPLASMA UREALYTICUM	T-mycoplasma	Any bacterial organism that can be assigned to the species <i>Ureaplasma urealyticum</i> .	Ureaplasma urealyticum
C125979	USTILAGO		Any fungal organism that is not assigned to the species level but can be assigned to the <i>Ustilago</i> genus level.	Ustilago
C14281	VACCINIA VIRUS	VV	Any viral organism that can be assigned to the species <i>Vaccinia virus</i> .	Vaccinia Virus
C86834	VAGOCOCCUS		Any bacteria that is not assigned to the species level but can be assigned to the <i>Vagococcus</i> genus level.	Vagococcus
C76312	VANCOMYCIN RESISTANT ENTEROCOCCUS	VRE	Any bacterial organism that can be assigned to the genus <i>Enterococcus</i> and is resistant to the antibiotic vancomycin.	Vancomycin Resistant Enterococcus
C125980	VANCOMYCIN RESISTANT STAPHYLOCOCCUS AUREUS	VRSA	Any bacterial organism that can be assigned to the species <i>Staphylococcus aureus</i> and is resistant to the antibiotic vancomycin.	Vancomycin Resistant Staphylococcus Aureus
C125981	VANCOMYCIN SUSCEPTIBLE ENTEROCOCCUS	VSE	Any bacterial organism that can be assigned to the genus <i>Enterococcus</i> and is susceptible to the antibiotic vancomycin.	Vancomycin Susceptible Enterococcus



<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86835	VARIBACULUM		Any bacteria that is not assigned to the species level but can be assigned to the Varibaculum genus level.	Varibaculum
C86836	VARIBACULUM CAMBRIENSE		Any bacterial organism that can be assigned to the species Varibaculum cambriense.	Varibaculum cambriense
C112426	VARICELLOVIRUS	Varicellavirus	Any viral organism that can be assigned to the genus Varicellovirus.	Varicellovirus
C96527	VARIOLA VIRUS	Smallpox Virus;Variola Virus VAR	Any viral organism that can be assigned to the species Variola virus.	Variola Virus
C86837	VEILLONELLA		Any bacteria that is not assigned to the species level but can be assigned to the Veillonella genus level.	Veillonella
C125982	VEILLONELLA ATYPICA	Veillonella parvula subsp. atypica	Any bacterial organism that can be assigned to the species Veillonella atypica.	Veillonella atypica
C86838	VEILLONELLA DISPAR		Any bacterial organism that can be assigned to the species Veillonella dispar.	Veillonella dispar
C86839	VEILLONELLA PARVULA		Any bacterial organism that can be assigned to the species Veillonella parvula.	Veillonella parvula
C125983	VERTICILLIUM		Any fungal organism that is not assigned to the species level but can be assigned to the Verticillium genus level.	Verticillium
C76386	VIBRIO		Any bacteria that is not assigned to the species level but can be assigned to the Vibrio genus level.	Vibrio
C86840	VIBRIO ALGINOLYTICUS		Any bacterial organism that can be assigned to the species Vibrio alginolyticus.	Vibrio alginolyticus
C86841	VIBRIO CHOLERAE	Vibrio comma	Any bacterial organism that can be assigned to the species Vibrio cholerae.	Vibrio cholerae
C86842	VIBRIO FLUVIALIS		Any bacterial organism that can be assigned to the species Vibrio fluvialis.	Vibrio fluvialis
C86843	VIBRIO FURNISSII		Any bacterial organism that can be assigned to the species Vibrio furnissii.	Vibrio furnissii
C86844	VIBRIO METSCHNIKOVII	CDC Enteric Group 16	Any bacterial organism that can be assigned to the species Vibrio metschnikovii.	Vibrio metschnikovii
C86845	VIBRIO MIMICUS		Any bacterial organism that can be assigned to the species Vibrio mimicus.	Vibrio mimicus
C86846	VIBRIO PARAHAEMOLYTICUS		Any bacterial organism that can be assigned to the species Vibrio parahaemolyticus.	Vibrio parahaemolyticus
C86847	VIBRIO VULNIFICUS	Beneckeia vulnifica	Any bacterial organism that can be assigned to the species Vibrio vulnificus.	Vibrio vulnificus
C125984	VORTICELLA		Any unicellular, eukaryotic organism that is not assigned to the species level but can be assigned to the Vorticella genus level.	Vorticella
C111334	WAUTERSIELLA FALSENII		Any bacterial organism that can be assigned to the species Wautersiella falsenii.	Wautersiella falsenii
C86848	WEEKSELLA		Any bacteria that is not assigned to the species level but can be assigned to the Weeksella genus level.	Weeksella
C86849	WEEKSELLA VIROSA		Any bacterial organism that can be assigned to the species Weeksella virosa.	Weeksella virosa
C71877	WEST NILE VIRUS	WNV	Any viral organism that can be assigned to the species West Nile virus.	West Nile Virus
C114262	WICKERHAMOMYCES ANOMALUS	Candida pelliculosa;Hansenua anomala;Pichia anomala	Any fungal organism that can be assigned to the species Wickerhamomyces anomalus.	Wickerhamomyces anomalus
C86850	WOLINELLA		Any bacteria that is not assigned to the species level but can be assigned to the Wolinella genus level.	Wolinella
C86851	WOLINELLA SUCCINOGENES		Any bacterial organism that can be assigned to the species Wolinella succinogenes.	Wolinella succinogenes

<b>C85491 MICROORG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122013	WUCHERERIA		Any nematode parasite that is not assigned to the species level but can be assigned to the Wuchereria genus level.	Wuchereria
C122328	WUCHERERIA BANCROFTI	Filaria bancrofti	Any nematode parasite that can be assigned to the species Wuchereria bancrofti.	Wuchereria bancrofti
C86018	XANTHOMONAS		Any bacterial organism that is not assigned to the species level but can be assigned to the Xanthomonas genus level.	Xanthomonas
C114257	YARROWIA LIPOLYTICA	Candida lipolytica;Mycotorula lipolytica	Any fungal organism that can be assigned to the species Yarrowia lipolytica.	Yarrowia lipolytica
C14286	YEAST		Any of various single-celled ascomycetes, basidiomycetes and imperfect fungi with little or no mycelium development that asexually reproduce by budding. They ferment sugars to produce alcohol and carbon dioxide.	Yeast
C97156	YELLOW FEVER VIRUS	Flavivirus febricis;YFV	Any viral organism that can be assigned to the species Yellow fever virus.	Yellow Fever Virus
C86852	YERSINIA		Any bacteria that is not assigned to the species level but can be assigned to the Yersinia genus level.	Yersinia
C86853	YERSINIA ALDOVAE		Any bacterial organism that can be assigned to the species Yersinia aldovae.	Yersinia aldovae
C86854	YERSINIA BERCOVIERI	Yersinia enterocolitica Biogroup 3B	Any bacterial organism that can be assigned to the species Yersinia bercovieri.	Yersinia bercovieri
C86855	YERSINIA ENTEROCOLITICA	Pasteurella enterocolitica	Any bacterial organism that can be assigned to the species Yersinia enterocolitica.	Yersinia enterocolitica
C86856	YERSINIA FREDERIKSENII		Any bacterial organism that can be assigned to the species Yersinia frederiksenii.	Yersinia frederiksenii
C86857	YERSINIA INTERMEDIA		Any bacterial organism that can be assigned to the species Yersinia intermedia.	Yersinia intermedia
C86858	YERSINIA KRISTENSENII		Any bacterial organism that can be assigned to the species Yersinia kristensenii.	Yersinia kristensenii
C86859	YERSINIA MOLLARETII	Yersinia enterocolitica Biogroup 3A	Any bacterial organism that can be assigned to the species Yersinia mollaretii.	Yersinia mollaretii
C86860	YERSINIA PESTIS	Pasteurella pestis	Any bacterial organism that can be assigned to the species Yersinia pestis.	Yersinia pestis
C86861	YERSINIA PSEUDOTUBERCULOSIS	Pasteurella pseudotuberculosis	Any bacterial organism that can be assigned to the species Yersinia pseudotuberculosis.	Yersinia pseudotuberculosis
C86862	YERSINIA ROHDEI		Any bacterial organism that can be assigned to the species Yersinia rohdei.	Yersinia rohdei
C86863	YERSINIA RUCKERI		Any bacterial organism that can be assigned to the species Yersinia ruckeri.	Yersinia ruckeri
C86864	YOKENELLA		Any bacteria that is not assigned to the species level but can be assigned to the Yokenella genus level.	Yokenella
C86865	YOKENELLA REGENSBURGEI	CDC Enteric Group 45	Any bacterial organism that can be assigned to the species Yokenella regensburgei.	Yokenella regensburgei
C128553	ZIKA VIRUS		Any viral organism that can be assigned to the species Zika virus.	Zika Virus
C86866	ZIMMERMANNELLA		Any bacteria that is not assigned to the species level but can be assigned to the Zimmermannella genus level.	Zimmermannella
C86867	ZIMMERMANNELLA ALBA		Any bacterial organism that can be assigned to the species Zimmermannella alba.	Zimmermannella alba
C86868	ZIMMERMANNELLA BIFIDA		Any bacterial organism that can be assigned to the species Zimmermannella bifida.	Zimmermannella bifida

## MIFTSDDL (Microscopic Findings Test Details)

NCI Code: C125922, Codelist extensible: Yes

C125922 MIFTSDDL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135461	AJCC TUMOR GRADE		A grading system developed by the American Joint Committee on Cancer (AJCC) and assigned based on the degree of cellular differentiation within a tumor sample. (American Joint Committee on Cancer. AJCC Cancer Staging Manual. 7th ed. New York, NY: Springer; 2010.)	AJCC Tumor Grade
C125985	ALLRED PROPORTION POSITIVE SCORE		A score developed by Allred et al. (1998) and assigned based on the percent positivity of cells for a particular protein (Allred DC, Harvey JM, Berardo M, Clark GM. Prognostic and predictive factors in breast cancer by immunohistochemical analysis. Mod Pathol. 1998 Feb;11(2):155-68).	Allred Proportion Positive Score
C125986	ALLRED STAINING INTENSITY SCORE		A score developed by Allred et al. (1998) and assigned based on the average staining intensity of cells for a particular protein (Allred DC, Harvey JM, Berardo M, Clark GM. Prognostic and predictive factors in breast cancer by immunohistochemical analysis. Mod Pathol. 1998 Feb;11(2):155-68).	Allred Average Staining Intensity Score
C125987	ALLRED TOTAL SCORE		The histopathological evaluation of staining in tissue based on the Allred scoring system (Allred DC, Harvey JM, Berardo M, Clark GM. Prognostic and predictive factors in breast cancer by immunohistochemical analysis. Mod Pathol. 1998 Feb;11(2):155-68).	Allred Total Score
C135462	BANFF QUANTITATIVE CRITERIA SCORE RENAL		A score originally developed by Solez et al. (1993) and assigned based on the histologic evaluation of kidney allograft biopsies according to the Banff Working Classification of Renal Allograft Pathology.	Banff Renal Quantitative Criteria Score
C119570	BATTS-LUDWIG FIBROSIS SCORE	Batts-Ludwig Fibrosis Score	The histopathological evaluation of the liver based on the Batts-Ludwig scoring system.	Batts-Ludwig Fibrosis Score
C132429	ENHANCED LIVER FIBROSIS SCORE	ELF	The histopathological evaluation of the liver based on the enhanced liver fibrosis scoring system.	Enhanced Liver Fibrosis Score
C48603	GLEASON PRIMARY SCORE		The most prevalent Gleason pattern in a prostate biopsy or prostatectomy specimen. (Gleason, D. F. (1977). The Veteran's Administration Cooperative Urologic Research Group: histologic grading and clinical staging of prostatic carcinoma. In Tannenbaum, M. Urologic Pathology: The Prostate. Philadelphia: Lea and Febiger. pp. 171-198.)	Primary Gleason Pattern
C48604	GLEASON SECONDARY SCORE		The second most prevalent Gleason pattern in a prostate biopsy or prostatectomy specimen. (Gleason, D. F. (1977). The Veteran's Administration Cooperative Urologic Research Group: histologic grading and clinical staging of prostatic carcinoma. In Tannenbaum, M. Urologic Pathology: The Prostate. Philadelphia: Lea and Febiger. pp. 171-198.)	Secondary Gleason Pattern
C48602	GLEASON TOTAL SUM		The sum of the primary and secondary Gleason scores. If three patterns are identified, it is the sum of the primary pattern score and the score of the least well-differentiated pattern. (Gleason, D. F. (1977). The Veteran's Administration Cooperative Urologic Research Group: histologic grading and clinical staging of prostatic carcinoma. In Tannenbaum, M. Urologic Pathology: The Prostate. Philadelphia: Lea and Febiger. pp. 171-198.)	Total Gleason Score for Prostate Cancer
C125988	H SCORE TOTAL SCORE		The histopathological evaluation of staining in tissue based on the H Score scoring system (McCarty KS Jr, Miller LS, Cox EB, et al. Estrogen receptor analyses: correlation of biochemical and immunohistochemical methods using monoclonal antireceptor antibodies. Arch Pathol Lab Med. 1985;109(8):716-721).	H Score Total Score
C95149	ISHAK FIBROSIS SCORE	Ishak Fibrosis Score	The histopathological evaluation of the liver based on the Ishak scoring system.	Ishak Score
C142346	ISUP GLEASON GRADE GROUP		A grading system for prostatic adenocarcinoma based on cellular differentiation patterns and Gleason primary and secondary scores (Epstein JI, Egevad L, Amin MB, Delahunt B, Srigley JR, Humphrey PA; Grading Committee. The 2014 International Society of Urological Pathology (ISUP) Consensus Conference on Gleason Grading of Prostatic Carcinoma: Definition of Grading Patterns and Proposal for a New Grading System. Am J Surg Pathol. 2016 Feb;40(2):244-52.)	International Society of Urological Pathology Gleason Grade Group

**C125922 MIFTSDDL**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119571	KNODELL FIBROSIS SCORE	Knodell Fibrosis Score	The histopathological evaluation of the liver based on the Knodell scoring system.	Knodell Fibrosis Score
C119572	METAVIR FIBROSIS SCORE	Metavir Fibrosis Score	The histopathological evaluation of the liver based on the Meta-analysis of Histological Data in Viral Hepatitis (Metavir) scoring system.	METAVIR Fibrosis Score
C70460	PERCENT POSITIVE CELL		A measurement of the proportion of cells that are positive for a given protein.	Percent of Positive Cells
C125989	RECEPTOR OVERALL STATUS		An assessment of the status of a biological specimen with regards to a given receptor.	Receptor Overall Status
C119573	SCHUEUR FIBROSIS SCORE	Scheuer Fibrosis Score	The histopathological evaluation of the liver based on the Scheuer scoring system.	Scheuer Fibrosis Score
C127762	STAINING INTENSITY		The degree or magnitude of staining within a biological specimen.	Staining Intensity

## MITS (SDTM Microscopic Findings Test Name)

NCI Code: C132262, Codelist extensible: Yes

C132262 MITS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C111124	Abnormal Cells	Abnormal Cells	A measurement of the abnormal cells in a biological specimen.	Abnormal Cell Count
C132364	Alpha-Methylacyl Coenzyme A Racemase	Alpha-Methylacyl Coenzyme A Racemase	A measurement of the alpha-methylacyl coenzyme A racemase in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase Measurement
C135463	Arteriolar Hyaline Thickening	Arteriolar Hyaline Thickening	An evaluation of the arteriolar hyaline thickening of vessels in a biological specimen.	Arteriolar Hyaline Thickening Assessment
C135464	Banff Diagnostic Category Renal	Banff Diagnostic Category Renal	The histologic evaluation and diagnosis of the type of renal allograft rejection based on kidney biopsies and the Banff Working Classification from the Banff Foundation for Allograft Pathology. (NCI)	Banff Renal Diagnostic Category Assessment
C122102	Beta-defensin 2	Beta-defensin 2	A measurement of the beta-defensin 2 in a biological specimen.	Beta-defensin 2 Measurement
C139099	Bradykinin Receptor B1	BK-1 Receptor;Bradykinin Receptor B1	A measurement of the bradykinin receptor B1 in a biological specimen.	Bradykinin Receptor B1 Measurement
C123555	Breast Cancer Type 1 Susceptibility Prot	Breast Cancer Type 1 Susceptibility Prot	A measurement of BRCA1 protein in a biological specimen.	Breast Cancer Type 1 Susceptibility Protein Measurement
C123556	Cancer Cellularity	Cancer Cellularity	A relative measurement (ratio or percentage) of the neoplastic cells to total cells in a biological specimen.	Cancer Cellularity Measurement
C139098	CDX2 Antigen	CDX2 Antigen	A measurement of the CDX2 antigen in a biological specimen.	CDX2 Antigen Measurement
C132430	Cellular Differentiation	Cellular Differentiation	An evaluation of cellular maturity and specialization in a biological specimen.	Cellular Differentiation Assessment
C127763	Cytokeratin 16	Cytokeratin 16	A measurement of the cytokeratin 16 in a biological specimen.	Cytokeratin 16 Measurement
C127764	Dendritic Cell-Lysosomal- Assoc Memb Prot	Dendritic Cell-Lysosomal- Assoc Memb Prot	A measurement of the dendritic cell-lysosomal-associated membrane protein in a biological specimen.	Dendritic Cell Lysosomal-Associated Membrane Protein Measurement
C112274	Estrogen Receptor	ER;ESR;Estrogen Receptor;Oestrogen Receptor	A measurement of estrogen receptor protein in a biological specimen.	Estrogen Receptor Measurement
C127765	Fibrosis	Fibrosis	An evaluation of fibrosis in a biological specimen.	Fibrosis Assessment
C132431	Folate Hydrolase 1	Folate Hydrolase 1	A measurement of the folate hydrolase 1 in a biological specimen.	Folate Hydrolase 1 Measurement
C135465	Glomerulitis	Glomerulitis	An evaluation of glomerulitis in a biological specimen.	Glomerulitis Assessment
C135466	Glomerulopathy	Glomerulopathy	An evaluation of glomerulopathy in a biological specimen.	Glomerulopathy Assessment
C112312	Human Epidermal Growth Factor Receptor 2	ERBB2;HER2/NEU;Human Epidermal Growth Factor Receptor 2	A measurement of HER2 protein in a biological specimen.	Human Epidermal Growth Factor Receptor 2 Measurement
C135468	Interstitial Fibrosis	Interstitial Fibrosis	An evaluation of interstitial fibrosis in a biological specimen.	Interstitial Fibrosis Assessment
C135467	Intimal Arteritis	Intimal Arteritis	An evaluation of intimal arteritis in a biological specimen.	Intimal Arteritis Assessment
C142347	Intraepidermal Nerve Fiber Density	Intraepidermal Nerve Fiber Density	A measurement of the intraepidermal nerve fiber density in a biological specimen.	Intraepidermal Nerve Fiber Density
C123557	Ki-67	Ki-67	A measurement of the Ki-67 protein in a biological specimen.	Ki67 Measurement
C106539	Lipocalin-2	Lipocalin-2	A measurement of lipocalin-2 in a biological specimen.	Lipocalin-2 Measurement
C127766	Lymphatic Invasion	Lymphatic Invasion	An evaluation of lymphatic invasion in a biological specimen.	Lymphatic Invasion Assessment
C135471	Mesangial Matrix	Mesangial Matrix	An evaluation of mesangial matrix in a biological specimen.	Mesangial Matrix Assessment

**C132262 MITS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C90424	Microscopic Examination	Microscopic Examination	An assessment by microscope (e.g., light, electron, confocal, etc.).	Microscopic Examination
C139093	Mismatch Repair Proteins Interpretation	Mismatch Repair Proteins Interpretation	The determination of the meaning of protein expression assessments across multiple mismatch repair proteins.	Mismatch Repair Proteins Interpretation
C135470	Mitotic Figure	Mitotic Figure	A measurement of the cells containing mitotic figures in a biological specimen.	Mitotic Figure Assessment
C135469	Mononuc Cell Interstitial Inflammation	Mononuc Cell Interstitial Inflammation	An evaluation of mononuclear cell interstitial inflammation in a biological specimen.	Mononuclear Cell Interstitial Inflammation Assessment
C139094	MutL Homolog 1	MutL Homolog 1	A measurement of the MLH1 mismatch repair protein in a biological specimen.	MutL Homolog 1 Measurement
C139095	MutS Homolog 2	MutS Homolog 2	A measurement of the MSH2 mismatch repair protein in a biological specimen.	MutS Homolog 2 Measurement
C139096	MutS Homolog 6	MutS Homolog 6	A measurement of the MSH6 mismatch repair protein in a biological specimen.	MutS Homolog 6 Measurement
C123558	NK2 Homeobox 1	NK2 Homeobox 1;TEBP;TTF1;Thyroid Transcription Factor 1	A measurement of NK2 homeobox 1 protein in a biological specimen.	NK2 Homeobox 1 Measurement
C127767	Normal Cells/Total Cells	Normal Cells/Total Cells	A relative measurement (ratio or percentage) of the normal cells to total cells in a biological specimen.	Normal Cell to Total Cell Ratio Measurement
C139092	Number of Malignant Biopsy Cores	Number of Malignant Biopsy Cores	A measurement of the total number of core biopsies that contain malignant tissue. (NCI)	Number of Malignant Biopsy Cores
C142348	PAX3-FKHR Fusion Protein	PAX3-FKHR Fusion Protein	A measurement of the PAX3-FKHR fusion protein in a biological specimen.	PAX3-FKHR Fusion Protein Measurement
C123559	Percentage of In situ Carcinoma	Percentage of In situ Carcinoma	A relative measurement (percentage) of in situ component present in a carcinoma compared to the entire malignant cellular proliferation. (NCI)	Percentage of in situ Carcinoma
C127768	Perineural Invasion	Perineural Invasion	An evaluation of perineural invasion in a biological specimen.	Perineural Invasion Assessment
C135473	Peritubular Capillaritis	Peritubular Capillaritis	An evaluation of peritubular capillaritis in a biological specimen.	Peritubular Capillaritis Assessment
C147470	Phosphatase and Tensin Homolog	Phosphatase and Tensin Homolog	A measurement of the phosphatase and tensin homolog in a biological specimen.	Phosphatase and Tensin Homolog Measurement
C135472	Platelet Endo Cell Adhesion Molecule 1	CD31 Antigen;Platelet And Endothelial Cell Adhesion Molecule 1;Platelet Endo Cell Adhesion Molecule 1	A measurement of the platelet and endothelial cell adhesion molecule 1 in a biological specimen.	Platelet Endothelial Cell Adhesion Molecule 1 Measurement
C139097	PMS1 Homolog 2	PMS1 Homolog 2	A measurement of the PMS2 mismatch repair protein in a biological specimen.	PMS1 Homolog 2 Measurement
C117846	Progesterone Receptor	NR3C3;PR;Progesterone Receptor	A measurement of the progesterone receptor protein in a biological specimen.	Progesterone Receptor Measurement
C80204	Prostatic Acid Phosphatase	Prostatic Acid Phosphatase	A measurement of the prostatic acid phosphatase in a biological specimen.	Prostatic Acid Phosphatase Measurement
C127769	S100 Calcium Binding Protein A7	S100 Calcium Binding Protein A7	A measurement of the S100 calcium binding protein A7 in a biological specimen.	S100 Calcium Binding Protein A7 Measurement
C127770	Stromal Cells/Total Cells	Stromal Cells/Total Cells	A relative measurement (ratio or percentage) of the stromal cells to total cells in a biological specimen.	Stromal Cell to Total Cell Ratio Measurement
C123560	Surgical Margins Status	Surgical Margins Status	The determination of the presence of actual or potential neoplastic tissue which has been left outside the boundary of a resected specimen within the patient. (NCI)	Surgical Margins Status
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C135474	Tubular Atrophy	Tubular Atrophy	An evaluation of tubular atrophy in a biological specimen.	Tubular Atrophy Assessment
C135475	Tubulitis	Tubulitis	An evaluation of tubulitis in a biological specimen.	Tubulitis Assessment

**C132262 MITS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127771	Tumor Cells/Total Cells	Tumor Cells/Total Cells	A relative measurement (ratio or percentage) of the tumor cells to total cells in a biological specimen.	Tumor Cell to Total Cell Ratio Measurement
C135476	Vascular Fibrous Intimal Thickening	Vascular Fibrous Intimal Thickening	An evaluation of the fibrointimal thickening of vessels in a biological specimen.	Vascular Fibrous Intimal Thickening Assessment
C127772	Vascular Invasion	Vascular Invasion	An evaluation of vascular invasion in a biological specimen.	Vascular Invasion Assessment

**MITSCD (SDTM Microscopic Findings Test Code)**

NCI Code: C132263, Codelist extensible: Yes

<b>C132263 MITSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111124	ABNCE	Abnormal Cells	A measurement of the abnormal cells in a biological specimen.	Abnormal Cell Count
C132364	AMACR	Alpha-Methylacyl Coenzyme A Racemase	A measurement of the alpha-methylacyl coenzyme A racemase in a biological specimen.	Alpha-Methylacyl Coenzyme A Racemase Measurement
C135463	ARTLRHYT	Arteriolar Hyaline Thickening	An evaluation of the arteriolar hyaline thickening of vessels in a biological specimen.	Arteriolar Hyaline Thickening Assessment
C135464	BANFRDX	Banff Diagnostic Category Renal	The histologic evaluation and diagnosis of the type of renal allograft rejection based on kidney biopsies and the Banff Working Classification from the Banff Foundation for Allograft Pathology. (NCI)	Banff Renal Diagnostic Category Assessment
C122102	BD2	Beta-defensin 2	A measurement of the beta-defensin 2 in a biological specimen.	Beta-defensin 2 Measurement
C139099	BDKRB1	BK-1 Receptor;Bradykinin Receptor B1	A measurement of the bradykinin receptor B1 in a biological specimen.	Bradykinin Receptor B1 Measurement
C123555	BRCA1	Breast Cancer Type 1 Susceptibility Prot	A measurement of BRCA1 protein in a biological specimen.	Breast Cancer Type 1 Susceptibility Protein Measurement
C123556	CANCLLTY	Cancer Cellularity	A relative measurement (ratio or percentage) of the neoplastic cells to total cells in a biological specimen.	Cancer Cellularity Measurement
C139098	CDX2AG	CDX2 Antigen	A measurement of the CDX2 antigen in a biological specimen.	CDX2 Antigen Measurement
C132430	CELLDIFF	Cellular Differentiation	An evaluation of cellular maturity and specialization in a biological specimen.	Cellular Differentiation Assessment
C139092	CORBIOMN	Number of Malignant Biopsy Cores	A measurement of the total number of core biopsies that contain malignant tissue. (NCI)	Number of Malignant Biopsy Cores
C127763	CY16	Cytokeratin 16	A measurement of the cytokeratin 16 in a biological specimen.	Cytokeratin 16 Measurement
C127764	DCLAMP	Dendritic Cell-Lysosomal- Assoc Memb Prot	A measurement of the dendritic cell-lysosomal-associated membrane protein in a biological specimen.	Dendritic Cell Lysosomal-Associated Membrane Protein Measurement
C112274	ESTRCPT	ER;ESR;Estrogen Receptor;Oestrogen Receptor	A measurement of estrogen receptor protein in a biological specimen.	Estrogen Receptor Measurement
C127765	FIBROSIS	Fibrosis	An evaluation of fibrosis in a biological specimen.	Fibrosis Assessment
C132431	FOLH1	Folate Hydrolase 1	A measurement of the folate hydrolase 1 in a biological specimen.	Folate Hydrolase 1 Measurement
C135465	GLOMLTIS	Glomerulitis	An evaluation of glomerulitis in a biological specimen.	Glomerulitis Assessment
C135466	GLOMPATH	Glomerulopathy	An evaluation of glomerulopathy in a biological specimen.	Glomerulopathy Assessment
C112312	HER2	ERBB2;HER2/NEU;Human Epidermal Growth Factor Receptor 2	A measurement of HER2 protein in a biological specimen.	Human Epidermal Growth Factor Receptor 2 Measurement
C142347	IENFDEN	Intraepidermal Nerve Fiber Density	A measurement of the intraepidermal nerve fiber density in a biological specimen.	Intraepidermal Nerve Fiber Density
C135467	INTMART	Intimal Arteritis	An evaluation of intimal arteritis in a biological specimen.	Intimal Arteritis Assessment
C135468	INTSFBRO	Interstitial Fibrosis	An evaluation of interstitial fibrosis in a biological specimen.	Interstitial Fibrosis Assessment
C123557	KI67	Ki-67	A measurement of the Ki-67 protein in a biological specimen.	Ki67 Measurement
C106539	LCN2	Lipocalin-2	A measurement of lipocalin-2 in a biological specimen.	Lipocalin-2 Measurement
C127766	LYMPHINV	Lymphatic Invasion	An evaluation of lymphatic invasion in a biological specimen.	Lymphatic Invasion Assessment



**C132263 MITSCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135469	MCINTINF	Mononuc Cell Interstitial Inflammation	An evaluation of mononuclear cell interstitial inflammation in a biological specimen.	Mononuclear Cell Interstitial Inflammation Assessment
C90424	MIEXAM	Microscopic Examination	An assessment by microscope (e.g., light, electron, confocal, etc.).	Microscopic Examination
C135470	MITOFIG	Mitotic Figure	A measurement of the cells containing mitotic figures in a biological specimen.	Mitotic Figure Assessment
C139094	MLH1	MutL Homolog 1	A measurement of the MLH1 mismatch repair protein in a biological specimen.	MutL Homolog 1 Measurement
C139093	MMRPINTP	Mismatch Repair Proteins Interpretation	The determination of the meaning of protein expression assessments across multiple mismatch repair proteins.	Mismatch Repair Proteins Interpretation
C139095	MSH2	MutS Homolog 2	A measurement of the MSH2 mismatch repair protein in a biological specimen.	MutS Homolog 2 Measurement
C139096	MSH6	MutS Homolog 6	A measurement of the MSH6 mismatch repair protein in a biological specimen.	MutS Homolog 6 Measurement
C135471	MSNGMTRX	Mesangial Matrix	An evaluation of mesangial matrix in a biological specimen.	Mesangial Matrix Assessment
C123558	NKX2_1	NK2 Homeobox 1;TEBP;TTF1;Thyroid Transcription Factor 1	A measurement of NK2 homeobox 1 protein in a biological specimen.	NK2 Homeobox 1 Measurement
C127767	NORMCECE	Normal Cells/Total Cells	A relative measurement (ratio or percentage) of the normal cells to total cells in a biological specimen.	Normal Cell to Total Cell Ratio Measurement
C80204	PAP	Prostatic Acid Phosphatase	A measurement of the prostatic acid phosphatase in a biological specimen.	Prostatic Acid Phosphatase Measurement
C142348	PAX3FKHR	PAX3-FKHR Fusion Protein	A measurement of the PAX3-FKHR fusion protein in a biological specimen.	PAX3-FKHR Fusion Protein Measurement
C123559	PCTISCA	Percentage of In situ Carcinoma	A relative measurement (percentage) of in situ component present in a carcinoma compared to the entire malignant cellular proliferation. (NCI)	Percentage of in situ Carcinoma
C135472	PECAM1	CD31 Antigen;Platelet And Endothelial Cell Adhesion Molecule 1;Platelet Endo Cell Adhesion Molecule 1	A measurement of the platelet and endothelial cell adhesion molecule 1 in a biological specimen.	Platelet Endothelial Cell Adhesion Molecule 1 Measurement
C139097	PMS2	PMS1 Homolog 2	A measurement of the PMS2 mismatch repair protein in a biological specimen.	PMS1 Homolog 2 Measurement
C127768	PNLINV	Perineural Invasion	An evaluation of perineural invasion in a biological specimen.	Perineural Invasion Assessment
C117846	PROGESTR	NR3C3;PR;Progesterone Receptor	A measurement of the progesterone receptor protein in a biological specimen.	Progesterone Receptor Measurement
C135473	PTBCPLTS	Peritubular Capillaritis	An evaluation of peritubular capillaritis in a biological specimen.	Peritubular Capillaritis Assessment
C147470	PTEN	Phosphatase and Tensin Homolog	A measurement of the phosphatase and tensin homolog in a biological specimen.	Phosphatase and Tensin Homolog Measurement
C127769	S100A7	S100 Calcium Binding Protein A7	A measurement of the S100 calcium binding protein A7 in a biological specimen.	S100 Calcium Binding Protein A7 Measurement
C123560	SGMGSTAT	Surgical Margins Status	The determination of the presence of actual or potential neoplastic tissue which has been left outside the boundary of a resected specimen within the patient. (NCI)	Surgical Margins Status
C127770	STRMCECE	Stromal Cells/Total Cells	A relative measurement (ratio or percentage) of the stromal cells to total cells in a biological specimen.	Stromal Cell to Total Cell Ratio Measurement
C41145	THICK	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C135474	TUBATRO	Tubular Atrophy	An evaluation of tubular atrophy in a biological specimen.	Tubular Atrophy Assessment
C135475	TUBULTIS	Tubulitis	An evaluation of tubulitis in a biological specimen.	Tubulitis Assessment

**C132263 MITSCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127771	TUMCECE	Tumor Cells/Total Cells	A relative measurement (ratio or percentage) of the tumor cells to total cells in a biological specimen.	Tumor Cell to Total Cell Ratio Measurement
C127772	VASINV	Vascular Invasion	An evaluation of vascular invasion in a biological specimen.	Vascular Invasion Assessment
C135476	VFBINTMT	Vascular Fibrous Intimal Thickening	An evaluation of the fibrointimal thickening of vessels in a biological specimen.	Vascular Fibrous Intimal Thickening Assessment

## MMRC01TC (Modified Medical Research Council Dyspnea Scale Questionnaire Test Code)

NCI Code: C106669, Codelist extensible: No

<b>C106669 MMRC01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106852	MMRC0101	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness

## MMRC01TN (Modified Medical Research Council Dyspnea Scale Questionnaire Test Name)

NCI Code: C106668, Codelist extensible: No

<b>C106668 MMRC01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106852	MMRC01-Description of Breathlessness	MMRC01-Description of Breathlessness	Modified Medical Research Council Dyspnea Scale - Description of breathlessness.	MMRC - Description of Level of Breathlessness

## MMS1TC (Mini-Mental State Examination Questionnaire Test Code)

NCI Code: C100142, Codelist extensible: No

C100142 MMS1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100543	MMS101A	MMS1-What Is the Year	Mini-Mental State Examination - What is the year?	MMSE - What Is the Year
C100544	MMS101B	MMS1-What Is the Season	Mini-Mental State Examination - What is the season?	MMSE - What Is the Season
C100547	MMS101C	MMS1-What Is the Month of Year	Mini-Mental State Examination - What is the month of the year?	MMSE - What Is the Month of Year
C100546	MMS101D	MMS1-What Is the Day of Week	Mini-Mental State Examination - What is the day of the week?	MMSE - What Is the Day of Week
C100545	MMS101E	MMS1-What Is the Date	Mini-Mental State Examination - What is the date?	MMSE - What Is the Date
C100549	MMS102A	MMS1-What Is the State	Mini-Mental State Examination - Where are we now? What is the state (province)?	MMSE - What Is the State
C100550	MMS102B	MMS1-What Is the County	Mini-Mental State Examination - Where are we now? What is the county (or city/town)?	MMSE - What Is the County
C100551	MMS102C	MMS1-What Is the City/Town	Mini-Mental State Examination - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE - What Is the City or Town
C100552	MMS102D	MMS1-What Is the Building	Mini-Mental State Examination - Where are we now? What is the building (name or type)?	MMSE - What Is the Building
C100553	MMS102E	MMS1-What Is the Floor	Mini-Mental State Examination - Where are we now? What is the floor of the building (room number or address)?	MMSE - What Is the Floor
C100555	MMS103A	MMS1-Repeat Word 1	Mini-Mental State Examination - Now repeat those words back to me: Word 1.	MMSE - Repeat Word 1
C100556	MMS103B	MMS1-Repeat Word 2	Mini-Mental State Examination - Now repeat those words back to me: Word 2.	MMSE - Repeat Word 2
C100557	MMS103C	MMS1-Repeat Word 3	Mini-Mental State Examination - Now repeat those words back to me: Word 3.	MMSE - Repeat Word 3
C100570	MMS104	MMS1-Attention and Calculation Subtotal	Mini-Mental State Examination - Attention and calculation subtotal.	MMSE - Attention and Calculation Subtotal
C100559	MMS104AA	MMS1-What is 100 Take Away 7	Mini-Mental State Examination - What is 100 take away 7 [93]?	MMSE - What is 100 Take Away 7
C100560	MMS104AB	MMS1-Keep Subtracting 7 Step 2	Mini-Mental State Examination - Keep going [86].	MMSE - Keep Subtracting 7 Step 2
C100561	MMS104AC	MMS1-Keep Subtracting 7 Step 3	Mini-Mental State Examination - Keep going [79].	MMSE - Keep Subtracting 7 Step 3
C100562	MMS104AD	MMS1-Keep Subtracting 7 Step 4	Mini-Mental State Examination - Keep going [72].	MMSE - Keep Subtracting 7 Step 4
C100563	MMS104AE	MMS1-Keep Subtracting 7 Step 5	Mini-Mental State Examination - Keep going [65].	MMSE - Keep Subtracting 7 Step 5
C100565	MMS104BA	MMS1-Spell Backward Letter 1	Mini-Mental State Examination - Spell backward, letter 1.	MMSE - Spell Backward Letter 1
C100566	MMS104BB	MMS1-Spell Backward Letter 2	Mini-Mental State Examination - Spell backward, letter 2.	MMSE - Spell Backward Letter 2
C100567	MMS104BC	MMS1-Spell Backward Letter 3	Mini-Mental State Examination - Spell backward, letter 3.	MMSE - Spell Backward Letter 3
C100568	MMS104BD	MMS1-Spell Backward Letter 4	Mini-Mental State Examination - Spell backward, letter 4.	MMSE - Spell Backward Letter 4
C100569	MMS104BE	MMS1-Spell Backward Letter 5	Mini-Mental State Examination - Spell backward, letter 5.	MMSE - Spell Backward Letter 5
C100572	MMS105A	MMS1-Recall Word 1	Mini-Mental State Examination - What were those three words I asked you to remember: Word 1?	MMSE - Recall Word 1
C100573	MMS105B	MMS1-Recall Word 2	Mini-Mental State Examination - What were those three words I asked you to remember: Word 2?	MMSE - Recall Word 2

<b>C100142 MMS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100574	MMS105C	MMS1-Recall Word 3	Mini-Mental State Examination - What were those three words I asked you to remember: Word 3?	MMSE - Recall Word 3
C100576	MMS106A	MMS1-Naming Object 1	Mini-Mental State Examination - What is this: Object 1?	MMSE - Naming Object 1
C100577	MMS106B	MMS1-Naming Object 2	Mini-Mental State Examination - What is this: Object 2?	MMSE - Naming Object 2
C100578	MMS107	MMS1-Repeat What I Say	Mini-Mental State Examination - Now I am going to ask you to repeat what I say. Ready? "No ifs, ands, or buts." Now you say that.	MMSE - Repeat What I Say
C100580	MMS108A	MMS1-Take in Right Hand	Mini-Mental State Examination - Listen carefully because I am going to ask you to do something. Take this paper in your right hand.	MMSE - Take in Right Hand
C100581	MMS108B	MMS1-Fold in Half	Mini-Mental State Examination - Fold it in half.	MMSE - Fold in Half
C100582	MMS108C	MMS1-Put on Floor (or Table)	Mini-Mental State Examination - And put it on the floor (or table).	MMSE - Put on Floor or Table
C100583	MMS109	MMS1-Read This and Do What It Says	Mini-Mental State Examination - Please read this and do what it says.	MMSE - Read This and Do What It Says
C100584	MMS110	MMS1-Write a Sentence	Mini-Mental State Examination - Please write a sentence.	MMSE - Write a Sentence
C100585	MMS111	MMS1-Copy This Design	Mini-Mental State Examination - Please copy this design.	MMSE - Copy This Design
C100586	MMS112	MMS1-Total Score	Mini-Mental State Examination - Total score.	MMSE - Total Score
C136234	MMS113	MMS1-Level of Consciousness	Mini-Mental State Examination - Assessment of level of consciousness.	MMSE - Level of Consciousness

## MMS1TN (Mini-Mental State Examination Questionnaire Test Name)

NCI Code: C100141, Codelist extensible: No

<b>C100141 MMS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100570	MMS1-Attention and Calculation Subtotal	MMS1-Attention and Calculation Subtotal	Mini-Mental State Examination - Attention and calculation subtotal.	MMSE - Attention and Calculation Subtotal
C100585	MMS1-Copy This Design	MMS1-Copy This Design	Mini-Mental State Examination - Please copy this design.	MMSE - Copy This Design
C100581	MMS1-Fold in Half	MMS1-Fold in Half	Mini-Mental State Examination - Fold it in half.	MMSE - Fold in Half
C100560	MMS1-Keep Subtracting 7 Step 2	MMS1-Keep Subtracting 7 Step 2	Mini-Mental State Examination - Keep going [86].	MMSE - Keep Subtracting 7 Step 2
C100561	MMS1-Keep Subtracting 7 Step 3	MMS1-Keep Subtracting 7 Step 3	Mini-Mental State Examination - Keep going [79].	MMSE - Keep Subtracting 7 Step 3
C100562	MMS1-Keep Subtracting 7 Step 4	MMS1-Keep Subtracting 7 Step 4	Mini-Mental State Examination - Keep going [72].	MMSE - Keep Subtracting 7 Step 4
C100563	MMS1-Keep Subtracting 7 Step 5	MMS1-Keep Subtracting 7 Step 5	Mini-Mental State Examination - Keep going [65].	MMSE - Keep Subtracting 7 Step 5
C136234	MMS1-Level of Consciousness	MMS1-Level of Consciousness	Mini-Mental State Examination - Assessment of level of consciousness.	MMSE - Level of Consciousness
C100576	MMS1-Naming Object 1	MMS1-Naming Object 1	Mini-Mental State Examination - What is this: Object 1?	MMSE - Naming Object 1
C100577	MMS1-Naming Object 2	MMS1-Naming Object 2	Mini-Mental State Examination - What is this: Object 2?	MMSE - Naming Object 2
C100582	MMS1-Put on Floor (or Table)	MMS1-Put on Floor (or Table)	Mini-Mental State Examination - And put it on the floor (or table).	MMSE - Put on Floor or Table
C100583	MMS1-Read This and Do What It Says	MMS1-Read This and Do What It Says	Mini-Mental State Examination - Please read this and do what it says.	MMSE - Read This and Do What It Says
C100572	MMS1-Recall Word 1	MMS1-Recall Word 1	Mini-Mental State Examination - What were those three words I asked you to remember: Word 1?	MMSE - Recall Word 1
C100573	MMS1-Recall Word 2	MMS1-Recall Word 2	Mini-Mental State Examination - What were those three words I asked you to remember: Word 2?	MMSE - Recall Word 2
C100574	MMS1-Recall Word 3	MMS1-Recall Word 3	Mini-Mental State Examination - What were those three words I asked you to remember: Word 3?	MMSE - Recall Word 3
C100578	MMS1-Repeat What I Say	MMS1-Repeat What I Say	Mini-Mental State Examination - Now I am going to ask you to repeat what I say. Ready? "No ifs, ands, or buts." Now you say that.	MMSE - Repeat What I Say
C100555	MMS1-Repeat Word 1	MMS1-Repeat Word 1	Mini-Mental State Examination - Now repeat those words back to me: Word 1.	MMSE - Repeat Word 1
C100556	MMS1-Repeat Word 2	MMS1-Repeat Word 2	Mini-Mental State Examination - Now repeat those words back to me: Word 2.	MMSE - Repeat Word 2
C100557	MMS1-Repeat Word 3	MMS1-Repeat Word 3	Mini-Mental State Examination - Now repeat those words back to me: Word 3.	MMSE - Repeat Word 3
C100565	MMS1-Spell Backward Letter 1	MMS1-Spell Backward Letter 1	Mini-Mental State Examination - Spell backward, letter 1.	MMSE - Spell Backward Letter 1
C100566	MMS1-Spell Backward Letter 2	MMS1-Spell Backward Letter 2	Mini-Mental State Examination - Spell backward, letter 2.	MMSE - Spell Backward Letter 2
C100567	MMS1-Spell Backward Letter 3	MMS1-Spell Backward Letter 3	Mini-Mental State Examination - Spell backward, letter 3.	MMSE - Spell Backward Letter 3
C100568	MMS1-Spell Backward Letter 4	MMS1-Spell Backward Letter 4	Mini-Mental State Examination - Spell backward, letter 4.	MMSE - Spell Backward Letter 4
C100569	MMS1-Spell Backward Letter 5	MMS1-Spell Backward Letter 5	Mini-Mental State Examination - Spell backward, letter 5.	MMSE - Spell Backward Letter 5
C100580	MMS1-Take in Right Hand	MMS1-Take in Right Hand	Mini-Mental State Examination - Listen carefully because I am going to ask you to do something. Take this paper in your right hand.	MMSE - Take in Right Hand
C100586	MMS1-Total Score	MMS1-Total Score	Mini-Mental State Examination - Total score.	MMSE - Total Score
C100559	MMS1-What is 100 Take Away 7	MMS1-What is 100 Take Away 7	Mini-Mental State Examination - What is 100 take away 7 [93]?	MMSE - What is 100 Take Away 7

**C100141 MMS1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100552	MMS1-What Is the Building	MMS1-What Is the Building	Mini-Mental State Examination - Where are we now? What is the building (name or type)?	MMSE - What Is the Building
C100551	MMS1-What Is the City/Town	MMS1-What Is the City/Town	Mini-Mental State Examination - Where are we now? What is the city/town (or part of city/neighborhood)?	MMSE - What Is the City or Town
C100550	MMS1-What Is the County	MMS1-What Is the County	Mini-Mental State Examination - Where are we now? What is the county (or city/town)?	MMSE - What Is the County
C100545	MMS1-What Is the Date	MMS1-What Is the Date	Mini-Mental State Examination - What is the date?	MMSE - What Is the Date
C100546	MMS1-What Is the Day of Week	MMS1-What Is the Day of Week	Mini-Mental State Examination - What is the day of the week?	MMSE - What Is the Day of Week
C100553	MMS1-What Is the Floor	MMS1-What Is the Floor	Mini-Mental State Examination - Where are we now? What is the floor of the building (room number or address)?	MMSE - What Is the Floor
C100547	MMS1-What Is the Month of Year	MMS1-What Is the Month of Year	Mini-Mental State Examination - What is the month of the year?	MMSE - What Is the Month of Year
C100544	MMS1-What Is the Season	MMS1-What Is the Season	Mini-Mental State Examination - What is the season?	MMSE - What Is the Season
C100549	MMS1-What Is the State	MMS1-What Is the State	Mini-Mental State Examination - Where are we now? What is the state (province)?	MMSE - What Is the State
C100543	MMS1-What Is the Year	MMS1-What Is the Year	Mini-Mental State Examination - What is the year?	MMSE - What Is the Year
C100584	MMS1-Write a Sentence	MMS1-Write a Sentence	Mini-Mental State Examination - Please write a sentence.	MMSE - Write a Sentence



## MNSI1TC (Michigan Neuropathy Screening Instrument Questionnaire Test Code)

NCI Code: C100152, Codelist extensible: No

C100152 MNSI1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100587	MNSI101	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100588	MNSI102	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100589	MNSI103	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100590	MNSI104	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100591	MNSI105	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100592	MNSI106	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100593	MNSI107	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100594	MNSI108	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100595	MNSI109	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100596	MNSI110	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100597	MNSI111	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100598	MNSI112	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100599	MNSI113	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100600	MNSI114	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100601	MNSI115	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100602	MNSI116	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total
C100603	MNSI117	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal
C100604	MNSI118	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI119	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus
C100605	MNSI120	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100606	MNSI121	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100607	MNSI122	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100608	MNSI123	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI124	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI125	MNSI1-Left Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus

**C100152 MNSI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100610	MNSI126	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100611	MNSI127	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure
C100612	MNSI128	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100613	MNSI129	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100614	MNSI130	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100615	MNSI131	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100616	MNSI132	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100617	MNSI133	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100618	MNSI134	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100619	MNSI135	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100620	MNSI136	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100621	MNSI137	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score

## MNSI1TN (Michigan Neuropathy Screening Instrument Questionnaire Test Name)

NCI Code: C100151, Codelist extensible: No

<b>C100151 MNSI1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100599	MNSI1-Able to Sense Feet When Walking	MNSI1-Able to Sense Feet When Walking	Michigan Neuropathy Screening Instrument - History: Are you able to sense your feet when you walk?	MNSI - Able to Sense Feet When Walking
C100593	MNSI1-Able to Tell Hot from Cold Water	MNSI1-Able to Tell Hot from Cold Water	Michigan Neuropathy Screening Instrument - History: When you get into the tub or shower, are you able to tell the hot water from the cold water?	MNSI - Able to Tell Hot from Cold Water
C100589	MNSI1-Are Feet Too Sensitive to Touch	MNSI1-Are Feet Too Sensitive to Touch	Michigan Neuropathy Screening Instrument - History: Are your feet too sensitive to touch?	MNSI - Feet Too Sensitive to Touch
C100587	MNSI1-Are Your Legs and/or Feet Numb	MNSI1-Are Your Legs and/or Feet Numb	Michigan Neuropathy Screening Instrument - History: Are your legs and/or feet numb?	MNSI - Legs and/or Feet Numb
C100595	MNSI1-Doctor Says Diabetic Neuropathy	MNSI1-Doctor Says Diabetic Neuropathy	Michigan Neuropathy Screening Instrument - History: Has your doctor ever told you that you have diabetic neuropathy?	MNSI - Doctor Says Diabetic Neuropathy
C100601	MNSI1-Ever Had Amputation	MNSI1-Ever Had Amputation	Michigan Neuropathy Screening Instrument - History: Have you ever had an amputation?	MNSI - Ever Had Amputation
C100594	MNSI1-Ever Had Open Sore on Foot	MNSI1-Ever Had Open Sore on Foot	Michigan Neuropathy Screening Instrument - History: Have you ever had an open sore on your foot?	MNSI - Open Sore on Foot
C100588	MNSI1-Ever Have Burning Pain Legs/Feet	MNSI1-Ever Have Burning Pain Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any burning pain in your legs and/or feet?	MNSI - Burning Pain Legs/Feet
C100591	MNSI1-Ever Prickling Feelings Legs/Feet	MNSI1-Ever Prickling Feelings Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you ever have any prickling feelings in your legs or feet?	MNSI - Prickling Feelings Legs/Feet
C100596	MNSI1-Feel Weak All Over Most Times	MNSI1-Feel Weak All Over Most Times	Michigan Neuropathy Screening Instrument - History: Do you feel weak all over most of the time?	MNSI - Feel Weak All Over Most Times
C100590	MNSI1-Get Muscle Cramps Legs/Feet	MNSI1-Get Muscle Cramps Legs/Feet	Michigan Neuropathy Screening Instrument - History: Do you get muscle cramps in your legs and/or feet?	MNSI - Muscle Cramps Legs/Feet
C100592	MNSI1-Hurt When Bed Covers Touch Skin	MNSI1-Hurt When Bed Covers Touch Skin	Michigan Neuropathy Screening Instrument - History: Does it hurt when the bed covers touch your skin?	MNSI - Hurt When Bed Covers Touch Skin
C100616	MNSI1-Left Ankle Reflexes	MNSI1-Left Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Left ankle reflexes.	MNSI - Left Ankle Reflexes
C100608	MNSI1-Left Foot Appears Normal	MNSI1-Left Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - normal.	MNSI - Left Foot Appears Normal
C100609	MNSI1-Left Foot Deformities	MNSI1-Left Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - deformities.	MNSI - Left Foot Deformities
C101020	MNSI1-Left Foot Dry Skin, Callus	MNSI1-Left Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - dry skin, callus.	MNSI - Left Foot Dry Skin, Callus
C100611	MNSI1-Left Foot Fissure	MNSI1-Left Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - fissure.	MNSI - Left Foot Fissure
C100610	MNSI1-Left Foot Infection	MNSI1-Left Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - infection.	MNSI - Left Foot Infection
C100620	MNSI1-Left Foot Monofilament	MNSI1-Left Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - monofilament.	MNSI - Left Foot Monofilament
C100612	MNSI1-Left Foot Other Abnormal Specify	MNSI1-Left Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of left foot - other, specify.	MNSI - Left Foot Other Abnormal Specify
C100614	MNSI1-Left Foot Ulceration	MNSI1-Left Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - ulceration.	MNSI - Left Foot Ulceration
C100618	MNSI1-Left Foot Vibration Great Toe	MNSI1-Left Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Left foot - vibration perception at great toe.	MNSI - Left Foot Vibration Great Toe
C100598	MNSI1-Legs Hurt When Walking	MNSI1-Legs Hurt When Walking	Michigan Neuropathy Screening Instrument - History: Do your legs hurt when you walk?	MNSI - Legs Hurt When Walking
C100615	MNSI1-Right Ankle Reflexes	MNSI1-Right Ankle Reflexes	Michigan Neuropathy Screening Instrument - Physical Assessment: Right ankle reflexes.	MNSI - Right Ankle Reflexes
C100603	MNSI1-Right Foot Appears Normal	MNSI1-Right Foot Appears Normal	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - normal.	MNSI - Right Foot Appears Normal

**C100151 MNSI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100604	MNSI1-Right Foot Deformities	MNSI1-Right Foot Deformities	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - deformities.	MNSI - Right Foot Deformities
C101019	MNSI1-Right Foot Dry Skin, Callus	MNSI1-Right Foot Dry Skin, Callus	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - dry skin, callus.	MNSI - Right Foot Dry Skin, Callus
C100606	MNSI1-Right Foot Fissure	MNSI1-Right Foot Fissure	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - fissure.	MNSI - Right Foot Fissure
C100605	MNSI1-Right Foot Infection	MNSI1-Right Foot Infection	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - infection.	MNSI - Right Foot Infection
C100619	MNSI1-Right Foot Monofilament	MNSI1-Right Foot Monofilament	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - monofilament.	MNSI - Right Foot Monofilament
C100607	MNSI1-Right Foot Other Abnormal Specify	MNSI1-Right Foot Other Abnormal Specify	Michigan Neuropathy Screening Instrument - Physical Assessment: Appearance of right foot - other, specify.	MNSI - Right Foot Other Abnormal Specify
C100613	MNSI1-Right Foot Ulceration	MNSI1-Right Foot Ulceration	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - ulceration.	MNSI - Right Foot Ulceration
C100617	MNSI1-Right Foot Vibration Great Toe	MNSI1-Right Foot Vibration Great Toe	Michigan Neuropathy Screening Instrument - Physical Assessment: Right foot - vibration perception at great toe.	MNSI - Right Foot Vibration Great Toe
C100600	MNSI1-Skin So Dry That Feet Crack Open	MNSI1-Skin So Dry That Feet Crack Open	Michigan Neuropathy Screening Instrument - History: Is the skin on your feet so dry that it cracks open?	MNSI - Skin So Dry That Feet Crack Open
C100597	MNSI1-Symptoms Worse at Night	MNSI1-Symptoms Worse at Night	Michigan Neuropathy Screening Instrument - History: Are your symptoms worse at night?	MNSI - Symptoms Worse at Night
C100602	MNSI1-Total	MNSI1-Total	Michigan Neuropathy Screening Instrument - History: Total.	MNSI - History Total
C100621	MNSI1-Total Score	MNSI1-Total Score	Michigan Neuropathy Screening Instrument - Physical Assessment: Total Score.	MNSI - Physical Assessment Total Score

## MODTRN (Mode of Disease Transmission)

NCI Code: C127265, Codelist extensible: Yes

C127265 MODTRN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127773	HORIZONTAL TRANSMISSION		The transmission of a disease from one individual to another within the same species.	Horizontal Transmission
C98977	VERTICAL TRANSMISSION		The transmission of a disease from the mother to the fetus or newborn.	Maternal Transmission

## MPAI1TC (Mayo-Portland Adaptability Inventory-4 Questionnaire Test Code)

NCI Code: C115406, Codelist extensible: No

<b>C115406 MPAI1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115851	MPAI101	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI-4 - Abilities: Mobility
C115852	MPAI102	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI-4 - Abilities: Use of Hands
C115853	MPAI103	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI-4 - Abilities: Vision
C115854	MPAI104	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI-4 - Abilities: Audition
C115855	MPAI105	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI-4 - Abilities: Dizziness
C115856	MPAI106	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI-4 - Abilities: Motor Speech
C115857	MPAI107A	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI-4 - Abilities: Verbal Communication
C115858	MPAI107B	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI-4 - Abilities: Nonverbal Communication
C115859	MPAI108	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI-4 - Abilities: Attention or Concentration
C115860	MPAI109	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI-4 - Abilities: Memory
C115861	MPAI110	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI-4 - Abilities: Fund of Information
C115862	MPAI111	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI-4 - Abilities: Novel Problem-Solving
C115863	MPAI112	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI-4 - Abilities: Visuospatial Abilities
C115864	MPAI113	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI-4 - Adjustment: Anxiety
C115865	MPAI114	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI-4 - Adjustment: Depression
C115866	MPAI115	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI-4 - Adjustment: Irritability, Anger, Aggression
C115867	MPAI116	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI-4 - Adjustment: Pain and Headache
C115868	MPAI117	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI-4 - Adjustment: Fatigue
C115869	MPAI118	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI-4 - Adjustment: Sensitivity to Mild Symptoms
C115870	MPAI119	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI-4 - Adjustment: Inappropriate Social Interaction
C115871	MPAI120	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI-4 - Adjustment: Impaired Self-Awareness

**C115406 MPAI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115872	MPAI121	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI-4 - Adjustment: Family or Significant Relationships
C115873	MPAI122	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI-4 - Participation: Initiation
C115874	MPAI123	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI-4 - Participation: Social Contact with Friends, Work Associates and Others
C115875	MPAI124	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI-4 - Participation: Leisure and Recreational Activities
C115876	MPAI125	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI-4 - Participation: Self-Care
C115877	MPAI126	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI-4 - Participation: Residence
C115878	MPAI127	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI-4 - Participation: Transportation
C115879	MPAI128A	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Paid Employment
C115880	MPAI128B	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Other Employment
C115881	MPAI128C	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI-4 - Participation: Other Employment-Social Role
C115882	MPAI129	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI-4 - Participation: Managing Money and Finances
C115883	MPAI130A	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Pre-Injury
C115884	MPAI130B	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Post-Injury
C115885	MPAI131A	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Pre-Injury
C115886	MPAI131B	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Post-Injury
C115887	MPAI132A	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Pre-Injury
C115888	MPAI132B	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Post-Injury
C115889	MPAI133A	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI-4 - Law Violations Pre-Injury
C115890	MPAI133B	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI-4 - Law Violations Post-Injury

**C115406 MPAI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115891	MPAI134A	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Pre-Injury
C115892	MPAI134B	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Post-Injury
C115893	MPAI135A	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115894	MPAI135B	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Post-Injury



## MPAI1TN (Mayo-Portland Adaptability Inventory-4 Questionnaire Test Name)

NCI Code: C115405, Codelist extensible: No

C115405 MPAI1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115884	MPAI1-Alcohol Use-Post-Injury	MPAI1-Alcohol Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Post-Injury
C115883	MPAI1-Alcohol Use-Pre-Injury	MPAI1-Alcohol Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of alcoholic beverages.	MPAI-4 - Alcohol Use Pre-Injury
C115864	MPAI1-Anxiety	MPAI1-Anxiety	Mayo-Portland Adaptability Inventory-4 - Tense, nervous, fearful, phobias, nightmares, flashbacks of stressful events.	MPAI-4 - Adjustment: Anxiety
C115859	MPAI1-Attention/Concentration	MPAI1-Attention/Concentration	Mayo-Portland Adaptability Inventory-4 - Problems ignoring distractions, shifting attention, keeping more than one thing in mind at a time.	MPAI-4 - Abilities: Attention or Concentration
C115854	MPAI1-Audition	MPAI1-Audition	Mayo-Portland Adaptability Inventory-4 - Problems hearing; ringing in the ears.	MPAI-4 - Abilities: Audition
C115865	MPAI1-Depression	MPAI1-Depression	Mayo-Portland Adaptability Inventory-4 - Sad, blue, hopeless, poor appetite, poor sleep, worry, self-criticism.	MPAI-4 - Adjustment: Depression
C115855	MPAI1-Dizziness	MPAI1-Dizziness	Mayo-Portland Adaptability Inventory-4 - Feeling unsteady, dizzy, light-headed.	MPAI-4 - Abilities: Dizziness
C115886	MPAI1-Drug Use-Post-Injury	MPAI1-Drug Use-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Post-Injury
C115885	MPAI1-Drug Use-Pre-Injury	MPAI1-Drug Use-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury use of illegal drugs or abuse of prescription drugs.	MPAI-4 - Drug Use Pre-Injury
C115872	MPAI1-Family/Significant Relationships	MPAI1-Family/Significant Relationships	Mayo-Portland Adaptability Inventory-4 - Interactions with close others; describe stress within the family or those closest to the person with brain injury; 'family functioning' means cooperating to accomplish those tasks that need to be done to keep the household running.	MPAI-4 - Adjustment: Family or Significant Relationships
C115868	MPAI1-Fatigue	MPAI1-Fatigue	Mayo-Portland Adaptability Inventory-4 - Feeling tired; lack of energy; tiring easily.	MPAI-4 - Adjustment: Fatigue
C115861	MPAI1-Fund of Information	MPAI1-Fund of Information	Mayo-Portland Adaptability Inventory-4 - Problems remembering information learned in school or on the job; difficulty remembering information about self and family from years ago.	MPAI-4 - Abilities: Fund of Information
C115871	MPAI1-Impaired Self-Awareness	MPAI1-Impaired Self-Awareness	Mayo-Portland Adaptability Inventory-4 - Lack of recognition of personal limitations and disabilities and how they interfere with everyday activities and work or school.	MPAI-4 - Adjustment: Impaired Self-Awareness
C115870	MPAI1-Inappropriate Social Interaction	MPAI1-Inappropriate Social Interaction	Mayo-Portland Adaptability Inventory-4 - Acting childish, silly, rude, behavior not fitting for time and place.	MPAI-4 - Adjustment: Inappropriate Social Interaction
C115873	MPAI1-Initiation	MPAI1-Initiation	Mayo-Portland Adaptability Inventory-4 - Problems getting started on activities without prompting.	MPAI-4 - Participation: Initiation
C115866	MPAI1-Irritability, Anger, Aggression	MPAI1-Irritability, Anger, Aggression	Mayo-Portland Adaptability Inventory-4 - Verbal or physical expressions of anger.	MPAI-4 - Adjustment: Irritability, Anger, Aggression
C115890	MPAI1-Law Violations-Post-Injury	MPAI1-Law Violations-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury history before and after injury.	MPAI-4 - Law Violations Post-Injury
C115889	MPAI1-Law Violations-Pre-Injury	MPAI1-Law Violations-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury history before and after injury.	MPAI-4 - Law Violations Pre-Injury
C115875	MPAI1-Leisure and Recreation Activities	MPAI1-Leisure and Recreation Activities	Mayo-Portland Adaptability Inventory-4 - Leisure and recreational activities.	MPAI-4 - Participation: Leisure and Recreational Activities
C115882	MPAI1-Managing Money and Finances	MPAI1-Managing Money and Finances	Mayo-Portland Adaptability Inventory-4 - Shopping, keeping a check book or other bank account, managing personal income and investments.	MPAI-4 - Participation: Managing Money and Finances
C115860	MPAI1-Memory	MPAI1-Memory	Mayo-Portland Adaptability Inventory-4 - Problems learning and recalling new information.	MPAI-4 - Abilities: Memory

**C115405 MP AI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115851	MPAI1-Mobility	MPAI1-Mobility	Mayo-Portland Adaptability Inventory-4 - Problems walking or moving; balance problems that interfere with moving about.	MPAI-4 - Abilities: Mobility
C115856	MPAI1-Motor Speech	MPAI1-Motor Speech	Mayo-Portland Adaptability Inventory-4 - Abnormal clearness or rate of speech; stuttering.	MPAI-4 - Abilities: Motor Speech
C115858	MPAI1-Nonverbal Communication	MPAI1-Nonverbal Communication	Mayo-Portland Adaptability Inventory-4 - Restricted or unusual gestures or facial expressions; talking too much or not enough; missing nonverbal cues from others.	MPAI-4 - Abilities: Nonverbal Communication
C115862	MPAI1-Novel Problem-Solving	MPAI1-Novel Problem-Solving	Mayo-Portland Adaptability Inventory-4 - Problems thinking up solutions or picking the best solution to new problems.	MPAI-4 - Abilities: Novel Problem-Solving
C115894	MPAI1-Other Cognitive Cond-Post-Injury	MPAI1-Other Cognitive Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Post-Injury
C115893	MPAI1-Other Cognitive Cond-Pre-Injury	MPAI1-Other Cognitive Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury cognitive disability due to nonpsychiatric medical conditions other than brain injury, such as, dementia, stroke, developmental disability.	MPAI-4 - Other Condition Causing Cognitive Impairment Pre-Injury
C115880	MPAI1-Other Employment	MPAI1-Other Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week involved in constructive, role-appropriate activity other than paid employment when primary desired social role is not paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Other Employment
C115881	MPAI1-Other Employment-Social Role	MPAI1-Other Employment-Social Role	Mayo-Portland Adaptability Inventory-4 - Primary social role when paid employment is not primary desired social role.	MPAI-4 - Participation: Other Employment-Social Role
C115892	MPAI1-Other Physical Cond-Post-Injury	MPAI1-Other Physical Cond-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Post-Injury
C115891	MPAI1-Other Physical Cond-Pre-Injury	MPAI1-Other Physical Cond-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury physical disability due to medical conditions other than brain injury, such as, spinal cord injury, amputation.	MPAI-4 - Other Condition Causing Physical Impairment Pre-Injury
C115879	MPAI1-Paid Employment	MPAI1-Paid Employment	Mayo-Portland Adaptability Inventory-4 - Hours per week at paid employment when primary desired social role is paid employment. 'Support' means special help from another person with responsibilities (such as, a job coach or shadow, tutor, helper) or reduced responsibilities. Modifications to the physical environment that facilitate employment are not considered as support.	MPAI-4 - Participation: Paid Employment
C115867	MPAI1-Pain and Headache	MPAI1-Pain and Headache	Mayo-Portland Adaptability Inventory-4 - Verbal and nonverbal expressions of pain; activities limited by pain.	MPAI-4 - Adjustment: Pain and Headache
C115888	MPAI1-Psychotic Symptoms-Post-Injury	MPAI1-Psychotic Symptoms-Post-Injury	Mayo-Portland Adaptability Inventory-4 - Post-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Post-Injury
C115887	MPAI1-Psychotic Symptoms-Pre-Injury	MPAI1-Psychotic Symptoms-Pre-Injury	Mayo-Portland Adaptability Inventory-4 - Pre-injury hallucinations, delusions, other persistent severely distorted perceptions of reality.	MPAI-4 - Psychotic Symptoms Pre-Injury
C115877	MPAI1-Residence	MPAI1-Residence	Mayo-Portland Adaptability Inventory-4 - Responsibilities of independent living and homemaking (such as meal preparation, home repairs and maintenance, personal health maintenance beyond basic hygiene including medication management) but not including managing money.	MPAI-4 - Participation: Residence
C115876	MPAI1-Self-Care	MPAI1-Self-Care	Mayo-Portland Adaptability Inventory-4 - Eating, dressing, bathing, hygiene.	MPAI-4 - Participation: Self-Care
C115869	MPAI1-Sensitivity to Mild Symptoms	MPAI1-Sensitivity to Mild Symptoms	Mayo-Portland Adaptability Inventory-4 - Focusing on thinking, physical or emotional problems attributed to brain injury; rate only how concern or worry about these symptoms affects current functioning over and above the effects of the symptoms themselves.	MPAI-4 - Adjustment: Sensitivity to Mild Symptoms

**C115405 MPAI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115874	MPAI1-Social Contact-Friends/Coworkers	MPAI1-Social Contact-Friends/Coworkers	Mayo-Portland Adaptability Inventory-4 - Social contact with friends, work associates, and other people who are not family, significant others, or professionals.	MPAI-4 - Participation: Social Contact with Friends, Work Associates and Others
C115878	MPAI1-Transportation	MPAI1-Transportation	Mayo-Portland Adaptability Inventory-4 - Transportation.	MPAI-4 - Participation: Transportation
C115852	MPAI1-Use of Hands	MPAI1-Use of Hands	Mayo-Portland Adaptability Inventory-4 - Impaired strength or coordination in one or both hands.	MPAI-4 - Abilities: Use of Hands
C115857	MPAI1-Verbal Communication	MPAI1-Verbal Communication	Mayo-Portland Adaptability Inventory-4 - Problems expressing or understanding language.	MPAI-4 - Abilities: Verbal Communication
C115853	MPAI1-Vision	MPAI1-Vision	Mayo-Portland Adaptability Inventory-4 - Problems seeing; double vision; eye, brain, or nerve injuries that interfere with seeing.	MPAI-4 - Abilities: Vision
C115863	MPAI1-Visuospatial Abilities	MPAI1-Visuospatial Abilities	Mayo-Portland Adaptability Inventory-4 - Problems drawing, assembling things, route-finding, being visually aware on both the left and right sides.	MPAI-4 - Abilities: Visuospatial Abilities

## MRFATS (Malaria Findings About Test Name)

NCI Code: C132319, Codelist extensible: Yes

<b>C132319 MRFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	Severity/Intensity	Severity/Intensity	The degree of something undesirable.	Severity

## MRFATSCD (Malaria Findings About Test Code)

NCI Code: C132320, Codelist extensible: Yes

<b>C132320 MRFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	SEV	Severity/Intensity	The degree of something undesirable.	Severity

## MRS01TC (Modified Rankin Scale Questionnaire Test Code)

NCI Code: C111348, Codelist extensible: No

<b>C111348 MRS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111520	MRS0101	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score

**MRS01TN (Modified Rankin Scale Questionnaire Test Name)**

NCI Code: C111347, Codelist extensible: No

<b>C111347 MRS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111520	MRS01-Modified Rankin Scale Score	MRS01-Modified Rankin Scale Score	Modified Rankin Scale - Modified Rankin Scale Score.	MRS - Modified Rankin Scale Score

## MSFATS (Multiple Sclerosis Findings About Test Name)

NCI Code: C117740, Codelist extensible: Yes

<b>C117740 MSFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117883	Diagnostic Criteria Met	Diagnostic Criteria Met	A description of the diagnostic criteria that the subject fulfilled in order to establish a medical diagnosis.	Which Diagnostic Criteria Met
C117884	Localization of Onset	Localization of Onset	The anatomical location of the beginning or early stages of a disease.	Location of Disease Onset
C117885	Onset Unifocal or Multifocal	Onset Unifocal or Multifocal	A categorization of the number of lesions present in the Central Nervous System at the time of diagnosis of a specific disease.	Focality of Disease Onset



## MSFATSCD (Multiple Sclerosis Findings About Test Code)

NCI Code: C117741, Codelist extensible: Yes

<b>C117741 MSFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117883	DXCRITMT	Diagnostic Criteria Met	A description of the diagnostic criteria that the subject fulfilled in order to establish a medical diagnosis.	Which Diagnostic Criteria Met
C117884	LOCONSET	Localization of Onset	The anatomical location of the beginning or early stages of a disease.	Location of Disease Onset
C117885	OUNIMULT	Onset Unifocal or Multifocal	A categorization of the number of lesions present in the Central Nervous System at the time of diagnosis of a specific disease.	Focality of Disease Onset

## MSQL1TC (Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Code)

NCI Code: C113860, Codelist extensible: No

<b>C113860 MSQL1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C113988	MSQL101	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is
C113989	MSQL102	MSQL1-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago
C113990	MSQL103	MSQL1-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities
C113991	MSQL104	MSQL1-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities
C113992	MSQL105	MSQL1-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries
C113993	MSQL106	MSQL1-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs
C113994	MSQL107	MSQL1-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair
C113995	MSQL108	MSQL1-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping
C113996	MSQL109	MSQL1-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile
C113997	MSQL110	MSQL1-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks
C113998	MSQL111	MSQL1-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block
C113999	MSQL112	MSQL1-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself
C114000	MSQL113	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work
C114001	MSQL114	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less
C114002	MSQL115	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work
C114003	MSQL116	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work
C114004	MSQL117	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work

**C113860 MSQ11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114005	MSQ118	MSQ11-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less
C114006	MSQ119	MSQ11-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully
C114007	MSQ120	MSQ11-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities
C114008	MSQ121	MSQ11-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain
C114009	MSQ122	MSQ11-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQ123	MSQ11-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114011	MSQ124	MSQ11-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person
C114012	MSQ125	MSQ11-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114013	MSQ126	MSQ11-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C114014	MSQ127	MSQ11-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114015	MSQ128	MSQ11-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114016	MSQ129	MSQ11-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114017	MSQ130	MSQ11-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114018	MSQ131	MSQ11-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114019	MSQ132	MSQ11-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114020	MSQ133	MSQ11-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQ134	MSQ11-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114022	MSQ135	MSQ11-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQ136	MSQ11-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse

**C113860 MSQ11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114024	MSQL137	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114025	MSQL138	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114026	MSQL139	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C114027	MSQL140	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL141	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114029	MSQL142	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114030	MSQL143	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long
C114031	MSQL144	MSQL1-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114032	MSQL145	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114033	MSQL146	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114034	MSQL147M	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114035	MSQL147W	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114036	MSQL148	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114037	MSQL149	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114038	MSQL150	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114039	MSQL151	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114040	MSQL152	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life
C114041	MSQL153	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114042	MSQL154	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life

**MSQL1TN (Multiple Sclerosis Quality of Life-54 Instrument Questionnaire Test Name)**

NCI Code: C113859, Codelist extensible: No

<b>C113859 MSQL1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114037	MSQL1-Ability to Satisfy Sexual Partner	MSQL1-Ability to Satisfy Sexual Partner	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Ability to satisfy sexual partner.	MSQOL-54 - Ability to Satisfy Sexual Partner
C114020	MSQL1-Amt Time Interfere Social Activity	MSQL1-Amt Time Interfere Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	MSQOL-54 - Time Physical Health or Emotional Problem Interfere With Social Activities
C114039	MSQL1-Bowel/Bladder Interfered Activity	MSQL1-Bowel/Bladder Interfered Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent have problems with your bowel or bladder function interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Bowel or Bladder Function Interfere With Social Activities
C114042	MSQL1-Describe How Feel About Your Life	MSQL1-Describe How Feel About Your Life	Multiple Sclerosis Quality of Life-54 Instrument - Which best describes how you feel about your life as a whole?	MSQOL-54 - Describe How You Feel About Your Life
C114009	MSQL1-Did Pain Interfere With Your Work	MSQL1-Did Pain Interfere With Your Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your normal work?	MSQOL-54 - Pain Interfere With Normal Work
C114010	MSQL1-Did You Feel Full of Pep	MSQL1-Did You Feel Full of Pep	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel full of pep?	MSQOL-54 - Feel Full of Pep
C114019	MSQL1-Did You Feel Rested on Waking	MSQL1-Did You Feel Rested on Waking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel rested on waking in the morning?	MSQOL-54 - Feel Rested Waking in the Morning
C114018	MSQL1-Did You Feel Tired	MSQL1-Did You Feel Tired	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel tired?	MSQOL-54 - Feel Tired
C114016	MSQL1-Did You Feel Worn Out	MSQL1-Did You Feel Worn Out	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel worn out?	MSQOL-54 - Feel Worn Out
C114014	MSQL1-Did You Have a Lot of Energy	MSQL1-Did You Have a Lot of Energy	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have a lot of energy?	MSQOL-54 - Have a Lot of Energy
C114034	MSQL1-Difficult Getting/Keeping Erection	MSQL1-Difficult Getting/Keeping Erection	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty getting or keeping an erection.	MSQOL-54 - Difficulty Keeping an Erection
C114029	MSQL1-Difficulty Concentrating/Thinking	MSQL1-Difficulty Concentrating/Thinking	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had difficulty concentrating and thinking?	MSQOL-54 - Difficulty Concentrating and Thinking
C114036	MSQL1-Difficulty Having Orgasm	MSQL1-Difficulty Having Orgasm	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Difficulty having orgasm.	MSQOL-54 - Difficulty Having Orgasm
C114025	MSQL1-Discouraged by Health Problems	MSQL1-Discouraged by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you discouraged by your health problems?	MSQOL-54 - Discouraged by Health Problem
C114005	MSQL1-Emotional Problem: Accomplish Less	MSQL1-Emotional Problem: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	MSQOL-54 - Emotional Problem Accomplish Less
C114004	MSQL1-Emotional Problem: Cut Work Time	MSQL1-Emotional Problem: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Emotional Problem Cut Down Time on Work
C114006	MSQL1-Emotional Problem: Less Careful	MSQL1-Emotional Problem: Less Careful	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	MSQOL-54 - Emotional Problem Did Not Do Work Carefully

**C113859 MSQ11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114007	MSQ11-Extent Interfered Social Activity	MSQ11-Extent Interfered Social Activity	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	MSQOL-54 - Extend Physical Health or Emotional Problem Interfere With Social Activities
C114021	MSQ11-Get Sick Easier Than Other People	MSQ11-Get Sick Easier Than Other People	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	MSQOL-54 - Get Sick Easier Than Other
C114011	MSQ11-Have Been a Very Nervous Person	MSQ11-Have Been a Very Nervous Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a very nervous person?	MSQOL-54 - Been a Nervous Person
C114015	MSQ11-Have Felt Downhearted and Blue	MSQ11-Have Felt Downhearted and Blue	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	MSQOL-54 - Felt Downhearted and Blue
C114012	MSQ11-Have Felt So Down in the Dumps	MSQ11-Have Felt So Down in the Dumps	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	MSQOL-54 - Felt So Down Nothing Could Cheer You Up
C114031	MSQ11-Have Had Trouble With Your Memory	MSQ11-Have Had Trouble With Your Memory	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you had trouble with your memory?	MSQOL-54 - Trouble With Memory
C114017	MSQ11-Have You Been a Happy Person	MSQ11-Have You Been a Happy Person	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you been a happy person?	MSQOL-54 - Been a Happy Person
C114013	MSQ11-Have You Felt Calm and Peaceful	MSQ11-Have You Felt Calm and Peaceful	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	MSQOL-54 - Felt Calm and Peaceful
C113999	MSQ11-Health Limit Bathing/Dressing Self	MSQ11-Health Limit Bathing/Dressing Self	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bathing and dressing yourself.	MSQOL-54 - Health Limit Bathing and Dressing Yourself
C113995	MSQ11-Health Limit Bending or Kneeling	MSQ11-Health Limit Bending or Kneeling	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Bending, kneeling, or stooping.	MSQOL-54 - Health Limit Bending, Kneeling or Stooping
C113992	MSQ11-Health Limit Carrying Groceries	MSQ11-Health Limit Carrying Groceries	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Lifting or carrying groceries.	MSQOL-54 - Health Limit Lifting or Carrying Groceries
C113994	MSQ11-Health Limit Climb One Flight	MSQ11-Health Limit Climb One Flight	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing one flight of stairs.	MSQOL-54 - Health Limit Climbing One Stair
C113993	MSQ11-Health Limit Climb Several Flights	MSQ11-Health Limit Climb Several Flights	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Climbing several flights of stairs.	MSQOL-54 - Health Limit Climbing Several Stairs
C113991	MSQ11-Health Limit Moderate Activities	MSQ11-Health Limit Moderate Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	MSQOL-54 - Health Limit Moderate Activities
C113990	MSQ11-Health Limit Vigorous Activities	MSQ11-Health Limit Vigorous Activities	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	MSQOL-54 - Health Limit Vigorous Activities
C113996	MSQ11-Health Limit Walk More Than Mile	MSQ11-Health Limit Walk More Than Mile	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking more than a mile.	MSQOL-54 - Health Limit Walking More than A Mile
C113998	MSQ11-Health Limit Walk One Block	MSQ11-Health Limit Walk One Block	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking one block.	MSQOL-54 - Health Limit Walking One Block
C113997	MSQ11-Health Limit Walk Several Blocks	MSQ11-Health Limit Walk Several Blocks	Multiple Sclerosis Quality of Life-54 Instrument - Does your health limit you in these activities: Walking several blocks.	MSQOL-54 - Health Limit Walking Several Blocks
C113989	MSQ11-Health Now Compared to 1 Year Ago	MSQ11-Health Now Compared to 1 Year Ago	Multiple Sclerosis Quality of Life-54 Instrument - Compared to one year ago, how would you rate your health in general now?	MSQOL-54 - Health Now Compared to One Year Ago
C114008	MSQ11-How Much Bodily Pain Have You Had	MSQ11-How Much Bodily Pain Have You Had	Multiple Sclerosis Quality of Life-54 Instrument - How much bodily pain have you had during the past 4 weeks?	MSQOL-54 - Bodily Pain

<b>C113859 MSQL1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114022	MSQL1-I Am as Healthy as Anybody I Know	MSQL1-I Am as Healthy as Anybody I Know	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	MSQOL-54 - As Healthy as Anybody
C114023	MSQL1-I Expect My Health to Get Worse	MSQL1-I Expect My Health to Get Worse	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	MSQOL-54 - Expect Health to Get Worse
C114035	MSQL1-Inadequate Lubrication	MSQL1-Inadequate Lubrication	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Inadequate lubrication.	MSQOL-54 - Inadequate Lubrication
C114033	MSQL1-Lack of Sexual Interest	MSQL1-Lack of Sexual Interest	Multiple Sclerosis Quality of Life-54 Instrument - How much of a problem was each of the following for you during the past 4 weeks: Lack of sexual interest.	MSQOL-54 - Lack of Sexual Interest
C114024	MSQL1-My Health Is Excellent	MSQL1-My Health Is Excellent	Multiple Sclerosis Quality of Life-54 Instrument - How TRUE or FALSE is each of the following statements for you: My health is excellent.	MSQOL-54 - Health is Excellent
C114032	MSQL1-Others Notice Your Memory Trouble	MSQL1-Others Notice Your Memory Trouble	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Have others, such as family members or friends, noticed that you have trouble with your memory or problems with your concentration?	MSQOL-54 - Others Notice Your Problems With Memory or Concentration
C114040	MSQL1-Pain Interfere Enjoyment of Life	MSQL1-Pain Interfere Enjoyment of Life	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, how much did pain interfere with your enjoyment of life?	MSQOL-54 - Pain Interfere Enjoyment of Life
C114001	MSQL1-Phys Health: Accomplish Less	MSQL1-Phys Health: Accomplish Less	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	MSQOL-54 - Physical Health Accomplish Less
C114000	MSQL1-Phys Health: Cut Work Time	MSQL1-Phys Health: Cut Work Time	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down on the amount of time you could spend on work or other activities.	MSQOL-54 - Physical Health Cut Down Time on Work
C114003	MSQL1-Phys Health: Difficulty Performing	MSQL1-Phys Health: Difficulty Performing	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	MSQOL-54 - Physical Health Difficulty Perform Work
C114002	MSQL1-Phys Health: Limit Kind of Work	MSQL1-Phys Health: Limit Kind of Work	Multiple Sclerosis Quality of Life-54 Instrument - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	MSQOL-54 - Physical Health Limited in the Kind of Work
C114041	MSQL1-Rate Your Own Quality-of-Life	MSQL1-Rate Your Own Quality-of-Life	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how would you rate your own quality-of-life?	MSQOL-54 - Rate Your Own Quality of Life
C114038	MSQL1-Satisfied With Sexual Function	MSQL1-Satisfied With Sexual Function	Multiple Sclerosis Quality of Life-54 Instrument - Overall, how satisfied were you with your sexual function during the past 4 weeks?	MSQOL-54 - Satisfied With Sexual Function
C114030	MSQL1-Trouble Keep Attention for Long	MSQL1-Trouble Keep Attention for Long	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you have trouble keeping your attention on an activity for long?	MSQOL-54 - Trouble Keep Attention for Long
C114027	MSQL1-Was Health a Worry in Your Life	MSQL1-Was Health a Worry in Your Life	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Was your health a worry in your life?	MSQOL-54 - Health a Worry in Life
C114028	MSQL1-Weighed Down by Health Problems	MSQL1-Weighed Down by Health Problems	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Did you feel weighed down by your health problems?	MSQOL-54 - Feel Weighed Down by Health Problem
C114026	MSQL1-Were Frustrated About Your Health	MSQL1-Were Frustrated About Your Health	Multiple Sclerosis Quality of Life-54 Instrument - How much of the time during the past 4 weeks: Were you frustrated about your health?	MSQOL-54 - Frustrated With Health
C113988	MSQL1-Would You Say Your Health Is	MSQL1-Would You Say Your Health Is	Multiple Sclerosis Quality of Life-54 Instrument - In general, would you say your health is:	MSQOL-54 - Would You Say Your Health Is

## MSRESCAT (Microbiology Susceptibility Testing Result Category)

NCI Code: C85495, Codelist extensible: No

C85495 MSRESCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85560	INTERMEDIATE	Intermediate	The growth of microorganisms may be inhibited by antimicrobials that approach usually attainable blood and tissue concentrations. The response rates may be lower than for susceptible isolates. This category also includes a buffer zone, which should prevent small, uncontrolled, technical factors from causing major discrepancies in interpretations, especially for drugs with narrow pharmacotoxicity margins.	Antimicrobial Intermediate Susceptibility Result
C85561	NONSUSCEPTIBLE	Non Susceptible	A category used for microorganisms that have only a susceptible interpretive criteria, but not an intermediate or resistant interpretive category (i.e., susceptible-only interpretive category). This category may be applied to new antimicrobial agents for which no resistant microorganisms have been encountered at the time the initial interpretive criteria are determined. Microorganisms that test with an MIC above or a zone measurement below the susceptible interpretive criteria are designated as nonsusceptible. A designation of nonsusceptible does not necessarily mean that a resistance mechanism(s) exists in the microorganism.	Antimicrobial Nonsusceptibility Result
C48660	NOT APPLICABLE	NA;Not Applicable	Determination of a value is not relevant in the current context. (NCI)	Not Applicable
C85562	RESISTANT	Resistant	The growth of microorganisms are not inhibited by the usually achievable concentrations of the antimicrobial agent with normal dosages, and/or microorganisms demonstrate MICs or zone diameters that fall in the range where specific microbial resistance mechanisms (e.g. Beta-lactamases) are likely, and clinical efficacy of the agent against the microorganism has not been reliably shown in treatment studies.	Antimicrobial Resistance Result
C85563	SUSCEPTIBLE	Susceptible	The growth of microorganisms are inhibited by the usually achievable concentrations of antimicrobial agent when the recommended dosage is used for the site of infection.	Antimicrobial Susceptibility Result
C85559	SUSCEPTIBLE-DOSE DEPENDENT	Susceptible-Dose Dependent	The growth of microorganisms may be inhibited when higher than normal dosages of an antimicrobial agent are used and maximal possible blood concentration of the antimicrobial agent is achieved.	Antimicrobial Dose Dependent Susceptibility Result
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown



**MSTEST (Microbiology Susceptibility Test Name)**

NCI Code: C128687, Codelist extensible: Yes

<b>C128687 MSTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147471	Diameter of the Zone of Inhibition	Diameter of the Kill Zone;Diameter of the Zone of Inhibition	A measurement of the diameter of the circular region of bacteria growth inhibition that surrounds an antibiotic source on the surface of a cultured plate.	Antibiotic Susceptibility Zone Diameter
C116255	Inhibitory Concentration Net Assessment	Inhibitory Concentration Net Assessment	An indication of reduced or increased susceptibility of a microbial organism, or activity of a biological/biochemical reaction in response to the inhibitory concentration (IC50 and/or IC95) of a specific drug.	Inhibitory Concentration Net Assessment Measurement
C139114	Microbial EC50 Fold Change from Baseline	Microbial EC50 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition of population growth or replication of a microbial organism. (NCI)	Microbial EC50 Fold Change from Baseline
C139115	Microbial EC50 Fold Change from Ref	Microbial EC50 Fold Change from Ref;Microbial EC50 Fold Change from Reference	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. It is a ratio calculated by the EC50 Subject Result divided by the EC50 Reference Control Result. (NCI)	Microbial EC50 Fold Change from Reference
C139116	Microbial EC50 Reference Control Result	Microbial EC50 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. (NCI)	Microbial EC50 Reference Control Result
C139117	Microbial EC50 Subject Result	Microbial EC50 Subject Result	A measurement of titer of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. (NCI)	Microbial EC50 Subject Result
C139118	Microbial IC50 Fold Change from Baseline	Microbial IC50 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the current IC50 Subject Result divided by the IC50 Subject Result from the baseline visit.	Microbial IC50 Fold Change from Baseline
C139119	Microbial IC50 Fold Change from Ref	Microbial IC50 Fold Change from Ref;Microbial IC50 Fold Change from Reference	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the IC50 Subject Result divided by the IC50 Reference Control Result.	Microbial IC50 Fold Change from Reference
C139120	Microbial IC50 Reference Control Result	Microbial IC50 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC50 Reference Control Result
C139121	Microbial IC50 Subject Result	Microbial IC50 Subject Result	A measurement of biological/biochemical reaction of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC50 Subject Result
C139122	Microbial IC95 Fold Change from Baseline	IC95 Fold Change from Baseline;Microbial IC95 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the current IC95 Subject Result divided by the IC95 Subject Result from the baseline visit.	Microbial IC95 Fold Change from Baseline
C139123	Microbial IC95 Fold Change from Ref	IC95 Fold Change from Reference;Microbial IC95 Fold Change from Ref	A fold change based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the IC95 Subject Result divided by the IC95 Reference Control Result.	Microbial IC95 Fold Change from Ref
C139124	Microbial IC95 Reference Control Result	IC95 Reference Control Result;Microbial IC95 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC95 Reference Control Result
C139125	Microbial IC95 Subject Result	IC95 Subject Result;Microbial IC95 Subject Result	A measurement of biological/biochemical reaction of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC95 Subject Result
C85540	Microbial Susceptibility	Microbial Susceptibility	A measurement of the response of the microbial organism to a controlled concentration of an antimicrobial agent.	Microbial Susceptibility Test

**C128687 MSTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C128985	Minimum Inhibitory Concentration	Minimum Inhibitory Concentration	A measurement that specifies the minimum concentration of the agent at which organism growth was inhibited.	Minimum Inhibitory Concentration Test

## MSTESTCD (Microbiology Susceptibility Test Code)

NCI Code: C128688, Codelist extensible: Yes

C128688 MSTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147471	DIAZOINH	Diameter of the Kill Zone;Diameter of the Zone of Inhibition	A measurement of the diameter of the circular region of bacteria growth inhibition that surrounds an antibiotic source on the surface of a cultured plate.	Antibiotic Susceptibility Zone Diameter
C116255	ICNETAS	Inhibitory Concentration Net Assessment	An indication of reduced or increased susceptibility of a microbial organism, or activity of a biological/biochemical reaction in response to the inhibitory concentration (IC50 and/or IC95) of a specific drug.	Inhibitory Concentration Net Assessment Measurement
C139114	MEC50FCB	Microbial EC50 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition of population growth or replication of a microbial organism. (NCI)	Microbial EC50 Fold Change from Baseline
C139115	MEC50FCR	Microbial EC50 Fold Change from Ref;Microbial EC50 Fold Change from Reference	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. It is a ratio calculated by the EC50 Subject Result divided by the EC50 Reference Control Result. (NCI)	Microbial EC50 Fold Change from Reference
C139116	MEC50R	Microbial EC50 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. (NCI)	Microbial EC50 Reference Control Result
C139117	MEC50S	Microbial EC50 Subject Result	A measurement of titer of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 50 percent inhibition of the population growth or replication of a microbial organism. (NCI)	Microbial EC50 Subject Result
C128985	MIC	Minimum Inhibitory Concentration	A measurement that specifies the minimum concentration of the agent at which organism growth was inhibited.	Minimum Inhibitory Concentration Test
C139118	MIC50FCB	Microbial IC50 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the current IC50 Subject Result divided by the IC50 Subject Result from the baseline visit.	Microbial IC50 Fold Change from Baseline
C139119	MIC50FCR	Microbial IC50 Fold Change from Ref;Microbial IC50 Fold Change from Reference	A fold change based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the IC50 Subject Result divided by the IC50 Reference Control Result.	Microbial IC50 Fold Change from Reference
C139120	MIC50R	Microbial IC50 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC50 Reference Control Result
C139121	MIC50S	Microbial IC50 Subject Result	A measurement of biological/biochemical reaction of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 50 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC50 Subject Result
C139122	MIC95FCB	IC95 Fold Change from Baseline;Microbial IC95 Fold Change from Baseline	A fold change based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the current IC95 Subject Result divided by the IC95 Subject Result from the baseline visit.	Microbial IC95 Fold Change from Baseline
C139123	MIC95FCR	IC95 Fold Change from Reference;Microbial IC95 Fold Change from Ref	A fold change based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism. It is a ratio calculated by the IC95 Subject Result divided by the IC95 Reference Control Result.	Microbial IC95 Fold Change from Ref
C139124	MIC95R	IC95 Reference Control Result;Microbial IC95 Reference Control Result	A reference control sample response based on the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC95 Reference Control Result
C139125	MIC95S	IC95 Subject Result;Microbial IC95 Subject Result	A measurement of biological/biochemical reaction of a microbial organism that has been exposed to the concentration of a specific drug expected to produce 95 percent inhibition on the enzymatic activity of a microbial organism.	Microbial IC95 Subject Result

**C128688 MSTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85540	MICROSUS	Microbial Susceptibility	A measurement of the response of the microbial organism to a controlled concentration of an antimicrobial agent.	Microbial Susceptibility Test

## MUSCTS (Musculoskeletal System Finding Test Name)

NCI Code: C127270, Codelist extensible: Yes

C127270 MUSCTS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25244	Area	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C139218	Body Fat Percentage	Body Fat Percentage	The amount of an individual's total body mass that is fat, expressed as a percent.	Body Fat Percentage
C147472	Bone Mineral Content	Bone Mineral Content	An assessment of the quantity of minerals within a specific bone(s) or segments.	Bone Mineral Content
C61545	Bone Mineral Density	Bone Mineral Density	A measurement of the amount of minerals contained in a specified volume or area of bone(s) or segments.	Bone Mineral Density Test
C147473	Bone Mineral Density T-Score	Bone Mineral Density T-Score	The standard deviation of the subject's bone mineral density score in comparison to the normal bone mineral density of a healthy 30-year old adult.	Bone Mineral Density T-Score
C139217	Bone Mineral Density Z-Score	Bone Mineral Density Z-Score	A statistical score representing the number of standard deviations above or below what is expected for an individual's bone mineral density based on his age, sex, weight, and race.	Bone Mineral Density Z-Score
C139223	Brooke mMRC MMT Score, Abduction	Brooke Modified Medical Research Council Manual Muscle Test Score, Abduction;Brooke mMRC MMT Score, Abduction	The numerical value that represents the result of a clinical assessment of muscle strength and function during abduction that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Abduction
C139225	Brooke mMRC MMT Score, Dorsiflexion	Brooke Modified Medical Research Council Manual Muscle Test Score, Dorsiflexion;Brooke mMRC MMT Score, Dorsiflexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during dorsiflexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Dorsiflexion
C139227	Brooke mMRC MMT Score, Eversion	Brooke Modified Medical Research Council Manual Muscle Test Score, Eversion;Brooke mMRC MMT Score, Eversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during eversion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Eversion
C139220	Brooke mMRC MMT Score, Extension	Brooke Modified Medical Research Council Manual Muscle Test Score, Extension;Brooke mMRC MMT Score, Extension	The numerical value that represents the result of a clinical assessment of muscle strength and function during extension that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Extension
C139222	Brooke mMRC MMT Score, Flexion	Brooke Modified Medical Research Council Manual Muscle Test Score, Flexion;Brooke mMRC MMT Score, Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during flexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Flexion
C139226	Brooke mMRC MMT Score, Inversion	Brooke Modified Medical Research Council Manual Muscle Test Score, Inversion;Brooke mMRC MMT Score, Inversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during inversion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Inversion

**C127270 MUSCTS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139224	Brooke mMRC MMT Score, Lat. Rotat.	Brooke Modified Medical Research Council Manual Muscle Test Score, Lateral Rotation;Brooke mMRC MMT Score, Lat. Rotat.	The numerical value that represents the result of a clinical assessment of muscle strength and function during lateral rotation that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Lateral Rotation
C139221	Brooke mMRC MMT Score, Plantar Flex	Brooke Modified Medical Research Council Manual Muscle Test Score, Plantar Flexion;Brooke mMRC MMT Score, Plantar Flex	The numerical value that represents the result of a clinical assessment of muscle strength and function during plantar flexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Plantar Flexion
C139210	Grip Strength	Grip Strength	An assessment of muscle strength that measures that force with which one holds or grasps.	Grip Strength
C139215	Isometric Muscle Strength, Extension	Isometric Muscle Strength, Extension	An assessment of muscle strength that measures the force produced by static muscle contraction during the straightening (unbending) movement between body parts. (NCI)	Isometric Muscle Strength, Extension
C139216	Isometric Muscle Strength, Flexion	Isometric Muscle Strength, Flexion	An assessment of muscle strength that measures the force produced by static muscle contraction during the bending movement between body parts. (NCI)	Isometric Muscle Strength, Flexion
C139219	Lean Body Mass to Total Body Mass Ratio	Lean Body Mass to Total Body Mass Ratio	The proportion of an individual's lean body mass to his total body weight. Lean body mass is calculated by subtracting body fat from total body weight.	Lean Body Mass to Total Body Mass Ratio
C139231	MRC MMT Score, Abduction	MRC MMT Score, Abduction;Medical Research Council Manual Muscle Test Score, Abduction	The numerical value that represents the result of a clinical assessment of muscle strength and function during abduction that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Abduction
C139233	MRC MMT Score, Dorsiflexion	MRC MMT Score, Dorsiflexion;Medical Research Council Manual Muscle Test Score, Dorsiflexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during dorsiflexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Dorsiflexion
C139235	MRC MMT Score, Eversion	MRC MMT Score, Eversion;Medical Research Council Manual Muscle Test Score, Eversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during eversion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Eversion
C139228	MRC MMT Score, Extension	MRC MMT Score, Extension;Medical Research Council Manual Muscle Test Score, Extension	The numerical value that represents the result of a clinical assessment of muscle strength and function during extension that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Extension
C139230	MRC MMT Score, Flexion	MRC MMT Score, Flexion;Medical Research Council Manual Muscle Test Score, Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during flexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Flexion

**C127270 MUSCTS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139234	MRC MMT Score, Inversion	MRC MMT Score, Inversion;Medical Research Council Manual Muscle Test Score, Inversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during inversion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Inversion
C139232	MRC MMT Score, Lat. Rotat.	MRC MMT Score, Lat. Rotat.;Medical Research Council Manual Muscle Test Score, Lateral Rotation	The numerical value that represents the result of a clinical assessment of muscle strength and function during lateral rotation that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Lateral Rotation
C139229	MRC MMT Score, Plantar Flex	MRC MMT Score, Plantar Flex;Medical Research Council Manual Muscle Test Score, Plantar Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during plantar flexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Plantar Flexion
C139211	Pinch Strength	Pinch Strength	An assessment of hand muscle strength that measures the force with which an individual can squeeze or compress an object using his thumb and one or multiple fingers from the same hand.	Pinch Strength
C139212	Range of Motion, Abduction	Range of Motion, Abduction	An assessment of joint flexibility that measures the movement of a body part pulling away from the midline of the body, in number of degrees. (NCI)	Range of Motion, Abduction
C139214	Range of Motion, Dorsiflexion	Range of Motion, Dorsiflexion	An assessment of joint flexibility that measures the movement of a body part bending towards its dorsal surface, in number of degrees. (NCI)	Range of Motion, Dorsiflexion
C139213	Range of Motion, Extension	Range of Motion, Extension	An assessment of joint flexibility that measures the straightening (unbending) movement between body parts, in number of degrees. (NCI)	Range of Motion, Extension
C128986	Sharp/Genant Bone Erosion Score	Sharp/Genant Bone Erosion Score	The numerical value that represents the result of a clinical assessment of bone erosion based on the Genant modification of the Sharp Joint Erosion Assessment (Genant HK. Methods of assessing radiographic change in rheumatoid arthritis. Am J Med. 1983 Dec 30;75(6A):35-47).	Sharp Genant Bone Erosion Score
C128987	Sharp/Genant JSN Score	Sharp/Genant JSN Score	The numerical value that represents the result of a clinical assessment of joint space narrowing based on the Genant modification of the Sharp Joint Space Narrowing Assessment (Genant HK. Methods of assessing radiographic change in rheumatoid arthritis. Am J Med. 1983 Dec 30;75(6A):35-47).	Sharp Genant Joint Space Narrowing Score
C128988	Sharp/Van der Heijde Bone Erosion Score	Sharp/Van der Heijde Bone Erosion Score	The numerical value that represents the result of a clinical assessment of bone erosion based on the Van der Heijde modification of the Sharp Joint Erosion Assessment (Van der Heijde DM, van Riel PL, Nuver-Zwart IH, Gribnau FW, van de Putte LB. Effects of hydroxychloroquine and sulphasalazine on progression of joint damage in rheumatoid arthritis. Lancet 1989;1:1036-8).	Sharp van der Heijde Bone Erosion Score
C128989	Sharp/Van der Heijde JSN Score	Sharp/Van der Heijde JSN Score	The numerical value that represents the result of a clinical assessment of joint space narrowing based on the Van der Heijde modification of the Sharp Joint Space Narrowing Assessment (Van der Heijde DM, van Riel PL, Nuver-Zwart IH, Gribnau FW, van de Putte LB. Effects of hydroxychloroquine and sulphasalazine on progression of joint damage in rheumatoid arthritis. Lancet 1989;1:1036-8).	Sharp van der Heijde Joint Space Narrowing Score
C127774	Swollen Indicator	Swollen Indicator	An indication as to whether there are symptoms of swelling.	Swollen Indicator
C127775	Tenderness Indicator	Tenderness Indicator	An indication as to whether there are symptoms of tenderness.	Tenderness Indicator

## MUSCTSCD (Musculoskeletal System Finding Test Code)

NCI Code: C127269, Codelist extensible: Yes

C127269 MUSCTSCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25244	AREA	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C147472	BMC	Bone Mineral Content	An assessment of the quantity of minerals within a specific bone(s) or segments.	Bone Mineral Content
C61545	BMD	Bone Mineral Density	A measurement of the amount of minerals contained in a specified volume or area of bone(s) or segments.	Bone Mineral Density Test
C147473	BMDT	Bone Mineral Density T-Score	The standard deviation of the subject's bone mineral density score in comparison to the normal bone mineral density of a healthy 30-year old adult.	Bone Mineral Density T-Score
C139217	BMDZ	Bone Mineral Density Z-Score	A statistical score representing the number of standard deviations above or below what is expected for an individual's bone mineral density based on his age, sex, weight, and race.	Bone Mineral Density Z-Score
C139223	BMMTABDT	Brooke Modified Medical Research Council Manual Muscle Test Score, Abduction;Brooke mMRC MMT Score, Abduction	The numerical value that represents the result of a clinical assessment of muscle strength and function during abduction that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Abduction
C139225	BMMTDORS	Brooke Modified Medical Research Council Manual Muscle Test Score, Dorsiflexion;Brooke mMRC MMT Score, Dorsiflexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during dorsiflexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Dorsiflexion
C139227	BMMTVEV	Brooke Modified Medical Research Council Manual Muscle Test Score, Eversion;Brooke mMRC MMT Score, Eversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during eversion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Eversion
C139220	BMMTXT	Brooke Modified Medical Research Council Manual Muscle Test Score, Extension;Brooke mMRC MMT Score, Extension	The numerical value that represents the result of a clinical assessment of muscle strength and function during extension that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Extension
C139222	BMMTFLX	Brooke Modified Medical Research Council Manual Muscle Test Score, Flexion;Brooke mMRC MMT Score, Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during flexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Flexion
C139226	BMMTINV	Brooke Modified Medical Research Council Manual Muscle Test Score, Inversion;Brooke mMRC MMT Score, Inversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during inversion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Inversion
C139224	BMMLR	Brooke Modified Medical Research Council Manual Muscle Test Score, Lateral Rotation;Brooke mMRC MMT Score, Lat. Rotat.	The numerical value that represents the result of a clinical assessment of muscle strength and function during lateral rotation that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Lateral Rotation



**C127269 MUSCTSCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139221	BMMPF	Brooke Modified Medical Research Council Manual Muscle Test Score, Plantar Flexion;Brooke mMRC MMT Score, Plantar Flex	The numerical value that represents the result of a clinical assessment of muscle strength and function during plantar flexion that is based on the Brooke Modified Medical Research Council Manual Muscle Test. (Brooke MH, Griggs RC, Mendell JR, Fenichel GM, et al. Clinical trial in Duchenne dystrophy. I. The design of the protocol. Muscle Nerve. 1981 May-Jun;4(3):186-97. doi:10.1002/mus.880040304).	Brooke Modified Medical Research Council Manual Muscle Test Score, Plantar Flexion
C139218	BODYFATP	Body Fat Percentage	The amount of an individual's total body mass that is fat, expressed as a percent.	Body Fat Percentage
C139210	GRIPSTR	Grip Strength	An assessment of muscle strength that measures that force with which one holds or grasps.	Grip Strength
C139215	ISOMSEXT	Isometric Muscle Strength, Extension	An assessment of muscle strength that measures the force produced by static muscle contraction during the straightening (unbending) movement between body parts. (NCI)	Isometric Muscle Strength, Extension
C139216	ISOMSFL	Isometric Muscle Strength, Flexion	An assessment of muscle strength that measures the force produced by static muscle contraction during the bending movement between body parts. (NCI)	Isometric Muscle Strength, Flexion
C139219	LBMTBMR	Lean Body Mass to Total Body Mass Ratio	The proportion of an individual's lean body mass to his total body weight. Lean body mass is calculated by subtracting body fat from total body weight.	Lean Body Mass to Total Body Mass Ratio
C139231	MMTABDT	MRC MMT Score, Abduction;Medical Research Council Manual Muscle Test Score, Abduction	The numerical value that represents the result of a clinical assessment of muscle strength and function during abduction that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Abduction
C139233	MMTDORS	MRC MMT Score, Dorsiflexion;Medical Research Council Manual Muscle Test Score, Dorsiflexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during dorsiflexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Dorsiflexion
C139235	MMTEVE	MRC MMT Score, Eversion;Medical Research Council Manual Muscle Test Score, Eversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during eversion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Eversion
C139228	MMTEXT	MRC MMT Score, Extension;Medical Research Council Manual Muscle Test Score, Extension	The numerical value that represents the result of a clinical assessment of muscle strength and function during extension that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Extension
C139230	MMFLX	MRC MMT Score, Flexion;Medical Research Council Manual Muscle Test Score, Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during flexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Flexion
C139234	MMTINV	MRC MMT Score, Inversion;Medical Research Council Manual Muscle Test Score, Inversion	The numerical value that represents the result of a clinical assessment of muscle strength and function during inversion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Inversion

**C127269 MUSCTSCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139232	MMTLR	MRC MMT Score, Lat. Rotat.;Medical Research Council Manual Muscle Test Score, Lateral Rotation	The numerical value that represents the result of a clinical assessment of muscle strength and function during lateral rotation that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Lateral Rotation
C139229	MMTPF	MRC MMT Score, Plantar Flex;Medical Research Council Manual Muscle Test Score, Plantar Flexion	The numerical value that represents the result of a clinical assessment of muscle strength and function during plantar flexion that is based on the Medical Research Council Manual Muscle Test. (Medical Research Council. Aids to examination of the peripheral nervous system. Memorandum no. 45, superseding War Memorandum No. 7. London: Her Majesty's Stationary Office; 1976. doi:10.1016/0022-510X(77)90205-2).	Medical Research Council Manual Muscle Test Score, Plantar Flexion
C139211	PINCHSTR	Pinch Strength	An assessment of hand muscle strength that measures the force with which an individual can squeeze or compress an object using his thumb and one or multiple fingers from the same hand.	Pinch Strength
C139212	ROMABDT	Range of Motion, Abduction	An assessment of joint flexibility that measures the movement of a body part pulling away from the midline of the body, in number of degrees. (NCI)	Range of Motion, Abduction
C139214	ROMDORFL	Range of Motion, Dorsiflexion	An assessment of joint flexibility that measures the movement of a body part bending towards its dorsal surface, in number of degrees. (NCI)	Range of Motion, Dorsiflexion
C139213	ROMEXT	Range of Motion, Extension	An assessment of joint flexibility that measures the straightening (unbending) movement between body parts, in number of degrees. (NCI)	Range of Motion, Extension
C128986	SGBESCR	Sharp/Genant Bone Erosion Score	The numerical value that represents the result of a clinical assessment of bone erosion based on the Genant modification of the Sharp Joint Erosion Assessment (Genant HK. Methods of assessing radiographic change in rheumatoid arthritis. Am J Med. 1983 Dec 30;75(6A):35-47).	Sharp Genant Bone Erosion Score
C128987	SGJSNSCR	Sharp/Genant JSN Score	The numerical value that represents the result of a clinical assessment of joint space narrowing based on the Genant modification of the Sharp Joint Space Narrowing Assessment (Genant HK. Methods of assessing radiographic change in rheumatoid arthritis. Am J Med. 1983 Dec 30;75(6A):35-47).	Sharp Genant Joint Space Narrowing Score
C128988	SVBESCR	Sharp/Van der Heijde Bone Erosion Score	The numerical value that represents the result of a clinical assessment of bone erosion based on the Van der Heijde modification of the Sharp Joint Erosion Assessment (Van der Heijde DM, van Riel PL, Nuver-Zwart IH, Gribnau FW, van de Putte LB. Effects of hydroxychloroquine and sulphasalazine on progression of joint damage in rheumatoid arthritis. Lancet 1989;1:1036-8).	Sharp van der Heijde Bone Erosion Score
C128989	SVJSNSCR	Sharp/Van der Heijde JSN Score	The numerical value that represents the result of a clinical assessment of joint space narrowing based on the Van der Heijde modification of the Sharp Joint Space Narrowing Assessment (Van der Heijde DM, van Riel PL, Nuver-Zwart IH, Gribnau FW, van de Putte LB. Effects of hydroxychloroquine and sulphasalazine on progression of joint damage in rheumatoid arthritis. Lancet 1989;1:1036-8).	Sharp van der Heijde Joint Space Narrowing Score
C127774	SWLLIND	Swollen Indicator	An indication as to whether there are symptoms of swelling.	Swollen Indicator
C127775	TNDRIND	Tenderness Indicator	An indication as to whether there are symptoms of tenderness.	Tenderness Indicator

## NCF (Never/Current/Former Classification)

NCI Code: C78738, Codelist extensible: Yes

<b>C78738 NCF</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25471	CURRENT		Occurring in or belonging to the present time. (NCI)	Current
C25627	FORMER	Previous	Occurring prior to something else. (NCI)	Previous
C70543	NEVER		Not ever; at no time in the past.	Never

## NCOMPLT (Completion/Reason for Non-Completion)

NCI Code: C66727, Codelist extensible: Yes

C66727 NCOMPLT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C41331	ADVERSE EVENT		Any untoward medical occurrence in a patient or clinical investigation subject administered a pharmaceutical product and which does not necessarily have a causal relationship with this treatment. An adverse event (AE) can therefore be any unintended sign (including an abnormal laboratory finding), symptom, or disease temporally associated with the use of a medicinal (investigational) product, whether or not related to the medicinal (investigational) product. NOTE: For further information, see the ICH Guideline for Clinical Safety Data Management: Definitions and Standards for Expedited Reporting. [Modified from ICH E2A] Synonyms: side effect, adverse experience. See also serious adverse event, serious adverse experience. (CDISC glossary)	Adverse Event
C25250	COMPLETED		To possess every necessary or normal part or component or step; having come or been brought to a conclusion. (NCI)	Complete
C28554	DEATH	Died	The absence of life or state of being dead. (NCI)	Dead
C38155	DISEASE RELAPSE	Recurrent Disease	The return of a disease after a period of remission.	Recurrent Disease
C139236	FAILURE TO MEET CONTINUATION CRITERIA		An indication that the subject has not been able to meet protocol-defined continuation criteria and will not continue to participate in the clinical trial.	Failure To Meet Continuation Criteria
C105448	FAILURE TO MEET RANDOMIZATION CRITERIA		An indication that the subject has been unable to fulfill/satisfy the criteria required for assignment into a randomized group.	Failure to Meet Randomization Criteria
C48226	LACK OF EFFICACY		The lack of expected or desired effect related to a therapy. (NCI)	Lack of Efficacy
C48227	LOST TO FOLLOW-UP		The loss or lack of continuation of a subject to follow-up.	Lost To Follow-up
C139240	NON-COMPLIANCE WITH NON-STUDY DEVICE		An indication that a subject has not followed the instructions related to a device that is not under study.	Non-Compliance With Non-Study Device
C139241	NON-COMPLIANCE WITH STUDY DEVICE		An indication that a subject has not followed the instructions related to a device under study.	Non-Compliance With Study Device
C49631	NON-COMPLIANCE WITH STUDY DRUG		An indication that a subject has not agreed with or followed the instructions related to the study medication. (NCI)	Non-Compliance With Study Drug
C17649	OTHER	Other	Different than the one(s) previously specified or mentioned. (NCI)	Other
C48250	PHYSICIAN DECISION		A position, opinion or judgment reached after consideration by a physician with reference to subject. (NCI)	Physician Decision
C25742	PREGNANCY		Pregnancy is the state or condition of having a developing embryo or fetus in the body (uterus), after union of an ovum and spermatozoon, during the period from conception to birth. (NCI)	Pregnancy
C35571	PROGRESSIVE DISEASE	Disease Progression; Progressive Disease	A disease process that is increasing in extent or severity. (NCI)	Progressive Disease
C50996	PROTOCOL DEVIATION		A variation from processes or procedures defined in a protocol. Deviations usually do not preclude the overall evaluability of subject data for either efficacy or safety, and are often acknowledged and accepted in advance by the sponsor. NOTE: Good clinical practice recommends that deviations be summarized by site and by category as part of the report of study results so that the possible importance of the deviations to the findings of the study can be assessed. Compare to protocol violation. [See ICH E3] (CDISC Glossary)	Protocol Deviation
C142185	PROTOCOL VIOLATION		A significant departure from processes or procedures that were required by the protocol. Violations often result in data that are not deemed evaluable for a per-protocol analysis, and may require that the subject(s) who violate the protocol be discontinued from the study. Compare to protocol deviation. (CDISC Glossary)	Protocol Violation

**C66727 NCOMPLT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142349	PROTOCOL-SPECIFIED WITHDRAWAL CRITERION MET		An indication that the patient has met one or multiple protocol-specified withdrawal criteria and has been removed from the study.	Protocol-Specified Withdrawal Criterion Met
C139237	RANDOMIZED BY MISTAKE		An indication that the subject was randomized but should not have been.	Randomized By Mistake
C139238	RANDOMIZED BY MISTAKE WITH STUDY TREATMENT		An indication that the subject was randomized but should not have been and study treatment was received in error.	Randomized By Mistake With Study Treatment
C139239	RANDOMIZED BY MISTAKE WITHOUT STUDY TREATMENT		An indication that the subject was randomized but should not have been however no study treatment was received.	Randomized By Mistake Without Study Treatment
C25746	RECOVERY		A healing process and/or an outcome implying relative health. The term is typically used in the context of direct and indirect effects of sickness or injury. (NCI)	Recovery
C49628	SCREEN FAILURE		The potential subject who does not meet one or more criteria required for participation in a trial.	Trial Screen Failure
C106576	SITE TERMINATED BY SPONSOR		An indication that a clinical study was stopped at a particular site by its sponsor. (NCI)	Trial Site Terminated by Sponsor
C49632	STUDY TERMINATED BY SPONSOR		An indication that a clinical study was stopped by its sponsor. (NCI)	Study Terminated By Sponsor
C49633	TECHNICAL PROBLEMS		A problem with some technical aspect of a clinical study, usually related to an instrument. (NCI)	Technical Problem
C102355	WITHDRAWAL BY PARENT/GUARDIAN		An indication that a study participant has been removed from the study by the parent or legal guardian.	Study Subject Withdrawal by Parent or Guardian
C49634	WITHDRAWAL BY SUBJECT		An indication that a study participant has removed itself from the study. (NCI)	Withdrawal by Subject

**ND (Not Done)**

NCI Code: C66789, Codelist extensible: No

<b>C66789 ND</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49484	NOT DONE		Indicates a task, process or examination that has either not been initiated or completed. (NCI)	Not Done

## NHPT01TC (Nine-Hole Peg Test Functional Test Test Code)

NCI Code: C115392, Codelist extensible: No

<b>C115392 NHPT01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115807	NHPT0101	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test
C115808	NHPT0102	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts

## NHPT01TN (Nine-Hole Peg Test Functional Test Test Name)

NCI Code: C115391, Codelist extensible: No

<b>C115391 NHPT01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115808	NHPT01-More Than Two Attempts	NHPT01-More Than Two Attempts	Nine-Hole Peg Test - Did it take more than two attempts to get two successful trials?	NHPT - More Than Two Attempts
C115807	NHPT01-Time to Complete 9-Hole Peg Test	NHPT01-Time to Complete 9-Hole Peg Test	Nine-Hole Peg Test - Time in seconds to complete 9-Hole Peg Test.	NHPT - Time to Complete 9-Hole Peg Test



## NORMABNM (Normal Abnormal Response)

NCI Code: C101834, Codelist extensible: No

<b>C101834 NORMABNM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25401	ABNORMAL		Deviating in any way from the state, position, structure, condition, behavior, or rule which is considered a norm. (NCI)	Abnormal
C48658	INDETERMINATE	Inconclusive	Cannot distinguish between two or more possible values in the current context. (NCI)	Indeterminate
C14165	NORMAL		Being approximately average or within certain limits; conforming with or constituting a norm or standard or level or type or social norm. (NCI)	Normal
C62222	NOT EVALUABLE	Not Assessable;Not Evaluable	Unable to be evaluated. (NCI)	Unevaluable
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## NPI1TC (Neuropsychiatric Inventory Questionnaire Test Code)

NCI Code: C100144, Codelist extensible: No

C100144 NPI1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100622	NPI1A	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100623	NPI1A01	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100624	NPI1A02	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100625	NPI1A03	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100626	NPI1A04	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100627	NPI1A05	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100628	NPI1A06	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home
C100629	NPI1A07	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100630	NPI1A08	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100631	NPI1A09	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C103602	NPI1A10	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C103603	NPI1A11	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103604	NPI1A12	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C112469	NPI1AFS	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C100632	NPI1B	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100633	NPI1B01	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100634	NPI1B02	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100635	NPI1B03	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others
C100636	NPI1B04	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others

**C100144 NPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100637	NPI1B05	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin
C100638	NPI1B06	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100639	NPI1B07	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences
C103605	NPI1B08	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C103606	NPI1B09	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C103607	NPI1B10	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C112470	NPI1BFS	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C100640	NPI1C	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100641	NPI1C01	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C100642	NPI1C02	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100643	NPI1C03	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100644	NPI1C04	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100645	NPI1C05	NPI1-Shout or Curse Angrily	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angrily
C100646	NPI1C06	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C100647	NPI1C07	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100648	NPI1C08	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors
C103608	NPI1C09	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C103609	NPI1C10	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103610	NPI1C11	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C112471	NPI1CFS	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C100649	NPI1D	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100650	NPI1D01	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100651	NPI1D02	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits

**C100144 NPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100652	NPI1D03	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100653	NPI1D04	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100654	NPI1D05	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C100655	NPI1D06	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100656	NPI1D07	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100657	NPI1D08	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C103611	NPI1D09	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency
C103612	NPI1D10	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C103613	NPI1D11	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C112472	NPI1DFS	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C112482	NPI1DIST	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C100658	NPI1E	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100659	NPI1E01	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events
C100660	NPI1E02	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1E03	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100662	NPI1E04	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100663	NPI1E05	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100664	NPI1E06	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C100665	NPI1E07	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C103614	NPI1E08	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C103615	NPI1E09	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103616	NPI1E10	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress

**C100144 NPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112473	NPI1EFS	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C100666	NPI1F	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100667	NPI1F01	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or to Be Too Happy
C100668	NPI1F02	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100669	NPI1F03	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100670	NPI1F04	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100671	NPI1F05	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100672	NPI1F06	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True
C100673	NPI1F07	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C103617	NPI1F08	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C103618	NPI1F09	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C103619	NPI1F10	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C112474	NPI1FFS	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C100674	NPI1G	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100675	NPI1G01	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100676	NPI1G02	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100677	NPI1G03	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100678	NPI1G04	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100679	NPI1G05	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100680	NPI1G06	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100681	NPI1G07	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests

<b>C100144 NPI1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100682	NPI1G08	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C103620	NPI1G09	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C103621	NPI1G10	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103622	NPI1G11	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C112475	NPI1GFS	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C100683	NPI1H	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C100684	NPI1H01	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C100685	NPI1H02	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100686	NPI1H03	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100687	NPI1H04	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100688	NPI1H05	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100689	NPI1H06	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others
C100690	NPI1H07	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C103623	NPI1H08	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C103624	NPI1H09	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C103625	NPI1H10	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C112476	NPI1HFS	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C100691	NPI1I	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100692	NPI1I01	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100693	NPI1I02	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100694	NPI1I03	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger

**C100144 NPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100695	NPI1I04	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100696	NPI1I05	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C100697	NPI1I06	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With
C100698	NPI1I07	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability
C103626	NPI1I08	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C103627	NPI1I09	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C103628	NPI1I10	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C112477	NPI1IFS	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C100699	NPI1J	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C100700	NPI1J01	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100701	NPI1J02	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100702	NPI1J03	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100703	NPI1J04	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100704	NPI1J05	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100705	NPI1J06	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100706	NPI1J07	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C103629	NPI1J08	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency
C103630	NPI1J09	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C103631	NPI1J10	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C112478	NPI1JFS	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C100707	NPI1K	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping
C100708	NPI1K01	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100709	NPI1K02	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night

<b>C100144 NPI1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100710	NPI1K03	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100711	NPI1K04	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100712	NPI1K05	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out
C100713	NPI1K06	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning
C100714	NPI1K07	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100715	NPI1K08	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C103632	NPI1K09	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1K10	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C103634	NPI1K11	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C112479	NPI1KFS	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score
C100716	NPI1L	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100717	NPI1L01	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100718	NPI1L02	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C100719	NPI1L03	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100720	NPI1L04	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight
C100721	NPI1L05	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1L06	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100723	NPI1L07	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100724	NPI1L08	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating
C103635	NPI1L09	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1L10	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C103637	NPI1L11	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C112480	NPI1LFS	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score



**C100144 NPI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112481	NPI1TOT	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score

## NPI1TN (Neuropsychiatric Inventory Questionnaire Test Name)

NCI Code: C100143, Codelist extensible: No

<b>C100143 NPI1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103631	NPI1-Aberrant Motor Behavior Distress	NPI1-Aberrant Motor Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Aberrant Motor Behavior Distress
C103629	NPI1-Aberrant Motor Behavior Frequency	NPI1-Aberrant Motor Behavior Frequency	Neuropsychiatric Inventory - Frequency of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Frequency
C112478	NPI1-Aberrant Motor Behavior FxS Score	NPI1-Aberrant Motor Behavior FxS Score	Neuropsychiatric Inventory - Aberrant Motor Behavior: (frequency score x severity score).	NPI - Aberrant Motor Behavior FxS Score
C103630	NPI1-Aberrant Motor Behavior Severity	NPI1-Aberrant Motor Behavior Severity	Neuropsychiatric Inventory - Severity of the aberrant motor behavior.	NPI - Aberrant Motor Behavior Severity
C100683	NPI1-Act Impulsively	NPI1-Act Impulsively	Neuropsychiatric Inventory - Does the patient seem to act impulsively without thinking? Does he/she do or say things that are not usually done or said in public? Does he/she do things that are embarrassing to you or others?	NPI - Seem to Act Impulsively Without Thinking
C100684	NPI1-Act Impulsively without Care	NPI1-Act Impulsively without Care	Neuropsychiatric Inventory - Does the patient act impulsively without appearing to consider the consequences?	NPI - Act Impulsively without Appearing to Consider the Consequences
C103610	NPI1-Agitation/Aggression Distress	NPI1-Agitation/Aggression Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Agitation/Aggression Distress
C103608	NPI1-Agitation/Aggression Frequency	NPI1-Agitation/Aggression Frequency	Neuropsychiatric Inventory - Frequency of the agitation/aggression.	NPI - Agitation/Aggression Frequency
C112471	NPI1-Agitation/Aggression FxS Score	NPI1-Agitation/Aggression FxS Score	Neuropsychiatric Inventory - Agitation/Aggression: (frequency score x severity score).	NPI - Agitation/Aggression FxS Score
C103609	NPI1-Agitation/Aggression Severity	NPI1-Agitation/Aggression Severity	Neuropsychiatric Inventory - Severity of the agitation/aggression.	NPI - Agitation/Aggression Severity
C103616	NPI1-Anxiety Distress	NPI1-Anxiety Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Anxiety Distress
C103614	NPI1-Anxiety Frequency	NPI1-Anxiety Frequency	Neuropsychiatric Inventory - Frequency of the anxiety.	NPI - Anxiety Frequency
C112473	NPI1-Anxiety FxS Score	NPI1-Anxiety FxS Score	Neuropsychiatric Inventory - Anxiety: (frequency score x severity score).	NPI - Anxiety FxS Score
C103615	NPI1-Anxiety Severity	NPI1-Anxiety Severity	Neuropsychiatric Inventory - Severity of the anxiety.	NPI - Anxiety Severity
C103622	NPI1-Apathy/Indifference Distress	NPI1-Apathy/Indifference Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Apathy/Indifference Distress
C103620	NPI1-Apathy/Indifference Frequency	NPI1-Apathy/Indifference Frequency	Neuropsychiatric Inventory - Frequency of the apathy/indifference.	NPI - Apathy/Indifference Frequency
C112475	NPI1-Apathy/Indifference FxS Score	NPI1-Apathy/Indifference FxS Score	Neuropsychiatric Inventory - Apathy/Indifference: (frequency score x severity score).	NPI - Apathy/Indifference FxS Score
C103621	NPI1-Apathy/Indifference Severity	NPI1-Apathy/Indifference Severity	Neuropsychiatric Inventory - Severity of the apathy/indifference.	NPI - Apathy/Indifference Severity
C103637	NPI1-Appetite/Eating Disorder Distress	NPI1-Appetite/Eating Disorder Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Appetite and Eating Disorders Distress
C103635	NPI1-Appetite/Eating Disorder Frequency	NPI1-Appetite/Eating Disorder Frequency	Neuropsychiatric Inventory - Frequency of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Frequency
C103636	NPI1-Appetite/Eating Disorder Severity	NPI1-Appetite/Eating Disorder Severity	Neuropsychiatric Inventory - Severity of the changes in eating habits or appetite.	NPI - Appetite and Eating Disorders Severity
C112480	NPI1-Appetite/Eating Disorders FxS Score	NPI1-Appetite/Eating Disorders FxS Score	Neuropsychiatric Inventory - Appetite and Eating Disorders: (frequency score x severity score).	NPI - Appetite/Eating Disorders FxS Score
C100697	NPI1-Argumentative	NPI1-Argumentative	Neuropsychiatric Inventory - Is the patient argumentative and difficult to get along with?	NPI - Argumentative and Difficult to Get Along With

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100663	NPI1-Avoid Places or Situations	NPI1-Avoid Places or Situations	Neuropsychiatric Inventory - Does the patient avoid certain places or situations that make him/her more nervous such as riding in the car, meeting with friends, or being in crowds?	NPI - Avoid Certain Places or Situations That Make Him/Her More Nervous
C100711	NPI1-Awaken Caregiver during Night	NPI1-Awaken Caregiver during Night	Neuropsychiatric Inventory - Does the patient awaken you during the night?	NPI - Awaken You During the Night
C100713	NPI1-Awaken Too Early in Morning	NPI1-Awaken Too Early in Morning	Neuropsychiatric Inventory - Does the patient awaken too early in the morning (earlier than was his/her habit)?	NPI - Awaken Too Early in Morning
C100653	NPI1-Bad Person	NPI1-Bad Person	Neuropsychiatric Inventory - Does the patient say that he/she is a bad person or deserves to be punished?	NPI - Say That He/She is a Bad Person
C100692	NPI1-Bad Temper	NPI1-Bad Temper	Neuropsychiatric Inventory - Does the patient have a bad temper, flying "off the handle" easily over little things?	NPI - Bad Temper, Flying 'Off the Handle' Easily Over Little Things
C100622	NPI1-Beliefs Untrue	NPI1-Beliefs Untrue	Neuropsychiatric Inventory - Does the patient have beliefs that you know are not true? (for example, insisting that people are trying to harm him/her or steal from him/her)? Has he/she said that family members are not who they say they are or that the house is not their home? I'm not asking about mere suspiciousness; I am interested if the patient is convinced that these things are happening to him/her.	NPI - Have Beliefs That You Know are Not True
C100655	NPI1-Burden to Family	NPI1-Burden to Family	Neuropsychiatric Inventory - Does the patient say he/she is a burden to the family or that the family would be better off without him/her?	NPI - Say He/She is a Burden to the Family
C100662	NPI1-Butterflies or Racing Heart	NPI1-Butterflies or Racing Heart	Neuropsychiatric Inventory - Does the patient complain of butterflies in his/her stomach, or of racing or pounding of the heart in association with nervousness? (Symptoms not explained by ill health).	NPI - Complain of Butterflies, Racing or Pounding Heart
C100716	NPI1-Change in Appetite or Weight	NPI1-Change in Appetite or Weight	Neuropsychiatric Inventory - Has he/she had any change in appetite, weight, or eating habits (count as NA if the patient is incapacitated and has to be fed)? Has there been any change in the type of food he/she prefers?	NPI - Change in Appetite, Weight, or Eating Habits
C100721	NPI1-Change in Eating Behavior	NPI1-Change in Eating Behavior	Neuropsychiatric Inventory - Has he/she had a change in eating behavior such as putting too much food in his/her mouth at once?	NPI - Change in Eating Behavior
C100722	NPI1-Change in Kind of Food	NPI1-Change in Kind of Food	Neuropsychiatric Inventory - Has he/she had a change in the kind of food he/she likes such as eating too many sweets or other specific types of food?	NPI - Change in Kind of Food He/She Likes
C100671	NPI1-Childish Pranks	NPI1-Childish Pranks	Neuropsychiatric Inventory - Does he/she play childish pranks such as pinching or playing "keep away" for the fun of it?	NPI - Play Childish Pranks
C100669	NPI1-Childish Sense of Humor	NPI1-Childish Sense of Humor	Neuropsychiatric Inventory - Does the patient seem to have a childish sense of humor with a tendency to giggle or laugh inappropriately (such as when something unfortunate happens to others)?	NPI - Seem to Have a Childish Sense of Humor
C100678	NPI1-Contribute Less to Chores	NPI1-Contribute Less to Chores	Neuropsychiatric Inventory - Does the patient contribute less to household chores?	NPI - Contribute Less to Household Chores
C100696	NPI1-Cranky and Irritable	NPI1-Cranky and Irritable	Neuropsychiatric Inventory - Is the patient cranky and irritable?	NPI - Cranky and Irritable
C103604	NPI1-Delusions Distress	NPI1-Delusions Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Delusions Distress
C103602	NPI1-Delusions Frequency	NPI1-Delusions Frequency	Neuropsychiatric Inventory - Frequency of the delusions.	NPI - Delusions Frequency
C112469	NPI1-Delusions FxS Score	NPI1-Delusions FxS Score	Neuropsychiatric Inventory - Delusions: (frequency score x severity score).	NPI - Delusions FxS Score
C103603	NPI1-Delusions Severity	NPI1-Delusions Severity	Neuropsychiatric Inventory - Severity of the delusions.	NPI - Delusions Severity
C103613	NPI1-Depression/Dysphoria Distress	NPI1-Depression/Dysphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Depression/Dysphoria Distress
C103611	NPI1-Depression/Dysphoria Frequency	NPI1-Depression/Dysphoria Frequency	Neuropsychiatric Inventory - Frequency of the depression/dysphoria.	NPI - Depression/Dysphoria Frequency

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112472	NPI1-Depression/Dysphoria FxS Score	NPI1-Depression/Dysphoria FxS Score	Neuropsychiatric Inventory - Depression/Dysphoria: (frequency score x severity score).	NPI - Depression/Dysphoria FxS Score
C103612	NPI1-Depression/Dysphoria Severity	NPI1-Depression/Dysphoria Severity	Neuropsychiatric Inventory - Severity of the depression/dysphoria.	NPI - Depression/Dysphoria Severity
C100723	NPI1-Develop Eating Behaviors	NPI1-Develop Eating Behaviors	Neuropsychiatric Inventory - Has he/she developed eating behaviors such as eating exactly the same types of food each day or eating the food in exactly the same order?	NPI - Developed Eating Behaviors Such as Eating Exactly the Same Types of Food
C100708	NPI1-Difficulty Falling Asleep	NPI1-Difficulty Falling Asleep	Neuropsychiatric Inventory - Does the patient have difficulty falling asleep?	NPI - Difficulty Falling Asleep
C100707	NPI1-Difficulty Sleeping	NPI1-Difficulty Sleeping	Neuropsychiatric Inventory - Does the patient have difficulty sleeping (do not count as present if the patient simply gets up once or twice per night to go the bathroom and falls back asleep immediately)? Is he/she up at night? Does he/she wander at night, get dressed, or disturb your sleep?	NPI - Difficulty Sleeping
C100654	NPI1-Discouraged	NPI1-Discouraged	Neuropsychiatric Inventory - Does the patient seem very discouraged or say that he/she has no future?	NPI - Seem Very Discouraged
C103625	NPI1-Disinhibition Distress	NPI1-Disinhibition Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Disinhibition Distress
C103623	NPI1-Disinhibition Frequency	NPI1-Disinhibition Frequency	Neuropsychiatric Inventory - Frequency of the disinhibition.	NPI - Disinhibition Frequency
C112476	NPI1-Disinhibition FxS Score	NPI1-Disinhibition FxS Score	Neuropsychiatric Inventory - Disinhibition: (frequency score x severity score).	NPI - Disinhibition FxS Score
C103624	NPI1-Disinhibition Severity	NPI1-Disinhibition Severity	Neuropsychiatric Inventory - Severity of the disinhibition.	NPI - Disinhibition Severity
C100699	NPI1-Do Things Repeatedly	NPI1-Do Things Repeatedly	Neuropsychiatric Inventory - Does the patient pace, do things over and over such as opening closets or drawers, or repeatedly pick at things or wind string or threads?	NPI - Pace, Do Things Over and Over, Repeatedly Pick at Things
C103619	NPI1-Elation/Euphoria Distress	NPI1-Elation/Euphoria Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Elation/Euphoria Distress
C103617	NPI1-Elation/Euphoria Frequency	NPI1-Elation/Euphoria Frequency	Neuropsychiatric Inventory - Frequency of the elation/euphoria.	NPI - Elation/Euphoria Frequency
C112474	NPI1-Elation/Euphoria FxS Score	NPI1-Elation/Euphoria FxS Score	Neuropsychiatric Inventory - Elation/Euphoria: (frequency score x severity score).	NPI - Elation/Euphoria FxS Score
C103618	NPI1-Elation/Euphoria Severity	NPI1-Elation/Euphoria Severity	Neuropsychiatric Inventory - Severity of the elation/euphoria.	NPI - Elation/Euphoria Severity
C100714	NPI1-Excessive Sleep during Day	NPI1-Excessive Sleep during Day	Neuropsychiatric Inventory - Does the patient sleep excessively during the day?	NPI - Sleep Excessively During the Day
C100632	NPI1-False Visions or Voices	NPI1-False Visions or Voices	Neuropsychiatric Inventory - Does the patient have hallucinations such as seeing false visions or hearing false voices? Does he/she seem to see, hear or experience things that are not present? By this question we do not mean just mistaken beliefs such as stating that someone who has died is still alive; rather we are asking if the patient actually has abnormal experiences of sounds or visions.	NPI - Hallucinations Such as Seeing False Visions or Hearing False Voices
C100629	NPI1-Family Plans to Abandon	NPI1-Family Plans to Abandon	Neuropsychiatric Inventory - Does the patient believe that family members plan to abandon him/her?	NPI - Family Members Plan to Abandon Him/Her
C100667	NPI1-Feel Good or Too Happy	NPI1-Feel Good or Too Happy	Neuropsychiatric Inventory - Does the patient appear to feel good or to be too happy, different from his/her usual self?	NPI - Appear to Feel Good or to Be Too Happy
C100652	NPI1-Feel Like a Failure	NPI1-Feel Like a Failure	Neuropsychiatric Inventory - Does the patient put him/herself down or say that he/she feels like a failure?	NPI - Put Him/Herself Down or Say That He/She Feels Like a Failure
C100637	NPI1-Feel Things on Skin	NPI1-Feel Things on Skin	Neuropsychiatric Inventory - Does the patient describe feeling things on his/her skin or otherwise appear to be feeling things crawling or touching him/her?	NPI - Describe Feeling Things on His/Her Skin

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100705	NPI1-Fidget Excessively	NPI1-Fidget Excessively	Neuropsychiatric Inventory - Does the patient fidget excessively, seem unable to sit still, or bounce his/her feet or tap his/her fingers a lot?	NPI - Fidget Excessively, Seem Unable to Sit Still
C100709	NPI1-Get Up during Night	NPI1-Get Up during Night	Neuropsychiatric Inventory - Does the patient get up during the night (do not count if the patient gets up once or twice per night only to go to the bathroom and falls back asleep immediately)?	NPI - Get Up During the Night
C100641	NPI1-Get Upset with Caregiver	NPI1-Get Upset with Caregiver	Neuropsychiatric Inventory - Does the patient get upset with those trying to care for him/her or resist activities such as bathing or changing clothes?	NPI - Get Upset with Those Trying to Care for Him/Her
C103607	NPI1-Hallucinations Distress	NPI1-Hallucinations Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Hallucinations Distress
C103605	NPI1-Hallucinations Frequency	NPI1-Hallucinations Frequency	Neuropsychiatric Inventory - Frequency of the hallucinations.	NPI - Hallucinations Frequency
C112470	NPI1-Hallucinations FxS Score	NPI1-Hallucinations FxS Score	Neuropsychiatric Inventory - Hallucinations: (frequency score x severity score).	NPI - Hallucinations FxS Score
C103606	NPI1-Hallucinations Severity	NPI1-Hallucinations Severity	Neuropsychiatric Inventory - Severity of the hallucinations.	NPI - Hallucinations Severity
C100633	NPI1-Hearing Voices	NPI1-Hearing Voices	Neuropsychiatric Inventory - Does the patient describe hearing voices or act as if he/she hears voices?	NPI - Describe Hearing Voices or Act as if He/She Hears Voices
C100628	NPI1-House Not Their Home	NPI1-House Not Their Home	Neuropsychiatric Inventory - Does the patient believe that his/her house is not his/her home?	NPI - His/Her House Is Not His/Her Home
C100668	NPI1-Humor Others Do Not Find Funny	NPI1-Humor Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient find humor and laugh at things that others do not find funny?	NPI - Fine Humor and Laugh at Things That Others Do Not Find Funny
C100647	NPI1-Hurt or Hit Others	NPI1-Hurt or Hit Others	Neuropsychiatric Inventory - Does the patient attempt to hurt or hit others?	NPI - Attempt to Hurt or Hit Others
C100695	NPI1-Impatient	NPI1-Impatient	Neuropsychiatric Inventory - Is the patient impatient, having trouble coping with delays or waiting for planned activities?	NPI - Impatient, Having Trouble Coping with Delays
C100623	NPI1-In Danger	NPI1-In Danger	Neuropsychiatric Inventory - Does the patient believe that he/she is in danger - that others are planning to hurt him/her?	NPI - He/She is in Danger
C100718	NPI1-Increase in Appetite	NPI1-Increase in Appetite	Neuropsychiatric Inventory - Has he/she had an increase in appetite?	NPI - Increase in Appetite
C103628	NPI1-Irritability/Lability Distress	NPI1-Irritability/Lability Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Irritability/Lability Distress
C103626	NPI1-Irritability/Lability Frequency	NPI1-Irritability/Lability Frequency	Neuropsychiatric Inventory - Frequency of the irritability/lability.	NPI - Irritability/Lability Frequency
C112477	NPI1-Irritability/Lability FxS Score	NPI1-Irritability/Lability FxS Score	Neuropsychiatric Inventory - Irritability/Lability: (frequency score x severity score).	NPI - Irritability/Lability FxS Score
C103627	NPI1-Irritability/Lability Severity	NPI1-Irritability/Lability Severity	Neuropsychiatric Inventory - Severity of the irritability/lability.	NPI - Irritability/Lability Severity
C100691	NPI1-Irritated and Easily Disturbed	NPI1-Irritated and Easily Disturbed	Neuropsychiatric Inventory - Does the patient get irritated and easily disturbed? Are his/her moods very changeable? Is he/she abnormally impatient? We do not mean frustration over memory loss or inability to perform usual tasks; we are interested to know if the patient has abnormal irritability, impatience, or rapid emotional changes different from his/her usual self.	NPI - Get Irritated and Easily Disturbed
C100670	NPI1-Jokes Others Do Not Find Funny	NPI1-Jokes Others Do Not Find Funny	Neuropsychiatric Inventory - Does the patient tell jokes or make remarks that are not funny to others but seem funny to him/her?	NPI - Tell Jokes or Make Remarks That are Not Funny to Others
C100677	NPI1-Less Affectionate	NPI1-Less Affectionate	Neuropsychiatric Inventory - Is the patient less affectionate or lacking in emotions when compared to his/her usual self?	NPI - Less Affectionate or Lacking in Emotions
C100681	NPI1-Less Enthusiastic	NPI1-Less Enthusiastic	Neuropsychiatric Inventory - Is the patient less enthusiastic about his/her usual interests?	NPI - Less Enthusiastic About His/Her Usual Interests

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100679	NPI1-Less Interest in Activities	NPI1-Less Interest in Activities	Neuropsychiatric Inventory - Does the patient seem less interested in the activities and plans of others?	NPI - Less Interested in the Activities and Plans of Others
C100676	NPI1-Less Likely Initiate Conversation	NPI1-Less Likely Initiate Conversation	Neuropsychiatric Inventory - Is the patient less likely to initiate a conversation?	NPI - Less Likely Initiate to Initiate a Conversation
C100675	NPI1-Less Spontaneous or Active	NPI1-Less Spontaneous or Active	Neuropsychiatric Inventory - Does the patient seem less spontaneous and less active than usual?	NPI - Seem Less Spontaneous and Less Active Than Usual
C100717	NPI1-Loss of Appetite	NPI1-Loss of Appetite	Neuropsychiatric Inventory - Has he/she had a loss of appetite?	NPI - Loss of Appetite
C100680	NPI1-Lost Interest in Friends	NPI1-Lost Interest in Friends	Neuropsychiatric Inventory - Has the patient lost interest in friends and family members?	NPI - Lost Interest in Friends and Family Members
C100674	NPI1-Lost Interest in World	NPI1-Lost Interest in World	Neuropsychiatric Inventory - Has the patient lost interest in the world around him/her? Has he/she lost interest in doing things or does he/she lack motivation for starting new activities? Is he/she more difficult to engage in conversation or in doing chores? Is the patient apathetic or indifferent?	NPI - Lost Interest in the World Around Him/Her
C100687	NPI1-Make Crude Remarks	NPI1-Make Crude Remarks	Neuropsychiatric Inventory - Does the patient say crude things or make sexual remarks that he/she would not usually have said?	NPI - Say Crude Things or Make Sexual Remarks
C100658	NPI1-Nervous or Worried	NPI1-Nervous or Worried	Neuropsychiatric Inventory - Is the patient very nervous, worried, or frightened for no apparent reason? Does he/she seem very tense or fidgety? Is the patient afraid to be apart from you?	NPI - Very Nervous, Worried, or Frightened for No Apparent Reason
C100664	NPI1-Nervous when Separated	NPI1-Nervous when Separated	Neuropsychiatric Inventory - Does the patient become nervous and upset when separated from you (or his/her caregiver)? (Does he/she cling to you to keep from being separated?).	NPI - Become Nervous and Upset When Separated From You
C112482	NPI1-NPI Total Distress Score	NPI1-NPI Total Distress Score	Neuropsychiatric Inventory - Sub-total of distress score.	NPI - NPI Total Distress Score
C112481	NPI1-NPI Total Score	NPI1-NPI Total Score	Neuropsychiatric Inventory - Total of (Frequency Sub-total) x (Severity Sub-total).	NPI - NPI Total Score
C100648	NPI1-Other Aggressive Behavior	NPI1-Other Aggressive Behavior	Neuropsychiatric Inventory - Does the patient have any other aggressive or agitated behaviors?	NPI - Any Other Aggressive or Agitated Behaviors
C100644	NPI1-Other Behaviors Hard to Handle	NPI1-Other Behaviors Hard to Handle	Neuropsychiatric Inventory - Does the patient have any other behaviors that make him/her hard to handle?	NPI - Any Other Behaviors That Make Him/Her Hard to Handle
C100724	NPI1-Other Changes in Eating	NPI1-Other Changes in Eating	Neuropsychiatric Inventory - Have there been any other changes in appetite or eating that I haven't asked about?	NPI - Any Other Changes in Appetite or Eating
C100715	NPI1-Other Nighttime Behaviors	NPI1-Other Nighttime Behaviors	Neuropsychiatric Inventory - Does the patient have any other nighttime behaviors that bother you that we haven't talked about?	NPI - Any Other Nighttime Behaviors That Bother You
C100706	NPI1-Other Repetitive Activities	NPI1-Other Repetitive Activities	Neuropsychiatric Inventory - Does the patient do any other activities over and over?	NPI - Do Any Other Activities Over and Over
C100665	NPI1-Other Signs of Anxiety	NPI1-Other Signs of Anxiety	Neuropsychiatric Inventory - Does the patient show any other signs of anxiety?	NPI - Show Any Other Signs of Anxiety
C100657	NPI1-Other Signs of Depression	NPI1-Other Signs of Depression	Neuropsychiatric Inventory - Does the patient show any other signs of depression or sadness?	NPI - Show Any Other Signs of Depression or Sadness
C100673	NPI1-Other Signs of Feeling Too Happy	NPI1-Other Signs of Feeling Too Happy	Neuropsychiatric Inventory - Does the patient show any other signs of feeling too good or being too happy?	NPI - Show Any Other Signs of Feeling Too Good or Being Too Happy
C100690	NPI1-Other Signs of Impulses	NPI1-Other Signs of Impulses	Neuropsychiatric Inventory - Does the patient show any other signs of loss of control of his/her impulses?	NPI - Show Any Other Signs of Loss of Control of His/Her Impulses
C100698	NPI1-Other Signs of Irritability	NPI1-Other Signs of Irritability	Neuropsychiatric Inventory - Does the patient show any other signs of irritability?	NPI - Show Any Other Signs of Irritability

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100682	NPI1-Other Signs of Not Caring	NPI1-Other Signs of Not Caring	Neuropsychiatric Inventory - Does the patient show any other signs that he/she doesn't care about doing new things?	NPI - Show Any Other Signs That He/She Doesn't Care About Doing New Things
C100631	NPI1-Other Unusual Beliefs	NPI1-Other Unusual Beliefs	Neuropsychiatric Inventory - Does the patient believe any other unusual things that I haven't asked about?	NPI - Any Other Unusual Things That I Haven't Asked About
C100639	NPI1-Other Unusual Sensory Experience	NPI1-Other Unusual Sensory Experience	Neuropsychiatric Inventory - Does the patient describe any other unusual sensory experiences?	NPI - Describe Any Other Unusual Sensory Experiences
C100624	NPI1-Others Are Stealing	NPI1-Others Are Stealing	Neuropsychiatric Inventory - Does the patient believe that others are stealing from him/her?	NPI - Others are Stealing From Him/Her
C100700	NPI1-Pace	NPI1-Pace	Neuropsychiatric Inventory - Does the patient pace around the house without apparent purpose?	NPI - Pace Around the House Without Apparent Purpose
C100627	NPI1-People Not Who They Claim	NPI1-People Not Who They Claim	Neuropsychiatric Inventory - Does the patient believe that his/her spouse or others are not who they claim to be?	NPI - His/Her Spouse or Others Are Not Who They Claim To Be
C100693	NPI1-Rapidly Change Moods	NPI1-Rapidly Change Moods	Neuropsychiatric Inventory - Does the patient rapidly change moods from one to another, being fine one minute and angry the next?	NPI - Rapidly Change Moods From One to Another
C100640	NPI1-Refuse to Cooperate	NPI1-Refuse to Cooperate	Neuropsychiatric Inventory - Does the patient have periods when he/she refuses to cooperate or won't let people help him/her? Is he/she hard to handle?	NPI - Periods When He/She Refuses to Cooperate
C100702	NPI1-Repeatedly Change Clothing	NPI1-Repeatedly Change Clothing	Neuropsychiatric Inventory - Does the patient repeatedly put on and take off clothing?	NPI - Repeatedly Put On and Take Off Clothing
C100704	NPI1-Repetitive Activities	NPI1-Repetitive Activities	Neuropsychiatric Inventory - Does the patient engage in repetitive activities such as handling buttons, picking, wrapping string, etc.?	NPI - Engage in Repetitive Activities
C100703	NPI1-Repetitive Activities or Habits	NPI1-Repetitive Activities or Habits	Neuropsychiatric Inventory - Does the patient have repetitive activities or "habits" that he/she performs over and over?	NPI - Repetitive Activities or 'Habits'
C100701	NPI1-Rummage Around and Unpack	NPI1-Rummage Around and Unpack	Neuropsychiatric Inventory - Does the patient rummage around opening and unpacking drawers or closets?	NPI - Rummage Around Opening and Unpacking Drawers or Closets
C100649	NPI1-Sad or Depressed	NPI1-Sad or Depressed	Neuropsychiatric Inventory - Does the patient seem sad or depressed? Does he/she say that he/she feels sad or depressed?	NPI - Seem Sad or Depressed
C100686	NPI1-Say Insensitive Things	NPI1-Say Insensitive Things	Neuropsychiatric Inventory - Does the patient say things to people that are insensitive or hurt their feelings?	NPI - Say Things to People that are Insensitive
C100651	NPI1-Say or Act in Low Spirits	NPI1-Say or Act in Low Spirits	Neuropsychiatric Inventory - Does the patient say, or act as if he/she is sad or in low spirits?	NPI - Say, or Act as if He/She is Sad or in Low Spirits
C100635	NPI1-See Things Not Seen by Others	NPI1-See Things Not Seen by Others	Neuropsychiatric Inventory - Does the patient describe seeing things not seen by others or behave as if he/she is seeing things not seen by others (people, animals, lights, etc.)?	NPI - Describe Seeing Things Not Seen by Others
C100660	NPI1-Shaky or Unable to Relax	NPI1-Shaky or Unable to Relax	Neuropsychiatric Inventory - Does the patient have periods of feeling shaky, unable to relax, or feeling excessively tense?	NPI - Periods of Feeling Shaky, Unable to Relax, or Feeling Excessively Tense
C100661	NPI1-Short of Breath, Gasp, Sigh	NPI1-Short of Breath, Gasp, Sigh	Neuropsychiatric Inventory - Does the patient have periods of (or complain of) shortness of breath, gasping, or sighing for no apparent reason other than nervousness?	NPI - Periods of Shortness of Breath, Gasping, or Sighing for No Apparent Reason
C100645	NPI1-Shout or Curse Angrily	NPI1-Shout or Curse Angrily	Neuropsychiatric Inventory - Does the patient shout or curse angrily?	NPI - Shout or Curse Angrily
C100646	NPI1-Slam, Kick or Throw Things	NPI1-Slam, Kick or Throw Things	Neuropsychiatric Inventory - Does the patient slam doors, kick furniture, throw things?	NPI - Slam doors, Kick Furniture, Throw Things
C112479	NPI1-Sleep/Night Behav Disord FxS Score	NPI1-Sleep/Night Behav Disord FxS Score	Neuropsychiatric Inventory - Sleep and Nighttime Behavior Disorders: (frequency score x severity score).	NPI - Sleep/Night Behavior Disorder FxS Score

**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103634	NPI1-Sleep/Nighttime Behavior Distress	NPI1-Sleep/Nighttime Behavior Distress	Neuropsychiatric Inventory - How emotionally distressing do you find this behavior?	NPI - Sleep and Nighttime Behavior Disorders Distress
C103632	NPI1-Sleep/Nighttime Behavior Frequency	NPI1-Sleep/Nighttime Behavior Frequency	Neuropsychiatric Inventory - Frequency of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Frequency
C103633	NPI1-Sleep/Nighttime Behavior Severity	NPI1-Sleep/Nighttime Behavior Severity	Neuropsychiatric Inventory - Severity of the nighttime behavior.	NPI - Sleep and Nighttime Behavior Disorders Severity
C100636	NPI1-Smell Odors Others Do Not Smell	NPI1-Smell Odors Others Do Not Smell	Neuropsychiatric Inventory - Does the patient report smelling odors not smelled by others?	NPI - Report Smelling Odors Not Smelled by Others
C100625	NPI1-Spouse Having Affair	NPI1-Spouse Having Affair	Neuropsychiatric Inventory - Does the patient believe that his/her spouse is having an affair?	NPI - His/Her Spouse is Having an Affair
C100642	NPI1-Stubborn	NPI1-Stubborn	Neuropsychiatric Inventory - Is the patient stubborn, having to have things his/her way?	NPI - Stubborn
C100694	NPI1-Sudden Anger	NPI1-Sudden Anger	Neuropsychiatric Inventory - Does the patient have sudden flashes of anger?	NPI - Sudden Flares of Anger
C100689	NPI1-Take Liberties or Touch Others	NPI1-Take Liberties or Touch Others	Neuropsychiatric Inventory - Does the patient take liberties or touch or hug others in a way that is out of character for him/her?	NPI - Take Liberties or Touch or Hug Others
C100672	NPI1-Talk Big	NPI1-Talk Big	Neuropsychiatric Inventory - Does the patient "talk big" or claim to have more abilities or wealth than is true?	NPI - Talk Big or Claim to Have More Abilities or Wealth Than is True
C100688	NPI1-Talk Openly about Private Matters	NPI1-Talk Openly about Private Matters	Neuropsychiatric Inventory - Does the patient talk openly about very personal or private matters not usually discussed in public?	NPI - Talk Openly About Very Personal or Private Matters
C100634	NPI1-Talk to People Not There	NPI1-Talk to People Not There	Neuropsychiatric Inventory - Does the patient talk to people who are not there?	NPI - Talk to People Who Are Not There
C100685	NPI1-Talk to Strangers	NPI1-Talk to Strangers	Neuropsychiatric Inventory - Does the patient talk to total strangers as if he/she knew them?	NPI - Talk to Total Strangers as if He/She Knew Them
C100638	NPI1-Taste without Known Cause	NPI1-Taste without Known Cause	Neuropsychiatric Inventory - Does the patient describe tastes that are without any known cause?	NPI - Describe Tastes That Are Without Any Known Cause
C100650	NPI1-Tearfulness or Sobbing	NPI1-Tearfulness or Sobbing	Neuropsychiatric Inventory - Does the patient have periods of tearfulness or sobbing that seem to indicate sadness?	NPI - Periods of Tearfulness or Sobbing
C100666	NPI1-Too Cheerful or Happy	NPI1-Too Cheerful or Happy	Neuropsychiatric Inventory - Does the patient seem too cheerful or too happy for no reason? I don't mean the normal happiness that comes from seeing friends, receiving presents, or spending time with family members. I am asking if the patient has a persistent and abnormally good mood or finds humor where others do not.	NPI - Seem Too Cheerful or Too Happy for No Reason
C100630	NPI1-TV/Magazine Figures Present	NPI1-TV/Magazine Figures Present	Neuropsychiatric Inventory - Does the patient believe that television or magazine figures are actually present in the home? (Does he/she try to talk or interact with them?)	NPI - Television or Magazine Figures Are Actually Present In the Home
C100643	NPI1-Uncooperative	NPI1-Uncooperative	Neuropsychiatric Inventory - Is the patient uncooperative, resistive to help from others?	NPI - Uncooperative
C100626	NPI1-Unwelcome Guests in House	NPI1-Unwelcome Guests in House	Neuropsychiatric Inventory - Does the patient believe that unwelcome guests are living in his/her house?	NPI - Unwelcome Guests are Living in His/Her House
C100712	NPI1-Wake at Night and Think Morning	NPI1-Wake at Night and Think Morning	Neuropsychiatric Inventory - Does the patient wake up at night, dress, and plan to go out thinking that it is morning and time to start the day?	NPI - Wake Up at Night, Dress, and Plan to Go Out
C100710	NPI1-Wander or Pace at Night	NPI1-Wander or Pace at Night	Neuropsychiatric Inventory - Does the patient wander, pace or get involved in inappropriate activities at night?	NPI - Wander, Pace or Get Involved in Inappropriate Activities at Night
C100720	NPI1-Weight Gain	NPI1-Weight Gain	Neuropsychiatric Inventory - Has he/she gained weight?	NPI - Gained Weight



**C100143 NPI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100719	NPI1-Weight Loss	NPI1-Weight Loss	Neuropsychiatric Inventory - Has he/she had a loss of weight?	NPI - Loss of Weight
C100656	NPI1-Wish for Death	NPI1-Wish for Death	Neuropsychiatric Inventory - Does the patient express a wish for death or talk about killing himself/herself?	NPI - Express a Wish for Death
C100659	NPI1-Worried about Planned Event	NPI1-Worried about Planned Event	Neuropsychiatric Inventory - Does the patient say that he/she is worried about planned events?	NPI - Say That He/She is Worried About Planned Events

## NPS01TC (Neuropathic Pain Scale Questionnaire Test Code)

NCI Code: C103473, Codelist extensible: No

C103473 NPS01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103638	NPS0101	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103639	NPS0102	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels
C103640	NPS0103	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103641	NPS0104	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103642	NPS0105	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103643	NPS0106	NPS01-Sensitiv Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103644	NPS0107	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103645	NPS0108	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103646	NPS0108A	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS0108B	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103648	NPS0108C	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103649	NPS0108D	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I fee a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103650	NPS0109	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and intolerable.' Remember, pain can have a low intensity, buy still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103651	NPS0110A	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS0110B	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain

## NPS01TN (Neuropathic Pain Scale Questionnaire Test Name)

NCI Code: C103472, Codelist extensible: No

C103472 NPS01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103648	NPS01-Describe Single Type Pain All Time	NPS01-Describe Single Type Pain All Time	Neuropathic Pain Scale - I feel a single type of pain all the time. Describe this pain.	NPS - Describe the Single Type of Pain All Time
C103646	NPS01-Describe the Background Pain	NPS01-Describe the Background Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the background pain.	NPS - Describe the Background Pain
C103647	NPS01-Describe the Flare-up Pain	NPS01-Describe the Flare-up Pain	Neuropathic Pain Scale - I feel a background pain all of the time and occasional flare-ups (break-through pain) some of the time. Describe the flare-up (break-through) pain.	NPS - Describe the Flare-up Pain
C103649	NPS01-Describe the Occasional Pain	NPS01-Describe the Occasional Pain	Neuropathic Pain Scale - I fee a single type of pain only sometimes. Other times, I am pain free. Describe the occasional pain.	NPS - Describe the Occasional Pain
C103645	NPS01-Describe Time Quality Of Your Pain	NPS01-Describe Time Quality Of Your Pain	Neuropathic Pain Scale - Which of the following best describes the time quality of your pain? Please check only one answer.	NPS - Describe the Time Quality Of Your Pain
C103651	NPS01-How Intense is Your Deep Pain	NPS01-How Intense is Your Deep Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your deep pain?	NPS - How Intense is Your Deep Pain
C103652	NPS01-How Intense is Your Surface Pain	NPS01-How Intense is Your Surface Pain	Neuropathic Pain Scale - Lastly, we want you to give us an estimate of the severity of your deep versus surface pain. We want your to rate each location of pain separately. We realize that it can be difficult to make these estimates, and most likely it will be a 'best guess,' but please give us your best estimate. How intense is your surface pain?	NPS - How Intense is Your Surface Pain
C103643	NPS01-Sensitiv Skin to Light Touch/Cloth	NPS01-Sensitiv Skin to Light Touch/Cloth	Neuropathic Pain Scale - Please use the scale below to tell us how sensitive your skin is to light touch or clothing. Words used to describe sensitive skin include 'like sunburned skin,' and 'raw skin.'	NPS - Tell Us How Sensitive Your Skin is to Light Touch or Clothing
C103650	NPS01-Tell How Unpleasant Your Pain Feel	NPS01-Tell How Unpleasant Your Pain Feel	Neuropathic Pain Scale - Now that you have told us the different physical aspects of your pain, the different types of sensations, we want you to tell us overall how unpleasant your pain is to you. Words used to describe very unpleasant pain include 'miserable' and intolerable.' Remember, pain can have a low intensity, buy still feel extremely unpleasant, and some kinds of pain can have a high intensity but be very tolerable. With this scale, please tell us how unpleasant your pain feels.	NPS - Tell Us Overall How Unpleasant Your Pain is to You
C103642	NPS01-Tell Us How Cold Your Pain Feels	NPS01-Tell Us How Cold Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how cold your pain feels. Words used to describe very cold pain included 'like ice' and 'freezing.'	NPS - Tell Us How Cold Your Pain Feels
C103641	NPS01-Tell Us How Dull Your Pain Feels	NPS01-Tell Us How Dull Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how dull your pain feels. Words used to describe very dull pain include 'like a dull toothache,' 'dull pain,' and 'like a bruise.'	NPS - Tell Us How Dull Your Pain Feels
C103640	NPS01-Tell Us How Hot Your Pain Feels	NPS01-Tell Us How Hot Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how hot your pain feels. Words used to describe very hot pain include 'burning' and 'on fire.'	NPS - Tell Us How Hot Your Pain Feels
C103638	NPS01-Tell Us How Intense Your Pain Is	NPS01-Tell Us How Intense Your Pain Is	Neuropathic Pain Scale - Please use the scale below to tell us how intense your pain is.	NPS - Tell Us How Intense Your Pain Is
C103644	NPS01-Tell Us How Itchy Your Pain Feels	NPS01-Tell Us How Itchy Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how itchy your pain feels. Words used to describe itchy pain include 'like poison oak' and 'like a mosquito bite.'	NPS - Tell Us How Itchy Your Pain Feels
C103639	NPS01-Tell Us How Sharp Your Pain Feels	NPS01-Tell Us How Sharp Your Pain Feels	Neuropathic Pain Scale - Please use the scale below to tell us how sharp your pain feels. Words used to describe 'sharp' feelings include 'like a knife,' 'like a spike,' 'jabbing,' or 'like jolts.'	NPS - Tell Us How Sharp Your Pain Feels

## NRIND (Reference Range Indicator)

NCI Code: C78736, Codelist extensible: Yes

<b>C78736 NRIND</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C78802	ABNORMAL		Reported values outside the typical or expected range. (NCI)	Abnormal Reference Range
C78800	HIGH		Reported values above the typical or expected range. (NCI)	Value Above Reference Range
C78801	LOW		Reported values below the typical or expected range. (NCI)	Value Below Reference Range
C78727	NORMAL		Reported values within the typical or expected range. (NCI)	Normal Reference Range

## NSA01TC (Negative Symptom Assessment-16 Clinical Classification Test Code)

NCI Code: C120993, Codelist extensible: No

C120993 NSA01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C121077	NSA0101	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121078	NSA0102	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121079	NSA0103	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA0104	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121081	NSA0105	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121082	NSA0106	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA0107	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121084	NSA0108	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121085	NSA0109	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121086	NSA0110	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA0111	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121088	NSA0112	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121089	NSA0113	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121090	NSA0114	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA0115	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121092	NSA0116	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements
C121093	NSA0117	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121094	NSA0118	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121095	NSA0119	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning

## NSA01TN (Negative Symptom Assessment-16 Clinical Classification Test Name)

NCI Code: C120992, Codelist extensible: No

<b>C120992 NSA01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121082	NSA01-Affect Reduce Modulation Intensity	NSA01-Affect Reduce Modulation Intensity	Negative Symptom Assessment-16 - Affect: Reduced modulation of intensity.	NSA-16 - Affect: Reduce Modulation Intensity
C121083	NSA01-Affect: Reduced Display on Demand	NSA01-Affect: Reduced Display on Demand	Negative Symptom Assessment-16 - Affect: Reduced display on demand.	NSA-16 - Affect: Reduced Display on Demand
C121081	NSA01-Emotion: Reduced Range	NSA01-Emotion: Reduced Range	Negative Symptom Assessment-16 - Emotion: Reduced range.	NSA-16 - Emotion: Reduced Range
C121095	NSA01-Global Level of Functioning	NSA01-Global Level of Functioning	Negative Symptom Assessment-16 - Global level of functioning.	NSA-16 - Global Level of Functioning
C121094	NSA01-Global Neg Symptom Rating-Severity	NSA01-Global Neg Symptom Rating-Severity	Negative Symptom Assessment-16 - Global negative symptoms rating - severity.	NSA-16 - Global Negative Symptoms Rating-Severity
C121093	NSA01-Global Negative Symptoms Rating	NSA01-Global Negative Symptoms Rating	Negative Symptom Assessment-16 - Global negative symptoms rating.	NSA-16 - Global Negative Symptoms Rating
C121079	NSA01-Impoverished Speech Content	NSA01-Impoverished Speech Content	Negative Symptom Assessment-16 - Impoverished speech content.	NSA-16 - Impoverished Speech Content
C121080	NSA01-Inarticulate Speech	NSA01-Inarticulate Speech	Negative Symptom Assessment-16 - Inarticulate speech.	NSA-16 - Inarticulate Speech
C121086	NSA01-Interest Emotional/Phys Intimacy	NSA01-Interest Emotional/Phys Intimacy	Negative Symptom Assessment-16 - Interest in emotional and physical intimacy.	NSA-16 - Interest in Emotional and Physical Intimacy
C121087	NSA01-Poor Grooming and Hygiene	NSA01-Poor Grooming and Hygiene	Negative Symptom Assessment-16 - Poor grooming and hygiene.	NSA-16 - Poor Grooming and Hygiene
C121085	NSA01-Poor Rapport With Interviewer	NSA01-Poor Rapport With Interviewer	Negative Symptom Assessment-16 - Poor rapport with interviewer.	NSA-16 - Poor Rapport With Interviewer
C121077	NSA01-Prolonged Time to Respond	NSA01-Prolonged Time to Respond	Negative Symptom Assessment-16 - Prolonged time to respond.	NSA-16 - Prolonged Time to Respond
C121090	NSA01-Reduced Daily Activity	NSA01-Reduced Daily Activity	Negative Symptom Assessment-16 - Reduced daily activity.	NSA-16 - Reduced Daily Activity
C121091	NSA01-Reduced Expressive Gestures	NSA01-Reduced Expressive Gestures	Negative Symptom Assessment-16 - Reduced expressive gestures.	NSA-16 - Reduced Expressive Gestures
C121089	NSA01-Reduced Interests	NSA01-Reduced Interests	Negative Symptom Assessment-16 - Reduced interests.	NSA-16 - Reduced Interests
C121088	NSA01-Reduced Sense of Purpose	NSA01-Reduced Sense of Purpose	Negative Symptom Assessment-16 - Reduced sense of purpose.	NSA-16 - Reduced Sense of Purpose
C121084	NSA01-Reduced Social Drive	NSA01-Reduced Social Drive	Negative Symptom Assessment-16 - Reduced social drive.	NSA-16 - Reduced Social Drive
C121078	NSA01-Restricted Speech Quantity	NSA01-Restricted Speech Quantity	Negative Symptom Assessment-16 - Restricted speech quantity.	NSA-16 - Restricted Speech Quantity
C121092	NSA01-Slowed Movements	NSA01-Slowed Movements	Negative Symptom Assessment-16 - Slowed movements.	NSA-16 - Slowed Movements

## NSAA1TC (North Star Ambulatory Assessment Clinical Classification Test Code)

NCI Code: C132517, Codelist extensible: No

C132517 NSAA1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132536	NSAA101	NSAA1-Stand	North Star Ambulatory Assessment - Can you stand up tall for me for as long as you can and as still as you can.	NSAA - Stand
C132537	NSAA102	NSAA1-Walk	North Star Ambulatory Assessment - Can you walk from A to B (state to and where from) for me.	NSAA - Walk
C132538	NSAA103	NSAA1-Stand Up From Chair	North Star Ambulatory Assessment - Stand up from the chair keeping your arms folded if you can.	NSAA - Stand Up From Chair
C132539	NSAA104	NSAA1-Stand on One Leg - Right	North Star Ambulatory Assessment - Can you stand on your right leg for as long as you can?	NSAA - Stand on One Leg - Right
C132540	NSAA105	NSAA1-Stand on One Leg - Left	North Star Ambulatory Assessment - Can you stand on your left leg for as long as you can?	NSAA - Stand on One Leg - Left
C132541	NSAA106	NSAA1-Climb Box Step - Right	North Star Ambulatory Assessment - Can you step onto the top of the box using your right leg first?	NSAA - Climb Box Step - Right
C132542	NSAA107	NSAA1-Climb Box Step - Left	North Star Ambulatory Assessment - Can you step onto the top of the box using your left leg first?	NSAA - Climb Box Step - Left
C132543	NSAA108	NSAA1-Descend Box Step - Right	North Star Ambulatory Assessment - Can you step down from the box using your right leg first?	NSAA - Descend Box Step - Right
C132544	NSAA109	NSAA1-Descend Box Step - Left	North Star Ambulatory Assessment - Can you step down from the box using your left leg first?	NSAA - Descend Box Step - Left
C132545	NSAA110	NSAA1-Gets to Sitting	North Star Ambulatory Assessment - Can you get from lying to sitting?	NSAA - Gets to Sitting
C132546	NSAA111	NSAA1-Rise From Floor	North Star Ambulatory Assessment - Get up from the floor using as little support as possible and as fast as you can (from supine).	NSAA - Rise From Floor
C132547	NSAA111A	NSAA1-Rise From Floor Time	North Star Ambulatory Assessment - Time to get up from the floor using as little support as possible and as fast as you can (from supine) (seconds).	NSAA - Rise From Floor Time
C132548	NSAA112	NSAA1-Lifts Head	North Star Ambulatory Assessment - Lift your head to look at your toes keeping your arms folded.	NSAA - Lifts Head
C132549	NSAA113	NSAA1-Stands on Heels	North Star Ambulatory Assessment - Can you stand on your heels?	NSAA - Stands on Heels
C132550	NSAA114	NSAA1-Jump	North Star Ambulatory Assessment - How high can you jump?	NSAA - Jump
C132551	NSAA115	NSAA1-Hop Right Leg	North Star Ambulatory Assessment - Can you hop on your right leg?	NSAA - Hop Right Leg
C132552	NSAA116	NSAA1-Hop Left Leg	North Star Ambulatory Assessment - Can you hop on your left leg?	NSAA - Hop Left Leg
C132553	NSAA117	NSAA1-Run (10m)	North Star Ambulatory Assessment - Run as fast as you can to...(give point).	NSAA - Run (10m)
C132554	NSAA117A	NSAA1-Run (10m) Time	North Star Ambulatory Assessment - Time to run as fast as you can (seconds).	NSAA - Run (10m) Time
C132555	NSAA118	NSAA1-Total	North Star Ambulatory Assessment - Total.	NSAA - Total

**NSAA1TN (North Star Ambulatory Assessment Clinical Classification Test Name)**

NCI Code: C132516, Codelist extensible: No

<b>C132516 NSAA1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132542	NSAA1-Climb Box Step - Left	NSAA1-Climb Box Step - Left	North Star Ambulatory Assessment - Can you step onto the top of the box using your left leg first?	NSAA - Climb Box Step - Left
C132541	NSAA1-Climb Box Step - Right	NSAA1-Climb Box Step - Right	North Star Ambulatory Assessment - Can you step onto the top of the box using your right leg first?	NSAA - Climb Box Step - Right
C132544	NSAA1-Descend Box Step - Left	NSAA1-Descend Box Step - Left	North Star Ambulatory Assessment - Can you step down from the box using your left leg first?	NSAA - Descend Box Step - Left
C132543	NSAA1-Descend Box Step - Right	NSAA1-Descend Box Step - Right	North Star Ambulatory Assessment - Can you step down from the box using your right leg first?	NSAA - Descend Box Step - Right
C132545	NSAA1-Gets to Sitting	NSAA1-Gets to Sitting	North Star Ambulatory Assessment - Can you get from lying to sitting?	NSAA - Gets to Sitting
C132552	NSAA1-Hop Left Leg	NSAA1-Hop Left Leg	North Star Ambulatory Assessment - Can you hop on your left leg?	NSAA - Hop Left Leg
C132551	NSAA1-Hop Right Leg	NSAA1-Hop Right Leg	North Star Ambulatory Assessment - Can you hop on your right leg?	NSAA - Hop Right Leg
C132550	NSAA1-Jump	NSAA1-Jump	North Star Ambulatory Assessment - How high can you jump?	NSAA - Jump
C132548	NSAA1-Lifts Head	NSAA1-Lifts Head	North Star Ambulatory Assessment - Lift your head to look at your toes keeping your arms folded.	NSAA - Lifts Head
C132546	NSAA1-Rise From Floor	NSAA1-Rise From Floor	North Star Ambulatory Assessment - Get up from the floor using as little support as possible and as fast as you can (from supine).	NSAA - Rise From Floor
C132547	NSAA1-Rise From Floor Time	NSAA1-Rise From Floor Time	North Star Ambulatory Assessment - Time to get up from the floor using as little support as possible and as fast as you can (from supine) (seconds).	NSAA - Rise From Floor Time
C132553	NSAA1-Run (10m)	NSAA1-Run (10m)	North Star Ambulatory Assessment - Run as fast as you can to...(give point).	NSAA - Run (10m)
C132554	NSAA1-Run (10m) Time	NSAA1-Run (10m) Time	North Star Ambulatory Assessment - Time to run as fast as you can (seconds).	NSAA - Run (10m) Time
C132536	NSAA1-Stand	NSAA1-Stand	North Star Ambulatory Assessment - Can you stand up tall for me for as long as you can and as still as you can.	NSAA - Stand
C132540	NSAA1-Stand on One Leg - Left	NSAA1-Stand on One Leg - Left	North Star Ambulatory Assessment - Can you stand on your left leg for as long as you can?	NSAA - Stand on One Leg - Left
C132539	NSAA1-Stand on One Leg - Right	NSAA1-Stand on One Leg - Right	North Star Ambulatory Assessment - Can you stand on your right leg for as long as you can?	NSAA - Stand on One Leg - Right
C132538	NSAA1-Stand Up From Chair	NSAA1-Stand Up From Chair	North Star Ambulatory Assessment - Stand up from the chair keeping your arms folded if you can.	NSAA - Stand Up From Chair
C132549	NSAA1-Stands on Heels	NSAA1-Stands on Heels	North Star Ambulatory Assessment - Can you stand on your heels?	NSAA - Stands on Heels
C132555	NSAA1-Total	NSAA1-Total	North Star Ambulatory Assessment - Total.	NSAA - Total
C132537	NSAA1-Walk	NSAA1-Walk	North Star Ambulatory Assessment - Can you walk from A to B (state to and where from) for me.	NSAA - Walk



**NSYSPCID (Non-system Reason for PCI Delay)**

NCI Code: C101855, Codelist extensible: No

<b>C101855 NSYSPCID</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99920	CARDIAC ARREST BEFORE PCI		Cardiac arrest which occurs before a percutaneous coronary intervention can take place.	Cardiac Arrest Prior to Percutaneous Coronary Intervention
C99945	DIFFICULT VASCULAR ACCESS		Access to the subject's vasculature is troublesome or formidable.	Difficult Vascular Access
C99946	DIFFICULTY CROSSING THE CULPRIT LESION DURING THE PCI PROCEDURE		Placement of intracoronary devices across the coronary stenosis is troublesome or formidable.	Difficulty Crossing Culprit Lesion During Percutaneous Coronary Intervention
C99950	ENDOTRACHEAL INTUBATION BEFORE PCI	Intubation before PCI	Endotracheal intubation which occurs before a percutaneous coronary intervention can take place.	Endotracheal Intubation before Percutaneous Coronary Intervention
C17649	OTHER	Other	Different than the one(s) previously specified or mentioned. (NCI)	Other
C100016	SUBJECT DELAY IN PROVIDING CONSENT	Patient Delay in Providing Consent	The subject has not provided consent in a timely manner for the procedure to take place.	Subject Delay in Providing Consent

**NVTEST (Nervous System Findings Test Name)**

NCI Code: C116103, Codelist extensible: Yes

<b>C116103 NVTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114183	Boundary Shift Integral	Boundary Shift Integral	A measurement of change in volume of an organ or anatomical feature as determined by a shift in tissue boundary over time.	Boundary Shift Integral
C117886	N145 Latency	N145 Latency	An assessment of the latency of the N145 or N2 wave of the visual evoked potential assessment waveform.	N145 Latency
C130185	N75 Latency	N1 Latency;N75 Latency	An assessment of the latency of the N75 or N1 wave of the visual evoked potential assessment waveform.	N75 Latency
C117887	P100 Amplitude	P100 Amplitude	The magnitude, or height, of the P100 wave of the visual evoked potential assessment waveform. This assessment calculates the height from the N75 negative peak to the P100 positive peak.	N75 to P100 Peak to Peak Amplitude
C117888	P100 Latency	P100 Latency	An assessment of the latency of the P100 or P1 wave of the visual evoked potential assessment waveform.	P100 Latency
C69310	Standard Uptake Value	Standard Uptake Value	The ratio between the tissue radioactivity concentration at a point in time C(T) and the injected dose of radioactivity per kilogram of the patient's body weight.	Standardized Uptake Value
C116141	Standard Uptake Value Ratio	Standard Uptake Value Ratio	The ratio between the uptake or binding of a radiopharmaceutical agent in an anatomical region of interest and a context-defined reference anatomical region.	Standard Uptake Value Ratio
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C25335	Volume	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume

**NVTESTCD (Nervous System Findings Test Code)**

NCI Code: C116104, Codelist extensible: Yes

<b>C116104 NVTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114183	BSI	Boundary Shift Integral	A measurement of change in volume of an organ or anatomical feature as determined by a shift in tissue boundary over time.	Boundary Shift Integral
C117886	N145LAT	N145 Latency	An assessment of the latency of the N145 or N2 wave of the visual evoked potential assessment waveform.	N145 Latency
C130185	N75LAT	N1 Latency;N75 Latency	An assessment of the latency of the N75 or N1 wave of the visual evoked potential assessment waveform.	N75 Latency
C117887	P100AMP	P100 Amplitude	The magnitude, or height, of the P100 wave of the visual evoked potential assessment waveform. This assessment calculates the height from the N75 negative peak to the P100 positive peak.	N75 to P100 Peak to Peak Amplitude
C117888	P100LAT	P100 Latency	An assessment of the latency of the P100 or P1 wave of the visual evoked potential assessment waveform.	P100 Latency
C69310	SUV	Standard Uptake Value	The ratio between the tissue radioactivity concentration at a point in time C(T) and the injected dose of radioactivity per kilogram of the patient's body weight.	Standardized Uptake Value
C116141	SUVR	Standard Uptake Value Ratio	The ratio between the uptake or binding of a radiopharmaceutical agent in an anatomical region of interest and a context-defined reference anatomical region.	Standard Uptake Value Ratio
C41145	THICK	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C25335	VOLUME	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume

## NY (No Yes Response)

NCI Code: C66742, Codelist extensible: No

<b>C66742 NY</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49487	N	No	The non-affirmative response to a question. (NCI)	No
C48660	NA	NA;Not Applicable	Determination of a value is not relevant in the current context. (NCI)	Not Applicable
C17998	U	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown
C49488	Y	Yes	The affirmative response to a question. (NCI)	Yes

## NYHAC (New York Heart Association Classification)

NCI Code: C101839, Codelist extensible: No

<b>C101839 NYHAC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C66904	NYHA CLASS I	New York Heart Association Class I	Without limitations of physical activity. Ordinary physical activity does not cause undue fatigue, palpitations, or dyspnea.	New York Heart Association Class I
C66905	NYHA CLASS II	New York Heart Association Class II	Slight limitation of physical activity. The patient is comfortable at rest. Ordinary physical activity results in fatigue, palpitations, or dyspnea.	New York Heart Association Class II
C66907	NYHA CLASS III	New York Heart Association Class III	Marked limitation of physical activity. The patient is comfortable at rest. Less than ordinary activity causes fatigue, palpitations, or dyspnea.	New York Heart Association Class III
C66908	NYHA CLASS IV	New York Heart Association Class IV	Inability to carry on any physical activity without discomfort. Heart failure symptoms are present even at rest or with minimal exertion.	New York Heart Association Class IV

## OABQ01TC (The Overactive Bladder Questionnaire Questionnaire Test Code)

NCI Code: C103475, Codelist extensible: No

C103475 OABQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103653	OABQ0101	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103654	OABQ0102	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103655	OABQ0103	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103656	OABQ0104	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103657	OABQ0105	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103658	OABQ0106	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103659	OABQ0107	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ0108	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103661	OABQ0109	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103662	OABQ0110	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103663	OABQ0111	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms
C103664	OABQ0112	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103665	OABQ0113	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103666	OABQ0114	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103667	OABQ0115	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103668	OABQ0116	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103669	OABQ0117	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103670	OABQ0118	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103671	OABQ0119	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103672	OABQ0120	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer
C103673	OABQ0121	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103674	OABQ0122	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms

**C103475 OABQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103675	OABQ0123	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103676	OABQ0124	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103677	OABQ0125	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene
C103678	OABQ0126	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others
C103679	OABQ0127	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103680	OABQ0128	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103681	OABQ0129	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103682	OABQ0130	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103683	OABQ0131	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103684	OABQ0132	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103685	OABQ0133	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive

## OABQ01TN (The Overactive Bladder Questionnaire Questionnaire Test Name)

NCI Code: C103474, Codelist extensible: No

C103474 OABQ01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103656	OABQ01-Accidental Loss of Urine	OABQ01-Accidental Loss of Urine	The Overactive Bladder Questionnaire - Accidental loss of small amounts of urine?	OAB-q - Accidental Loss of Urine
C103673	OABQ01-Adjust Travel Plans Near Restroom	OABQ01-Adjust Travel Plans Near Restroom	The Overactive Bladder Questionnaire - Caused you to adjust your travel plans so that you are always near a restroom?	OAB-q - Adjust Your Travel Plans so That You are Always Near a Restroom
C103679	OABQ01-Affected Relationships	OABQ01-Affected Relationships	The Overactive Bladder Questionnaire - Affected your relationships with family and friends?	OAB-q - Affected Your Relationships with Family and Friends
C103675	OABQ01-Amount of Time Spend in Restroom	OABQ01-Amount of Time Spend in Restroom	The Overactive Bladder Questionnaire - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103674	OABQ01-Avoid Act Away From Restroom	OABQ01-Avoid Act Away From Restroom	The Overactive Bladder Questionnaire - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q - Avoid Activities Away From Restrooms
C103676	OABQ01-Awakened You During Sleep	OABQ01-Awakened You During Sleep	The Overactive Bladder Questionnaire - Awakened you during sleep?	OAB-q - Awakened You During Sleep
C103661	OABQ01-Carefully Plan Your Commute	OABQ01-Carefully Plan Your Commute	The Overactive Bladder Questionnaire - Made you carefully plan your commute?	OAB-q - Carefully Plan Your Commute
C103683	OABQ01-Caused Problems Partner/Spouse	OABQ01-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire - Caused you to have problems with your partner or spouse?	OAB-q - Caused Problems with Your Partner or Spouse
C103671	OABQ01-Caused You Anxiety or Worry	OABQ01-Caused You Anxiety or Worry	The Overactive Bladder Questionnaire - Caused you anxiety or worry?	OAB-q - Caused You Anxiety or Worry
C103664	OABQ01-Caused You Distress	OABQ01-Caused You Distress	The Overactive Bladder Questionnaire - Caused you distress?	OAB-q - Caused You Distress
C103681	OABQ01-Caused You Embarrassment	OABQ01-Caused You Embarrassment	The Overactive Bladder Questionnaire - Caused you embarrassment?	OAB-q - Caused You Embarrassment
C103680	OABQ01-Decrease Participating Gatherings	OABQ01-Decrease Participating Gatherings	The Overactive Bladder Questionnaire - Caused you to decrease participating in social gatherings, such as parties or visits with family or friends?	OAB-q - Decrease Participating in Social Gatherings
C103668	OABQ01-Decrease Your Physical Activities	OABQ01-Decrease Your Physical Activities	The Overactive Bladder Questionnaire - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q - Decrease Your Physical Activities
C103662	OABQ01-Feel Drowsy or Sleepy During Day	OABQ01-Feel Drowsy or Sleepy During Day	The Overactive Bladder Questionnaire - Caused you to feel drowsy or sleepy during the day?	OAB-q - Feel Drowsy or Sleepy During the Day
C103666	OABQ01-Feel Something Wrong with You	OABQ01-Feel Something Wrong with You	The Overactive Bladder Questionnaire - Made you feel like there is something wrong with you?	OAB-q - Feel Like There is Something Wrong with You
C103653	OABQ01-Frequent Urination During Daytime	OABQ01-Frequent Urination During Daytime	The Overactive Bladder Questionnaire - Frequent urination during the daytime hours?	OAB-q - Frequent Urination During the Daytime
C103670	OABQ01-Frustrated Family and Friends	OABQ01-Frustrated Family and Friends	The Overactive Bladder Questionnaire - Frustrated your family and friends?	OAB-q - Frustrated Your Family and Friends
C103665	OABQ01-Frustrated You	OABQ01-Frustrated You	The Overactive Bladder Questionnaire - Frustrated you?	OAB-q - Frustrated You
C103682	OABQ01-Interfered with Getting Sleep	OABQ01-Interfered with Getting Sleep	The Overactive Bladder Questionnaire - Interfered with getting the amount of sleep you needed?	OAB-q - Interfered with Getting Sleep
C103667	OABQ01-Interfered with Good Night's Rest	OABQ01-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire - Interfered with your ability to get a good night's rest?	OAB-q - Interfered with a Good Night's Rest
C103685	OABQ01-Locate Closest Restroom	OABQ01-Locate Closest Restroom	The Overactive Bladder Questionnaire - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q - Locate Closest Restroom as Soon as You Arrive
C103657	OABQ01-Nighttime Urination	OABQ01-Nighttime Urination	The Overactive Bladder Questionnaire - Nighttime urination?	OAB-q - Nighttime Urination
C103663	OABQ01-Plan 'Escape Routes' to Restrooms	OABQ01-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire - Caused you to plan "escape routes" to restrooms in public places?	OAB-q - Plan 'Escape Routes' to Restrooms



**C103474 OABQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103684	OABQ01-Plan Activities More Carefully	OABQ01-Plan Activities More Carefully	The Overactive Bladder Questionnaire - Caused you to plan activities more carefully?	OAB-q - Plan Activities More Carefully
C103669	OABQ01-Prevented From Feeling Rested	OABQ01-Prevented From Feeling Rested	The Overactive Bladder Questionnaire - Prevented you from feeling rested upon waking in the morning?	OAB-q - Prevented You From Feeling Rested Upon Waking
C103672	OABQ01-Stay Home More Often Than Prefer	OABQ01-Stay Home More Often Than Prefer	The Overactive Bladder Questionnaire - Caused you to stay home more often than you would prefer?	OAB-q - Stay Home More Often Than You Would Prefer
C103655	OABQ01-Sudden Urge to Urinate No Warning	OABQ01-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire - A sudden urge to urinate with little or no warning?	OAB-q - Sudden Urge to Urinate with Little or No Warning
C103678	OABQ01-Uncomfortable Travel with Others	OABQ01-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire - Made you uncomfortable while traveling with others because of needing to stop for a restroom?	OAB-q - Uncomfortable While Traveling With Others
C103654	OABQ01-Uncomfortable Urge to Urinate	OABQ01-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire - An uncomfortable urge to urinate?	OAB-q - Uncomfortable Urge to Urinate
C103659	OABQ01-Uncontrollable Urge to Urinate	OABQ01-Uncontrollable Urge to Urinate	The Overactive Bladder Questionnaire - An uncontrollable urge to urinate?	OAB-q - Uncontrollable Urge to Urinate
C103660	OABQ01-Urine Loss Strong Desire Urinate	OABQ01-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire - Urine loss associated with a strong desire to urinate?	OAB-q - Urine Loss Associated with a Strong Desire to Urinate
C103658	OABQ01-Waking Up at Night had to Urinate	OABQ01-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire - Waking up at night because you had to urinate?	OAB-q - Waking Up at Night Because You had to Urinate
C103677	OABQ01-Worry About Odor or Hygiene	OABQ01-Worry About Odor or Hygiene	The Overactive Bladder Questionnaire - Made you worry about odor or hygiene?	OAB-q - Made You Worry About Odor or Hygiene

## OABQ02TC (The Overactive Bladder Questionnaire Short Form Questionnaire Test Code)

NCI Code: C103477, Codelist extensible: No

C103477 OABQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103686	OABQ0201	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103687	OABQ0202	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103688	OABQ0203	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103689	OABQ0204	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103690	OABQ0205	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate
C103691	OABQ0206	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103692	OABQ0207	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103693	OABQ0208	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103694	OABQ0209	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103695	OABQ0210	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103696	OABQ0211	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ0212	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103698	OABQ0213	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103699	OABQ0214	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103700	OABQ0215	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103701	OABQ0216	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103702	OABQ0217	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103703	OABQ0218	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103704	OABQ0219	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive

## OABQ02TN (The Overactive Bladder Questionnaire Short Form Questionnaire Test Name)

NCI Code: C103476, Codelist extensible: No

<b>C103476 OABQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103688	OABQ02-Accidental Loss of Urine	OABQ02-Accidental Loss of Urine	The Overactive Bladder Questionnaire Short Form - Accidental loss of small amounts of urine?	OAB-q Short Form - Accidental Loss of Urine
C103701	OABQ02-Affected Relationships	OABQ02-Affected Relationships	The Overactive Bladder Questionnaire Short Form - Affected your relationships with family and friends?	OAB-q Short Form - Affected Your Relationships with Family and Friends
C103696	OABQ02-Avoid Activ Away From Restroom	OABQ02-Avoid Activ Away From Restroom	The Overactive Bladder Questionnaire Short Form - Made you avoid activities away from restrooms (i.e., walks, running, hiking)?	OAB-q Short Form - Avoid Activities Away From Restrooms
C103697	OABQ02-Awakened You During Sleep	OABQ02-Awakened You During Sleep	The Overactive Bladder Questionnaire Short Form - Awakened you during sleep?	OAB-q Short Form - Awakened You During Sleep
C103699	OABQ02-Caused Problems Partner/Spouse	OABQ02-Caused Problems Partner/Spouse	The Overactive Bladder Questionnaire Short Form - Caused you to have problems with your partner or spouse?	OAB-q Short Form - Caused Problems with Your Partner or Spouse
C103703	OABQ02-Caused You Embarrassment	OABQ02-Caused You Embarrassment	The Overactive Bladder Questionnaire Short Form - Caused you embarrassment?	OAB-q Short Form - Caused You Embarrassment
C103698	OABQ02-Decrease Physical Activities	OABQ02-Decrease Physical Activities	The Overactive Bladder Questionnaire Short Form - Caused you to decrease your physical activities (exercising, sports, etc.)?	OAB-q Short Form - Decrease Your Physical Activities
C103693	OABQ02-Feel Something is Wrong with You	OABQ02-Feel Something is Wrong with You	The Overactive Bladder Questionnaire Short Form - Made you feel like there is something wrong with you?	OAB-q Short Form - Feel Like There is Something Wrong with You
C103695	OABQ02-Frustrated about Time in Restroom	OABQ02-Frustrated about Time in Restroom	The Overactive Bladder Questionnaire Short Form - Made you frustrated or annoyed about the amount of time you spend in the restroom?	OAB-q Short Form - Frustrated or Annoyed About the Amount of Time You Spend in the Restroom
C103702	OABQ02-Interfered with Getting Sleep	OABQ02-Interfered with Getting Sleep	The Overactive Bladder Questionnaire Short Form - Interfered with getting the amount of sleep you needed?	OAB-q Short Form - Interfered with Getting Sleep
C103694	OABQ02-Interfered with Good Night's Rest	OABQ02-Interfered with Good Night's Rest	The Overactive Bladder Questionnaire Short Form - Interfered with your ability to get a good night's rest?	OAB-q Short Form - Interfered with a Good Night's Rest
C103704	OABQ02-Locate Closest Restroom	OABQ02-Locate Closest Restroom	The Overactive Bladder Questionnaire Short Form - Caused you to locate the closest restroom as soon as you arrive at a place you have never been?	OAB-q Short Form - Locate Closest Restroom as Soon as You Arrive
C103689	OABQ02-Nighttime Urination	OABQ02-Nighttime Urination	The Overactive Bladder Questionnaire Short Form - Nighttime urination?	OAB-q Short Form - Nighttime Urination
C103692	OABQ02-Plan 'Escape Routes' to Restrooms	OABQ02-Plan 'Escape Routes' to Restrooms	The Overactive Bladder Questionnaire Short Form - Caused you to plan "escape routes" to restrooms in public places?	OAB-q Short Form - Plan 'Escape Routes' to Restrooms
C103687	OABQ02-Sudden Urge to Urinate No Warning	OABQ02-Sudden Urge to Urinate No Warning	The Overactive Bladder Questionnaire Short Form - A sudden urge to urinate with little or no warning?	OAB-q Short Form - Sudden Urge to Urinate with Little or No Warning
C103700	OABQ02-Uncomfortable Travel with Others	OABQ02-Uncomfortable Travel with Others	The Overactive Bladder Questionnaire Short Form - Made you uncomfortable while travelling with others because of needing to stop for a restroom?	OAB-q Short Form - Uncomfortable While Traveling With Others
C103686	OABQ02-Uncomfortable Urge to Urinate	OABQ02-Uncomfortable Urge to Urinate	The Overactive Bladder Questionnaire Short Form - An uncomfortable urge to urinate?	OAB-q Short Form - Uncomfortable Urge to Urinate
C103691	OABQ02-Urine Loss Strong Desire Urinate	OABQ02-Urine Loss Strong Desire Urinate	The Overactive Bladder Questionnaire Short Form - Urine loss associated with strong desire to urinate?	OAB-q Short Form - Urine Loss Associated with a Strong Desire to Urinate
C103690	OABQ02-Waking Up at Night had to Urinate	OABQ02-Waking Up at Night had to Urinate	The Overactive Bladder Questionnaire Short Form - Waking up at night because you had to urinate?	OAB-q Short Form - Waking Up at Night Because You had to Urinate

## OBSSBSR (Observational Study Biospecimen Retention)

NCI Code: C127258, Codelist extensible: Yes

<b>C127258 OBSSBSR</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127776	SAMPLES NOT RETAINED		An indication that no biospecimen samples were retained.	Biospecimens Not Retained
C127777	SAMPLES WITH DNA RETAINED		An indication that the retained biospecimens contain DNA.	Retained Specimens Contain DNA
C127778	SAMPLES WITHOUT DNA RETAINED		An indication that the retained biospecimens do not contain DNA.	Retained Specimens Do Not Contain DNA

**OBSSMO (Observational Study Model)**

NCI Code: C127259, Codelist extensible: Yes

<b>C127259 OBSSMO</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15197	CASE CONTROL		A study that compares groups of people with generally similar characteristics, those with the condition under study (case) and those without the condition under study (control).	Case-Control Study
C127779	CASE CROSSOVER		A study in which the subject characteristics of the case, immediately prior to disease onset (sometimes called the hazard period), are compared to characteristics of same case at a prior time (i.e., control period). (ClinicalTrials.gov)	Observational Case-Crossover Study
C15362	CASE ONLY		A study in which the subject with the condition under study (the case) is compared against a theoretical/historical model of distribution that serves as a control.	Case Study
C15208	COHORT		A study in which subjects are grouped based on a predefined personal or administrative characteristic.	Cohort Study
C127780	ECOLOGIC OR COMMUNITY		A study in which geographically distinct study populations are compared with respect to a particular outcome.	Ecologic or Community Based Study
C15407	FAMILY BASED		A study in which related or non-related family members are compared with respect to a particular outcome.	Family Study

## OBSSSM (Observational Study Sampling Method)

NCI Code: C127260, Codelist extensible: Yes

C127260 OBSSSM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C127781	NON-PROBABILITY SAMPLE		A non-random process used to select a study population in which the participants have been selected based on convenience or with a particular purpose in mind.	Non-Probability Sampling Method
C71517	PROBABILITY SAMPLE		An exclusively random process to guarantee that each participant or population has specified chance of selection, such as simple random sampling, systematic sampling, stratified random sampling, cluster sampling, and consecutive patient sampling. (clinicaltrials.gov)	Equal Probability Sampling Method

## OBSSTP (Observational Study Time Perspective)

NCI Code: C127261, Codelist extensible: Yes

<b>C127261 OBSSTP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C53310	CROSS SECTIONAL		Studies in which observations or measurements made at a single point in time, usually at subject enrollment. (clinicaltrials.gov)	Cross-Sectional Study
C15273	PROSPECTIVE		Studies that look forward using periodic observations collected predominantly following subject enrollment. (clinicaltrials.gov)	Longitudinal Study
C53312	RETROSPECTIVE		Studies that look back using observations collected predominantly prior to subject selection and enrollment. (clinicaltrials.gov)	Retrospective Study

**ODI01TC (The Oswestry Disability Index Version 2.1a Questionnaire Test Code)**

NCI Code: C103479, Codelist extensible: No

<b>C103479 ODI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103762	ODI0101	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI0102	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103764	ODI0103	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C103765	ODI0104	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking
C103766	ODI0105	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103767	ODI0106	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103768	ODI0107	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103769	ODI0108	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103770	ODI0109	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103771	ODI0110	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling
C125762	ODI0111	ODI01-Oswestry Disability Index	The Oswestry Disability Index Version 2.1a - Your ODI.	ODI v2.1a - Oswestry Disability Index



**ODI01TN (The Oswestry Disability Index Version 2.1a Questionnaire Test Name)**

NCI Code: C103478, Codelist extensible: No

<b>C103478 ODI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103764	ODI01-Lifting	ODI01-Lifting	The Oswestry Disability Index Version 2.1a - Section 3 - Lifting.	ODI v2.1a - Lifting
C125762	ODI01-Oswestry Disability Index	ODI01-Oswestry Disability Index	The Oswestry Disability Index Version 2.1a - Your ODI.	ODI v2.1a - Oswestry Disability Index
C103762	ODI01-Pain Intensity	ODI01-Pain Intensity	The Oswestry Disability Index Version 2.1a - Section 1 - Pain intensity.	ODI v2.1a - Pain Intensity
C103763	ODI01-Personal Care	ODI01-Personal Care	The Oswestry Disability Index Version 2.1a - Section 2 - Personal care (washing, dressing, etc.).	ODI v2.1a - Personal Care
C103769	ODI01-Sex Life	ODI01-Sex Life	The Oswestry Disability Index Version 2.1a - Section 8 - Sex life (if applicable).	ODI v2.1a - Sex Life
C103766	ODI01-Sitting	ODI01-Sitting	The Oswestry Disability Index Version 2.1a - Section 5 - Sitting.	ODI v2.1a - Sitting
C103768	ODI01-Sleeping	ODI01-Sleeping	The Oswestry Disability Index Version 2.1a - Section 7 - Sleeping.	ODI v2.1a - Sleeping
C103770	ODI01-Social Life	ODI01-Social Life	The Oswestry Disability Index Version 2.1a - Section 9 - Social life.	ODI v2.1a - Social Life
C103767	ODI01-Standing	ODI01-Standing	The Oswestry Disability Index Version 2.1a - Section 6 - Standing.	ODI v2.1a - Standing
C103771	ODI01-Travelling	ODI01-Travelling	The Oswestry Disability Index Version 2.1a - Section 10 - Travelling.	ODI v2.1a - Travelling
C103765	ODI01-Walking	ODI01-Walking	The Oswestry Disability Index Version 2.1a - Section 4 - Walking.	ODI v2.1a - Walking

## OEFOCUS (Ophthalmic Focus of Study Specific Interest)

NCI Code: C119013, Codelist extensible: No

<b>C119013 OEFOCUS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119333	OD		The eye positioned in the right orbit, Oculus Dexter.	Right Eye
C119334	OS		The eye positioned in the left orbit, Oculus Sinister.	Left Eye
C119335	OU		Of or pertaining to both the left and right eyes, Oculus Uterque.	Both Eyes

**OETEST (Ophthalmic Exam Test Name)**

NCI Code: C117742, Codelist extensible: Yes

<b>C117742 OETEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117889	Astigmatism Axis	Astigmatism Axis	A measurement of the location, in degrees, of the flatter principal meridian on a 180-degree scale, where 90 degrees designates the vertical meridian and 180 degrees designates the horizontal meridian.	Astigmatism Axis
C120538	Cell Density	Cell Density	A measurement of the number of cells contained in a unit of volume.	Cell Density
C120710	Cell Density, Maximum	Cell Density, Maximum	The maximum number in a group of values that represent the cell density.	Maximum Cell Density
C120712	Cell Density, Mean	Cell Density, Mean	The mean number in a group of values that represent the cell density.	Mean Cell Density
C120711	Cell Density, Minimum	Cell Density, Minimum	The minimum number in a group of values that represent the cell density.	Minimum Cell Density
C120713	Cell Density, Standard Deviation	Cell Density, Standard Deviation	The standard deviation in a group of values that represent the cell density.	Standard Deviation of Cell Density
C37927	Color	Color	The appearance of objects (or light sources) described in terms of a person's perception of their hue and lightness (or brightness) and saturation. (NCI)	Color
C120714	Cup to Disc Ratio	Cup to Disc Ratio	The ratio of the diameter of the optic cup compared to the diameter of the optic disc. (NCI)	Optic Cup to Disc Ratio
C117892	Cylindrical Refraction Error	Cylindrical Refraction Error	A measurement of the extent of defect in vision caused by a mismatch of optical power between the cylindrical and horizontal meridians, resulting in sub-optimal reflection of light onto the retina. (NCI)	Cylindrical Refractive Error
C25285	Diameter	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C120716	Diameter, Mean	Diameter, Mean	The mean number in a group of values that represent the diameter of an object.	Mean Diameter
C120715	Diameter, Minimum	Diameter, Minimum	The minimum number in a group of values that represent the diameter of an object.	Minimum Diameter
C120717	Diameter, Standard Deviation	Diameter, Standard Deviation	The standard deviation in a group of values that represent the diameter of an object.	Standard Deviation of Diameter
C147474	Eye Drop Comfort Grade	Eye Drop Comfort Grade	The position on a scale to assess the degree of comfort associated with the administration of an eye drop.	Eye Drop Comfort Grade
C132432	Hyperemia Grade	Hyperemia Grade	The position on a scale to assess hyperemia.	Hyperemia Grade
C87143	Intraocular Pressure	Intraocular Pressure	The fluid pressure within the eye.	Intraocular Pressure
C120718	Lens Status	Lens Status	The condition or state of the lens of the eye. (NCI)	Lens Status
C117890	Log Score	Log Score	A number or range of numeric values on the log scale that measures performance, function, quality, or ability.	Log Score
C96684	Longest Diameter	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C142233	Minimum Angle of Resolution	Minimum Angle of Resolution	The smallest angle of separation that allows an image-forming device, including the retina, to distinguish two objects as distinct entities.	Minimum Angle of Resolution
C142351	Minimum Angle of Resolution, Log10	Minimum Angle of Resolution, Log10	The base-10 logarithm of the minimum angle of resolution achieved by an individual during testing.	Log10 Minimum Angle of Resolution
C142352	Near-Point Accommodation	Near-Point Accommodation	The minimum distance from the retina that an object remains in clear focus.	Near-Point Accommodation
C142353	Number of Characters Read	Number of Characters Read	The integer that describes the number of characters read by the subject during an eye chart assessment.	Number of Characters Read
C142354	Number of Characters Unread	Number of Characters Unread	The integer that describes the number of characters not able to be read by the subject during an eye chart assessment.	Number of Characters Unread

**C117742 OETEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117891	Number of Letters Correct	Number of Letters Correct	The integer that describes the number of letters correctly identified by the subject during an eye chart assessment.	Number of Correct Eye Chart Letters
C139242	Number of Lines Read	Number of Lines Read	The integer that describes the number of lines read by the subject during an eye chart assessment.	Number of Eye Chart Lines Read
C142355	Number of Lines Unread	Number of Lines Unread	The integer that describes the number of lines not able to be read by the subject during an eye chart assessment.	Number of Lines Unread
C25637	Reactivity	Reactivity	A description of the action in response to some kind of stimulus.	Reaction
C25677	Shape	Shape	The spatial arrangement of something as distinct from its substance. (NCI)	Shape
C117893	Spherical Refractive Error	Spherical Refractive Error	A measurement of the extent of defect in vision caused by a mismatch of optimal power between the cornea and/or lens and the length of the eyeball, resulting in sub-optimal reflection of light onto the retina. (NCI)	Spherical Refractive Error
C147475	Subject to Eye Chart Actual Distance	Subject to Eye Chart Actual Distance	The actual distance between the subject and the eye chart during an eye assessment.	Actual Subject to Eye Chart Distance
C147476	Subject to Eye Chart Planned Distance	Subject to Eye Chart Planned Distance	The planned distance between the subject and the eye chart during an eye assessment.	Planned Subject to Eye Chart Distance
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C120719	Thickness, Maximum	Thickness, Maximum	The maximum number in a group of values that represent the thickness of an object.	Maximum Thickness
C120721	Thickness, Mean	Thickness, Mean	The mean number in a group of values that represent the thickness of an object.	Mean Thickness
C120720	Thickness, Minimum	Thickness, Minimum	The minimum number in a group of values that represent the thickness of an object.	Minimum Thickness
C120722	Thickness, Standard Deviation	Thickness, Standard Deviation	The standard deviation in a group of values that represent the thickness of an object.	Standard Deviation of Thickness
C147477	Visual Acuity Card Grating Frequency	Visual Acuity Card Grating Frequency	A measurement of the number of horizontal or vertical lines within a pre-determined unit of length on a visual acuity card.	Acuity Card Grating Frequency

**OETESTCD (Ophthalmic Exam Test Code)**

NCI Code: C117743, Codelist extensible: Yes

<b>C117743 OETESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117889	ASTAXIS	Astigmatism Axis	A measurement of the location, in degrees, of the flatter principal meridian on a 180-degree scale, where 90 degrees designates the vertical meridian and 180 degrees designates the horizontal meridian.	Astigmatism Axis
C120538	CELLDENS	Cell Density	A measurement of the number of cells contained in a unit of volume.	Cell Density
C120710	CELLDMAX	Cell Density, Maximum	The maximum number in a group of values that represent the cell density.	Maximum Cell Density
C120711	CELLDMIN	Cell Density, Minimum	The minimum number in a group of values that represent the cell density.	Minimum Cell Density
C120712	CELLDMN	Cell Density, Mean	The mean number in a group of values that represent the cell density.	Mean Cell Density
C120713	CELLDSD	Cell Density, Standard Deviation	The standard deviation in a group of values that represent the cell density.	Standard Deviation of Cell Density
C37927	COLOR	Color	The appearance of objects (or light sources) described in terms of a person's perception of their hue and lightness (or brightness) and saturation. (NCI)	Color
C120714	CUPDISC	Cup to Disc Ratio	The ratio of the diameter of the optic cup compared to the diameter of the optic disc. (NCI)	Optic Cup to Disc Ratio
C25285	DIAMETER	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C120715	DIAMMIN	Diameter, Minimum	The minimum number in a group of values that represent the diameter of an object.	Minimum Diameter
C120716	DIAMMN	Diameter, Mean	The mean number in a group of values that represent the diameter of an object.	Mean Diameter
C120717	DIAMSD	Diameter, Standard Deviation	The standard deviation in a group of values that represent the diameter of an object.	Standard Deviation of Diameter
C147474	EYDCOMGR	Eye Drop Comfort Grade	The position on a scale to assess the degree of comfort associated with the administration of an eye drop.	Eye Drop Comfort Grade
C132432	HYPERGR	Hyperemia Grade	The position on a scale to assess hyperemia.	Hyperemia Grade
C87143	IOP	Intraocular Pressure	The fluid pressure within the eye.	Intraocular Pressure
C96684	LDIAM	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C120718	LENSSTAT	Lens Status	The condition or state of the lens of the eye. (NCI)	Lens Status
C117890	LOGSCORE	Log Score	A number or range of numeric values on the log scale that measures performance, function, quality, or ability.	Log Score
C142233	MNARS	Minimum Angle of Resolution	The smallest angle of separation that allows an image-forming device, including the retina, to distinguish two objects as distinct entities.	Minimum Angle of Resolution
C142351	MNARSLOG	Minimum Angle of Resolution, Log10	The base-10 logarithm of the minimum angle of resolution achieved by an individual during testing.	Log10 Minimum Angle of Resolution
C142352	NRPNTACC	Near-Point Accommodation	The minimum distance from the retina that an object remains in clear focus.	Near-Point Accommodation
C142353	NUMCHRRD	Number of Characters Read	The integer that describes the number of characters read by the subject during an eye chart assessment.	Number of Characters Read
C142354	NUMCHRUR	Number of Characters Unread	The integer that describes the number of characters not able to be read by the subject during an eye chart assessment.	Number of Characters Unread
C117891	NUMLCOR	Number of Letters Correct	The integer that describes the number of letters correctly identified by the subject during an eye chart assessment.	Number of Correct Eye Chart Letters
C139242	NUMLINRD	Number of Lines Read	The integer that describes the number of lines read by the subject during an eye chart assessment.	Number of Eye Chart Lines Read

**C117743 OETESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C142355	NUMLINUR	Number of Lines Unread	The integer that describes the number of lines not able to be read by the subject during an eye chart assessment.	Number of Lines Unread
C25637	REACTIV	Reactivity	A description of the action in response to some kind of stimulus.	Reaction
C117892	RECYLDR	Cylindrical Refraction Error	A measurement of the extent of defect in vision caused by a mismatch of optical power between the cylindrical and horizontal meridians, resulting in sub-optimal reflection of light onto the retina. (NCI)	Cylindrical Refractive Error
C117893	RESPHERE	Spherical Refractive Error	A measurement of the extent of defect in vision caused by a mismatch of optimal power between the cornea and/or lens and the length of the eyeball, resulting in sub-optimal reflection of light onto the retina. (NCI)	Spherical Refractive Error
C25677	SHAPE	Shape	The spatial arrangement of something as distinct from its substance. (NCI)	Shape
C147475	SUBECADT	Subject to Eye Chart Actual Distance	The actual distance between the subject and the eye chart during an eye assessment.	Actual Subject to Eye Chart Distance
C147476	SUBECPDT	Subject to Eye Chart Planned Distance	The planned distance between the subject and the eye chart during an eye assessment.	Planned Subject to Eye Chart Distance
C41145	THICK	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness
C120719	THICKMAX	Thickness, Maximum	The maximum number in a group of values that represent the thickness of an object.	Maximum Thickness
C120720	THICKMIN	Thickness, Minimum	The minimum number in a group of values that represent the thickness of an object.	Minimum Thickness
C120721	THICKMN	Thickness, Mean	The mean number in a group of values that represent the thickness of an object.	Mean Thickness
C120722	THICKSD	Thickness, Standard Deviation	The standard deviation in a group of values that represent the thickness of an object.	Standard Deviation of Thickness
C147477	VACGRFRQ	Visual Acuity Card Grating Frequency	A measurement of the number of horizontal or vertical lines within a pre-determined unit of length on a visual acuity card.	Acuity Card Grating Frequency

## ONCRSCAT (Category of Oncology Response Assessment)

NCI Code: C124298, Codelist extensible: Yes

C124298 ONCRSCAT 8				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C125755	AJCC V7	AJCC1	AJCC TNM Staging System 7th Edition (AJCC V7) (Edge SB, Byrd DR, Compton CC, Fritz AG, Greene FL, Trotti A, editors. AJCC cancer staging manual (7th ed). New York, NY: Springer; 2010).	AJCC Cancer Staging Manual 7th Edition
C125990	BLAZER COLORECTAL CANCER 2008		Pathologic Response to Preoperative Chemotherapy: A New Outcome End Point After Resection of Hepatic Colorectal Metastases. (Blazer DG 3rd, Kishi Y, Maru DM, Kopetz S, Chun YS, Overman MJ, Fogelman D, Eng C, Chang DZ, Wang H, Zorzi D, Ribero D, Ellis LM, Glover KY, Wolff RA, Curley SA, Abdalla EK, Vauthey JN. Pathologic Response to Preoperative Chemotherapy: A New Outcome End Point After Resection of Hepatic Colorectal Metastases. J Clin Oncol. 2008 Nov 20;26(33):5344-51.)	Blazer Colorectal Cancer 2008 Oncology Response Criteria
C125991	BOONSIRIKAMCHAI COLORECTAL CANCER 2011		CT findings of response and recurrence, independent of change in tumor size, in colorectal liver metastasis treated with bevacizumab. (Boonsirikamchai P, Asran MA, Maru DM, Vauthey JN, Kaur H, Kopetz S, Loyer EM. CT findings of response and recurrence, independent of change in tumor size, in colorectal liver metastasis treated with bevacizumab. AJR Am J Roentgenol. 2011 Dec;197(6):W1060-6.)	Boonsirikamchai Colorectal Cancer 2011 Oncology Response Criteria
C125992	BRUGGEMANN MRD 2010		Standardized MRD quantification in European ALL trials: Proceedings of the Second International Symposium on MRD assessment in Kiel, Germany, 18-20 September 2008. (Bruggemann M, Schrauder A, Raff T, Pfeifer H, Dworzak M, Ottmann OG, Asnafi V, Baruchel A, Bassan R, Benoit Y, Biondi A, Cave H, Dombret H, Fielding AK, Foa R, Gokbuget N, Goldstone AH, Goulden N, Henze G, Hoelzer D, Janka-Schaub GE, Macintyre EA, Pieters R, Rambaldi A, Ribera JM, Schmiegelow K, Spinelli O, Stary J, von Stackelberg A, Kneba M, Schrappe M, van Dongen JJ; European Working Group for Adult Acute Lymphoblastic Leukemia (EWALL); International Berlin-Frankfurt-Munster Study Group (I-BFM-SG). Standardized MRD quantification in European ALL trials: Proceedings of the Second International Symposium on MRD assessment in Kiel, Germany, 18-20 September 2008. Leukemia. 2010 Mar;24(3):521-35.)	Bruggemann MRD 2010 Oncology Response Criteria
C125993	BURCOMBE BREAST CANCER 2005		Evaluation of ER, PgR, HER-2 and Ki-67 as predictors of response to neoadjuvant anthracycline chemotherapy for operable breast cancer. (Burcombe RJ, Makris A, Richman PI, Daley FM, Noble S, Pittam M, Wright D, Allen SA, Dove J, Wilson GD. Evaluation of ER, PgR, HER-2 and Ki-67 as predictors of response to neoadjuvant anthracycline chemotherapy for operable breast cancer. Br J Cancer. 2005 Jan 17;92(1):147-55.)	Burcombe Breast Cancer 2005 Oncology Response Criteria
C125994	CHESON CLL 2006		CLL response criteria. (Cheson BD. CLL response criteria. Clin Adv Hematol Oncol. 2006 May;4(5):4-5; discussion 10; suppl 12.)	Cheson CLL 2006 Oncology Response Criteria
C125995	CHESON CLL 2012		Novel targeted agents and the need to refine clinical end points in chronic lymphocytic leukemia. (Cheson BD, Byrd JC, Rai KR, Kay NE, O'Brien SM, Flinn IW, Wiestner A, Kipps TJ. Novel targeted agents and the need to refine clinical end points in chronic lymphocytic leukemia. J Clin Oncol. 2012 Aug 10;30(23):2820-2.)	Cheson CLL 2012 Oncology Response Criteria
C125996	CHESON HODGKINS NON-HODGKINS LYMPHOMA 2008		New staging and response criteria for non-Hodgkin lymphoma and Hodgkin lymphoma. (Cheson BD. New staging and response criteria for non-Hodgkin lymphoma and Hodgkin lymphoma. Radiol Clin North Am. 2008 Mar;46(2):213-23, vii.)	Cheson Hodgkins Non-Hodgkins Lymphoma 2008 Oncology Response Criteria
C125997	CHESON LYMPHOMA 2008		New response criteria for lymphomas in clinical trials. (Cheson BD. New response criteria for lymphomas in clinical trials. Ann Oncol. 2008 Jun;19 Suppl 4:iv35-8.)	Cheson Lymphoma 2008 Oncology Response Criteria
C125998	CHESON MALIGNANT LYMPHOMA 2007		Revised response criteria for malignant lymphoma. (Cheson BD, Pfistner B, Juweid ME, Gascoyne RD, Specht L, Horning SJ, Coiffier B, Fisher RI, Hagenbeek A, Zucca E, Rosen ST, Stroobants S, Lister TA, Hoppe RT, Dreyling M, Tobinai K, Vose JM, Connors JM, Federico M, Diehl V; International Harmonization Project on Lymphoma. Revised response criteria for malignant lymphoma. J Clin Oncol. 2007 Feb 10;25(5):579-86. Epub 2007 Jan 22.)	Cheson Malignant Lymphoma 2007 Oncology Response Criteria
C125999	CHESON NON-HODGKINS HODGKINS LYMPHOMA 1993		Inflammatory breast cancer. Pilot study of intensive induction chemotherapy (FEC-HD) results in a high histologic response rate. (Chevallier B, Roche H, Olivier JP, Chollet P, Hurteloup P. Inflammatory breast cancer. Pilot study of intensive induction chemotherapy (FEC-HD) results in a high histologic response rate. Am J Clin Oncol. 1993 Jun;16(3):223-8.)	Cheson Non-Hodgkins Hodgkins Lymphoma 1993 Oncology Response Criteria

**C12429 ONCRSCAT  
8**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126000	CHESON NON-HODGKINS LYMPHOMA 1999		Report of an International Workshop to Standardize Response Criteria for Non-Hodgkin's Lymphomas. (Cheson BD, Horning SJ, Coiffier B, Shipp MA, Fisher RI, Connors JM, Lister TA, Vose J, Grillo-Lopez A, Hagenbeek A, Cabanillas F, Klippensten D, Hiddemann W, Castellino R, Harris NL, Armitage JO, Carter W, Hoppe R, Canellos GP. Report of an International Workshop to Standardize Response Criteria for Non-Hodgkin's Lymphomas. J Clin Oncol. 1999 Apr;17(4):1244.)	Cheson Non-Hodgkins Lymphoma 1999 Oncology Response Criteria
C122394	CHOI GIST 2008		Response Evaluation of Gastrointestinal Stromal Tumors. (Choi H, Charnsangavej C, Faria SC, Macapinlac HA, Burgess MA, Patel SR, Chen LL, Podoloff DA, Benjamin RS. Response Evaluation of Gastrointestinal Stromal Tumors. Oncologist. 2008;13 Suppl 2:4-7.)	Choi Response Criteria in the Evaluation of Gastrointestinal Stromal Tumors
C126001	CHOLLET BREAST CANCER 2002		Prognostic significance of a complete pathological response after induction chemotherapy in operable breast cancer. (Chollet P, Amat S, Cure H, de Latour M, Le Bouedec G, Mouret-Reynier MA, Ferriere JP, Achard JL, Dauplat J, Penault-Llorca F. Prognostic significance of a complete pathological response after induction chemotherapy in operable breast cancer. Br J Cancer. 2002 Apr 8;86(7):1041-6.)	Chollet Breast Cancer 2002 Oncology Response Criteria
C126002	DOHNER AML 2010		Diagnosis and management of acute myeloid leukemia in adults: recommendations from an international expert panel, on behalf of the European LeukemiaNet. (Dohner H, Estey EH, Amadori S, Appelbaum FR, Buchner T, Burnett AK, Dombret H, Fenaux P, Grimwade D, Larson RA, Lo-Coco F, Naoe T, Niederwieser D, Ossenkoppele GJ, Sanz MA, Sierra J, Tallman MS, Lowenberg B, Bloomfield CD; European LeukemiaNet Diagnosis and management of acute myeloid leukemia in adults: recommendations from an international expert panel, on behalf of the European LeukemiaNet. Blood. 2010 Jan 21;115(3):453-74.)	Dohner AML 2010 Oncology Response Criteria
C126003	DURIE MULTIPLE MYELOMA 2006		International uniform response criteria for multiple myeloma. (Durie BG, Harousseau JL, Miguel JS, Blade J, Barlogie B, Anderson K, Gertz M, Dimopoulos M, Westin J, Sonneveld P, Ludwig H, Gahrton G, Beksac M, Crowley J, Belch A, Boccadaro M, Cavo M, Turesson I, Joshua D, Vesole D, Kyle R, Alexanian R, Tricot G, Attal M, Merlini G, Powles R, Richardson P, Shimizu K, Tosi P, Morgan G, Rajkumar SV; International Myeloma Working Group. International uniform response criteria for multiple myeloma. Leukemia. 2006 Sep;20(9):1467-73. Epub 2006 Jul 20.)	Durie Multiple Myeloma 2006 Oncology Response Criteria
C126004	EASL BRUIX LIVER CANCER 2001		Clinical management, of hepatocellular carcinoma: conclusions of the Barcelona-2000 EASL conference-European Association for the Study of the Liver. (Bruix J, Sherman M, Llovet JM, Beaugrand M, Lencioni R, Burroughs AK, Christensen E, Pagliaro L, Colombo M, Rodes J; EASL Panel of Experts on HCC. Clinical management, of hepatocellular carcinoma: conclusions of the Barcelona-2000 EASL conference-European Association for the Study of the Liver. J Hepatol. 2001 Sep;35(3):421-30.)	EASL Bruix Liver Cancer 2001 Oncology Response Criteria
C126005	EBMT BLADE MYELOMA 1998		Criteria for evaluating disease response and progression in patients with multiple myeloma treated by high-dose therapy and haemopoietic stem cell transplantation. Myeloma Subcommittee of the EBMT. European Group for Blood and Marrow Transplant. (Blade J, Samson D, Reece D, Apperley J, Bjorkstrand B, Gahrton G, Gertz M, Giralt S, Jagannath S, Vesole D. Criteria for evaluating disease response and progression in patients with multiple myeloma treated by high-dose therapy and haemopoietic stem cell transplantation. Myeloma Subcommittee of the EBMT. European Group for Blood and Marrow Transplant. Br J Haematol. 1998 Sep;102(5):1115-23.)	EBMT Blade Myeloma 1998 Oncology Response Criteria



**C12429 ONCRSCAT  
8**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C126006	EORTC OLSEN MYCOSIS FUNGOIDES AND SEZARY SYNDROME 2011		Clinical End Points and Response Criteria in Mycosis Fungoides and Sezary Syndrome: A Consensus Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. (Olsen EA, Whittaker S, Kim YH, Duvic M, Prince HM, Lessin SR, Wood GS, Willemze R, Demierre MF, Pimpinelli N, Bernengo MG, Ortiz-Romero PL, Bagot M, Estrach T, Guitart J, Knobler R, Sanches JA, Iwatsuki K, Sugaya M, Dummer R, Pittelkow M, Hoppe R, Parker S, Geskin L, Pinter-Brown L, Girardi M, Burg G, Ranki A, Vermeer M, Horwitz S, Heald P, Rosen S, Cerroni L, Dreno B, Vonderheid EC; International Society for Cutaneous Lymphomas; United States Cutaneous Lymphoma Consortium; Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. Clinical End Points and Response Criteria in Mycosis Fungoides and Sezary Syndrome: A Consensus Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. J Clin Oncol. 2011 Jun 20;29(18):2598-607.)	EORTC Olsen Mycosis Fungoides And Sezary Syndrome 2011 Oncology Response Criteria
C126007	EUROPEAN LEUKEMIANET BACCARANI CML 2006		Evolving concepts in the management of chronic myeloid leukemia: recommendations from an expert panel on behalf of the European LeukemiaNet. (Baccarani M, Saglio G, Goldman J, Hochhaus A, Simonsson B, Appelbaum F, Apperley J, Cervantes F, Cortes J, Deininger M, Gratwohl A, Guilhot F, Horowitz M, Hughes T, Kantarjian H, Larson R, Niederwieser D, Silver R, Hehlmann R; European LeukemiaNet. Evolving concepts in the management of chronic myeloid leukemia: recommendations from an expert panel on behalf of the European LeukemiaNet. Blood. 2006 Sep 15;108(6):1809-20. Epub 2006 May 18.)	European Leukemianet Baccarani CML 2006 Oncology Response Criteria
C128990	FAROOQUI SUPP CLL 2014		Supplement to: Farooqui MZH, Valdez J, Martyr S, et al. Ibrutinib for previously untreated and relapsed or refractory chronic lymphocytic leukaemia with TP53 aberrations: a phase 2, single-arm trial. Lancet Oncol 2014; published online Dec 31. <a href="http://dx.doi.org/10.1016/S1470-2045(14)71182-9">http://dx.doi.org/10.1016/S1470-2045(14)71182-9</a> . (Available at <a href="http://www.thelancet.com/cms/attachment/2026086364/2045255220/mmc1.pdf">http://www.thelancet.com/cms/attachment/2026086364/2045255220/mmc1.pdf</a> . Accessed April 27, 2016)	Supplement to Farooqui CLL 2014 Oncology Response Criteria
C126008	GCIG RUSTIN OVARIAN CANCER 2011		Definitions for response and progression in ovarian cancer clinical trials incorporating RECIST 1.1 and CA 125 agreed by the Gynecological Cancer Intergroup (GCIG). (Rustin GJ, Vergote I, Eisenhauer E, Pujade-Lauraine E, Quinn M, Thigpen T, du Bois A, Kristensen G, Jakobsen A, Sagae S, Greven K, Parmar M, Friedlander M, Cervantes A, Vermorken J; Gynecological Cancer Intergroup. Definitions for response and progression in ovarian cancer clinical trials incorporating RECIST 1.1 and CA 125 agreed by the Gynecological Cancer Intergroup (GCIG). Int J Gynecol Cancer. 2011 Feb;21(2):419-23.)	GCIG Rustin Ovarian Cancer 2011 Oncology Response Criteria
C126009	GUILHOT CML 2007		Dasatinib induces significant hematologic and cytogenetic responses in patients with imatinib-resistant or -intolerant chronic myeloid leukemia in accelerated phase. (Guilhot F, Apperley J, Kim DW, Bullorsky EO, Baccarani M, Roboz GJ, Amadori S, de Souza CA, Lipton JH, Hochhaus A, Heim D, Larson RA, Branford S, Muller MC, Agarwal P, Gollerkeri A, Talpaz M. Dasatinib induces significant hematologic and cytogenetic responses in patients with imatinib-resistant or -intolerant chronic myeloid leukemia in accelerated phase. Blood. 2007 May 15;109(10):4143-50. Epub 2007 Jan 30.)	Guilhot CML 2007 Oncology Response Criteria
C126010	GUPPY OVARIAN CANCER 2002		CA125 Response: Can it Replace the Traditional Response Criteria in Ovarian Cancer? (Guppy AE, Rustin GJS. CA125 Response: Can it Replace the Traditional Response Criteria in Ovarian Cancer? Oncologist. 2002;7(5):437-43.)	Guppy Ovarian Cancer 2002 Oncology Response Criteria
C126011	HAMAOKA BREAST CANCER 2010		Tumour response interpretation with new tumour response criteria vs the World Health Organisation criteria in patients with bone-only metastatic breast cancer. (Hamaoka T, Costelloe CM, Madewell JE, Liu P, Berry DA, Islam R, Theriault RL, Hortobagyi GN, Ueno NT. Tumour response interpretation with new tumour response criteria vs the World Health Organisation criteria in patients with bone-only metastatic breast cancer. Br J Cancer. 2010 Feb 16;102(4):651-7.)	Hamaoka Breast Cancer 2010 Oncology Response Criteria
C126013	HARTMAN PANCREATIC CANCER 2012		Assessing treatment effect in pancreatic cancer. (Hartman DJ, Krasinskas AM. Assessing treatment effect in pancreatic cancer. Arch Pathol Lab Med. 2012 Jan;136(1):100-9.)	Hartman Pancreatic Cancer 2012 Oncology Response Criteria

**C12429 ONCRSCAT  
8**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126012	HARTMANN GERM CELL CANCER 2002		Prognostic variables for response and outcome in patients with extragonadal germ-cell tumors. (Hartmann JT, Nichols CR, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Kanz L, Einhorn L, Bokemeyer C. Prognostic variables for response and outcome in patients with extragonadal germ-cell tumors. Ann Oncol. 2002 Jul;13(7):1017-28.)	Hartmann Germ Cell Cancer 2002 Oncology Response Criteria
C136711	iRECIST		iRECIST: guidelines for response criteria for use in trials testing immunotherapeutics. (Seymour L, Bogaerts J, Perrone A, Ford R, Schwartz LH, Mandrekar S, Lin NU, Litiere S, Dancey J, Chen A, Hodi FS, Therasse P, Hoekstra OS, Shankar LK, Wolchok JD, Ballinger M, Caramella C, de Vries EG; RECIST working group. iRECIST: guidelines for response criteria for use in trials testing immunotherapeutics. Lancet Oncol. 2017 Mar;18(3):e143-e152.)	Immune-Modified Response Evaluation Criteria in Solid Tumors
C126014	IWC HALLEK CLL 2008		Guidelines for the diagnosis and treatment of chronic lymphocytic leukemia: a report from the International Workshop on Chronic Lymphocytic Leukemia updating the National Cancer Institute-Working Group 1996 guidelines. (Hallek M, Cheson BD, Catovsky D, Caligaris-Cappio F, Dighiero G, Dohner H, Hillmen P, Keating MJ, Montserrat E, Rai KR, Kipps TJ. International Workshop on Chronic Lymphocytic Leukemia. Guidelines for the diagnosis and treatment of chronic lymphocytic leukemia: a report from the International Workshop on Chronic Lymphocytic Leukemia updating the National Cancer Institute-Working Group 1996 guidelines. Blood. 2008 Jun 15;111(12):5446-56.)	IWC Hallek CLL 2008 Oncology Response Criteria
C126015	IWG CHESON AML 2003		Revised Recommendations of the International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. (Cheson BD, Bennett JM, Kopecky KJ, Buchner T, Willman CL, Estey EH, Schiffer CA, Dohner H, Tallman MS, Lister TA, Lo-Coco F, Willemze R, Biondi A, Hiddemann W, Larson RA, Lowenberg B, Sanz MA, Head DR, Ohno R, Bloomfield CD; International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. Revised Recommendations of the International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. J Clin Oncol. 2003 Dec 15;21(24):4642-9.)	IWG Cheson AML 2003 Oncology Response Criteria
C126016	IWG CHESON MDS 2000		Report of an international working group to standardize response criteria for myelodysplastic syndromes. (Cheson BD, Bennett JM, Kantarjian H, Pinto A, Schiffer CA, Nimer SD, Lowenberg B, Beran M, de Witte TM, Stone RM, Mittelman M, Sanz GF, Wijermans PW, Gore S, Greenberg PL; World Health Organization(WHO) international working group. Report of an international working group to standardize response criteria for myelodysplastic syndromes. Blood. 2000 Dec 1;96(12):3671-4.)	IWG Cheson MDS 2000 Oncology Response Criteria
C126017	IWG CHESON MDS 2006		Clinical application and proposal for modification of the International Working Group (IWG) response criteria in myelodysplasia. (Cheson BD, Greenberg PL, Bennett JM, Lowenberg B, Wijermans PW, Nimer SD, Pinto A, Beran M, de Witte TM, Stone RM, Mittelman M, Sanz GF, Gore SD, Schiffer CA, Kantarjian H. Clinical application and proposal for modification of the International Working Group (IWG) response criteria in myelodysplasia. Blood. 2006 Jul 15;108(2):419-25. Epub 2006 Apr 11.)	IWG Cheson MDS 2006 Oncology Response Criteria
C126018	JACINTO CERVICAL CANCER 2007		Preoperative external beam radiotherapy and reduced dose brachytherapy for carcinoma of the cervix: survival and pathological response. (Jacinto AA, Castilho MS, Novaes PE, Novick PR, Viani GA, Salvajoli JV, Ferrigno R, Pellizzon AC, Lima SS, Maia MA, Fogaroli RC. Preoperative external beam radiotherapy and reduced dose brachytherapy for carcinoma of the cervix: survival and pathological response. Radiat Oncol. 2007 Feb 22;2:9.)	Jacinto Cervical Cancer 2007 Oncology Response Criteria
C126019	JAPANESE CLASSIFICATION GASTRIC CANCER 2011		Japanese classification of gastric carcinoma: 3rd English edition. ([No authors listed]. Japanese Gastric Cancer Association. Japanese classification of gastric carcinoma: 3rd English edition. Gastric Cancer. 2011 Jun;14(2):101-12.)	Japanese Classification Gastric Cancer 2011 Oncology Response Criteria
C126020	JUWEID NON-HODGKINS LYMPHOMA 2005		Response assessment of aggressive non-Hodgkin's lymphoma by integrated International Workshop Criteria and fluorine-18-fluorodeoxyglucose positron emission tomography. (Juweid ME, Wiseman GA, Vose JM, Ritchie JM, Menda Y, Wooldridge JE, Mottaghy FM, Rohren EM, Blumstein NM, Stolpen A, Link BK, Reske SN, Graham MM, Cheson BD. Response assessment of aggressive non-Hodgkin's lymphoma by integrated International Workshop Criteria and fluorine-18-fluorodeoxyglucose positron emission tomography. J Clin Oncol. 2005 Jul 20;23(21):4652-61.)	Juweid Non-Hodgkins Lymphoma 2005 Oncology Response Criteria

**C12429 ONCRSCAT  
8**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126021	KEAM BREAST CANCER 2013		Clinical usefulness of AJCC response criteria for neoadjuvant chemotherapy in breast cancer. (Keam B, Im SA, Lim Y, Han SW, Moon HG, Oh DY, Cho N, Lee SH, Han W, Moon WK, Kim DW, Kim TY, Park IA, Noh DY. Clinical usefulness of AJCC response criteria for neoadjuvant chemotherapy in breast cancer. Ann Surg Oncol. 2013 Jul;20(7):2242-9.)	Keam Breast Cancer 2013 Oncology Response Criteria
C126022	KIMBY WALDENSTROMS MACROGLOBULINEMIA 2006		Update on Recommendations for Assessing Response from the Third International Workshop on Waldenstrom's Macroglobulinemia. (Kimby E, Treon SP, Anagnostopoulos A, Dimopoulos M, Garcia-Sanz R, Gertz MA, Johnson S, LeBlond V, Fermand JP, Maloney DG, Merlini G, Morel P, Morra E, Nichols G, Ocio EM, Owen R, Stone M, Blade J. Update on Recommendations for Assessing Response from the Third International Workshop on Waldenstrom's Macroglobulinemia. Clin Lymphoma Myeloma. 2006 Mar;6(5):380-3.)	Kimby Waldenstroms Macroglobulinemia 2006 Oncology Response Criteria
C126023	KUKER LYMPHOMA 2005		Primary central nervous system lymphomas (PCNSL): MRI response criteria revised. (Kuker W, Nagele T, Thiel E, Weller M, Herrlinger U. Primary central nervous system lymphomas (PCNSL): MRI response criteria revised. Neurology. 2005 Oct 11;65(7):1129-31.)	Kuker Lymphoma 2005 Oncology Response Criteria
C147478	KUMAR IMWG 2016		International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. (Kumar S, Paiva B, Anderson KC, Durie B, et al. International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. Lancet Oncol. 2016 Aug;17(8):e328-46.)	Kumar IMWG 2016 Oncology Response Criteria
C126024	LEE LUNG CANCER 2011		New CT response criteria in non-small cell lung cancer: proposal and application in EGFR tyrosine kinase inhibitor therapy. (Lee HY, Lee KS, Ahn MJ, Hwang HS, Lee JW, Park K, Ahn JS, Kim TS, Yi CA, Chung MJ. New CT response criteria in non-small cell lung cancer: proposal and application in EGFR tyrosine kinase inhibitor therapy. Lung Cancer. 2011 Jul;73(1):63-9.)	Lee Lung Cancer 2011 Oncology Response Criteria
C126025	LUGANO CLASSIFICATION		Recommendations for Initial Evaluation, Staging, and Response Assessment of Hodgkin and Non-Hodgkin Lymphoma: The Lugano Classification. (Cheson BD, Fisher RI, Barrington SF, Cavalli F, Schwartz LH, Zucca E, Lister TA; Alliance, Australasian Leukaemia and Lymphoma Group; Eastern Cooperative Oncology Group; European Mantle Cell Lymphoma Consortium; Italian Lymphoma Foundation; European Organisation for Research; Treatment of Cancer/Dutch Hemato-Oncology Group; Grupo Espanol de Medula Osea; German High-Grade Lymphoma Study Group; German Hodgkin's Study Group; Japanese Lymphoma Study Group; Lymphoma Study Association; NCIC Clinical Trials Group; Nordic Lymphoma Study Group; Southwest Oncology Group; United Kingdom National Cancer Research Institute. Recommendations for Initial Evaluation, Staging, and Response Assessment of Hodgkin and Non-Hodgkin Lymphoma: The Lugano Classification. J Clin Oncol. 2014 Sep 20;32(27):3059-68.)	Lugano Classification Oncology Response Criteria
C126026	MACDONALD GLIOMA 1990		Response criteria for phase II studies of supratentorial malignant glioma. (Macdonald DR, Cascino TL, Schold SC Jr, Cairncross JG. Response criteria for phase II studies of supratentorial malignant glioma. J Clin Oncol. 1990 Jul;8(7):1277-80.)	Macdonald Glioma 1990 Oncology Response Criteria
C126027	MASS		Morphology, Attenuation, Size, and Structure (MASS) criteria: assessing response and predicting clinical outcome in metastatic renal cell carcinoma on antiangiogenic targeted therapy. (Smith AD, Shah SN, Rini BI, Lieber ML, Remer EM. Morphology, Attenuation, Size, and Structure (MASS) criteria: assessing response and predicting clinical outcome in metastatic renal cell carcinoma on antiangiogenic targeted therapy. AJR Am J Roentgenol. 2010 Jun;194(6):1470-8.)	Morphology, Attenuation, Size, and Structure Criteria
C126028	MINKOV LANGERHANS CELL HISTIOCYTOSIS 2009		Langerhans Cell Histiocytosis: Histiocyte Society Evaluation and Treatment Guidelines April 2009. (Minkov, M., Grois, N., McClain, K., Nanduri, V., Rodriguez-Galindo, C., Simonitsch-Klupp, I., Visser, J., Weitzman, S., Whitlock, J., Windebank, K. (April 2009). Langerhans Cell Histiocytosis: Histiocyte Society Evaluation and Treatment Guidelines April 2009 [pdf]. Retrieved from <a href="https://www.histiocytesociety.org/document.doc?id=290">https://www.histiocytesociety.org/document.doc?id=290</a> )	Minkov Langerhans Cell Histiocytosis 2009 Oncology Response Criteria
C126029	MONTSERRAT CLL 1989		Chronic lymphocytic leukemia: recommendations for diagnosis, staging, and response criteria. International Workshop on Chronic Lymphocytic Leukemia. ([No authors listed]. Chronic lymphocytic leukemia: recommendations for diagnosis, staging, and response criteria. International Workshop on Chronic Lymphocytic Leukemia. Ann Intern Med. 1989 Feb 1;110(3):236-8.)	Montserrat CLL 1989 Oncology Response Criteria

**C12429 ONCRSCAT  
8**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126030	MRANO VAN DEN BENT GLIOMA 2011		Response assessment in neuro-oncology (a report of the RANO group): assessment of outcome in trials of diffuse low-grade gliomas. (van den Bent MJ, Wefel JS, Schiff D, Taphoorn MJ, Jaeckle K, Junck L, Armstrong T, Choucair A, Waldman AD, Gorlia T, Chamberlain M, Baumert BG, Vogelbaum MA, Macdonald DR, Reardon DA, Wen PY, Chang SM, Jacobs AH. Response assessment in neuro-oncology (a report of the RANO group): assessment of outcome in trials of diffuse low-grade gliomas. Lancet Oncol. 2011 Jun;12(6):583-93.)	Modified RANO Van Den Bent Glioma 2011 Oncology Response Criteria
C126031	MRECIST BYRNE MESOTHELIOMA 2004		Modified RECIST criteria for assessment of response in malignant pleural mesothelioma. (Byrne MJ, Nowak AK. Modified RECIST criteria for assessment of response in malignant pleural mesothelioma. Ann Oncol. 2004 Feb;15(2):257-60.)	Modified RECIST Byrne Mesothelioma 2004 Oncology Response Criteria
C126032	MRECIST LENCIONI LIVER CANCER 2010		Modified RECIST (mRECIST) Assessment for Hepatocellular Carcinoma. (Lencioni R, Llovet JM. Modified RECIST (mRECIST) Assessment for Hepatocellular Carcinoma. Semin Liver Dis. 2010 Feb;30(1):52-60.)	Modified RECIST Lencioni Liver Cancer 2010 Oncology Response Criteria
C126033	MURPHY PROSTATE CANCER 1980		Response criteria for the prostate of the USA National Prostatic Cancer Project. (Murphy GP, Slack NH. Response criteria for the prostate of the USA National Prostatic Cancer Project. Prostate. 1980;1(3):375-82.)	Murphy Prostate Cancer 1980 Oncology Response Criteria
C126034	NCCN ALL MRD 2014		NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines) Acute Lymphoblastic Leukemia Version 1.2014 06/06/14 (NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines) Acute Lymphoblastic Leukemia Version 1.2014 06/06/14)	NCCN ALL MRD 2014 Oncology Response Criteria
C126035	NCIWG CHESON CLL 1996		National Cancer Institute-sponsored Working Group guidelines for chronic lymphocytic leukemia: revised guidelines for diagnosis and treatment. (Cheson BD, Bennett JM, Grever M, Kay N, Keating MJ, O'Brien S, Rai KR. National Cancer Institute-sponsored Working Group guidelines for chronic lymphocytic leukemia: revised guidelines for diagnosis and treatment. Blood. 1996 Jun 15;87(12):4990-7.)	NCIWG Cheson CLL 1996 Oncology Response Criteria
C126036	PALUMBO MULTIPLE MYELOMA 2009		International Myeloma Working Group guidelines for the management of multiple myeloma patients ineligible for standard high-dose chemotherapy with autologous stem cell transplantation. (Palumbo A, Sezer O, Kyle R, Miguel JS, Orłowski RZ, Moreau P, Niesvizky R, Morgan G, Comenzo R, Sonneveld P, Kumar S, Hajek R, Giralt S, Bringhen S, Anderson KC, Richardson PG, Cavo M, Davies F, Blade J, Einsele H, Dimopoulos MA, Spencer A, Dispenzieri A, Reiman T, Shimizu K, Lee JH, Attal M, Boccadoro M, Mateos M, Chen W, Ludwig H, Joshua D, Chim J, Hungria V, Turesson I, Durie BG, Lonial S; IMWG. International Myeloma Working Group guidelines for the management of multiple myeloma patients ineligible for standard high-dose chemotherapy with autologous stem cell transplantation. Leukemia. 2009 Oct;23(10):1716-30.)	Palumbo Multiple Myeloma 2009 Oncology Response Criteria
C126037	PCWG BUBLEY PROSTATE CANCER 1999	PCWG1	Eligibility and response guidelines for phase II clinical trials in androgen-independent prostate cancer: recommendations from the Prostate-Specific Antigen Working Group. (Bubley GJ, Carducci M, Dahut W, Dawson N, Daliani D, Eisenberger M, Figg WD, Freidlin B, Halabi S, Hudes G, Hussain M, Kaplan R, Myers C, Oh W, Petrylak DP, Reed E, Roth B, Sartor O, Scher H, Simons J, Sinibaldi V, Small EJ, Smith MR, Trump DL, Wilding G, et al. Eligibility and response guidelines for phase II clinical trials in androgen-independent prostate cancer: recommendations from the Prostate-Specific Antigen Working Group. J Clin Oncol. 1999 Nov;17(11):3461-7.)	PCWG Bubley Prostate Cancer 1999 Oncology Response Criteria
C126038	PCWG SCHER PROSTATE CANCER 2008	PCWG2	Design and end points of clinical trials for patients with progressive prostate cancer and castrate levels of testosterone: recommendations of the Prostate Cancer Clinical Trials Working Group. (Scher HI, Halabi S, Tannock I, Morris M, Sternberg CN, Carducci MA, Eisenberger MA, Higano C, Bubley GJ, Dreicer R, Petrylak D, Kantoff P, Basch E, Kelly WK, Figg WD, Small EJ, Beer TM, Wilding G, Martin A, Hussain M; Prostate Cancer Clinical Trials Working Group. Design and end points of clinical trials for patients with progressive prostate cancer and castrate levels of testosterone: recommendations of the Prostate Cancer Clinical Trials Working Group. J Clin Oncol. 2008 Mar 1;26(7):1148-59.)	PCWG Scher Prostate Cancer 2008 Oncology Response Criteria

**C12429 ONCRSCAT  
8**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132454	PCWG SCHER PROSTATE CANCER 2016	PCWG3	Trial Design and Objectives for Castration-Resistant Prostate Cancer: Updated Recommendations From the Prostate Cancer Clinical Trials Working Group 3. (Scher HI, Morris MJ, Stadler WM, Higano C, Basch E, Fizazi K, Antonarakis ES, Beer TM, Carducci MA, Chi KN, Corn PG, de Bono JS, Dreicer R, George DJ, Heath EI, Hussain M, Kelly WK, Liu G, Logothetis C, Nanus D, Stein MN, Rathkopf DE, Slovin SF, Ryan CJ, Sartor O, Small EJ, Smith MR, Sternberg CN, Taplin ME, Wilding G, Nelson PS, Schwartz LH, Halabi S, Kantoff PW, Armstrong AJ. Trial Design and Objectives for Castration-Resistant Prostate Cancer: Updated Recommendations From the Prostate Cancer Clinical Trials Working Group 3. J Clin Oncol. 2016 Apr 20;34(12):1402-18.)	PCWG Scher Prostate Cancer 2016 Oncology Response Criteria
C126039	PERCIST		From RECIST to PERCIST: Evolving considerations for PET response criteria in solid tumors. (Wahl RL, Jacene H, Kasamon Y, Lodge MA. From RECIST to PERCIST: Evolving considerations for PET response criteria in solid tumors. J Nucl Med. 2009 May;50 Suppl 1:122S-50S.)	PET Response Criteria in Solid Tumors
C126040	PETIT BREAST CANCER 2001		Chemotherapy Response of Breast Cancer Depends on HER-2 Status and Anthracycline Dose Intensity in the Neoadjuvant Setting. (Petit T, Borel C, Ghnassia JP, Rodier JF, Escande A, Mors R, Haegele P. Chemotherapy Response of Breast Cancer Depends on HER-2 Status and Anthracycline Dose Intensity in the Neoadjuvant Setting. Clin Cancer Res. 2001 Jun;7(6):1577-81.)	Petit Breast Cancer 2001 Oncology Response Criteria
C126041	PRINCE TCELL LYMPHOMA 2010		Phase III Placebo-Controlled Trial of Denileukin Diftitox for Patients with Cutaneous T-cell Lymphoma. (Prince HM, Duvic M, Martin A, Sterry W, Assaf C, Sun Y, Straus D, Acosta M, Negro-Vilar A. Phase III Placebo-Controlled Trial of Denileukin Diftitox for Patients with Cutaneous T-cell Lymphoma. J Clin Oncol. 2010 Apr 10;28(11):1870-7.)	Prince T Cell Lymphoma 2010 Oncology Response Criteria
C126042	PROTOCOL DEFINED RESPONSE CRITERIA		A description of the disease response to treatment as characterized by the clinical trial protocol.	Protocol Defined Response Criteria
C126043	RAJKUMAR MYELOMA 2011		Consensus recommendations for the uniform reporting of clinical trials: report of the International Myeloma Workshop Consensus Panel 1. (Rajkumar SV, Harousseau JL, Durie B, Anderson KC, Dimopoulos M, Kyle R, Blade J, Richardson P, Orlowski R, Siegel D, Jagannath S, Facon T, Avet-Loiseau H, Lonial S, Palumbo A, Zonder J, Ludwig H, Vesole D, Sezer O, Munshi NC, San Miguel J; International Myeloma Workshop Consensus Panel 1. Consensus recommendations for the uniform reporting of clinical trials: report of the International Myeloma Workshop Consensus Panel 1. Blood. 2011 May 5;117(18):4691-5.)	Rajkumar Myeloma 2011 Oncology Response Criteria
C114879	RANO		Updated Response Assessment Criteria for High-Grade Gliomas: Response Assessment in Neuro-Oncology Working Group. (Wen PY, Macdonald DR, Reardon DA, Cloughesy TF, Sorensen AG, Galanis E, Degroot J, Wick W, Gilbert MR, Lassman AB, Tsien C, Mikkelsen T, Wong ET, Chamberlain MC, Stupp R, Lamborn KR, Vogelbaum MA, van den Bent MJ, Chang SM. Updated Response Assessment Criteria for High-Grade Gliomas: Response Assessment in Neuro-Oncology Working Group. J Clin Oncol. 2010 Apr 10;28(11):1963-72.)	Response Assessment in Neuro-Oncology Criteria
C126044	RECICL		Response Evaluation Criteria in Cancer of the Liver (RECICL) proposed by the Liver Cancer Study Group of Japan (2009 revised version). (Kudo M, Kubo S, Takayasu K, Sakamoto M, Tanaka M, Ikai I, Furuse J, Nakamura K, Makuuchi M; Liver Cancer Study Group of Japan (Committee for Response Evaluation Criteria in Cancer of the Liver, Liver Cancer Study Group of Japan). Response Evaluation Criteria in Cancer of the Liver (RECICL) proposed by the Liver Cancer Study Group of Japan (2009 revised version). Hepatol Res. 2010 Jul;40(7):686-92.)	Response Evaluation Criteria in Cancer of the Liver
C124414	RECIST 1.0		Response Evaluation Criteria in Solid Tumors (RECIST) version 1.0 (Therasse P, Arbuck SG, Eisenhauer EA, Wanders J, Kaplan RS, Rubenstein L, Verweij J, Van Glabbeke M, van Oosterom AT, Christian MC, Gwyther SG. New Guidelines to Evaluate the Response to Treatment in Solid Tumors. Journal of the National Cancer Institute 2000; 92(3):205-216).	Response Evaluation Criteria in Solid Tumors Version 1.0
C124415	RECIST 1.1		Response Evaluation Criteria in Solid Tumors (RECIST) version 1.1 (E.A. Eisenhauer, P. Therasse, J. Bogaerts, L.H. Schwartz, D. Sargent, R. Ford, J. Dancey, S. Arbuck, S. Gwyther, M. Mooney, L. Rubinstein, L. Shankar, L. Dodd, R. Kaplan, D. Lacombe, J. Verweij. New response evaluation criteria in solid tumours; Revised RECIST guideline (version 1.1). European Journal of Cancer 2009; 45:228-247).	Response Evaluation Criteria in Solid Tumors Version 1.1

**C12429 ONCRSCAT  
8**

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C126045	SACT		Assessing tumor response and detecting recurrence in metastatic renal cell carcinoma on targeted therapy: importance of size and attenuation on contrast-enhanced CT. (Smith AD, Lieber ML, Shah SN. Assessing tumor response and detecting recurrence in metastatic renal cell carcinoma on targeted therapy: importance of size and attenuation on contrast-enhanced CT. AJR Am J Roentgenol. 2010 Jan;194(1):157-65.)	Size and Attenuation CT Criteria
C126046	SCHER PROSTATE CANCER 2011		End Points and Outcomes in Castration-Resistant Prostate Cancer: From Clinical Trials to Clinical Practice. (Scher HI, Morris MJ, Basch E, Heller G. End Points and Outcomes in Castration-Resistant Prostate Cancer: From Clinical Trials to Clinical Practice. J Clin Oncol. 2011 Sep 20;29(27):3695-704.)	Scher Prostate Cancer 2011 Oncology Response Criteria
C126047	SCHWARZ CERVICAL CANCER 2009		The Role of 18F-FDG PET in Assessing Therapy Response in Cancer of the Cervix and Ovaries. (Schwarz JK, Grigsby PW, Dehdashti F, Delbeke D. The Role of 18F-FDG PET in Assessing Therapy Response in Cancer of the Cervix and Ovaries. J Nucl Med. 2009 May;50 Suppl 1:64S-73S.)	Schwarz Cervical Cancer 2009 Oncology Response Criteria
C126048	SHINDOH COLORECTAL CANCER 2013		Non-Size-Based Response Criteria to Preoperative Chemotherapy in Patients With Colorectal Liver Metastases: The Morphologic Response Criteria. (Shindoh J, Chun YS, Loyer EM, Vauthey JN. Non-Size-Based Response Criteria to Preoperative Chemotherapy in Patients With Colorectal Liver Metastases: The Morphologic Response Criteria. Curr Colorectal Cancer Rep. 2013 Jun 1;9(2):198-202.)	Shindoh Colorectal Cancer 2013 Oncology Response Criteria
C126049	TSUKASAKI LEUKEMIA LYMPHOMA 2009		Definition, Prognostic Factors, Treatment, and Response Criteria of Adult T-Cell Leukemia-Lymphoma: A Proposal From an International Consensus Meeting. (Tsukasaki K, Hermine O, Bazarbachi A, Ratner L, Ramos JC, Harrington W Jr, O'Mahony D, Janik JE, Bittencourt AL, Taylor GP, Yamaguchi K, Utsunomiya A, Tobinai K, Watanabe T. Definition, Prognostic Factors, Treatment, and Response Criteria of Adult T-Cell Leukemia-Lymphoma: A Proposal From an International Consensus Meeting. J Clin Oncol. 2009 Jan 20;27(3):453-9.)	Tsukasaki Leukemia Lymphoma 2009 Oncology Response Criteria
C38046	UNSPECIFIED		Not stated explicitly or in detail.	Unspecified
C126050	WHO BREAST CANCER 2006		Guidelines for Management of Breast Cancer. (WHO (2006). Guidelines for Management of Breast Cancer. Retrieved from <a href="http://applications.emro.who.int/dsaf/dsa697.pdf">http://applications.emro.who.int/dsaf/dsa697.pdf</a> )	Guidelines for Management of Breast Cancer WHO 2006
C126051	WOLCHOK SOLID TUMORS 2009	irRC	Guidelines for the Evaluation of Immune Therapy Activity in Solid Tumors: Immune-Related Response Criteria. (Wolchok JD, Hoos A, O'Day S, Weber JS, Hamid O, Lebbe C, Maio M, Binder M, Bohnsack O, Nichol G, Humphrey R, Hodi FS. Guidelines for the Evaluation of Immune Therapy Activity in Solid Tumors: Immune-Related Response Criteria. Clin Cancer Res. 2009 Dec 1;15(23):7412-20.)	Wolchok Solid Tumors 2009 Oncology Response Criteria

## ONCRSR (Oncology Response Assessment Result)

NCI Code: C96785, Codelist extensible: Yes

C96785 ONCRSR				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C123571	ABSENT MORPHOLOGIC RESPONSE		The absence of change in the overall attenuation of the metastasis and in the peripheral rim, suggesting a lack of response to treatment.	Absent Morphologic Response
C123572	CA125 50% RESPONSE	Cancer Antigen 125 50% Response	The amount of cancer antigen 125 is reduced by 50% from protocol-defined baseline value(s).	CA125 50% Response
C123573	CA125 75% RESPONSE	Cancer Antigen 125 75% Response	The amount of cancer antigen 125 is reduced by 75% from protocol-defined baseline value(s).	CA125 75% Response
C123574	cCR	Clinical Complete Remission;Clinical Complete Response	The disappearance of all signs of cancer based on physical exam, such as palpation.	Clinical Complete Response
C123575	CHR	Complete Hematologic Response	The disappearance of cancer in response to treatment, including platelet and white blood cell counts returning to normal levels, a non-palpable spleen, and no immature white blood cells present in the blood unless it is a regenerating marrow following treatment.	Complete Hematologic Response
C123407	CMR	Complete Metabolic Response	The disappearance of metabolic tumor activity in all relevant lesions.	Tumor Complete Metabolic Response
C124427	COMPLETE MRD RESPONSE		Absence of residual disease based on pre-defined thresholds and minimal residual disease negativity by laboratory techniques.	Complete Minimal Residual Disease Response
C123576	cPR	Clinical Partial Remission;Clinical Partial Response	A decrease in the size and the extent of tissue involvement by cancer, based on physical exam, such as palpation.	Clinical Partial Response
C4870	CR	Complete Remission;Complete Response	The disappearance of all signs of cancer in response to treatment. (NCI)	Complete Remission
C123577	CR-CT	Complete Remission, CT-Based;Complete Response, CT-Based	The disappearance of all signs of cancer, based on CT scan and criteria-defined assessments.	Complete Response by Computed Tomography
C103385	CRI	Complete Remission with Incomplete Blood Count Recovery;Complete Response with Incomplete Bone Marrow Recovery	The disappearance of all signs of cancer in response to treatment accompanied by incomplete bone marrow recovery, as evidenced by persistent anemia, thrombocytopenia or neutropenia.	Complete Response with Incomplete Bone Marrow Recovery
C123578	CYTOGENETIC CR	CCgR;CCyR;CRc;Complete Cytogenetic Response;Cytogenetic Complete Remission;Cytogenetic Complete Response	The disappearance of all signs of cancer, including the absence of a detectable disease-related genetic abnormality, as determined by techniques such as karyotyping or FISH, in response to treatment.	Cytogenetic Complete Response
C123579	CYTOGENETIC MINIMAL RESPONSE	Minimal CgR	A minimal decrease in abnormal karyotype, based on pre-defined thresholds.	Cytogenetic Minimal Response
C123580	CYTOGENETIC MINOR RESPONSE	Minor CgR	A minor decrease in abnormal karyotype, based on pre-defined thresholds.	Cytogenetic Minor Response
C123581	CYTOGENETIC NO RESPONSE	No CgR;No Cytogenetic Response	No change in abnormal karyotype, based on pre-defined thresholds.	Cytogenetic No Response
C123582	CYTOGENETIC PR	Cytogenetic Partial Response;Partial CgR	A partial decrease in abnormal karyotype, based on pre-defined thresholds.	Cytogenetic Partial Response
C123583	DISEASE TRANSFORMATION		A conversion from one disease diagnosis to another, which may be considered a progression to a worsening state.	Disease Transformation
C86071	EQUIVOCAL		Open to question.	Equivocal
C123584	FAVORABLE RESPONSE		No new lesions(s) and a decrease in tumor size, or a reduction in central necrosis or attenuation in one or more enhancing lesions, based on pre-defined thresholds.	Favorable Response
C123585	HI-E	Hematologic Improvement-Erythroid Response	An improvement in erythrocyte count as a response to treatment.	Hematologic Improvement-Erythroid Response

<b>C96785 ONCRSR</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123586	HI-N	Hematologic Improvement-Neutrophil Response	An improvement of neutrophil count as a response to treatment.	Hematologic Improvement-Neutrophil Response
C123587	HI-P	Hematologic Improvement-Platelet Response	An improvement of platelet count as a response to treatment.	Hematologic Improvement-Platelet Response
C142356	iCPD		Radiographic progression which has been confirmed by additional imaging showing worsening of initial progression.	iRECIST Confirmed Progressive Disease
C142357	iCR		The disappearance of all signs of cancer following an initial apparent radiographic progression.	iRECIST Complete Response
C123588	IMMUNOPHENOTYPIC CR		The disappearance of all signs of cancer, supported by the absence of phenotypically aberrant plasma cells (clonal) in bone marrow. (Rajkumar SV, Harousseau J, Durie B et al, Consensus recommendations for the uniform reporting of clinical trials: report of the International Myeloma Workshop Consensus Panel 1. Blood. 2011; 117(18):4691-4695)	Immunophenotypic Complete Response
C123589	INDETERMINATE RESPONSE		A response that is neither favorable nor unfavorable.	Indeterminate Response
C142358	iPR		A finding indicating that there is a decrease based on a predetermined threshold in the size and the extent of tissue involvement by cancer following an initial apparent radiographic progression.	iRECIST Partial Response
C142359	iSD		Cancer that is neither decreasing nor increasing in extent or severity based on predetermined boundaries following an initial apparent radiographic progression.	iRECIST Stable Disease
C142360	iUPD		Apparent radiographic progression which requires confirmation, per criteria, with additional imaging.	iRECIST Unconfirmed Progressive Disease
C123590	MAJOR PATHOLOGIC RESPONSE		A major decrease in signs of cancer, supported by pathological examination and based on pre-defined thresholds.	Major Pathologic Response
C123591	mCR	Marrow Complete Remission;Marrow Complete Response	A decrease in the number of bone marrow plasma cells to protocol-defined level(s).	Marrow Complete Response
C123592	MINOR PATHOLOGIC RESPONSE		A minor decrease in signs of cancer, supported by pathological examination and based on pre-defined thresholds.	Minor Pathologic Response
C123593	MOLECULAR CR	CMR;Complete Molecular Response;Molecular Complete Remission;Molecular Complete Response	The disappearance of all signs of cancer, supported by molecular analysis.	Molecular Complete Response
C123594	MOLECULAR MAJOR RESPONSE	MMR;MMoIR;Major Molecular Response	A decrease in signs of cancer, supported by molecular analysis.	Molecular Major Response
C123595	MORPHOLOGIC CR	Morphologic Complete Remission;Morphologic Complete Response	The disappearance of all signs of cancer, supported by morphological analysis.	Morphologic Complete Response
C123596	MORPHOLOGIC CRi	Morphologic Complete Remission with Incomplete Blood Count Recovery;Morphologic Complete Remission with Incomplete Bone Marrow Recovery	The disappearance of all cells with morphologic characteristics of cancer, accompanied by incomplete bone marrow recovery, as evidenced by persistent anemia, thrombocytopenia or neutropenia.	Morphologic Complete Remission with Incomplete Blood Count Recovery
C123597	MORPHOLOGIC LEUKEMIA-FREE STATE	NEL;No Evidence of Leukemia	The disappearance of all cells with morphologic characteristics of leukemia, accompanied by bone marrow recovery, in response to treatment. Hematologic recovery is not required. Leukemia free state can be a hypocellular marrow.	Morphologic Leukemia-Free State
C123598	MR	Minor Response	Some response with no new symptoms or disease and not meeting partial response.	Minor Response
C124428	MRD NEGATIVITY		Absence of minimal residual disease based on laboratory techniques.	Minimal Residual Disease Negativity



C96785 ONCRSR				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C124429	MRD PERSISTENCE		Presence of residual disease based on pre-defined thresholds and quantifiable minimal residual disease positivity by laboratory techniques.	Minimal Residual Disease Persistence
C124430	MRD RELAPSE	MRD Reappearance	Presence of residual disease based on pre-defined thresholds and return of quantifiable minimal residual disease positivity after a period of minimal residual disease negativity.	Minimal Residual Disease Relapse
C62222	NE	Not Assessable;Not Evaluable	Unable to be evaluated. (NCI)	Unevaluable
C40413	NED	No Evidence of Disease	An absence of detectable disease.	No Evidence of Disease
C96700	NON-CR/NON-PD	Non Complete Response/Non Progressive Disease	Persistence of one or more non-target lesion(s) and/or maintenance of tumor marker levels above the normal limits. (RECIST)	Non Complete Response/Non Progressive Disease
C142361	NON-iCR/NON-iUPD		Persistence of one or more non-target lesion(s) without unequivocal progression following an initial apparent radiographic progression.	Non iRECIST Complete Response-Non iRECIST Unconfirmed Progressive Disease
C123599	NON-PD	Non Progressive Disease	Following a previous assessment of progressive disease unconfirmed (PDU) of non-target lesion(s), the subsequent required assessment does not confirm progressive disease.	Non Progressive Disease
C124431	NON-QUANTIFIABLE MRD POSITIVITY		Presence of non-quantifiable minimal residual disease based on laboratory techniques.	Non-Quantifiable Minimal Residual Disease Positivity
C103424	NOT ALL EVALUATED	Not All Evaluated	Not all target tumors were assessed. Or not all non-target tumors were assessed.	Not All Tumors Evaluated
C103422	nPR	Nodular Partial Response	Remission with remaining lymphoid nodules reflecting residual disease.	Nodular Partial Response
C123600	NR	No Response	No apparent change or worsening in tumor staging classification.	No Response
C123601	OPTIMAL MORPHOLOGIC RESPONSE		Hypo-attenuation of the metastases which may appear pseudocystic, perfectly homogeneous, and devoid of a recognizable peripheral rim.	Optimal Morphologic Response
C123602	PARTIAL MORPHOLOGIC RESPONSE		Mixed attenuation and some homogeneity of the metastases with a partially resolved peripheral rim.	Partial Morphologic Response
C123603	pCR	Complete Pathological Response;Pathologic Complete Remission;Pathologic Complete Response	The disappearance of all signs of cancer, supported by pathological examination.	Pathologic Complete Response
C35571	PD	Disease Progression;Progressive Disease	A disease process that is increasing in extent or severity. (NCI)	Progressive Disease
C123604	PD FROM PR	Progression from PR	Disease progression occurring after a partial response.	Progression from Partial Response
C123606	PD-CT	Progressive Disease, CT-Based	There is an increase in the size and extent of tissue involvement by cancer, based on CT scan and criteria-defined assessments.	Progressive Disease by Computed Tomography
C123605	PD/RELAPSE AFTER HI	Progression or Relapse After Hematologic Improvement	Disease progression or the return of a disease after a period of remission, occurring after a hematologic improvement.	Progression or Relapse After Hematologic Improvement
C123607	PDU	PD Unconfirmed;Unconfirmed Progressive Disease	A disease process that is increasing in scope or severity but the criteria for progressive disease is not met.	Unconfirmed Progressive Disease
C123608	PMD	Progressive Metabolic Disease	An increase of metabolic tumor activity in all relevant lesions, based on pre-defined thresholds, or the development of new lesions.	Progressive Metabolic Disease
C123609	PMR	Partial Metabolic Response	A decrease of metabolic tumor activity in all relevant lesions, based on a pre-defined threshold.	Partial Metabolic Response
C18058	PR	Partial Remission;Partial Response	A finding indicating that there is a decrease based on a predetermined threshold in the size and the extent of tissue involvement by cancer.	Partial Remission

**C96785 ONCRSR**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C128998	PR WITH LYMPHOCYTOSIS	PR-L;PRL	A decrease in the size and the extent of tissue involvement by cancer, accompanied by an increase in blood lymphocyte count above a predetermined threshold.	Partial Response with Lymphocytosis
C123610	PR-CT	Partial Remission, CT-Based;Partial Response, CT-Based	A decrease in the size and extent of tissue involvement by cancer, based on CT scan and criteria-defined assessments.	Partial Response by Computed Tomography
C123611	PSA PROGRESSION		The amount of prostate specific antigen is increased, based on pre-defined thresholds.	PSA Progression
C124432	QUANTIFIABLE MRD POSITIVITY		Presence of quantifiable minimal residual disease based on laboratory techniques.	Quantifiable Minimal Residual Disease Positivity
C38155	RELAPSED DISEASE	Recurrent Disease	The return of a disease after a period of remission.	Recurrent Disease
C123612	RELAPSED DISEASE FROM CR	Relapse from CR	The return of a disease after a period of complete remission.	Relapsed Disease From Complete Response
C123613	RELAPSED DISEASE FROM CR OR PR		The return of a disease after a period of complete remission or partial remission.	Relapsed Disease From Complete or Partial Response
C123614	sCR	Stringent Complete Remission;Stringent Complete Response	The confirmed disappearance of all signs of cancer, and absence of molecular or cytogenetic marker of disease, in response to treatment with additional biochemical, immunological and histopathological analyses to verify the CR.	Stringent Complete Response
C18213	SD	Stable Disease	Cancer that is neither decreasing nor increasing in extent or severity based on predetermined boundaries. (NCI)	Stable Disease
C123615	SD-CT	Stable Disease, CT-Based	The size and extent of tissue involvement by cancer is neither decreasing nor increasing, based on CT scan and criteria-defined assessments.	Stable Disease by Computed Tomography
C123616	SMD	No Metabolic Response;Stable Metabolic Disease	The absence of change or mild changes of metabolic tumor activity in all relevant lesions based on a pre-defined threshold.	Stable Metabolic Disease
C48226	TREATMENT FAILURE		The lack of expected or desired effect related to a therapy. (NCI)	Lack of Efficacy
C123645	UNEQUIVOCAL		Leaving no doubt; not open to question. (NCI)	Unequivocal
C123617	UNFAVORABLE RESPONSE		An increase in tumor size, based on a pre-defined threshold, or the development of new lesion(s), marked central fill-in of a lesion, or new enhancement of a previously homogeneously hypoattenuating nonenhancing mass.	Unfavorable Response
C123618	VGPR	Very Good Partial Remission;Very Good Partial Response	Partial response with additional serum and urine M-protein reduction, but not meeting complete response.	Very Good Partial Response

## ONCRTS (Oncology Response Assessment Test Name)

NCI Code: C96781, Codelist extensible: Yes

C96781 ONCRTS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C94536	Best Overall Response	Best Overall Response;Best Response	An assessment of the most clinically favorable overall response of the disease to the therapy.	Best Overall Response
C135477	Bone Marrow Involvement Indicator	Bone Marrow Involvement Indicator	An indication as to whether disease is present in the bone marrow.	Bone Marrow Disease Involvement Indicator
C132455	Bone Response	Bone Response	An assessment of the bone response of the disease to the therapy.	Bone Response
C135478	Clinical Performance Status	Clinical Performance Status	An assessment of the clinical performance, measured by a rating or scale, as a condition of disease response to therapy. (NCI)	Clinical Performance Status
C123619	Clinical Response	Clinical Response	An assessment of the clinical response of the disease to the therapy.	Clinical Response
C123620	Cytogenetic Response	Cytogenetic Response	An assessment of the cytogenetic response of the disease to the therapy.	Cytogenetic Response
C123621	Disease Recurrence Indicator	Disease Recurrence Indicator	An indication as to whether disease recurrence occurred.	Disease Recurrence Indicator
C123622	Hematologic Response	Hematologic Response	An assessment of the hematologic response of the disease to the therapy.	Hematologic Response
C135479	Liver Response	Liver Response	An assessment of the disease response to therapy within the liver.	Disease Response in Liver
C123623	Metabolic Response	Metabolic Response	An assessment of the metabolic response of the disease to the therapy.	Metabolic Response
C132456	Metastatic Indicator	Metastatic Indicator	An indication as to whether disease metastasis has occurred.	Metastatic Disease Indicator
C124433	Minimal Residual Disease Response	MRD Response;Minimal Residual Disease Response	An assessment of the minimal residual disease response of the disease to the therapy.	Minimal Residual Disease Response
C123624	Molecular Response	Molecular Response	An assessment of the molecular response of the disease to the therapy.	Molecular Response
C123625	Morphologic Response	Morphologic Response	An assessment of the morphologic response of the disease to the therapy.	Morphologic Response
C142362	New Lesion Indicator	New Lesion Indicator	An indication as to whether new lesions are present, in comparison to a previous timepoint.	New Lesion Indicator
C103420	New Lesion Progression	New Lesion Progression	An assessment of the equivocality of disease progression based on a newly identified lesion.	New Lesion Progression
C142363	New Lesion Worsening Indicator	New Lesion Worsening Indicator	An indication as to whether the previously identified new lesions are showing signs of worsening.	New Lesion Worsening Indicator
C135480	Non-Target Enhancing Response	Non-Target Enhancing Response	An assessment of the response to the therapy of the non-target enhancing disease. (NCI)	Non-Target Enhancing Lesion Response
C142364	Non-Target Lesion Worsening Indicator	Non-Target Lesion Worsening Indicator	An indication as to whether non-target lesions, which have previously shown progression, are showing additional signs of worsening.	Non-Target Lesion Worsening Indicator
C135481	Non-Target Non-Enhancing Response	Non-Target Non-Enhancing Response	An assessment of the response to the therapy of the non-target non-enhancing disease. (NCI)	Non-Target Non-Enhancing Lesion Response
C94535	Non-target Response	Non-target Response	An assessment of the response of a non-target tumor(s) to the therapy.	Response in Non-Target Lesion
C96613	Overall Response	Overall Response	An assessment of the overall response of the disease to the therapy. (NCI)	Overall Response
C123626	Pathologic Response	Pathologic Response	An assessment of the pathologic response of the disease to the therapy.	Pathologic Response
C123627	Radiologic Response	Radiologic Response	An assessment of the radiologic response of the disease to the therapy.	Radiologic Response
C132457	Soft Tissue Response	Soft Tissue Response	An assessment of the soft tissue response of the disease to the therapy.	Soft Tissue Response

**C96781 ONCRTS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135482	Spleen Response	Spleen Response	An assessment of the disease response to therapy within the spleen.	Disease Response in Spleen
C135483	Steroid Use Status	Steroid Use Status	An assessment of steroid usage as a condition of disease response to therapy. (NCI)	Steroid Use Status
C124434	Symptomatic Deterioration	Symptomatic Deterioration	A global deterioration of health status providing evidence of disease progression not covered by disease response criteria (eg. RECIST).	Symptomatic Deterioration
C94534	Target Response	Target Response	An assessment of the response of a target tumor(s) to the therapy.	Response in Target Lesion
C132458	Tumor Marker Response	Tumor Marker Response	An assessment of disease response to therapy based on tumor marker measurement.	Tumor Marker Response

## ONCRTSCD (Oncology Response Assessment Test Code)

NCI Code: C96782, Codelist extensible: Yes

C96782 ONCRTSCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C94536	BESTRESP	Best Overall Response;Best Response	An assessment of the most clinically favorable overall response of the disease to the therapy.	Best Overall Response
C135477	BMIVLIND	Bone Marrow Involvement Indicator	An indication as to whether disease is present in the bone marrow.	Bone Marrow Disease Involvement Indicator
C132455	BONERESP	Bone Response	An assessment of the bone response of the disease to the therapy.	Bone Response
C123619	CLINRESP	Clinical Response	An assessment of the clinical response of the disease to the therapy.	Clinical Response
C135478	CPRFSTAT	Clinical Performance Status	An assessment of the clinical performance, measured by a rating or scale, as a condition of disease response to therapy. (NCI)	Clinical Performance Status
C123620	CYTORESP	Cytogenetic Response	An assessment of the cytogenetic response of the disease to the therapy.	Cytogenetic Response
C123621	DRCRIND	Disease Recurrence Indicator	An indication as to whether disease recurrence occurred.	Disease Recurrence Indicator
C123622	HEMARESP	Hematologic Response	An assessment of the hematologic response of the disease to the therapy.	Hematologic Response
C135479	LIVRRESP	Liver Response	An assessment of the disease response to therapy within the liver.	Disease Response in Liver
C123623	METBRESP	Metabolic Response	An assessment of the metabolic response of the disease to the therapy.	Metabolic Response
C132456	METSIND	Metastatic Indicator	An indication as to whether disease metastasis has occurred.	Metastatic Disease Indicator
C123624	MOLRESP	Molecular Response	An assessment of the molecular response of the disease to the therapy.	Molecular Response
C124433	MRDRESP	MRD Response;Minimal Residual Disease Response	An assessment of the minimal residual disease response of the disease to the therapy.	Minimal Residual Disease Response
C123625	MRPHRESP	Morphologic Response	An assessment of the morphologic response of the disease to the therapy.	Morphologic Response
C142362	NEWLIND	New Lesion Indicator	An indication as to whether new lesions are present, in comparison to a previous timepoint.	New Lesion Indicator
C103420	NEWLPROG	New Lesion Progression	An assessment of the equivocality of disease progression based on a newly identified lesion.	New Lesion Progression
C142363	NEWLWIND	New Lesion Worsening Indicator	An indication as to whether the previously identified new lesions are showing signs of worsening.	New Lesion Worsening Indicator
C135480	NTERESP	Non-Target Enhancing Response	An assessment of the response to the therapy of the non-target enhancing disease. (NCI)	Non-Target Enhancing Lesion Response
C142364	NTLWIND	Non-Target Lesion Worsening Indicator	An indication as to whether non-target lesions, which have previously shown progression, are showing additional signs of worsening.	Non-Target Lesion Worsening Indicator
C135481	NTNERESP	Non-Target Non-Enhancing Response	An assessment of the response to the therapy of the non-target non-enhancing disease. (NCI)	Non-Target Non-Enhancing Lesion Response
C94535	NTRGRES	Non-target Response	An assessment of the response of a non-target tumor(s) to the therapy.	Response in Non-Target Lesion
C96613	OVRLRESP	Overall Response	An assessment of the overall response of the disease to the therapy. (NCI)	Overall Response
C123626	PATHRESP	Pathologic Response	An assessment of the pathologic response of the disease to the therapy.	Pathologic Response
C123627	RDIORESP	Radiologic Response	An assessment of the radiologic response of the disease to the therapy.	Radiologic Response
C132457	SFTSRESP	Soft Tissue Response	An assessment of the soft tissue response of the disease to the therapy.	Soft Tissue Response

**C96782 ONCRTSCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135482	SPLNRESP	Spleen Response	An assessment of the disease response to therapy within the spleen.	Disease Response in Spleen
C135483	STRUSTAT	Steroid Use Status	An assessment of steroid usage as a condition of disease response to therapy. (NCI)	Steroid Use Status
C124434	SYMPTDTR	Symptomatic Deterioration	A global deterioration of health status providing evidence of disease progression not covered by disease response criteria (eg. RECIST).	Symptomatic Deterioration
C132458	TMRESP	Tumor Marker Response	An assessment of disease response to therapy based on tumor marker measurement.	Tumor Marker Response
C94534	TRGRES	Target Response	An assessment of the response of a target tumor(s) to the therapy.	Response in Target Lesion

## OUT (Outcome of Event)

NCI Code: C66768, Codelist extensible: No

<b>C66768</b>		<b>OUT</b>		
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C48275	FATAL	5;FATAL;Grade 5	The termination of life as a result of an adverse event. (NCI)	Death Related to Adverse Event
C49494	NOT RECOVERED/NOT RESOLVED		One of the possible results of an adverse event outcome that indicates that the event has not improved or recuperated. (NCI)	Not Recovered or Not Resolved
C49498	RECOVERED/RESOLVED		One of the possible results of an adverse event outcome that indicates that the event has improved or recuperated. (NCI)	Recovered or Resolved
C49495	RECOVERED/RESOLVED WITH SEQUELAE		One of the possible results of an adverse event outcome where the subject recuperated but retained pathological conditions resulting from the prior disease or injury. (NCI)	Recovered or Resolved with Sequelae
C49496	RECOVERING/RESOLVING		One of the possible results of an adverse event outcome that indicates that the event is improving. (NCI)	Recovering or Resolving
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## PANSS1TC (Positive and Negative Syndrome Scale Clinical Classification Test Code)

NCI Code: C124686, Codelist extensible: No

C124686 PANSS1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C124747	PANSS101	PANSS1-Delusions	Positive and Negative Syndrome Scale - Delusions.	PANSS - Delusions
C124748	PANSS102	PANSS1-Conceptual Disorganization	Positive and Negative Syndrome Scale - Conceptual disorganization.	PANSS - Conceptual Disorganization
C124749	PANSS103	PANSS1-Hallucinatory Behavior	Positive and Negative Syndrome Scale - Hallucinatory behavior.	PANSS - Hallucinatory Behavior
C124750	PANSS104	PANSS1-Excitement	Positive and Negative Syndrome Scale - Excitement.	PANSS - Excitement
C124751	PANSS105	PANSS1-Grandiosity	Positive and Negative Syndrome Scale - Grandiosity.	PANSS - Grandiosity
C124752	PANSS106	PANSS1-Suspiciousness/Persecution	Positive and Negative Syndrome Scale - Suspiciousness/persecution.	PANSS - Suspiciousness or Persecution
C124753	PANSS107	PANSS1-Hostility	Positive and Negative Syndrome Scale - Hostility.	PANSS - Hostility
C124754	PANSS108	PANSS1-Blunted Affect	Positive and Negative Syndrome Scale - Blunted affect.	PANSS - Blunted Affect
C124755	PANSS109	PANSS1-Emotional Withdrawal	Positive and Negative Syndrome Scale - Emotional withdrawal.	PANSS - Emotional Withdrawal
C124756	PANSS110	PANSS1-Poor Rapport	Positive and Negative Syndrome Scale - Poor rapport.	PANSS - Poor Rapport
C124757	PANSS111	PANSS1-Passive/Apathetic Social Withdraw	Positive and Negative Syndrome Scale - Passive/apathetic social withdrawal.	PANSS - Passive or Apathetic Social Withdrawal
C124758	PANSS112	PANSS1-Difficulty in Abstract Thinking	Positive and Negative Syndrome Scale - Difficulty in abstract thinking.	PANSS - Difficulty in Abstract Thinking
C124759	PANSS113	PANSS1-Lack of Spontaneity	Positive and Negative Syndrome Scale - Lack of spontaneity and flow of conversation.	PANSS - Lack of Spontaneity
C124760	PANSS114	PANSS1-Stereotyped Thinking	Positive and Negative Syndrome Scale - Stereotyped thinking.	PANSS - Stereotyped Thinking
C124761	PANSS115	PANSS1-Somatic Concern	Positive and Negative Syndrome Scale - Somatic concern.	PANSS - Somatic Concern
C124762	PANSS116	PANSS1-Anxiety	Positive and Negative Syndrome Scale - Anxiety.	PANSS - Anxiety
C124763	PANSS117	PANSS1-Guilt Feelings	Positive and Negative Syndrome Scale - Guilt feelings.	PANSS - Guilt Feelings
C124764	PANSS118	PANSS1-Tension	Positive and Negative Syndrome Scale - Tension.	PANSS - Tension
C124765	PANSS119	PANSS1-Mannerisms and Posturing	Positive and Negative Syndrome Scale - Mannerisms and posturing.	PANSS - Mannerisms and Posturing
C124766	PANSS120	PANSS1-Depression	Positive and Negative Syndrome Scale - Depression.	PANSS - Depression
C124767	PANSS121	PANSS1-Motor Retardation	Positive and Negative Syndrome Scale - Motor retardation.	PANSS - Motor Retardation
C124768	PANSS122	PANSS1-Uncooperativeness	Positive and Negative Syndrome Scale - Uncooperativeness.	PANSS - Uncooperativeness
C124769	PANSS123	PANSS1-Unusual Thought Content	Positive and Negative Syndrome Scale - Unusual thought content.	PANSS - Unusual Thought Content
C124770	PANSS124	PANSS1-Disorientation	Positive and Negative Syndrome Scale - Disorientation.	PANSS - Disorientation
C124771	PANSS125	PANSS1-Poor Attention	Positive and Negative Syndrome Scale - Poor attention.	PANSS - Poor Attention
C124772	PANSS126	PANSS1-Lack of Judgment and Insight	Positive and Negative Syndrome Scale - Lack of judgment and insight.	PANSS - Lack of Judgement
C124773	PANSS127	PANSS1-Disturbance of Volition	Positive and Negative Syndrome Scale - Disturbance of volition.	PANSS - Disturbance of Volition



**C124686 PANSS1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124774	PANSS128	PANSS1-Poor Impulse Control	Positive and Negative Syndrome Scale - Poor impulse control.	PANSS - Poor Impulse Control
C124775	PANSS129	PANSS1-Preoccupation	Positive and Negative Syndrome Scale - Preoccupation.	PANSS - Preoccupation
C124776	PANSS130	PANSS1-Active Social Avoidance	Positive and Negative Syndrome Scale - Active social avoidance.	PANSS - Active Social Avoidance

**PANSS1TN (Positive and Negative Syndrome Scale Clinical Classification Test Name)**

NCI Code: C124685, Codelist extensible: No

<b>C124685 PANSS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124776	PANSS1-Active Social Avoidance	PANSS1-Active Social Avoidance	Positive and Negative Syndrome Scale - Active social avoidance.	PANSS - Active Social Avoidance
C124762	PANSS1-Anxiety	PANSS1-Anxiety	Positive and Negative Syndrome Scale - Anxiety.	PANSS - Anxiety
C124754	PANSS1-Blunted Affect	PANSS1-Blunted Affect	Positive and Negative Syndrome Scale - Blunted affect.	PANSS - Blunted Affect
C124748	PANSS1-Conceptual Disorganization	PANSS1-Conceptual Disorganization	Positive and Negative Syndrome Scale - Conceptual disorganization.	PANSS - Conceptual Disorganization
C124747	PANSS1-Delusions	PANSS1-Delusions	Positive and Negative Syndrome Scale - Delusions.	PANSS - Delusions
C124766	PANSS1-Depression	PANSS1-Depression	Positive and Negative Syndrome Scale - Depression.	PANSS - Depression
C124758	PANSS1-Difficulty in Abstract Thinking	PANSS1-Difficulty in Abstract Thinking	Positive and Negative Syndrome Scale - Difficulty in abstract thinking.	PANSS - Difficulty in Abstract Thinking
C124770	PANSS1-Disorientation	PANSS1-Disorientation	Positive and Negative Syndrome Scale - Disorientation.	PANSS - Disorientation
C124773	PANSS1-Disturbance of Volition	PANSS1-Disturbance of Volition	Positive and Negative Syndrome Scale - Disturbance of volition.	PANSS - Disturbance of Volition
C124755	PANSS1-Emotional Withdrawal	PANSS1-Emotional Withdrawal	Positive and Negative Syndrome Scale - Emotional withdrawal.	PANSS - Emotional Withdrawal
C124750	PANSS1-Excitement	PANSS1-Excitement	Positive and Negative Syndrome Scale - Excitement.	PANSS - Excitement
C124751	PANSS1-Grandiosity	PANSS1-Grandiosity	Positive and Negative Syndrome Scale - Grandiosity.	PANSS - Grandiosity
C124763	PANSS1-Guilt Feelings	PANSS1-Guilt Feelings	Positive and Negative Syndrome Scale - Guilt feelings.	PANSS - Guilt Feelings
C124749	PANSS1-Hallucinatory Behavior	PANSS1-Hallucinatory Behavior	Positive and Negative Syndrome Scale - Hallucinatory behavior.	PANSS - Hallucinatory Behavior
C124753	PANSS1-Hostility	PANSS1-Hostility	Positive and Negative Syndrome Scale - Hostility.	PANSS - Hostility
C124772	PANSS1-Lack of Judgment and Insight	PANSS1-Lack of Judgment and Insight	Positive and Negative Syndrome Scale - Lack of judgment and insight.	PANSS - Lack of Judgement
C124759	PANSS1-Lack of Spontaneity	PANSS1-Lack of Spontaneity	Positive and Negative Syndrome Scale - Lack of spontaneity and flow of conversation.	PANSS - Lack of Spontaneity
C124765	PANSS1-Mannerisms and Posturing	PANSS1-Mannerisms and Posturing	Positive and Negative Syndrome Scale - Mannerisms and posturing.	PANSS - Mannerisms and Posturing
C124767	PANSS1-Motor Retardation	PANSS1-Motor Retardation	Positive and Negative Syndrome Scale - Motor retardation.	PANSS - Motor Retardation
C124757	PANSS1-Passive/Apathetic Social Withdraw	PANSS1-Passive/Apathetic Social Withdraw	Positive and Negative Syndrome Scale - Passive/apathetic social withdrawal.	PANSS - Passive or Apathetic Social Withdrawal
C124771	PANSS1-Poor Attention	PANSS1-Poor Attention	Positive and Negative Syndrome Scale - Poor attention.	PANSS - Poor Attention
C124774	PANSS1-Poor Impulse Control	PANSS1-Poor Impulse Control	Positive and Negative Syndrome Scale - Poor impulse control.	PANSS - Poor Impulse Control
C124756	PANSS1-Poor Rapport	PANSS1-Poor Rapport	Positive and Negative Syndrome Scale - Poor rapport.	PANSS - Poor Rapport
C124775	PANSS1-Preoccupation	PANSS1-Preoccupation	Positive and Negative Syndrome Scale - Preoccupation.	PANSS - Preoccupation
C124761	PANSS1-Somatic Concern	PANSS1-Somatic Concern	Positive and Negative Syndrome Scale - Somatic concern.	PANSS - Somatic Concern
C124760	PANSS1-Stereotyped Thinking	PANSS1-Stereotyped Thinking	Positive and Negative Syndrome Scale - Stereotyped thinking.	PANSS - Stereotyped Thinking

**C124685 PANSS1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124752	PANSS1-Suspiciousness/Persecution	PANSS1-Suspiciousness/Persecution	Positive and Negative Syndrome Scale - Suspiciousness/persecution.	PANSS - Suspiciousness or Persecution
C124764	PANSS1-Tension	PANSS1-Tension	Positive and Negative Syndrome Scale - Tension.	PANSS - Tension
C124768	PANSS1-Uncooperativeness	PANSS1-Uncooperativeness	Positive and Negative Syndrome Scale - Uncooperativeness.	PANSS - Uncooperativeness
C124769	PANSS1-Unusual Thought Content	PANSS1-Unusual Thought Content	Positive and Negative Syndrome Scale - Unusual thought content.	PANSS - Unusual Thought Content

**PASAT1TC (Paced Auditory Serial Addition Test Functional Test Test Code)**

NCI Code: C115394, Codelist extensible: No

<b>C115394 PASAT1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115809	PASAT101	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115810	PASAT102	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115811	PASAT103	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115812	PASAT104	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT105	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115814	PASAT106	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115815	PASAT107	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

**PASAT1TN (Paced Auditory Serial Addition Test Functional Test Test Name)**

NCI Code: C115393, Codelist extensible: No

<b>C115393 PASAT1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115811	PASAT1-More Than One Attempt	PASAT1-More Than One Attempt	Paced Auditory Serial Addition Test - Did it take more than one attempt to get one successful trial?	PASAT - More Than One Attempt
C115810	PASAT1-Percent Correct	PASAT1-Percent Correct	Paced Auditory Serial Addition Test - Percent correct.	PASAT - Percent Correct
C115814	PASAT1-Total Commission Errors	PASAT1-Total Commission Errors	Paced Auditory Serial Addition Test - Total commission errors.	PASAT - Total Commission Errors
C115809	PASAT1-Total Correct	PASAT1-Total Correct	Paced Auditory Serial Addition Test - Total correct.	PASAT - Total Correct
C115812	PASAT1-Total Correct in First Half	PASAT1-Total Correct in First Half	Paced Auditory Serial Addition Test - Total correct in first half.	PASAT - Total Correct in First Half
C115813	PASAT1-Total Correct in Second Half	PASAT1-Total Correct in Second Half	Paced Auditory Serial Addition Test - Total correct in second half.	PASAT - Total Correct in Second Half
C115815	PASAT1-Total Omission Errors	PASAT1-Total Omission Errors	Paced Auditory Serial Addition Test - Total omission errors.	PASAT - Total Omission Errors

## PASI01TC (Psoriasis Area and Severity Index Clinical Classification Test Code)

NCI Code: C135678, Codelist extensible: No

C135678 PASI01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135746	PASI0101	PASI01-Head (H): Erythema (E)	Psoriasis Area and Severity Index - Head (H): Erythema (E).	PASI - Head (H): Erythema (E)
C135747	PASI0102	PASI01-Head (H): Infiltration (I)	Psoriasis Area and Severity Index - Head (H): Infiltration (I).	PASI - Head (H): Infiltration (I)
C135748	PASI0103	PASI01-Head (H): Desquamation (D)	Psoriasis Area and Severity Index - Head (H): Desquamation (D).	PASI - Head (H): Desquamation (D)
C135749	PASI0104	PASI01-Head (H): Sum = E+I+D	Psoriasis Area and Severity Index - Head (H): Sum = E + I + D.	PASI - Head (H): Sum = E+I+D
C135750	PASI0105	PASI01-Head (H): Area Score	Psoriasis Area and Severity Index - Head (H): Area score.	PASI - Head (H): Area Score
C135751	PASI0106	PASI01-Head (H): Sum X Area	Psoriasis Area and Severity Index - Head (H): Sum x area.	PASI - Head (H): Sum X Area
C135752	PASI0107	PASI01-Head (H): Sum X Area X 0.1	Psoriasis Area and Severity Index - Head (H): Sum x area x 0.1.	PASI - Head (H): Sum X Area X 0.1
C135753	PASI0108	PASI01-Trunk (T): Erythema (E)	Psoriasis Area and Severity Index - Trunk (T): Erythema (E).	PASI - Trunk (T): Erythema (E)
C135754	PASI0109	PASI01-Trunk (T): Infiltration (I)	Psoriasis Area and Severity Index - Trunk (T): Infiltration (I).	PASI - Trunk (T): Infiltration (I)
C135755	PASI0110	PASI01-Trunk (T): Desquamation (D)	Psoriasis Area and Severity Index - Trunk (T): Desquamation (D).	PASI - Trunk (T): Desquamation (D)
C135756	PASI0111	PASI01-Trunk (T): Sum = E+I+D	Psoriasis Area and Severity Index - Trunk (T): Sum = E + I + D.	PASI - Trunk (T): Sum = E+I+D
C135757	PASI0112	PASI01-Trunk (T): Area Score	Psoriasis Area and Severity Index - Trunk (T): Area score.	PASI - Trunk (T): Area Score
C135758	PASI0113	PASI01-Trunk (T): Sum X Area	Psoriasis Area and Severity Index - Trunk (T): Sum x area.	PASI - Trunk (T): Sum X Area
C135759	PASI0114	PASI01-Trunk (T): Sum X Area X 0.3	Psoriasis Area and Severity Index - Trunk (T): Sum x area x 0.3.	PASI - Trunk (T): Sum X Area X 0.3
C135760	PASI0115	PASI01-Up Extrem (U): Erythema (E)	Psoriasis Area and Severity Index - Upper Extremities (U): Erythema (E).	PASI - Upper Extremities (U): Erythema (E)
C135761	PASI0116	PASI01-Up Extrem (U): Infiltration (I)	Psoriasis Area and Severity Index - Upper Extremities (U): Infiltration (I).	PASI - Upper Extremities (U): Infiltration (I)
C135762	PASI0117	PASI01-Up Extrem (U): Desquamation (D)	Psoriasis Area and Severity Index - Upper Extremities (U): Desquamation (D).	PASI - Upper Extremities (U): Desquamation (D)
C135763	PASI0118	PASI01-Up Extrem (U): Sum = E+I+D	Psoriasis Area and Severity Index - Upper Extremities (U): Sum = E + I + D.	PASI - Upper Extremities (U): Sum = E+I+D
C135764	PASI0119	PASI01-Up Extrem (U): Area Score	Psoriasis Area and Severity Index - Upper Extremities (U): Area score.	PASI - Upper Extremities (U): Area Score
C135765	PASI0120	PASI01-Up Extrem (U): Sum X Area	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area.	PASI - Upper Extremities (U): Sum X Area
C135766	PASI0121	PASI01-Up Extrem (U): Sum X Area X 0.2	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area x 0.2.	PASI - Upper Extremities (U): Sum X Area X 0.2
C135767	PASI0122	PASI01-Low Extrem (L): Erythema (E)	Psoriasis Area and Severity Index - Lower Extremities (L): Erythema (E).	PASI - Lower Extremities (L): Erythema (E)
C135768	PASI0123	PASI01-Low Extrem (L): Infiltration (I)	Psoriasis Area and Severity Index - Lower Extremities (L): Infiltration (I).	PASI - Lower Extremities (L): Infiltration (I)
C135769	PASI0124	PASI01-Low Extrem (L): Desquamation (D)	Psoriasis Area and Severity Index - Lower Extremities (L): Desquamation (D).	PASI - Lower Extremities (L): Desquamation (D)
C135770	PASI0125	PASI01-Low Extrem (L): Sum = E+I+D	Psoriasis Area and Severity Index - Lower Extremities (L): Sum = E + I + D.	PASI - Lower Extremities (L): Sum = E+I+D
C135771	PASI0126	PASI01-Low Extrem (L): Area Score	Psoriasis Area and Severity Index - Lower Extremities (L): Area score.	PASI - Lower Extremities (L): Area Score

**C135678 PASI01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135772	PASI0127	PASI01-Low Extrem (L): Sum X Area	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area.	PASI - Lower Extremities (L): Sum X Area
C135773	PASI0128	PASI01-Low Extrem (L): Sum X Area X 0.4	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area x 0.4.	PASI - Lower Extremities (L): Sum X Area X 0.4
C135774	PASI0129	PASI01-Total Sum	Psoriasis Area and Severity Index - Total sum.	PASI - Total Sum

**PASI01TN (Psoriasis Area and Severity Index Clinical Classification Test Name)**

NCI Code: C135677, Codelist extensible: No

<b>C135677 PASI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135750	PASI01-Head (H): Area Score	PASI01-Head (H): Area Score	Psoriasis Area and Severity Index - Head (H): Area score.	PASI - Head (H): Area Score
C135748	PASI01-Head (H): Desquamation (D)	PASI01-Head (H): Desquamation (D)	Psoriasis Area and Severity Index - Head (H): Desquamation (D).	PASI - Head (H): Desquamation (D)
C135746	PASI01-Head (H): Erythema (E)	PASI01-Head (H): Erythema (E)	Psoriasis Area and Severity Index - Head (H): Erythema (E).	PASI - Head (H): Erythema (E)
C135747	PASI01-Head (H): Infiltration (I)	PASI01-Head (H): Infiltration (I)	Psoriasis Area and Severity Index - Head (H): Infiltration (I).	PASI - Head (H): Infiltration (I)
C135749	PASI01-Head (H): Sum = E+I+D	PASI01-Head (H): Sum = E+I+D	Psoriasis Area and Severity Index - Head (H): Sum = E + I + D.	PASI - Head (H): Sum = E+I+D
C135751	PASI01-Head (H): Sum X Area	PASI01-Head (H): Sum X Area	Psoriasis Area and Severity Index - Head (H): Sum x area.	PASI - Head (H): Sum X Area
C135752	PASI01-Head (H): Sum X Area X 0.1	PASI01-Head (H): Sum X Area X 0.1	Psoriasis Area and Severity Index - Head (H): Sum x area x 0.1.	PASI - Head (H): Sum X Area X 0.1
C135771	PASI01-Low Extrem (L): Area Score	PASI01-Low Extrem (L): Area Score	Psoriasis Area and Severity Index - Lower Extremities (L): Area score.	PASI - Lower Extremities (L): Area Score
C135769	PASI01-Low Extrem (L): Desquamation (D)	PASI01-Low Extrem (L): Desquamation (D)	Psoriasis Area and Severity Index - Lower Extremities (L): Desquamation (D).	PASI - Lower Extremities (L): Desquamation (D)
C135767	PASI01-Low Extrem (L): Erythema (E)	PASI01-Low Extrem (L): Erythema (E)	Psoriasis Area and Severity Index - Lower Extremities (L): Erythema (E).	PASI - Lower Extremities (L): Erythema (E)
C135768	PASI01-Low Extrem (L): Infiltration (I)	PASI01-Low Extrem (L): Infiltration (I)	Psoriasis Area and Severity Index - Lower Extremities (L): Infiltration (I).	PASI - Lower Extremities (L): Infiltration (I)
C135770	PASI01-Low Extrem (L): Sum = E+I+D	PASI01-Low Extrem (L): Sum = E+I+D	Psoriasis Area and Severity Index - Lower Extremities (L): Sum = E + I + D.	PASI - Lower Extremities (L): Sum = E+I+D
C135772	PASI01-Low Extrem (L): Sum X Area	PASI01-Low Extrem (L): Sum X Area	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area.	PASI - Lower Extremities (L): Sum X Area
C135773	PASI01-Low Extrem (L): Sum X Area X 0.4	PASI01-Low Extrem (L): Sum X Area X 0.4	Psoriasis Area and Severity Index - Lower Extremities (L): Sum x area x 0.4.	PASI - Lower Extremities (L): Sum X Area X 0.4
C135774	PASI01-Total Sum	PASI01-Total Sum	Psoriasis Area and Severity Index - Total sum.	PASI - Total Sum
C135757	PASI01-Trunk (T): Area Score	PASI01-Trunk (T): Area Score	Psoriasis Area and Severity Index - Trunk (T): Area score.	PASI - Trunk (T): Area Score
C135755	PASI01-Trunk (T): Desquamation (D)	PASI01-Trunk (T): Desquamation (D)	Psoriasis Area and Severity Index - Trunk (T): Desquamation (D).	PASI - Trunk (T): Desquamation (D)
C135753	PASI01-Trunk (T): Erythema (E)	PASI01-Trunk (T): Erythema (E)	Psoriasis Area and Severity Index - Trunk (T): Erythema (E).	PASI - Trunk (T): Erythema (E)
C135754	PASI01-Trunk (T): Infiltration (I)	PASI01-Trunk (T): Infiltration (I)	Psoriasis Area and Severity Index - Trunk (T): Infiltration (I).	PASI - Trunk (T): Infiltration (I)
C135756	PASI01-Trunk (T): Sum = E+I+D	PASI01-Trunk (T): Sum = E+I+D	Psoriasis Area and Severity Index - Trunk (T): Sum = E + I + D.	PASI - Trunk (T): Sum = E+I+D
C135758	PASI01-Trunk (T): Sum X Area	PASI01-Trunk (T): Sum X Area	Psoriasis Area and Severity Index - Trunk (T): Sum x area.	PASI - Trunk (T): Sum X Area
C135759	PASI01-Trunk (T): Sum X Area X 0.3	PASI01-Trunk (T): Sum X Area X 0.3	Psoriasis Area and Severity Index - Trunk (T): Sum x area x 0.3.	PASI - Trunk (T): Sum X Area X 0.3
C135764	PASI01-Up Extrem (U): Area Score	PASI01-Up Extrem (U): Area Score	Psoriasis Area and Severity Index - Upper Extremities (U): Area score.	PASI - Upper Extremities (U): Area Score
C135762	PASI01-Up Extrem (U): Desquamation (D)	PASI01-Up Extrem (U): Desquamation (D)	Psoriasis Area and Severity Index - Upper Extremities (U): Desquamation (D).	PASI - Upper Extremities (U): Desquamation (D)
C135760	PASI01-Up Extrem (U): Erythema (E)	PASI01-Up Extrem (U): Erythema (E)	Psoriasis Area and Severity Index - Upper Extremities (U): Erythema (E).	PASI - Upper Extremities (U): Erythema (E)
C135761	PASI01-Up Extrem (U): Infiltration (I)	PASI01-Up Extrem (U): Infiltration (I)	Psoriasis Area and Severity Index - Upper Extremities (U): Infiltration (I).	PASI - Upper Extremities (U): Infiltration (I)



**C135677 PASI01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135763	PASI01-Up Extrem (U): Sum = E+I+D	PASI01-Up Extrem (U): Sum = E+I+D	Psoriasis Area and Severity Index - Upper Extremities (U): Sum = E + I + D.	PASI - Upper Extremities (U): Sum = E+I+D
C135765	PASI01-Up Extrem (U): Sum X Area	PASI01-Up Extrem (U): Sum X Area	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area.	PASI - Upper Extremities (U): Sum X Area
C135766	PASI01-Up Extrem (U): Sum X Area X 0.2	PASI01-Up Extrem (U): Sum X Area X 0.2	Psoriasis Area and Severity Index - Upper Extremities (U): Sum x area x 0.2.	PASI - Upper Extremities (U): Sum X Area X 0.2

**PBSTMT (Pharmacogenomics Biomarker Medical Statement)**

NCI Code: C114119, Codelist extensible: Yes

<b>C114119 PBSTMT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C38757	NEGATIVE		A finding of normality following an examination or investigation looking for the presence of a microorganism, disease, or condition.	Negative Finding
C38758	POSITIVE		An observation confirming something, such as the presence of a disease, condition, or microorganism.	Positive Finding
C85562	RESISTANT	Resistant	The growth of microorganisms are not inhibited by the usually achievable concentrations of the antimicrobial agent with normal dosages, and/or microorganisms demonstrate MICs or zone diameters that fall in the range where specific microbial resistance mechanisms (e.g. Beta-lactamases) are likely, and clinical efficacy of the agent against the microorganism has not been reliably shown in treatment studies.	Antimicrobial Resistance Result
C85563	SUSCEPTIBLE	Susceptible	The growth of microorganisms are inhibited by the usually achievable concentrations of antimicrobial agent when the recommended dosage is used for the site of infection.	Antimicrobial Susceptibility Result

**PCL01TC (The PTSD Checklist for DSM-5 Questionnaire Test Code)**

NCI Code: C135692, Codelist extensible: No

<b>C135692 PCL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135922	PCL0101	PCL01-Repeated Disturbing Memories	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing, and unwanted memories of the stressful experience?	PCL-5 - Repeated Disturbing Memories
C135923	PCL0102	PCL01-Repeated Disturbing Dreams	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing dreams of the stressful experience?	PCL-5 - Repeated Disturbing Dreams
C135924	PCL0103	PCL01-Suddenly Feeling Happening Again	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	PCL-5 - Suddenly Feeling Happening Again
C135925	PCL0104	PCL01-Feel Upset When Reminded	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling very upset when something reminded you of the stressful experience?	PCL-5 - Feel Upset When Reminded
C135926	PCL0105	PCL01-Strong Physical Reactions	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	PCL-5 - Strong Physical Reactions
C135927	PCL0106	PCL01-Avoid Memories/Thoughts/Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding memories, thoughts, or feelings related to the stressful experience?	PCL-5 - Avoid Memories, Thoughts or Feelings
C135928	PCL0107	PCL01-Avoid External Reminders	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	PCL-5 - Avoid External Reminders
C135929	PCL0108	PCL01-Trouble Remembering Important Part	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble remembering important parts of the stressful experience?	PCL-5 - Trouble Remembering Important Parts
C135930	PCL0109	PCL01-Strong Negative Beliefs	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	PCL-5 - Strong Negative Beliefs
C135931	PCL0110	PCL01-Blaming Yourself/Someone Else	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Blaming yourself or someone else for the stressful experience or what happened after it?	PCL-5 - Blaming Yourself or Someone Else
C135932	PCL0111	PCL01-Strong Negative Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative feelings such as fear, horror, anger, guilt, or shame?	PCL-5 - Strong Negative Feelings
C135933	PCL0112	PCL01-Loss of Interest in Activities	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Loss of interest in activities that you used to enjoy?	PCL-5 - Loss of Interest in Activities
C135934	PCL0113	PCL01-Feeling Distant From People	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling distant or cut off from other people?	PCL-5 - Feeling Distant From People
C135935	PCL0114	PCL01-Trouble Experiencing Pos Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	PCL-5 - Trouble Experiencing Positive Feelings
C135936	PCL0115	PCL01-Irritable Behavior/Angry Outbursts	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Irritable behavior, angry outbursts, or acting aggressively?	PCL-5 - Irritable Behavior or Angry Outbursts
C135937	PCL0116	PCL01-Taking Too Many Risks/Cause Harm	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Taking too many risks or doing things that could cause you harm?	PCL-5 - Taking Too Many Risks or Cause Harm
C135938	PCL0117	PCL01-Being Superalert/Watchful/on Guard	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Being "superalert" or watchful or on guard?	PCL-5 - Being Super Alert or Watchful

**C135692 PCL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135939	PCL0118	PCL01-Feeling Jumpy or Easily Startled	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling jumpy or easily startled?	PCL-5 - Feeling Jumpy or Easily Startled
C135940	PCL0119	PCL01-Having Difficulty Concentrating	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having difficulty concentrating?	PCL-5 - Having Difficulty Concentrating
C135941	PCL0120	PCL01-Trouble Falling or Staying Asleep	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble falling or staying asleep?	PCL-5 - Trouble Falling or Staying Asleep

**PCL01TN (The PTSD Checklist for DSM-5 Questionnaire Test Name)**

NCI Code: C135691, Codelist extensible: No

<b>C135691 PCL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135928	PCL01-Avoid External Reminders	PCL01-Avoid External Reminders	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	PCL-5 - Avoid External Reminders
C135927	PCL01-Avoid Memories/Thoughts/Feelings	PCL01-Avoid Memories/Thoughts/Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Avoiding memories, thoughts, or feelings related to the stressful experience?	PCL-5 - Avoid Memories, Thoughts or Feelings
C135938	PCL01-Being Superalert/Watchful/on Guard	PCL01-Being Superalert/Watchful/on Guard	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Being "superalert" or watchful or on guard?	PCL-5 - Being Super Alert or Watchful
C135931	PCL01-Blaming Yourself/Someone Else	PCL01-Blaming Yourself/Someone Else	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Blaming yourself or someone else for the stressful experience or what happened after it?	PCL-5 - Blaming Yourself or Someone Else
C135925	PCL01-Feel Upset When Reminded	PCL01-Feel Upset When Reminded	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling very upset when something reminded you of the stressful experience?	PCL-5 - Feel Upset When Reminded
C135934	PCL01-Feeling Distant From People	PCL01-Feeling Distant From People	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling distant or cut off from other people?	PCL-5 - Feeling Distant From People
C135939	PCL01-Feeling Jumpy or Easily Startled	PCL01-Feeling Jumpy or Easily Startled	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Feeling jumpy or easily startled?	PCL-5 - Feeling Jumpy or Easily Startled
C135940	PCL01-Having Difficulty Concentrating	PCL01-Having Difficulty Concentrating	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having difficulty concentrating?	PCL-5 - Having Difficulty Concentrating
C135936	PCL01-Irritable Behavior/Angry Outbursts	PCL01-Irritable Behavior/Angry Outbursts	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Irritable behavior, angry outbursts, or acting aggressively?	PCL-5 - Irritable Behavior or Angry Outbursts
C135933	PCL01-Loss of Interest in Activities	PCL01-Loss of Interest in Activities	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Loss of interest in activities that you used to enjoy?	PCL-5 - Loss of Interest in Activities
C135923	PCL01-Repeated Disturbing Dreams	PCL01-Repeated Disturbing Dreams	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing dreams of the stressful experience?	PCL-5 - Repeated Disturbing Dreams
C135922	PCL01-Repeated Disturbing Memories	PCL01-Repeated Disturbing Memories	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Repeated, disturbing, and unwanted memories of the stressful experience?	PCL-5 - Repeated Disturbing Memories
C135930	PCL01-Strong Negative Beliefs	PCL01-Strong Negative Beliefs	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	PCL-5 - Strong Negative Beliefs
C135932	PCL01-Strong Negative Feelings	PCL01-Strong Negative Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong negative feelings such as fear, horror, anger, guilt, or shame?	PCL-5 - Strong Negative Feelings
C135926	PCL01-Strong Physical Reactions	PCL01-Strong Physical Reactions	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	PCL-5 - Strong Physical Reactions
C135924	PCL01-Suddenly Feeling Happening Again	PCL01-Suddenly Feeling Happening Again	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	PCL-5 - Suddenly Feeling Happening Again
C135937	PCL01-Taking Too Many Risks/Cause Harm	PCL01-Taking Too Many Risks/Cause Harm	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Taking too many risks or doing things that could cause you harm?	PCL-5 - Taking Too Many Risks or Cause Harm

**C135691 PCL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135935	PCL01-Trouble Experiencing Pos Feelings	PCL01-Trouble Experiencing Pos Feelings	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	PCL-5 - Trouble Experiencing Positive Feelings
C135941	PCL01-Trouble Falling or Staying Asleep	PCL01-Trouble Falling or Staying Asleep	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble falling or staying asleep?	PCL-5 - Trouble Falling or Staying Asleep
C135929	PCL01-Trouble Remembering Important Part	PCL01-Trouble Remembering Important Part	The PTSD Checklist for DSM-5 - In the past month, how much were you bothered by: Trouble remembering important parts of the stressful experience?	PCL-5 - Trouble Remembering Important Parts

## PDDS01TC (Patient Determined Disease Steps Questionnaire Test Code)

NCI Code: C112447, Codelist extensible: No

<b>C112447 PDDS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112626	PDDS0101	PDDS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDDS - Category Describing Situation

**PDDS01TN (Patient Determined Disease Steps Questionnaire Test Name)**

NCI Code: C112446, Codelist extensible: No

<b>C112446 PDDS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112626	PDDS01-Category Describing Situation	PDDS01-Category Describing Situation	Patient Determined Disease Steps - This scale focuses mainly on how well you walk. You might not find a description that reflects your condition exactly, but please mark the one category that describes your situation the closest.	PDDS - Category Describing Situation



**PFTEST (Pharmacogenomics Findings Test Name)**

NCI Code: C116105, Codelist extensible: Yes

<b>C116105 PFTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16277	Allele	Allele	The determination of which version of the gene is on each chromosome.	Allele
C132433	Allelic Family	Allelic Family	A subgroup of alleles of a polymorphic gene that may form clusters (e.g., phylogenetic) based on high sequence similarity, which may include either a shared single nucleotide polymorphism or a shared set of polymorphic sites. (CDISC)	Allelic Family
C132434	Amplicon Size	Amplicon Size	The number of base pairs present in an RNA or DNA sequence that is the product of an amplification process.	Amplicon Size
C18280	Chromosomal Aberration	Chromosomal Aberration	The determination of the holistic or specific regional aberrations in a chromosome (insertions, deletions, amplifications, translocations).	Cytogenetic Analysis
C60693	Fold Change	Fold Change	An indication of the magnitude difference between two values specified as the number of multiples of the first value to the second value (e.g., from 10 to 20 is a 2-fold increase, from 10 to 50 is a five-fold increase). (NCI)	Fold Change
C135484	Gene Expression	Gene Expression	The determination of the level of gene transcription in a biological specimen.	Gene Expression Level Analysis
C18302	Genetic Variation	Genetic Variation	The determination of the variation(s) in the nucleotide sequence of the genetic material of an individual as compared to a reference sequence.	Genetic Variation Analysis
C45447	Genotype	Genotype	The determination of the nucleotide sequence of the genetic material of an individual.	Genotyping
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C139286	Microsatellite Instability	Microsatellite Instability	An assessment of the variability in length of an individual microsatellite sequence.	Microsatellite Stability Assessment
C139285	Microsatellite Instability Overall Stat	Microsatellite Instability Overall Stat;Microsatellite Instability Overall Status	The overall state or condition of the variability in length of multiple, assessed microsatellite sequences.	Microsatellite Instability Overall Status
C139283	Num Nuc Markers Exhibit Instability	Num Nuc Markers Exhibit Instability;Number of Nucleotide Markers Exhibiting Instability	The total number of nucleotide repeat markers tested that exhibit instability in a biological specimen. (NCI)	Number of Nucleotide Markers Exhibiting Instability
C139284	Pct Nuc Markers Exhibit Instability	Pct Nuc Markers Exhibit Instability;Percent of Nucleotide Markers Exhibiting Instability	The relative measurement (percentage) of nucleotide repeat markers exhibiting instability to all nucleotide repeat markers tested in a biological specimen. (NCI)	Percent of Nucleotide Markers Exhibiting Instability

**PFTESTCD (Pharmacogenomics Findings Test Code)**

NCI Code: C116106, Codelist extensible: Yes

<b>C116106 PFTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16277	ALLELE	Allele	The determination of which version of the gene is on each chromosome.	Allele
C132433	ALLFAM	Allelic Family	A subgroup of alleles of a polymorphic gene that may form clusters (e.g., phylogenetic) based on high sequence similarity, which may include either a shared single nucleotide polymorphism or a shared set of polymorphic sites. (CDISC)	Allelic Family
C132434	AMPLSZ	Amplicon Size	The number of base pairs present in an RNA or DNA sequence that is the product of an amplification process.	Amplicon Size
C18280	CHROMAB	Chromosomal Aberration	The determination of the holistic or specific regional aberrations in a chromosome (insertions, deletions, amplifications, translocations).	Cytogenetic Analysis
C60693	FOLDCHG	Fold Change	An indication of the magnitude difference between two values specified as the number of multiples of the first value to the second value (e.g., from 10 to 20 is a 2-fold increase, from 10 to 50 is a five-fold increase). (NCI)	Fold Change
C135484	GENEXPR	Gene Expression	The determination of the level of gene transcription in a biological specimen.	Gene Expression Level Analysis
C45447	GENOTYPE	Genotype	The determination of the nucleotide sequence of the genetic material of an individual.	Genotyping
C18302	GENVAR	Genetic Variation	The determination of the variation(s) in the nucleotide sequence of the genetic material of an individual as compared to a reference sequence.	Genetic Variation Analysis
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C139286	MICRISTB	Microsatellite Instability	An assessment of the variability in length of an individual microsatellite sequence.	Microsatellite Stability Assessment
C139285	MSIOSTAT	Microsatellite Instability Overall Stat;Microsatellite Instability Overall Status	The overall state or condition of the variability in length of multiple, assessed microsatellite sequences.	Microsatellite Instability Overall Status
C139283	NUMMISTB	Num Nuc Markers Exhibit Instability;Number of Nucleotide Markers Exhibiting Instability	The total number of nucleotide repeat markers tested that exhibit instability in a biological specimen. (NCI)	Number of Nucleotide Markers Exhibiting Instability
C139284	PCTMISTB	Pct Nuc Markers Exhibit Instability;Percent of Nucleotide Markers Exhibiting Instability	The relative measurement (percentage) of nucleotide repeat markers exhibiting instability to all nucleotide repeat markers tested in a biological specimen. (NCI)	Percent of Nucleotide Markers Exhibiting Instability

**PGI01TC (Patient Global Impression Generic Modification Version Questionnaire Test Code)**

NCI Code: C135688, Codelist extensible: No

<b>C135688 PGI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135817	PGI0101	PGI01-Severity	Patient Global Impression - Considering all the ways your condition impacts you, how severe is your condition at this time?	PGI Generic Modification Version - Severity
C135818	PGI0102	PGI01-Change	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition changed?	PGI Generic Modification Version - Change
C135819	PGI0103	PGI01-Improvement	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition improved?	PGI Generic Modification Version - Improvement
C142226	PGI0104	PGI01-Overall Health	Patient Global Impression - How was your overall health?	PGI Generic Modification Version - Overall Health

**PGI01TN (Patient Global Impression Generic Modification Version Questionnaire Test Name)**

NCI Code: C135687, Codelist extensible: No

<b>C135687 PGI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135818	PGI01-Change	PGI01-Change	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition changed?	PGI Generic Modification Version - Change
C135819	PGI01-Improvement	PGI01-Improvement	Patient Global Impression - Compared to <previously assessed protocol specified time point> how much has your condition improved?	PGI Generic Modification Version - Improvement
C142226	PGI01-Overall Health	PGI01-Overall Health	Patient Global Impression - How was your overall health?	PGI Generic Modification Version - Overall Health
C135817	PGI01-Severity	PGI01-Severity	Patient Global Impression - Considering all the ways your condition impacts you, how severe is your condition at this time?	PGI Generic Modification Version - Severity

**PGTST (Pharmacogenomics/Genetics Methods and Supporting Information Test Name)**

NCI Code: C135011, Codelist extensible: Yes

<b>C135011 PGTST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C43685	GenBank ID	GenBank ID	The accession number for a gene within the GenBank database.	GenBank Accession Number
C135487	Genetic Sequence Length	Genetic Sequence Length	The number of nucleotides that make up a genetic sequence of interest.	Genetic Sequence Length
C135488	Genetic Sequence Start Location	Genetic Sequence Start Location	The nucleotide location that represents the beginning of a genetic sequence of interest.	Genetic Sequence Start Location
C135485	Genetic Sub-Region Sequence	Genetic Sub-Region Sequence	The sequence of nucleotide residues along a genetic sub-region of interest. (NCI)	Genetic Sub-Region Sequence
C135486	Predicted SNP Frequency	Predicted SNP Frequency	The anticipated or extrapolated frequency of a single nucleotide polymorphism within a population.	Predicted Single Nucleotide Polymorphism Frequency

**PGTSTCD (Pharmacogenomics/Genetics Methods and Supporting Information Test Code)**

NCI Code: C135010, Codelist extensible: Yes

<b>C135010 PGTSTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C43685	GENBNKID	GenBank ID	The accession number for a gene within the GenBank database.	GenBank Accession Number
C135485	GSRSEQ	Genetic Sub-Region Sequence	The sequence of nucleotide residues along a genetic sub-region of interest. (NCI)	Genetic Sub-Region Sequence
C135486	PSNPFQ	Predicted SNP Frequency	The anticipated or extrapolated frequency of a single nucleotide polymorphism within a population.	Predicted Single Nucleotide Polymorphism Frequency
C135487	SEQLNTH	Genetic Sequence Length	The number of nucleotides that make up a genetic sequence of interest.	Genetic Sequence Length
C135488	SEQSTART	Genetic Sequence Start Location	The nucleotide location that represents the beginning of a genetic sequence of interest.	Genetic Sequence Start Location

## PHQ01TC (Patient Health Questionnaire - 9 Item Questionnaire Test Code)

NCI Code: C103481, Codelist extensible: No

C103481 PHQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103705	PHQ0101	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things
C103706	PHQ0102	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless
C103707	PHQ0103	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much
C103708	PHQ0104	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy
C103709	PHQ0105	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating
C103710	PHQ0106	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself
C103711	PHQ0107	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things
C103712	PHQ0108	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless
C103713	PHQ0109	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead
C103714	PHQ0110	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People
C113887	PHQ0111	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score

**PHQ01TN (Patient Health Questionnaire - 9 Item Questionnaire Test Name)**

NCI Code: C103480, Codelist extensible: No

<b>C103480 PHQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103714	PHQ01-Difficult to Work/Take Care Things	PHQ01-Difficult to Work/Take Care Things	Patient Health Questionnaire - 9 - If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ-9 - How Difficult have Problems Made it for You to Work, Take Care of Things, or Get Along with Other People
C103710	PHQ01-Feeling Bad About Yourself	PHQ01-Feeling Bad About Yourself	Patient Health Questionnaire - 9 - Feeling bad about yourself - or that you are a failure or have let yourself or your family down.	PHQ-9 - Feeling Bad About Yourself
C103706	PHQ01-Feeling Down Depressed or Hopeless	PHQ01-Feeling Down Depressed or Hopeless	Patient Health Questionnaire - 9 - Feeling down, depressed, or hopeless.	PHQ-9 - Feeling Down, Depressed, or Hopeless
C103708	PHQ01-Feeling Tired or Little Energy	PHQ01-Feeling Tired or Little Energy	Patient Health Questionnaire - 9 - Feeling tired or having little energy.	PHQ-9 - Feeling Tired or Having Little Energy
C103705	PHQ01-Little Interest/Pleasure in Things	PHQ01-Little Interest/Pleasure in Things	Patient Health Questionnaire - 9 - Little interest or pleasure in doing things.	PHQ-9 - Little Interest or Pleasure in Doing Things
C103712	PHQ01-Moving Slowly or Fidgety/Restless	PHQ01-Moving Slowly or Fidgety/Restless	Patient Health Questionnaire - 9 - Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual.	PHQ-9 - Moving or Speaking Slowly or the Opposite being Fidgety or Restless
C103709	PHQ01-Poor Appetite or Overeating	PHQ01-Poor Appetite or Overeating	Patient Health Questionnaire - 9 - Poor appetite or overeating.	PHQ-9 - Poor Appetite or Overeating
C103713	PHQ01-Thoughts You Be Better Off Dead	PHQ01-Thoughts You Be Better Off Dead	Patient Health Questionnaire - 9 - Thoughts that you would be better off dead or of hurting yourself in some way.	PHQ-9 - Thoughts That You Would be Better Off Dead
C113887	PHQ01-Total Score	PHQ01-Total Score	Patient Health Questionnaire - 9 - Total score.	PHQ-9 - Total Score
C103711	PHQ01-Trouble Concentrating on Things	PHQ01-Trouble Concentrating on Things	Patient Health Questionnaire - 9 - Trouble concentrating on things, such as reading the newspaper or watching television.	PHQ-9 - Trouble Concentrating on Things
C103707	PHQ01-Trouble Falling or Staying Asleep	PHQ01-Trouble Falling or Staying Asleep	Patient Health Questionnaire - 9 - Trouble falling or staying asleep, or sleeping too much.	PHQ-9 - Trouble Falling or Staying Asleep, or Sleeping Too Much



## PHQ02TC (Patient Health Questionnaire - 15 Item Questionnaire Test Code)

NCI Code: C103483, Codelist extensible: No

<b>C103483 PHQ02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103715	PHQ0201	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C103716	PHQ0202	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103717	PHQ0203	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103718	PHQ0204	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103719	PHQ0205	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103720	PHQ0206	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103721	PHQ0207	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ0208	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103723	PHQ0209	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103724	PHQ0210	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103725	PHQ0211	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103726	PHQ0212	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103727	PHQ0213	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103728	PHQ0214	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103729	PHQ0215	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping
C124782	PHQ0216	PHQ02-Total Score	Patient Health Questionnaire - 15 - Total score.	PHQ-15 - Total Score

**PHQ02TN (Patient Health Questionnaire - 15 Item Questionnaire Test Name)**

NCI Code: C103482, Codelist extensible: No

<b>C103482 PHQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103716	PHQ02-Back Pain	PHQ02-Back Pain	Patient Health Questionnaire - 15 - Back pain.	PHQ-15 - Back Pain
C103720	PHQ02-Chest Pain	PHQ02-Chest Pain	Patient Health Questionnaire - 15 - Chest pain.	PHQ-15 - Chest Pain
C103726	PHQ02-Constipation/Loose Bowels/Diarrhea	PHQ02-Constipation/Loose Bowels/Diarrhea	Patient Health Questionnaire - 15 - Constipation, loose bowels, or diarrhea.	PHQ-15 - Constipation, Loose Bowels, or Diarrhea
C103721	PHQ02-Dizziness	PHQ02-Dizziness	Patient Health Questionnaire - 15 - Dizziness.	PHQ-15 - Dizziness
C103722	PHQ02-Fainting Spells	PHQ02-Fainting Spells	Patient Health Questionnaire - 15 - Fainting spells.	PHQ-15 - Fainting Spells
C103728	PHQ02-Feeling Tired or Having Low Energy	PHQ02-Feeling Tired or Having Low Energy	Patient Health Questionnaire - 15 - Feeling tired or having low energy.	PHQ-15 - Feeling Tired or Having Low Energy
C103723	PHQ02-Feeling Your Heart Pound or Race	PHQ02-Feeling Your Heart Pound or Race	Patient Health Questionnaire - 15 - Feeling your heart pound or race.	PHQ-15 - Feeling Your Heart Pound or Race
C103719	PHQ02-Headaches	PHQ02-Headaches	Patient Health Questionnaire - 15 - Headaches.	PHQ-15 - Headaches
C103718	PHQ02-Menstrual Cramp/Problem Periods	PHQ02-Menstrual Cramp/Problem Periods	Patient Health Questionnaire - 15 - Menstrual cramps or other problems with your periods [Women only].	PHQ-15 - Menstrual Cramp or Other Problems with Your Periods
C103727	PHQ02-Nausea, Gas, or Indigestion	PHQ02-Nausea, Gas, or Indigestion	Patient Health Questionnaire - 15 - Nausea, gas, or indigestion.	PHQ-15 - Nausea, Gas, or Indigestion
C103717	PHQ02-Pain In Your Arms, Legs, or Joints	PHQ02-Pain In Your Arms, Legs, or Joints	Patient Health Questionnaire - 15 - Pain in your arms, legs, or joints (knees, hips, etc.).	PHQ-15 - Pain In Your Arms, Legs, or Joints
C103725	PHQ02-Pain/Problems During Intercourse	PHQ02-Pain/Problems During Intercourse	Patient Health Questionnaire - 15 - Pain or problems during sexual intercourse.	PHQ-15 - Pain or Problems During Sexual Intercourse
C103724	PHQ02-Shortness of Breath	PHQ02-Shortness of Breath	Patient Health Questionnaire - 15 - Shortness of breath.	PHQ-15 - Shortness of Breath
C103715	PHQ02-Stomach Pain	PHQ02-Stomach Pain	Patient Health Questionnaire - 15 - Stomach pain.	PHQ-15 - Stomach Pain
C124782	PHQ02-Total Score	PHQ02-Total Score	Patient Health Questionnaire - 15 - Total score.	PHQ-15 - Total Score
C103729	PHQ02-Trouble Sleeping	PHQ02-Trouble Sleeping	Patient Health Questionnaire - 15 - Trouble sleeping.	PHQ-15 - Trouble Sleeping

**PHQ03TC (Patient Health Questionnaire Screener Version Questionnaire Test Code)**

NCI Code: C125749, Codelist extensible: No

<b>C125749 PHQ03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125829	PHQ0301A	PHQ03-Stomach Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by stomach pain?	PHQ Screener Version - Stomach Pain
C125830	PHQ0301B	PHQ03-Back Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by back pain?	PHQ Screener Version - Back Pain
C125831	PHQ0301C	PHQ03-Pain in Your Arms/Legs/Joints	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain in your arms, legs, or joints (knees, hips, etc.)?	PHQ Screener Version - Pain in Arms, Legs, Joints
C125832	PHQ0301D	PHQ03-Menstrual Cramp/Problem	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by menstrual cramps or other problems with your periods?	PHQ Screener Version - Menstrual Cramp or Other Problem
C125833	PHQ0301E	PHQ03-Pain/Problems During Intercourse	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain or problems during sexual intercourse?	PHQ Screener Version - Pain During Intercourse
C125834	PHQ0301F	PHQ03-Headaches	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by headaches?	PHQ Screener Version - Headaches
C125835	PHQ0301G	PHQ03-Chest Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by chest pain?	PHQ Screener Version - Chest Pain
C125836	PHQ0301H	PHQ03-Dizziness	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by dizziness?	PHQ Screener Version - Dizziness
C125837	PHQ0301I	PHQ03-Fainting Spells	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by fainting spells?	PHQ Screener Version - Fainting Spells
C125838	PHQ0301J	PHQ03-Feeling Your Heart Pound/Race	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by feeling your heart pound/race?	PHQ Screener Version - Feeling Your Heart Pound or Race
C125839	PHQ0301K	PHQ03-Shortness of Breath	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by shortness of breath?	PHQ Screener Version - Shortness of Breath
C125840	PHQ0301L	PHQ03-Constipation/Diarrhea	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by constipation, loose bowels, or diarrhea?	PHQ Screener Version - Constipation or Diarrhea
C125841	PHQ0301M	PHQ03-Nausea/Gas/Indigestion	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by nausea, gas, indigestion?	PHQ Screener Version - Nausea, Gas or Indigestion
C125842	PHQ0302A	PHQ03-Little Interest in Doing Things	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by little interest or pleasure in doing things?	PHQ Screener Version - Little Interest in Doing Things
C125843	PHQ0302B	PHQ03-Feeling Down/Depressed	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling down, depressed, or hopeless?	PHQ Screener Version - Feeling Down or Depressed
C125844	PHQ0302C	PHQ03-Last 2 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble falling or staying asleep, or sleeping too much?	PHQ Screener Version - Last 2 Weeks, Trouble Falling or Staying Asleep
C125845	PHQ0302D	PHQ03-Feeling Tired/Little Energy	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling tired or having little energy?	PHQ Screener Version - Feeling Tired or Little Energy
C125846	PHQ0302E	PHQ03-Poor Appetite or Overeating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by poor appetite or overeating?	PHQ Screener Version - Poor Appetite or Overeating
C125847	PHQ0302F	PHQ03-Feeling Bad About Yourself	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling bad about yourself - or that you are a failure or have let yourself or your family down?	PHQ Screener Version - Feeling Bad About Yourself

**C125749 PHQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125848	PHQ0302G	PHQ03-Last 2 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble concentrating on things, such as reading the newspaper or watching television?	PHQ Screener Version - Last 2 Weeks, Trouble Concentrating
C125849	PHQ0302H	PHQ03-Moving Slowly/Fidgety/Restless	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual?	PHQ Screener Version - Moving Slowly or Moving More
C125850	PHQ0302I	PHQ03-Thoughts Be Better Off Dead	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead or of hurting yourself in some way?	PHQ Screener Version - Thoughts Be Better Off Dead
C125851	PHQ0303A	PHQ03-Anxiety Attack	Patient Health Questionnaire Screener Version - In the last 4 weeks, have you had an anxiety attack - suddenly feeling fear or panic?	PHQ Screener Version - Anxiety Attack
C125852	PHQ0303B	PHQ03-Anxiety Attack Happened Before	Patient Health Questionnaire Screener Version - Has this ever happened before?	PHQ Screener Version - Anxiety Attack Happened Before
C125853	PHQ0303C	PHQ03-Anxiety Attacks Come Suddenly	Patient Health Questionnaire Screener Version - Do some of these attacks come suddenly out of the blue - that is, in situations where you don't expect to be nervous or uncomfortable?	PHQ Screener Version - Anxiety Attacks Come Suddenly
C125854	PHQ0303D	PHQ03-Anxiety Attacks Bother a Lot	Patient Health Questionnaire Screener Version - Do these attacks bother you a lot or are you worried about having another attack?	PHQ Screener Version - Anxiety Attacks Bother a Lot
C125855	PHQ0304A	PHQ03-Anxiety Attack Short of Breath	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you short of breath?	PHQ Screener Version - Anxiety Attack Short of Breath
C125856	PHQ0304B	PHQ03-Anxiety Attack Heart Race/Pound	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did your heart race, pound, or skip?	PHQ Screener Version - Anxiety Attack Heart Race or Pound
C125857	PHQ0304C	PHQ03-Anxiety Attack Chest Pain	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have chest pain or pressure?	PHQ Screener Version - Anxiety Attack Chest Pain
C125858	PHQ0304D	PHQ03-Anxiety Attack Sweat	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you sweat?	PHQ Screener Version - Anxiety Attack Sweat
C125859	PHQ0304E	PHQ03-Anxiety Attack Choking	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel as if you were choking?	PHQ Screener Version - Anxiety Attack Choking
C125860	PHQ0304F	PHQ03-Anxiety Attack Hot Flash/Chill	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have hot flashes or chills?	PHQ Screener Version - Anxiety Attack Hot Flash or Chill
C125861	PHQ0304G	PHQ03-Anxiety Attack Nausea/Diarrhea	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea?	PHQ Screener Version - Anxiety Attack Nausea or Diarrhea
C125862	PHQ0304H	PHQ03-Anxiety Attack Dizzy/Faint	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel dizzy, unsteady, or faint?	PHQ Screener Version - Anxiety Attack Dizzy or Faint
C125863	PHQ0304I	PHQ03-Anxiety Attack Tingling/Numbness	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have tingling or numbness in parts of your body?	PHQ Screener Version - Anxiety Attack Tingling or Numbness
C125864	PHQ0304J	PHQ03-Anxiety Attack Tremble/Shake	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you tremble or shake?	PHQ Screener Version - Anxiety Attack Tremble or Shake
C125865	PHQ0304K	PHQ03-Anxiety Attack Afraid You Dying	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you afraid you were dying?	PHQ Screener Version - Anxiety Attack Afraid You Were Dying
C125866	PHQ0305A	PHQ03-Feeling Nervous/Anxious	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things?	PHQ Screener Version - Feeling Nervous or Anxious

**C125749 PHQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125867	PHQ0305B	PHQ03-Feeling Restless	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling restless so that it is hard to sit still?	PHQ Screener Version - Feeling Restless
C125868	PHQ0305C	PHQ03-Getting Tired Easily	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by getting tired very easily?	PHQ Screener Version - Getting Tired Easily
C125869	PHQ0305D	PHQ03-Muscle Tension/Aches/Soreness	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by muscle tension, aches, or soreness?	PHQ Screener Version - Muscle Tension
C125870	PHQ0305E	PHQ03-Last 4 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble falling asleep or staying asleep?	PHQ Screener Version - Last 4 Weeks, Trouble Falling or Staying Asleep
C125871	PHQ0305F	PHQ03-Last 4 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble concentrating on things, such as reading a book or watching TV?	PHQ Screener Version - Last 4 Weeks, Trouble Concentrating
C125872	PHQ0305G	PHQ03-Becoming Easily Annoyed	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by becoming easily annoyed or irritable?	PHQ Screener Version - Becoming Easily Annoyed
C125873	PHQ0306A	PHQ03-No Control What/How Much Eat	Patient Health Questionnaire Screener Version - Do you often feel that you can't control what or how much you eat?	PHQ Screener Version - No Control What or How Much Eat
C125874	PHQ0306B	PHQ03-Eat 2-Hours Large Amount Food	Patient Health Questionnaire Screener Version - Do you often eat, within any 2 - hour period, what most people would regard as an unusually large amount of food?	PHQ Screener Version - Often Eat Large Amount Food
C125875	PHQ0306C	PHQ03-Eat a Lot Twice Week	Patient Health Questionnaire Screener Version - Has this been as often, on average, as twice a week for the last 3 months?	PHQ Screener Version - Eat a Lot Twice Week
C125876	PHQ0307A	PHQ03-Made Yourself Vomit	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Made yourself vomit?	PHQ Screener Version - Avoid Gaining Weight, Made Yourself Vomit
C125877	PHQ0307B	PHQ03-Took Twice Dose of Laxatives	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Took more than twice the recommended dose of laxatives to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Took Twice Dose of Laxatives
C125878	PHQ0307C	PHQ03-Fasted at Least 24 Hours	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Fasted - not eaten anything at all for at least 24 hours to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Fasted at Least 24 Hours
C125879	PHQ0307D	PHQ03-Exercised Avoid Gaining Weight	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Exercised for more than an hour specifically to avoid gaining weight after binge eating?	PHQ Screener Version - Avoid Gaining Weight, Exercise
C125880	PHQ0308	PHQ03-Avoid Gaining Weight Twice Week	Patient Health Questionnaire Screener Version - If you checked "YES" to any of these ways of avoiding gaining weight, were any as often, on average, as twice a week?	PHQ Screener Version - Avoid Gaining Weight Twice Week
C125881	PHQ0309	PHQ03-Drink Alcohol	Patient Health Questionnaire Screener Version - Do you ever drink alcohol (including beer or wine)?	PHQ Screener Version - Drink Alcohol
C125882	PHQ0310A	PHQ03-Drank Alcohol With Health Problem	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol even though a doctor suggested that you stop drinking because of a problem with your health?	PHQ Screener Version - Drank Alcohol With Health Problem
C125883	PHQ0310B	PHQ03-Alcohol at Work/School	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol, were high from alcohol, or hung over while you were working, or going to school, or taking care of children or other responsibilities?	PHQ Screener Version - Drank Alcohol at Work or School

**C125749 PHQ03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125884	PHQ0310C	PHQ03-Missed Work Because of Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You missed or were late for work, school, or other activities because you were drinking or hung over?	PHQ Screener Version - Missed Work Because of Drinking
C125885	PHQ0310D	PHQ03-Problem With People While Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You had a problem getting along with other people while you were drinking?	PHQ Screener Version - Problem Getting Along With People While Drinking
C125886	PHQ0310E	PHQ03-Drove After Several Drinks	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drove a car after having several drinks or after drinking too much?	PHQ Screener Version - Drove Car After Several Drinks
C125887	PHQ0311	PHQ03-Problems Made It Difficult to Work	Patient Health Questionnaire Screener Version - If you checked off any problems on this questionnaire, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ Screener Version - Problems Made It Difficult to Work

**PHQ03TN (Patient Health Questionnaire Screener Version Questionnaire Test Name)**

NCI Code: C125748, Codelist extensible: No

<b>C125748 PHQ03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125883	PHQ03-Alcohol at Work/School	PHQ03-Alcohol at Work/School	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol, were high from alcohol, or hung over while you were working, or going to school, or taking care of children or other responsibilities?	PHQ Screener Version - Drank Alcohol at Work or School
C125851	PHQ03-Anxiety Attack	PHQ03-Anxiety Attack	Patient Health Questionnaire Screener Version - In the last 4 weeks, have you had an anxiety attack - suddenly feeling fear or panic?	PHQ Screener Version - Anxiety Attack
C125865	PHQ03-Anxiety Attack Afraid You Dying	PHQ03-Anxiety Attack Afraid You Dying	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you afraid you were dying?	PHQ Screener Version - Anxiety Attack Afraid You Were Dying
C125857	PHQ03-Anxiety Attack Chest Pain	PHQ03-Anxiety Attack Chest Pain	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have chest pain or pressure?	PHQ Screener Version - Anxiety Attack Chest Pain
C125859	PHQ03-Anxiety Attack Choking	PHQ03-Anxiety Attack Choking	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel as if you were choking?	PHQ Screener Version - Anxiety Attack Choking
C125862	PHQ03-Anxiety Attack Dizzy/Faint	PHQ03-Anxiety Attack Dizzy/Faint	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you feel dizzy, unsteady, or faint?	PHQ Screener Version - Anxiety Attack Dizzy or Faint
C125852	PHQ03-Anxiety Attack Happened Before	PHQ03-Anxiety Attack Happened Before	Patient Health Questionnaire Screener Version - Has this ever happened before?	PHQ Screener Version - Anxiety Attack Happened Before
C125856	PHQ03-Anxiety Attack Heart Race/Pound	PHQ03-Anxiety Attack Heart Race/Pound	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did your heart race, pound, or skip?	PHQ Screener Version - Anxiety Attack Heart Race or Pound
C125860	PHQ03-Anxiety Attack Hot Flash/Chill	PHQ03-Anxiety Attack Hot Flash/Chill	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have hot flashes or chills?	PHQ Screener Version - Anxiety Attack Hot Flash or Chill
C125861	PHQ03-Anxiety Attack Nausea/Diarrhea	PHQ03-Anxiety Attack Nausea/Diarrhea	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have nausea or an upset stomach, or the feeling that you were going to have diarrhea?	PHQ Screener Version - Anxiety Attack Nausea or Diarrhea
C125855	PHQ03-Anxiety Attack Short of Breath	PHQ03-Anxiety Attack Short of Breath	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Were you short of breath?	PHQ Screener Version - Anxiety Attack Short of Breath
C125858	PHQ03-Anxiety Attack Sweat	PHQ03-Anxiety Attack Sweat	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you sweat?	PHQ Screener Version - Anxiety Attack Sweat
C125863	PHQ03-Anxiety Attack Tingling/Numbness	PHQ03-Anxiety Attack Tingling/Numbness	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you have tingling or numbness in parts of your body?	PHQ Screener Version - Anxiety Attack Tingling or Numbness
C125864	PHQ03-Anxiety Attack Tremble/Shake	PHQ03-Anxiety Attack Tremble/Shake	Patient Health Questionnaire Screener Version - Think about your last bad anxiety attack. Did you tremble or shake?	PHQ Screener Version - Anxiety Attack Tremble or Shake
C125854	PHQ03-Anxiety Attacks Bother a Lot	PHQ03-Anxiety Attacks Bother a Lot	Patient Health Questionnaire Screener Version - Do these attacks bother you a lot or are you worried about having another attack?	PHQ Screener Version - Anxiety Attacks Bother a Lot
C125853	PHQ03-Anxiety Attacks Come Suddenly	PHQ03-Anxiety Attacks Come Suddenly	Patient Health Questionnaire Screener Version - Do some of these attacks come suddenly out of the blue - that is, in situations where you don't expect to be nervous or uncomfortable?	PHQ Screener Version - Anxiety Attacks Come Suddenly
C125880	PHQ03-Avoid Gaining Weight Twice Week	PHQ03-Avoid Gaining Weight Twice Week	Patient Health Questionnaire Screener Version - If you checked "YES" to any of these ways of avoiding gaining weight, were any as often, on average, as twice a week?	PHQ Screener Version - Avoid Gaining Weight Twice Week
C125830	PHQ03-Back Pain	PHQ03-Back Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by back pain?	PHQ Screener Version - Back Pain
C125872	PHQ03-Becoming Easily Annoyed	PHQ03-Becoming Easily Annoyed	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by becoming easily annoyed or irritable?	PHQ Screener Version - Becoming Easily Annoyed

**C125748 PHQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125835	PHQ03-Chest Pain	PHQ03-Chest Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by chest pain?	PHQ Screener Version - Chest Pain
C125840	PHQ03-Constipation/Diarrhea	PHQ03-Constipation/Diarrhea	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by constipation, loose bowels, or diarrhea?	PHQ Screener Version - Constipation or Diarrhea
C125836	PHQ03-Dizziness	PHQ03-Dizziness	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by dizziness?	PHQ Screener Version - Dizziness
C125882	PHQ03-Drank Alcohol With Health Problem	PHQ03-Drank Alcohol With Health Problem	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drank alcohol even though a doctor suggested that you stop drinking because of a problem with your health?	PHQ Screener Version - Drank Alcohol With Health Problem
C125881	PHQ03-Drink Alcohol	PHQ03-Drink Alcohol	Patient Health Questionnaire Screener Version - Do you ever drink alcohol (including beer or wine)?	PHQ Screener Version - Drink Alcohol
C125886	PHQ03-Drove After Several Drinks	PHQ03-Drove After Several Drinks	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You drove a car after having several drinks or after drinking too much?	PHQ Screener Version - Drove Car After Several Drinks
C125874	PHQ03-Eat 2-Hours Large Amount Food	PHQ03-Eat 2-Hours Large Amount Food	Patient Health Questionnaire Screener Version - Do you often eat, within any 2 - hour period, what most people would regard as an unusually large amount of food?	PHQ Screener Version - Often Eat Large Amount Food
C125875	PHQ03-Eat a Lot Twice Week	PHQ03-Eat a Lot Twice Week	Patient Health Questionnaire Screener Version - Has this been as often, on average, as twice a week for the last 3 months?	PHQ Screener Version - Eat a Lot Twice Week
C125879	PHQ03-Exercised Avoid Gaining Weight	PHQ03-Exercised Avoid Gaining Weight	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Exercised for more than an hour specifically to avoid gaining weight after binge eating?	PHQ Screener Version - Avoid Gaining Weight, Exercise
C125837	PHQ03-Fainting Spells	PHQ03-Fainting Spells	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by fainting spells?	PHQ Screener Version - Fainting Spells
C125878	PHQ03-Fasted at Least 24 Hours	PHQ03-Fasted at Least 24 Hours	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Fasted - not eaten anything at all for at least 24 hours to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Fasted at Least 24 Hours
C125847	PHQ03-Feeling Bad About Yourself	PHQ03-Feeling Bad About Yourself	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling bad about yourself - or that you are a failure or have let yourself or your family down?	PHQ Screener Version - Feeling Bad About Yourself
C125843	PHQ03-Feeling Down/Depressed	PHQ03-Feeling Down/Depressed	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling down, depressed, or hopeless?	PHQ Screener Version - Feeling Down or Depressed
C125866	PHQ03-Feeling Nervous/Anxious	PHQ03-Feeling Nervous/Anxious	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling nervous, anxious, on edge, or worrying a lot about different things?	PHQ Screener Version - Feeling Nervous or Anxious
C125867	PHQ03-Feeling Restless	PHQ03-Feeling Restless	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by feeling restless so that it is hard to sit still?	PHQ Screener Version - Feeling Restless
C125845	PHQ03-Feeling Tired/Little Energy	PHQ03-Feeling Tired/Little Energy	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by feeling tired or having little energy?	PHQ Screener Version - Feeling Tired or Little Energy
C125838	PHQ03-Feeling Your Heart Pound/Race	PHQ03-Feeling Your Heart Pound/Race	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by feeling your heart pound/race?	PHQ Screener Version - Feeling Your Heart Pound or Race
C125868	PHQ03-Getting Tired Easily	PHQ03-Getting Tired Easily	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by getting tired very easily?	PHQ Screener Version - Getting Tired Easily
C125834	PHQ03-Headaches	PHQ03-Headaches	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by headaches?	PHQ Screener Version - Headaches



**C125748 PHQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125848	PHQ03-Last 2 Week Trouble Concentrating	PHQ03-Last 2 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble concentrating on things, such as reading the newspaper or watching television?	PHQ Screener Version - Last 2 Weeks, Trouble Concentrating
C125844	PHQ03-Last 2 Week Trouble Falling Asleep	PHQ03-Last 2 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by trouble falling or staying asleep, or sleeping too much?	PHQ Screener Version - Last 2 Weeks, Trouble Falling or Staying Asleep
C125871	PHQ03-Last 4 Week Trouble Concentrating	PHQ03-Last 4 Week Trouble Concentrating	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble concentrating on things, such as reading a book or watching TV?	PHQ Screener Version - Last 4 Weeks, Trouble Concentrating
C125870	PHQ03-Last 4 Week Trouble Falling Asleep	PHQ03-Last 4 Week Trouble Falling Asleep	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by trouble falling asleep or staying asleep?	PHQ Screener Version - Last 4 Weeks, Trouble Falling or Staying Asleep
C125842	PHQ03-Little Interest in Doing Things	PHQ03-Little Interest in Doing Things	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by little interest or pleasure in doing things?	PHQ Screener Version - Little Interest in Doing Things
C125876	PHQ03-Made Yourself Vomit	PHQ03-Made Yourself Vomit	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Made yourself vomit?	PHQ Screener Version - Avoid Gaining Weight, Made Yourself Vomit
C125832	PHQ03-Menstrual Cramp/Problem	PHQ03-Menstrual Cramp/Problem	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by menstrual cramps or other problems with your periods?	PHQ Screener Version - Menstrual Cramp or Other Problem
C125884	PHQ03-Missed Work Because of Drinking	PHQ03-Missed Work Because of Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You missed or were late for work, school, or other activities because you were drinking or hung over?	PHQ Screener Version - Missed Work Because of Drinking
C125849	PHQ03-Moving Slowly/Fidgety/Restless	PHQ03-Moving Slowly/Fidgety/Restless	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual?	PHQ Screener Version - Moving Slowly or Moving More
C125869	PHQ03-Muscle Tension/Aches/Soreness	PHQ03-Muscle Tension/Aches/Soreness	Patient Health Questionnaire Screener Version - Over the last 4 weeks, how often have you been bothered by muscle tension, aches, or soreness?	PHQ Screener Version - Muscle Tension
C125841	PHQ03-Nausea/Gas/Indigestion	PHQ03-Nausea/Gas/Indigestion	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by nausea, gas, indigestion?	PHQ Screener Version - Nausea, Gas or Indigestion
C125873	PHQ03-No Control What/How Much Eat	PHQ03-No Control What/How Much Eat	Patient Health Questionnaire Screener Version - Do you often feel that you can't control what or how much you eat?	PHQ Screener Version - No Control What or How Much Eat
C125831	PHQ03-Pain in Your Arms/Legs/Joints	PHQ03-Pain in Your Arms/Legs/Joints	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain in your arms, legs, or joints (knees, hips, etc.)?	PHQ Screener Version - Pain in Arms, Legs, Joints
C125833	PHQ03-Pain/Problems During Intercourse	PHQ03-Pain/Problems During Intercourse	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by pain or problems during sexual intercourse?	PHQ Screener Version - Pain During Intercourse
C125846	PHQ03-Poor Appetite or Overeating	PHQ03-Poor Appetite or Overeating	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by poor appetite or overeating?	PHQ Screener Version - Poor Appetite or Overeating
C125885	PHQ03-Problem With People While Drinking	PHQ03-Problem With People While Drinking	Patient Health Questionnaire Screener Version - Have any of the following happened to you more than once in the last 6 months: You had a problem getting along with other people while you were drinking?	PHQ Screener Version - Problem Getting Along With People While Drinking
C125887	PHQ03-Problems Made It Difficult to Work	PHQ03-Problems Made It Difficult to Work	Patient Health Questionnaire Screener Version - If you checked off any problems on this questionnaire, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?	PHQ Screener Version - Problems Made It Difficult to Work

**C125748 PHQ03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125839	PHQ03-Shortness of Breath	PHQ03-Shortness of Breath	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by shortness of breath?	PHQ Screener Version - Shortness of Breath
C125829	PHQ03-Stomach Pain	PHQ03-Stomach Pain	Patient Health Questionnaire Screener Version - During the last 4 weeks, how much have you been bothered by stomach pain?	PHQ Screener Version - Stomach Pain
C125850	PHQ03-Thoughts Be Better Off Dead	PHQ03-Thoughts Be Better Off Dead	Patient Health Questionnaire Screener Version - Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead or of hurting yourself in some way?	PHQ Screener Version - Thoughts Be Better Off Dead
C125877	PHQ03-Took Twice Dose of Laxatives	PHQ03-Took Twice Dose of Laxatives	Patient Health Questionnaire Screener Version - In the last 3 months have you often done any of the following in order to avoid gaining weight: Took more than twice the recommended dose of laxatives to avoid gaining weight?	PHQ Screener Version - Avoid Gaining Weight, Took Twice Dose of Laxatives

**PHSPRP (Physical Properties Test Name)**

NCI Code: C95120, Codelist extensible: Yes

<b>C95120 PHSPRP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C37927	Color	Color	The appearance of objects (or light sources) described in terms of a person's perception of their hue and lightness (or brightness) and saturation. (NCI)	Color
C95110	Consistency	Consistency	A description about the firmness or make-up of an entity.	Consistency
C25333	Depth	Depth	The extent downward or inward; the perpendicular measurement from the surface downward to determine deepness. (NCI)	Depth
C25365	Description	Description	A written or verbal account, representation, statement, or explanation of something. (NCI)	Description
C25285	Diameter	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C95109	Hair Cover	Hair Cover	A description of the quantity or quality of the hair or fur covering a biological entity. (NCI)	Hair or Fur Cover
C25334	Length	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C25677	Shape	Shape	The spatial arrangement of something as distinct from its substance. (NCI)	Shape
C25757	Ulceration	Ulceration	The formation or development of an ulcer. (NCI)	Ulceration
C25345	Width	Width	The extent or measurement of something from side to side. (NCI)	Width

**PHSPRPCD (Physical Properties Test Code)**

NCI Code: C95121, Codelist extensible: Yes

<b>C95121 PHSPRPCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C37927	COLOR	Color	The appearance of objects (or light sources) described in terms of a person's perception of their hue and lightness (or brightness) and saturation. (NCI)	Color
C95110	CONSIST	Consistency	A description about the firmness or make-up of an entity.	Consistency
C25333	DEPTH	Depth	The extent downward or inward; the perpendicular measurement from the surface downward to determine deepness. (NCI)	Depth
C25365	DESCR	Description	A written or verbal account, representation, statement, or explanation of something. (NCI)	Description
C25285	DIAMETER	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C95109	HAIRCOV	Hair Cover	A description of the quantity or quality of the hair or fur covering a biological entity. (NCI)	Hair or Fur Cover
C25334	LENGTH	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C25677	SHAPE	Shape	The spatial arrangement of something as distinct from its substance. (NCI)	Shape
C25757	ULCER	Ulceration	The formation or development of an ulcer. (NCI)	Ulceration
C25345	WIDTH	Width	The extent or measurement of something from side to side. (NCI)	Width

## PI01TC (Pain Intensity Questionnaire Test Code)

NCI Code: C105134, Codelist extensible: No

<b>C105134 PI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105261	PI0101	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation
C105262	PI0102	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation
C105263	PI0103	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation
C105264	PI0104	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation
C105265	PI0105	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation
C105266	PI0106	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation

**PI01TN (Pain Intensity Questionnaire Test Name)**

NCI Code: C105133, Codelist extensible: No

<b>C105133 PI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105262	PI01-Average Pain Intensity	PI01-Average Pain Intensity	Pain Intensity - Average pain intensity for various time periods of evaluation.	PI - Average Pain Intensity For Various Time Periods of Evaluation
C105265	PI01-Least Pain Intensity	PI01-Least Pain Intensity	Pain Intensity - Least pain intensity for various time periods of evaluation.	PI - Least Pain Intensity For Various Time Periods of Evaluation
C105264	PI01-Maximum Pain Intensity	PI01-Maximum Pain Intensity	Pain Intensity - Maximum pain intensity for various time periods of evaluation.	PI - Maximum Pain Intensity For Various Time Periods of Evaluation
C105263	PI01-Minimum Pain Intensity	PI01-Minimum Pain Intensity	Pain Intensity - Minimum pain intensity for various time periods of evaluation.	PI - Minimum Pain Intensity For Various Time Periods of Evaluation
C105261	PI01-Pain Intensity	PI01-Pain Intensity	Pain Intensity - Pain intensity for various time periods of evaluation.	PI - Pain Intensity For Various Time Periods of Evaluation
C105266	PI01-Worst Pain Intensity	PI01-Worst Pain Intensity	Pain Intensity - Worst pain intensity for various time periods of evaluation.	PI - Worst Pain Intensity For Various Time Periods of Evaluation

## PKPARAM (PK Parameters)

NCI Code: C85493, Codelist extensible: Yes

C85493 PKPARAM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132436	Accum Ratio AUC T1 to T2 norm by dose	Accum Ratio AUC T1 to T2 norm by dose	The area under the curve from T1 to T2 at steady state divided by the area under the curve from T1 to T2 during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio AUC T1 to T2 Normalized by Dose
C139129	Accum Ratio AUC to Last Nonzero Conc	Accum Ratio AUC to Last Nonzero Conc	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the area under the curve from the time of dosing to the last measurable concentration during the initial dosing interval.	Accumulation Ratio AUC to Last Nonzero Concentration
C132435	Accum Ratio AUCTAU norm by dose	Accum Ratio AUCTAU norm by dose	The area under the curve (AUCTAU) at steady state divided by the area under the curve (AUCTAU) over the initial dosing interval, each divided by the associated dose.	Accumulation Ratio AUC Over Dosing Interval Normalized by Dose
C132437	Accum Ratio Cmax norm by dose	Accum Ratio Cmax norm by dose	The maximum concentration at steady state divided by the maximum concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Cmax Normalized by Dose
C132438	Accum Ratio Cmin norm by dose	Accum Ratio Cmin norm by dose	The minimum concentration at steady state divided by the minimum concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Cmin Normalized by Dose
C132439	Accum Ratio Ctrough norm by dose	Accum Ratio Ctrough norm by dose	The trough concentration at steady state divided by the trough concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Ctrough Normalized by Dose
C114234	Accumulation Index using Lambda z	Accumulation Index using Lambda z	Predicted accumulation ratio for area under the curve (AUC) calculated using the Lambda z estimated from single dose data.	Accumulation Index using Lambda z
C122329	Accumulation Ratio AUC from T1 to T2	Accumulation Ratio AUC from T1 to T2	The area under the curve from T1 to T2 at steady state divided by the area under the curve from T1 to T2 during the initial dosing interval.	Accumulation Ratio Area Under the Curve from T1 to T2
C102356	Accumulation Ratio AUCTAU	Accumulation Ratio AUCTAU	The area under the curve over the dosing interval at steady state divided by the area under the curve over the initial dosing interval.	Accumulation Ratio Area Under the Curve
C102357	Accumulation Ratio Cmax	Accumulation Ratio Cmax	The maximum concentration at steady state divided by the maximum concentration during the initial dosing interval.	Accumulation Ratio Cmax
C102358	Accumulation Ratio Cmin	Accumulation Ratio Cmin	The minimum concentration at steady state divided by the minimum concentration during the initial dosing interval.	Accumulation Ratio Cmin
C102426	Accumulation Ratio Ctrough	Accumulation Ratio Ctrough	The trough concentration at steady state divided by the trough concentration during the initial dosing interval.	Accumulation Ratio Ctrough
C102359	Amt Rec from T1 to T2	Amt Rec from T1 to T2	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2.	Amount Recovered from T1 to T2
C102360	Amt Rec from T1 to T2 Norm by BMI	Amt Rec from T1 to T2 Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by body mass index.	Amount Recovered from T1 to T2 Normalized by Body Mass Index
C102361	Amt Rec from T1 to T2 Norm by SA	Amt Rec from T1 to T2 Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by surface area.	Amount Recovered from T1 to T2 Normalized by Surface Area
C102362	Amt Rec from T1 to T2 Norm by WT	Amt Rec from T1 to T2 Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by weight.	Amount Recovered from T1 to T2 Normalized by Weight
C112032	Amt Rec Infinity Obs	Amt Rec Infinity Obs	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Amount Recovered Infinity Observed
C112223	Amt Rec Infinity Obs Norm by BMI	Amt Rec Infinity Obs Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Amount Recovered Infinity Observed Normalized by Body Mass Index
C112224	Amt Rec Infinity Obs Norm by SA	Amt Rec Infinity Obs Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Amount Recovered Infinity Observed Normalized by Surface Area

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112225	Amt Rec Infinity Obs Norm by WT	Amt Rec Infinity Obs Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	Amount Recovered Infinity Observed Normalized by Weight
C112033	Amt Rec Infinity Pred	Amt Rec Infinity Pred	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Amount Recovered Infinity Predicted
C112226	Amt Rec Infinity Pred Norm by BMI	Amt Rec Infinity Pred Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Amount Recovered Infinity Predicted Normalized by Body Mass Index
C112227	Amt Rec Infinity Pred Norm by SA	Amt Rec Infinity Pred Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Amount Recovered Infinity Predicted Normalized by Surface Area
C112228	Amt Rec Infinity Pred Norm by WT	Amt Rec Infinity Pred Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Amount Recovered Infinity Predicted Normalized by Weight
C102363	Amt Rec Over Dosing Interval	Amt Rec Over Dosing Interval	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU).	Amount Recovered Over Dosing Interval
C102364	Amt Rec Over Dosing Interval Norm by BMI	Amt Rec Over Dosing Interval Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by body mass index.	Amount Recovered Over Dosing Interval Normalized by Body Mass Index
C102365	Amt Rec Over Dosing Interval Norm by SA	Amt Rec Over Dosing Interval Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by surface area.	Amount Recovered Over Dosing Interval Normalized by Surface Area
C102366	Amt Rec Over Dosing Interval Norm by WT	Amt Rec Over Dosing Interval Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by weight.	Amount Recovered Over Dosing Interval Normalized by Weight
C85763	AUC %Back Extrapolation Obs	AUC %Back Extrapolation Obs	Applies only for intravascular bolus dosing. The area under the curve (AUC) from the first measured concentration value back extrapolated to the concentration value at time zero as a percentage of the area under the curve extrapolated to infinity using the observed value of the last non-zero concentration.	Observed Area Under the Curve Percent Back Extrapolation
C85787	AUC %Back Extrapolation Pred	AUC %Back Extrapolation Pred	Applies only for intravascular bolus dosing. The area under the curve (AUC) from the first measured concentration value back extrapolated to the concentration value at time zero as a percentage of the area under the curve extrapolated to infinity using the predicted value of the last non-zero concentration.	Predicted Area Under the Curve Percent Back Extrapolation
C85764	AUC %Extrapolation Obs	AUC %Extrapolation Obs	The area under the curve (AUC) from the last observed non-zero concentration value to infinity as a percentage of the area under the curve extrapolated to infinity.	Observed Area Under the Curve Percent Extrapolation
C85788	AUC %Extrapolation Pred	AUC %Extrapolation Pred	The area under the curve (AUC) from the last predicted non-zero concentration value to infinity as a percentage of the area under the curve extrapolated to infinity.	Predicted Area Under the Curve Percent Extrapolation
C85564	AUC All	AUC All	The area under the curve (AUC) from the time of dosing to the time of the last observation, regardless of whether the last concentration is measurable or not.	Area Under the Curve All
C92362	AUC All Norm by BMI	AUC All Norm by BMI	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the body mass index, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Body Mass Index
C92306	AUC All Norm by Dose	AUC All Norm by Dose	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the dose, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Dose
C92307	AUC All Norm by SA	AUC All Norm by SA	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the surface area, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Surface Area



<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92308	AUC All Norm by WT	AUC All Norm by WT	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the weight, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Weight
C85566	AUC from T1 to T2	AUC from T1 to T2	The area under the curve (AUC) over the interval from T1 to T2.	Area Under the Curve from T1 to T2
C92312	AUC from T1 to T2 Norm by BMI	AUC from T1 to T2 Norm by BMI	The area under the curve (AUC) over the interval from T1 to T2 divided by the body mass index.	AUC from T1 to T2 Normalized by Body Mass Index
C92313	AUC from T1 to T2 Norm by Dose	AUC from T1 to T2 Norm by Dose	The area under the curve (AUC) over the interval from T1 to T2 divided by the dose.	AUC from T1 to T2 Normalized by Dose
C92314	AUC from T1 to T2 Norm by SA	AUC from T1 to T2 Norm by SA	The area under the curve (AUC) over the interval from T1 to T2 divided by the surface area.	AUC from T1 to T2 Normalized by Surface Area
C92315	AUC from T1 to T2 Norm by WT	AUC from T1 to T2 Norm by WT	The area under the curve (AUC) over the interval from T1 to T2 divided by the weight.	AUC from T1 to T2 Normalized by Weight
C85761	AUC Infinity Obs	AUC Infinity Obs	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Observed Area Under the Curve Infinity
C92316	AUC Infinity Obs Norm by BMI	AUC Infinity Obs Norm by BMI	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	AUC Infinity Observed Normalized by Body Mass Index
C96695	AUC Infinity Obs Norm by Dose	AUC Infinity Obs Norm by Dose	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the dose.	AUC Infinity Observed Normalized by Dose
C92317	AUC Infinity Obs Norm by SA	AUC Infinity Obs Norm by SA	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	AUC Infinity Observed Normalized by Surface Area
C92318	AUC Infinity Obs Norm by WT	AUC Infinity Obs Norm by WT	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	AUC Infinity Observed Normalized by Weight
C85785	AUC Infinity Pred	AUC Infinity Pred	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Predicted Area Under the Curve Infinity
C92319	AUC Infinity Pred Norm by BMI	AUC Infinity Pred Norm by BMI	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	AUC Infinity Predicted Normalized by Body Mass Index
C85786	AUC Infinity Pred Norm by Dose	AUC Infinity Pred Norm by Dose	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Predicted Area Under the Curve Infinity by Dose
C92320	AUC Infinity Pred Norm by SA	AUC Infinity Pred Norm by SA	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	AUC Infinity Predicted Normalized by Surface Area
C92321	AUC Infinity Pred Norm by WT	AUC Infinity Pred Norm by WT	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	AUC Infinity Predicted Normalized by Weight
C85567	AUC Over Dosing Interval	AUC Over Dosing Interval	The area under the curve (AUC) for the defined interval between doses (TAU).	Area Under the Curve Over Dosing Interval
C92322	AUC Over Dosing Interval Norm by BMI	AUC Over Dosing Interval Norm by BMI	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the body mass index.	AUC Over Dosing Interval Normalized by Body Mass Index
C92323	AUC Over Dosing Interval Norm by Dose	AUC Over Dosing Interval Norm by Dose	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the dose.	AUC Over Dosing Interval Normalized by Dose
C92324	AUC Over Dosing Interval Norm by SA	AUC Over Dosing Interval Norm by SA	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the surface area.	AUC Over Dosing Interval Normalized by Surface Area
C92325	AUC Over Dosing Interval Norm by WT	AUC Over Dosing Interval Norm by WT	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the weight.	AUC Over Dosing Interval Normalized by Weight
C85565	AUC to Last Nonzero Conc	AUC to Last Nonzero Conc	The area under the curve (AUC) from the time of dosing to the last measurable concentration.	Area Under the Curve From Dosing to Last Concentration

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92309	AUC to Last Nonzero Conc Norm by BMI	AUC to Last Nonzero Conc Norm by BMI	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the body mass index.	AUC Dosing to Last Concentration Normalized by Body Mass Index
C92310	AUC to Last Nonzero Conc Norm by Dose	AUC to Last Nonzero Conc Norm by Dose	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the dose.	AUC Dosing to Last Concentration Normalized by Dose
C92311	AUC to Last Nonzero Conc Norm by SA	AUC to Last Nonzero Conc Norm by SA	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the surface area.	AUC Dosing to Last Concentration Normalized by Surface Area
C92305	AUC to Last Nonzero Conc Norm by WT	AUC to Last Nonzero Conc Norm by WT	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the weight.	AUC Dosing to Last Concentration Normalized by Weight
C85766	AUMC % Extrapolation Obs	AUMC % Extrapolation Obs	The area under the moment curve (AUMC) from the last observed non-zero concentration value to infinity as a percentage of the area under the moment curve extrapolated to infinity.	Observed Area Under the First Moment Curve Percent Extrapolation
C85790	AUMC % Extrapolation Pred	AUMC % Extrapolation Pred	The area under the moment curve (AUMC) from the last predicted non-zero concentration value to infinity as a percentage of the area under the moment curve extrapolated to infinity.	Predicted Area Under the First Moment Curve Percent Extrapolation
C85765	AUMC Infinity Obs	AUMC Infinity Obs	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Observed Area Under the First Moment Curve Infinity
C92330	AUMC Infinity Obs Norm by BMI	AUMC Infinity Obs Norm by BMI	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	AUMC Infinity Observed Normalized by Body Mass Index
C92331	AUMC Infinity Obs Norm by Dose	AUMC Infinity Obs Norm by Dose	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the dose.	AUMC Infinity Observed Normalized by Dose
C92332	AUMC Infinity Obs Norm by SA	AUMC Infinity Obs Norm by SA	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	AUMC Infinity Observed Normalized by Surface Area
C92333	AUMC Infinity Obs Norm by WT	AUMC Infinity Obs Norm by WT	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	AUMC Infinity Observed Normalized by Weight
C85789	AUMC Infinity Pred	AUMC Infinity Pred	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Predicted Area Under the First Moment Curve Infinity
C92334	AUMC Infinity Pred Norm by BMI	AUMC Infinity Pred Norm by BMI	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	AUMC Infinity Predicted Normalized by Body Mass Index
C92335	AUMC Infinity Pred Norm by Dose	AUMC Infinity Pred Norm by Dose	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the dose.	AUMC Infinity Predicted Normalized by Dose
C92336	AUMC Infinity Pred Norm by SA	AUMC Infinity Pred Norm by SA	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	AUMC Infinity Predicted Normalized by Surface Area
C92337	AUMC Infinity Pred Norm by WT	AUMC Infinity Pred Norm by WT	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	AUMC Infinity Predicted Normalized by Weight
C85570	AUMC Over Dosing Interval	AUMC Over Dosing Interval	The area under the first moment curve (AUMC) for the defined interval between doses (TAU).	Area Under the First Moment Curve Over Dosing Interval
C92338	AUMC Over Dosing Interval Norm by BMI	AUMC Over Dosing Interval Norm by BMI	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the body mass index.	AUMC Over Dosing Interval Normalized by Body Mass Index
C92339	AUMC Over Dosing Interval Norm by Dose	AUMC Over Dosing Interval Norm by Dose	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the dose.	AUMC Over Dosing Interval Normalized by Dose
C92340	AUMC Over Dosing Interval Norm by SA	AUMC Over Dosing Interval Norm by SA	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the surface area.	AUMC Over Dosing Interval Normalized by Surface Area

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92341	AUMC Over Dosing Interval Norm by WT	AUMC Over Dosing Interval Norm by WT	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the weight.	AUMC Over Dosing Interval Normalized by Weight
C85569	AUMC to Last Nonzero Conc	AUMC to Last Nonzero Conc	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration.	Area Under the First Moment Curve From Dosing to Last Concentration
C92326	AUMC to Last Nonzero Conc Norm by BMI	AUMC to Last Nonzero Conc Norm by BMI	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the body mass index.	AUMC Dosing to Last Concentration Normalized by Body Mass Index
C92327	AUMC to Last Nonzero Conc Norm by Dose	AUMC to Last Nonzero Conc Norm by Dose	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the dose.	AUMC Dosing to Last Concentration Normalized by Dose
C92328	AUMC to Last Nonzero Conc Norm by SA	AUMC to Last Nonzero Conc Norm by SA	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the surface area.	AUMC Dosing to Last Concentration Normalized by Surface Area
C92329	AUMC to Last Nonzero Conc Norm by WT	AUMC to Last Nonzero Conc Norm by WT	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the weight.	AUMC Dosing to Last Concentration Normalized by Weight
C85768	AURC % Extrapolation Obs	AURC % Extrapolation Obs	The area under the urinary excretion rate curve (AURC) from the last observed non-zero rate value to infinity as a percentage of the area under the urinary excretion rate curve extrapolated to infinity.	Observed Area Under the Urinary Excretion Rate Curve Percent Extrapolation
C85792	AURC % Extrapolation Pred	AURC % Extrapolation Pred	The area under the urinary excretion rate curve (AURC) from the last predicted non-zero rate value to infinity as a percentage of the area under the urinary excretion rate curve extrapolated to infinity.	Predicted Area Under the Urinary Excretion Rate Curve Percent Extrapolation
C85841	AURC All	AURC All	The area under the urinary excretion rate curve (AURC) from time zero to the time of the last observation, regardless of whether the last observation is a measurable concentration or not.	Area Under Urinary Excretion Rate Curve All
C92342	AURC All Norm by BMI	AURC All Norm by BMI	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the body mass index.	AURC All Normalized by Body Mass Index
C92343	AURC All Norm by Dose	AURC All Norm by Dose	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the dose.	AURC All Normalized by Dose
C92344	AURC All Norm by SA	AURC All Norm by SA	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the surface area.	AURC All Normalized by Surface Area
C92345	AURC All Norm by WT	AURC All Norm by WT	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the weight.	AURC All Normalized by Weight
C92346	AURC Dosing to Last Conc Norm by BMI	AURC to Last Nonzero Rate Norm by BMI	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the body mass index.	AURC Dosing to Last Concentration Normalized by Body Mass Index
C92347	AURC Dosing to Last Conc Norm by Dose	AURC to Last Nonzero Rate Norm by Dose	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the dose.	AURC Dosing to Last Concentration Normalized by Dose
C92348	AURC Dosing to Last Conc Norm by SA	AURC to Last Nonzero Rate Norm by SA	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the surface area.	AURC Dosing to Last Concentration Normalized by Surface Area
C92349	AURC Dosing to Last Conc Norm by WT	AURC to Last Nonzero Rate Norm by WT	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the weight.	AURC Dosing to Last Concentration Normalized by Weight
C85572	AURC from T1 to T2	AURC from T1 to T2	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2.	Area Under the Urinary Excretion Rate Curve from T1 to T2
C92350	AURC from T1 to T2 Norm by BMI	AURC from T1 to T2 Norm by BMI	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the body mass index.	AURC from T1 to T2 Normalized by Body Mass Index
C92351	AURC from T1 to T2 Norm by Dose	AURC from T1 to T2 Norm by Dose	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the dose.	AURC from T1 to T2 Normalized by Dose

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92352	AURC from T1 to T2 Norm by SA	AURC from T1 to T2 Norm by SA	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the surface area.	AURC from T1 to T2 Normalized by Surface Area
C92353	AURC from T1 to T2 Norm by WT	AURC from T1 to T2 Norm by WT	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the weight.	AURC from T1 to T2 Normalized by Weight
C85767	AURC Infinity Obs	AURC Infinity Obs	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate.	Observed Area Under the Urinary Excretion Rate Curve infinity
C92354	AURC Infinity Obs Norm by BMI	AURC Infinity Obs Norm by BMI	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the body mass index.	AURC Infinity Observed Normalized by Body Mass Index
C92355	AURC Infinity Obs Norm by Dose	AURC Infinity Obs Norm by Dose	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the dose.	AURC Infinity Observed Normalized by Dose
C92356	AURC Infinity Obs Norm by SA	AURC Infinity Obs Norm by SA	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the surface area.	AURC Infinity Observed Normalized by Surface Area
C92357	AURC Infinity Obs Norm by WT	AURC Infinity Obs Norm by WT	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the weight.	AURC Infinity Observed Normalized by Weight
C85791	AURC Infinity Pred	AURC Infinity Pred	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate.	Predicted Area Under the Urinary Excretion Rate Curve Infinity
C92358	AURC Infinity Pred Norm by BMI	AURC Infinity Pred Norm by BMI	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the body mass index.	AURC Infinity Predicted Normalized by Body Mass Index
C92359	AURC Infinity Pred Norm by Dose	AURC Infinity Pred Norm by Dose	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the dose.	AURC Infinity Predicted Normalized by Dose
C92360	AURC Infinity Pred Norm by SA	AURC Infinity Pred Norm by SA	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the surface area.	AURC Infinity Predicted Normalized by Surface Area
C92361	AURC Infinity Pred Norm by WT	AURC Infinity Pred Norm by WT	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the weight.	AURC Infinity Predicted Normalized by Weight
C85571	AURC to Last Nonzero Rate	AURC to Last Nonzero Rate	The area under the urinary excretion rate curve (AURC) from time zero to the time of the last measurable concentration.	Area Under the Urinary Excretion Rate Curve From Dosing to Last Concentration
C132302	Average Conc from T1 to T2	Average Conc from T1 to T2	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval.	Average Concentration from T1 to T2
C132440	Average Conc from T1 to T2 Norm by BMI	Average Conc from T1 to T2 Norm by BMI	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the body mass index.	Average Concentration from T1 to T2 Normalized by Body Mass Index
C132441	Average Conc from T1 to T2 Norm by Dose	Average Conc from T1 to T2 Norm by Dose	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the dose.	Average Concentration from T1 to T2 Normalized by Dose
C132442	Average Conc from T1 to T2 Norm by SA	Average Conc from T1 to T2 Norm by SA	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the surface area.	Average Concentration from T1 to T2 Normalized by Surface Area
C132443	Average Conc from T1 to T2 Norm by WT	Average Conc from T1 to T2 Norm by WT	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the weight.	Average Concentration from T1 to T2 Normalized by Weight
C92367	Average Conc Norm by BMI	Average Conc Norm by BMI	AUCTAU divided by TAU and then divided by the body mass index.	Average Concentration Normalized by Body Mass Index
C92368	Average Conc Norm by Dose	Average Conc Norm by Dose	AUCTAU divided by TAU and then divided by the dose.	Average Concentration Normalized by Dose

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92369	Average Conc Norm by SA	Average Conc Norm by SA	AUCTAU divided by TAU and then divided by the surface area.	Average Concentration Normalized by Surface Area
C92370	Average Conc Norm by WT	Average Conc Norm by WT	AUCTAU divided by TAU and then divided by the weight.	Average Concentration Normalized by Weight
C85575	Average Concentration	Average Concentration	AUCTAU divided by TAU.	Average Concentration
C102367	Conc by BMI	Conc by BMI	The concentration divided by body mass index.	Concentration Divided by Body Mass Index
C102368	Conc by Dose	Conc by Dose	The concentration divided by dose.	Concentration Divided by Dose
C102369	Conc by SA	Conc by SA	The concentration divided by surface area.	Concentration Divided by Surface Area
C102370	Conc by WT	Conc by WT	The concentration divided by weight.	Concentration Divided by Weight
C102394	Conc Trough	Conc Trough	Concentration at end of dosing interval.	Trough Concentration
C102395	Conc Trough by BMI	Conc Trough by BMI	The trough concentration divided by body mass index.	Trough Concentration Divided by Body Mass Index
C102396	Conc Trough by Dose	Conc Trough by Dose	The trough concentration divided by dose.	Trough Concentration Divided by Dose
C102397	Conc Trough by SA	Conc Trough by SA	The trough concentration divided by surface area.	Trough Concentration Divided by Surface Area
C102398	Conc Trough by WT	Conc Trough by WT	The trough concentration divided by weight.	Trough Concentration Divided by Weight
C41185	Concentration	Concentration	The quantity of a specified substance in a unit volume or weight of another substance.	Concentration
C135489	Concentration at Half Tmax	Concentration at Half Tmax	The concentration that occurs at the midpoint time between dosing time and Tmax.	Concentration at Half Tmax
C85821	Correlation Between TimeX and Log ConcY	Correlation Between TimeX and Log ConcY	The correlation between time (X) and log concentration (Y) for the points used in the estimation of lambda z.	Time and Log Concentration Correlation
C95007	Effective Half-Life	Effective Half-Life	The drug half-life that quantifies the accumulation ratio of a drug following multiple dosing.	Effective Half-life
C105449	Excret Rate from T1 to T2	Excret Rate from T1 to T2	The excretion rate over the interval from T1 to T2, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2
C105450	Excret Rate from T1 to T2 Norm by BMI	Excret Rate from T1 to T2 Norm by BMI	The excretion rate over the interval from T1 to T2 divided by the body mass index, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by BMI
C105451	Excret Rate from T1 to T2 Norm by Dose	Excret Rate from T1 to T2 Norm by Dose	The excretion rate over the interval from T1 to T2 divided by the dose, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by Dose
C105452	Excret Rate from T1 to T2 Norm by SA	Excret Rate from T1 to T2 Norm by SA	The excretion rate over the interval from T1 to T2 divided by the surface area, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by SA
C105453	Excret Rate from T1 to T2 Norm by WT	Excret Rate from T1 to T2 Norm by WT	The excretion rate over the interval from T1 to T2 divided by the weight, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by WT
C85581	Fluctuation%	Fluctuation%	The difference between Cmin and Cmax standardized to Cavg, between dose time and Tau.	Concentration Variability Between Dose Time and Tau
C135490	Fraction Unbound	Fraction Unbound	The ratio of free drug concentration to the total concentration. (NCI)	Fraction Unbound
C135491	Half Tmax	Half Tmax	The midpoint time between dosing time and Tmax.	Half Tmax
C85818	Half-Life Lambda z	Half-Life Lambda z	Terminal half-life.	Terminal Half Life
C147483	Half-Life TAU	Half-Life TAU	Half-life calculated within a dosing interval.	Half-Life TAU
C112287	Hemodialysis Clearance	Hemodialysis Clearance	The clearance of a substance from the blood during a hemodialysis session.	Hemodialysis Clearance

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C116213	Hemodialysis Extraction Ratio	Hemodialysis Extraction Ratio	The fractional content of a substance removed from the blood during a hemodialysis session.	Hemodialysis Extraction Ratio
C85644	Initial Conc	Initial Conc	Initial concentration. Given only for bolus IV models.	Initial Concentration
C92383	Initial Conc Norm by BMI	Initial Conc Norm by BMI	Initial concentration divided by the body mass index. Given only for bolus IV models.	Initial Concentration Normalized by Body Mass Index
C92384	Initial Conc Norm by Dose	Initial Conc Norm by Dose	Initial concentration divided by the dose. Given only for bolus IV models.	Initial Concentration Normalized by Dose
C92385	Initial Conc Norm by SA	Initial Conc Norm by SA	Initial concentration divided by the surface area. Given only for bolus IV models.	Initial Concentration Normalized by Surface Area
C92386	Initial Conc Norm by WT	Initial Conc Norm by WT	Initial concentration divided by the weight. Given only for bolus IV models.	Initial Concentration Normalized by Weight
C85652	Lambda z	Lambda z	The first order rate constant associated with the terminal (log-linear) portion of the curve.	Lambda Z
C85653	Lambda z Lower Limit	Lambda z Lower Limit	The lower limit on time for values to be included in the calculation of Lambda z.	Lambda Z Time Lower Limit
C147479	Lambda z Lower Limit TAU	Lambda z Lower Limit TAU	The lower limit on time for values to be included in the calculation of Lambda z, calculated within a dosing interval.	Lambda z Lower Limit TAU
C135492	Lambda z Span	Lambda z Span	The interval of time covered by the data points used in the terminal disposition phase regression analysis, divided by half life. This yields the terminal disposition phase duration expressed as the number of half lives.	Lambda Z Span
C147481	Lambda z TAU	Lambda z TAU	The first order rate constant associated with the terminal (log-linear) portion of the curve, calculated within a dosing interval.	Lambda z TAU
C85654	Lambda z Upper Limit	Lambda z Upper Limit	The upper limit on time for values to be included in the calculation of Lambda z.	Lambda Z Time Upper Limit
C147482	Lambda z Upper Limit TAU	Lambda z Upper Limit TAU	The upper limit on time for values to be included in the calculation of Lambda z, calculated within a dosing interval.	Lambda z Upper Limit TAU
C85656	Last Meas Excretion Rate	Last Meas Excretion Rate	The last measurable (positive) excretion rate determined for the specimen type specified in PPSPEC.	Last Measurable Observed Excretion Rate
C92391	Last Meas Excretion Rate Norm by BMI	Last Meas Excretion Rate Norm by BMI	The last measurable (positive) excretion rate divided by the body mass index.	Last Measurable Excretion Rate Normalized by Body Mass Index
C92392	Last Meas Excretion Rate Norm by Dose	Last Meas Excretion Rate Norm by Dose	The last measurable (positive) excretion rate divided by the dose.	Last Measurable Excretion Rate Normalized by Dose
C92393	Last Meas Excretion Rate Norm by SA	Last Meas Excretion Rate Norm by SA	The last measurable (positive) excretion rate divided by the surface area.	Last Measurable Excretion Rate Normalized by Surface Area
C92394	Last Meas Excretion Rate Norm by WT	Last Meas Excretion Rate Norm by WT	The last measurable (positive) excretion rate divided by the weight.	Last Measurable Excretion Rate Normalized by Weight
C85655	Last Nonzero Conc	Last Nonzero Conc	The concentration corresponding to Tlast.	Last Concentration
C92387	Last Nonzero Conc Norm by BMI	Last Nonzero Conc Norm by BMI	The concentration corresponding to Tlast divided by the body mass index.	Last Concentration Normalized by Body Mass Index
C92388	Last Nonzero Conc Norm by Dose	Last Nonzero Conc Norm by Dose	The concentration corresponding to Tlast divided by the dose.	Last Concentration Normalized by Dose
C92389	Last Nonzero Conc Norm by SA	Last Nonzero Conc Norm by SA	The concentration corresponding to Tlast divided by the surface area.	Last Concentration Normalized by Surface Area
C92390	Last Nonzero Conc Norm by WT	Last Nonzero Conc Norm by WT	The concentration corresponding to Tlast divided by the weight.	Last Concentration Normalized by Weight
C70918	Max Conc	Max Conc	The maximum concentration occurring at Tmax.	Cmax

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92371	Max Conc Norm by BMI	Max Conc Norm by BMI	The maximum concentration occurring at Tmax, divided by the body mass index.	Maximum Concentration Normalized by Body Mass Index
C85698	Max Conc Norm by Dose	Max Conc Norm by Dose	The maximum concentration occurring at Tmax, divided by the dose.	Maximum Concentration Dose Normalized
C92372	Max Conc Norm by SA	Max Conc Norm by SA	The maximum concentration occurring at Tmax, divided by the surface area.	Maximum Concentration Normalized by Surface Area
C92373	Max Conc Norm by WT	Max Conc Norm by WT	The maximum concentration occurring at Tmax, divided by the weight.	Maximum Concentration Normalized by Weight
C85699	Max Excretion Rate	Max Excretion Rate	The maximum excretion rate determined for the specimen type specified in PPSPEC.	Maximum Observed Excretion Rate
C92395	Max Excretion Rate Norm by BMI	Max Excretion Rate Norm by BMI	The maximum excretion rate divided by the body mass index.	Maximum Observed Excretion Rate Normalized by Body Mass Index
C92396	Max Excretion Rate Norm by Dose	Max Excretion Rate Norm by Dose	The maximum excretion rate divided by the dose.	Maximum Observed Excretion Rate Normalized by Dose
C92397	Max Excretion Rate Norm by SA	Max Excretion Rate Norm by SA	The maximum excretion rate divided by the surface area.	Maximum Observed Excretion Rate Normalized by Surface Area
C92398	Max Excretion Rate Norm by WT	Max Excretion Rate Norm by WT	The maximum excretion rate divided by the weight.	Maximum Observed Excretion Rate Normalized by Weight
C120723	Mean Absorption Time	Mean Absorption Time	Mean absorption time of a substance administered by extravascular dosing.	Mean Absorption Time
C85580	Midpoint of Interval of Last Nonzero ER	Midpoint of Interval of Last Nonzero ER	The midpoint of collection interval associated with last measurable excretion rate.	Collection Interval Midpoint
C85823	Midpoint of Interval of Maximum ER	Midpoint of Interval of Maximum ER	The midpoint of collection interval associated with the maximum excretion rate.	Time of Maximum Observed Excretion Rate
C85579	Min Conc	Min Conc	The minimum concentration between dose time and dose time plus Tau (at Tmin).	Cmin
C92374	Min Conc Norm by BMI	Min Conc Norm by BMI	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the body mass index.	Minimum Concentration Normalized by Body Mass Index
C92375	Min Conc Norm by Dose	Min Conc Norm by Dose	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the dose.	Minimum Concentration Normalized by Dose
C92376	Min Conc Norm by SA	Min Conc Norm by SA	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the surface area.	Minimum Concentration Normalized by Surface Area
C92377	Min Conc Norm by WT	Min Conc Norm by WT	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the weight.	Minimum Concentration Normalized by Weight
C120724	MRT Extravasc Infinity Obs	MRT Extravasc Infinity Obs	The mean residence time (MRT) extrapolated to infinity for a substance administered by extravascular dosing, calculated using the observed value of the last non-zero concentration. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time Infinity Observed by Extravascular Dose
C120725	MRT Extravasc Infinity Pred	MRT Extravasc Infinity Pred	The mean residence time (MRT) extrapolated to infinity for a substance administered by extravascular dosing, calculated using the predicted value of the last non-zero concentration. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time Infinity Predicted by Extravascular Dose
C120726	MRT Extravasc to Last Nonzero Conc	MRT Extravasc to Last Nonzero Conc	Mean residence time (MRT) from the time of dosing to the time of the last measurable concentration for a substance administered by extravascular dosing. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time to Last Nonzero Concentration by Extravascular Dose
C121134	MRT Intravasc Infinity Obs	MRT Intravasc Infinity Obs	The mean residence time (MRT) extrapolated to infinity for a substance administered by intravascular dosing, calculated using the observed value of the last non-zero concentration.	Mean Residence Time Infinity Observed by Intravascular Dose

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121136	MRT Intravasc Infinity Pred	MRT Intravasc Infinity Pred	The mean residence time (MRT) extrapolated to infinity for a substance administered by intravascular dosing, calculated using the predicted value of the last non-zero concentration.	Mean Residence Time Infinity Predicted by Intravascular Dose
C121137	MRT Intravasc to Last Nonzero Conc	MRT Intravasc to Last Nonzero Conc	Mean residence time (MRT) from the time of dosing to the time of the last measurable concentration, for a substance administered by intravascular dosing.	Mean Residence Time to Last Nonzero Concentration by Intravascular Dose
C102376	Nonrenal CL	Nonrenal CL	The total clearance of a substance from the blood less the renal clearance.	Nonrenal Clearance
C105454	Nonrenal CL Norm by BMI	Nonrenal CL Norm by BMI	The total clearance of a substance from the blood minus the renal clearance divided by the body mass index.	Nonrenal Clearance Normalized by BMI
C105455	Nonrenal CL Norm by Dose	Nonrenal CL Norm by Dose	The total clearance of a substance from the blood minus the renal clearance divided by the dose.	Nonrenal Clearance Normalized by Dose
C105456	Nonrenal CL Norm by SA	Nonrenal CL Norm by SA	The total clearance of a substance from the blood minus the renal clearance divided by the surface area.	Nonrenal Clearance Normalized by SA
C105457	Nonrenal CL Norm by WT	Nonrenal CL Norm by WT	The total clearance of a substance from the blood minus the renal clearance divided by the weight.	Nonrenal Clearance Normalized by WT
C85816	Number of Points for Lambda z	Number of Points for Lambda z	The number of time points used in computing Lambda z.	Sum of Lambda Z Timepoints
C147480	Number of Points for Lambda z TAU	Number of Points for Lambda z TAU	The number of time points used in computing Lambda z determined in a dosing interval.	Number of Points for Lambda z TAU
C102382	Pct Rec from T1 to T2	Pct Rec from T1 to T2	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2.	Percent Recovered from T1 to T2
C102383	Pct Rec from T1 to T2 Norm by BMI	Pct Rec from T1 to T2 Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by body mass index.	Percent Recovered from T1 to T2 Normalized by Body Mass Index
C102384	Pct Rec from T1 to T2 Norm by SA	Pct Rec from T1 to T2 Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by surface area.	Percent Recovered from T1 to T2 Normalized by Surface Area
C102385	Pct Rec from T1 to T2 Norm by WT	Pct Rec from T1 to T2 Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by weight.	Percent Recovered from T1 to T2 Normalized by Weight
C112034	Pct Rec Infinity Obs	Pct Rec Infinity Obs	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Percent Recovered Infinity Observed
C112389	Pct Rec Infinity Obs Norm by BMI	Pct Rec Infinity Obs Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Percent Recovered Infinity Observed Normalized by Body Mass Index
C112390	Pct Rec Infinity Obs Norm by SA	Pct Rec Infinity Obs Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Percent Recovered Infinity Observed Normalized by Surface Area
C112391	Pct Rec Infinity Obs Norm by WT	Pct Rec Infinity Obs Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	Percent Recovered Infinity Observed Normalized by Weight
C112035	Pct Rec Infinity Pred	Pct Rec Infinity Pred	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Percent Recovered Infinity Predicted
C112392	Pct Rec Infinity Pred Norm by BMI	Pct Rec Infinity Pred Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Percent Recovered Infinity Predicted Normalized by Body Mass Index



<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112393	Pct Rec Infinity Pred Norm by SA	Pct Rec Infinity Pred Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Percent Recovered Infinity Predicted Normalized by Surface Area
C112394	Pct Rec Infinity Pred Norm by WT	Pct Rec Infinity Pred Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Percent Recovered Infinity Predicted Normalized by Weight
C102386	Pct Rec Over Dosing Interval	Pct Rec Over Dosing Interval	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU).	Percent Recovered Over Dosing Interval
C102387	Pct Rec Over Dosing Interval Norm by BMI	Pct Rec Over Dosing Interval Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by the body mass index.	Percent Recovered Over Dosing Interval Normalized by Body Mass Index
C102388	Pct Rec Over Dosing Interval Norm by SA	Pct Rec Over Dosing Interval Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by surface area.	Percent Recovered Over Dosing Interval Normalized by Surface Area
C102389	Pct Rec Over Dosing Interval Norm by WT	Pct Rec Over Dosing Interval Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by weight.	Percent Recovered Over Dosing Interval Normalized by Weight
C102381	Peak Trough Ratio	Peak Trough Ratio	The maximum concentration during a dosing interval divided by the concentration at the end of the dosing interval.	Peak Trough Ratio
C85542	R Squared	R Squared	The goodness of fit statistic for the terminal elimination phase.	R Squared
C85553	R Squared Adjusted	R Squared Adjusted	The goodness of fit statistic for the terminal elimination phase, adjusted for the number of time points used in the estimation of Lambda z.	Adjusted R Squared
C75913	Renal CL	Renal CL	The clearance of a substance from the blood by the kidneys.	Renal Clearance
C122050	Renal CL for Dose Int	Renal CL for Dose Int	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU.	Renal Clearance for Dose Interval
C122334	Renal CL for Dose Int Norm by BMI	Renal CL for Dose Int Norm by BMI	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the body mass index.	Renal Clearance for Dose Interval Normalized by Body Mass Index
C122335	Renal CL for Dose Int Norm by Dose	Renal CL for Dose Int Norm by Dose	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the dose.	Renal Clearance for Dose Interval Normalized by Dose
C122336	Renal CL for Dose Int Norm by SA	Renal CL for Dose Int Norm by SA	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the surface area.	Renal Clearance for Dose Interval Normalized by Surface Area
C122337	Renal CL for Dose Int Norm by WT	Renal CL for Dose Int Norm by WT	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the weight.	Renal Clearance for Dose Interval Normalized by Weight
C122049	Renal CL from T1 to T2	Renal CL from T1 to T2	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2.	Renal Clearance from T1 to T2
C122330	Renal CL from T1 to T2 Norm by BMI	Renal CL from T1 to T2 Norm by BMI	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the body mass index.	Renal Clearance from T1 to T2 Normalized by Body Mass Index
C122331	Renal CL from T1 to T2 Norm by Dose	Renal CL from T1 to T2 Norm by Dose	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the dose.	Renal Clearance from T1 to T2 Normalized by Dose
C122332	Renal CL from T1 to T2 Norm by SA	Renal CL from T1 to T2 Norm by SA	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the surface area.	Renal Clearance from T1 to T2 Normalized by Surface Area
C122333	Renal CL from T1 to T2 Norm by WT	Renal CL from T1 to T2 Norm by WT	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the weight.	Renal Clearance from T1 to T2 Normalized by Weight
C105458	Renal CL Norm by BMI	Renal CL Norm by BMI	The clearance of a substance from the blood by the kidneys divided by the body mass index.	Renal Clearance Normalized by BMI

<b>C85493 PKPARM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105459	Renal CL Norm by Dose	Renal CL Norm by Dose	The clearance of a substance from the blood by the kidneys divided by the dose.	Renal Clearance Normalized by Dose
C105460	Renal CL Norm by SA	Renal CL Norm by SA	The clearance of a substance from the blood by the kidneys divided by the surface area.	Renal Clearance Normalized by SA
C105461	Renal CL Norm by WT	Renal CL Norm by WT	The clearance of a substance from the blood by the kidneys divided by the weight.	Renal Clearance Normalized by WT
C122338	Stationarity Ratio AUC	Stationarity Ratio AUC	The area under the curve (AUCTAU) at steady state divided by the area under the curve extrapolated to infinity for the initial dosing interval.	Stationarity Ratio Area Under the Curve
C85817	Sum of Urine Vol	Sum of Urine Vol	The sum of urine volumes that are used for PK parameters.	Sum Urine Volume
C70919	Time of CMAX	Time of CMAX	The time of maximum observed concentration sampled during a dosing interval.	Tmax
C85825	Time of CMIN Observation	Time of CMIN Observation	The time of minimum concentration sampled during a dosing interval.	Tmin
C85822	Time of Last Nonzero Conc	Time of Last Nonzero Conc	The time of the last measurable (positive) concentration.	Time of Last Nonzero Concentration
C85824	Time Until First Nonzero Conc	Time Until First Nonzero Conc	The time prior to the first measurable (non-zero) concentration.	Time until First Nonzero Concentration
C114121	Total CL by F for Dose Int	Total CL by F for Dose Int	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU.	Total Body Clearance by Fraction of Dose for Dose Interval
C114227	Total CL by F for Dose Int Norm by BMI	Total CL by F for Dose Int Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the body mass index.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Body Mass Index
C114226	Total CL by F for Dose Int Norm by Dose	Total CL by F for Dose Int Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the dose.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Dose
C114228	Total CL by F for Dose Int Norm by SA	Total CL by F for Dose Int Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the surface area.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Surface Area
C114229	Total CL by F for Dose Int Norm by WT	Total CL by F for Dose Int Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the weight.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Weight
C114122	Total CL for Dose Int	Total CL for Dose Int	The total body clearance for intravascular administration, calculated using AUCTAU.	Total Body Clearance for Dose Interval
C114231	Total CL for Dose Int Norm by BMI	Total CL for Dose Int Norm by BMI	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the body mass index.	Total Body Clearance for Dose Interval Normalized by Body Mass Index
C114230	Total CL for Dose Int Norm by Dose	Total CL for Dose Int Norm by Dose	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the dose.	Total Body Clearance for Dose Interval Normalized by Dose
C114232	Total CL for Dose Int Norm by SA	Total CL for Dose Int Norm by SA	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the surface area.	Total Body Clearance for Dose Interval Normalized by Surface Area
C114233	Total CL for Dose Int Norm by WT	Total CL for Dose Int Norm by WT	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the weight.	Total Body Clearance for Dose Interval Normalized by Weight
C85773	Total CL Obs	Total CL Obs	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration.	Observed Total Body Clearance Rate
C85772	Total CL Obs by F	Total CL Obs by F	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration.	Observed Total Body Clearance by Fraction of Dose Absorbed
C92399	Total CL Obs by F Norm by BMI	Total CL Obs by F Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Total Clearance Observed by Fraction Dose Normalized by Body Mass Index

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92400	Total CL Obs by F Norm by Dose	Total CL Obs by F Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the dose.	Total Clearance Observed by Fraction Dose Normalized by Dose
C92401	Total CL Obs by F Norm by SA	Total CL Obs by F Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Total Clearance Observed by Fraction Dose Normalized by Surface Area
C92402	Total CL Obs by F Norm by WT	Total CL Obs by F Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the weight.	Total Clearance Observed by Fraction Dose Normalized by Weight
C92403	Total CL Obs Norm by BMI	Total CL Obs Norm by BMI	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Total Clearance Observed Normalized by Body Mass Index
C92404	Total CL Obs Norm by Dose	Total CL Obs Norm by Dose	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the dose.	Total Clearance Observed Normalized by Dose
C92405	Total CL Obs Norm by SA	Total CL Obs Norm by SA	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Total Clearance Observed Normalized by Surface Area
C92406	Total CL Obs Norm by WT	Total CL Obs Norm by WT	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the weight.	Total Clearance Observed Normalized by Weight
C85797	Total CL Pred	Total CL Pred	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration.	Predicted Total Body Clearance Rate
C85796	Total CL Pred by F	Total CL Pred by F	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration.	Predicted Total Body Clearance by Fraction of Dose Absorbed
C92417	Total CL Pred by F Norm by BMI	Total CL Pred by F Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by body mass index.	Total Clearance Predicted by Fraction Dose Normalized by Body Mass Index
C92418	Total CL Pred by F Norm by Dose	Total CL Pred by F Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Total Clearance Predicted by Fraction Dose Normalized by Dose
C92419	Total CL Pred by F Norm by SA	Total CL Pred by F Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Total Clearance Predicted by Fraction Dose Normalized by Surface Area
C92420	Total CL Pred by F Norm by WT	Total CL Pred by F Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Total Clearance Predicted by Fraction Dose Normalized by Weight
C92421	Total CL Pred Norm by BMI	Total CL Pred Norm by BMI	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Total Clearance Predicted Normalized by Body Mass Index
C92422	Total CL Pred Norm by Dose	Total CL Pred Norm by Dose	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Total Clearance Predicted Normalized by Dose
C92423	Total CL Pred Norm by SA	Total CL Pred Norm by SA	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Total Clearance Predicted Normalized by Surface Area
C92424	Total CL Pred Norm by WT	Total CL Pred Norm by WT	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Total Clearance Predicted Normalized by Weight
C122339	Trough Peak Ratio	Trough Peak Ratio	The concentration at the start of a dosing interval divided by the maximum concentration during the dosing interval.	Trough Peak Ratio
C102371	Vol Dist Initial	Vol Dist Initial	The initial volume of distribution for a substance administered by bolus intravascular dosing.	Initial Volume of Distribution

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102372	Vol Dist Initial Norm by BMI	Vol Dist Initial Norm by BMI	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the body mass index.	Initial Volume of Distribution Normalized by Body Mass Index
C102373	Vol Dist Initial Norm by Dose	Vol Dist Initial Norm by Dose	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the dose.	Initial Volume of Distribution Normalized by Dose
C102374	Vol Dist Initial Norm by SA	Vol Dist Initial Norm by SA	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the surface area.	Initial Volume of Distribution Normalized by Surface Area
C102375	Vol Dist Initial Norm by WT	Vol Dist Initial Norm by WT	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the weight.	Initial Volume of Distribution Normalized by Weight
C85770	Vol Dist Steady State Obs	Vol Dist Steady State Obs	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing.	Observed Steady State Volume of Distribution
C102377	Vol Dist Steady State Obs Norm by BMI	Vol Dist Steady State Obs Norm by BMI	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the body mass index.	Observed Steady State Volume of Distribution Normalized by Body Mass Index
C102378	Vol Dist Steady State Obs Norm by Dose	Vol Dist Steady State Obs Norm by Dose	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the dose.	Observed Steady State Volume of Distribution Normalized by Dose
C102379	Vol Dist Steady State Obs Norm by SA	Vol Dist Steady State Obs Norm by SA	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the surface area.	Observed Steady State Volume of Distribution Normalized by Surface Area
C102380	Vol Dist Steady State Obs Norm by WT	Vol Dist Steady State Obs Norm by WT	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the weight.	Observed Steady State Volume of Distribution Normalized by Weight
C85794	Vol Dist Steady State Pred	Vol Dist Steady State Pred	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing.	Predicted Steady State Volume of Distribution
C102390	Vol Dist Steady State Pred Norm by BMI	Vol Dist Steady State Pred Norm by BMI	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the body mass index.	Predicted Steady State Volume of Distribution Normalized by Body Mass Index
C102391	Vol Dist Steady State Pred Norm by Dose	Vol Dist Steady State Pred Norm by Dose	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the dose.	Predicted Steady State Volume of Distribution Normalized by Dose
C102392	Vol Dist Steady State Pred Norm by SA	Vol Dist Steady State Pred Norm by SA	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the surface area.	Predicted Steady State Volume of Distribution Normalized by Surface Area
C102393	Vol Dist Steady State Pred Norm by WT	Vol Dist Steady State Pred Norm by WT	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the weight.	Predicted Steady State Volume of Distribution Normalized by Weight
C111333	Vz for Dose Int	Vz for Dose Int	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU.	Volume of Distribution for Dosing Interval
C111364	Vz for Dose Int by F	Vz for Dose Int by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU.	Volume of Distribution for Dosing Interval by Fraction
C111365	Vz for Dose Int by F Norm by BMI	Vz for Dose Int by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the body mass index.	Volume of Distribution for Dosing Interval by Fraction Normalized by Body Mass Index
C111366	Vz for Dose Int by F Norm by Dose	Vz for Dose Int by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the dose.	Volume of Distribution for Dosing Interval by Fraction Normalized by Dose
C111367	Vz for Dose Int by F Norm by SA	Vz for Dose Int by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the surface area.	Volume of Distribution for Dosing Interval by Fraction Normalized by Surface Area

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111368	Vz for Dose Int by F Norm by WT	Vz for Dose Int by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the weight.	Volume of Distribution for Dosing Interval by Fraction Normalized by Weight
C111369	Vz for Dose Int Norm by BMI	Vz for Dose Int Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the body mass index.	Volume of Distribution for Dosing Interval Normalized by Body Mass Index
C111370	Vz for Dose Int Norm by Dose	Vz for Dose Int Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the dose.	Volume of Distribution for Dosing Interval Normalized by Dose
C111371	Vz for Dose Int Norm by SA	Vz for Dose Int Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the surface area.	Volume of Distribution for Dosing Interval Normalized by Surface Area
C111372	Vz for Dose Int Norm by WT	Vz for Dose Int Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the weight.	Volume of Distribution for Dosing Interval Normalized by Weight
C85774	Vz Obs	Vz Obs	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration.	Observed Volume of Distribution
C85775	Vz Obs by F	Vz Obs by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration.	Observed Volume of Distribution of Absorbed Fraction
C92410	Vz Obs by F Norm by BMI	Vz Obs by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution of Fraction Dose Observed Normalized by Body Mass Index
C102729	Vz Obs by F Norm by Dose	Vz Obs by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the dose.	Volume of Distribution of Fraction Dose Observed Normalized by Dose
C92411	Vz Obs by F Norm by SA	Vz Obs by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Volume of Distribution of Fraction Dose Observed Normalized by Surface Area
C92412	Vz Obs by F Norm by WT	Vz Obs by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the weight.	Volume of Distribution of Fraction Dose Observed Normalized by Weight
C92407	Vz Obs Norm by BMI	Vz Obs Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution Observed Normalized by Body Mass Index
C102683	Vz Obs Norm by Dose	Vz Obs Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the dose.	Observed Volume of Distribution Normalized by Dose
C92408	Vz Obs Norm by SA	Vz Obs Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Volume of Distribution Observed Normalized by Surface Area
C92409	Vz Obs Norm by WT	Vz Obs Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the weight.	Volume of Distribution Observed Normalized by Weight
C85798	Vz Pred	Vz Pred	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration.	Predicted Volume of Distribution

<b>C85493 PKPARAM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85799	Vz Pred by F	Vz Pred by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration.	Predicted Volume of Distribution of Absorbed Fraction
C92428	Vz Pred by F Norm by BMI	Vz Pred by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution of Fraction Dose Predicted Normalized by Body Mass Index
C102730	Vz Pred by F Norm by Dose	Vz Pred by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Volume of Distribution of Fraction Dose Predicted Normalized by Dose
C92429	Vz Pred by F Norm by SA	Vz Pred by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Volume of Distribution of Fraction Dose Predicted Normalized by Surface Area
C92430	Vz Pred by F Norm by WT	Vz Pred by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Volume of Distribution of Fraction Dose Predicted Normalized by Weight
C92425	Vz Pred Norm by BMI	Vz Pred Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution Predicted Normalized by Body Mass Index
C102696	Vz Pred Norm by Dose	Vz Pred Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Predicted Volume of Distribution Normalized by Dose
C92426	Vz Pred Norm by SA	Vz Pred Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Volume of Distribution Predicted Normalized by Surface Area
C92427	Vz Pred Norm by WT	Vz Pred Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Volume of Distribution Predicted Normalized by Weight

**PKPARAMCD (PK Parameters Code)**

NCI Code: C85839, Codelist extensible: Yes

<b>C85839 PKPARAMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114234	AILAMZ	Accumulation Index using Lambda z	Predicted accumulation ratio for area under the curve (AUC) calculated using the Lambda z estimated from single dose data.	Accumulation Index using Lambda z
C102356	ARAUC	Accumulation Ratio AUCTAU	The area under the curve over the dosing interval at steady state divided by the area under the curve over the initial dosing interval.	Accumulation Ratio Area Under the Curve
C132435	ARAUCD	Accum Ratio AUCTAU norm by dose	The area under the curve (AUCTAU) at steady state divided by the area under the curve (AUCTAU) over the initial dosing interval, each divided by the associated dose.	Accumulation Ratio AUC Over Dosing Interval Normalized by Dose
C132436	ARAUCIND	Accum Ratio AUC T1 to T2 norm by dose	The area under the curve from T1 to T2 at steady state divided by the area under the curve from T1 to T2 during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio AUC T1 to T2 Normalized by Dose
C122329	ARAUCINT	Accumulation Ratio AUC from T1 to T2	The area under the curve from T1 to T2 at steady state divided by the area under the curve from T1 to T2 during the initial dosing interval.	Accumulation Ratio Area Under the Curve from T1 to T2
C139129	ARAUCLST	Accum Ratio AUC to Last Nonzero Conc	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the area under the curve from the time of dosing to the last measurable concentration during the initial dosing interval.	Accumulation Ratio AUC to Last Nonzero Concentration
C102357	ARCMAX	Accumulation Ratio Cmax	The maximum concentration at steady state divided by the maximum concentration during the initial dosing interval.	Accumulation Ratio Cmax
C132437	ARCMAXD	Accum Ratio Cmax norm by dose	The maximum concentration at steady state divided by the maximum concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Cmax Normalized by Dose
C102358	ARCMIN	Accumulation Ratio Cmin	The minimum concentration at steady state divided by the minimum concentration during the initial dosing interval.	Accumulation Ratio Cmin
C132438	ARCMIND	Accum Ratio Cmin norm by dose	The minimum concentration at steady state divided by the minimum concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Cmin Normalized by Dose
C132439	ARCTROUD	Accum Ratio Ctrough norm by dose	The trough concentration at steady state divided by the trough concentration during the initial dosing interval, each divided by the associated dose.	Accumulation Ratio Ctrough Normalized by Dose
C102426	ARCTROUG	Accumulation Ratio Ctrough	The trough concentration at steady state divided by the trough concentration during the initial dosing interval.	Accumulation Ratio Ctrough
C85564	AUCALL	AUC All	The area under the curve (AUC) from the time of dosing to the time of the last observation, regardless of whether the last concentration is measurable or not.	Area Under the Curve All
C92362	AUCALLB	AUC All Norm by BMI	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the body mass index, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Body Mass Index
C92306	AUCALLD	AUC All Norm by Dose	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the dose, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Dose
C92307	AUCALLS	AUC All Norm by SA	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the surface area, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Surface Area
C92308	AUCALLW	AUC All Norm by WT	The area under the curve (AUC) from the time of dosing to the time of the last observation divided by the weight, regardless of whether the last concentration is measurable or not.	AUC All Normalized by Weight
C85761	AUCIFO	AUC Infinity Obs	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Observed Area Under the Curve Infinity

<b>C85839 PKPARAMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92316	AUCIFOB	AUC Infinity Obs Norm by BMI	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	AUC Infinity Observed Normalized by Body Mass Index
C96695	AUCIFOD	AUC Infinity Obs Norm by Dose	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the dose.	AUC Infinity Observed Normalized by Dose
C92317	AUCIFOS	AUC Infinity Obs Norm by SA	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	AUC Infinity Observed Normalized by Surface Area
C92318	AUCIFOW	AUC Infinity Obs Norm by WT	The area under the curve (AUC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	AUC Infinity Observed Normalized by Weight
C85785	AUCIFP	AUC Infinity Pred	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Predicted Area Under the Curve Infinity
C92319	AUCIFPB	AUC Infinity Pred Norm by BMI	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	AUC Infinity Predicted Normalized by Body Mass Index
C85786	AUCIFPD	AUC Infinity Pred Norm by Dose	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Predicted Area Under the Curve Infinity by Dose
C92320	AUCIFPS	AUC Infinity Pred Norm by SA	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	AUC Infinity Predicted Normalized by Surface Area
C92321	AUCIFPW	AUC Infinity Pred Norm by WT	The area under the curve (AUC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	AUC Infinity Predicted Normalized by Weight
C85566	AUCINT	AUC from T1 to T2	The area under the curve (AUC) over the interval from T1 to T2.	Area Under the Curve from T1 to T2
C92312	AUCINTB	AUC from T1 to T2 Norm by BMI	The area under the curve (AUC) over the interval from T1 to T2 divided by the body mass index.	AUC from T1 to T2 Normalized by Body Mass Index
C92313	AUCINTD	AUC from T1 to T2 Norm by Dose	The area under the curve (AUC) over the interval from T1 to T2 divided by the dose.	AUC from T1 to T2 Normalized by Dose
C92314	AUCINTS	AUC from T1 to T2 Norm by SA	The area under the curve (AUC) over the interval from T1 to T2 divided by the surface area.	AUC from T1 to T2 Normalized by Surface Area
C92315	AUCINTW	AUC from T1 to T2 Norm by WT	The area under the curve (AUC) over the interval from T1 to T2 divided by the weight.	AUC from T1 to T2 Normalized by Weight
C85565	AUCLST	AUC to Last Nonzero Conc	The area under the curve (AUC) from the time of dosing to the last measurable concentration.	Area Under the Curve From Dosing to Last Concentration
C92309	AUCLSTB	AUC to Last Nonzero Conc Norm by BMI	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the body mass index.	AUC Dosing to Last Concentration Normalized by Body Mass Index
C92310	AUCLSTD	AUC to Last Nonzero Conc Norm by Dose	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the dose.	AUC Dosing to Last Concentration Normalized by Dose
C92311	AUCLSTS	AUC to Last Nonzero Conc Norm by SA	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the surface area.	AUC Dosing to Last Concentration Normalized by Surface Area
C92305	AUCLSTW	AUC to Last Nonzero Conc Norm by WT	The area under the curve (AUC) from the time of dosing to the last measurable concentration divided by the weight.	AUC Dosing to Last Concentration Normalized by Weight
C85763	AUCPBEO	AUC %Back Extrapolation Obs	Applies only for intravascular bolus dosing. The area under the curve (AUC) from the first measured concentration value back extrapolated to the concentration value at time zero as a percentage of the area under the curve extrapolated to infinity using the observed value of the last non-zero concentration.	Observed Area Under the Curve Percent Back Extrapolation



<b>C85839 PKPARAMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85787	AUCPBEP	AUC %Back Extrapolation Pred	Applies only for intravascular bolus dosing. The area under the curve (AUC) from the first measured concentration value back extrapolated to the concentration value at time zero as a percentage of the area under the curve extrapolated to infinity using the predicted value of the last non-zero concentration.	Predicted Area Under the Curve Percent Back Extrapolation
C85764	AUCPEO	AUC %Extrapolation Obs	The area under the curve (AUC) from the last observed non-zero concentration value to infinity as a percentage of the area under the curve extrapolated to infinity.	Observed Area Under the Curve Percent Extrapolation
C85788	AUCPEP	AUC %Extrapolation Pred	The area under the curve (AUC) from the last predicted non-zero concentration value to infinity as a percentage of the area under the curve extrapolated to infinity.	Predicted Area Under the Curve Percent Extrapolation
C85567	AUCTAU	AUC Over Dosing Interval	The area under the curve (AUC) for the defined interval between doses (TAU).	Area Under the Curve Over Dosing Interval
C92322	AUCTAUB	AUC Over Dosing Interval Norm by BMI	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the body mass index.	AUC Over Dosing Interval Normalized by Body Mass Index
C92323	AUCTAUD	AUC Over Dosing Interval Norm by Dose	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the dose.	AUC Over Dosing Interval Normalized by Dose
C92324	AUCTAUS	AUC Over Dosing Interval Norm by SA	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the surface area.	AUC Over Dosing Interval Normalized by Surface Area
C92325	AUCTAUW	AUC Over Dosing Interval Norm by WT	The area under the curve (AUC) for the defined interval between doses (TAU) divided by the weight.	AUC Over Dosing Interval Normalized by Weight
C85765	AUMCIFO	AUMC Infinity Obs	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Observed Area Under the First Moment Curve Infinity
C92330	AUMCIFOB	AUMC Infinity Obs Norm by BMI	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	AUMC Infinity Observed Normalized by Body Mass Index
C92331	AUMCIFOD	AUMC Infinity Obs Norm by Dose	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the dose.	AUMC Infinity Observed Normalized by Dose
C92332	AUMCIFOS	AUMC Infinity Obs Norm by SA	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	AUMC Infinity Observed Normalized by Surface Area
C92333	AUMCIFOW	AUMC Infinity Obs Norm by WT	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	AUMC Infinity Observed Normalized by Weight
C85789	AUMCIFP	AUMC Infinity Pred	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Predicted Area Under the First Moment Curve Infinity
C92334	AUMCIFPB	AUMC Infinity Pred Norm by BMI	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	AUMC Infinity Predicted Normalized by Body Mass Index
C92335	AUMCIFPD	AUMC Infinity Pred Norm by Dose	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the dose.	AUMC Infinity Predicted Normalized by Dose
C92336	AUMCIFPS	AUMC Infinity Pred Norm by SA	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	AUMC Infinity Predicted Normalized by Surface Area
C92337	AUMCIFPW	AUMC Infinity Pred Norm by WT	The area under the moment curve (AUMC) extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	AUMC Infinity Predicted Normalized by Weight
C85569	AUMCLST	AUMC to Last Nonzero Conc	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration.	Area Under the First Moment Curve From Dosing to Last Concentration
C92326	AUMCLSTB	AUMC to Last Nonzero Conc Norm by BMI	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the body mass index.	AUMC Dosing to Last Concentration Normalized by Body Mass Index
C92327	AUMCLSTD	AUMC to Last Nonzero Conc Norm by Dose	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the dose.	AUMC Dosing to Last Concentration Normalized by Dose

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92328	AUMCLSTS	AUMC to Last Nonzero Conc Norm by SA	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the surface area.	AUMC Dosing to Last Concentration Normalized by Surface Area
C92329	AUMCLSTW	AUMC to Last Nonzero Conc Norm by WT	The area under the moment curve (AUMC) from the time of dosing to the last measurable concentration divided by the weight.	AUMC Dosing to Last Concentration Normalized by Weight
C85766	AUMCPEO	AUMC % Extrapolation Obs	The area under the moment curve (AUMC) from the last observed non-zero concentration value to infinity as a percentage of the area under the moment curve extrapolated to infinity.	Observed Area Under the First Moment Curve Percent Extrapolation
C85790	AUMCPEP	AUMC % Extrapolation Pred	The area under the moment curve (AUMC) from the last predicted non-zero concentration value to infinity as a percentage of the area under the moment curve extrapolated to infinity.	Predicted Area Under the First Moment Curve Percent Extrapolation
C85570	AUMCTAU	AUMC Over Dosing Interval	The area under the first moment curve (AUMC) for the defined interval between doses (TAU).	Area Under the First Moment Curve Over Dosing Interval
C92338	AUMCTAUB	AUMC Over Dosing Interval Norm by BMI	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the body mass index.	AUMC Over Dosing Interval Normalized by Body Mass Index
C92339	AUMCTAUD	AUMC Over Dosing Interval Norm by Dose	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the dose.	AUMC Over Dosing Interval Normalized by Dose
C92340	AUMCTAUS	AUMC Over Dosing Interval Norm by SA	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the surface area.	AUMC Over Dosing Interval Normalized by Surface Area
C92341	AUMCTAUW	AUMC Over Dosing Interval Norm by WT	The area under the first moment curve (AUMC) for the defined interval between doses (TAU) divided by the weight.	AUMC Over Dosing Interval Normalized by Weight
C85841	AURCALL	AURC All	The area under the urinary excretion rate curve (AURC) from time zero to the time of the last observation, regardless of whether the last observation is a measurable concentration or not.	Area Under Urinary Excretion Rate Curve All
C92342	AURCALLB	AURC All Norm by BMI	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the body mass index.	AURC All Normalized by Body Mass Index
C92343	AURCALLD	AURC All Norm by Dose	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the dose.	AURC All Normalized by Dose
C92344	AURCALLS	AURC All Norm by SA	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the surface area.	AURC All Normalized by Surface Area
C92345	AURCALLW	AURC All Norm by WT	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate divided by the weight.	AURC All Normalized by Weight
C85767	AURCIFO	AURC Infinity Obs	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate.	Observed Area Under the Urinary Excretion Rate Curve infinity
C92354	AURCIFOB	AURC Infinity Obs Norm by BMI	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the body mass index.	AURC Infinity Observed Normalized by Body Mass Index
C92355	AURCIFOD	AURC Infinity Obs Norm by Dose	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the dose.	AURC Infinity Observed Normalized by Dose
C92356	AURCIFOS	AURC Infinity Obs Norm by SA	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the surface area.	AURC Infinity Observed Normalized by Surface Area
C92357	AURCIFOW	AURC Infinity Obs Norm by WT	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the observed value of the last excretion rate, divided by the weight.	AURC Infinity Observed Normalized by Weight
C85791	AURCIFP	AURC Infinity Pred	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate.	Predicted Area Under the Urinary Excretion Rate Curve Infinity

<b>C85839 PKPARAMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92358	AURCIFPB	AURC Infinity Pred Norm by BMI	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the body mass index.	AURC Infinity Predicted Normalized by Body Mass Index
C92359	AURCIFPD	AURC Infinity Pred Norm by Dose	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the dose.	AURC Infinity Predicted Normalized by Dose
C92360	AURCIFPS	AURC Infinity Pred Norm by SA	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the surface area.	AURC Infinity Predicted Normalized by Surface Area
C92361	AURCIFPW	AURC Infinity Pred Norm by WT	The area under the urinary excretion rate curve (AURC) extrapolated to infinity, calculated using the predicted value of the last non-zero excretion rate, divided by the weight.	AURC Infinity Predicted Normalized by Weight
C85572	AURCINT	AURC from T1 to T2	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2.	Area Under the Urinary Excretion Rate Curve from T1 to T2
C92350	AURCINTB	AURC from T1 to T2 Norm by BMI	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the body mass index.	AURC from T1 to T2 Normalized by Body Mass Index
C92351	AURCINTD	AURC from T1 to T2 Norm by Dose	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the dose.	AURC from T1 to T2 Normalized by Dose
C92352	AURCINTS	AURC from T1 to T2 Norm by SA	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the surface area.	AURC from T1 to T2 Normalized by Surface Area
C92353	AURCINTW	AURC from T1 to T2 Norm by WT	The area under the urinary excretion rate curve (AURC) over the interval from T1 to T2 divided by the weight.	AURC from T1 to T2 Normalized by Weight
C85571	AURCLST	AURC to Last Nonzero Rate	The area under the urinary excretion rate curve (AURC) from time zero to the time of the last measurable concentration.	Area Under the Urinary Excretion Rate Curve From Dosing to Last Concentration
C92346	AURCLSTB	AURC to Last Nonzero Rate Norm by BMI	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the body mass index.	AURC Dosing to Last Concentration Normalized by Body Mass Index
C92347	AURCLSTD	AURC to Last Nonzero Rate Norm by Dose	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the dose.	AURC Dosing to Last Concentration Normalized by Dose
C92348	AURCLSTS	AURC to Last Nonzero Rate Norm by SA	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the surface area.	AURC Dosing to Last Concentration Normalized by Surface Area
C92349	AURCLSTW	AURC to Last Nonzero Rate Norm by WT	The area under the urinary excretion rate curve (AURC) from time zero to the last measurable rate, divided by the weight.	AURC Dosing to Last Concentration Normalized by Weight
C85768	AURCPEO	AURC % Extrapolation Obs	The area under the urinary excretion rate curve (AURC) from the last observed non-zero rate value to infinity as a percentage of the area under the urinary excretion rate curve extrapolated to infinity.	Observed Area Under the Urinary Excretion Rate Curve Percent Extrapolation
C85792	AURCPEP	AURC % Extrapolation Pred	The area under the urinary excretion rate curve (AURC) from the last predicted non-zero rate value to infinity as a percentage of the area under the urinary excretion rate curve extrapolated to infinity.	Predicted Area Under the Urinary Excretion Rate Curve Percent Extrapolation
C85644	C0	Initial Conc	Initial concentration. Given only for bolus IV models.	Initial Concentration
C92383	C0B	Initial Conc Norm by BMI	Initial concentration divided by the body mass index. Given only for bolus IV models.	Initial Concentration Normalized by Body Mass Index
C92384	C0D	Initial Conc Norm by Dose	Initial concentration divided by the dose. Given only for bolus IV models.	Initial Concentration Normalized by Dose
C92385	C0S	Initial Conc Norm by SA	Initial concentration divided by the surface area. Given only for bolus IV models.	Initial Concentration Normalized by Surface Area
C92386	C0W	Initial Conc Norm by WT	Initial concentration divided by the weight. Given only for bolus IV models.	Initial Concentration Normalized by Weight

<b>C85839 PKPARAMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85575	CAVG	Average Concentration	AUCTAU divided by TAU.	Average Concentration
C92367	CAVGB	Average Conc Norm by BMI	AUCTAU divided by TAU and then divided by the body mass index.	Average Concentration Normalized by Body Mass Index
C92368	CAVGD	Average Conc Norm by Dose	AUCTAU divided by TAU and then divided by the dose.	Average Concentration Normalized by Dose
C132302	CAVGINT	Average Conc from T1 to T2	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval.	Average Concentration from T1 to T2
C132440	CAVGINTB	Average Conc from T1 to T2 Norm by BMI	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the body mass index.	Average Concentration from T1 to T2 Normalized by Body Mass Index
C132441	CAVGINTD	Average Conc from T1 to T2 Norm by Dose	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the dose.	Average Concentration from T1 to T2 Normalized by Dose
C132442	CAVGINTS	Average Conc from T1 to T2 Norm by SA	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the surface area.	Average Concentration from T1 to T2 Normalized by Surface Area
C132443	CAVGINTW	Average Conc from T1 to T2 Norm by WT	The area under the curve over the interval from T1 to T2 (AUCINT) divided by the length of the interval and then divided by the weight.	Average Concentration from T1 to T2 Normalized by Weight
C92369	CAVGS	Average Conc Norm by SA	AUCTAU divided by TAU and then divided by the surface area.	Average Concentration Normalized by Surface Area
C92370	CAVGW	Average Conc Norm by WT	AUCTAU divided by TAU and then divided by the weight.	Average Concentration Normalized by Weight
C135489	CHTMAX	Concentration at Half Tmax	The concentration that occurs at the midpoint time between dosing time and Tmax.	Concentration at Half Tmax
C85772	CLFO	Total CL Obs by F	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration.	Observed Total Body Clearance by Fraction of Dose Absorbed
C92399	CLFOB	Total CL Obs by F Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Total Clearance Observed by Fraction Dose Normalized by Body Mass Index
C92400	CLFOD	Total CL Obs by F Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the dose.	Total Clearance Observed by Fraction Dose Normalized by Dose
C92401	CLFOS	Total CL Obs by F Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Total Clearance Observed by Fraction Dose Normalized by Surface Area
C92402	CLFOW	Total CL Obs by F Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the weight.	Total Clearance Observed by Fraction Dose Normalized by Weight
C85796	CLFP	Total CL Pred by F	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration.	Predicted Total Body Clearance by Fraction of Dose Absorbed
C92417	CLFPB	Total CL Pred by F Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by body mass index.	Total Clearance Predicted by Fraction Dose Normalized by Body Mass Index
C92418	CLFPD	Total CL Pred by F Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Total Clearance Predicted by Fraction Dose Normalized by Dose
C92419	CLFPS	Total CL Pred by F Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Total Clearance Predicted by Fraction Dose Normalized by Surface Area

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C92420	CLFPW	Total CL Pred by F Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Total Clearance Predicted by Fraction Dose Normalized by Weight
C114121	CLFTAU	Total CL by F for Dose Int	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU.	Total Body Clearance by Fraction of Dose for Dose Interval
C114227	CLFTAUB	Total CL by F for Dose Int Norm by BMI	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the body mass index.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Body Mass Index
C114226	CLFTAUD	Total CL by F for Dose Int Norm by Dose	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the dose.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Dose
C114228	CLFTAUS	Total CL by F for Dose Int Norm by SA	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the surface area.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Surface Area
C114229	CLFTAUW	Total CL by F for Dose Int Norm by WT	The total body clearance for extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the weight.	Total Body Clearance by Fraction of Dose for Dose Interval Normalized by Weight
C85773	CLO	Total CL Obs	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration.	Observed Total Body Clearance Rate
C92403	CLOB	Total CL Obs Norm by BMI	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Total Clearance Observed Normalized by Body Mass Index
C92404	CLOD	Total CL Obs Norm by Dose	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the dose.	Total Clearance Observed Normalized by Dose
C92405	CLOS	Total CL Obs Norm by SA	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Total Clearance Observed Normalized by Surface Area
C92406	CLOW	Total CL Obs Norm by WT	The total body clearance for intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the weight.	Total Clearance Observed Normalized by Weight
C85797	CLP	Total CL Pred	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration.	Predicted Total Body Clearance Rate
C92421	CLPB	Total CL Pred Norm by BMI	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Total Clearance Predicted Normalized by Body Mass Index
C92422	CLPD	Total CL Pred Norm by Dose	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Total Clearance Predicted Normalized by Dose
C92423	CLPS	Total CL Pred Norm by SA	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Total Clearance Predicted Normalized by Surface Area
C92424	CLPW	Total CL Pred Norm by WT	The total body clearance for intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Total Clearance Predicted Normalized by Weight
C85655	CLST	Last Nonzero Conc	The concentration corresponding to Tlast.	Last Concentration
C92387	CLSTB	Last Nonzero Conc Norm by BMI	The concentration corresponding to Tlast divided by the body mass index.	Last Concentration Normalized by Body Mass Index
C92388	CLSTD	Last Nonzero Conc Norm by Dose	The concentration corresponding to Tlast divided by the dose.	Last Concentration Normalized by Dose
C92389	CLSTS	Last Nonzero Conc Norm by SA	The concentration corresponding to Tlast divided by the surface area.	Last Concentration Normalized by Surface Area
C92390	CLSTW	Last Nonzero Conc Norm by WT	The concentration corresponding to Tlast divided by the weight.	Last Concentration Normalized by Weight

C85839 PKPARMCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114122	CLTAU	Total CL for Dose Int	The total body clearance for intravascular administration, calculated using AUCTAU.	Total Body Clearance for Dose Interval
C114231	CLTAUB	Total CL for Dose Int Norm by BMI	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the body mass index.	Total Body Clearance for Dose Interval Normalized by Body Mass Index
C114230	CLTAUD	Total CL for Dose Int Norm by Dose	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the dose.	Total Body Clearance for Dose Interval Normalized by Dose
C114232	CLTAUS	Total CL for Dose Int Norm by SA	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the surface area.	Total Body Clearance for Dose Interval Normalized by Surface Area
C114233	CLTAUW	Total CL for Dose Int Norm by WT	The total body clearance for intravascular administration, calculated using AUCTAU, divided by the weight.	Total Body Clearance for Dose Interval Normalized by Weight
C70918	CMAx	Max Conc	The maximum concentration occurring at Tmax.	Cmax
C92371	CMAxB	Max Conc Norm by BMI	The maximum concentration occurring at Tmax, divided by the body mass index.	Maximum Concentration Normalized by Body Mass Index
C85698	CMAxD	Max Conc Norm by Dose	The maximum concentration occurring at Tmax, divided by the dose.	Maximum Concentration Dose Normalized
C92372	CMAxS	Max Conc Norm by SA	The maximum concentration occurring at Tmax, divided by the surface area.	Maximum Concentration Normalized by Surface Area
C92373	CMAxW	Max Conc Norm by WT	The maximum concentration occurring at Tmax, divided by the weight.	Maximum Concentration Normalized by Weight
C85579	CMIN	Min Conc	The minimum concentration between dose time and dose time plus Tau (at Tmin).	Cmin
C92374	CMINB	Min Conc Norm by BMI	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the body mass index.	Minimum Concentration Normalized by Body Mass Index
C92375	CMIND	Min Conc Norm by Dose	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the dose.	Minimum Concentration Normalized by Dose
C92376	CMINS	Min Conc Norm by SA	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the surface area.	Minimum Concentration Normalized by Surface Area
C92377	CMINW	Min Conc Norm by WT	The minimum concentration between dose time and dose time plus Tau (at Tmin) divided by the weight.	Minimum Concentration Normalized by Weight
C41185	CONC	Concentration	The quantity of a specified substance in a unit volume or weight of another substance.	Concentration
C102367	CONCB	Conc by BMI	The concentration divided by body mass index.	Concentration Divided by Body Mass Index
C102368	CONCD	Conc by Dose	The concentration divided by dose.	Concentration Divided by Dose
C102369	CONCS	Conc by SA	The concentration divided by surface area.	Concentration Divided by Surface Area
C102370	CONCW	Conc by WT	The concentration divided by weight.	Concentration Divided by Weight
C85821	CORRXY	Correlation Between TimeX and Log Concy	The correlation between time (X) and log concentration (Y) for the points used in the estimation of lambda z.	Time and Log Concentration Correlation
C102394	CTROUGH	Conc Trough	Concentration at end of dosing interval.	Trough Concentration
C102395	CTROUGHB	Conc Trough by BMI	The trough concentration divided by body mass index.	Trough Concentration Divided by Body Mass Index
C102396	CTROUGHD	Conc Trough by Dose	The trough concentration divided by dose.	Trough Concentration Divided by Dose
C102397	CTROUGHs	Conc Trough by SA	The trough concentration divided by surface area.	Trough Concentration Divided by Surface Area

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102398	CTROUGHW	Conc Trough by WT	The trough concentration divided by weight.	Trough Concentration Divided by Weight
C95007	EFFHL	Effective Half-Life	The drug half-life that quantifies the accumulation ratio of a drug following multiple dosing.	Effective Half-life
C105449	ERINT	Excret Rate from T1 to T2	The excretion rate over the interval from T1 to T2, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2
C105450	ERINTB	Excret Rate from T1 to T2 Norm by BMI	The excretion rate over the interval from T1 to T2 divided by the body mass index, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by BMI
C105451	ERINTD	Excret Rate from T1 to T2 Norm by Dose	The excretion rate over the interval from T1 to T2 divided by the dose, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by Dose
C105452	ERINTS	Excret Rate from T1 to T2 Norm by SA	The excretion rate over the interval from T1 to T2 divided by the surface area, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by SA
C105453	ERINTW	Excret Rate from T1 to T2 Norm by WT	The excretion rate over the interval from T1 to T2 divided by the weight, determined for the specimen type specified in PPSPEC.	Excretion Rate From T1 to T2 Normalized by WT
C85656	ERLST	Last Meas Excretion Rate	The last measurable (positive) excretion rate determined for the specimen type specified in PPSPEC.	Last Measurable Observed Excretion Rate
C92391	ERLSTB	Last Meas Excretion Rate Norm by BMI	The last measurable (positive) excretion rate divided by the body mass index.	Last Measurable Excretion Rate Normalized by Body Mass Index
C92392	ERLSTD	Last Meas Excretion Rate Norm by Dose	The last measurable (positive) excretion rate divided by the dose.	Last Measurable Excretion Rate Normalized by Dose
C92393	ERLSTS	Last Meas Excretion Rate Norm by SA	The last measurable (positive) excretion rate divided by the surface area.	Last Measurable Excretion Rate Normalized by Surface Area
C92394	ERLSTW	Last Meas Excretion Rate Norm by WT	The last measurable (positive) excretion rate divided by the weight.	Last Measurable Excretion Rate Normalized by Weight
C85699	ERMAX	Max Excretion Rate	The maximum excretion rate determined for the specimen type specified in PPSPEC.	Maximum Observed Excretion Rate
C92395	ERMAXB	Max Excretion Rate Norm by BMI	The maximum excretion rate divided by the body mass index.	Maximum Observed Excretion Rate Normalized by Body Mass Index
C92396	ERMAXD	Max Excretion Rate Norm by Dose	The maximum excretion rate divided by the dose.	Maximum Observed Excretion Rate Normalized by Dose
C92397	ERMAXS	Max Excretion Rate Norm by SA	The maximum excretion rate divided by the surface area.	Maximum Observed Excretion Rate Normalized by Surface Area
C92398	ERMAXW	Max Excretion Rate Norm by WT	The maximum excretion rate divided by the weight.	Maximum Observed Excretion Rate Normalized by Weight
C85580	ERTLST	Midpoint of Interval of Last Nonzero ER	The midpoint of collection interval associated with last measurable excretion rate.	Collection Interval Midpoint
C85823	ERTMAX	Midpoint of Interval of Maximum ER	The midpoint of collection interval associated with the maximum excretion rate.	Time of Maximum Observed Excretion Rate
C85581	FLUCP	Fluctuation%	The difference between Cmin and Cmax standardized to Cavg, between dose time and Tau.	Concentration Variability Between Dose Time and Tau
C135490	FU	Fraction Unbound	The ratio of free drug concentration to the total concentration. (NCI)	Fraction Unbound
C112287	HDCL	Hemodialysis Clearance	The clearance of a substance from the blood during a hemodialysis session.	Hemodialysis Clearance
C116213	HDER	Hemodialysis Extraction Ratio	The fractional content of a substance removed from the blood during a hemodialysis session.	Hemodialysis Extraction Ratio

C85839 PKPARMCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135491	HTMAX	Half Tmax	The midpoint time between dosing time and Tmax.	Half Tmax
C85652	LAMZ	Lambda z	The first order rate constant associated with the terminal (log-linear) portion of the curve.	Lambda Z
C85818	LAMZHL	Half-Life Lambda z	Terminal half-life.	Terminal Half Life
C85653	LAMZLL	Lambda z Lower Limit	The lower limit on time for values to be included in the calculation of Lambda z.	Lambda Z Time Lower Limit
C147479	LAMZLTAU	Lambda z Lower Limit TAU	The lower limit on time for values to be included in the calculation of Lambda z, calculated within a dosing interval.	Lambda z Lower Limit TAU
C85816	LAMZNPT	Number of Points for Lambda z	The number of time points used in computing Lambda z.	Sum of Lambda Z Timepoints
C147480	LAMZNTAU	Number of Points for Lambda z TAU	The number of time points used in computing Lambda z determined in a dosing interval.	Number of Points for Lambda z TAU
C135492	LAMZSPN	Lambda z Span	The interval of time covered by the data points used in the terminal disposition phase regression analysis, divided by half life. This yields the terminal disposition phase duration expressed as the number of half lives.	Lambda Z Span
C147481	LAMZTAU	Lambda z TAU	The first order rate constant associated with the terminal (log-linear) portion of the curve, calculated within a dosing interval.	Lambda z TAU
C85654	LAMZUL	Lambda z Upper Limit	The upper limit on time for values to be included in the calculation of Lambda z.	Lambda Z Time Upper Limit
C147482	LAMZUTAU	Lambda z Upper Limit TAU	The upper limit on time for values to be included in the calculation of Lambda z, calculated within a dosing interval.	Lambda z Upper Limit TAU
C120723	MAT	Mean Absorption Time	Mean absorption time of a substance administered by extravascular dosing.	Mean Absorption Time
C120724	MRTEVIFO	MRT Extravasc Infinity Obs	The mean residence time (MRT) extrapolated to infinity for a substance administered by extravascular dosing, calculated using the observed value of the last non-zero concentration. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time Infinity Observed by Extravascular Dose
C120725	MRTEVIFP	MRT Extravasc Infinity Pred	The mean residence time (MRT) extrapolated to infinity for a substance administered by extravascular dosing, calculated using the predicted value of the last non-zero concentration. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time Infinity Predicted by Extravascular Dose
C120726	MRTEVLST	MRT Extravasc to Last Nonzero Conc	Mean residence time (MRT) from the time of dosing to the time of the last measurable concentration for a substance administered by extravascular dosing. Extravascular MRT includes Mean Absorption Time (MAT).	Mean Residence Time to Last Nonzero Concentration by Extravascular Dose
C121134	MRTIVIFO	MRT Intravasc Infinity Obs	The mean residence time (MRT) extrapolated to infinity for a substance administered by intravascular dosing, calculated using the observed value of the last non-zero concentration.	Mean Residence Time Infinity Observed by Intravascular Dose
C121136	MRTIVIFP	MRT Intravasc Infinity Pred	The mean residence time (MRT) extrapolated to infinity for a substance administered by intravascular dosing, calculated using the predicted value of the last non-zero concentration.	Mean Residence Time Infinity Predicted by Intravascular Dose
C121137	MRTIVLST	MRT Intravasc to Last Nonzero Conc	Mean residence time (MRT) from the time of dosing to the time of the last measurable concentration, for a substance administered by intravascular dosing.	Mean Residence Time to Last Nonzero Concentration by Intravascular Dose
C102376	NRENALCL	Nonrenal CL	The total clearance of a substance from the blood less the renal clearance.	Nonrenal Clearance
C105454	NRENCLB	Nonrenal CL Norm by BMI	The total clearance of a substance from the blood minus the renal clearance divided by the body mass index.	Nonrenal Clearance Normalized by BMI
C105455	NRENCLD	Nonrenal CL Norm by Dose	The total clearance of a substance from the blood minus the renal clearance divided by the dose.	Nonrenal Clearance Normalized by Dose
C105456	NRENCLS	Nonrenal CL Norm by SA	The total clearance of a substance from the blood minus the renal clearance divided by the surface area.	Nonrenal Clearance Normalized by SA



<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105457	NRENLCW	Nonrenal CL Norm by WT	The total clearance of a substance from the blood minus the renal clearance divided by the weight.	Nonrenal Clearance Normalized by WT
C102381	PTROUGH	Peak Trough Ratio	The maximum concentration during a dosing interval divided by the concentration at the end of the dosing interval.	Peak Trough Ratio
C85542	R2	R Squared	The goodness of fit statistic for the terminal elimination phase.	R Squared
C85553	R2ADJ	R Squared Adjusted	The goodness of fit statistic for the terminal elimination phase, adjusted for the number of time points used in the estimation of Lambda z.	Adjusted R Squared
C112032	RCAMIFO	Amt Rec Infinity Obs	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Amount Recovered Infinity Observed
C112223	RCAMIFOB	Amt Rec Infinity Obs Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Amount Recovered Infinity Observed Normalized by Body Mass Index
C112224	RCAMIFOS	Amt Rec Infinity Obs Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Amount Recovered Infinity Observed Normalized by Surface Area
C112225	RCAMIFOW	Amt Rec Infinity Obs Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	Amount Recovered Infinity Observed Normalized by Weight
C112033	RCAMIFP	Amt Rec Infinity Pred	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Amount Recovered Infinity Predicted
C112226	RCAMIFPB	Amt Rec Infinity Pred Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Amount Recovered Infinity Predicted Normalized by Body Mass Index
C112227	RCAMIFPS	Amt Rec Infinity Pred Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Amount Recovered Infinity Predicted Normalized by Surface Area
C112228	RCAMIFPW	Amt Rec Infinity Pred Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Amount Recovered Infinity Predicted Normalized by Weight
C102359	RCAMINT	Amt Rec from T1 to T2	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2.	Amount Recovered from T1 to T2
C102360	RCAMINTB	Amt Rec from T1 to T2 Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by body mass index.	Amount Recovered from T1 to T2 Normalized by Body Mass Index
C102361	RCAMINTS	Amt Rec from T1 to T2 Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by surface area.	Amount Recovered from T1 to T2 Normalized by Surface Area
C102362	RCAMINTW	Amt Rec from T1 to T2 Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC over the interval from T1 to T2 divided by weight.	Amount Recovered from T1 to T2 Normalized by Weight
C102363	RCAMTAU	Amt Rec Over Dosing Interval	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU).	Amount Recovered Over Dosing Interval
C102364	RCAMTAUB	Amt Rec Over Dosing Interval Norm by BMI	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by body mass index.	Amount Recovered Over Dosing Interval Normalized by Body Mass Index
C102365	RCAMTAUS	Amt Rec Over Dosing Interval Norm by SA	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by surface area.	Amount Recovered Over Dosing Interval Normalized by Surface Area

## C85839 PKPARMCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C102366	RCAMTAUW	Amt Rec Over Dosing Interval Norm by WT	The cumulative amount recovered from the specimen type specified in PPSPEC between doses (TAU) divided by weight.	Amount Recovered Over Dosing Interval Normalized by Weight
C112034	RCPCIFO	Pct Rec Infinity Obs	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration.	Percent Recovered Infinity Observed
C112389	RCPCIFOB	Pct Rec Infinity Obs Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Percent Recovered Infinity Observed Normalized by Body Mass Index
C112390	RCPCIFOS	Pct Rec Infinity Obs Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Percent Recovered Infinity Observed Normalized by Surface Area
C112391	RCPCIFOW	Pct Rec Infinity Obs Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the observed value of the last non-zero concentration, divided by the weight.	Percent Recovered Infinity Observed Normalized by Weight
C112035	RCPCIFP	Pct Rec Infinity Pred	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration.	Percent Recovered Infinity Predicted
C112392	RCPCIFPB	Pct Rec Infinity Pred Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Percent Recovered Infinity Predicted Normalized by Body Mass Index
C112393	RCPCIFPS	Pct Rec Infinity Pred Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Percent Recovered Infinity Predicted Normalized by Surface Area
C112394	RCPCIFPW	Pct Rec Infinity Pred Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC extrapolated to infinity, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Percent Recovered Infinity Predicted Normalized by Weight
C102382	RCPCINT	Pct Rec from T1 to T2	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2.	Percent Recovered from T1 to T2
C102383	RCPCINTB	Pct Rec from T1 to T2 Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by body mass index.	Percent Recovered from T1 to T2 Normalized by Body Mass Index
C102384	RCPCINTS	Pct Rec from T1 to T2 Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by surface area.	Percent Recovered from T1 to T2 Normalized by Surface Area
C102385	RCPCINTW	Pct Rec from T1 to T2 Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, over the interval between T1 and T2 divided by weight.	Percent Recovered from T1 to T2 Normalized by Weight
C102386	RCPCTAU	Pct Rec Over Dosing Interval	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU).	Percent Recovered Over Dosing Interval
C102387	RCPCTAUB	Pct Rec Over Dosing Interval Norm by BMI	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by the body mass index.	Percent Recovered Over Dosing Interval Normalized by Body Mass Index
C102388	RCPCTAUS	Pct Rec Over Dosing Interval Norm by SA	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by surface area.	Percent Recovered Over Dosing Interval Normalized by Surface Area
C102389	RCPCTAUW	Pct Rec Over Dosing Interval Norm by WT	The percentage of the administered dose that is recovered from the specimen type specified in PPSPEC, between doses (TAU) divided by weight.	Percent Recovered Over Dosing Interval Normalized by Weight

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C75913	RENALCL	Renal CL	The clearance of a substance from the blood by the kidneys.	Renal Clearance
C105458	RENALCLB	Renal CL Norm by BMI	The clearance of a substance from the blood by the kidneys divided by the body mass index.	Renal Clearance Normalized by BMI
C105459	RENALCLD	Renal CL Norm by Dose	The clearance of a substance from the blood by the kidneys divided by the dose.	Renal Clearance Normalized by Dose
C105460	RENALCLS	Renal CL Norm by SA	The clearance of a substance from the blood by the kidneys divided by the surface area.	Renal Clearance Normalized by SA
C105461	RENALCLW	Renal CL Norm by WT	The clearance of a substance from the blood by the kidneys divided by the weight.	Renal Clearance Normalized by WT
C122050	RENCLTAU	Renal CL for Dose Int	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU.	Renal Clearance for Dose Interval
C122049	RNCLINT	Renal CL from T1 to T2	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2.	Renal Clearance from T1 to T2
C122330	RNCLINTB	Renal CL from T1 to T2 Norm by BMI	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the body mass index.	Renal Clearance from T1 to T2 Normalized by Body Mass Index
C122331	RNCLINTD	Renal CL from T1 to T2 Norm by Dose	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the dose.	Renal Clearance from T1 to T2 Normalized by Dose
C122332	RNCLINTS	Renal CL from T1 to T2 Norm by SA	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the surface area.	Renal Clearance from T1 to T2 Normalized by Surface Area
C122333	RNCLINTW	Renal CL from T1 to T2 Norm by WT	The clearance of a substance from the blood by the kidneys over the interval from T1 to T2 divided by the weight.	Renal Clearance from T1 to T2 Normalized by Weight
C122334	RNCLTAUB	Renal CL for Dose Int Norm by BMI	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the body mass index.	Renal Clearance for Dose Interval Normalized by Body Mass Index
C122335	RNCLTAUD	Renal CL for Dose Int Norm by Dose	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the dose.	Renal Clearance for Dose Interval Normalized by Dose
C122336	RNCLTAUS	Renal CL for Dose Int Norm by SA	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the surface area.	Renal Clearance for Dose Interval Normalized by Surface Area
C122337	RNCLTAUW	Renal CL for Dose Int Norm by WT	The clearance of a substance from the blood by the kidneys, calculated using AUCTAU, divided by the weight.	Renal Clearance for Dose Interval Normalized by Weight
C122338	SRAUC	Stationarity Ratio AUC	The area under the curve (AUCTAU) at steady state divided by the area under the curve extrapolated to infinity for the initial dosing interval.	Stationarity Ratio Area Under the Curve
C147483	TAUHL	Half-Life TAU	Half-life calculated within a dosing interval.	Half-Life TAU
C85824	TLAG	Time Until First Nonzero Conc	The time prior to the first measurable (non-zero) concentration.	Time until First Nonzero Concentration
C85822	TLST	Time of Last Nonzero Conc	The time of the last measurable (positive) concentration.	Time of Last Nonzero Concentration
C70919	TMAX	Time of CMAX	The time of maximum observed concentration sampled during a dosing interval.	Tmax
C85825	TMIN	Time of CMIN Observation	The time of minimum concentration sampled during a dosing interval.	Tmin
C122339	TROUGHPR	Trough Peak Ratio	The concentration at the start of a dosing interval divided by the maximum concentration during the dosing interval.	Trough Peak Ratio
C102371	V0	Vol Dist Initial	The initial volume of distribution for a substance administered by bolus intravascular dosing.	Initial Volume of Distribution
C102372	V0B	Vol Dist Initial Norm by BMI	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the body mass index.	Initial Volume of Distribution Normalized by Body Mass Index

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102373	V0D	Vol Dist Initial Norm by Dose	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the dose.	Initial Volume of Distribution Normalized by Dose
C102374	V0S	Vol Dist Initial Norm by SA	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the surface area.	Initial Volume of Distribution Normalized by Surface Area
C102375	V0W	Vol Dist Initial Norm by WT	The initial volume of distribution for a substance administered by bolus intravascular dosing divided by the weight.	Initial Volume of Distribution Normalized by Weight
C85817	VOLPK	Sum of Urine Vol	The sum of urine volumes that are used for PK parameters.	Sum Urine Volume
C85770	VSSO	Vol Dist Steady State Obs	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing.	Observed Steady State Volume of Distribution
C102377	VSSOB	Vol Dist Steady State Obs Norm by BMI	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the body mass index.	Observed Steady State Volume of Distribution Normalized by Body Mass Index
C102378	VSSOD	Vol Dist Steady State Obs Norm by Dose	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the dose.	Observed Steady State Volume of Distribution Normalized by Dose
C102379	VSSOS	Vol Dist Steady State Obs Norm by SA	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the surface area.	Observed Steady State Volume of Distribution Normalized by Surface Area
C102380	VSSOW	Vol Dist Steady State Obs Norm by WT	The volume of distribution at steady state based on the observed CLST for a substance administered by intravascular dosing divided by the weight.	Observed Steady State Volume of Distribution Normalized by Weight
C85794	VSSP	Vol Dist Steady State Pred	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing.	Predicted Steady State Volume of Distribution
C102390	VSSPB	Vol Dist Steady State Pred Norm by BMI	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the body mass index.	Predicted Steady State Volume of Distribution Normalized by Body Mass Index
C102391	VSSPD	Vol Dist Steady State Pred Norm by Dose	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the dose.	Predicted Steady State Volume of Distribution Normalized by Dose
C102392	VSSPS	Vol Dist Steady State Pred Norm by SA	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the surface area.	Predicted Steady State Volume of Distribution Normalized by Surface Area
C102393	VSSPW	Vol Dist Steady State Pred Norm by WT	The volume of distribution at steady state based on the predicted CLST for a substance administered by intravascular dosing divided by the weight.	Predicted Steady State Volume of Distribution Normalized by Weight
C85775	VZFO	Vz Obs by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration.	Observed Volume of Distribution of Absorbed Fraction
C92410	VZFOB	Vz Obs by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution of Fraction Dose Observed Normalized by Body Mass Index
C102729	VZFOD	Vz Obs by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the dose.	Volume of Distribution of Fraction Dose Observed Normalized by Dose
C92411	VZFOS	Vz Obs by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Volume of Distribution of Fraction Dose Observed Normalized by Surface Area

C85839 PKPARAMCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C92412	VZFWO	Vz Obs by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the observed value of the last non-zero concentration, divided by the weight.	Volume of Distribution of Fraction Dose Observed Normalized by Weight
C85799	VZFP	Vz Pred by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration.	Predicted Volume of Distribution of Absorbed Fraction
C92428	VZFPB	Vz Pred by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution of Fraction Dose Predicted Normalized by Body Mass Index
C102730	VZFPD	Vz Pred by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Volume of Distribution of Fraction Dose Predicted Normalized by Dose
C92429	VZFPS	Vz Pred by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Volume of Distribution of Fraction Dose Predicted Normalized by Surface Area
C92430	VZFPW	Vz Pred by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Volume of Distribution of Fraction Dose Predicted Normalized by Weight
C111364	VZFTAU	Vz for Dose Int by F	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU.	Volume of Distribution for Dosing Interval by Fraction
C111365	VZFTAUB	Vz for Dose Int by F Norm by BMI	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the body mass index.	Volume of Distribution for Dosing Interval by Fraction Normalized by Body Mass Index
C111366	VZFTAUD	Vz for Dose Int by F Norm by Dose	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the dose.	Volume of Distribution for Dosing Interval by Fraction Normalized by Dose
C111367	VZFTAUS	Vz for Dose Int by F Norm by SA	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the surface area.	Volume of Distribution for Dosing Interval by Fraction Normalized by Surface Area
C111368	VZFTAUW	Vz for Dose Int by F Norm by WT	The volume of distribution associated with the terminal slope following extravascular administration divided by the fraction of dose absorbed, calculated using AUCTAU, divided by the weight.	Volume of Distribution for Dosing Interval by Fraction Normalized by Weight
C85774	VZO	Vz Obs	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration.	Observed Volume of Distribution
C92407	VZOB	Vz Obs Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution Observed Normalized by Body Mass Index
C102683	VZOD	Vz Obs Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the dose.	Observed Volume of Distribution Normalized by Dose
C92408	VZOS	Vz Obs Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the surface area.	Volume of Distribution Observed Normalized by Surface Area
C92409	VZOW	Vz Obs Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the observed value of the last non-zero concentration, divided by the weight.	Volume of Distribution Observed Normalized by Weight

<b>C85839 PKPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85798	VZP	Vz Pred	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration.	Predicted Volume of Distribution
C92425	VZPB	Vz Pred Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the body mass index.	Volume of Distribution Predicted Normalized by Body Mass Index
C102696	VZPD	Vz Pred Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the dose.	Predicted Volume of Distribution Normalized by Dose
C92426	VZPS	Vz Pred Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the surface area.	Volume of Distribution Predicted Normalized by Surface Area
C92427	VZPW	Vz Pred Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using the predicted value of the last non-zero concentration, divided by the weight.	Volume of Distribution Predicted Normalized by Weight
C111333	VZTAU	Vz for Dose Int	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU.	Volume of Distribution for Dosing Interval
C111369	VZTAUB	Vz for Dose Int Norm by BMI	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the body mass index.	Volume of Distribution for Dosing Interval Normalized by Body Mass Index
C111370	VZTAUD	Vz for Dose Int Norm by Dose	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the dose.	Volume of Distribution for Dosing Interval Normalized by Dose
C111371	VZTAUS	Vz for Dose Int Norm by SA	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the surface area.	Volume of Distribution for Dosing Interval Normalized by Surface Area
C111372	VZTAUW	Vz for Dose Int Norm by WT	The volume of distribution associated with the terminal slope following intravascular administration, calculated using AUCTAU, divided by the weight.	Volume of Distribution for Dosing Interval Normalized by Weight

**PKUDMG (PK Units of Measure - Dose mg)**

NCI Code: C128685, Codelist extensible: Yes

<b>C128685 PKUDMG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120728	(L/day)/(mg/day)	(L/day)/(mg/day);(mL/day)/(ug/day)	Liters per day (flow rate), divided by milligrams per day (daily dose) or milliliters per day (flow rate), divided by micrograms per day (daily dose).	Liter per Day per Milligram per Day
C120729	(L/day)/(mg/kg)	(L/day)/(mg/kg);(mL/day)/(ug/kg)	Liters per day (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Day per Milligram per Kilogram
C120730	(L/day)/(mg/kg/day)	(L/day)/(mg/kg/day);(mL/day)/(ug/kg/day)	Liters per day (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Day per Milligram per Kilogram per Day
C120731	(L/day)/(mg/m2)	(L/day)/(mg/m2);(mL/day)/(ug/m2)	Liters per day (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Day per Milligram per Meter Squared
C120732	(L/day)/(mg/m2/day)	(L/day)/(mg/m2/day);(mL/day)/(ug/m2/day)	Liters per day (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Day per Milligram per Meter Squared per Day
C85672	(L/day)/mg	(L/day)/mg;(mL/day)/ug	Liters per day (flow rate), divided by milligrams (dose) or milliliters per day (flow rate), divided by micrograms (dose).	Liter per Milligram per Day
C120740	(L/h)/(mg/day)	(L/h)/(mg/day);(mL/h)/(ug/day)	Liters per hour (flow rate), divided by milligrams per day (daily dose) or milliliters per hour (flow rate), divided by micrograms per day (daily dose).	Liter per Hour per Milligram per Day
C120741	(L/h)/(mg/kg)	(L/h)/(mg/kg);(mL/h)/(ug/kg)	Liters per hour (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Hour per Milligram per Kilogram
C120742	(L/h)/(mg/kg/day)	(L/h)/(mg/kg/day);(mL/h)/(ug/kg/day)	Liters per hour (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Hour per Milligram per Kilogram per Day
C120743	(L/h)/(mg/m2)	(L/h)/(mg/m2);(mL/h)/(ug/m2)	Liters per hour (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared

## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C120744	(L/h)/(mg/m <sup>2</sup> /day)	(L/h)/(mg/m <sup>2</sup> /day);(mL/h)/(ug/m <sup>2</sup> /day)	Liters per hour (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared per Day
C85673	(L/h)/mg	(L/h)/mg;(mL/h)/ug	Liters per hour (flow rate), divided by milligrams (dose) or milliliters per hour (flow rate), divided by micrograms (dose).	Liter per Milligram per Hour
C120751	(L/min)/(mg/day)	(L/min)/(mg/day);(mL/min)/(ug/day)	Liters per minute (flow rate), divided by milligrams per day (daily dose) or milliliters per minute (flow rate), divided by micrograms per day (daily dose).	Liter per Minute per Milligram per Day
C120752	(L/min)/(mg/kg)	(L/min)/(mg/kg);(mL/min)/(ug/kg)	Liters per minute (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Minute per Milligram per Kilogram
C120753	(L/min)/(mg/kg/day)	(L/min)/(mg/kg/day);(mL/min)/(ug/kg/day)	Liters per minute (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Minute per Milligram per Kilogram per Day
C120754	(L/min)/(mg/m <sup>2</sup> )	(L/min)/(mg/m <sup>2</sup> );(mL/min)/(ug/m <sup>2</sup> )	Liters per minute (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared
C120755	(L/min)/(mg/m <sup>2</sup> /day)	(L/min)/(mg/m <sup>2</sup> /day);(mL/min)/(ug/m <sup>2</sup> /day)	Liters per minute (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared per Day
C85674	(L/min)/mg	(L/min)/mg;(mL/min)/ug	Liters per minute (flow rate), divided by milligrams (dose) or milliliters per minute (flow rate), divided by micrograms (dose).	Liter per Milligram per Minute
C120762	(mL/day)/(mg/day)		Milliliters per day (flow rate), divided by milligrams per day (daily dose).	Milliliter per Day per Milligram per Day
C120763	(mL/day)/(mg/kg)		Milliliters per day (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Day per Milligram per Kilogram
C120764	(mL/day)/(mg/kg/day)		Milliliters per day (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Day per Milligram per Kilogram per Day
C120765	(mL/day)/(mg/m <sup>2</sup> )		Milliliters per day (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Day per Milligram per Meter Squared



## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C120766	(mL/day)/(mg/m2/day)		Milliliters per day (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Day per Milligram per Meter Squared per Day
C85657	(mL/day)/mg	(L/day)/g;(mL/day)/mg	Liters per day (flow rate), divided by grams (weight) or milliliters per day (flow rate), divided by milligrams (dose).	Liter per Gram per Day
C120777	(mL/h)/(mg/day)		Milliliters per hour (flow rate), divided by milligrams per day (daily dose).	Milliliter per Hour per Milligram per Day
C120778	(mL/h)/(mg/kg)		Milliliters per hour (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Hour per Milligram per Kilogram
C120779	(mL/h)/(mg/kg/day)		Milliliters per hour (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Hour per Milligram per Kilogram per Day
C120780	(mL/h)/(mg/m2)		Milliliters per hour (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Hour per Milligram per Meter Squared
C120781	(mL/h)/(mg/m2/day)		Milliliters per hour (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Hour per Milligram per Meter Squared per Day
C85658	(mL/h)/mg	(L/h)/g;(mL/h)/mg	Liters per hour (flow rate), divided by grams (weight) or milliliters per hour (flow rate), divided by milligrams (dose).	Liter per Gram per Hour
C120792	(mL/min)/(mg/day)		Milliliters per minute (flow rate), divided by milligrams per day (daily dose).	Milliliter per Minute per Milligram per Day
C120793	(mL/min)/(mg/kg)		Milliliters per minute (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Minute per Milligram per Kilogram
C120794	(mL/min)/(mg/kg/day)		Milliliters per minute (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Minute per Milligram per Kilogram per Day
C120795	(mL/min)/(mg/m2)		Milliliters per minute (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Minute per Milligram per Meter Squared
C120796	(mL/min)/(mg/m2/day)		Milliliters per minute (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Minute per Milligram per Meter Squared per Day
C85659	(mL/min)/mg	(L/min)/g;(mL/min)/mg	Liters per minute (flow rate), divided by grams (weight) or milliliters per minute (flow rate), divided by milligrams (dose).	Liter per Gram per Minute
C132444	day*ug/mL/(mg/kg)		Days times micrograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Day Times Microgram per Milliliter Times Kilogram per Milligram

## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112247	day*ug/mL/mg	day*g/mL/kg;day*mg/mL/g;day*ng/mL/ug;day*ug/mL/mg	Days times grams per milliliter (area under the curve), divided by kilograms (weight); or days times milligrams per milliliter (area under the curve), divided by grams (weight); or days times micrograms per milliliter (area under the curve), divided by milligrams (dose); or days times nanograms per milliliter (area under the curve), divided by micrograms (dose).	Day Times Gram Per Milliliter Per Kilogram
C119337	fg/mL/(mg/day)		Femtograms per milliliter (concentration), divided by milligrams per day (daily dose).	Femtogram per Milliliter per Milligram per Day
C119338	fg/mL/(mg/kg)		Femtograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Femtogram per Milliliter per Milligram per Kilogram
C119339	fg/mL/(mg/kg/day)		Femtograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Femtogram per Milliliter per Milligram per Kilogram per Day
C119340	fg/mL/(mg/m2)		Femtograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Femtogram per Milliliter per Milligram per Meter Squared
C119341	fg/mL/(mg/m2/day)		Femtograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Femtogram per Milliliter per Milligram per Meter Squared per Day
C85746	fg/mL/mg	fg/mL/mg;ng/mL/kg;pg/mL/g	Nanograms per milliliter (concentration), divided by kilograms (weight) or picograms per milliliter (concentration), divided by grams (weight) or femtograms per milliliter (concentration), divided by milligrams (dose).	Nanogram per Milliliter per Kilogram
C119353	g/mL/(mg/day)	g/mL/(mg/day);mg/mL/(ug/day)	Grams per milliliter (concentration), divided by milligrams per day (daily dose) or milligrams per milliliter (concentration), divided by micrograms per day (daily dose).	Gram per Milliliter per Milligram per Day
C105462	g/mL/(mg/kg)	g/mL/(mg/kg);mg/mL/(ug/kg)	Grams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram
C105463	g/mL/(mg/kg/day)	g/mL/(mg/kg/day);mg/mL/(ug/kg/day)	Grams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram Per Day
C119354	g/mL/(mg/m2)	g/mL/(mg/m2);mg/mL/(ug/m2)	Grams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119355	g/mL/(mg/m2/day)	g/mL/(mg/m2/day);mg/mL/(ug/m2/day)	Grams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared per Day
C119364	g/mL/mg	g/mL/mg;mg/mL/ug	Grams per milliliter (concentration), divided by milligrams (dose) or milligrams per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Milligram
C105464	h*g/mL/(mg/kg)		Hours times grams per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Gram Per Milliliter Per Milligram Per Kilogram
C105465	h*g/mL/(mg/kg/day)		Hours times grams per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Gram Per Milliliter Per Milligram Per Kilogram Per Day
C105468	h*mg/mL/(mg/kg)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Kilogram
C105469	h*mg/mL/(mg/kg/day)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Kilogram Per Day
C106531	h*mmol/L/mg	h*mmol/L/mg;h*mol/L/g;h*umol/L/ug	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Mole Per Liter Per Gram
C85628	h*ng/mL/(mg/kg)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Nanogram per Milliliter per Milligram per Kilogram
C105470	h*ng/mL/(mg/kg/day)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Nanogram Per Milliliter Per Milligram Per Kilogram Per Day
C85629	h*ng/mL/(mg/m2)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per meter squared (dose normalized by surface area).	Hour Times Nanogram per Milliliter per Milligram per Meter Squared
C85627	h*ng/mL/mg	h*mg/mL/kg;h*ng/mL/mg;h*ug/mL/g	Hours times milligrams per milliliter (area under the curve), divided by kilograms (weight) or hours times micrograms per milliliter (area under the curve), divided by grams (weight) or hours times nanograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Milligram

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132445	h*nmol/L/(mg/kg)		Hours times nanomoles per liter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Nanomole per Liter per Milligram per Kilogram
C112307	h*nmol/L/mg	h*mmol/L/kg;h*nmol/L/mg;h*pmol/L/ug;h*umol/L/g	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Millimole Per Liter Per Kilogram
C105471	h*pg/mL/(mg/kg)		Hours times picograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Kilogram
C105472	h*pg/mL/(mg/kg/day)		Hours times picograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Kilogram Per Day
C85625	h*pg/mL/mg	h*ng/mL/g;h*pg/mL/mg;h*ug/mL/kg	Hours times micrograms per milliliter (area under the curve), divided by kilograms (weight) or hours times nanograms per milliliter (area under the curve), divided by grams (weight) or hours times picograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Gram
C105466	h*ug/mL/(mg/kg)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Kilogram
C105467	h*ug/mL/(mg/kg/day)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Kilogram Per Day
C85617	h*ug/mL/mg	h*g/mL/kg;h*mg/mL/g;h*ug/mL/mg	Hours times grams per milliliter (area under the curve), divided by kilograms (weight) or hours times milligrams per milliliter (area under the curve), divided by grams (weight) or hours times micrograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Microgram per Milliliter per Milligram
C132446	h*umol/L/(mg/kg)		Hours times micromoles per liter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Micromole per Liter per Milligram per Kilogram
C119367	IU/mL/(mg/day)	IU/mL/(mg/day);mIU/mL/(ug/day)	International units per milliliter (concentration), divided by milligrams per day (daily dose) or milli-international units per milliliter (concentration), divided by micrograms per day (daily dose).	International Unit per Milliliter per Milligram per Day

## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119368	IU/mL/(mg/kg)	IU/mL/(mg/kg);mIU/mL/(ug/kg)	International units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram
C119369	IU/mL/(mg/kg/day)	IU/mL/(mg/kg/day);mIU/mL/(ug/kg/day)	International units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram per Day
C119370	IU/mL/(mg/m2)	IU/mL/(mg/m2);mIU/mL/(ug/m2)	International units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared
C119371	IU/mL/(mg/m2/day)	IU/mL/(mg/m2/day);mIU/mL/(ug/m2/day)	International units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared per Day
C119380	IU/mL/mg	IU/mL/mg;mIU/mL/ug	International units per milliliter (concentration), divided by milligrams (dose) or milli-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Milligram
C120807	L/(mg/kg)		Liters (volume), divided by milligrams per kilogram (dose normalized by body weight).	Liter per Milligram per Kilogram
C120808	L/(mg/kg/day)	L/(mg/kg/day);mL/(ug/kg/day)	Liters (volume), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters (volume), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Milligram per Kilogram per Day
C120809	L/(mg/m2/day)	L/(mg/m2/day);mL/(ug/m2/day)	Liters (volume), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters (volume), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Milligram per Meter Squared per Day
C124417	L/mg	L/mg;mL/ug	Liters (volume), divided by milligrams (dose) or milliliters (volume), divided by micrograms (dose).	Liter per Milligram
C119383	mg/mL/(mg/day)	mg/mL/(mg/day);ug/mL/(ug/day)	Milligrams per milliliter (concentration), divided by milligrams per day (daily dose) or micrograms per milliliter (concentration), divided by micrograms per day (daily dose).	Milligram per Milliliter per Milligram per Day

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105475	mg/mL/(mg/kg)	mg/mL/(mg/kg);ug/mL/(ug/kg)	Milligrams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram
C105476	mg/mL/(mg/kg/day)	mg/mL/(mg/kg/day);ug/mL/(ug/kg/day)	Milligrams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram Per Day
C119384	mg/mL/(mg/m2)	mg/mL/(mg/m2);ug/mL/(ug/m2)	Milligrams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared
C119385	mg/mL/(mg/m2/day)	mg/mL/(mg/m2/day);ug/mL/(ug/m2/day)	Milligrams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared per Day
C119361	mg/mL/mg	g/mL/g;mg/mL/mg;ug/mL/ug	Grams per milliliter (concentration), divided by grams (weight) or milligrams per milliliter (concentration), divided by milligrams (dose) or micrograms per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Gram
C119397	mIU/mL/(mg/day)	mIU/mL/(mg/day);uIU/mL/(ug/day)	Milli-international units per milliliter (concentration), divided by milligrams per day (daily dose) or micro-international units per milliliter (concentration), divided by micrograms per day (daily dose).	Milli-International Unit per Milliliter per Milligram per Day
C119398	mIU/mL/(mg/kg)	mIU/mL/(mg/kg);uIU/mL/(ug/kg)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram
C119399	mIU/mL/(mg/kg/day)	mIU/mL/(mg/kg/day);uIU/mL/(ug/kg/day)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram per Day

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119400	mIU/mL/(mg/m <sup>2</sup> )	mIU/mL/(mg/m <sup>2</sup> );uIU/mL/(ug/m <sup>2</sup> )	Milli-international units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared
C119401	mIU/mL/(mg/m <sup>2</sup> /day)	mIU/mL/(mg/m <sup>2</sup> /day);uIU/mL/(ug/m <sup>2</sup> /day)	Milli-international units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared per Day
C119377	mIU/mL/mg	IU/mL/g;mIU/mL/mg;uIU/mL/ug	International units per milliliter (concentration), divided by grams (weight) or milli-international units per milliliter (concentration), divided by milligrams (dose) or micro-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Gram
C120817	mL/(mg/day)		Milliliters (volume), divided by milligrams per day (daily dose).	Milliliter per Milligram per Day
C120818	mL/(mg/kg)		Milliliters (volume), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Milligram per Kilogram
C120819	mL/(mg/kg/day)		Milliliters (volume), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Milligram per Kilogram per Day
C120820	mL/(mg/m <sup>2</sup> )		Milliliters (volume), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Milligram per Meter Squared
C120821	mL/(mg/m <sup>2</sup> /day)		Milliliters (volume), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Milligram per Meter Squared per Day
C119413	mmol/L/(mg/day)	mmol/L/(mg/day);umol/L/(ug/day)	Millimoles per liter (concentration), divided by milligrams per day (daily dose) or micromoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Milligram per Day
C119414	mmol/L/(mg/kg)	mmol/L/(mg/kg);umol/L/(ug/kg)	Millimoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram
C119415	mmol/L/(mg/kg/day)	mmol/L/(mg/kg/day);umol/L/(ug/kg/day)	Millimoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram per Day

## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119416	mmol/L/(mg/m2)	mmol/L/(mg/m2);umol/L/(ug/m2)	Millimoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared
C119417	mmol/L/(mg/m2/day)	mmol/L/(mg/m2/day);umol/L/(ug/m2/day)	Millimoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared per Day
C119426	mmol/L/mg	mmol/L/mg;mol/L/g;umol/L/ug	Moles per liter (concentration), divided by grams (weight) or millimoles per liter (concentration), divided by milligrams (dose) or micromoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Milligram
C119418	mol/L/(mg/day)	mmol/L/(ug/day);mol/L/(mg/day)	Moles per liter (concentration), divided by milligrams per day (daily dose) or millimoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Microgram per Day
C119419	mol/L/(mg/kg)	mmol/L/(ug/kg);mol/L/(mg/kg)	Moles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram
C119420	mol/L/(mg/kg/day)	mmol/L/(ug/kg/day);mol/L/(mg/kg/day)	Moles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram per Day
C119421	mol/L/(mg/m2)	mmol/L/(ug/m2);mol/L/(mg/m2)	Moles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared
C119422	mol/L/(mg/m2/day)	mmol/L/(ug/m2/day);mol/L/(mg/m2/day)	Moles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared per Day
C119427	mol/L/mg	mmol/L/ug;mol/L/mg	Moles per liter (concentration), divided by milligrams (dose) or millimoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Microgram



## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119445	ng/mL/(mg/day)	ng/mL/(mg/day);pg/mL/(ug/day)	Nanograms per milliliter (concentration), divided by milligrams per day (daily dose) or picograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Milligram per Day
C105477	ng/mL/(mg/kg)	ng/mL/(mg/kg);pg/mL/(ug/kg)	Nanograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram
C105478	ng/mL/(mg/kg/day)	ng/mL/(mg/kg/day);pg/mL/(ug/kg/day)	Nanograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram Per Day
C119446	ng/mL/(mg/m2)	ng/mL/(mg/m2);pg/mL/(ug/m2)	Nanograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared
C119447	ng/mL/(mg/m2/day)	ng/mL/(mg/m2/day);pg/mL/(ug/m2/day)	Nanograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared per Day
C85747	ng/mL/mg	mg/mL/kg;ng/mL/mg;pg/mL/ug;ug/mL/g	Milligrams per milliliter (concentration), divided by kilograms (weight) or micrograms per milliliter (concentration), divided by grams (weight) or nanograms per milliliter (concentration), divided by milligrams (dose) or picograms per milliliter (concentration), divided by micrograms (dose).	Nanogram per Milliliter per Milligram
C119457	nmol/L/(mg/day)	nmol/L/(mg/day);pmol/L/(ug/day)	Nanomoles per liter (concentration), divided by milligrams per day (daily dose) or picomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Milligram per Day
C119458	nmol/L/(mg/kg)	nmol/L/(mg/kg);pmol/L/(ug/kg)	Nanomoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram
C119459	nmol/L/(mg/kg/day)	nmol/L/(mg/kg/day);pmol/L/(ug/kg/day)	Nanomoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram per Day

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119460	nmol/L/(mg/m2)	nmol/L/(mg/m2);pmol/L/(ug/m2)	Nanomoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared
C119461	nmol/L/(mg/m2/day)	nmol/L/(mg/m2/day);pmol/L/(ug/m2/day)	Nanomoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared per Day
C85784	nmol/L/mg	mmol/L/kg;nmol/L/mg;pmol/L/ug;umol/L/g	Millimoles per liter (concentration), divided by kilograms (weight) or micromoles per liter (concentration), divided by grams (weight) or nanomoles per liter (concentration), divided by milligrams (dose) or picomoles per liter (concentration), divided by micrograms (dose).	Picomole per Liter per Microgram
C67396	pg/mg	Microgram per Kilogram;mcg/kg;ng/g;pg/mg;ug/kg	A unit of a mass fraction expressed as a number of micrograms of substance per kilogram of mixture. The unit is also used as a dose calculation unit.(NCI)	Microgram per Kilogram
C119342	pg/mL/(mg/day)	fg/mL/(ug/day);pg/mL/(mg/day)	Picograms per milliliter (concentration), divided by milligrams per day (daily dose) or femtograms per milliliter (concentration), divided by micrograms per day (daily dose).	Femtogram per Milliliter per Microgram per Day
C105479	pg/mL/(mg/kg)	fg/mL/(ug/kg);pg/mL/(mg/kg)	Picograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram
C105480	pg/mL/(mg/kg/day)	fg/mL/(ug/kg/day);pg/mL/(mg/kg/day)	Picograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram Per Day
C119345	pg/mL/(mg/m2)	fg/mL/(ug/m2);pg/mL/(mg/m2)	Picograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared

## C128685 PKUDMG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119346	pg/mL/(mg/m <sup>2</sup> /day)	fg/mL/(ug/m <sup>2</sup> /day);pg/mL/(mg/m <sup>2</sup> /day)	Picograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared per Day
C119351	pg/mL/mg	fg/mL/ug;ng/mL/g;pg/mL/mg;ug/mL/kg	Micrograms per milliliter (concentration), divided by kilograms (weight) or nanograms per milliliter (concentration), divided by grams (weight) or picograms per milliliter (concentration), divided by milligrams (dose) or femtograms per milliliter (concentration), divided by micrograms (dose).	Femtogram per Milliliter per Microgram
C119486	pmol/L/(mg/day)		Picomoles per liter (concentration), divided by milligrams per day (daily dose).	Picomole per Liter per Milligram per Day
C119487	pmol/L/(mg/kg)		Picomoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Picomole per Liter per Milligram per Kilogram
C119488	pmol/L/(mg/kg/day)		Picomoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Picomole per Liter per Milligram per Kilogram per Day
C119489	pmol/L/(mg/m <sup>2</sup> )		Picomoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Picomole per Liter per Milligram per Meter Squared
C119490	pmol/L/(mg/m <sup>2</sup> /day)		Picomoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Picomole per Liter per Milligram per Meter Squared per Day
C119467	pmol/L/mg	nmol/L/g;pmol/L/mg;umol/L/kg	Micromoles per liter (concentration), divided by kilograms (weight) or nanomoles per liter (concentration), divided by grams (weight) or picomoles per liter (concentration), divided by milligrams (dose).	Nanomole per Liter per Gram
C119448	ug/mL/(mg/day)	ng/mL/(ug/day);ug/mL/(mg/day)	Micrograms per milliliter (concentration), divided by milligrams per day (daily dose) or nanograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Microgram per Day
C105473	ug/mL/(mg/kg)	ng/mL/(ug/kg);ug/mL/(mg/kg)	Micrograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram
C105474	ug/mL/(mg/kg/day)	ng/mL/(ug/kg/day);ug/mL/(mg/kg/day)	Micrograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram Per Day

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119451	ug/mL/(mg/m2)	ng/mL/(ug/m2);ug/mL/(mg/m2)	Micrograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared
C119452	ug/mL/(mg/m2/day)	ng/mL/(ug/m2/day);ug/mL/(mg/m2/day)	Micrograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared per Day
C85710	ug/mL/mg	g/mL/kg;mg/mL/g;ng/mL/ug;ug/mL/mg	Grams per milliliter (concentration), divided by kilograms (weight) or milligrams per milliliter (concentration), divided by grams (weight) or micrograms per milliliter (concentration), divided by milligrams (dose) or nanograms per milliliter (concentration), divided by micrograms (dose).	Milligram per Liter per Milligram
C119514	uIU/mL/(mg/day)		Micro-international units per milliliter (concentration), divided by milligrams per day (daily dose).	Micro-International Units per Milliliter per Milligram per Day
C119515	uIU/mL/(mg/kg)		Micro-international units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Micro-International Units per Milliliter per Milligram per Kilogram
C119516	uIU/mL/(mg/kg/day)		Micro-international units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Micro-International Units per Milliliter per Milligram per Kilogram per Day
C119517	uIU/mL/(mg/m2)		Micro-international units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Micro-International Units per Milliliter per Milligram per Meter Squared
C119518	uIU/mL/(mg/m2/day)		Micro-international units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Micro-International Units per Milliliter per Milligram per Meter Squared per Day
C119378	uIU/mL/mg	IU/mL/kg;mIU/mL/g;uIU/mL/mg	International units per milliliter (concentration), divided by kilograms (weight) or millinternational units per milliliter (concentration), divided by grams (weight) or microinternational units per milliliter (concentration), divided by milligrams (dose).	International Unit per Milliliter per Kilogram
C119462	umol/L/(mg/day)	nmol/L/(ug/day);umol/L/(mg/day)	Micromoles per liter (concentration), divided by milligrams per day (daily dose) or nanomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Microgram per Day

**C128685 PKUDMG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119463	umol/L/(mg/kg)	nmol/L/(ug/kg);umol/L/(mg/kg)	Micromoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram
C119464	umol/L/(mg/kg/day)	nmol/L/(ug/kg/day);umol/L/(mg/kg/day)	Micromoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram per Day
C119465	umol/L/(mg/m2)	nmol/L/(ug/m2);umol/L/(mg/m2)	Micromoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared
C119466	umol/L/(mg/m2/day)	nmol/L/(ug/m2/day);umol/L/(mg/m2/day)	Micromoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared per Day
C119423	umol/L/mg	mmol/L/g;mol/L/kg;nmol/L/ug;umol/L/mg	Moles per liter (concentration), divided by kilograms (weight) or millimoles per liter (concentration), divided by grams (weight) or micromoles per liter (concentration), divided by milligrams (dose) or nanomoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Gram

**PKUDUG (PK Units of Measure - Dose ug)**

NCI Code: C128686, Codelist extensible: Yes

<b>C128686 PKUDUG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120733	(L/day)/(ug/day)		Liters per day (flow rate), divided by micrograms per day (daily dose).	Liter per Day per Microgram per Day
C120734	(L/day)/(ug/kg)		Liters per day (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Day per Microgram per Kilogram
C120735	(L/day)/(ug/kg/day)		Liters per day (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Day per Microgram per Kilogram per Day
C120736	(L/day)/(ug/m2)		Liters per day (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Day per Microgram per Meter Squared
C120737	(L/day)/(ug/m2/day)		Liters per day (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Day per Microgram per Meter Squared per Day
C85665	(L/day)/ug		Liters per day (flow rate), divided by micrograms (dose).	Liter per Microgram per Day
C120745	(L/h)/(ug/day)		Liters per hour (flow rate), divided by micrograms per day (daily dose).	Liter per Hour per Microgram per Day
C120746	(L/h)/(ug/kg)		Liters per hour (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Hour per Microgram per Kilogram
C120747	(L/h)/(ug/kg/day)		Liters per hour (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Hour per Microgram per Kilogram per Day
C120748	(L/h)/(ug/m2)		Liters per hour (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Hour per Microgram per Meter Squared
C120749	(L/h)/(ug/m2/day)		Liters per hour (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Hour per Microgram per Meter Squared per Day
C85662	(L/h)/ug		Liters per hour (flow rate), divided by micrograms (dose).	Liter per Microgram per Hour
C120756	(L/min)/(ug/day)		Liters per minute (flow rate), divided by micrograms per day (daily dose).	Liter per Minute per Microgram per Day
C120757	(L/min)/(ug/kg)		Liters per minute (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Minute per Microgram per Kilogram
C120758	(L/min)/(ug/kg/day)		Liters per minute (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Minute per Microgram per Kilogram per Day
C120759	(L/min)/(ug/m2)		Liters per minute (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Minute per Microgram per Meter Squared
C120760	(L/min)/(ug/m2/day)		Liters per minute (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Minute per Microgram per Meter Squared per Day

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85666	(L/min)/ug		Liters per minute (flow rate), divided by micrograms (dose).	Liter per Microgram per Minute
C120728	(mL/day)/(ug/day)	(L/day)/(mg/day);(mL/day)/(ug/day)	Liters per day (flow rate), divided by milligrams per day (daily dose) or milliliters per day (flow rate), divided by micrograms per day (daily dose).	Liter per Day per Milligram per Day
C120729	(mL/day)/(ug/kg)	(L/day)/(mg/kg);(mL/day)/(ug/kg)	Liters per day (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Day per Milligram per Kilogram
C120730	(mL/day)/(ug/kg/day)	(L/day)/(mg/kg/day);(mL/day)/(ug/kg/day)	Liters per day (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Day per Milligram per Kilogram per Day
C120731	(mL/day)/(ug/m2)	(L/day)/(mg/m2);(mL/day)/(ug/m2)	Liters per day (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Day per Milligram per Meter Squared
C120732	(mL/day)/(ug/m2/day)	(L/day)/(mg/m2/day);(mL/day)/(ug/m2/day)	Liters per day (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Day per Milligram per Meter Squared per Day
C85672	(mL/day)/ug	(L/day)/mg;(mL/day)/ug	Liters per day (flow rate), divided by milligrams (dose) or milliliters per day (flow rate), divided by micrograms (dose).	Liter per Milligram per Day
C120740	(mL/h)/(ug/day)	(L/h)/(mg/day);(mL/h)/(ug/day)	Liters per hour (flow rate), divided by milligrams per day (daily dose) or milliliters per hour (flow rate), divided by micrograms per day (daily dose).	Liter per Hour per Milligram per Day
C120741	(mL/h)/(ug/kg)	(L/h)/(mg/kg);(mL/h)/(ug/kg)	Liters per hour (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Hour per Milligram per Kilogram
C120742	(mL/h)/(ug/kg/day)	(L/h)/(mg/kg/day);(mL/h)/(ug/kg/day)	Liters per hour (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Hour per Milligram per Kilogram per Day
C120743	(mL/h)/(ug/m2)	(L/h)/(mg/m2);(mL/h)/(ug/m2)	Liters per hour (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C120744	(mL/h)/(ug/m2/day)	(L/h)/(mg/m2/day);(mL/h)/(ug/m2/day)	Liters per hour (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared per Day
C85673	(mL/h)/ug	(L/h)/mg;(mL/h)/ug	Liters per hour (flow rate), divided by milligrams (dose) or milliliters per hour (flow rate), divided by micrograms (dose).	Liter per Milligram per Hour
C120751	(mL/min)/(ug/day)	(L/min)/(mg/day);(mL/min)/(ug/day)	Liters per minute (flow rate), divided by milligrams per day (daily dose) or milliliters per minute (flow rate), divided by micrograms per day (daily dose).	Liter per Minute per Milligram per Day
C120752	(mL/min)/(ug/kg)	(L/min)/(mg/kg);(mL/min)/(ug/kg)	Liters per minute (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Minute per Milligram per Kilogram
C120753	(mL/min)/(ug/kg/day)	(L/min)/(mg/kg/day);(mL/min)/(ug/kg/day)	Liters per minute (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Minute per Milligram per Kilogram per Day
C120754	(mL/min)/(ug/m2)	(L/min)/(mg/m2);(mL/min)/(ug/m2)	Liters per minute (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared
C120755	(mL/min)/(ug/m2/day)	(L/min)/(mg/m2/day);(mL/min)/(ug/m2/day)	Liters per minute (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared per Day
C85674	(mL/min)/ug	(L/min)/mg;(mL/min)/ug	Liters per minute (flow rate), divided by milligrams (dose) or milliliters per minute (flow rate), divided by micrograms (dose).	Liter per Milligram per Minute
C112247	day*ng/mL/ug	day*g/mL/kg;day*mg/mL/g;day*ng/mL/ug;day*ug/mL/mg	Days times grams per milliliter (area under the curve), divided by kilograms (weight); or days times milligrams per milliliter (area under the curve), divided by grams (weight); or days times micrograms per milliliter (area under the curve), divided by milligrams (dose); or days times nanograms per milliliter (area under the curve), divided by micrograms (dose).	Day Times Gram Per Milliliter Per Kilogram
C119342	fg/mL/(ug/day)	fg/mL/(ug/day);pg/mL/(mg/day)	Picograms per milliliter (concentration), divided by milligrams per day (daily dose) or femtograms per milliliter (concentration), divided by micrograms per day (daily dose).	Femtogram per Milliliter per Microgram per Day



**C128686 PKUDUG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105479	fg/mL/(ug/kg)	fg/mL/(ug/kg);pg/mL/(mg/kg)	Picograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram
C105480	fg/mL/(ug/kg/day)	fg/mL/(ug/kg/day);pg/mL/(mg/kg/day)	Picograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram Per Day
C119345	fg/mL/(ug/m2)	fg/mL/(ug/m2);pg/mL/(mg/m2)	Picograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared
C119346	fg/mL/(ug/m2/day)	fg/mL/(ug/m2/day);pg/mL/(mg/m2/day)	Picograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared per Day
C119351	fg/mL/ug	fg/mL/ug;ng/mL/g;pg/mL/mg;ug/mL/kg	Micrograms per milliliter (concentration), divided by kilograms (weight) or nanograms per milliliter (concentration), divided by grams (weight) or picograms per milliliter (concentration), divided by milligrams (dose) or femtograms per milliliter (concentration), divided by micrograms (dose).	Femtogram per Milliliter per Microgram
C119356	g/mL/(ug/day)		Grams per milliliter (concentration), divided by micrograms per day (daily dose).	Gram per Milliliter per Microgram per Day
C119357	g/mL/(ug/kg)		Grams per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Gram per Milliliter per Microgram per Kilogram
C119358	g/mL/(ug/kg/day)		Grams per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Gram per Milliliter per Microgram per Kilogram per Day
C119359	g/mL/(ug/m2)		Grams per milliliter (concentration), divided by micrograms per meter squared (dose normalized by body weight).	Gram per Milliliter per Microgram per Meter Squared
C119360	g/mL/(ug/m2/day)		Grams per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Gram per Milliliter per Microgram per Meter Squared per Day
C119365	g/mL/ug		Grams per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Microgram

**C128686 PKUDUG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112307	h*pmol/L/ug	h*mmol/L/kg;h*nmol/L/mg;h*pmol/L/ug;h*umol/L/g	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Millimole Per Liter Per Kilogram
C106531	h*umol/L/ug	h*mmol/L/mg;h*mol/L/g;h*umol/L/ug	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour times Mole Per Liter Per Gram
C119372	IU/mL/(ug/day)		International units per milliliter (concentration), divided by micrograms per day (daily dose).	International Unit per Milliliter per Microgram per Day
C119373	IU/mL/(ug/kg)		International units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	International Unit per Milliliter per Microgram per Kilogram
C119374	IU/mL/(ug/kg/day)		International units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	International Unit per Milliliter per Microgram per Kilogram per Day
C119375	IU/mL/(ug/m2)		International units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	International Unit per Milliliter per Microgram per Meter Squared
C119376	IU/mL/(ug/m2/day)		International units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	International Unit per Milliliter per Microgram per Meter Squared per Day
C119381	IU/mL/ug		International units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Microgram
C120810	L/(ug/kg)		Liters (volume), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Microgram per Kilogram
C120811	L/(ug/kg/day)		Liters (volume), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Microgram per Kilogram per Day
C120812	L/(ug/m2)		Liters (volume), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Microgram per Meter Squared
C120813	L/(ug/m2/day)		Liters (volume), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Microgram per Meter Squared per Day
C120815	L/ug		Liters (volume), divided by micrograms (dose).	Liter per Microgram

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119353	mg/mL/(ug/day)	g/mL/(mg/day);mg/mL/(ug/day)	Grams per milliliter (concentration), divided by milligrams per day (daily dose) or milligrams per milliliter (concentration), divided by micrograms per day (daily dose).	Gram per Milliliter per Milligram per Day
C105462	mg/mL/(ug/kg)	g/mL/(mg/kg);mg/mL/(ug/kg)	Grams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram
C105463	mg/mL/(ug/kg/day)	g/mL/(mg/kg/day);mg/mL/(ug/kg/day)	Grams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram Per Day
C119354	mg/mL/(ug/m2)	g/mL/(mg/m2);mg/mL/(ug/m2)	Grams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared
C119355	mg/mL/(ug/m2/day)	g/mL/(mg/m2/day);mg/mL/(ug/m2/day)	Grams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared per Day
C119364	mg/mL/ug	g/mL/mg;mg/mL/ug	Grams per milliliter (concentration), divided by milligrams (dose) or milligrams per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Milligram
C119367	mIU/mL/(ug/day)	IU/mL/(mg/day);mIU/mL/(ug/day)	International units per milliliter (concentration), divided by milligrams per day (daily dose) or milli-international units per milliliter (concentration), divided by micrograms per day (daily dose).	International Unit per Milliliter per Milligram per Day
C119368	mIU/mL/(ug/kg)	IU/mL/(mg/kg);mIU/mL/(ug/kg)	International units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram
C119369	mIU/mL/(ug/kg/day)	IU/mL/(mg/kg/day);mIU/mL/(ug/kg/day)	International units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram per Day

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119370	mIU/mL/(ug/m2)	IU/mL/(mg/m2);mIU/mL/(ug/m2)	International units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared
C119371	mIU/mL/(ug/m2/day)	IU/mL/(mg/m2/day);mIU/mL/(ug/m2/day)	International units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared per Day
C119380	mIU/mL/ug	IU/mL/mg;mIU/mL/ug	International units per milliliter (concentration), divided by milligrams (dose) or milli-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Milligram
C120808	mL/(ug/kg/day)	L/(mg/kg/day);mL/(ug/kg/day)	Liters (volume), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters (volume), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Milligram per Kilogram per Day
C120809	mL/(ug/m2/day)	L/(mg/m2/day);mL/(ug/m2/day)	Liters (volume), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters (volume), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Milligram per Meter Squared per Day
C119418	mmol/L/(ug/day)	mmol/L/(ug/day);mol/L/(mg/day)	Moles per liter (concentration), divided by milligrams per day (daily dose) or millimoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Microgram per Day
C119419	mmol/L/(ug/kg)	mmol/L/(ug/kg);mol/L/(mg/kg)	Moles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram
C119420	mmol/L/(ug/kg/day)	mmol/L/(ug/kg/day);mol/L/(mg/kg/day)	Moles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram per Day
C119421	mmol/L/(ug/m2)	mmol/L/(ug/m2);mol/L/(mg/m2)	Moles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119422	mmol/L/(ug/m2/day)	mmol/L/(ug/m2/day);mol/L/(mg/m2/day)	Moles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared per Day
C119427	mmol/L/ug	mmol/L/ug;mol/L/mg	Moles per liter (concentration), divided by milligrams (dose) or millimoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Microgram
C119434	mol/L/(ug/day)		Moles per liter (concentration), divided by micrograms per day (daily dose).	Mole per Liter per Microgram per Day
C119435	mol/L/(ug/kg)		Moles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Mole per Liter per Microgram per Kilogram
C119436	mol/L/(ug/kg/day)		Moles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Mole per Liter per Microgram per Kilogram per Day
C119437	mol/L/(ug/m2)		Moles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Mole per Liter per Microgram per Meter Squared
C119438	mol/L/(ug/m2/day)		Moles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Mole per Liter per Microgram per Meter Squared per Day
C119443	mol/L/ug		Moles per liter (concentration), divided by micrograms (dose).	Mole per Liter per Microgram
C119448	ng/mL/(ug/day)	ng/mL/(ug/day);ug/mL/(mg/day)	Micrograms per milliliter (concentration), divided by milligrams per day (daily dose) or nanograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Microgram per Day
C105473	ng/mL/(ug/kg)	ng/mL/(ug/kg);ug/mL/(mg/kg)	Micrograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram
C105474	ng/mL/(ug/kg/day)	ng/mL/(ug/kg/day);ug/mL/(mg/kg/day)	Micrograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram Per Day
C119451	ng/mL/(ug/m2)	ng/mL/(ug/m2);ug/mL/(mg/m2)	Micrograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119452	ng/mL/(ug/m2/day)	ng/mL/(ug/m2/day);ug/mL/(mg/m2/day)	Micrograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared per Day
C85710	ng/mL/ug	g/mL/kg;mg/mL/g;ng/mL/ug;ug/mL/mg	Grams per milliliter (concentration), divided by kilograms (weight) or milligrams per milliliter (concentration), divided by grams (weight) or micrograms per milliliter (concentration), divided by milligrams (dose) or nanograms per milliliter (concentration), divided by micrograms (dose).	Milligram per Liter per Milligram
C119462	nmol/L/(ug/day)	nmol/L/(ug/day);umol/L/(mg/day)	Micromoles per liter (concentration), divided by milligrams per day (daily dose) or nanomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Microgram per Day
C119463	nmol/L/(ug/kg)	nmol/L/(ug/kg);umol/L/(mg/kg)	Micromoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram
C119464	nmol/L/(ug/kg/day)	nmol/L/(ug/kg/day);umol/L/(mg/kg/day)	Micromoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram per Day
C119465	nmol/L/(ug/m2)	nmol/L/(ug/m2);umol/L/(mg/m2)	Micromoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared
C119466	nmol/L/(ug/m2/day)	nmol/L/(ug/m2/day);umol/L/(mg/m2/day)	Micromoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared per Day
C119423	nmol/L/ug	mmol/L/g;mol/L/kg;nmol/L/ug;umol/L/mg	Moles per liter (concentration), divided by kilograms (weight) or millimoles per liter (concentration), divided by grams (weight) or micromoles per liter (concentration), divided by milligrams (dose) or nanomoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Gram

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119445	pg/mL/(ug/day)	ng/mL/(mg/day);pg/mL/(ug/day)	Nanograms per milliliter (concentration), divided by milligrams per day (daily dose) or picograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Milligram per Day
C105477	pg/mL/(ug/kg)	ng/mL/(mg/kg);pg/mL/(ug/kg)	Nanograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram
C105478	pg/mL/(ug/kg/day)	ng/mL/(mg/kg/day);pg/mL/(ug/kg/day)	Nanograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram Per Day
C119446	pg/mL/(ug/m2)	ng/mL/(mg/m2);pg/mL/(ug/m2)	Nanograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared
C119447	pg/mL/(ug/m2/day)	ng/mL/(mg/m2/day);pg/mL/(ug/m2/day)	Nanograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared per Day
C85747	pg/mL/ug	mg/mL/kg;ng/mL/mg;pg/mL/ug;ug/mL/g	Milligrams per milliliter (concentration), divided by kilograms (weight) or micrograms per milliliter (concentration), divided by grams (weight) or nanograms per milliliter (concentration), divided by milligrams (dose) or picograms per milliliter (concentration), divided by micrograms (dose).	Nanogram per Milliliter per Milligram
C119457	pmol/L/(ug/day)	nmol/L/(mg/day);pmol/L/(ug/day)	Nanomoles per liter (concentration), divided by milligrams per day (daily dose) or picomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Milligram per Day
C119458	pmol/L/(ug/kg)	nmol/L/(mg/kg);pmol/L/(ug/kg)	Nanomoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram
C119459	pmol/L/(ug/kg/day)	nmol/L/(mg/kg/day);pmol/L/(ug/kg/day)	Nanomoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram per Day

C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119460	pmol/L/(ug/m2)	nmol/L/(mg/m2);pmol/L/(ug/m2)	Nanomoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared
C119461	pmol/L/(ug/m2/day)	nmol/L/(mg/m2/day);pmol/L/(ug/m2/day)	Nanomoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared per Day
C85784	pmol/L/ug	mmol/L/kg;nmol/L/mg;pmol/L/ug;umol/L/g	Millimoles per liter (concentration), divided by kilograms (weight) or micromoles per liter (concentration), divided by grams (weight) or nanomoles per liter (concentration), divided by milligrams (dose) or picomoles per liter (concentration), divided by micrograms (dose).	Picomole per Liter per Microgram
C119383	ug/mL/(ug/day)	mg/mL/(mg/day);ug/mL/(ug/day)	Milligrams per milliliter (concentration), divided by milligrams per day (daily dose) or micrograms per milliliter (concentration), divided by micrograms per day (daily dose).	Milligram per Milliliter per Milligram per Day
C105475	ug/mL/(ug/kg)	mg/mL/(mg/kg);ug/mL/(ug/kg)	Milligrams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram
C105476	ug/mL/(ug/kg/day)	mg/mL/(mg/kg/day);ug/mL/(ug/kg/day)	Milligrams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram Per Day
C119384	ug/mL/(ug/m2)	mg/mL/(mg/m2);ug/mL/(ug/m2)	Milligrams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared
C119385	ug/mL/(ug/m2/day)	mg/mL/(mg/m2/day);ug/mL/(ug/m2/day)	Milligrams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared per Day



**C128686 PKUDUG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119361	ug/mL/ug	g/mL/g;mg/mL/mg;ug/mL/ug	Grams per milliliter (concentration), divided by grams (weight) or milligrams per milliliter (concentration), divided by milligrams (dose) or micrograms per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Gram
C119397	uIU/mL/(ug/day)	mIU/mL/(mg/day);uIU/mL/(ug/day)	Milli-international units per milliliter (concentration), divided by milligrams per day (daily dose) or micro-international units per milliliter (concentration), divided by micrograms per day (daily dose).	Milli-International Unit per Milliliter per Milligram per Day
C119398	uIU/mL/(ug/kg)	mIU/mL/(mg/kg);uIU/mL/(ug/kg)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram
C119399	uIU/mL/(ug/kg/day)	mIU/mL/(mg/kg/day);uIU/mL/(ug/kg/day)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram per Day
C119400	uIU/mL/(ug/m2)	mIU/mL/(mg/m2);uIU/mL/(ug/m2)	Milli-international units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared
C119401	uIU/mL/(ug/m2/day)	mIU/mL/(mg/m2/day);uIU/mL/(ug/m2/day)	Milli-international units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared per Day
C119377	uIU/mL/ug	IU/mL/g;mIU/mL/mg;uIU/mL/ug	International units per milliliter (concentration), divided by grams (weight) or milli-international units per milliliter (concentration), divided by milligrams (dose) or micro-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Gram
C119413	umol/L/(ug/day)	mmol/L/(mg/day);umol/L/(ug/day)	Millimoles per liter (concentration), divided by milligrams per day (daily dose) or micromoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Milligram per Day

## C128686 PKUDUG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119414	umol/L/(ug/kg)	mmol/L/(mg/kg);umol/L/(ug/kg)	Millimoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram
C119415	umol/L/(ug/kg/day)	mmol/L/(mg/kg/day);umol/L/(ug/kg/day)	Millimoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram per Day
C119416	umol/L/(ug/m2)	mmol/L/(mg/m2);umol/L/(ug/m2)	Millimoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared
C119417	umol/L/(ug/m2/day)	mmol/L/(mg/m2/day);umol/L/(ug/m2/day)	Millimoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared per Day
C119426	umol/L/ug	mmol/L/mg;mol/L/g;umol/L/ug	Moles per liter (concentration), divided by grams (weight) or millimoles per liter (concentration), divided by milligrams (dose) or micromoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Milligram

## PKUNIT (PK Units of Measure)

NCI Code: C85494, Codelist extensible: Yes

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25613	%	Percentage	One hundred times the quotient of one quantity divided by another, with the same units of measurement.	Percentage
C120727	(L/day)/(kg/m <sup>2</sup> )		Liters per day (flow rate), divided by kilograms per meter squared (body mass index).	Liter per Day per Kilogram per Meter Squared
C120728	(L/day)/(mg/day)	(L/day)/(mg/day);(mL/day)/(ug/day)	Liters per day (flow rate), divided by milligrams per day (daily dose) or milliliters per day (flow rate), divided by micrograms per day (daily dose).	Liter per Day per Milligram per Day
C120729	(L/day)/(mg/kg)	(L/day)/(mg/kg);(mL/day)/(ug/kg)	Liters per day (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Day per Milligram per Kilogram
C120730	(L/day)/(mg/kg/day)	(L/day)/(mg/kg/day);(mL/day)/(ug/kg/day)	Liters per day (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per day (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Day per Milligram per Kilogram per Day
C120731	(L/day)/(mg/m <sup>2</sup> )	(L/day)/(mg/m <sup>2</sup> );(mL/day)/(ug/m <sup>2</sup> )	Liters per day (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Day per Milligram per Meter Squared
C120732	(L/day)/(mg/m <sup>2</sup> /day)	(L/day)/(mg/m <sup>2</sup> /day);(mL/day)/(ug/m <sup>2</sup> /day)	Liters per day (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per day (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Day per Milligram per Meter Squared per Day
C120733	(L/day)/(ug/day)		Liters per day (flow rate), divided by micrograms per day (daily dose).	Liter per Day per Microgram per Day
C120734	(L/day)/(ug/kg)		Liters per day (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Day per Microgram per Kilogram
C120735	(L/day)/(ug/kg/day)		Liters per day (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Day per Microgram per Kilogram per Day
C120736	(L/day)/(ug/m <sup>2</sup> )		Liters per day (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Day per Microgram per Meter Squared
C120737	(L/day)/(ug/m <sup>2</sup> /day)		Liters per day (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Day per Microgram per Meter Squared per Day
C85657	(L/day)/g	(L/day)/g;(mL/day)/mg	Liters per day (flow rate), divided by grams (weight) or milliliters per day (flow rate), divided by milligrams (dose).	Liter per Gram per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C73755	(L/day)/kg	(L/day)/kg;(mL/day)/g;mL/g/day	Milliliters per gram per day or liters per day (flow rate), divided by kilograms (weight) or milliliters per day (flow rate), divided by grams (weight).	Milliliter per Gram per Day
C120738	(L/day)/m2		Liters per day (flow rate), divided by meters squared (surface area).	Liter per Day per Meter Squared
C85672	(L/day)/mg	(L/day)/mg;(mL/day)/ug	Liters per day (flow rate), divided by milligrams (dose) or milliliters per day (flow rate), divided by micrograms (dose).	Liter per Milligram per Day
C85665	(L/day)/ug		Liters per day (flow rate), divided by micrograms (dose).	Liter per Microgram per Day
C120739	(L/h)/(kg/m2)		Liters per hour (flow rate), divided by kilograms per meter squared (body mass index).	Liter per Hour per Kilogram per Meter Squared
C120740	(L/h)/(mg/day)	(L/h)/(mg/day);(mL/h)/(ug/day)	Liters per hour (flow rate), divided by milligrams per day (daily dose) or milliliters per hour (flow rate), divided by micrograms per day (daily dose).	Liter per Hour per Milligram per Day
C120741	(L/h)/(mg/kg)	(L/h)/(mg/kg);(mL/h)/(ug/kg)	Liters per hour (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Hour per Milligram per Kilogram
C120742	(L/h)/(mg/kg/day)	(L/h)/(mg/kg/day);(mL/h)/(ug/kg/day)	Liters per hour (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per hour (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Hour per Milligram per Kilogram per Day
C120743	(L/h)/(mg/m2)	(L/h)/(mg/m2);(mL/h)/(ug/m2)	Liters per hour (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared
C120744	(L/h)/(mg/m2/day)	(L/h)/(mg/m2/day);(mL/h)/(ug/m2/day)	Liters per hour (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per hour (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Hour per Milligram per Meter Squared per Day
C120745	(L/h)/(ug/day)		Liters per hour (flow rate), divided by micrograms per day (daily dose).	Liter per Hour per Microgram per Day
C120746	(L/h)/(ug/kg)		Liters per hour (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Hour per Microgram per Kilogram
C120747	(L/h)/(ug/kg/day)		Liters per hour (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Hour per Microgram per Kilogram per Day
C120748	(L/h)/(ug/m2)		Liters per hour (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Hour per Microgram per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120749	(L/h)/(ug/m2/day)		Liters per hour (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Hour per Microgram per Meter Squared per Day
C85658	(L/h)/g	(L/h)/g;(mL/h)/mg	Liters per hour (flow rate), divided by grams (weight) or milliliters per hour (flow rate), divided by milligrams (dose).	Liter per Gram per Hour
C73756	(L/h)/kg	(L/h)/kg;(mL/h)/g;mL/g/h	Milliliters per gram per hour or liters per hour (flow rate), divided by kilograms (weight) or milliliters per hour (flow rate), divided by grams (weight).	Milliliter per Gram per Hour
C105494	(L/h)/m2	(L/h)/m2;L/h/m2	Liters per hour (flow rate), divided by meters squared (surface area).	Liter Per Hour Per Square Meter
C85673	(L/h)/mg	(L/h)/mg;(mL/h)/ug	Liters per hour (flow rate), divided by milligrams (dose) or milliliters per hour (flow rate), divided by micrograms (dose).	Liter per Milligram per Hour
C85662	(L/h)/ug		Liters per hour (flow rate), divided by micrograms (dose).	Liter per Microgram per Hour
C120750	(L/min)/(kg/m2)		Liters per minute (flow rate), divided by kilograms per meter squared (body mass index).	Liter per Minute per Kilogram per Meter Squared
C120751	(L/min)/(mg/day)	(L/min)/(mg/day);(mL/min)/(ug/day)	Liters per minute (flow rate), divided by milligrams per day (daily dose) or milliliters per minute (flow rate), divided by micrograms per day (daily dose).	Liter per Minute per Milligram per Day
C120752	(L/min)/(mg/kg)	(L/min)/(mg/kg);(mL/min)/(ug/kg)	Liters per minute (flow rate), divided by milligrams per kilogram (dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Minute per Milligram per Kilogram
C120753	(L/min)/(mg/kg/day)	(L/min)/(mg/kg/day);(mL/min)/(ug/kg/day)	Liters per minute (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters per minute (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Minute per Milligram per Kilogram per Day
C120754	(L/min)/(mg/m2)	(L/min)/(mg/m2);(mL/min)/(ug/m2)	Liters per minute (flow rate), divided by milligrams per meter squared (dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared
C120755	(L/min)/(mg/m2/day)	(L/min)/(mg/m2/day);(mL/min)/(ug/m2/day)	Liters per minute (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters per minute (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Minute per Milligram per Meter Squared per Day
C120756	(L/min)/(ug/day)		Liters per minute (flow rate), divided by micrograms per day (daily dose).	Liter per Minute per Microgram per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120757	(L/min)/(ug/kg)		Liters per minute (flow rate), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Minute per Microgram per Kilogram
C120758	(L/min)/(ug/kg/day)		Liters per minute (flow rate), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Minute per Microgram per Kilogram per Day
C120759	(L/min)/(ug/m2)		Liters per minute (flow rate), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Minute per Microgram per Meter Squared
C120760	(L/min)/(ug/m2/day)		Liters per minute (flow rate), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Minute per Microgram per Meter Squared per Day
C85659	(L/min)/g	(L/min)/g;(mL/min)/mg	Liters per minute (flow rate), divided by grams (weight) or milliliters per minute (flow rate), divided by milligrams (dose).	Liter per Gram per Minute
C73757	(L/min)/kg	(L/min)/kg;(mL/min)/g;mL/g/min	Milliliters per gram per minute or liters per minute (flow rate), divided by kilograms (weight) or milliliters per minute (flow rate), divided by grams (weight).	Milliliter per Gram per Minute
C105496	(L/min)/m2	(L/min)/m2;L/min/m2	Liters per minute (flow rate), divided by meters squared (surface area).	Liter Per Minute Per Square Meter
C85674	(L/min)/mg	(L/min)/mg;(mL/min)/ug	Liters per minute (flow rate), divided by milligrams (dose) or milliliters per minute (flow rate), divided by micrograms (dose).	Liter per Milligram per Minute
C85666	(L/min)/ug		Liters per minute (flow rate), divided by micrograms (dose).	Liter per Microgram per Minute
C120761	(mL/day)/(kg/m2)		Milliliters per day (flow rate), divided by kilograms per meter squared (body mass index).	Milliliter per Day per Kilogram per Meter Squared
C120762	(mL/day)/(mg/day)		Milliliters per day (flow rate), divided by milligrams per day (daily dose).	Milliliter per Day per Milligram per Day
C120763	(mL/day)/(mg/kg)		Milliliters per day (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Day per Milligram per Kilogram
C120764	(mL/day)/(mg/kg/day)		Milliliters per day (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Day per Milligram per Kilogram per Day
C120765	(mL/day)/(mg/m2)		Milliliters per day (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Day per Milligram per Meter Squared
C120766	(mL/day)/(mg/m2/day)		Milliliters per day (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Day per Milligram per Meter Squared per Day
C73758	(mL/day)/kg	(mL/day)/kg;mL/kg/day	Milliliters per kilogram per day or milliliters per day (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Day
C120773	(mL/day)/m2		Milliliters per day (flow rate), divided by meters squared (surface area).	Milliliter per Day per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C120776	(mL/h)/(kg/m2)		Milliliters per hour (flow rate), divided by kilograms per meter squared (body mass index).	Milliliter per Hour per Kilogram per Meter Squared
C120777	(mL/h)/(mg/day)		Milliliters per hour (flow rate), divided by milligrams per day (daily dose).	Milliliter per Hour per Milligram per Day
C120778	(mL/h)/(mg/kg)		Milliliters per hour (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Hour per Milligram per Kilogram
C120779	(mL/h)/(mg/kg/day)		Milliliters per hour (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Hour per Milligram per Kilogram per Day
C120780	(mL/h)/(mg/m2)		Milliliters per hour (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Hour per Milligram per Meter Squared
C120781	(mL/h)/(mg/m2/day)		Milliliters per hour (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Hour per Milligram per Meter Squared per Day
C73759	(mL/h)/kg	(mL/h)/kg;mL/kg/h	Milliliters per kilogram per hour or milliliters per hour (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Hour
C120788	(mL/h)/m2		Milliliters per hour (flow rate), divided by meters squared (surface area).	Milliliter per Hour per Meter Squared
C120791	(mL/min)/(kg/m2)		Milliliters per minute (flow rate), divided by kilograms per meter squared (body mass index).	Milliliter per Minute per Kilogram per Meter Squared
C120792	(mL/min)/(mg/day)		Milliliters per minute (flow rate), divided by milligrams per day (daily dose).	Milliliter per Minute per Milligram per Day
C120793	(mL/min)/(mg/kg)		Milliliters per minute (flow rate), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Minute per Milligram per Kilogram
C120794	(mL/min)/(mg/kg/day)		Milliliters per minute (flow rate), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Minute per Milligram per Kilogram per Day
C120795	(mL/min)/(mg/m2)		Milliliters per minute (flow rate), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Minute per Milligram per Meter Squared
C120796	(mL/min)/(mg/m2/day)		Milliliters per minute (flow rate), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Minute per Milligram per Meter Squared per Day
C73760	(mL/min)/kg	(mL/min)/kg;mL/kg/min	Milliliters per kilogram per minute or milliliters per minute (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Minute
C120803	(mL/min)/m2		Milliliters per minute (flow rate), divided by meters squared (surface area).	Milliliter per Minute per Meter Squared
C25473	/day	Daily	A rate of occurrences within a period of time equal to one day.	Daily

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C66966	/h	Per Hour	A rate of occurrences within a period of time equal to one hour.	Per Hour
C66967	/min		A rate of occurrences within a period of time equal to one minute.	Per Minute
C25301	day		A unit of measurement of time equal to 24 hours.	Day
C85583	day*fg/mL		Days times femtograms per milliliter (area under the curve).	Day Times Femtogram per Milliliter
C111167	day*fg/mL/(kg/m2)		Days times femtograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Femtogram per Milliliter per Kilogram per Meter Squared
C117894	day*fg/mL/(mg/g)		Days times femtograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Femtogram Per Milliliter Per Milligram Per Gram
C117895	day*fg/mL/(mg/g/day)		Days times femtograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Femtogram Per Milliliter Per Milligram Per Gram Per Day
C112244	day*fg/mL/g	day*fg/mL/g;day*pg/mL/kg	Days times picograms per milliliter (area under the curve), divided by kilograms (weight) or days times femtograms per milliliter (area under the curve), divided by grams (weight).	Day Times Femtogram Per Milliliter Per Gram
C112245	day*fg/mL/kg		Days times femtograms per milliliter (area under the curve), divided by kilograms (weight).	Day Times Femtogram Per Milliliter Per Kilogram
C111168	day*fg/mL/m2		Days times femtograms per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Femtogram per Milliliter per Meter Squared
C85584	day*g/mL		Days times grams per milliliter (area under the curve).	Day Times Gram per Milliliter
C111169	day*g/mL/(kg/m2)		Days times grams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Gram per Milliliter per Kilogram per Meter Squared
C117896	day*g/mL/(mg/g)		Days times grams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times gram Per Milliliter Per Milligram Per Gram
C117897	day*g/mL/(mg/g/day)		Days times grams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times gram Per Milliliter Per Milligram Per Gram Per Day
C112246	day*g/mL/g		Days times grams per milliliter (area under the curve), divided by grams (weight).	Day Times Gram Per Milliliter Per Gram



C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112247	day*g/mL/kg	day*g/mL/kg;day*mg/mL/g;day*ng/mL/ug;day*ug/mL/mg	Days times grams per milliliter (area under the curve), divided by kilograms (weight); or days times milligrams per milliliter (area under the curve), divided by grams (weight); or days times micrograms per milliliter (area under the curve), divided by milligrams (dose); or days times nanograms per milliliter (area under the curve), divided by micrograms (dose).	Day Times Gram Per Milliliter Per Kilogram
C111170	day*g/mL/m2		Days times grams per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Gram per Milliliter per Meter Squared
C85588	day*mg/mL		Days times milligrams per milliliter (area under the curve).	Day Times Milligram per Milliliter
C111175	day*mg/mL/(kg/m2)		Days times milligrams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Milligram per Milliliter per Kilogram per Meter Squared
C117898	day*mg/mL/(mg/g)		Days times milligrams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Milligram Per Milliliter Per Milligram Per Gram
C117899	day*mg/mL/(mg/g/day)		Days times milligrams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Milligram Per Milliliter Per Milligram Per Gram Per Day
C111176	day*mg/mL/m2		Days times milligrams per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Milligram per Milliliter per Meter Squared
C85587	day*mmol/L		Days times millimoles per liter (area under the curve).	Day Times Micromole per Milliliter
C111177	day*mmol/L/(kg/m2)		Days times millimoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Millimole per Liter per Kilogram per Meter Squared
C117900	day*mmol/L/(mg/g)		Days times millimoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Millimole Per Liter Per Milligram Per Gram
C117901	day*mmol/L/(mg/g/day)		Days times millimoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Millimole Per Liter Per Milligram Per Gram Per Day
C112254	day*mmol/L/g	day*mmol/L/g;day*mol/L/kg	Days times moles per liter (area under the curve), divided by kilograms (weight) or days times millimoles per liter (area under the curve), divided by grams (weight).	Day Times Millimole Per Liter Per Gram
C111178	day*mmol/L/m2		Days times millimoles per liter (area under the curve), divided by meters squared (surface area).	Day Times Millimole per Liter per Meter Squared
C85589	day*mol/L		Days times moles per liter (area under the curve).	Day Times Millimole per Milliliter
C111179	day*mol/L/(kg/m2)		Days times moles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Mole per Liter per Kilogram per Meter Squared

**C85494 PKUNIT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117902	day*mol/L/(mg/g)		Days times moles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times mole Per Liter Per Milligram Per Gram
C117903	day*mol/L/(mg/g/day)		Days times moles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times mole Per Liter Per Milligram Per Gram Per Day
C112256	day*mol/L/g		Days times moles per liter (area under the curve), divided by grams (weight).	Day Times Mole Per Liter Per Gram
C111180	day*mol/L/m2		Days times moles per liter (area under the curve), divided by meters squared (surface area).	Day Times Mole per Liter per Meter Squared
C85591	day*ng/mL		Days times nanograms per milliliter (area under the curve).	Day Times Nanogram per Milliliter
C111181	day*ng/mL/(kg/m2)		Days times nanograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Nanogram per Milliliter per Kilogram per Meter Squared
C117904	day*ng/mL/(mg/g)		Days times nanograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Nanogram Per Milliliter Per Milligram Per Gram
C117905	day*ng/mL/(mg/g/day)		Days times nanograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Nanogram Per Milliliter Per Milligram Per Gram Per Day
C112259	day*ng/mL/kg	day*ng/mL/kg;day*pg/mL/g	Days times nanograms per milliliter (area under the curve), divided by kilograms (weight) or days times picograms per milliliter (area under the curve), divided by grams (weight).	Day Times Nanogram Per Milliliter Per Kilogram
C111182	day*ng/mL/m2		Days times nanograms per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Nanogram per Milliliter per Meter Squared
C85594	day*nmol/L		Days times nanomoles per liter (area under the curve).	Day Times Picomole per Milliliter
C111183	day*nmol/L/(kg/m2)		Days times nanomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Nanomole per Liter per Kilogram per Meter Squared
C117906	day*nmol/L/(mg/g)		Days times nanomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Nanomole Per Liter Per Milligram Per Gram
C117907	day*nmol/L/(mg/g/day)		Days times nanomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Nanomole Per Liter Per Milligram Per Gram Per Day
C112261	day*nmol/L/kg	day*nmol/L/kg;day*pmol/L/g	Days times nanomoles per liter (area under the curve), divided by kilograms (weight) or days times picomoles per liter (area under the curve), divided by grams (weight).	Day Times Nanomole Per Liter Per Kilogram
C111184	day*nmol/L/m2		Days times nanomoles per liter (area under the curve), divided by meters squared (surface area).	Day Times Nanomole per Liter per Meter Squared

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85593	day*pg/mL		Days times picograms per milliliter (area under the curve).	Day Times Picogram per Milliliter
C111185	day*pg/mL/(kg/m2)		Days times picograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Picogram per Milliliter per Kilogram per Meter Squared
C117908	day*pg/mL/(mg/g)		Days times picograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Picogram Per Milliliter Per Milligram Per Gram
C117909	day*pg/mL/(mg/g/day)		Days times picograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Picogram Per Milliliter Per Milligram Per Gram Per Day
C111186	day*pg/mL/m2		Days times picograms per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Picogram per Milliliter per Meter Squared
C111187	day*pmol/L		Days times picomoles per liter (area under the curve).	Day Times Picomole per Liter
C111188	day*pmol/L/(kg/m2)		Days times picomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Picomole per Liter per Kilogram per Meter Squared
C117910	day*pmol/L/(mg/g)		Days times picomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Picomole Per Liter Per Milligram Per Gram
C117911	day*pmol/L/(mg/g/day)		Days times picomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Picomole Per Liter Per Milligram Per Gram Per Day
C112265	day*pmol/L/kg		Days times picomoles per liter (area under the curve), divided by kilograms (weight).	Day Times Picomole Per Liter Per Kilogram
C111189	day*pmol/L/m2		Days times picomoles per liter (area under the curve), divided by meters squared (surface area).	Day Times Picomole per Liter per Meter Squared
C85586	day*ug/mL		Days times micrograms per milliliter (area under the curve).	Day Times Microgram per Milliliter
C111171	day*ug/mL/(kg/m2)		Days times micrograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Microgram per Milliliter per Kilogram per Meter Squared
C117912	day*ug/mL/(mg/g)		Days times micrograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Microgram Per Milliliter Per Milligram Per Gram
C117913	day*ug/mL/(mg/g/day)		Days times micrograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Microgram Per Milliliter Per Milligram Per Gram Per Day
C112248	day*ug/mL/g	day*mg/mL/kg;day*ug/mL/g	Days times milligrams per milliliter (area under the curve), divided by kilograms (weight) or days times micrograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Gram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112249	day*ug/mL/kg	day*ng/mL/g;day*ug/mL/kg	Days times micrograms per milliliter (area under the curve), divided by kilograms (weight) or days times nanograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Kilogram
C111172	day*ug/mL/m2		Days times micrograms per milliliter (area under the curve), divided by meters squared (surface area).	Day Times Microgram per Milliliter per Meter Squared
C85592	day*umol/L		Days times micromoles per liter (area under the curve).	Day Times Nanomole per Milliliter
C111173	day*umol/L/(kg/m2)		Days times micromoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Day Times Micromole per Liter per Kilogram per Meter Squared
C117914	day*umol/L/(mg/g)		Days times micromoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Day Times Micromole Per Liter Per Milligram Per Gram
C117915	day*umol/L/(mg/g/day)		Days times micromoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Day Times Micromole Per Liter Per Milligram Per Gram Per Day
C112250	day*umol/L/g	day*mmol/L/kg;day*umol/L/g	Days times millimoles per liter (area under the curve), divided by kilograms (weight) or days times micromoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Gram
C112251	day*umol/L/kg	day*nmol/L/g;day*umol/L/kg	Days times micromoles per liter (area under the curve), divided by kilograms (weight) or days times nanomoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Kilogram
C111174	day*umol/L/m2		Days times micromoles per liter (area under the curve), divided by meters squared (surface area).	Day Times Micromole per Liter per Meter Squared
C85597	fg/mL	fg/mL;pg/L	A unit of concentration or mass density equal to one femtogram of substance per milliliter of solution or one picogram of substance per liter of solution.	Femtogram per Milliliter
C119336	fg/mL/(kg/m2)		Femtograms per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Femtogram per Milliliter per Kilogram per Meter Squared
C119337	fg/mL/(mg/day)		Femtograms per milliliter (concentration), divided by milligrams per day (daily dose).	Femtogram per Milliliter per Milligram per Day
C119338	fg/mL/(mg/kg)		Femtograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Femtogram per Milliliter per Milligram per Kilogram
C119339	fg/mL/(mg/kg/day)		Femtograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Femtogram per Milliliter per Milligram per Kilogram per Day
C119340	fg/mL/(mg/m2)		Femtograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Femtogram per Milliliter per Milligram per Meter Squared

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119341	fg/mL/(mg/m2/day)		Femtograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Femtogram per Milliliter per Milligram per Meter Squared per Day
C119342	fg/mL/(ug/day)	fg/mL/(ug/day);pg/mL/(mg/day)	Picograms per milliliter (concentration), divided by milligrams per day (daily dose) or femtograms per milliliter (concentration), divided by micrograms per day (daily dose).	Femtogram per Milliliter per Microgram per Day
C119345	fg/mL/(ug/m2)	fg/mL/(ug/m2);pg/mL/(mg/m2)	Picograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared
C119346	fg/mL/(ug/m2/day)	fg/mL/(ug/m2/day);pg/mL/(mg/m2/day)	Picograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or femtograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Femtogram per Milliliter per Microgram per Meter Squared per Day
C119347	fg/mL/g	fg/mL/g;pg/mL/kg	Picograms per milliliter (concentration), divided by kilograms (weight) or femtograms per milliliter (concentration), divided by grams (weight).	Femtogram per Milliliter per Gram
C119348	fg/mL/kg		Femtograms per milliliter (concentration), divided by kilograms (weight).	Femtogram per Milliliter per Kilogram
C119349	fg/mL/m2		Femtograms per milliliter (concentration), divided by meters squared (surface area).	Femtogram per Milliliter per Meter Squared
C119351	fg/mL/ug	fg/mL/ug;ng/mL/g;pg/mL/mg;ug/mL/kg	Micrograms per milliliter (concentration), divided by kilograms (weight) or nanograms per milliliter (concentration), divided by grams (weight) or picograms per milliliter (concentration), divided by milligrams (dose) or femtograms per milliliter (concentration), divided by micrograms (dose).	Femtogram per Milliliter per Microgram
C48155	g	Gram	A unit of mass equal to one thousandth (1E-3) of a kilogram, the kilogram being the base unit of mass in the International System of Units (SI).	Gram
C67372	g/day	g/24h	A unit of mass flow rate equal to one gram per day.	Gram per 24 Hours
C85601	g/h		A unit of mass flow rate or dose administration rate equal to one gram per hour.	Gram per Hour
C85602	g/min		A unit of mass flow rate or dose administration rate equal to one gram per minute.	Gram per Minute
C64566	g/mL	Gram per Milliliter;Kilogram per Liter;g/mL;gram/mL;kg/L;mg/uL	A unit of concentration or mass density equal to one gram of substance per milliliter of solution or one kilogram of substance per liter of solution.	Kilogram per Liter

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119352	g/mL/(kg/m2)		Grams per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Gram per Milliliter per Kilogram per Meter Squared
C119353	g/mL/(mg/day)	g/mL/(mg/day);mg/mL/(ug/day)	Grams per milliliter (concentration), divided by milligrams per day (daily dose) or milligrams per milliliter (concentration), divided by micrograms per day (daily dose).	Gram per Milliliter per Milligram per Day
C105462	g/mL/(mg/kg)	g/mL/(mg/kg);mg/mL/(ug/kg)	Grams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram
C105463	g/mL/(mg/kg/day)	g/mL/(mg/kg/day);mg/mL/(ug/kg/day)	Grams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milligrams per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Gram Per Milliliter Per Milligram Per Kilogram Per Day
C119354	g/mL/(mg/m2)	g/mL/(mg/m2);mg/mL/(ug/m2)	Grams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared
C119355	g/mL/(mg/m2/day)	g/mL/(mg/m2/day);mg/mL/(ug/m2/day)	Grams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milligrams per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Gram per Milliliter per Milligram per Meter Squared per Day
C119356	g/mL/(ug/day)		Grams per milliliter (concentration), divided by micrograms per day (daily dose).	Gram per Milliliter per Microgram per Day
C119357	g/mL/(ug/kg)		Grams per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Gram per Milliliter per Microgram per Kilogram
C119358	g/mL/(ug/kg/day)		Grams per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Gram per Milliliter per Microgram per Kilogram per Day
C119359	g/mL/(ug/m2)		Grams per milliliter (concentration), divided by micrograms per meter squared (dose normalized by body weight).	Gram per Milliliter per Microgram per Meter Squared
C119360	g/mL/(ug/m2/day)		Grams per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Gram per Milliliter per Microgram per Meter Squared per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119361	g/mL/g	g/mL/g;mg/mL/mg;ug/mL/ug	Grams per milliliter (concentration), divided by grams (weight) or milligrams per milliliter (concentration), divided by milligrams (dose) or micrograms per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Gram
C119363	g/mL/m2		Grams per milliliter (concentration), divided by meters squared (surface area).	Gram per Milliliter per Meter Squared
C119364	g/mL/mg	g/mL/mg;mg/mL/ug	Grams per milliliter (concentration), divided by milligrams (dose) or milligrams per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Milligram
C119365	g/mL/ug		Grams per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Microgram
C25529	h	Hours;h;hr	A unit of measurement of time equal to 60 minutes.	Hour
C85611	h*fg/mL		Hours times femtograms per milliliter (area under the curve).	Hour Times Femtogram per Milliliter
C111210	h*fg/mL/(kg/m2)		Hours times femtograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Femtogram per Milliliter per Kilogram per Meter Squared
C117916	h*fg/mL/(mg/g)		Hours times femtograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Femtogram Per Milliliter Per Milligram Per Gram
C117917	h*fg/mL/(mg/g/day)		Hours times femtograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Femtogram Per Milliliter Per Milligram Per Gram Per Day
C112299	h*fg/mL/kg		Hours times femtograms per milliliter (area under the curve), divided by kilograms (weight).	Hour Times Femtogram Per Milliliter Per Kilogram
C111211	h*fg/mL/m2		Hours times femtograms per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Femtogram per Milliliter per Meter Squared
C85613	h*g/mL		Hours times grams per milliliter (area under the curve).	Hour Times Gram per Milliliter
C111212	h*g/mL/(kg/m2)		Hours times grams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Gram per Milliliter per Kilogram per Meter Squared
C117918	h*g/mL/(mg/g)		Hours times grams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times gram Per Milliliter Per Milligram Per Gram
C117919	h*g/mL/(mg/g/day)		Hours times grams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times gram Per Milliliter Per Milligram Per Gram Per Day
C105464	h*g/mL/(mg/kg)		Hours times grams per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Gram Per Milliliter Per Milligram Per Kilogram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105465	h*g/mL/(mg/kg/day)		Hours times grams per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Gram Per Milliliter Per Milligram Per Kilogram Per Day
C112300	h*g/mL/g		Hours times grams per milliliter (area under the curve), divided by grams (weight).	Hour Times Gram Per Milliliter Per Gram
C111213	h*g/mL/m2		Hours times grams per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Gram per Milliliter per Meter Squared
C85621	h*mg/mL		Hours times milligrams per milliliter (area under the curve).	Hour Times Milligram per Milliliter
C111218	h*mg/mL/(kg/m2)		Hours times milligrams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Milligram per Milliliter per Kilogram per Meter Squared
C117920	h*mg/mL/(mg/g)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Gram
C117921	h*mg/mL/(mg/g/day)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Gram Per Day
C105468	h*mg/mL/(mg/kg)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Kilogram
C105469	h*mg/mL/(mg/kg/day)		Hours times milligrams per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Milligram Per Milliliter Per Milligram Per Kilogram Per Day
C111219	h*mg/mL/m2		Hours times milligrams per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Milligram per Milliliter per Meter Squared
C85618	h*mmol/L		Hours times millimoles per liter (area under the curve).	Hour Times Micromole per Milliliter
C111220	h*mmol/L/(kg/m2)		Hours times millimoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Millimole per Liter per Kilogram per Meter Squared
C117922	h*mmol/L/(mg/g)		Hours times millimoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Millimole Per Liter Per Milligram Per Gram
C117923	h*mmol/L/(mg/g/day)		Hours times millimoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Millimole Per Liter Per Milligram Per Gram Per Day
C106530	h*mmol/L/g	h*mmol/L/g;h*mol/L/kg	Hours times moles per liter (area under the curve), divided by kilograms (weight) or hours times millimoles per liter (area under the curve), divided by grams (weight).	Hour times Millimole Per Liter Per Gram



<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112307	h*mmol/L/kg	h*mmol/L/kg;h*nmol/L/mg;h*pmol/L/ug;h*umol/L/g	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Millimole Per Liter Per Kilogram
C111221	h*mmol/L/m2		Hours times millimoles per liter (area under the curve), divided by meters squared (surface area).	Hour Times Millimole per Liter per Meter Squared
C85622	h*mol/L		Hours times moles per liter (area under the curve).	Hour Times Millimole per Milliliter
C111222	h*mol/L/(kg/m2)		Hours times moles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Mole per Liter per Kilogram per Meter Squared
C117924	h*mol/L/(mg/g)		Hours times moles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times mole Per Liter Per Milligram Per Gram
C117925	h*mol/L/(mg/g/day)		Hours times moles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times mole Per Liter Per Milligram Per Gram Per Day
C106531	h*mol/L/g	h*mmol/L/mg;h*mol/L/g;h*umol/L/ug	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour times Mole Per Liter Per Gram
C111223	h*mol/L/m2		Hours times moles per liter (area under the curve), divided by meters squared (surface area).	Hour Times Mole per Liter per Meter Squared
C85624	h*ng/mL		Hours times nanograms per milliliter (area under the curve).	Hour Times Nanogram per Milliliter
C111224	h*ng/mL/(kg/m2)		Hours times nanograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Nanogram per Milliliter per Kilogram per Meter Squared
C117926	h*ng/mL/(mg/g)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Nanogram Per Milliliter Per Milligram Per Gram
C117927	h*ng/mL/(mg/g/day)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Nanogram Per Milliliter Per Milligram Per Gram Per Day
C85628	h*ng/mL/(mg/kg)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Nanogram per Milliliter per Milligram per Kilogram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105470	h*ng/mL/(mg/kg/day)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Nanogram Per Milliliter Per Milligram Per Kilogram Per Day
C85629	h*ng/mL/(mg/m2)		Hours times nanograms per milliliter (area under the curve), divided by milligrams per meter squared (dose normalized by surface area).	Hour Times Nanogram per Milliliter per Milligram per Meter Squared
C85625	h*ng/mL/g	h*ng/mL/g;h*pg/mL/mg;h*ug/mL/kg	Hours times micrograms per milliliter (area under the curve), divided by kilograms (weight) or hours times nanograms per milliliter (area under the curve), divided by grams (weight) or hours times picograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Gram
C85626	h*ng/mL/kg	h*ng/mL/kg;h*pg/mL/g	Hours times nanograms per milliliter (area under the curve), divided by kilograms (weight) or hours times picograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Nanogram per Milliliter per Kilogram
C111225	h*ng/mL/m2		Hours times nanograms per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Nanogram per Milliliter per Meter Squared
C85627	h*ng/mL/mg	h*mg/mL/kg;h*ng/mL/mg;h*ug/mL/g	Hours times milligrams per milliliter (area under the curve), divided by kilograms (weight) or hours times micrograms per milliliter (area under the curve), divided by grams (weight) or hours times nanograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Milligram
C85640	h*nmol/L		Hours times nanomoles per liter (area under the curve).	Hour Times Picomole per Milliliter
C111226	h*nmol/L/(kg/m2)		Hours times nanomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Nanomole per Liter per Kilogram per Meter Squared
C117928	h*nmol/L/(mg/g)		Hours times nanomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Nanomole Per Liter Per Milligram Per Gram
C117929	h*nmol/L/(mg/g/day)		Hours times nanomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Nanomole Per Liter Per Milligram Per Gram Per Day
C111227	h*nmol/L/m2		Hours times nanomoles per liter (area under the curve), divided by meters squared (surface area).	Hour Times Nanomole per Liter per Meter Squared
C85635	h*pg/mL		Hours times picograms per milliliter (area under the curve).	Hour Times Picogram per Milliliter
C111228	h*pg/mL/(kg/m2)		Hours times picograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Picogram per Milliliter per Kilogram per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117930	h*pg/mL/(mg/g)		Hours times picograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Gram
C117931	h*pg/mL/(mg/g/day)		Hours times picograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Gram Per Day
C105471	h*pg/mL/(mg/kg)		Hours times picograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Kilogram
C105472	h*pg/mL/(mg/kg/day)		Hours times picograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Picogram Per Milliliter Per Milligram Per Kilogram Per Day
C85636	h*pg/mL/kg	h*fg/mL/g;h*pg/mL/kg	Hours times picograms per milliliter (area under the curve), divided by kilograms (weight) or hours times femtograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Picogram per Milliliter per Kilogram
C111229	h*pg/mL/m2		Hours times picograms per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Picogram per Milliliter per Meter Squared
C85612	h*pmol/L		Hours times picomoles per liter (area under the curve).	Hour Times Femtomole per Milliliter
C111230	h*pmol/L/(kg/m2)		Hours times picomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Picomole per Liter per Kilogram per Meter Squared
C117932	h*pmol/L/(mg/g)		Hours times picomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Picomole Per Liter Per Milligram Per Gram
C117933	h*pmol/L/(mg/g/day)		Hours times picomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Picomole Per Liter Per Milligram Per Gram Per Day
C106532	h*pmol/L/g	h*nmol/L/kg;h*pmol/L/g	Hours times nanomoles per liter (area under the curve), divided by kilograms (weight) or hours times picomoles per liter (area under the curve), divided by grams (weight).	Hour times Picomole Per Liter Per Gram
C112311	h*pmol/L/kg		Hours times picomoles per liter (area under the curve), divided by kilograms (weight).	Hour Times Picomole Per Liter Per Kilogram
C111231	h*pmol/L/m2		Hours times picomoles per liter (area under the curve), divided by meters squared (surface area).	Hour Times Picomole per Liter per Meter Squared
C85615	h*ug/mL		Hours times micrograms per milliliter (area under the curve).	Hour Times Microgram per Milliliter
C111214	h*ug/mL/(kg/m2)		Hours times micrograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Microgram per Milliliter per Kilogram per Meter Squared

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117934	h*ug/mL/(mg/g)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Gram
C117935	h*ug/mL/(mg/g/day)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Gram Per Day
C105466	h*ug/mL/(mg/kg)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per kilogram (dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Kilogram
C105467	h*ug/mL/(mg/kg/day)		Hours times micrograms per milliliter (area under the curve), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Hour Times Microgram Per Milliliter Per Milligram Per Kilogram Per Day
C111215	h*ug/mL/m2		Hours times micrograms per milliliter (area under the curve), divided by meters squared (surface area).	Hour Times Microgram per Milliliter per Meter Squared
C85617	h*ug/mL/mg	h*g/mL/kg;h*mg/mL/g;h*ug/mL/mg	Hours times grams per milliliter (area under the curve), divided by kilograms (weight) or hours times milligrams per milliliter (area under the curve), divided by grams (weight) or hours times micrograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Microgram per Milliliter per Milligram
C85632	h*umol/L		Hours times micromoles per liter (area under the curve).	Hour Times Nanomole per Milliliter
C111216	h*umol/L/(kg/m2)		Hours times micromoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Hour Times Micromole per Liter per Kilogram per Meter Squared
C117936	h*umol/L/(mg/g)		Hours times micromoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Hour Times Micromole Per Liter Per Milligram Per Gram
C117937	h*umol/L/(mg/g/day)		Hours times micromoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Hour Times Micromole Per Liter Per Milligram Per Gram Per Day
C112304	h*umol/L/kg	h*nmol/L/g;h*umol/L/kg	Hours times micromoles per liter (area under the curve), divided by kilograms (weight) or hours times nanomoles per liter (area under the curve), divided by grams (weight).	Hour Times Micromole Per Liter Per Kilogram
C111217	h*umol/L/m2		Hours times micromoles per liter (area under the curve), divided by meters squared (surface area).	Hour Times Micromole per Liter per Meter Squared
C85606	h2*mg/mL	h*h*mg/mL;h2*g/L;h2*ug/uL;h^2*mg/mL;mg*h2/mL	Hours squared times milligrams per milliliter.	Hour Squared Times Milligram per Milliliter
C85605	h2*mmol/L		Hours squared times millimoles per liter (area under the moment curve).	Hour Squared Times Micromole per Milliliter
C85607	h2*mol/L		Hours squared times moles per liter (area under the moment curve).	Hour Squared Times Millimole per Milliliter

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85608	h2*ng/mL	h*h*ng/mL;h2*ug/L;h^2*ng/mL;ng*h2/mL	Hours squared times nanograms per milliliter.	Hour Squared Times Nanogram per Milliliter
C85610	h2*nmol/L		Hours squared times nanomoles per liter (area under the moment curve).	Hour Squared Times Picomole per Milliliter
C85609	h2*pg/mL	h*h*pg/mL;h2*ng/L;h^2*pg/mL;pg*h2/mL	Hours squared times picogram per milliliter.	Hour Squared Times Picogram per Milliliter
C106529	h2*pmol/L		Hours squared times picomoles per liter (area under the moment curve).	Hour Squared Times Picomole Per Liter
C85604	h2*ug/mL	h*h*ug/mL;h2*mcg/mL;h2*mg/L;h^2*ug/mL;ug*h2/mL	Hours squared times micrograms per milliliter.	Hour Squared Times Microgram per Milliliter
C106528	h2*umol/L		Hours squared times micromoles per liter (area under the moment curve).	Hour Squared Times Micromole Per Liter
C85645	IU/day		A unit of substance (biologic activity) flow rate equal to one international unit per day.	International Unit per Day
C85646	IU/h	IU/h	A unit of substance (biologic activity) flow rate equal to one international unit per hour.	International Unit per Hour
C85647	IU/min	IU/min	A unit of substance (biologic activity) flow rate equal to one international unit per minute.	International Unit per Minute
C67377	IU/mL	IE/mL;International Unit per Milliliter;Kilo International Unit per Liter;kIU/L	A unit of concentration (biologic activity) equal to one international unit of substance per milliliter of solution.	International Unit per Milliliter
C119366	IU/mL/(kg/m2)		International units per milliliter (concentration), divided by kilograms per meter squared (body mass index).	International Unit per Milliliter per Kilogram per Meter Squared
C119367	IU/mL/(mg/day)	IU/mL/(mg/day);mIU/mL/(ug/day)	International units per milliliter (concentration), divided by milligrams per day (daily dose) or milli-international units per milliliter (concentration), divided by micrograms per day (daily dose).	International Unit per Milliliter per Milligram per Day
C119368	IU/mL/(mg/kg)	IU/mL/(mg/kg);mIU/mL/(ug/kg)	International units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram
C119369	IU/mL/(mg/kg/day)	IU/mL/(mg/kg/day);mIU/mL/(ug/kg/day)	International units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milli-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	International Unit per Milliliter per Milligram per Kilogram per Day
C119370	IU/mL/(mg/m2)	IU/mL/(mg/m2);mIU/mL/(ug/m2)	International units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119371	IU/mL/(mg/m2/day)	IU/mL/(mg/m2/day);mIU/mL/(ug/m2/day)	International units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milli-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	International Unit per Milliliter per Milligram per Meter Squared per Day
C119372	IU/mL/(ug/day)		International units per milliliter (concentration), divided by micrograms per day (daily dose).	International Unit per Milliliter per Microgram per Day
C119373	IU/mL/(ug/kg)		International units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	International Unit per Milliliter per Microgram per Kilogram
C119374	IU/mL/(ug/kg/day)		International units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	International Unit per Milliliter per Microgram per Kilogram per Day
C119375	IU/mL/(ug/m2)		International units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	International Unit per Milliliter per Microgram per Meter Squared
C119376	IU/mL/(ug/m2/day)		International units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	International Unit per Milliliter per Microgram per Meter Squared per Day
C119377	IU/mL/g	IU/mL/g;mIU/mL/mg;uIU/mL/ug	International units per milliliter (concentration), divided by grams (weight) or milli-international units per milliliter (concentration), divided by milligrams (dose) or micro-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Gram
C119378	IU/mL/kg	IU/mL/kg;mIU/mL/g;uIU/mL/mg	International units per milliliter (concentration), divided by kilograms (weight) or milli-international units per milliliter (concentration), divided by grams (weight) or micro-international units per milliliter (concentration), divided by milligrams (dose).	International Unit per Milliliter per Kilogram
C119379	IU/mL/m2		International units per milliliter (concentration), divided by meters squared (surface area).	International Unit per Milliliter per Meter Squared
C119380	IU/mL/mg	IU/mL/mg;mIU/mL/ug	International units per milliliter (concentration), divided by milligrams (dose) or milli-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Milligram
C119381	IU/mL/ug		International units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Microgram
C48505	L	Liter	A unit of volume equal to one thousandth (1E-3) of a cubic meter, the cubic meter being the standard derived unit of volume in the International System of Units (SI).	Liter
C120806	L/(kg/m2)		Liters (volume), divided by kilograms per meter squared (body mass index).	Liter per Kilogram per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123561	L/(mg/day)	mL/(ug/day)	Liters (volume), divided by milligrams per day (daily dose).	Liter Divided by Milligram Per Day
C120807	L/(mg/kg)		Liters (volume), divided by milligrams per kilogram (dose normalized by body weight).	Liter per Milligram per Kilogram
C120808	L/(mg/kg/day)	L/(mg/kg/day);mL/(ug/kg/day)	Liters (volume), divided by milligrams per kilogram per day (daily dose normalized by body weight) or milliliters (volume), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Milligram per Kilogram per Day
C123562	L/(mg/m2)	mL/(ug/m2)	Liters (volume), divided by milligrams per meter squared (dose normalized by surface area).	Liter Divided by Milligram per Meter Squared
C120809	L/(mg/m2/day)	L/(mg/m2/day);mL/(ug/m2/day)	Liters (volume), divided by milligrams per meter squared per day (daily dose normalized by surface area) or milliliters (volume), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Milligram per Meter Squared per Day
C123563	L/(ug/day)		Liters (volume), divided by micrograms per day (daily dose).	Liter Divided by Microgram per Day
C120810	L/(ug/kg)		Liters (volume), divided by micrograms per kilogram (dose normalized by body weight).	Liter per Microgram per Kilogram
C120811	L/(ug/kg/day)		Liters (volume), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Liter per Microgram per Kilogram per Day
C120812	L/(ug/m2)		Liters (volume), divided by micrograms per meter squared (dose normalized by surface area).	Liter per Microgram per Meter Squared
C120813	L/(ug/m2/day)		Liters (volume), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Liter per Microgram per Meter Squared per Day
C69110	L/day		A unit of flow rate equal to one liter per day.	Liter per Day
C69160	L/h		A unit of flow rate equal to one liter per hour.	Liter per Hour
C73725	L/kg	L/kg;mL/g	Liters (volume) divided by kilograms (weight) or milliliters (volume), divided by grams (weight).	Liter per Kilogram
C120814	L/m2		Liters (volume), divided by meters squared (surface area).	Liter per Meter Squared
C124417	L/mg	L/mg;mL/ug	Liters (volume), divided by milligrams (dose) or milliliters (volume), divided by micrograms (dose).	Liter per Milligram
C67388	L/min		A unit of flow rate equal to one liter per minute.	Liter per Minute
C120815	L/ug		Liters (volume), divided by micrograms (dose).	Liter per Microgram
C28253	mg	Milligram	A unit of mass equal to one thousandth (1E-3) of a gram.	Milligram
C67399	mg/day		A unit of mass flow rate equal to one milligram per day.	Milligram per 24 Hours

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C66969	mg/h		A unit of mass flow rate equal to one milligram per hour.	Milligram per Hour
C73742	mg/min		A unit of mass flow rate equal to one milligram per minute.	Milligram per Minute
C42576	mg/mL	Gram per Liter;Kilogram per Cubic Meter;Microgram per Microliter;Milligram per Milliliter;g/L;kg/m <sup>3</sup> ;mg/mL;ug/uL	A unit of concentration or mass density equal to one milligram of substance per milliliter of solution or one gram of substance per liter of solution.	Kilogram per Cubic Meter
C119382	mg/mL/(kg/m <sup>2</sup> )		Milligrams per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Milligram per Milliliter per Kilogram per Meter Squared
C119383	mg/mL/(mg/day)	mg/mL/(mg/day);ug/mL/(ug/day)	Milligrams per milliliter (concentration), divided by milligrams per day (daily dose) or micrograms per milliliter (concentration), divided by micrograms per day (daily dose).	Milligram per Milliliter per Milligram per Day
C105475	mg/mL/(mg/kg)	mg/mL/(mg/kg);ug/mL/(ug/kg)	Milligrams per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram
C105476	mg/mL/(mg/kg/day)	mg/mL/(mg/kg/day);ug/mL/(ug/kg/day)	Milligrams per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micrograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milligram Per Milliliter Per Milligram Per Kilogram Per Day
C119384	mg/mL/(mg/m <sup>2</sup> )	mg/mL/(mg/m <sup>2</sup> );ug/mL/(ug/m <sup>2</sup> )	Milligrams per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared
C119385	mg/mL/(mg/m <sup>2</sup> /day)	mg/mL/(mg/m <sup>2</sup> /day);ug/mL/(ug/m <sup>2</sup> /day)	Milligrams per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micrograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milligram per Milliliter per Milligram per Meter Squared per Day
C119393	mg/mL/m <sup>2</sup>		Milligrams per milliliter (concentration), divided by meters squared (surface area).	Milligram per Milliliter per Meter Squared
C48154	min	Minute	A unit of measurement of time equal to 60 seconds.	Minute
C85724	min*fg/mL		Minutes times femtograms per milliliter (area under the curve).	Minute Times Femtogram per Milliliter
C111254	min*fg/mL/(kg/m <sup>2</sup> )		Minutes times femtograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Femtogram per Milliliter per Kilogram per Meter Squared



<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C117938	min*fg/mL/(mg/g)		Minutes times femtograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Femtogram Per Milliliter Per Milligram Per Gram
C117939	min*fg/mL/(mg/g/day)		Minutes times femtograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Femtogram Per Milliliter Per Milligram Per Gram Per Day
C112334	min*fg/mL/g	min*fg/mL/g;min*pg/mL/kg	Minutes times picograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times femtograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Femtogram Per Milliliter Per Gram
C112335	min*fg/mL/kg		Minutes times femtograms per milliliter (area under the curve), divided by kilograms (weight).	Minute Times Femtogram Per Milliliter Per Kilogram
C111255	min*fg/mL/m2		Minutes times femtograms per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Femtogram per Milliliter per Meter Squared
C85725	min*g/mL		Minutes times grams per milliliter (area under the curve).	Minute Times Gram per Milliliter
C111256	min*g/mL/(kg/m2)		Minutes times grams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Gram per Milliliter per Kilogram per Meter Squared
C117940	min*g/mL/(mg/g)		Minutes times grams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times gram Per Milliliter Per Milligram Per Gram
C117941	min*g/mL/(mg/g/day)		Minutes times grams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times gram Per Milliliter Per Milligram Per Gram Per Day
C112336	min*g/mL/g		Minutes times grams per milliliter (area under the curve), divided by grams (weight).	Minute Times Gram Per Milliliter Per Gram
C112337	min*g/mL/kg	min*g/mL/kg;min*mg/mL/g	Minutes times grams per milliliter (area under the curve), divided by kilograms (weight) or minutes times milligrams per milliliter (area under the curve), divided by grams (weight).	Minute Times Gram Per Milliliter Per Kilogram
C111257	min*g/mL/m2		Minutes times grams per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Gram per Milliliter per Meter Squared
C85729	min*mg/mL		Minutes times milligrams per milliliter (area under the curve).	Minute Times Milligram per Milliliter
C111262	min*mg/mL/(kg/m2)		Minutes times milligrams per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Milligram per Milliliter per Kilogram per Meter Squared
C117942	min*mg/mL/(mg/g)		Minutes times milligrams per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Milligram Per Milliliter Per Milligram Per Gram

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117943	min*mg/mL/(mg/g/day)		Minutes times milligrams per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Milligram Per Milliliter Per Milligram Per Gram Per Day
C111263	min*mg/mL/m2		Minutes times milligrams per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Milligram per Milliliter per Meter Squared
C85728	min*mmol/L		Minutes times millimoles per liter (area under the curve).	Minute Times Micromole per Milliliter
C111264	min*mmol/L/(kg/m2)		Minutes times millimoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Millimole per Liter per Kilogram per Meter Squared
C117944	min*mmol/L/(mg/g)		Minutes times millimoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Millimole Per Liter Per Milligram Per Gram
C117945	min*mmol/L/(mg/g/day)		Minutes times millimoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Millimole Per Liter Per Milligram Per Gram Per Day
C112344	min*mmol/L/g	min*mmol/L/g;min*mol/L/kg	Minutes times moles per liter (area under the curve), divided by kilograms (weight) or minutes times millimoles per liter (area under the curve), divided by grams (weight).	Minute Times Millimole Per Liter Per Gram
C111265	min*mmol/L/m2		Minutes times millimoles per liter (area under the curve), divided by meters squared (surface area).	Minute Times Millimole per Liter per Meter Squared
C85730	min*mol/L		Minutes times moles per liter (area under the curve).	Minute Times Millimole per Milliliter
C111266	min*mol/L/(kg/m2)		Minutes times moles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Mole per Liter per Kilogram per Meter Squared
C117946	min*mol/L/(mg/g)		Minutes times moles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times mole Per Liter Per Milligram Per Gram
C117947	min*mol/L/(mg/g/day)		Minutes times moles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times mole Per Liter Per Milligram Per Gram Per Day
C112346	min*mol/L/g		Minutes times moles per liter (area under the curve), divided by grams (weight).	Minute Times Mole Per Liter Per Gram
C111267	min*mol/L/m2		Minutes times moles per liter (area under the curve), divided by meters squared (surface area).	Minute Times Mole per Liter per Meter Squared
C85732	min*ng/mL		Minutes times nanograms per milliliter (area under the curve).	Minute Times Nanogram per Milliliter
C111268	min*ng/mL/(kg/m2)		Minutes times nanograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Nanogram per Milliliter per Kilogram per Meter Squared

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117948	min*ng/mL/(mg/g)		Minutes times nanograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Nanogram Per Milliliter Per Milligram Per Gram
C117949	min*ng/mL/(mg/g/day)		Minutes times nanograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Nanogram Per Milliliter Per Milligram Per Gram Per Day
C112349	min*ng/mL/kg	min*ng/mL/kg;min*pg/mL/g	Minutes times nanograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times picograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Nanogram Per Milliliter Per Kilogram
C111269	min*ng/mL/m2		Minutes times nanograms per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Nanogram per Milliliter per Meter Squared
C85735	min*nmol/L		Minutes times nanomoles per liter (area under the curve).	Minute Times Picomole per Milliliter
C111270	min*nmol/L/(kg/m2)		Minutes times nanomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Nanomole per Liter per Kilogram per Meter Squared
C117950	min*nmol/L/(mg/g)		Minutes times nanomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Nanomole Per Liter Per Milligram Per Gram
C117951	min*nmol/L/(mg/g/day)		Minutes times nanomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Nanomole Per Liter Per Milligram Per Gram Per Day
C112351	min*nmol/L/kg	min*nmol/L/kg;min*pmol/L/g	Minutes times nanomoles per liter (area under the curve), divided by kilograms (weight) or minutes times picomoles per liter (area under the curve), divided by grams (weight).	Minute Times Nanomole Per Liter Per Kilogram
C111271	min*nmol/L/m2		Minutes times nanomoles per liter (area under the curve), divided by meters squared (surface area).	Minute Times Nanomole per Liter per Meter Squared
C85734	min*pg/mL		Minutes times picograms per milliliter (area under the curve).	Minute Times Picogram per Milliliter
C111272	min*pg/mL/(kg/m2)		Minutes times picograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Picogram per Milliliter per Kilogram per Meter Squared
C117952	min*pg/mL/(mg/g)		Minutes times picograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Picogram Per Milliliter Per Milligram Per Gram
C117953	min*pg/mL/(mg/g/day)		Minutes times picograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Picogram Per Milliliter Per Milligram Per Gram Per Day
C111273	min*pg/mL/m2		Minutes times picograms per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Picogram per Milliliter per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106543	min*pmol/L		Minutes times picomoles per liter (area under the curve).	Minute Times Picomole Per Liter
C111274	min*pmol/L/(kg/m2)		Minutes times picomoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Picomole per Liter per Kilogram per Meter Squared
C117954	min*pmol/L/(mg/g)		Minutes times picomoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Picomole Per Liter Per Milligram Per Gram
C117955	min*pmol/L/(mg/g/day)		Minutes times picomoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Picomole Per Liter Per Milligram Per Gram Per Day
C112355	min*pmol/L/kg		Minutes times picomoles per liter (area under the curve), divided by kilograms (weight).	Minute Times Picomole Per Liter Per Kilogram
C111275	min*pmol/L/m2		Minutes times picomoles per liter (area under the curve), divided by meters squared (surface area).	Minute Times Picomole per Liter per Meter Squared
C85727	min*ug/mL		Minutes times micrograms per milliliter (area under the curve).	Minute Times Microgram per Milliliter
C111258	min*ug/mL/(kg/m2)		Minutes times micrograms per milliliter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Microgram per Milliliter per Kilogram per Meter Squared
C117956	min*ug/mL/(mg/g)		Minutes times micrograms per milliliter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Microgram Per Milliliter Per Milligram Per Gram
C117957	min*ug/mL/(mg/g/day)		Minutes times micrograms per milliliter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Microgram Per Milliliter Per Milligram Per Gram Per Day
C112338	min*ug/mL/g	min*mg/mL/kg;min*ug/mL/g	Minutes times milligrams per milliliter (area under the curve), divided by kilograms (weight) or minutes times micrograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Gram
C112339	min*ug/mL/kg	min*ng/mL/g;min*ug/mL/kg	Minutes times micrograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times nanograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Kilogram
C111259	min*ug/mL/m2		Minutes times micrograms per milliliter (area under the curve), divided by meters squared (surface area).	Minute Times Microgram per Milliliter per Meter Squared
C85733	min*umol/L		Minutes times micromoles per liter (area under the curve).	Minute Times Nanomole per Milliliter
C111260	min*umol/L/(kg/m2)		Minutes times micromoles per liter (area under the curve), divided by kilograms per meter squared (body mass index).	Minute Times Micromole per Liter per Kilogram per Meter Squared
C117958	min*umol/L/(mg/g)		Minutes times micromoles per liter (area under the curve), divided by milligrams per gram (dose normalized by body weight).	Minute Times Micromole Per Liter Per Milligram Per Gram

C85494 PKUNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117959	min*umol/L/(mg/g/day)		Minutes times micromoles per liter (area under the curve), divided by milligrams per gram per day (daily dose normalized by body weight).	Minute Times Micromole Per Liter Per Milligram Per Gram Per Day
C112340	min*umol/L/g	min*mmol/L/kg;min*umol/L/g	Minutes times millimoles per liter (area under the curve), divided by kilograms (weight) or minutes times micromoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Gram
C112341	min*umol/L/kg	min*nmol/L/g;min*umol/L/kg	Minutes times micromoles per liter (area under the curve), divided by kilograms (weight) or minutes times nanomoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Kilogram
C111261	min*umol/L/m2		Minutes times micromoles per liter (area under the curve), divided by meters squared (surface area).	Minute Times Micromole per Liter per Meter Squared
C67376	mIU/mL	IE/L;IU/L;International Unit per Liter;mIU/mL	A unit of concentration (biologic activity) equal to one milli-international unit of substance per milliliter of solution or one international unit of substance per liter of solution.	International Unit per Liter
C119396	mIU/mL/(kg/m2)		Milli-international units per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Milli-International Unit per Milliliter per Kilogram per Meter Squared
C119397	mIU/mL/(mg/day)	mIU/mL/(mg/day);uIU/mL/(ug/day)	Milli-international units per milliliter (concentration), divided by milligrams per day (daily dose) or micro-international units per milliliter (concentration), divided by micrograms per day (daily dose).	Milli-International Unit per Milliliter per Milligram per Day
C119398	mIU/mL/(mg/kg)	mIU/mL/(mg/kg);uIU/mL/(ug/kg)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram
C119399	mIU/mL/(mg/kg/day)	mIU/mL/(mg/kg/day);uIU/mL/(ug/kg/day)	Milli-international units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micro-international units per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Milli-International Unit per Milliliter per Milligram per Kilogram per Day
C119400	mIU/mL/(mg/m2)	mIU/mL/(mg/m2);uIU/mL/(ug/m2)	Milli-international units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119401	mIU/mL/(mg/m2/day)	mIU/mL/(mg/m2/day);uIU/mL/(ug/m2/day)	Milli-international units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micro-international units per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Milli-International Unit per Milliliter per Milligram per Meter Squared per Day
C119408	mIU/mL/kg	mIU/mL/kg;uIU/mL/g	Milli-international units per milliliter (concentration), divided by kilograms (weight) or micro-international units per milliliter (concentration), divided by grams (weight).	Milli-International Unit per Milliliter per Kilogram
C119409	mIU/mL/m2		Milli-international units per milliliter (concentration), divided by meters squared (surface area).	Milli-International Unit per Milliliter per Meter Squared
C28254	mL	Milliliter;cm3	A unit of volume equal to one thousandth (1E-3) of a liter.	Milliliter
C120816	mL/(kg/m2)		Milliliters (volume), divided by kilograms per meter squared (body mass index).	Milliliter per Kilogram per Meter Squared
C120817	mL/(mg/day)		Milliliters (volume), divided by milligrams per day (daily dose).	Milliliter per Milligram per Day
C120818	mL/(mg/kg)		Milliliters (volume), divided by milligrams per kilogram (dose normalized by body weight).	Milliliter per Milligram per Kilogram
C120819	mL/(mg/kg/day)		Milliliters (volume), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Milliliter per Milligram per Kilogram per Day
C120820	mL/(mg/m2)		Milliliters (volume), divided by milligrams per meter squared (dose normalized by surface area).	Milliliter per Milligram per Meter Squared
C120821	mL/(mg/m2/day)		Milliliters (volume), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Milliliter per Milligram per Meter Squared per Day
C120822	mL/(ug/kg)		Milliliters (volume), divided by micrograms per kilogram (dose normalized by body weight).	Milliliter per Microgram per Kilogram
C67410	mL/day		A unit of flow rate equal to one milliliter per day.	Milliliter per 24 Hours
C66962	mL/h		A unit of flow rate equal to one milliliter per hour.	Milliliter per Hour
C67411	mL/kg		Milliliters (volume) divided by kilograms (weight).	Milliliter per Kilogram
C73761	mL/m2		Milliliters (volume) divided by meters squared (surface area).	Milliliter per Square Meter
C64777	mL/min		A unit of flow rate equal to one milliliter per minute.	Milliliter per Minute
C48513	mmol	Millimole	A unit of amount of substance equal to one thousandth (1E-3) of a mole.	Millimole
C85720	mmol/h		A unit of substance flow rate equal to one millimole per hour.	Millimole per Hour

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64387	mmol/L	Micromole per Milliliter;Millimole per Liter;Mole per Cubic Meter;mcmol/mL;mmol/L;mol/m <sup>3</sup> ;nmol/uL;umol/mL	A unit of concentration (molarity unit) equal to one millimole of solute per liter of solution.	Millimole per Liter
C119412	mmol/L/(kg/m <sup>2</sup> )		Millimoles per liter (concentration), divided by kilograms per meter squared (body mass index).	Millimole per Liter per Kilogram per Meter Squared
C119413	mmol/L/(mg/day)	mmol/L/(mg/day);umol/L/(ug/day)	Millimoles per liter (concentration), divided by milligrams per day (daily dose) or micromoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Milligram per Day
C119414	mmol/L/(mg/kg)	mmol/L/(mg/kg);umol/L/(ug/kg)	Millimoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram
C119415	mmol/L/(mg/kg/day)	mmol/L/(mg/kg/day);umol/L/(ug/kg/day)	Millimoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or micromoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Milligram per Kilogram per Day
C119416	mmol/L/(mg/m <sup>2</sup> )	mmol/L/(mg/m <sup>2</sup> );umol/L/(ug/m <sup>2</sup> )	Millimoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared
C119417	mmol/L/(mg/m <sup>2</sup> /day)	mmol/L/(mg/m <sup>2</sup> /day);umol/L/(ug/m <sup>2</sup> /day)	Millimoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or micromoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Milligram per Meter Squared per Day
C119418	mmol/L/(ug/day)	mmol/L/(ug/day);mol/L/(mg/day)	Moles per liter (concentration), divided by milligrams per day (daily dose) or millimoles per liter (concentration), divided by micrograms per day (daily dose).	Millimole per Liter per Microgram per Day
C119419	mmol/L/(ug/kg)	mmol/L/(ug/kg);mol/L/(mg/kg)	Moles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram
C119420	mmol/L/(ug/kg/day)	mmol/L/(ug/kg/day);mol/L/(mg/kg/day)	Moles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or millimoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Millimole per Liter per Microgram per Kilogram per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119421	mmol/L/(ug/m2)	mmol/L/(ug/m2);mol/L/(mg/m2)	Moles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared
C119422	mmol/L/(ug/m2/day)	mmol/L/(ug/m2/day);mol/L/(mg/m2/day)	Moles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or millimoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Millimole per Liter per Microgram per Meter Squared per Day
C119423	mmol/L/g	mmol/L/g;mol/L/kg;nmol/L/ug;umol/L/mg	Moles per liter (concentration), divided by kilograms (weight) or millimoles per liter (concentration), divided by grams (weight) or micromoles per liter (concentration), divided by milligrams (dose) or nanomoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Gram
C119425	mmol/L/m2		Millimoles per liter (concentration), divided by meters squared (surface area).	Millimole per Liter per Meter Squared
C119426	mmol/L/mg	mmol/L/mg;mol/L/g;umol/L/ug	Moles per liter (concentration), divided by grams (weight) or millimoles per liter (concentration), divided by milligrams (dose) or micromoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Milligram
C119427	mmol/L/ug	mmol/L/ug;mol/L/mg	Moles per liter (concentration), divided by milligrams (dose) or millimoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Microgram
C85722	mmol/min		A unit of substance flow rate equal to one millimole per minute.	Millimole per Minute
C42539	mol	Mole	The base unit of amount of substance in the International System of Units (SI). It is equal to the same number of elementary units as there are atoms in 0.012 kg of carbon-12.	Mole
C85737	mol/day		A unit of substance flow rate equal to one mole per day.	Mole per Day
C85738	mol/h		A unit of substance flow rate equal to one mole per hour.	Mole per Hour
C48555	mol/L	Mole per Liter;mmol/mL;mol/L	A unit of concentration (molarity unit) equal to one mole of solute in one liter of solution.(NCI)	Mole per Liter
C119428	mol/L/(kg/m2)		Moles per liter (concentration), divided by kilograms per meter squared (body mass index).	Mole per Liter per Kilogram per Meter Squared
C119434	mol/L/(ug/day)		Moles per liter (concentration), divided by micrograms per day (daily dose).	Mole per Liter per Microgram per Day
C119435	mol/L/(ug/kg)		Moles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Mole per Liter per Microgram per Kilogram



<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119436	mol/L/(ug/kg/day)		Moles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Mole per Liter per Microgram per Kilogram per Day
C119437	mol/L/(ug/m2)		Moles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Mole per Liter per Microgram per Meter Squared
C119438	mol/L/(ug/m2/day)		Moles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Mole per Liter per Microgram per Meter Squared per Day
C119441	mol/L/m2		Moles per liter (concentration), divided by meters squared (surface area).	Mole per Liter per Meter Squared
C119443	mol/L/ug		Moles per liter (concentration), divided by micrograms (dose).	Mole per Liter per Microgram
C85739	mol/min		A unit of substance flow rate equal to one mole per minute.	Mole per Minute
C48516	ng	Nanogram	A unit of mass equal to one billionth (1E-9) of a gram.	Nanogram
C85741	ng/day		A unit of mass flow rate equal to one nanogram per day.	Nanogram per Day
C85742	ng/h		A unit of mass flow rate equal to one nanogram per hour.	Nanogram per Hour
C85743	ng/kg/min		Nanograms per kilogram per minute.	Nanogram per Kilogram per Minute
C85749	ng/min		A unit of mass flow rate equal to one nanogram per minute.	Nanogram per Minute
C67306	ng/mL	Microgram per Liter; Milligram per Cubic Meter; Nanogram per Milliliter; mcg/L; mg/m3; ng/mL; ug/L	A unit of concentration or mass density equal to one nanogram of substance per milliliter of solution or one microgram of substance per liter of solution.	Microgram per Liter
C119444	ng/mL/(kg/m2)		Nanograms per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Nanogram per Milliliter per Kilogram per Meter Squared
C119445	ng/mL/(mg/day)	ng/mL/(mg/day); pg/mL/(ug/day)	Nanograms per milliliter (concentration), divided by milligrams per day (daily dose) or picograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Milligram per Day
C105477	ng/mL/(mg/kg)	ng/mL/(mg/kg); pg/mL/(ug/kg)	Nanograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram
C105478	ng/mL/(mg/kg/day)	ng/mL/(mg/kg/day); pg/mL/(ug/kg/day)	Nanograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanogram Per Milliliter Per Milligram Per Kilogram Per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119446	ng/mL/(mg/m2)	ng/mL/(mg/m2);pg/mL/(ug/m2)	Nanograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared
C119447	ng/mL/(mg/m2/day)	ng/mL/(mg/m2/day);pg/mL/(ug/m2/day)	Nanograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Milligram per Meter Squared per Day
C119448	ng/mL/(ug/day)	ng/mL/(ug/day);ug/mL/(mg/day)	Micrograms per milliliter (concentration), divided by milligrams per day (daily dose) or nanograms per milliliter (concentration), divided by micrograms per day (daily dose).	Nanogram per Milliliter per Microgram per Day
C119451	ng/mL/(ug/m2)	ng/mL/(ug/m2);ug/mL/(mg/m2)	Micrograms per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared
C119452	ng/mL/(ug/m2/day)	ng/mL/(ug/m2/day);ug/mL/(mg/m2/day)	Micrograms per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanograms per milliliter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanogram per Milliliter per Microgram per Meter Squared per Day
C85746	ng/mL/kg	fg/mL/mg;ng/mL/kg;pg/mL/g	Nanograms per milliliter (concentration), divided by kilograms (weight) or picograms per milliliter (concentration), divided by grams (weight) or femtograms per milliliter (concentration), divided by milligrams (dose).	Nanogram per Milliliter per Kilogram
C119454	ng/mL/m2		Nanograms per milliliter (concentration), divided by meters squared (surface area).	Nanogram per Milliliter per Meter Squared
C85747	ng/mL/mg	mg/mL/kg;ng/mL/mg;pg/mL/ug;ug/mL/g	Milligrams per milliliter (concentration), divided by kilograms (weight) or micrograms per milliliter (concentration), divided by grams (weight) or nanograms per milliliter (concentration), divided by milligrams (dose) or picograms per milliliter (concentration), divided by micrograms (dose).	Nanogram per Milliliter per Milligram
C48517	nmol	Nanomole	A unit of amount of substance equal to one billionth (1E-9) of a mole. (NCI)	Nanomole
C85751	nmol/day		A unit of substance flow rate equal to one nanomole per day.	Nanomole per Day
C85752	nmol/g	nmol/g;pmol/mg;umol/kg	Nanomoles per gram.	Nanomole per Gram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85753	nmol/h		A unit of substance flow rate equal to one nanomole per hour.	Nanomole per Hour
C85754	nmol/kg	nmol/kg;pmol/g	Nanomoles (amount), divided by kilograms (weight) or picomoles per gram.	Nanomole per Kilogram
C67432	nmol/L	Nanomole per Liter;pmol/mL	A unit of concentration (molarity unit) equal to one nanomole of solute per liter of solution.	Nanomole per Liter
C119456	nmol/L/(kg/m2)		Nanomoles per liter (concentration), divided by kilograms per meter squared (body mass index).	Nanomole per Liter per Kilogram per Meter Squared
C119457	nmol/L/(mg/day)	nmol/L/(mg/day);pmol/L/(ug/day)	Nanomoles per liter (concentration), divided by milligrams per day (daily dose) or picomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Milligram per Day
C119458	nmol/L/(mg/kg)	nmol/L/(mg/kg);pmol/L/(ug/kg)	Nanomoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram
C119459	nmol/L/(mg/kg/day)	nmol/L/(mg/kg/day);pmol/L/(ug/kg/day)	Nanomoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or picomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Milligram per Kilogram per Day
C119460	nmol/L/(mg/m2)	nmol/L/(mg/m2);pmol/L/(ug/m2)	Nanomoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared
C119461	nmol/L/(mg/m2/day)	nmol/L/(mg/m2/day);pmol/L/(ug/m2/day)	Nanomoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or picomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Milligram per Meter Squared per Day
C119462	nmol/L/(ug/day)	nmol/L/(ug/day);umol/L/(mg/day)	Micromoles per liter (concentration), divided by milligrams per day (daily dose) or nanomoles per liter (concentration), divided by micrograms per day (daily dose).	Nanomole per Liter per Microgram per Day
C119463	nmol/L/(ug/kg)	nmol/L/(ug/kg);umol/L/(mg/kg)	Micromoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119464	nmol/L/(ug/kg/day)	nmol/L/(ug/kg/day);umol/L/(mg/kg/day)	Micromoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanomoles per liter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Nanomole per Liter per Microgram per Kilogram per Day
C119465	nmol/L/(ug/m2)	nmol/L/(ug/m2);umol/L/(mg/m2)	Micromoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared (dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared
C119466	nmol/L/(ug/m2/day)	nmol/L/(ug/m2/day);umol/L/(mg/m2/day)	Micromoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area) or nanomoles per liter (concentration), divided by micrograms per meter squared per day (daily dose normalized by surface area).	Nanomole per Liter per Microgram per Meter Squared per Day
C119467	nmol/L/g	nmol/L/g;pmol/L/mg;umol/L/kg	Micromoles per liter (concentration), divided by kilograms (weight) or nanomoles per liter (concentration), divided by grams (weight) or picomoles per liter (concentration), divided by milligrams (dose).	Nanomole per Liter per Gram
C119468	nmol/L/kg	nmol/L/kg;pmol/L/g	Nanomoles per liter (concentration), divided by kilograms (weight) or picomoles per liter (concentration), divided by grams (weight).	Nanomole per Liter per Kilogram
C119469	nmol/L/m2		Nanomoles per liter (concentration), divided by meters squared (surface area).	Nanomole per Liter per Meter Squared
C85758	nmol/min		A unit of substance flow rate equal to one nanomole per minute.	Nanomole per Minute
C85778	pg/day		A unit of mass flow rate equal to one picogram per day.	Picogram per Day
C85779	pg/h		A unit of mass flow rate equal to one picogram per hour.	Picogram per Hour
C67396	pg/mg	Microgram per Kilogram;mcg/kg;ng/g;pg/mg;ug/kg	A unit of a mass fraction expressed as a number of micrograms of substance per kilogram of mixture. The unit is also used as a dose calculation unit.(NCI)	Microgram per Kilogram
C85782	pg/min		A unit of mass flow rate equal to one picogram per minute.	Picogram per Minute
C67327	pg/mL	Microgram per Cubic Meter;ng/L;pg/mL;ug/m3	A unit of concentration or mass density equal to one picogram of substance per milliliter of solution or one nanogram of substance per liter of solution.	Nanogram per Liter
C119472	pg/mL/(kg/m2)		Picograms per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Picogram per Milliliter per Kilogram per Meter Squared

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105479	pg/mL/(mg/kg)	fg/mL/(ug/kg);pg/mL/(mg/kg)	Picograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram
C105480	pg/mL/(mg/kg/day)	fg/mL/(ug/kg/day);pg/mL/(mg/kg/day)	Picograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or femtograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Picogram Per Milliliter Per Milligram Per Kilogram Per Day
C119483	pg/mL/m2		Picograms per milliliter (concentration), divided by meters squared (surface area).	Picogram per Milliliter per Meter Squared
C65045	pmol	Picomole	A unit of amount of substance equal to a trillionth (1E-12) of a mole. (NCI)	Picomole
C67434	pmol/L	Femtomole per Milliliter;Picomole per Liter;fmol/mL	A unit of concentration (molarity unit) equal to one picomole of solute per liter of solution.	Picomole per Liter
C119485	pmol/L/(kg/m2)		Picomoles per liter (concentration), divided by kilograms per meter squared (body mass index).	Picomole per Liter per Kilogram per Meter Squared
C119486	pmol/L/(mg/day)		Picomoles per liter (concentration), divided by milligrams per day (daily dose).	Picomole per Liter per Milligram per Day
C119487	pmol/L/(mg/kg)		Picomoles per liter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Picomole per Liter per Milligram per Kilogram
C119488	pmol/L/(mg/kg/day)		Picomoles per liter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Picomole per Liter per Milligram per Kilogram per Day
C119489	pmol/L/(mg/m2)		Picomoles per liter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Picomole per Liter per Milligram per Meter Squared
C119490	pmol/L/(mg/m2/day)		Picomoles per liter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Picomole per Liter per Milligram per Meter Squared per Day
C119497	pmol/L/kg		Picomoles per liter (concentration), divided by kilograms (weight).	Picomole per Liter per Kilogram
C119498	pmol/L/m2		Picomoles per liter (concentration), divided by meters squared (surface area).	Picomole per Liter per Meter Squared
C85784	pmol/L/ug	mmol/L/kg;nmol/L/mg;pmol/L/ug;umol/L/g	Millimoles per liter (concentration), divided by kilograms (weight) or micromoles per liter (concentration), divided by grams (weight) or nanomoles per liter (concentration), divided by milligrams (dose) or picomoles per liter (concentration), divided by micrograms (dose).	Picomole per Liter per Microgram

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C44256	RATIO		The quotient of one quantity divided by another, with the same units of measurement.	Ratio
C48152	ug	Microgram;mcg	A unit of mass equal to one millionth (1E-6) of a gram.	Microgram
C71205	ug/day	mcg/day	A unit of mass flow rate equal to one microgram per day.	Microgram per Day
C67394	ug/h	mcg/h	A unit of mass flow rate equal to one microgram per hour.	Microgram per Hour
C71211	ug/min	mcg/min	A unit of mass flow rate equal to one microgram per minute.	Microgram per Minute
C64572	ug/mL	Gram per Cubic Meter;Microgram per Milliliter;Milligram per Liter;g/m3;mcg/mL;mg/L;ng/uL;ug/mL	A unit of concentration or mass density equal to one microgram of substance per milliliter of solution or one milligram of substance per liter of solution.	Microgram per Milliliter
C119500	ug/mL/(kg/m2)		Micrograms per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Microgram per Milliliter per Kilogram per Meter Squared
C105473	ug/mL/(mg/kg)	ng/mL/(ug/kg);ug/mL/(mg/kg)	Micrograms per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram (dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram
C105474	ug/mL/(mg/kg/day)	ng/mL/(ug/kg/day);ug/mL/(mg/kg/day)	Micrograms per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight) or nanograms per milliliter (concentration), divided by micrograms per kilogram per day (daily dose normalized by body weight).	Microgram Per Milliliter Per Milligram Per Kilogram Per Day
C119511	ug/mL/m2		Micrograms per milliliter (concentration), divided by meters squared (surface area).	Microgram per Milliliter per Meter Squared
C85710	ug/mL/mg	g/mL/kg;mg/mL/g;ng/mL/ug;ug/mL/mg	Grams per milliliter (concentration), divided by kilograms (weight) or milligrams per milliliter (concentration), divided by grams (weight) or micrograms per milliliter (concentration), divided by milligrams (dose) or nanograms per milliliter (concentration), divided by micrograms (dose).	Milligram per Liter per Milligram
C67405	uIU/mL	Micro-International Unit per milliliter;mIE/L;mIU/L;mcIU/mL;uIU/mL	A unit of concentration (biologic activity) equal to one micro-international unit of substance per milliliter of solution or one milli-international unit of substance per liter of solution.	Microinternational Unit per Milliliter
C119513	uIU/mL/(kg/m2)		Micro-international units per milliliter (concentration), divided by kilograms per meter squared (body mass index).	Micro-International Units per Milliliter per Kilogram per Meter Squared
C119514	uIU/mL/(mg/day)		Micro-international units per milliliter (concentration), divided by milligrams per day (daily dose).	Micro-International Units per Milliliter per Milligram per Day

<b>C85494 PKUNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119515	uIU/mL/(mg/kg)		Micro-international units per milliliter (concentration), divided by milligrams per kilogram (dose normalized by body weight).	Micro-International Units per Milliliter per Milligram per Kilogram
C119516	uIU/mL/(mg/kg/day)		Micro-international units per milliliter (concentration), divided by milligrams per kilogram per day (daily dose normalized by body weight).	Micro-International Units per Milliliter per Milligram per Kilogram per Day
C119517	uIU/mL/(mg/m2)		Micro-international units per milliliter (concentration), divided by milligrams per meter squared (dose normalized by surface area).	Micro-International Units per Milliliter per Milligram per Meter Squared
C119518	uIU/mL/(mg/m2/day)		Micro-international units per milliliter (concentration), divided by milligrams per meter squared per day (daily dose normalized by surface area).	Micro-International Units per Milliliter per Milligram per Meter Squared per Day
C119525	uIU/mL/kg		Micro-international units per milliliter (concentration), divided by kilograms (weight).	Micro-International Units per Milliliter per Kilogram
C119526	uIU/mL/m2		Micro-international units per milliliter (concentration), divided by meters squared (surface area).	Micro-International Units per Milliliter per Meter Squared
C48509	umol	Micromole;mcmol	A unit of amount of substance equal to one millionth (1E-6) of a mole. (NCI)	Micromole
C67406	umol/day	mcmol/day	A unit of substance flow rate equal to one micromole per day.	Micromole per 24 Hours
C85707	umol/h		A unit of substance flow rate equal to one micromole per hour.	Micromole per Hour
C48508	umol/L	nmol/mL	A unit of concentration (molarity unit) equal to one micromole of solute per liter of solution.	Micromole per Liter
C119529	umol/L/(kg/m2)		Micromoles per liter (concentration), divided by kilograms per meter squared (body mass index).	Micromole per Liter per Kilogram per Meter Squared
C119542	umol/L/m2		Micromoles per liter (concentration), divided by meters squared (surface area).	Micromole per Liter per Meter Squared
C85708	umol/min	mcmol/min	A unit of substance flow rate equal to one micromole per minute.	Micromole per Minute

**PKUWG (PK Units of Measure - Weight g)**

NCI Code: C128684, Codelist extensible: Yes

<b>C128684 PKUWG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85657	(L/day)/g	(L/day)/g;(mL/day)/mg	Liters per day (flow rate), divided by grams (weight) or milliliters per day (flow rate), divided by milligrams (dose).	Liter per Gram per Day
C85658	(L/h)/g	(L/h)/g;(mL/h)/mg	Liters per hour (flow rate), divided by grams (weight) or milliliters per hour (flow rate), divided by milligrams (dose).	Liter per Gram per Hour
C85659	(L/min)/g	(L/min)/g;(mL/min)/mg	Liters per minute (flow rate), divided by grams (weight) or milliliters per minute (flow rate), divided by milligrams (dose).	Liter per Gram per Minute
C73755	(mL/day)/g	(L/day)/kg;(mL/day)/g;mL/g/day	Milliliters per gram per day or liters per day (flow rate), divided by kilograms (weight) or milliliters per day (flow rate), divided by grams (weight).	Milliliter per Gram per Day
C73756	(mL/h)/g	(L/h)/kg;(mL/h)/g;mL/g/h	Milliliters per gram per hour or liters per hour (flow rate), divided by kilograms (weight) or milliliters per hour (flow rate), divided by grams (weight).	Milliliter per Gram per Hour
C73757	(mL/min)/g	(L/min)/kg;(mL/min)/g;mL/g/min	Milliliters per gram per minute or liters per minute (flow rate), divided by kilograms (weight) or milliliters per minute (flow rate), divided by grams (weight).	Milliliter per Gram per Minute
C112244	day*fg/mL/g	day*fg/mL/g;day*pg/mL/kg	Days times picograms per milliliter (area under the curve), divided by kilograms (weight) or days times femtograms per milliliter (area under the curve), divided by grams (weight).	Day Times Femtogram Per Milliliter Per Gram
C112246	day*g/mL/g		Days times grams per milliliter (area under the curve), divided by grams (weight).	Day Times Gram Per Milliliter Per Gram
C112247	day*mg/mL/g	day*g/mL/kg;day*mg/mL/g;day*ng/mL/ug;day*ug/mL/mg	Days times grams per milliliter (area under the curve), divided by kilograms (weight); or days times milligrams per milliliter (area under the curve), divided by grams (weight); or days times micrograms per milliliter (area under the curve), divided by milligrams (dose); or days times nanograms per milliliter (area under the curve), divided by micrograms (dose).	Day Times Gram Per Milliliter Per Kilogram
C112254	day*mmol/L/g	day*mmol/L/g;day*mol/L/kg	Days times moles per liter (area under the curve), divided by kilograms (weight) or days times millimoles per liter (area under the curve), divided by grams (weight).	Day Times Millimole Per Liter Per Gram
C112256	day*mol/L/g		Days times moles per liter (area under the curve), divided by grams (weight).	Day Times Mole Per Liter Per Gram
C112249	day*ng/mL/g	day*ng/mL/g;day*ug/mL/kg	Days times micrograms per milliliter (area under the curve), divided by kilograms (weight) or days times nanograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Kilogram



## C128684 PKUWG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112251	day*nmol/L/g	day*nmol/L/g;day*umol/L/kg	Days times micromoles per liter (area under the curve), divided by kilograms (weight) or days times nanomoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Kilogram
C112259	day*pg/mL/g	day*ng/mL/kg;day*pg/mL/g	Days times nanograms per milliliter (area under the curve), divided by kilograms (weight) or days times picograms per milliliter (area under the curve), divided by grams (weight).	Day Times Nanogram Per Milliliter Per Kilogram
C112261	day*pmol/L/g	day*nmol/L/kg;day*pmol/L/g	Days times nanomoles per liter (area under the curve), divided by kilograms (weight) or days times picomoles per liter (area under the curve), divided by grams (weight).	Day Times Nanomole Per Liter Per Kilogram
C112248	day*ug/mL/g	day*mg/mL/kg;day*ug/mL/g	Days times milligrams per milliliter (area under the curve), divided by kilograms (weight) or days times micrograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Gram
C112250	day*umol/L/g	day*mmol/L/kg;day*umol/L/g	Days times millimoles per liter (area under the curve), divided by kilograms (weight) or days times micromoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Gram
C119347	fg/mL/g	fg/mL/g;pg/mL/kg	Picograms per milliliter (concentration), divided by kilograms (weight) or femtograms per milliliter (concentration), divided by grams (weight).	Femtogram per Milliliter per Gram
C119361	g/mL/g	g/mL/g;mg/mL/mg;ug/mL/ug	Grams per milliliter (concentration), divided by grams (weight) or milligrams per milliliter (concentration), divided by milligrams (dose) or micrograms per milliliter (concentration), divided by micrograms (dose).	Gram per Milliliter per Gram
C85636	h*fg/mL/g	h*fg/mL/g;h*pg/mL/kg	Hours times picograms per milliliter (area under the curve), divided by kilograms (weight) or hours times femtograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Picogram per Milliliter per Kilogram
C112300	h*g/mL/g		Hours times grams per milliliter (area under the curve), divided by grams (weight).	Hour Times Gram Per Milliliter Per Gram
C85617	h*mg/mL/g	h*g/mL/kg;h*mg/mL/g;h*ug/mL/mg	Hours times grams per milliliter (area under the curve), divided by kilograms (weight) or hours times milligrams per milliliter (area under the curve), divided by grams (weight) or hours times micrograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Microgram per Milliliter per Milligram
C106530	h*mmol/L/g	h*mmol/L/g;h*mol/L/kg	Hours times moles per liter (area under the curve), divided by kilograms (weight) or hours times millimoles per liter (area under the curve), divided by grams (weight).	Hour times Millimole Per Liter Per Gram

## C128684 PKUWG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106531	h*mol/L/g	h*mmol/L/mg;h*mol/L/g;h*umol/L/ug	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour times Mole Per Liter Per Gram
C85625	h*ng/mL/g	h*ng/mL/g;h*pg/mL/mg;h*ug/mL/kg	Hours times micrograms per milliliter (area under the curve), divided by kilograms (weight) or hours times nanograms per milliliter (area under the curve), divided by grams (weight) or hours times picograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Gram
C112304	h*nmol/L/g	h*nmol/L/g;h*umol/L/kg	Hours times micromoles per liter (area under the curve), divided by kilograms (weight) or hours times nanomoles per liter (area under the curve), divided by grams (weight).	Hour Times Micromole Per Liter Per Kilogram
C85626	h*pg/mL/g	h*ng/mL/kg;h*pg/mL/g	Hours times nanograms per milliliter (area under the curve), divided by kilograms (weight) or hours times picograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Nanogram per Milliliter per Kilogram
C106532	h*pmol/L/g	h*nmol/L/kg;h*pmol/L/g	Hours times nanomoles per liter (area under the curve), divided by kilograms (weight) or hours times picomoles per liter (area under the curve), divided by grams (weight).	Hour times Picomole Per Liter Per Gram
C85627	h*ug/mL/g	h*mg/mL/kg;h*ng/mL/mg;h*ug/mL/g	Hours times milligrams per milliliter (area under the curve), divided by kilograms (weight) or hours times micrograms per milliliter (area under the curve), divided by grams (weight) or hours times nanograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Milligram
C112307	h*umol/L/g	h*mmol/L/kg;h*nmol/L/mg;h*pmol/L/ug;h*umol/L/g	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Millimole Per Liter Per Kilogram
C119377	IU/mL/g	IU/mL/g;mIU/mL/mg;uIU/mL/ug	International units per milliliter (concentration), divided by grams (weight) or milli-international units per milliliter (concentration), divided by milligrams (dose) or micro-international units per milliliter (concentration), divided by micrograms (dose).	International Unit per Milliliter per Gram
C42577	L/g		Liters (volume), divided by grams (weight) or milliliters (volume), divided by milligrams (dose).	Cubic Meter per Kilogram

## C128684 PKUWG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85710	mg/mL/g	g/mL/kg;mg/mL/g;ng/mL/ug;ug/mL/mg	Grams per milliliter (concentration), divided by kilograms (weight) or milligrams per milliliter (concentration), divided by grams (weight) or micrograms per milliliter (concentration), divided by milligrams (dose) or nanograms per milliliter (concentration), divided by micrograms (dose).	Milligram per Liter per Milligram
C112334	min*fg/mL/g	min*fg/mL/g;min*pg/mL/kg	Minutes times picograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times femtograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Femtogram Per Milliliter Per Gram
C112336	min*g/mL/g		Minutes times grams per milliliter (area under the curve), divided by grams (weight).	Minute Times Gram Per Milliliter Per Gram
C112337	min*mg/mL/g	min*g/mL/kg;min*mg/mL/g	Minutes times grams per milliliter (area under the curve), divided by kilograms (weight) or minutes times milligrams per milliliter (area under the curve), divided by grams (weight).	Minute Times Gram Per Milliliter Per Kilogram
C112344	min*mmol/L/g	min*mmol/L/g;min*mol/L/kg	Minutes times moles per liter (area under the curve), divided by kilograms (weight) or minutes times millimoles per liter (area under the curve), divided by grams (weight).	Minute Times Millimole Per Liter Per Gram
C112346	min*mol/L/g		Minutes times moles per liter (area under the curve), divided by grams (weight).	Minute Times Mole Per Liter Per Gram
C112339	min*ng/mL/g	min*ng/mL/g;min*ug/mL/kg	Minutes times micrograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times nanograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Kilogram
C112341	min*nmol/L/g	min*nmol/L/g;min*umol/L/kg	Minutes times micromoles per liter (area under the curve), divided by kilograms (weight) or minutes times nanomoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Kilogram
C112349	min*pg/mL/g	min*ng/mL/kg;min*pg/mL/g	Minutes times nanograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times picograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Nanogram Per Milliliter Per Kilogram
C112351	min*pmol/L/g	min*nmol/L/kg;min*pmol/L/g	Minutes times nanomoles per liter (area under the curve), divided by kilograms (weight) or minutes times picomoles per liter (area under the curve), divided by grams (weight).	Minute Times Nanomole Per Liter Per Kilogram
C112338	min*ug/mL/g	min*mg/mL/kg;min*ug/mL/g	Minutes times milligrams per milliliter (area under the curve), divided by kilograms (weight) or minutes times micrograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Gram

## C128684 PKUWG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112340	min*umol/L/g	min*mmol/L/kg;min*umol/L/g	Minutes times millimoles per liter (area under the curve), divided by kilograms (weight) or minutes times micromoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Gram
C119378	mIU/mL/g	IU/mL/kg;mIU/mL/g;uIU/mL/mg	International units per milliliter (concentration), divided by kilograms (weight) or milli-international units per milliliter (concentration), divided by grams (weight) or micro-international units per milliliter (concentration), divided by milligrams (dose).	International Unit per Milliliter per Kilogram
C73725	mL/g	L/kg;mL/g	Liters (volume) divided by kilograms (weight) or milliliters (volume), divided by grams (weight).	Liter per Kilogram
C119423	mmol/L/g	mmol/L/g;mol/L/kg;nmol/L/ug;umol/L/mg	Moles per liter (concentration), divided by kilograms (weight) or millimoles per liter (concentration), divided by grams (weight) or micromoles per liter (concentration), divided by milligrams (dose) or nanomoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Gram
C119426	mol/L/g	mmol/L/mg;mol/L/g;umol/L/ug	Moles per liter (concentration), divided by grams (weight) or millimoles per liter (concentration), divided by milligrams (dose) or micromoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Milligram
C119351	ng/mL/g	fg/mL/ug;ng/mL/g;pg/mL/mg;ug/mL/kg	Micrograms per milliliter (concentration), divided by kilograms (weight) or nanograms per milliliter (concentration), divided by grams (weight) or picograms per milliliter (concentration), divided by milligrams (dose) or femtograms per milliliter (concentration), divided by micrograms (dose).	Femtogram per Milliliter per Microgram
C85752	nmol/g	nmol/g;pmol/mg;umol/kg	Nanomoles per gram.	Nanomole per Gram
C119467	nmol/L/g	nmol/L/g;pmol/L/mg;umol/L/kg	Micromoles per liter (concentration), divided by kilograms (weight) or nanomoles per liter (concentration), divided by grams (weight) or picomoles per liter (concentration), divided by milligrams (dose).	Nanomole per Liter per Gram
C85746	pg/mL/g	fg/mL/mg;ng/mL/kg;pg/mL/g	Nanograms per milliliter (concentration), divided by kilograms (weight) or picograms per milliliter (concentration), divided by grams (weight) or femtograms per milliliter (concentration), divided by milligrams (dose).	Nanogram per Milliliter per Kilogram
C119468	pmol/L/g	nmol/L/kg;pmol/L/g	Nanomoles per liter (concentration), divided by kilograms (weight) or picomoles per liter (concentration), divided by grams (weight).	Nanomole per Liter per Kilogram

**C128684 PKUWG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C85747	ug/mL/g	mg/mL/kg;ng/mL/mg;pg/mL/ug;ug/mL/g	Milligrams per milliliter (concentration), divided by kilograms (weight) or micrograms per milliliter (concentration), divided by grams (weight) or nanograms per milliliter (concentration), divided by milligrams (dose) or picograms per milliliter (concentration), divided by micrograms (dose).	Nanogram per Milliliter per Milligram
C119408	uIU/mL/g	mIU/mL/kg;uIU/mL/g	Milli-international units per milliliter (concentration), divided by kilograms (weight) or micro-international units per milliliter (concentration), divided by grams (weight).	Milli-International Unit per Milliliter per Kilogram
C85784	umol/L/g	mmol/L/kg;nmol/L/mg;pmol/L/ug;umol/L/g	Millimoles per liter (concentration), divided by kilograms (weight) or micromoles per liter (concentration), divided by grams (weight) or nanomoles per liter (concentration), divided by milligrams (dose) or picomoles per liter (concentration), divided by micrograms (dose).	Picomole per Liter per Microgram

**PKUWKG (PK Units of Measure - Weight kg)**

NCI Code: C128683, Codelist extensible: Yes

<b>C128683 PKUWKG</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C73755	(L/day)/kg	(L/day)/kg;(mL/day)/g;mL/g/day	Milliliters per gram per day or liters per day (flow rate), divided by kilograms (weight) or milliliters per day (flow rate), divided by grams (weight).	Milliliter per Gram per Day
C73756	(L/h)/kg	(L/h)/kg;(mL/h)/g;mL/g/h	Milliliters per gram per hour or liters per hour (flow rate), divided by kilograms (weight) or milliliters per hour (flow rate), divided by grams (weight).	Milliliter per Gram per Hour
C73757	(L/min)/kg	(L/min)/kg;(mL/min)/g;mL/g/min	Milliliters per gram per minute or liters per minute (flow rate), divided by kilograms (weight) or milliliters per minute (flow rate), divided by grams (weight).	Milliliter per Gram per Minute
C73758	(mL/day)/kg	(mL/day)/kg;mL/kg/day	Milliliters per kilogram per day or milliliters per day (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Day
C73759	(mL/h)/kg	(mL/h)/kg;mL/kg/h	Milliliters per kilogram per hour or milliliters per hour (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Hour
C73760	(mL/min)/kg	(mL/min)/kg;mL/kg/min	Milliliters per kilogram per minute or milliliters per minute (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Minute
C112247	day*g/mL/kg	day*g/mL/kg;day*mg/mL/g;day*ng/mL/ug;day*ug/mL/mg	Days times grams per milliliter (area under the curve), divided by kilograms (weight); or days times milligrams per milliliter (area under the curve), divided by grams (weight); or days times micrograms per milliliter (area under the curve), divided by milligrams (dose); or days times nanograms per milliliter (area under the curve), divided by micrograms (dose).	Day Times Gram Per Milliliter Per Kilogram
C112248	day*mg/mL/kg	day*mg/mL/kg;day*ug/mL/g	Days times milligrams per milliliter (area under the curve), divided by kilograms (weight) or days times micrograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Gram
C112250	day*mmol/L/kg	day*mmol/L/kg;day*umol/L/g	Days times millimoles per liter (area under the curve), divided by kilograms (weight) or days times micromoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Gram
C112254	day*mol/L/kg	day*mmol/L/g;day*mol/L/kg	Days times moles per liter (area under the curve), divided by kilograms (weight) or days times millimoles per liter (area under the curve), divided by grams (weight).	Day Times Millimole Per Liter Per Gram
C112259	day*ng/mL/kg	day*ng/mL/kg;day*pg/mL/g	Days times nanograms per milliliter (area under the curve), divided by kilograms (weight) or days times picograms per milliliter (area under the curve), divided by grams (weight).	Day Times Nanogram Per Milliliter Per Kilogram

## C128683 PKUWKG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112261	day*nmol/L/kg	day*nmol/L/kg;day*pmol/L/g	Days times nanomoles per liter (area under the curve), divided by kilograms (weight) or days times picomoles per liter (area under the curve), divided by grams (weight).	Day Times Nanomole Per Liter Per Kilogram
C112244	day*pg/mL/kg	day*fg/mL/g;day*pg/mL/kg	Days times picograms per milliliter (area under the curve), divided by kilograms (weight) or days times femtograms per milliliter (area under the curve), divided by grams (weight).	Day Times Femtogram Per Milliliter Per Gram
C112265	day*pmol/L/kg		Days times picomoles per liter (area under the curve), divided by kilograms (weight).	Day Times Picomole Per Liter Per Kilogram
C112249	day*ug/mL/kg	day*ng/mL/g;day*ug/mL/kg	Days times micrograms per milliliter (area under the curve), divided by kilograms (weight) or days times nanograms per milliliter (area under the curve), divided by grams (weight).	Day Times Microgram Per Milliliter Per Kilogram
C112251	day*umol/L/kg	day*nmol/L/g;day*umol/L/kg	Days times micromoles per liter (area under the curve), divided by kilograms (weight) or days times nanomoles per liter (area under the curve), divided by grams (weight).	Day Times Micromole Per Liter Per Kilogram
C119348	fg/mL/kg		Femtograms per milliliter (concentration), divided by kilograms (weight).	Femtogram per Milliliter per Kilogram
C85710	g/mL/kg	g/mL/kg;mg/mL/g;ng/mL/ug;ug/mL/mg	Grams per milliliter (concentration), divided by kilograms (weight) or milligrams per milliliter (concentration), divided by grams (weight) or micrograms per milliliter (concentration), divided by milligrams (dose) or nanograms per milliliter (concentration), divided by micrograms (dose).	Milligram per Liter per Milligram
C85617	h*g/mL/kg	h*g/mL/kg;h*mg/mL/g;h*ug/mL/mg	Hours times grams per milliliter (area under the curve), divided by kilograms (weight) or hours times milligrams per milliliter (area under the curve), divided by grams (weight) or hours times micrograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Microgram per Milliliter per Milligram
C85627	h*mg/mL/kg	h*mg/mL/kg;h*ng/mL/mg;h*ug/mL/g	Hours times milligrams per milliliter (area under the curve), divided by kilograms (weight) or hours times micrograms per milliliter (area under the curve), divided by grams (weight) or hours times nanograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Milligram
C112307	h*mmol/L/kg	h*mmol/L/kg;h*nmol/L/mg;h*pmol/L/ug;h*umol/L/g	Hours times millimoles per liter (area under the curve), divided by kilograms (weight); or hours times micromoles per liter (area under the curve), divided by grams (weight); or hours times nanomoles per liter (area under the curve), divided by milligrams (dose); or hours times picomoles per liter (area under the curve), divided by micrograms (dose).	Hour Times Millimole Per Liter Per Kilogram

## C128683 PKUWKG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106530	h*mol/L/kg	h*mmol/L/g;h*mol/L/kg	Hours times moles per liter (area under the curve), divided by kilograms (weight) or hours times millimoles per liter (area under the curve), divided by grams (weight).	Hour times Millimole Per Liter Per Gram
C85626	h*ng/mL/kg	h*ng/mL/kg;h*pg/mL/g	Hours times nanograms per milliliter (area under the curve), divided by kilograms (weight) or hours times picograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Nanogram per Milliliter per Kilogram
C106532	h*nmol/L/kg	h*nmol/L/kg;h*pmol/L/g	Hours times nanomoles per liter (area under the curve), divided by kilograms (weight) or hours times picomoles per liter (area under the curve), divided by grams (weight).	Hour times Picomole Per Liter Per Gram
C85636	h*pg/mL/kg	h*fg/mL/g;h*pg/mL/kg	Hours times picograms per milliliter (area under the curve), divided by kilograms (weight) or hours times femtograms per milliliter (area under the curve), divided by grams (weight).	Hour Times Picogram per Milliliter per Kilogram
C112311	h*pmol/L/kg		Hours times picomoles per liter (area under the curve), divided by kilograms (weight).	Hour Times Picomole Per Liter Per Kilogram
C85625	h*ug/mL/kg	h*ng/mL/g;h*pg/mL/mg;h*ug/mL/kg	Hours times micrograms per milliliter (area under the curve), divided by kilograms (weight) or hours times nanograms per milliliter (area under the curve), divided by grams (weight) or hours times picograms per milliliter (area under the curve), divided by milligrams (dose).	Hour Times Nanogram per Milliliter per Gram
C112304	h*umol/L/kg	h*nmol/L/g;h*umol/L/kg	Hours times micromoles per liter (area under the curve), divided by kilograms (weight) or hours times nanomoles per liter (area under the curve), divided by grams (weight).	Hour Times Micromole Per Liter Per Kilogram
C119378	IU/mL/kg	IU/mL/kg;mIU/mL/g;uIU/mL/mg	International units per milliliter (concentration), divided by kilograms (weight) or milli-international units per milliliter (concentration), divided by grams (weight) or micro-international units per milliliter (concentration), divided by milligrams (dose).	International Unit per Milliliter per Kilogram
C73725	L/kg	L/kg;mL/g	Liters (volume) divided by kilograms (weight) or milliliters (volume), divided by grams (weight).	Liter per Kilogram
C85747	mg/mL/kg	mg/mL/kg;ng/mL/mg;pg/mL/ug;ug/mL/g	Milligrams per milliliter (concentration), divided by kilograms (weight) or micrograms per milliliter (concentration), divided by grams (weight) or nanograms per milliliter (concentration), divided by milligrams (dose) or picograms per milliliter (concentration), divided by micrograms (dose).	Nanogram per Milliliter per Milligram
C112337	min*g/mL/kg	min*g/mL/kg;min*mg/mL/g	Minutes times grams per milliliter (area under the curve), divided by kilograms (weight) or minutes times milligrams per milliliter (area under the curve), divided by grams (weight).	Minute Times Gram Per Milliliter Per Kilogram



**C128683 PKUWKG**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112338	min*mg/mL/kg	min*mg/mL/kg;min*ug/mL/g	Minutes times milligrams per milliliter (area under the curve), divided by kilograms (weight) or minutes times micrograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Gram
C112340	min*mmol/L/kg	min*mmol/L/kg;min*umol/L/g	Minutes times millimoles per liter (area under the curve), divided by kilograms (weight) or minutes times micromoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Gram
C112344	min*mol/L/kg	min*mmol/L/g;min*mol/L/kg	Minutes times moles per liter (area under the curve), divided by kilograms (weight) or minutes times millimoles per liter (area under the curve), divided by grams (weight).	Minute Times Millimole Per Liter Per Gram
C112349	min*ng/mL/kg	min*ng/mL/kg;min*pg/mL/g	Minutes times nanograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times picograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Nanogram Per Milliliter Per Kilogram
C112351	min*nmol/L/kg	min*nmol/L/kg;min*pmol/L/g	Minutes times nanomoles per liter (area under the curve), divided by kilograms (weight) or minutes times picomoles per liter (area under the curve), divided by grams (weight).	Minute Times Nanomole Per Liter Per Kilogram
C112334	min*pg/mL/kg	min*fg/mL/g;min*pg/mL/kg	Minutes times picograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times femtograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Femtogram Per Milliliter Per Gram
C112355	min*pmol/L/kg		Minutes times picomoles per liter (area under the curve), divided by kilograms (weight).	Minute Times Picomole Per Liter Per Kilogram
C112339	min*ug/mL/kg	min*ng/mL/g;min*ug/mL/kg	Minutes times micrograms per milliliter (area under the curve), divided by kilograms (weight) or minutes times nanograms per milliliter (area under the curve), divided by grams (weight).	Minute Times Microgram Per Milliliter Per Kilogram
C112341	min*umol/L/kg	min*nmol/L/g;min*umol/L/kg	Minutes times micromoles per liter (area under the curve), divided by kilograms (weight) or minutes times nanomoles per liter (area under the curve), divided by grams (weight).	Minute Times Micromole Per Liter Per Kilogram
C119408	mIU/mL/kg	mIU/mL/kg;uIU/mL/g	Milli-international units per milliliter (concentration), divided by kilograms (weight) or micro-international units per milliliter (concentration), divided by grams (weight).	Milli-International Unit per Milliliter per Kilogram
C67411	mL/kg		Milliliters (volume) divided by kilograms (weight).	Milliliter per Kilogram

## C128683 PKUWKG

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C85784	mmol/L/kg	mmol/L/kg;nmol/L/mg;pmol/L/ug;umol/L/g	Millimoles per liter (concentration), divided by kilograms (weight) or micromoles per liter (concentration), divided by grams (weight) or nanomoles per liter (concentration), divided by milligrams (dose) or picomoles per liter (concentration), divided by micrograms (dose).	Picomole per Liter per Microgram
C119423	mol/L/kg	mmol/L/g;mol/L/kg;nmol/L/ug;umol/L/mg	Moles per liter (concentration), divided by kilograms (weight) or millimoles per liter (concentration), divided by grams (weight) or micromoles per liter (concentration), divided by milligrams (dose) or nanomoles per liter (concentration), divided by micrograms (dose).	Millimole per Liter per Gram
C85743	ng/kg/min		Nanograms per kilogram per minute.	Nanogram per Kilogram per Minute
C85746	ng/mL/kg	fg/mL/mg;ng/mL/kg;pg/mL/g	Nanograms per milliliter (concentration), divided by kilograms (weight) or picograms per milliliter (concentration), divided by grams (weight) or femtograms per milliliter (concentration), divided by milligrams (dose).	Nanogram per Milliliter per Kilogram
C85754	nmol/kg	nmol/kg;pmol/g	Nanomoles (amount), divided by kilograms (weight) or picomoles per gram.	Nanomole per Kilogram
C119468	nmol/L/kg	nmol/L/kg;pmol/L/g	Nanomoles per liter (concentration), divided by kilograms (weight) or picomoles per liter (concentration), divided by grams (weight).	Nanomole per Liter per Kilogram
C119347	pg/mL/kg	fg/mL/g;pg/mL/kg	Picograms per milliliter (concentration), divided by kilograms (weight) or femtograms per milliliter (concentration), divided by grams (weight).	Femtogram per Milliliter per Gram
C119497	pmol/L/kg		Picomoles per liter (concentration), divided by kilograms (weight).	Picomole per Liter per Kilogram
C119351	ug/mL/kg	fg/mL/ug;ng/mL/g;pg/mL/mg;ug/mL/kg	Micrograms per milliliter (concentration), divided by kilograms (weight) or nanograms per milliliter (concentration), divided by grams (weight) or picograms per milliliter (concentration), divided by milligrams (dose) or femtograms per milliliter (concentration), divided by micrograms (dose).	Femtogram per Milliliter per Microgram
C119525	uIU/mL/kg		Micro-international units per milliliter (concentration), divided by kilograms (weight).	Micro-International Units per Milliliter per Kilogram
C119467	umol/L/kg	nmol/L/g;pmol/L/mg;umol/L/kg	Micromoles per liter (concentration), divided by kilograms (weight) or nanomoles per liter (concentration), divided by grams (weight) or picomoles per liter (concentration), divided by milligrams (dose).	Nanomole per Liter per Gram

**PODCI1TC (Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Code)**

NCI Code: C135694, Codelist extensible: No

<b>C135694 PODCI1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135942	PODCI101	PODCI1-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Pediatric Parent-Reported Version - Lift Heavy Books
C135943	PODCI102	PODCI1-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Pediatric Parent-Reported Version - Pour a Half Gallon of Milk
C135944	PODCI103	PODCI1-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Pediatric Parent-Reported Version - Open a Jar Been Opened Before
C135945	PODCI104	PODCI1-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Pediatric Parent-Reported Version - Use a Fork and Spoon
C135946	PODCI105	PODCI1-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Pediatric Parent-Reported Version - Comb His or Her Hair
C135947	PODCI106	PODCI1-Button Buttons	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Pediatric Parent-Reported Version - Button Buttons
C135948	PODCI107	PODCI1-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Pediatric Parent-Reported Version - Put on His or Her Coat
C135949	PODCI108	PODCI1-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Pediatric Parent-Reported Version - Write With a Pencil
C135950	PODCI109	PODCI1-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - On average, over the last 12 months, how often did your child miss school (preschool, day care, camp, etc.) because of his/her health?	PODCI Pediatric Parent-Reported Version - Miss School Because of Health
C135951	PODCI110	PODCI1-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Pediatric Parent-Reported Version - How He or She Looks
C135952	PODCI111	PODCI1-His/Her Body	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Pediatric Parent-Reported Version - His or Her Body
C135953	PODCI112	PODCI1-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Pediatric Parent-Reported Version - What Clothes or Shoes He or She Wear
C135954	PODCI113	PODCI1-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Pediatric Parent-Reported Version - Ability Do Same Things Friends Do
C135955	PODCI114	PODCI1-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Pediatric Parent-Reported Version - His or Her Health in General
C135956	PODCI115	PODCI1-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Pediatric Parent-Reported Version - Feel Sick and Tired
C135957	PODCI116	PODCI1-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Pediatric Parent-Reported Version - Full of Pep and Energy
C135958	PODCI117	PODCI1-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Pediatric Parent-Reported Version - Pain or Discomfort Interfere With Activities
C135959	PODCI118	PODCI1-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Pediatric Parent-Reported Version - Run Short Distances

**C135694 PODCI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135960	PODCI119	PODCI1-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Pediatric Parent-Reported Version - Bicycle or Tricycle
C135961	PODCI120	PODCI1-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Pediatric Parent-Reported Version - Climb Three Flights of Stairs
C135962	PODCI121	PODCI1-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Pediatric Parent-Reported Version - Climb One Flight of Stairs
C135963	PODCI122	PODCI1-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Pediatric Parent-Reported Version - Walk More Than a Mile
C135964	PODCI123	PODCI1-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Pediatric Parent-Reported Version - Walk Three Blocks
C135965	PODCI124	PODCI1-Walk One Block	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Pediatric Parent-Reported Version - Walk One Block
C135966	PODCI125	PODCI1-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Pediatric Parent-Reported Version - Get On and Off a Bus
C135967	PODCI126	PODCI1-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Pediatric Parent-Reported Version - Need Help Walking and Climbing
C135968	PODCI127	PODCI1-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Walking
C135969	PODCI128	PODCI1-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Pediatric Parent-Reported Version - Stand Washing Hands at a Sink
C135970	PODCI129	PODCI1-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Pediatric Parent-Reported Version - Sit in Chair Without Holding On
C135971	PODCI130	PODCI1-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Pediatric Parent-Reported Version - Get On and Off a Toilet or Chair
C135972	PODCI131	PODCI1-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Pediatric Parent-Reported Version - Get In and Out of Bed
C135973	PODCI132	PODCI1-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Pediatric Parent-Reported Version - Turn Door Knobs
C135974	PODCI133	PODCI1-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Pediatric Parent-Reported Version - Bend Over and Pick Up Something
C135975	PODCI134	PODCI1-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Pediatric Parent-Reported Version - Need Help Sitting and Standing
C135976	PODCI135	PODCI1-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Sitting
C135977	PODCI136	PODCI1-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, tricycling, skating, hiking, jogging)?	PODCI Pediatric Parent-Reported Version - Participate in Outdoor Activities
C135978	PODCI137	PODCI1-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Pain

<b>C135694 PODCI1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135979	PODCI138	PODCI1-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Health
C135980	PODCI139	PODCI1-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Instructions
C135981	PODCI140	PODCI1-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Fear
C135982	PODCI141	PODCI1-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Dislike
C135983	PODCI142	PODCI1-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Too Young
C135984	PODCI143	PODCI1-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Season
C135985	PODCI144	PODCI1-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Pediatric Parent-Reported Version - Participate in Pickup Games
C135986	PODCI145	PODCI1-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Games Limited by: Pain
C135987	PODCI146	PODCI1-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Games Limited by: Health
C135988	PODCI147	PODCI1-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Games Limited by: Instructions
C135989	PODCI148	PODCI1-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Games Limited by: Fear
C135990	PODCI149	PODCI1-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Games Limited by: Dislike
C135991	PODCI150	PODCI1-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Games Limited by: Too Young
C135992	PODCI151	PODCI1-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Games Limited by: Season
C135993	PODCI152	PODCI1-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Pediatric Parent-Reported Version - Participate in Competitive Sports
C135994	PODCI153	PODCI1-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Pain

**C135694 PODCI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135995	PODCI154	PODCI1-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Health
C135996	PODCI155	PODCI1-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Instruction
C135997	PODCI156	PODCI1-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Fear
C135998	PODCI157	PODCI1-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Dislike
C135999	PODCI158	PODCI1-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Too Young
C136000	PODCI159	PODCI1-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Season
C136001	PODCI160	PODCI1-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Pediatric Parent-Reported Version - Get Together With Friends
C136002	PODCI161	PODCI1-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Pain
C136003	PODCI162	PODCI1-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Health
C136004	PODCI163	PODCI1-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Instructions
C136005	PODCI164	PODCI1-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Fear
C136006	PODCI165	PODCI1-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Not Around
C136007	PODCI166	PODCI1-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Pediatric Parent-Reported Version - Participate in Gym or Recess
C136008	PODCI167	PODCI1-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Pain
C136009	PODCI168	PODCI1-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Health
C136010	PODCI169	PODCI1-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Instructions
C136011	PODCI170	PODCI1-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Fear

**C135694 PODCI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136012	PODCI171	PODCI1-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Dislike
C136013	PODCI172	PODCI1-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not in Session
C136014	PODCI173	PODCI1-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not Attend School
C136015	PODCI174	PODCI1-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Pediatric Parent-Reported Version - Easy to Make Friends
C136016	PODCI175	PODCI1-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How much pain has your child had during the last week?	PODCI Pediatric Parent-Reported Version - Pain During the Last Week
C136017	PODCI176	PODCI1-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Pediatric Parent-Reported Version - Pain Interfere With Activities
C136018	PODCI177	PODCI1-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Pediatric Parent-Reported Version - Have Pain Relief
C136019	PODCI178	PODCI1-Look Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Pediatric Parent-Reported Version - Look Better
C136020	PODCI179	PODCI1-Feel Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Pediatric Parent-Reported Version - Feel Better
C136021	PODCI180	PODCI1-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Pediatric Parent-Reported Version - Sleep More Comfortably
C136022	PODCI181	PODCI1-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Pediatric Parent-Reported Version - Able to Do Activities at Home
C136023	PODCI182	PODCI1-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Pediatric Parent-Reported Version - Able to Do More at School
C136024	PODCI183	PODCI1-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities (biking, walking, doing things with friends).	PODCI Pediatric Parent-Reported Version - Able to Do More Play
C136025	PODCI184	PODCI1-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Pediatric Parent-Reported Version - Able to Do More Sports
C136026	PODCI185	PODCI1-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Pediatric Parent-Reported Version - Free From Pain as Adult
C136027	PODCI186	PODCI1-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Pediatric Parent-Reported Version - Spend Rest of Life With Condition
C136028	PODCI187	PODCI1-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Upper extremity and physical function core scale.	PODCI Pediatric Parent-Reported Version - Upper Extremity and Physical Function Scale
C136029	PODCI188	PODCI1-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Transfer and basic mobility core scale.	PODCI Pediatric Parent-Reported Version - Transfer and Basic Mobility Scale

**C135694 PODCI1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136030	PODCI189	PODCI1-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Sports and physical functioning core scale.	PODCI Pediatric Parent-Reported Version - Sports and Physical Function Scale
C136031	PODCI190	PODCI1-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Pain/comfort core scale.	PODCI Pediatric Parent-Reported Version - Pain or Comfort Scale
C136032	PODCI191	PODCI1-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Happiness core scale.	PODCI Pediatric Parent-Reported Version - Happiness Scale
C136033	PODCI192	PODCI1-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Global functioning scale.	PODCI Pediatric Parent-Reported Version - Global Functioning Scale



**PODCI1TN (Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire Test Name)**

NCI Code: C135693, Codelist extensible: No

<b>C135693 PODCI1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135954	PODCI1-Ability Do Same Things Friends Do	PODCI1-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Pediatric Parent-Reported Version - Ability Do Same Things Friends Do
C136022	PODCI1-Able to Do Activities at Home	PODCI1-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Pediatric Parent-Reported Version - Able to Do Activities at Home
C136023	PODCI1-Able to Do More at School	PODCI1-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Pediatric Parent-Reported Version - Able to Do More at School
C136024	PODCI1-Able to Do More Play	PODCI1-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities (biking, walking, doing things with friends).	PODCI Pediatric Parent-Reported Version - Able to Do More Play
C136025	PODCI1-Able to Do More Sports	PODCI1-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Pediatric Parent-Reported Version - Able to Do More Sports
C135974	PODCI1-Bend Over and Pick Up Something	PODCI1-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Pediatric Parent-Reported Version - Bend Over and Pick Up Something
C135960	PODCI1-Bicycle or Tricycle	PODCI1-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Pediatric Parent-Reported Version - Bicycle or Tricycle
C135947	PODCI1-Button Buttons	PODCI1-Button Buttons	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Pediatric Parent-Reported Version - Button Buttons
C135962	PODCI1-Climb One Flight of Stairs	PODCI1-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Pediatric Parent-Reported Version - Climb One Flight of Stairs
C135961	PODCI1-Climb Three Flights of Stairs	PODCI1-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Pediatric Parent-Reported Version - Climb Three Flights of Stairs
C135946	PODCI1-Comb His/Her Hair	PODCI1-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Pediatric Parent-Reported Version - Comb His or Her Hair
C135998	PODCI1-Comp Sports Limited by: Dislike	PODCI1-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Dislike
C135997	PODCI1-Comp Sports Limited by: Fear	PODCI1-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Fear
C135995	PODCI1-Comp Sports Limited by: Health	PODCI1-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Health
C135996	PODCI1-Comp Sports Limited by: Instruct	PODCI1-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Instruction
C135994	PODCI1-Comp Sports Limited by: Pain	PODCI1-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Pain
C136000	PODCI1-Comp Sports Limited by: Season	PODCI1-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Season

**C135693 PODCI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135999	PODCI1-Comp Sports Limited by: Too Young	PODCI1-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Competitive Sports Limited by: Too Young
C136015	PODCI1-Easy to Make Friends	PODCI1-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Pediatric Parent-Reported Version - Easy to Make Friends
C136020	PODCI1-Feel Better	PODCI1-Feel Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Pediatric Parent-Reported Version - Feel Better
C135956	PODCI1-Feel Sick and Tired	PODCI1-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Pediatric Parent-Reported Version - Feel Sick and Tired
C136026	PODCI1-Free From Pain as Adult	PODCI1-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Pediatric Parent-Reported Version - Free From Pain as Adult
C136005	PODCI1-Friends Limited by: Fear	PODCI1-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Fear
C136003	PODCI1-Friends Limited by: Health	PODCI1-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Health
C136004	PODCI1-Friends Limited by: Instructions	PODCI1-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Instructions
C136006	PODCI1-Friends Limited by: Not Around	PODCI1-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Not Around
C136002	PODCI1-Friends Limited by: Pain	PODCI1-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Friends Limited by: Pain
C135957	PODCI1-Full of Pep and Energy	PODCI1-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Pediatric Parent-Reported Version - Full of Pep and Energy
C135990	PODCI1-Games Limited by: Dislike	PODCI1-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Pediatric Parent-Reported Version - Games Limited by: Dislike
C135989	PODCI1-Games Limited by: Fear	PODCI1-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Games Limited by: Fear
C135987	PODCI1-Games Limited by: Health	PODCI1-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Games Limited by: Health
C135988	PODCI1-Games Limited by: Instructions	PODCI1-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Games Limited by: Instructions
C135986	PODCI1-Games Limited by: Pain	PODCI1-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Games Limited by: Pain
C135992	PODCI1-Games Limited by: Season	PODCI1-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Games Limited by: Season
C135991	PODCI1-Games Limited by: Too Young	PODCI1-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Games Limited by: Too Young

**C135693 PODCI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135972	PODCI1-Get In and Out of Bed	PODCI1-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Pediatric Parent-Reported Version - Get In and Out of Bed
C135966	PODCI1-Get On and Off a Bus	PODCI1-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Pediatric Parent-Reported Version - Get On and Off a Bus
C135971	PODCI1-Get On and Off a Toilet or Chair	PODCI1-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Pediatric Parent-Reported Version - Get On and Off a Toilet or Chair
C136001	PODCI1-Get Together With Friends	PODCI1-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Pediatric Parent-Reported Version - Get Together With Friends
C136033	PODCI1-Global Functioning Scale	PODCI1-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Global functioning scale.	PODCI Pediatric Parent-Reported Version - Global Functioning Scale
C136012	PODCI1-Gym Limited by: Dislike	PODCI1-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Dislike
C136011	PODCI1-Gym Limited by: Fear	PODCI1-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Fear
C136009	PODCI1-Gym Limited by: Health	PODCI1-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Health
C136010	PODCI1-Gym Limited by: Instructions	PODCI1-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Instructions
C136014	PODCI1-Gym Limited by: Not Attend School	PODCI1-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not Attend School
C136013	PODCI1-Gym Limited by: Not in Session	PODCI1-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Not in Session
C136008	PODCI1-Gym Limited by: Pain	PODCI1-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Gym Limited by: Pain
C136032	PODCI1-Happiness Scale	PODCI1-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Happiness core scale.	PODCI Pediatric Parent-Reported Version - Happiness Scale
C136018	PODCI1-Have Pain Relief	PODCI1-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Pediatric Parent-Reported Version - Have Pain Relief
C135952	PODCI1-His/Her Body	PODCI1-His/Her Body	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Pediatric Parent-Reported Version - His or Her Body
C135955	PODCI1-His/Her Health in General	PODCI1-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Pediatric Parent-Reported Version - His or Her Health in General
C135951	PODCI1-How He/She Looks	PODCI1-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Pediatric Parent-Reported Version - How He or She Looks
C135942	PODCI1-Lift Heavy Books	PODCI1-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Pediatric Parent-Reported Version - Lift Heavy Books
C136019	PODCI1-Look Better	PODCI1-Look Better	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Pediatric Parent-Reported Version - Look Better

**C135693 PODCI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135950	PODCI1-Miss School Because of Health	PODCI1-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - On average, over the last 12 months, how often did your child miss school (preschool, day care, camp, etc.) because of his/her health?	PODCI Pediatric Parent-Reported Version - Miss School Because of Health
C135975	PODCI1-Need Help Sitting and Standing	PODCI1-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Pediatric Parent-Reported Version - Need Help Sitting and Standing
C135967	PODCI1-Need Help Walking and Climbing	PODCI1-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Pediatric Parent-Reported Version - Need Help Walking and Climbing
C135944	PODCI1-Open a Jar Been Opened Before	PODCI1-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Pediatric Parent-Reported Version - Open a Jar Been Opened Before
C135982	PODCI1-Outdoor Limited by: Dislike	PODCI1-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Dislike
C135981	PODCI1-Outdoor Limited by: Fear	PODCI1-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Fear
C135979	PODCI1-Outdoor Limited by: Health	PODCI1-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Health
C135980	PODCI1-Outdoor Limited by: Instructions	PODCI1-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Instructions
C135978	PODCI1-Outdoor Limited by: Pain	PODCI1-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Pain
C135984	PODCI1-Outdoor Limited by: Season	PODCI1-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Season
C135983	PODCI1-Outdoor Limited by: Too Young	PODCI1-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Pediatric Parent-Reported Version - Outdoor Limited by: Too Young
C136016	PODCI1-Pain During the Last Week	PODCI1-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How much pain has your child had during the last week?	PODCI Pediatric Parent-Reported Version - Pain During the Last Week
C136017	PODCI1-Pain Interfere With Activities	PODCI1-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Pediatric Parent-Reported Version - Pain Interfere With Activities
C136031	PODCI1-Pain/Comfort Scale	PODCI1-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Pain/comfort core scale.	PODCI Pediatric Parent-Reported Version - Pain or Comfort Scale
C135958	PODCI1-Pain/Discom Inter With Activities	PODCI1-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Pediatric Parent-Reported Version - Pain or Discomfort Interfere With Activities
C135993	PODCI1-Participate in Competitive Sports	PODCI1-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Pediatric Parent-Reported Version - Participate in Competitive Sports
C136007	PODCI1-Participate in Gym/Recess	PODCI1-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Pediatric Parent-Reported Version - Participate in Gym or Recess

**C135693 PODCI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135977	PODCI1-Participate in Outdoor Activities	PODCI1-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, tricycling, skating, hiking, jogging)?	PODCI Pediatric Parent-Reported Version - Participate in Outdoor Activities
C135985	PODCI1-Participate in Pickup Games	PODCI1-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Pediatric Parent-Reported Version - Participate in Pickup Games
C135943	PODCI1-Pour a Half Gallon of Milk	PODCI1-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Pediatric Parent-Reported Version - Pour a Half Gallon of Milk
C135948	PODCI1-Put on His/Her Coat	PODCI1-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Pediatric Parent-Reported Version - Put on His or Her Coat
C135959	PODCI1-Run Short Distances	PODCI1-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Pediatric Parent-Reported Version - Run Short Distances
C135970	PODCI1-Sit in Chair Without Holding On	PODCI1-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Pediatric Parent-Reported Version - Sit in Chair Without Holding On
C136021	PODCI1-Sleep More Comfortably	PODCI1-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Pediatric Parent-Reported Version - Sleep More Comfortably
C136027	PODCI1-Spend Rest of Life With Condition	PODCI1-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Pediatric Parent-Reported Version - Spend Rest of Life With Condition
C136030	PODCI1-Sports/Phys Function Scale	PODCI1-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Sports and physical functioning core scale.	PODCI Pediatric Parent-Reported Version - Sports and Physical Function Scale
C135969	PODCI1-Stand Washing Hands at a Sink	PODCI1-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Pediatric Parent-Reported Version - Stand Washing Hands at a Sink
C136029	PODCI1-Transfer/Basic Mobility Scale	PODCI1-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Transfer and basic mobility core scale.	PODCI Pediatric Parent-Reported Version - Transfer and Basic Mobility Scale
C135973	PODCI1-Turn Door Knobs	PODCI1-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Pediatric Parent-Reported Version - Turn Door Knobs
C136028	PODCI1-Up Extremity/Phys Function Scale	PODCI1-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - Upper extremity and physical function core scale.	PODCI Pediatric Parent-Reported Version - Upper Extremity and Physical Function Scale
C135945	PODCI1-Use a Fork and Spoon	PODCI1-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Pediatric Parent-Reported Version - Use a Fork and Spoon
C135976	PODCI1-Use Assistive Devices for Sitting	PODCI1-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Sitting
C135968	PODCI1-Use Assistive Devices for Walking	PODCI1-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Pediatric Parent-Reported Version - Use Assistive Devices for Walking
C135963	PODCI1-Walk More Than a Mile	PODCI1-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Pediatric Parent-Reported Version - Walk More Than a Mile
C135965	PODCI1-Walk One Block	PODCI1-Walk One Block	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Pediatric Parent-Reported Version - Walk One Block

**C135693 PODCI1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135964	PODCI1-Walk Three Blocks	PODCI1-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Pediatric Parent-Reported Version - Walk Three Blocks
C135953	PODCI1-What Clothes/Shoes He/She Wear	PODCI1-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Pediatric Parent-Reported Version - What Clothes or Shoes He or She Wear
C135949	PODCI1-Write With a Pencil	PODCI1-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Pediatric Parent-Reported Version - Write With a Pencil

**PODCI2TC (Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Code)**

NCI Code: C135696, Codelist extensible: No

<b>C135696 PODCI2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136034	PODCI201	PODCI2-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Adolescent Parent-Reported Version - Lift Heavy Books
C136035	PODCI202	PODCI2-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Adolescent Parent-Reported Version - Pour a Half Gallon of Milk
C136036	PODCI203	PODCI2-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Adolescent Parent-Reported Version - Open a Jar Been Opened Before
C136037	PODCI204	PODCI2-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Adolescent Parent-Reported Version - Use a Fork and Spoon
C136038	PODCI205	PODCI2-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Adolescent Parent-Reported Version - Comb His or Her Hair
C136039	PODCI206	PODCI2-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Adolescent Parent-Reported Version - Button Buttons
C136040	PODCI207	PODCI2-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Adolescent Parent-Reported Version - Put on His or Her Coat
C136041	PODCI208	PODCI2-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Adolescent Parent-Reported Version - Write With a Pencil
C136042	PODCI209	PODCI2-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - On average, over the last 12 months, how often did your child miss school (camp, etc.) because of his/her health?	PODCI Adolescent Parent-Reported Version - Miss School Because of Health
C136043	PODCI210	PODCI2-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Adolescent Parent-Reported Version - How He or She Looks
C136044	PODCI211	PODCI2-His/Her Body	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Adolescent Parent-Reported Version - His or Her Body
C136045	PODCI212	PODCI2-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Adolescent Parent-Reported Version - What Clothes or Shoes He or She Wear
C136046	PODCI213	PODCI2-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Adolescent Parent-Reported Version - Ability Do Same Things Friends Do
C136047	PODCI214	PODCI2-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Adolescent Parent-Reported Version - His or Her Health in General
C136048	PODCI215	PODCI2-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Adolescent Parent-Reported Version - Feel Sick and Tired
C136049	PODCI216	PODCI2-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Adolescent Parent-Reported Version - Full of Pep and Energy
C136050	PODCI217	PODCI2-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Adolescent Parent-Reported Version - Pain or Discomfort Interfere With Activities
C136051	PODCI218	PODCI2-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Adolescent Parent-Reported Version - Run Short Distances

**C135696 PODCI2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136052	PODCI219	PODCI2-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Adolescent Parent-Reported Version - Bicycle or Tricycle
C136053	PODCI220	PODCI2-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Adolescent Parent-Reported Version - Climb Three Flights of Stairs
C136054	PODCI221	PODCI2-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Adolescent Parent-Reported Version - Climb One Flight of Stairs
C136055	PODCI222	PODCI2-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Adolescent Parent-Reported Version - Walk More Than a Mile
C136056	PODCI223	PODCI2-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Adolescent Parent-Reported Version - Walk Three Blocks
C136057	PODCI224	PODCI2-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Adolescent Parent-Reported Version - Walk One Block
C136058	PODCI225	PODCI2-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Adolescent Parent-Reported Version - Get On and Off a Bus
C136059	PODCI226	PODCI2-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Adolescent Parent-Reported Version - Need Help Walking and Climbing
C136060	PODCI227	PODCI2-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Walking
C136061	PODCI228	PODCI2-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Adolescent Parent-Reported Version - Stand Washing Hands at a Sink
C136062	PODCI229	PODCI2-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Adolescent Parent-Reported Version - Sit in Chair Without Holding On
C136063	PODCI230	PODCI2-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Adolescent Parent-Reported Version - Get On and Off a Toilet or Chair
C136064	PODCI231	PODCI2-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Adolescent Parent-Reported Version - Get In and Out of Bed
C136065	PODCI232	PODCI2-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Adolescent Parent-Reported Version - Turn Door Knobs
C136066	PODCI233	PODCI2-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Parent-Reported Version - Bend Over and Pick Up Something
C136067	PODCI234	PODCI2-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Adolescent Parent-Reported Version - Need Help Sitting and Standing
C136068	PODCI235	PODCI2-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Sitting
C136069	PODCI236	PODCI2-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Parent-Reported Version - Participate in Outdoor Activities



**C135696 PODCI2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136070	PODCI237	PODCI2-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Pain
C136071	PODCI238	PODCI2-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Health
C136072	PODCI239	PODCI2-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Instructions
C136073	PODCI240	PODCI2-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Fear
C136074	PODCI241	PODCI2-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Dislike
C136075	PODCI242	PODCI2-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Too Young
C136076	PODCI243	PODCI2-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Season
C136077	PODCI244	PODCI2-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Parent-Reported Version - Participate in Pickup Games
C136078	PODCI245	PODCI2-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Games Limited by: Pain
C136079	PODCI246	PODCI2-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Games Limited by: Health
C136080	PODCI247	PODCI2-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Games Limited by: Instructions
C136081	PODCI248	PODCI2-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Games Limited by: Fear
C136082	PODCI249	PODCI2-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Games Limited by: Dislike
C136083	PODCI250	PODCI2-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Games Limited by: Too Young
C136084	PODCI251	PODCI2-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Games Limited by: Season
C136085	PODCI252	PODCI2-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Parent-Reported Version - Participate in Competitive Sports

<b>C135696 PODCI2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136086	PODCI253	PODCI2-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Pain
C136087	PODCI254	PODCI2-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Health
C136088	PODCI255	PODCI2-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Instructions
C136089	PODCI256	PODCI2-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Fear
C136090	PODCI257	PODCI2-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Dislike
C136091	PODCI258	PODCI2-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Too Young
C136092	PODCI259	PODCI2-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Season
C136093	PODCI260	PODCI2-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Adolescent Parent-Reported Version - Get Together With Friends
C136094	PODCI261	PODCI2-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Pain
C136095	PODCI262	PODCI2-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Health
C136096	PODCI263	PODCI2-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Instructions
C136097	PODCI264	PODCI2-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Fear
C136098	PODCI265	PODCI2-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Not Around
C136099	PODCI266	PODCI2-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Adolescent Parent-Reported Version - Participate in Gym or Recess
C136100	PODCI267	PODCI2-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Pain
C136101	PODCI268	PODCI2-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Health

**C135696 PODCI2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136102	PODCI269	PODCI2-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Instructions
C136103	PODCI270	PODCI2-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Fear
C136104	PODCI271	PODCI2-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Dislike
C136105	PODCI272	PODCI2-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not in Session
C136106	PODCI273	PODCI2-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not Attend School
C136107	PODCI274	PODCI2-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Adolescent Parent-Reported Version - Easy to Make Friends
C136108	PODCI275	PODCI2-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How much pain has your child had during the last week?	PODCI Adolescent Parent-Reported Version - Pain During the Last Week
C136109	PODCI276	PODCI2-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Parent-Reported Version - Pain Interfere With Activities
C136110	PODCI277	PODCI2-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Adolescent Parent-Reported Version - Have Pain Relief
C136111	PODCI278	PODCI2-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Adolescent Parent-Reported Version - Look Better
C136112	PODCI279	PODCI2-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Adolescent Parent-Reported Version - Feel Better
C136113	PODCI280	PODCI2-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Adolescent Parent-Reported Version - Sleep More Comfortably
C136114	PODCI281	PODCI2-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Adolescent Parent-Reported Version - Able to Do Activities at Home
C136115	PODCI282	PODCI2-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Adolescent Parent-Reported Version - Able to Do More at School
C136116	PODCI283	PODCI2-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities.	PODCI Adolescent Parent-Reported Version - Able to Do More Play
C136117	PODCI284	PODCI2-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Adolescent Parent-Reported Version - Able to Do More Sports
C136118	PODCI285	PODCI2-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Adolescent Parent-Reported Version - Free From Pain as Adult

**C135696 PODCI2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136119	PODCI286	PODCI2-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Parent-Reported Version - Spend Rest of Life With Condition
C136120	PODCI287	PODCI2-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Parent-Reported Version - Upper Extremity and Physical Function Scale
C136121	PODCI288	PODCI2-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Parent-Reported Version - Transfer and Basic Mobility Scale
C136122	PODCI289	PODCI2-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Sports and physical functioning core scale.	PODCI Adolescent Parent-Reported Version - Sports and Physical Function Scale
C136123	PODCI290	PODCI2-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Pain/comfort core scale.	PODCI Adolescent Parent-Reported Version - Pain or Comfort Scale
C136124	PODCI291	PODCI2-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Happiness core scale.	PODCI Adolescent Parent-Reported Version - Happiness Scale
C136125	PODCI292	PODCI2-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Global functioning scale.	PODCI Adolescent Parent-Reported Version - Global Functioning Scale

**PODCI2TN (Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire Test Name)**

NCI Code: C135695, Codelist extensible: No

<b>C135695 PODCI2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136046	PODCI2-Ability Do Same Things Friends Do	PODCI2-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her ability to do the same things his/her friends do?	PODCI Adolescent Parent-Reported Version - Ability Do Same Things Friends Do
C136114	PODCI2-Able to Do Activities at Home	PODCI2-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do activities at home.	PODCI Adolescent Parent-Reported Version - Able to Do Activities at Home
C136115	PODCI2-Able to Do More at School	PODCI2-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more at school.	PODCI Adolescent Parent-Reported Version - Able to Do More at School
C136116	PODCI2-Able to Do More Play	PODCI2-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more play or recreational activities.	PODCI Adolescent Parent-Reported Version - Able to Do More Play
C136117	PODCI2-Able to Do More Sports	PODCI2-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be able to do more sports.	PODCI Adolescent Parent-Reported Version - Able to Do More Sports
C136066	PODCI2-Bend Over and Pick Up Something	PODCI2-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Parent-Reported Version - Bend Over and Pick Up Something
C136052	PODCI2-Bicycle or Tricycle	PODCI2-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Bicycle or tricycle?	PODCI Adolescent Parent-Reported Version - Bicycle or Tricycle
C136039	PODCI2-Button Buttons	PODCI2-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Button buttons?	PODCI Adolescent Parent-Reported Version - Button Buttons
C136054	PODCI2-Climb One Flight of Stairs	PODCI2-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb one flight of stairs?	PODCI Adolescent Parent-Reported Version - Climb One Flight of Stairs
C136053	PODCI2-Climb Three Flights of Stairs	PODCI2-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Climb three flights of stairs?	PODCI Adolescent Parent-Reported Version - Climb Three Flights of Stairs
C136038	PODCI2-Comb His/Her Hair	PODCI2-Comb His/Her Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Comb his/her hair?	PODCI Adolescent Parent-Reported Version - Comb His or Her Hair
C136090	PODCI2-Comp Sports Limited by: Dislike	PODCI2-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Dislike
C136089	PODCI2-Comp Sports Limited by: Fear	PODCI2-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Fear
C136087	PODCI2-Comp Sports Limited by: Health	PODCI2-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Health
C136088	PODCI2-Comp Sports Limited by: Instruct	PODCI2-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Instructions
C136086	PODCI2-Comp Sports Limited by: Pain	PODCI2-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Pain

**C135695 PODCI2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136092	PODCI2-Comp Sports Limited by: Season	PODCI2-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Season
C136091	PODCI2-Comp Sports Limited by: Too Young	PODCI2-Comp Sports Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 52 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Competitive Sports Limited by: Too Young
C136107	PODCI2-Easy to Make Friends	PODCI2-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Is it easy or hard for your child to make friends with children his/her own age?	PODCI Adolescent Parent-Reported Version - Easy to Make Friends
C136112	PODCI2-Feel Better	PODCI2-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To feel better about himself/herself.	PODCI Adolescent Parent-Reported Version - Feel Better
C136048	PODCI2-Feel Sick and Tired	PODCI2-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did your child feel sick and tired?	PODCI Adolescent Parent-Reported Version - Feel Sick and Tired
C136118	PODCI2-Free From Pain as Adult	PODCI2-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To be free from pain or disability as an adult.	PODCI Adolescent Parent-Reported Version - Free From Pain as Adult
C136097	PODCI2-Friends Limited by: Fear	PODCI2-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Fear
C136095	PODCI2-Friends Limited by: Health	PODCI2-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Health
C136096	PODCI2-Friends Limited by: Instructions	PODCI2-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Instructions
C136098	PODCI2-Friends Limited by: Not Around	PODCI2-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Friends not around?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Not Around
C136094	PODCI2-Friends Limited by: Pain	PODCI2-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 60 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Friends Limited by: Pain
C136049	PODCI2-Full of Pep and Energy	PODCI2-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Were your child full of pep and energy?	PODCI Adolescent Parent-Reported Version - Full of Pep and Energy
C136082	PODCI2-Games Limited by: Dislike	PODCI2-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Parent-Reported Version - Games Limited by: Dislike
C136081	PODCI2-Games Limited by: Fear	PODCI2-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Games Limited by: Fear
C136079	PODCI2-Games Limited by: Health	PODCI2-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Games Limited by: Health
C136080	PODCI2-Games Limited by: Instructions	PODCI2-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Games Limited by: Instructions
C136078	PODCI2-Games Limited by: Pain	PODCI2-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Games Limited by: Pain

**C135695 PODCI2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136084	PODCI2-Games Limited by: Season	PODCI2-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Games Limited by: Season
C136083	PODCI2-Games Limited by: Too Young	PODCI2-Games Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 44 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Games Limited by: Too Young
C136064	PODCI2-Get In and Out of Bed	PODCI2-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get in and out of bed?	PODCI Adolescent Parent-Reported Version - Get In and Out of Bed
C136058	PODCI2-Get On and Off a Bus	PODCI2-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a bus?	PODCI Adolescent Parent-Reported Version - Get On and Off a Bus
C136063	PODCI2-Get On and Off a Toilet or Chair	PODCI2-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Get on and off a toilet or chair?	PODCI Adolescent Parent-Reported Version - Get On and Off a Toilet or Chair
C136093	PODCI2-Get Together With Friends	PODCI2-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child get together and do things with friends?	PODCI Adolescent Parent-Reported Version - Get Together With Friends
C136125	PODCI2-Global Functioning Scale	PODCI2-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Global functioning scale.	PODCI Adolescent Parent-Reported Version - Global Functioning Scale
C136104	PODCI2-Gym Limited by: Dislike	PODCI2-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Dislike of gym/recess?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Dislike
C136103	PODCI2-Gym Limited by: Fear	PODCI2-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Fear
C136101	PODCI2-Gym Limited by: Health	PODCI2-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Health
C136102	PODCI2-Gym Limited by: Instructions	PODCI2-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Instructions
C136106	PODCI2-Gym Limited by: Not Attend School	PODCI2-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Does not attend school?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not Attend School
C136105	PODCI2-Gym Limited by: Not in Session	PODCI2-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: School not in session?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Not in Session
C136100	PODCI2-Gym Limited by: Pain	PODCI2-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "sometimes" or "never or rarely" to Question 66 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Gym Limited by: Pain
C136124	PODCI2-Happiness Scale	PODCI2-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Happiness core scale.	PODCI Adolescent Parent-Reported Version - Happiness Scale
C136110	PODCI2-Have Pain Relief	PODCI2-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To have pain relief.	PODCI Adolescent Parent-Reported Version - Have Pain Relief
C136044	PODCI2-His/Her Body	PODCI2-His/Her Body	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her body?	PODCI Adolescent Parent-Reported Version - His or Her Body

**C135695 PODCI2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136047	PODCI2-His/Her Health in General	PODCI2-His/Her Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: His/her health in general?	PODCI Adolescent Parent-Reported Version - His or Her Health in General
C136043	PODCI2-How He/She Looks	PODCI2-How He/She Looks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: How he/she looks?	PODCI Adolescent Parent-Reported Version - How He or She Looks
C136034	PODCI2-Lift Heavy Books	PODCI2-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Lift heavy books?	PODCI Adolescent Parent-Reported Version - Lift Heavy Books
C136111	PODCI2-Look Better	PODCI2-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To look better.	PODCI Adolescent Parent-Reported Version - Look Better
C136042	PODCI2-Miss School Because of Health	PODCI2-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - On average, over the last 12 months, how often did your child miss school (camp, etc.) because of his/her health?	PODCI Adolescent Parent-Reported Version - Miss School Because of Health
C136067	PODCI2-Need Help Sitting and Standing	PODCI2-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for sitting and standing?	PODCI Adolescent Parent-Reported Version - Need Help Sitting and Standing
C136059	PODCI2-Need Help Walking and Climbing	PODCI2-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child need help from another person for walking and climbing?	PODCI Adolescent Parent-Reported Version - Need Help Walking and Climbing
C136036	PODCI2-Open a Jar Been Opened Before	PODCI2-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Open a jar that has been opened before?	PODCI Adolescent Parent-Reported Version - Open a Jar Been Opened Before
C136074	PODCI2-Outdoor Limited by: Dislike	PODCI2-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Dislike
C136073	PODCI2-Outdoor Limited by: Fear	PODCI2-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Fear the other kids won't like him/her?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Fear
C136071	PODCI2-Outdoor Limited by: Health	PODCI2-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: General health?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Health
C136072	PODCI2-Outdoor Limited by: Instructions	PODCI2-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Doctor or parent instructions?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Instructions
C136070	PODCI2-Outdoor Limited by: Pain	PODCI2-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Pain?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Pain
C136076	PODCI2-Outdoor Limited by: Season	PODCI2-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Activity not in season?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Season
C136075	PODCI2-Outdoor Limited by: Too Young	PODCI2-Outdoor Limited by: Too Young	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If you answered "no" to Question 36 above, was your child's activity limited by: Too young?	PODCI Adolescent Parent-Reported Version - Outdoor Limited by: Too Young
C136108	PODCI2-Pain During the Last Week	PODCI2-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How much pain has your child had during the last week?	PODCI Adolescent Parent-Reported Version - Pain During the Last Week
C136109	PODCI2-Pain Interfere With Activities	PODCI2-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much did pain interfere with your child's normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Parent-Reported Version - Pain Interfere With Activities
C136123	PODCI2-Pain/Comfort Scale	PODCI2-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Pain/comfort core scale.	PODCI Adolescent Parent-Reported Version - Pain or Comfort Scale



**C135695 PODCI2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136050	PODCI2-Pain/Discom Inter With Activities	PODCI2-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your child's activities?	PODCI Adolescent Parent-Reported Version - Pain or Discomfort Interfere With Activities
C136085	PODCI2-Participate in Competitive Sports	PODCI2-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in competitive level sports with other children the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Parent-Reported Version - Participate in Competitive Sports
C136099	PODCI2-Participate in Gym/Recess	PODCI2-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often in the last week did your child participate in gym/recess?	PODCI Adolescent Parent-Reported Version - Participate in Gym or Recess
C136069	PODCI2-Participate in Outdoor Activities	PODCI2-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in recreational outdoor activities with other children the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Parent-Reported Version - Participate in Outdoor Activities
C136077	PODCI2-Participate in Pickup Games	PODCI2-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Can your child participate in pickup games or sports with other children the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Parent-Reported Version - Participate in Pickup Games
C136035	PODCI2-Pour a Half Gallon of Milk	PODCI2-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Pour a half gallon of milk?	PODCI Adolescent Parent-Reported Version - Pour a Half Gallon of Milk
C136040	PODCI2-Put on His/Her Coat	PODCI2-Put on His/Her Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Put on his/her coat?	PODCI Adolescent Parent-Reported Version - Put on His or Her Coat
C136051	PODCI2-Run Short Distances	PODCI2-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Run short distances?	PODCI Adolescent Parent-Reported Version - Run Short Distances
C136062	PODCI2-Sit in Chair Without Holding On	PODCI2-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Sit in a regular chair without holding on?	PODCI Adolescent Parent-Reported Version - Sit in Chair Without Holding On
C136113	PODCI2-Sleep More Comfortably	PODCI2-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - As a result of my child's treatment, I expect my child: To sleep more comfortably.	PODCI Adolescent Parent-Reported Version - Sleep More Comfortably
C136119	PODCI2-Spend Rest of Life With Condition	PODCI2-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - If your child had to spend the rest of his/her life with his/her bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Parent-Reported Version - Spend Rest of Life With Condition
C136122	PODCI2-Sports/Phys Function Scale	PODCI2-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Sports and physical functioning core scale.	PODCI Adolescent Parent-Reported Version - Sports and Physical Function Scale
C136061	PODCI2-Stand Washing Hands at a Sink	PODCI2-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Stand while washing his/her hands and face at a sink?	PODCI Adolescent Parent-Reported Version - Stand Washing Hands at a Sink
C136121	PODCI2-Transfer/Basic Mobility Scale	PODCI2-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Parent-Reported Version - Transfer and Basic Mobility Scale
C136065	PODCI2-Turn Door Knobs	PODCI2-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Turn door knobs?	PODCI Adolescent Parent-Reported Version - Turn Door Knobs
C136120	PODCI2-Up Extremity/Phys Function Scale	PODCI2-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Parent-Reported Version - Upper Extremity and Physical Function Scale
C136037	PODCI2-Use a Fork and Spoon	PODCI2-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Use a fork and spoon?	PODCI Adolescent Parent-Reported Version - Use a Fork and Spoon

**C135695 PODCI2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136068	PODCI2-Use Assistive Devices for Sitting	PODCI2-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Sitting
C136060	PODCI2-Use Assistive Devices for Walking	PODCI2-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - How often does your child use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Parent-Reported Version - Use Assistive Devices for Walking
C136055	PODCI2-Walk More Than a Mile	PODCI2-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk more than a mile?	PODCI Adolescent Parent-Reported Version - Walk More Than a Mile
C136057	PODCI2-Walk One Block	PODCI2-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk one block?	PODCI Adolescent Parent-Reported Version - Walk One Block
C136056	PODCI2-Walk Three Blocks	PODCI2-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, has it been easy or hard for your child to: Walk three blocks?	PODCI Adolescent Parent-Reported Version - Walk Three Blocks
C136045	PODCI2-What Clothes/Shoes He/She Wear	PODCI2-What Clothes/Shoes He/She Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, how happy has your child been with: What clothes or shoes he/she can wear?	PODCI Adolescent Parent-Reported Version - What Clothes or Shoes He or She Wear
C136041	PODCI2-Write With a Pencil	PODCI2-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported - During the last week, was it easy or hard for your child to: Write with a pencil?	PODCI Adolescent Parent-Reported Version - Write With a Pencil

**PODCI3TC (Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Code)**

NCI Code: C135698, Codelist extensible: No

<b>C135698 PODCI3TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136126	PODCI301	PODCI3-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Lift heavy books?	PODCI Adolescent Self-Reported Version - Lift Heavy Books
C136127	PODCI302	PODCI3-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Pour a half gallon of milk?	PODCI Adolescent Self-Reported Version - Pour a Half Gallon of Milk
C136128	PODCI303	PODCI3-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Open a jar that has been opened before?	PODCI Adolescent Self-Reported Version - Open a Jar Been Opened Before
C136129	PODCI304	PODCI3-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Use a fork and spoon?	PODCI Adolescent Self-Reported Version - Use a Fork and Spoon
C136130	PODCI305	PODCI3-Comb Your Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Comb your hair?	PODCI Adolescent Self-Reported Version - Comb Your Hair
C136131	PODCI306	PODCI3-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Button buttons?	PODCI Adolescent Self-Reported Version - Button Buttons
C136132	PODCI307	PODCI3-Put on Your Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Put on your coat?	PODCI Adolescent Self-Reported Version - Put on Your Coat
C136133	PODCI308	PODCI3-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Write with a pencil?	PODCI Adolescent Self-Reported Version - Write With a Pencil
C136134	PODCI309	PODCI3-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - On average, over the last 12 months, how often did you miss school (camp, etc.) because of your health?	PODCI Adolescent Self-Reported Version - Miss School Because of Health
C136135	PODCI310	PODCI3-How You Look	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: How you look?	PODCI Adolescent Self-Reported Version - How You Look
C136136	PODCI311	PODCI3-Your Body	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your body?	PODCI Adolescent Self-Reported Version - Your Body
C136137	PODCI312	PODCI3-What Clothes/Shoes You Can Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: What clothes or shoes you can wear?	PODCI Adolescent Self-Reported Version - What Clothes or Shoes You Can Wear
C136138	PODCI313	PODCI3-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your ability to do the same things your friends do?	PODCI Adolescent Self-Reported Version - Ability Do Same Things Friends Do
C136139	PODCI314	PODCI3-Your Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your health in general?	PODCI Adolescent Self-Reported Version - Your Health in General
C136140	PODCI315	PODCI3-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did you feel sick and tired?	PODCI Adolescent Self-Reported Version - Feel Sick and Tired
C136141	PODCI316	PODCI3-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Were you full of pep and energy?	PODCI Adolescent Self-Reported Version - Full of Pep and Energy
C136142	PODCI317	PODCI3-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your activities?	PODCI Adolescent Self-Reported Version - Pain or Discomfort Interfere With Activities
C136143	PODCI318	PODCI3-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Run short distances?	PODCI Adolescent Self-Reported Version - Run Short Distances

**C135698 PODCI3TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136144	PODCI319	PODCI3-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bicycle or tricycle?	PODCI Adolescent Self-Reported Version - Bicycle or Tricycle
C136145	PODCI320	PODCI3-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb three flights of stairs?	PODCI Adolescent Self-Reported Version - Climb Three Flights of Stairs
C136146	PODCI321	PODCI3-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb one flight of stairs?	PODCI Adolescent Self-Reported Version - Climb One Flight of Stairs
C136147	PODCI322	PODCI3-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk more than a mile?	PODCI Adolescent Self-Reported Version - Walk More Than a Mile
C136148	PODCI323	PODCI3-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk three blocks?	PODCI Adolescent Self-Reported Version - Walk Three Blocks
C136149	PODCI324	PODCI3-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk one block?	PODCI Adolescent Self-Reported Version - Walk One Block
C136150	PODCI325	PODCI3-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a bus?	PODCI Adolescent Self-Reported Version - Get On and Off a Bus
C136151	PODCI326	PODCI3-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for walking and climbing?	PODCI Adolescent Self-Reported Version - Need Help Walking and Climbing
C136152	PODCI327	PODCI3-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Walking
C136153	PODCI328	PODCI3-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Stand while washing your hands and face at a sink?	PODCI Adolescent Self-Reported Version - Stand Washing Hands at a Sink
C136154	PODCI329	PODCI3-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Sit in a regular chair without holding on?	PODCI Adolescent Self-Reported Version - Sit in Chair Without Holding On
C136155	PODCI330	PODCI3-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a toilet or chair?	PODCI Adolescent Self-Reported Version - Get On and Off a Toilet or Chair
C136156	PODCI331	PODCI3-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get in and out of bed?	PODCI Adolescent Self-Reported Version - Get In and Out of Bed
C136157	PODCI332	PODCI3-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Turn door knobs?	PODCI Adolescent Self-Reported Version - Turn Door Knobs
C136158	PODCI333	PODCI3-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Self-Reported Version - Bend Over and Pick Up Something
C136159	PODCI334	PODCI3-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for sitting and standing?	PODCI Adolescent Self-Reported Version - Need Help Sitting and Standing
C136160	PODCI335	PODCI3-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Sitting
C136161	PODCI336	PODCI3-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in recreational outdoor activities with other kids the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Self-Reported Version - Participate in Outdoor Activities
C136162	PODCI337	PODCI3-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Pain

**C135698 PODCI3TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136163	PODCI338	PODCI3-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Health
C136164	PODCI339	PODCI3-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Instructions
C136165	PODCI340	PODCI3-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Fear
C136166	PODCI341	PODCI3-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Dislike
C136167	PODCI342	PODCI3-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Season
C136168	PODCI343	PODCI3-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in pickup games or sports with other kids the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Self-Reported Version - Participate in Pickup Games
C136169	PODCI344	PODCI3-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Games Limited by: Pain
C136170	PODCI345	PODCI3-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Games Limited by: Health
C136171	PODCI346	PODCI3-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Games Limited by: Instructions
C136172	PODCI347	PODCI3-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Games Limited by: Fear
C136173	PODCI348	PODCI3-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Games Limited by: Dislike
C136174	PODCI349	PODCI3-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Games Limited by: Season
C136175	PODCI350	PODCI3-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in competitive level sports with other kids the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Self-Reported Version - Participate in Competitive Sports
C136176	PODCI351	PODCI3-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Pain
C136177	PODCI352	PODCI3-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Health
C136178	PODCI353	PODCI3-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Instructions

**C135698 PODCI3TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136179	PODCI354	PODCI3-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Fear
C136180	PODCI355	PODCI3-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Dislike
C136181	PODCI356	PODCI3-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Season
C136182	PODCI357	PODCI3-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you get together and do things with friends?	PODCI Adolescent Self-Reported Version - Get Together With Friends
C136183	PODCI358	PODCI3-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Friends Limited by: Pain
C136184	PODCI359	PODCI3-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Friends Limited by: Health
C136185	PODCI360	PODCI3-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Friends Limited by: Instructions
C136186	PODCI361	PODCI3-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Friends Limited by: Fear
C136187	PODCI362	PODCI3-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Friends not around?	PODCI Adolescent Self-Reported Version - Friends Limited by: Not Around
C136188	PODCI363	PODCI3-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you participate in gym/recess?	PODCI Adolescent Self-Reported Version - Participate in Gym or Recess
C136189	PODCI364	PODCI3-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Gym Limited by: Pain
C136190	PODCI365	PODCI3-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Gym Limited by: Health
C136191	PODCI366	PODCI3-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Gym Limited by: Instructions
C136192	PODCI367	PODCI3-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Gym Limited by: Fear
C136193	PODCI368	PODCI3-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Dislike of gym/recess?	PODCI Adolescent Self-Reported Version - Gym Limited by: Dislike
C136194	PODCI369	PODCI3-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: School not in session?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not in Session
C136195	PODCI370	PODCI3-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: I don't attend school?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not Attend School

**C135698 PODCI3TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136196	PODCI371	PODCI3-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Is it easy or hard for you to make friends with kids your own age?	PODCI Adolescent Self-Reported Version - Easy to Make Friends
C136197	PODCI372	PODCI3-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How much pain have you had during the last week?	PODCI Adolescent Self-Reported Version - Pain During the Last Week
C136198	PODCI373	PODCI3-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much did pain interfere with your normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Self-Reported Version - Pain Interfere With Activities
C136199	PODCI374	PODCI3-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To have pain relief.	PODCI Adolescent Self-Reported Version - Have Pain Relief
C136200	PODCI375	PODCI3-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To look better.	PODCI Adolescent Self-Reported Version - Look Better
C136201	PODCI376	PODCI3-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To feel better about myself.	PODCI Adolescent Self-Reported Version - Feel Better
C136202	PODCI377	PODCI3-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To sleep more comfortably.	PODCI Adolescent Self-Reported Version - Sleep More Comfortably
C136203	PODCI378	PODCI3-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do activities at home.	PODCI Adolescent Self-Reported Version - Able to Do Activities at Home
C136204	PODCI379	PODCI3-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more at school.	PODCI Adolescent Self-Reported Version - Able to Do More at School
C136205	PODCI380	PODCI3-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more play or recreational activities.	PODCI Adolescent Self-Reported Version - Able to Do More Play
C136206	PODCI381	PODCI3-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more sports.	PODCI Adolescent Self-Reported Version - Able to Do More Sports
C136207	PODCI382	PODCI3-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be free from pain or disability as an adult.	PODCI Adolescent Self-Reported Version - Free From Pain as Adult
C136208	PODCI383	PODCI3-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you had to spend the rest of your life with your bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Self-Reported Version - Spend Rest of Life With Condition
C136209	PODCI384	PODCI3-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Self-Reported Version - Upper Extremity and Physical Function Scale
C136210	PODCI385	PODCI3-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Self-Reported Version - Transfer and Basic Mobility Scale
C136211	PODCI386	PODCI3-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Sports and physical functioning core scale.	PODCI Adolescent Self-Reported Version - Sports and Physical Function Scale
C136212	PODCI387	PODCI3-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Pain/comfort core scale.	PODCI Adolescent Self-Reported Version - Pain or Comfort Scale
C136213	PODCI388	PODCI3-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Happiness core scale.	PODCI Adolescent Self-Reported Version - Happiness Scale
C136214	PODCI389	PODCI3-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Global functioning scale.	PODCI Adolescent Self-Reported Version - Global Functioning Scale

**PODCI3TN (Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire Test Name)**

NCI Code: C135697, Codelist extensible: No

<b>C135697 PODCI3TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136138	PODCI3-Ability Do Same Things Friends Do	PODCI3-Ability Do Same Things Friends Do	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your ability to do the same things your friends do?	PODCI Adolescent Self-Reported Version - Ability Do Same Things Friends Do
C136203	PODCI3-Able to Do Activities at Home	PODCI3-Able to Do Activities at Home	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do activities at home.	PODCI Adolescent Self-Reported Version - Able to Do Activities at Home
C136204	PODCI3-Able to Do More at School	PODCI3-Able to Do More at School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more at school.	PODCI Adolescent Self-Reported Version - Able to Do More at School
C136205	PODCI3-Able to Do More Play	PODCI3-Able to Do More Play	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more play or recreational activities.	PODCI Adolescent Self-Reported Version - Able to Do More Play
C136206	PODCI3-Able to Do More Sports	PODCI3-Able to Do More Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be able to do more sports.	PODCI Adolescent Self-Reported Version - Able to Do More Sports
C136158	PODCI3-Bend Over and Pick Up Something	PODCI3-Bend Over and Pick Up Something	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bend over from a standing position and pick up something off the floor?	PODCI Adolescent Self-Reported Version - Bend Over and Pick Up Something
C136144	PODCI3-Bicycle or Tricycle	PODCI3-Bicycle or Tricycle	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Bicycle or tricycle?	PODCI Adolescent Self-Reported Version - Bicycle or Tricycle
C136131	PODCI3-Button Buttons	PODCI3-Button Buttons	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Button buttons?	PODCI Adolescent Self-Reported Version - Button Buttons
C136146	PODCI3-Climb One Flight of Stairs	PODCI3-Climb One Flight of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb one flight of stairs?	PODCI Adolescent Self-Reported Version - Climb One Flight of Stairs
C136145	PODCI3-Climb Three Flights of Stairs	PODCI3-Climb Three Flights of Stairs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Climb three flights of stairs?	PODCI Adolescent Self-Reported Version - Climb Three Flights of Stairs
C136130	PODCI3-Comb Your Hair	PODCI3-Comb Your Hair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Comb your hair?	PODCI Adolescent Self-Reported Version - Comb Your Hair
C136180	PODCI3-Comp Sports Limited by: Dislike	PODCI3-Comp Sports Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Dislike
C136179	PODCI3-Comp Sports Limited by: Fear	PODCI3-Comp Sports Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Fear
C136177	PODCI3-Comp Sports Limited by: Health	PODCI3-Comp Sports Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Health
C136178	PODCI3-Comp Sports Limited by: Instruct	PODCI3-Comp Sports Limited by: Instruct	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Instructions
C136176	PODCI3-Comp Sports Limited by: Pain	PODCI3-Comp Sports Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Pain
C136181	PODCI3-Comp Sports Limited by: Season	PODCI3-Comp Sports Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 50 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Competitive Sports Limited by: Season



**C135697 PODCI3TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136196	PODCI3-Easy to Make Friends	PODCI3-Easy to Make Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Is it easy or hard for you to make friends with kids your own age?	PODCI Adolescent Self-Reported Version - Easy to Make Friends
C136201	PODCI3-Feel Better	PODCI3-Feel Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To feel better about myself.	PODCI Adolescent Self-Reported Version - Feel Better
C136140	PODCI3-Feel Sick and Tired	PODCI3-Feel Sick and Tired	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did you feel sick and tired?	PODCI Adolescent Self-Reported Version - Feel Sick and Tired
C136207	PODCI3-Free From Pain as Adult	PODCI3-Free From Pain as Adult	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To be free from pain or disability as an adult.	PODCI Adolescent Self-Reported Version - Free From Pain as Adult
C136186	PODCI3-Friends Limited by: Fear	PODCI3-Friends Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Friends Limited by: Fear
C136184	PODCI3-Friends Limited by: Health	PODCI3-Friends Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Friends Limited by: Health
C136185	PODCI3-Friends Limited by: Instructions	PODCI3-Friends Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Friends Limited by: Instructions
C136187	PODCI3-Friends Limited by: Not Around	PODCI3-Friends Limited by: Not Around	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Friends not around?	PODCI Adolescent Self-Reported Version - Friends Limited by: Not Around
C136183	PODCI3-Friends Limited by: Pain	PODCI3-Friends Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 57 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Friends Limited by: Pain
C136141	PODCI3-Full of Pep and Energy	PODCI3-Full of Pep and Energy	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Were you full of pep and energy?	PODCI Adolescent Self-Reported Version - Full of Pep and Energy
C136173	PODCI3-Games Limited by: Dislike	PODCI3-Games Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Dislike of pickup games or sports?	PODCI Adolescent Self-Reported Version - Games Limited by: Dislike
C136172	PODCI3-Games Limited by: Fear	PODCI3-Games Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Games Limited by: Fear
C136170	PODCI3-Games Limited by: Health	PODCI3-Games Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Games Limited by: Health
C136171	PODCI3-Games Limited by: Instructions	PODCI3-Games Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Games Limited by: Instructions
C136169	PODCI3-Games Limited by: Pain	PODCI3-Games Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Games Limited by: Pain
C136174	PODCI3-Games Limited by: Season	PODCI3-Games Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 43 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Games Limited by: Season
C136156	PODCI3-Get In and Out of Bed	PODCI3-Get In and Out of Bed	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get in and out of bed?	PODCI Adolescent Self-Reported Version - Get In and Out of Bed
C136150	PODCI3-Get On and Off a Bus	PODCI3-Get On and Off a Bus	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a bus?	PODCI Adolescent Self-Reported Version - Get On and Off a Bus

**C135697 PODCI3TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136155	PODCI3-Get On and Off a Toilet or Chair	PODCI3-Get On and Off a Toilet or Chair	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Get on and off a toilet or chair?	PODCI Adolescent Self-Reported Version - Get On and Off a Toilet or Chair
C136182	PODCI3-Get Together With Friends	PODCI3-Get Together With Friends	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you get together and do things with friends?	PODCI Adolescent Self-Reported Version - Get Together With Friends
C136214	PODCI3-Global Functioning Scale	PODCI3-Global Functioning Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Global functioning scale.	PODCI Adolescent Self-Reported Version - Global Functioning Scale
C136193	PODCI3-Gym Limited by: Dislike	PODCI3-Gym Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Dislike of gym/recess?	PODCI Adolescent Self-Reported Version - Gym Limited by: Dislike
C136192	PODCI3-Gym Limited by: Fear	PODCI3-Gym Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Gym Limited by: Fear
C136190	PODCI3-Gym Limited by: Health	PODCI3-Gym Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Gym Limited by: Health
C136191	PODCI3-Gym Limited by: Instructions	PODCI3-Gym Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Gym Limited by: Instructions
C136195	PODCI3-Gym Limited by: Not Attend School	PODCI3-Gym Limited by: Not Attend School	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: I don't attend school?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not Attend School
C136194	PODCI3-Gym Limited by: Not in Session	PODCI3-Gym Limited by: Not in Session	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: School not in session?	PODCI Adolescent Self-Reported Version - Gym Limited by: Not in Session
C136189	PODCI3-Gym Limited by: Pain	PODCI3-Gym Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "sometimes" or "never or rarely" to Question 63 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Gym Limited by: Pain
C136213	PODCI3-Happiness Scale	PODCI3-Happiness Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Happiness core scale.	PODCI Adolescent Self-Reported Version - Happiness Scale
C136199	PODCI3-Have Pain Relief	PODCI3-Have Pain Relief	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To have pain relief.	PODCI Adolescent Self-Reported Version - Have Pain Relief
C136135	PODCI3-How You Look	PODCI3-How You Look	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: How you look?	PODCI Adolescent Self-Reported Version - How You Look
C136126	PODCI3-Lift Heavy Books	PODCI3-Lift Heavy Books	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Lift heavy books?	PODCI Adolescent Self-Reported Version - Lift Heavy Books
C136200	PODCI3-Look Better	PODCI3-Look Better	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To look better.	PODCI Adolescent Self-Reported Version - Look Better
C136134	PODCI3-Miss School Because of Health	PODCI3-Miss School Because of Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - On average, over the last 12 months, how often did you miss school (camp, etc.) because of your health?	PODCI Adolescent Self-Reported Version - Miss School Because of Health
C136159	PODCI3-Need Help Sitting and Standing	PODCI3-Need Help Sitting and Standing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for sitting and standing?	PODCI Adolescent Self-Reported Version - Need Help Sitting and Standing
C136151	PODCI3-Need Help Walking and Climbing	PODCI3-Need Help Walking and Climbing	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you need help from another person for walking and climbing?	PODCI Adolescent Self-Reported Version - Need Help Walking and Climbing

**C135697 PODCI3TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136128	PODCI3-Open a Jar Been Opened Before	PODCI3-Open a Jar Been Opened Before	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Open a jar that has been opened before?	PODCI Adolescent Self-Reported Version - Open a Jar Been Opened Before
C136166	PODCI3-Outdoor Limited by: Dislike	PODCI3-Outdoor Limited by: Dislike	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Dislike of recreational outdoor activities?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Dislike
C136165	PODCI3-Outdoor Limited by: Fear	PODCI3-Outdoor Limited by: Fear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Fear the other kids won't like you?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Fear
C136163	PODCI3-Outdoor Limited by: Health	PODCI3-Outdoor Limited by: Health	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: General health?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Health
C136164	PODCI3-Outdoor Limited by: Instructions	PODCI3-Outdoor Limited by: Instructions	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Doctor or parent instructions?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Instructions
C136162	PODCI3-Outdoor Limited by: Pain	PODCI3-Outdoor Limited by: Pain	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Pain?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Pain
C136167	PODCI3-Outdoor Limited by: Season	PODCI3-Outdoor Limited by: Season	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you answered "no" to Question 36 above, was your activity limited by: Activity not in season?	PODCI Adolescent Self-Reported Version - Outdoor Limited by: Season
C136197	PODCI3-Pain During the Last Week	PODCI3-Pain During the Last Week	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How much pain have you had during the last week?	PODCI Adolescent Self-Reported Version - Pain During the Last Week
C136198	PODCI3-Pain Interfere With Activities	PODCI3-Pain Interfere With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much did pain interfere with your normal activities (including at home, outside of the home, and at school)?	PODCI Adolescent Self-Reported Version - Pain Interfere With Activities
C136212	PODCI3-Pain/Comfort Scale	PODCI3-Pain/Comfort Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Pain/comfort core scale.	PODCI Adolescent Self-Reported Version - Pain or Comfort Scale
C136142	PODCI3-Pain/Discom Inter With Activities	PODCI3-Pain/Discom Inter With Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how much of the time: Did pain or discomfort interfere with your activities?	PODCI Adolescent Self-Reported Version - Pain or Discomfort Interfere With Activities
C136175	PODCI3-Participate in Competitive Sports	PODCI3-Participate in Competitive Sports	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in competitive level sports with other kids the same age (For example: hockey, basketball, soccer, football, baseball, swimming, running [track or cross country], gymnastics, or dance)?	PODCI Adolescent Self-Reported Version - Participate in Competitive Sports
C136188	PODCI3-Participate in Gym/Recess	PODCI3-Participate in Gym/Recess	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often in the last week did you participate in gym/recess?	PODCI Adolescent Self-Reported Version - Participate in Gym or Recess
C136161	PODCI3-Participate in Outdoor Activities	PODCI3-Participate in Outdoor Activities	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in recreational outdoor activities with other kids the same age (For example: bicycling, skating, hiking, jogging)?	PODCI Adolescent Self-Reported Version - Participate in Outdoor Activities
C136168	PODCI3-Participate in Pickup Games	PODCI3-Participate in Pickup Games	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Can you participate in pickup games or sports with other kids the same age (For example: tag, dodge ball, basketball, softball, soccer, catch, jump rope, touch football, hop scotch)?	PODCI Adolescent Self-Reported Version - Participate in Pickup Games
C136127	PODCI3-Pour a Half Gallon of Milk	PODCI3-Pour a Half Gallon of Milk	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Pour a half gallon of milk?	PODCI Adolescent Self-Reported Version - Pour a Half Gallon of Milk
C136132	PODCI3-Put on Your Coat	PODCI3-Put on Your Coat	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Put on your coat?	PODCI Adolescent Self-Reported Version - Put on Your Coat

**C135697 PODCI3TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136143	PODCI3-Run Short Distances	PODCI3-Run Short Distances	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Run short distances?	PODCI Adolescent Self-Reported Version - Run Short Distances
C136154	PODCI3-Sit in Chair Without Holding On	PODCI3-Sit in Chair Without Holding On	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Sit in a regular chair without holding on?	PODCI Adolescent Self-Reported Version - Sit in Chair Without Holding On
C136202	PODCI3-Sleep More Comfortably	PODCI3-Sleep More Comfortably	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - As a result of my treatment, I expect: To sleep more comfortably.	PODCI Adolescent Self-Reported Version - Sleep More Comfortably
C136208	PODCI3-Spend Rest of Life With Condition	PODCI3-Spend Rest of Life With Condition	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - If you had to spend the rest of your life with your bone and muscle condition as it is right now, how would you feel about it?	PODCI Adolescent Self-Reported Version - Spend Rest of Life With Condition
C136211	PODCI3-Sports/Phys Function Scale	PODCI3-Sports/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Sports and physical functioning core scale.	PODCI Adolescent Self-Reported Version - Sports and Physical Function Scale
C136153	PODCI3-Stand Washing Hands at a Sink	PODCI3-Stand Washing Hands at a Sink	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Stand while washing your hands and face at a sink?	PODCI Adolescent Self-Reported Version - Stand Washing Hands at a Sink
C136210	PODCI3-Transfer/Basic Mobility Scale	PODCI3-Transfer/Basic Mobility Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Transfer and basic mobility core scale.	PODCI Adolescent Self-Reported Version - Transfer and Basic Mobility Scale
C136157	PODCI3-Turn Door Knobs	PODCI3-Turn Door Knobs	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Turn door knobs?	PODCI Adolescent Self-Reported Version - Turn Door Knobs
C136209	PODCI3-Up Extremity/Phys Function Scale	PODCI3-Up Extremity/Phys Function Scale	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - Upper extremity and physical function core scale.	PODCI Adolescent Self-Reported Version - Upper Extremity and Physical Function Scale
C136129	PODCI3-Use a Fork and Spoon	PODCI3-Use a Fork and Spoon	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Use a fork and spoon?	PODCI Adolescent Self-Reported Version - Use a Fork and Spoon
C136160	PODCI3-Use Assistive Devices for Sitting	PODCI3-Use Assistive Devices for Sitting	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for sitting and standing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Sitting
C136152	PODCI3-Use Assistive Devices for Walking	PODCI3-Use Assistive Devices for Walking	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - How often do you use assistive devices (such as braces, crutches, or wheelchair) for walking and climbing?	PODCI Adolescent Self-Reported Version - Use Assistive Devices for Walking
C136147	PODCI3-Walk More Than a Mile	PODCI3-Walk More Than a Mile	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk more than a mile?	PODCI Adolescent Self-Reported Version - Walk More Than a Mile
C136149	PODCI3-Walk One Block	PODCI3-Walk One Block	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk one block?	PODCI Adolescent Self-Reported Version - Walk One Block
C136148	PODCI3-Walk Three Blocks	PODCI3-Walk Three Blocks	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, has it been easy or hard for you to: Walk three blocks?	PODCI Adolescent Self-Reported Version - Walk Three Blocks
C136137	PODCI3-What Clothes/Shoes You Can Wear	PODCI3-What Clothes/Shoes You Can Wear	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: What clothes or shoes you can wear?	PODCI Adolescent Self-Reported Version - What Clothes or Shoes You Can Wear
C136133	PODCI3-Write With a Pencil	PODCI3-Write With a Pencil	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, was it easy or hard for you to: Write with a pencil?	PODCI Adolescent Self-Reported Version - Write With a Pencil
C136136	PODCI3-Your Body	PODCI3-Your Body	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your body?	PODCI Adolescent Self-Reported Version - Your Body
C136139	PODCI3-Your Health in General	PODCI3-Your Health in General	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported - During the last week, how happy have you been with: Your health in general?	PODCI Adolescent Self-Reported Version - Your Health in General

## PORTOT (Portion/Totality)

NCI Code: C99075, Codelist extensible: Yes

C99075 PORTOT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C64916	ALL		Being or representing the total number of individual entities.	All
C25326	ENTIRE	Whole	Being or representing the complete extent of a single entity.	Whole
C81009	HEMI		Of or pertaining to one half of a whole.	Half
C78728	MULTIPLE	Many;Several	More than one. (NCI)	Many
C25378	PARTIAL		Being or representing an incomplete extent of a single entity.	Partial
C45312	SEGMENT		One of the parts into which something is divided.	Segment
C48440	SINGLE		One.	Single

## POSITION (Position)

NCI Code: C71148, Codelist extensible: Yes

C71148 POSITION				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C77532	DECUBITUS	Recumbent	Lying down. (NCI)	Recumbent Position
C62173	FOWLERS	Fowlers	A semi-sitting position whereby the head of an adjustable bed is elevated to the desired height, about 60-90 cm, to produce angulation of the body, usually 45 degrees to 60 degrees. Knees may or may not be bent. (NCI)	Fowler's Position
C100758	LATERAL DECUBITUS	Lateral Decubitus	Lying down on one side.	Lateral Decubitus Position
C62172	LEFT LATERAL DECUBITUS	Left lateral decubitus	A recumbent left lateral side position. (NCI)	Left Lateral Decubitus Position
C62165	PRONE	Prone	An anterior recumbent body position whereby the person lies on its stomach and faces downward. (NCI)	Prone Position
C62169	REVERSE TRENDELENBURG	Reverse Trendelenburg	A supine position with the person inclined at an angle of 45 degrees so that the head is higher than the pelvis. (NCI)	Reverse Trendelenburg
C62171	RIGHT LATERAL DECUBITUS	Right lateral decubitus	A recumbent right lateral side position. (NCI)	Right Lateral Decubitus Position
C62174	SEMI-FOWLERS	Semi-Fowlers	A semi-sitting or semi-reclined body position whereby the head is elevated on an angle of approximately 30 degrees. (NCI)	Semi-Fowler's Position
C111310	SEMI-RECUMBENT	Semi-Supine	A semi-sitting or semi-reclined body position in which the head is elevated above horizontal. (NCI)	Semi-Recumbent
C62122	SITTING	Sitting	The state or act of one who sits; the posture of one who occupies a seat. (NCI)	Sitting
C92604	SLING	Sling	A position in which the subject's body is supported by a sling.	Patient in Body Sling
C62166	STANDING	Standing	The act of assuming or maintaining an erect upright position. (NCI)	Standing
C62167	SUPINE	Supine	A posterior recumbent body position whereby the person lies on its back and faces upward. (NCI)	Supine Position
C62168	TRENDELENBURG	Trendelenburg	A supine position with the person inclined at an angle of 45 degrees so that the pelvis is higher than the head. (NCI)	Trendelenburg
C90480	UNCONSTRAINED	Unconstrained	The ability to move body parts and limbs without physical restriction. (NCI)	Unconstrained Body Movement

**PQL01TC (Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Code)**

NCI Code: C138259, Codelist extensible: No

<b>C138259 PQL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138857	PQL0101	PQL01-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Breathe
C138858	PQL0102	PQL01-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sick Easily
C138859	PQL0103	PQL01-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138860	PQL0104	PQL01-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Legs Hurt
C138861	PQL0105	PQL01-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Feel Tired
C138862	PQL0106	PQL01-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Back Feels Stiff
C138863	PQL0107	PQL01-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Wake Up Tired
C138864	PQL0108	PQL01-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hands Are Weak
C138865	PQL0109	PQL01-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Bathroom
C138866	PQL0110	PQL01-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138867	PQL0111	PQL01-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Hands
C138868	PQL0112	PQL01-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Swallow Food
C138869	PQL0113	PQL01-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138870	PQL0114	PQL01-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Hurt Accidentally
C138871	PQL0115	PQL01-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Take Long Time to Eat
C138872	PQL0116	PQL01-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Turn During Night

**C138259 PQL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138873	PQL0117	PQL01-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Go Places With Equipment
C138874	PQL0118	PQL01-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138875	PQL0119	PQL01-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138876	PQL0120	PQL01-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Explain Illness to People
C138877	PQL0121	PQL01-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138878	PQL0122	PQL01-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Rest
C138879	PQL0123	PQL01-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Money Problem in Our Family
C138880	PQL0124	PQL01-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Family Has Lot of Problems
C138881	PQL0125	PQL01-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Do Not Have Equipment Need



**PQL01TN (Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Questionnaire Test Name)**

NCI Code: C138258, Codelist extensible: No

<b>C138258 PQL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138862	PQL01-Back Feels Stiff	PQL01-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Back Feels Stiff
C138881	PQL01-Do Not Have Equipment Need	PQL01-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Do Not Have Equipment Need
C138880	PQL01-Family Has Lot of Problems	PQL01-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Family Has Lot of Problems
C138861	PQL01-Feel Tired	PQL01-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Feel Tired
C138870	PQL01-Get Hurt Accidentally	PQL01-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Hurt Accidentally
C138858	PQL01-Get Sick Easily	PQL01-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sick Easily
C138859	PQL01-Get Sores and/or Rashes	PQL01-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138864	PQL01-Hands Are Weak	PQL01-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hands Are Weak
C138875	PQL01-Hard Ask Doctors/Nurses Questions	PQL01-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138876	PQL01-Hard Explain Illness to People	PQL01-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Explain Illness to People
C138877	PQL01-Hard for Family to Plan Activities	PQL01-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138878	PQL01-Hard for Family to Rest	PQL01-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard for Family to Rest
C138874	PQL01-Hard Tell Doctors/Nurses How Feel	PQL01-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138857	PQL01-Hard to Breathe	PQL01-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Breathe
C138866	PQL01-Hard to Gain/Lose Weight	PQL01-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Gain or Lose Weight

**C138258 PQL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138873	PQL01-Hard to Go Places With Equipment	PQL01-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Go Places With Equipment
C138868	PQL01-Hard to Swallow Food	PQL01-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Swallow Food
C138872	PQL01-Hard to Turn During Night	PQL01-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Turn During Night
C138865	PQL01-Hard to Use Bathroom	PQL01-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Bathroom
C138867	PQL01-Hard to Use Hands	PQL01-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Hard to Use Hands
C138860	PQL01-Legs Hurt	PQL01-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Legs Hurt
C138869	PQL01-Long Time to Bathe/Shower	PQL01-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138879	PQL01-Money Problem in Our Family	PQL01-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Money Problem in Our Family
C138871	PQL01-Take Long Time to Eat	PQL01-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Take Long Time to Eat
C138863	PQL01-Wake Up Tired	PQL01-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Adult Report - Wake Up Tired

**PQL02TC (Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Code)**

NCI Code: C138253, Codelist extensible: No

<b>C138253 PQL02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138782	PQL0201	PQL02-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Breathe
C138783	PQL0202	PQL02-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sick Easily
C138784	PQL0203	PQL02-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sores and/or Rashes
C138785	PQL0204	PQL02-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Legs Hurt
C138786	PQL0205	PQL02-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Feel Tired
C138787	PQL0206	PQL02-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Back Feels Stiff
C138788	PQL0207	PQL02-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Wake Up Tired
C138789	PQL0208	PQL02-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hands Are Weak
C138790	PQL0209	PQL02-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Bathroom
C138791	PQL0210	PQL02-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Gain or Lose Weight
C138792	PQL0211	PQL02-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Hands
C138793	PQL0212	PQL02-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Swallow Food
C138794	PQL0213	PQL02-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Long Time to Bathe or Shower

**C138253 PQL02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138795	PQL0214	PQL02-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Hurt Accidentally
C138796	PQL0215	PQL02-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Take Long Time to Eat
C138797	PQL0216	PQL02-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Turn During Night
C138798	PQL0217	PQL02-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Go Places With Equipment
C138799	PQL0218	PQL02-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Tell Doctors and Nurses How Feel
C138800	PQL0219	PQL02-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Ask Doctors and Nurses Questions
C138801	PQL0220	PQL02-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Explain Illness to People
C138802	PQL0221	PQL02-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Plan Activities
C138803	PQL0222	PQL02-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Rest
C138804	PQL0223	PQL02-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Money Problem in Our Family
C138805	PQL0224	PQL02-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Family Has Lot of Problems
C138806	PQL0225	PQL02-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Do Not Have Equipment Need

**PQL02TN (Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report Questionnaire Test Name)**

NCI Code: C138252, Codelist extensible: No

<b>C138252 PQL02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138787	PQL02-Back Feels Stiff	PQL02-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Back Feels Stiff
C138806	PQL02-Do Not Have Equipment Need	PQL02-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Do Not Have Equipment Need
C138805	PQL02-Family Has Lot of Problems	PQL02-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Family Has Lot of Problems
C138786	PQL02-Feel Tired	PQL02-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Feel Tired
C138795	PQL02-Get Hurt Accidentally	PQL02-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Hurt Accidentally
C138783	PQL02-Get Sick Easily	PQL02-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sick Easily
C138784	PQL02-Get Sores and/or Rashes	PQL02-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Get Sores and/or Rashes
C138789	PQL02-Hands Are Weak	PQL02-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hands Are Weak
C138800	PQL02-Hard Ask Doctors/Nurses Questions	PQL02-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Ask Doctors and Nurses Questions
C138801	PQL02-Hard Explain Illness to People	PQL02-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Explain Illness to People
C138802	PQL02-Hard for Family to Plan Activities	PQL02-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Plan Activities
C138803	PQL02-Hard for Family to Rest	PQL02-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard for Family to Rest
C138799	PQL02-Hard Tell Doctors/Nurses How Feel	PQL02-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard Tell Doctors and Nurses How Feel

**C138252 PQL02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138782	PQL02-Hard to Breathe	PQL02-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Breathe
C138791	PQL02-Hard to Gain/Lose Weight	PQL02-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Gain or Lose Weight
C138798	PQL02-Hard to Go Places With Equipment	PQL02-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Go Places With Equipment
C138793	PQL02-Hard to Swallow Food	PQL02-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Swallow Food
C138797	PQL02-Hard to Turn During Night	PQL02-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Turn During Night
C138790	PQL02-Hard to Use Bathroom	PQL02-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Bathroom
C138792	PQL02-Hard to Use Hands	PQL02-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Hard to Use Hands
C138785	PQL02-Legs Hurt	PQL02-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Legs Hurt
C138794	PQL02-Long Time to Bathe/Shower	PQL02-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Long Time to Bathe or Shower
C138804	PQL02-Money Problem in Our Family	PQL02-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Money Problem in Our Family
C138796	PQL02-Take Long Time to Eat	PQL02-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Take Long Time to Eat
C138788	PQL02-Wake Up Tired	PQL02-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Adult Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Adults Report - Wake Up Tired

**PQL03TC (Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Code)**

NCI Code: C138257, Codelist extensible: No

<b>C138257 PQL03TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138832	PQL0301	PQL03-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Breathe
C138833	PQL0302	PQL03-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sick Easily
C138834	PQL0303	PQL03-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sores and/or Rashes
C138835	PQL0304	PQL03-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Legs Hurt
C138836	PQL0305	PQL03-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Feel Tired
C138837	PQL0306	PQL03-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Back Feels Stiff
C138838	PQL0307	PQL03-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Wake Up Tired
C138839	PQL0308	PQL03-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hands Are Weak
C138840	PQL0309	PQL03-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Bathroom
C138841	PQL0310	PQL03-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138842	PQL0311	PQL03-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Hands
C138843	PQL0312	PQL03-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Swallow Food
C138844	PQL0313	PQL03-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Long Time to Bathe or Shower
C138845	PQL0314	PQL03-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Hurt Accidentally
C138846	PQL0315	PQL03-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Take Long Time to Eat
C138847	PQL0316	PQL03-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Turn During Night
C138848	PQL0317	PQL03-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Go Places With Equipment

**C138257 PQL03TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138849	PQL0318	PQL03-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138850	PQL0319	PQL03-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138851	PQL0320	PQL03-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Explain Illness to People
C138852	PQL0321	PQL03-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Plan Activities
C138853	PQL0322	PQL03-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Rest
C138854	PQL0323	PQL03-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Money Problem in Our Family
C138855	PQL0324	PQL03-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Family Has Lot of Problems
C138856	PQL0325	PQL03-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Do Not Have Equipment Need



**PQL03TN (Pediatric Quality of Life Neuromuscular Module Version 3 Teen Questionnaire Test Name)**

NCI Code: C138256, Codelist extensible: No

<b>C138256 PQL03TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138837	PQL03-Back Feels Stiff	PQL03-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Back Feels Stiff
C138856	PQL03-Do Not Have Equipment Need	PQL03-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Do Not Have Equipment Need
C138855	PQL03-Family Has Lot of Problems	PQL03-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Family Has Lot of Problems
C138836	PQL03-Feel Tired	PQL03-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Feel Tired
C138845	PQL03-Get Hurt Accidentally	PQL03-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Hurt Accidentally
C138833	PQL03-Get Sick Easily	PQL03-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sick Easily
C138834	PQL03-Get Sores and/or Rashes	PQL03-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Get Sores and/or Rashes
C138839	PQL03-Hands Are Weak	PQL03-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hands Are Weak
C138850	PQL03-Hard Ask Doctors/Nurses Questions	PQL03-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138851	PQL03-Hard Explain Illness to People	PQL03-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Explain Illness to People
C138852	PQL03-Hard for Family to Plan Activities	PQL03-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Plan Activities
C138853	PQL03-Hard for Family to Rest	PQL03-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard for Family to Rest
C138849	PQL03-Hard Tell Doctors/Nurses How Feel	PQL03-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138832	PQL03-Hard to Breathe	PQL03-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Breathe
C138841	PQL03-Hard to Gain/Lose Weight	PQL03-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138848	PQL03-Hard to Go Places With Equipment	PQL03-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Go Places With Equipment

**C138256 PQL03TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138843	PQL03-Hard to Swallow Food	PQL03-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Swallow Food
C138847	PQL03-Hard to Turn During Night	PQL03-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Turn During Night
C138840	PQL03-Hard to Use Bathroom	PQL03-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Bathroom
C138842	PQL03-Hard to Use Hands	PQL03-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Hard to Use Hands
C138835	PQL03-Legs Hurt	PQL03-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Legs Hurt
C138844	PQL03-Long Time to Bathe/Shower	PQL03-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Long Time to Bathe or Shower
C138854	PQL03-Money Problem in Our Family	PQL03-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Money Problem in Our Family
C138846	PQL03-Take Long Time to Eat	PQL03-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Take Long Time to Eat
C138838	PQL03-Wake Up Tired	PQL03-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Teen Report - Wake Up Tired

**PQL04TC (Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Code)**

NCI Code: C138251, Codelist extensible: No

<b>C138251 PQL04TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138757	PQL0401	PQL04-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Breathe
C138758	PQL0402	PQL04-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sick Easily
C138759	PQL0403	PQL04-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138760	PQL0404	PQL04-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Legs Hurt
C138761	PQL0405	PQL04-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Feel Tired
C138762	PQL0406	PQL04-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Back Feels Stiff
C138763	PQL0407	PQL04-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Wake Up Tired
C138764	PQL0408	PQL04-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hands Are Weak
C138765	PQL0409	PQL04-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138766	PQL0410	PQL04-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138767	PQL0411	PQL04-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Hands
C138768	PQL0412	PQL04-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138769	PQL0413	PQL04-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138770	PQL0414	PQL04-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138771	PQL0415	PQL04-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Take Long Time to Eat

**C138251 PQL04TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138772	PQL0416	PQL04-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138773	PQL0417	PQL04-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment
C138774	PQL0418	PQL04-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138775	PQL0419	PQL04-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138776	PQL0420	PQL04-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138777	PQL0421	PQL04-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138778	PQL0422	PQL04-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138779	PQL0423	PQL04-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138780	PQL0424	PQL04-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138781	PQL0425	PQL04-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Do Not Have Equipment Need

**PQL04TN (Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report Questionnaire Test Name)**

NCI Code: C138250, Codelist extensible: No

<b>C138250 PQL04TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138762	PQL04-Back Feels Stiff	PQL04-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Back Feels Stiff
C138781	PQL04-Do Not Have Equipment Need	PQL04-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Do Not Have Equipment Need
C138780	PQL04-Family Has Lot of Problems	PQL04-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138761	PQL04-Feel Tired	PQL04-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Feel Tired
C138770	PQL04-Get Hurt Accidentally	PQL04-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138758	PQL04-Get Sick Easily	PQL04-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sick Easily
C138759	PQL04-Get Sores and/or Rashes	PQL04-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138764	PQL04-Hands Are Weak	PQL04-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hands Are Weak
C138775	PQL04-Hard Ask Doctors/Nurses Questions	PQL04-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138776	PQL04-Hard Explain Illness to People	PQL04-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138777	PQL04-Hard for Family to Plan Activities	PQL04-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138778	PQL04-Hard for Family to Rest	PQL04-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138774	PQL04-Hard Tell Doctors/Nurses How Feel	PQL04-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138757	PQL04-Hard to Breathe	PQL04-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Breathe

**C138250 PQL04TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138766	PQL04-Hard to Gain/Lose Weight	PQL04-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138773	PQL04-Hard to Go Places With Equipment	PQL04-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment
C138768	PQL04-Hard to Swallow Food	PQL04-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138772	PQL04-Hard to Turn During Night	PQL04-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138765	PQL04-Hard to Use Bathroom	PQL04-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138767	PQL04-Hard to Use Hands	PQL04-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Hard to Use Hands
C138760	PQL04-Legs Hurt	PQL04-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Legs Hurt
C138769	PQL04-Long Time to Bathe/Shower	PQL04-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138779	PQL04-Money Problem in Our Family	PQL04-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138771	PQL04-Take Long Time to Eat	PQL04-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Take Long Time to Eat
C138763	PQL04-Wake Up Tired	PQL04-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Teen Parent Report - In the past one month, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Teen - Wake Up Tired

**PQL05TC (Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Code)**

NCI Code: C138245, Codelist extensible: No

<b>C138245 PQL05TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138682	PQL0501	PQL05-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Breathe
C138683	PQL0502	PQL05-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sick Easily
C138684	PQL0503	PQL05-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sores and/or Rashes
C138685	PQL0504	PQL05-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Child Report - Legs Hurt
C138686	PQL0505	PQL05-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Feel Tired
C138687	PQL0506	PQL05-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Child Report - Back Feels Stiff
C138688	PQL0507	PQL05-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Wake Up Tired
C138689	PQL0508	PQL05-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hands Are Weak
C138690	PQL0509	PQL05-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Bathroom
C138691	PQL0510	PQL05-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Gain or Lose Weight
C138692	PQL0511	PQL05-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Hands
C138693	PQL0512	PQL05-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Swallow Food
C138694	PQL0513	PQL05-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Child Report - Long Time to Bathe or Shower
C138695	PQL0514	PQL05-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Hurt Accidentally
C138696	PQL0515	PQL05-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Child Report - Take Long Time to Eat
C138697	PQL0516	PQL05-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Turn During Night
C138698	PQL0517	PQL05-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Go Places With Equipment

**C138245 PQL05TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138699	PQL0518	PQL05-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138700	PQL0519	PQL05-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138701	PQL0520	PQL05-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Explain Illness to People
C138702	PQL0521	PQL05-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Plan Activities
C138703	PQL0522	PQL05-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Rest
C138704	PQL0523	PQL05-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Child Report - Money Problem in Our Family
C138705	PQL0524	PQL05-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Child Report - Family Has Lot of Problems
C138706	PQL0525	PQL05-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Child Report - Do Not Have Equipment Need



**PQL05TN (Pediatric Quality of Life Neuromuscular Module Version 3 Child Questionnaire Test Name)**

NCI Code: C138244, Codelist extensible: No

<b>C138244 PQL05TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138687	PQL05-Back Feels Stiff	PQL05-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Child Report - Back Feels Stiff
C138706	PQL05-Do Not Have Equipment Need	PQL05-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Version 3.0 Child Report - Do Not Have Equipment Need
C138705	PQL05-Family Has Lot of Problems	PQL05-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Child Report - Family Has Lot of Problems
C138686	PQL05-Feel Tired	PQL05-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Feel Tired
C138695	PQL05-Get Hurt Accidentally	PQL05-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Hurt Accidentally
C138683	PQL05-Get Sick Easily	PQL05-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sick Easily
C138684	PQL05-Get Sores and/or Rashes	PQL05-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Child Report - Get Sores and/or Rashes
C138689	PQL05-Hands Are Weak	PQL05-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hands Are Weak
C138700	PQL05-Hard Ask Doctors/Nurses Questions	PQL05-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138701	PQL05-Hard Explain Illness to People	PQL05-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Explain Illness to People
C138702	PQL05-Hard for Family to Plan Activities	PQL05-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Plan Activities
C138703	PQL05-Hard for Family to Rest	PQL05-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard for Family to Rest
C138699	PQL05-Hard Tell Doctors/Nurses How Feel	PQL05-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138682	PQL05-Hard to Breathe	PQL05-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Breathe
C138691	PQL05-Hard to Gain/Lose Weight	PQL05-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Gain or Lose Weight
C138698	PQL05-Hard to Go Places With Equipment	PQL05-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Go Places With Equipment

**C138244 PQL05TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138693	PQL05-Hard to Swallow Food	PQL05-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Swallow Food
C138697	PQL05-Hard to Turn During Night	PQL05-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Turn During Night
C138690	PQL05-Hard to Use Bathroom	PQL05-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Bathroom
C138692	PQL05-Hard to Use Hands	PQL05-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Child Report - Hard to Use Hands
C138685	PQL05-Legs Hurt	PQL05-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Child Report - Legs Hurt
C138694	PQL05-Long Time to Bathe/Shower	PQL05-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Child Report - Long Time to Bathe or Shower
C138704	PQL05-Money Problem in Our Family	PQL05-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Child Report - Money Problem in Our Family
C138696	PQL05-Take Long Time to Eat	PQL05-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Child Report - Take Long Time to Eat
C138688	PQL05-Wake Up Tired	PQL05-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child - In the past one month, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Child Report - Wake Up Tired

**PQL06TC (Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Code)**

NCI Code: C138249, Codelist extensible: No

<b>C138249 PQL06TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138732	PQL0601	PQL06-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Breathe
C138733	PQL0602	PQL06-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sick Easily
C138734	PQL0603	PQL06-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138735	PQL0604	PQL06-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Legs Hurt
C138736	PQL0605	PQL06-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Feel Tired
C138737	PQL0606	PQL06-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Back Feels Stiff
C138738	PQL0607	PQL06-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Wake Up Tired
C138739	PQL0608	PQL06-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hands Are Weak
C138740	PQL0609	PQL06-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138741	PQL0610	PQL06-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138742	PQL0611	PQL06-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Hands
C138743	PQL0612	PQL06-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Swallow Food
C138744	PQL0613	PQL06-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138745	PQL0614	PQL06-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138746	PQL0615	PQL06-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Take Long Time to Eat

**C138249 PQL06TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138747	PQL0616	PQL06-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Turn During Night
C138748	PQL0617	PQL06-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138749	PQL0618	PQL06-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138750	PQL0619	PQL06-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138751	PQL0620	PQL06-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138752	PQL0621	PQL06-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138753	PQL0622	PQL06-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Rest
C138754	PQL0623	PQL06-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Money Problem in Our Family
C138755	PQL0624	PQL06-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138756	PQL0625	PQL06-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Do Not Have Equipment Need

**PQL06TN (Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report Questionnaire Test Name)**

NCI Code: C138248, Codelist extensible: No

<b>C138248 PQL06TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138737	PQL06-Back Feels Stiff	PQL06-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Back Feels Stiff
C138756	PQL06-Do Not Have Equipment Need	PQL06-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Do Not Have Equipment Need
C138755	PQL06-Family Has Lot of Problems	PQL06-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138736	PQL06-Feel Tired	PQL06-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Feel Tired
C138745	PQL06-Get Hurt Accidentally	PQL06-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138733	PQL06-Get Sick Easily	PQL06-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sick Easily
C138734	PQL06-Get Sores and/or Rashes	PQL06-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138739	PQL06-Hands Are Weak	PQL06-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hands Are Weak
C138750	PQL06-Hard Ask Doctors/Nurses Questions	PQL06-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138751	PQL06-Hard Explain Illness to People	PQL06-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138752	PQL06-Hard for Family to Plan Activities	PQL06-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138753	PQL06-Hard for Family to Rest	PQL06-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard for Family to Rest
C138749	PQL06-Hard Tell Doctors/Nurses How Feel	PQL06-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138732	PQL06-Hard to Breathe	PQL06-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Breathe

**C138248 PQL06TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138741	PQL06-Hard to Gain/Lose Weight	PQL06-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138748	PQL06-Hard to Go Places With Equipment	PQL06-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138743	PQL06-Hard to Swallow Food	PQL06-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Swallow Food
C138747	PQL06-Hard to Turn During Night	PQL06-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Turn During Night
C138740	PQL06-Hard to Use Bathroom	PQL06-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138742	PQL06-Hard to Use Hands	PQL06-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Hard to Use Hands
C138735	PQL06-Legs Hurt	PQL06-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Legs Hurt
C138744	PQL06-Long Time to Bathe/Shower	PQL06-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138754	PQL06-Money Problem in Our Family	PQL06-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Money Problem in Our Family
C138746	PQL06-Take Long Time to Eat	PQL06-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Take Long Time to Eat
C138738	PQL06-Wake Up Tired	PQL06-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Child - Wake Up Tired

**PQL07TC (Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Code)**

NCI Code: C138261, Codelist extensible: No

<b>C138261 PQL07TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138882	PQL0701	PQL07-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Breathe
C138883	PQL0702	PQL07-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sick Easily
C138884	PQL0703	PQL07-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sores and/or Rashes
C138885	PQL0704	PQL07-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Legs Hurt
C138886	PQL0705	PQL07-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Feel Tired
C138887	PQL0706	PQL07-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Back Feels Stiff
C138888	PQL0707	PQL07-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Wake Up Tired
C138889	PQL0708	PQL07-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hands Are Weak
C138890	PQL0709	PQL07-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Bathroom
C138891	PQL0710	PQL07-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138892	PQL0711	PQL07-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Hands
C138893	PQL0712	PQL07-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Swallow Food
C138894	PQL0713	PQL07-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Long Time to Bathe or Shower

**C138261 PQL07TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138895	PQL0714	PQL07-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Hurt Accidentally
C138896	PQL0715	PQL07-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Take Long Time to Eat
C138897	PQL0716	PQL07-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Turn During Night
C138898	PQL0717	PQL07-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Go Places With Equipment



**PQL07TN (Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Questionnaire Test Name)**

NCI Code: C138260, Codelist extensible: No

<b>C138260 PQL07TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138887	PQL07-Back Feels Stiff	PQL07-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Back Feels Stiff
C138886	PQL07-Feel Tired	PQL07-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Feel Tired
C138895	PQL07-Get Hurt Accidentally	PQL07-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Hurt Accidentally
C138883	PQL07-Get Sick Easily	PQL07-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sick Easily
C138884	PQL07-Get Sores and/or Rashes	PQL07-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Get Sores and/or Rashes
C138889	PQL07-Hands Are Weak	PQL07-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hands Are Weak
C138882	PQL07-Hard to Breathe	PQL07-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Breathe
C138891	PQL07-Hard to Gain/Lose Weight	PQL07-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138898	PQL07-Hard to Go Places With Equipment	PQL07-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Go Places With Equipment
C138893	PQL07-Hard to Swallow Food	PQL07-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Swallow Food
C138897	PQL07-Hard to Turn During Night	PQL07-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Turn During Night
C138890	PQL07-Hard to Use Bathroom	PQL07-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Bathroom
C138892	PQL07-Hard to Use Hands	PQL07-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Hard to Use Hands

**C138260 PQL07TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138885	PQL07-Legs Hurt	PQL07-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Legs Hurt
C138894	PQL07-Long Time to Bathe/Shower	PQL07-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Long Time to Bathe or Shower
C138896	PQL07-Take Long Time to Eat	PQL07-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Take Long Time to Eat
C138888	PQL07-Wake Up Tired	PQL07-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child - Think about how you have been doing for the last few weeks. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Version 3.0 Young Child Report - Wake Up Tired

**PQL08TC (Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Code)**

NCI Code: C138255, Codelist extensible: No

<b>C138255 PQL08TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138807	PQL0801	PQL08-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Breathe
C138808	PQL0802	PQL08-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sick Easily
C138809	PQL0803	PQL08-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138810	PQL0804	PQL08-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Legs Hurt
C138811	PQL0805	PQL08-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Feel Tired
C138812	PQL0806	PQL08-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138813	PQL0807	PQL08-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Wake Up Tired
C138814	PQL0808	PQL08-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hands Are Weak
C138815	PQL0809	PQL08-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138816	PQL0810	PQL08-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138817	PQL0811	PQL08-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138818	PQL0812	PQL08-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138819	PQL0813	PQL08-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138820	PQL0814	PQL08-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Hurt Accidentally

**C138255 PQL08TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138821	PQL0815	PQL08-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138822	PQL0816	PQL08-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138823	PQL0817	PQL08-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138824	PQL0818	PQL08-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138825	PQL0819	PQL08-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138826	PQL0820	PQL08-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138827	PQL0821	PQL08-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138828	PQL0822	PQL08-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138829	PQL0823	PQL08-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138830	PQL0824	PQL08-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138831	PQL0825	PQL08-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need

**PQL08TN (Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report Questionnaire Test Name)**

NCI Code: C138254, Codelist extensible: No

<b>C138254 PQL08TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138812	PQL08-Back Feels Stiff	PQL08-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138831	PQL08-Do Not Have Equipment Need	PQL08-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need
C138830	PQL08-Family Has Lot of Problems	PQL08-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138811	PQL08-Feel Tired	PQL08-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Feel Tired
C138820	PQL08-Get Hurt Accidentally	PQL08-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138808	PQL08-Get Sick Easily	PQL08-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sick Easily
C138809	PQL08-Get Sores and/or Rashes	PQL08-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138814	PQL08-Hands Are Weak	PQL08-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hands Are Weak
C138825	PQL08-Hard Ask Doctors/Nurses Questions	PQL08-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138826	PQL08-Hard Explain Illness to People	PQL08-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138827	PQL08-Hard for Family to Plan Activities	PQL08-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138828	PQL08-Hard for Family to Rest	PQL08-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138824	PQL08-Hard Tell Doctors/Nurses How Feel	PQL08-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138807	PQL08-Hard to Breathe	PQL08-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Breathe

**C138254 PQL08TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138816	PQL08-Hard to Gain/Lose Weight	PQL08-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138823	PQL08-Hard to Go Places With Equipment	PQL08-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138818	PQL08-Hard to Swallow Food	PQL08-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138822	PQL08-Hard to Turn During Night	PQL08-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138815	PQL08-Hard to Use Bathroom	PQL08-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138817	PQL08-Hard to Use Hands	PQL08-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138810	PQL08-Legs Hurt	PQL08-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Legs Hurt
C138819	PQL08-Long Time to Bathe/Shower	PQL08-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138829	PQL08-Money Problem in Our Family	PQL08-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138821	PQL08-Take Long Time to Eat	PQL08-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138813	PQL08-Wake Up Tired	PQL08-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Young Child Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent Report for Young Child - Wake Up Tired

**PQL09TC (Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Code)**

NCI Code: C138247, Codelist extensible: No

<b>C138247 PQL09TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138707	PQL0901	PQL09-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Breathe
C138708	PQL0902	PQL09-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sick Easily
C138709	PQL0903	PQL09-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138710	PQL0904	PQL09-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Legs Hurt
C138711	PQL0905	PQL09-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Feel Tired
C138712	PQL0906	PQL09-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Back Feels Stiff
C138713	PQL0907	PQL09-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Wake Up Tired
C138714	PQL0908	PQL09-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hands Are Weak
C138715	PQL0909	PQL09-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138716	PQL0910	PQL09-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138717	PQL0911	PQL09-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Hands
C138718	PQL0912	PQL09-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Swallow Food
C138719	PQL0913	PQL09-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138720	PQL0914	PQL09-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138721	PQL0915	PQL09-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Take Long Time to Eat

**C138247 PQL09TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138722	PQL0916	PQL09-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Turn During Night
C138723	PQL0917	PQL09-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138724	PQL0918	PQL09-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138725	PQL0919	PQL09-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138726	PQL0920	PQL09-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138727	PQL0921	PQL09-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138728	PQL0922	PQL09-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Rest
C138729	PQL0923	PQL09-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Money Problem in Our Family
C138730	PQL0924	PQL09-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138731	PQL0925	PQL09-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Do Not Have Equipment Need



**PQL09TN (Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report Questionnaire Test Name)**

NCI Code: C138246, Codelist extensible: No

<b>C138246 PQL09TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138712	PQL09-Back Feels Stiff	PQL09-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Back Feels Stiff
C138731	PQL09-Do Not Have Equipment Need	PQL09-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Do Not Have Equipment Need
C138730	PQL09-Family Has Lot of Problems	PQL09-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138711	PQL09-Feel Tired	PQL09-Feel Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Feel Tired
C138720	PQL09-Get Hurt Accidentally	PQL09-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138708	PQL09-Get Sick Easily	PQL09-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sick Easily
C138709	PQL09-Get Sores and/or Rashes	PQL09-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138714	PQL09-Hands Are Weak	PQL09-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hands Are Weak
C138725	PQL09-Hard Ask Doctors/Nurses Questions	PQL09-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138726	PQL09-Hard Explain Illness to People	PQL09-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138727	PQL09-Hard for Family to Plan Activities	PQL09-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138728	PQL09-Hard for Family to Rest	PQL09-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard for Family to Rest
C138724	PQL09-Hard Tell Doctors/Nurses How Feel	PQL09-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138707	PQL09-Hard to Breathe	PQL09-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Breathe
C138716	PQL09-Hard to Gain/Lose Weight	PQL09-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight

**C138246 PQL09TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138723	PQL09-Hard to Go Places With Equipment	PQL09-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138718	PQL09-Hard to Swallow Food	PQL09-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Swallow Food
C138722	PQL09-Hard to Turn During Night	PQL09-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Turn During Night
C138715	PQL09-Hard to Use Bathroom	PQL09-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138717	PQL09-Hard to Use Hands	PQL09-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Hard to Use Hands
C138710	PQL09-Legs Hurt	PQL09-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Legs Hurt
C138719	PQL09-Long Time to Bathe/Shower	PQL09-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138729	PQL09-Money Problem in Our Family	PQL09-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Money Problem in Our Family
C138721	PQL09-Take Long Time to Eat	PQL09-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Take Long Time to Eat
C138713	PQL09-Wake Up Tired	PQL09-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Version 3 Toddler Parent Report - In the past one month, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Version 3.0 Parent of Toddler - Wake Up Tired

**PQL10TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Code)**

NCI Code: C138241, Codelist extensible: No

<b>C138241 PQL10TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138640	PQL1001	PQL10-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Breathe
C138641	PQL1002	PQL10-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sick Easily
C138642	PQL1003	PQL10-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138643	PQL1004	PQL10-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Legs Hurt
C138644	PQL1005	PQL10-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Feel Tired
C138645	PQL1006	PQL10-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Back Feels Stiff
C138646	PQL1007	PQL10-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Wake Up Tired
C138647	PQL1008	PQL10-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hands Are Weak
C138648	PQL1009	PQL10-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Bathroom
C138649	PQL1010	PQL10-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138650	PQL1011	PQL10-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Hands
C138651	PQL1012	PQL10-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Swallow Food
C138652	PQL1013	PQL10-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138653	PQL1014	PQL10-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Hurt Accidentally
C138654	PQL1015	PQL10-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Take Long Time to Eat

**C138241 PQL10TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138655	PQL1016	PQL10-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Turn During Night
C138656	PQL1017	PQL10-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Go Places With Equipment
C138657	PQL1018	PQL10-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138658	PQL1019	PQL10-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138659	PQL1020	PQL10-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Explain Illness to People
C138660	PQL1021	PQL10-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138661	PQL1022	PQL10-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Rest
C138662	PQL1023	PQL10-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Money Problem in Our Family
C138663	PQL1024	PQL10-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Family Has Lot of Problems
C138664	PQL1025	PQL10-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Do Not Have Equipment Need

**PQL10TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Questionnaire Test Name)**

NCI Code: C138240, Codelist extensible: No

<b>C138240 PQL10TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138645	PQL10-Back Feels Stiff	PQL10-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Back Feels Stiff
C138664	PQL10-Do Not Have Equipment Need	PQL10-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Do Not Have Equipment Need
C138663	PQL10-Family Has Lot of Problems	PQL10-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Family Has Lot of Problems
C138644	PQL10-Feel Tired	PQL10-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Feel Tired
C138653	PQL10-Get Hurt Accidentally	PQL10-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Hurt Accidentally
C138641	PQL10-Get Sick Easily	PQL10-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sick Easily
C138642	PQL10-Get Sores and/or Rashes	PQL10-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Get Sores and/or Rashes
C138647	PQL10-Hands Are Weak	PQL10-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hands Are Weak
C138658	PQL10-Hard Ask Doctors/Nurses Questions	PQL10-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Ask Doctors and Nurses Questions
C138659	PQL10-Hard Explain Illness to People	PQL10-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Explain Illness to People
C138660	PQL10-Hard for Family to Plan Activities	PQL10-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Plan Activities
C138661	PQL10-Hard for Family to Rest	PQL10-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard for Family to Rest
C138657	PQL10-Hard Tell Doctors/Nurses How Feel	PQL10-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard Tell Doctors and Nurses How Feel
C138640	PQL10-Hard to Breathe	PQL10-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Breathe

**C138240 PQL10TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138649	PQL10-Hard to Gain/Lose Weight	PQL10-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Gain or Lose Weight
C138656	PQL10-Hard to Go Places With Equipment	PQL10-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Go Places With Equipment
C138651	PQL10-Hard to Swallow Food	PQL10-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Swallow Food
C138655	PQL10-Hard to Turn During Night	PQL10-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Turn During Night
C138648	PQL10-Hard to Use Bathroom	PQL10-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Bathroom
C138650	PQL10-Hard to Use Hands	PQL10-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Hard to Use Hands
C138643	PQL10-Legs Hurt	PQL10-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Legs Hurt
C138652	PQL10-Long Time to Bathe/Shower	PQL10-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Long Time to Bathe or Shower
C138662	PQL10-Money Problem in Our Family	PQL10-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Money Problem in Our Family
C138654	PQL10-Take Long Time to Eat	PQL10-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Take Long Time to Eat
C138646	PQL10-Wake Up Tired	PQL10-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Adult Report - Wake Up Tired

**PQL11TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Code)**

NCI Code: C138235, Codelist extensible: No

<b>C138235 PQL11TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138565	PQL1101	PQL11-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Breathe
C138566	PQL1102	PQL11-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sick Easily
C138567	PQL1103	PQL11-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sores and/or Rashes
C138568	PQL1104	PQL11-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Legs Hurt
C138569	PQL1105	PQL11-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Feel Tired
C138570	PQL1106	PQL11-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Back Feels Stiff
C138571	PQL1107	PQL11-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Wake Up Tired
C138572	PQL1108	PQL11-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hands Are Weak
C138573	PQL1109	PQL11-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Bathroom
C138574	PQL1110	PQL11-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Gain or Lose Weight
C138575	PQL1111	PQL11-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Hands
C138576	PQL1112	PQL11-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Swallow Food
C138577	PQL1113	PQL11-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Long Time to Bathe or Shower
C138578	PQL1114	PQL11-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Hurt Accidentally

**C138235 PQL11TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138579	PQL1115	PQL11-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Take Long Time to Eat
C138580	PQL1116	PQL11-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Turn During Night
C138581	PQL1117	PQL11-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Go Places With Equipment
C138582	PQL1118	PQL11-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Tell Doctors and Nurses How Feel
C138583	PQL1119	PQL11-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Ask Doctors and Nurses Questions
C138584	PQL1120	PQL11-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Explain Illness to People
C138585	PQL1121	PQL11-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Plan Activities
C138586	PQL1122	PQL11-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Rest
C138587	PQL1123	PQL11-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Money Problem in Our Family
C138588	PQL1124	PQL11-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Family Has Lot of Problems
C138589	PQL1125	PQL11-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Do Not Have Equipment Need



**PQL11TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report Questionnaire Test Name)**

NCI Code: C138234, Codelist extensible: No

<b>C138234 PQL11TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138570	PQL11-Back Feels Stiff	PQL11-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Back Feels Stiff
C138589	PQL11-Do Not Have Equipment Need	PQL11-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Do Not Have Equipment Need
C138588	PQL11-Family Has Lot of Problems	PQL11-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Family Has Lot of Problems
C138569	PQL11-Feel Tired	PQL11-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Feel Tired
C138578	PQL11-Get Hurt Accidentally	PQL11-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Hurt Accidentally
C138566	PQL11-Get Sick Easily	PQL11-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sick Easily
C138567	PQL11-Get Sores and/or Rashes	PQL11-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Get Sores and/or Rashes
C138572	PQL11-Hands Are Weak	PQL11-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hands Are Weak
C138583	PQL11-Hard Ask Doctors/Nurses Questions	PQL11-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Ask Doctors and Nurses Questions
C138584	PQL11-Hard Explain Illness to People	PQL11-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Explain Illness to People
C138585	PQL11-Hard for Family to Plan Activities	PQL11-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Plan Activities
C138586	PQL11-Hard for Family to Rest	PQL11-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard for Family to Rest
C138582	PQL11-Hard Tell Doctors/Nurses How Feel	PQL11-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard Tell Doctors and Nurses How Feel
C138565	PQL11-Hard to Breathe	PQL11-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Breathe

**C138234 PQL11TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138574	PQL11-Hard to Gain/Lose Weight	PQL11-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Gain or Lose Weight
C138581	PQL11-Hard to Go Places With Equipment	PQL11-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Go Places With Equipment
C138576	PQL11-Hard to Swallow Food	PQL11-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Swallow Food
C138580	PQL11-Hard to Turn During Night	PQL11-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Turn During Night
C138573	PQL11-Hard to Use Bathroom	PQL11-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Bathroom
C138575	PQL11-Hard to Use Hands	PQL11-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Hard to Use Hands
C138568	PQL11-Legs Hurt	PQL11-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Legs Hurt
C138577	PQL11-Long Time to Bathe/Shower	PQL11-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Long Time to Bathe or Shower
C138587	PQL11-Money Problem in Our Family	PQL11-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Money Problem in Our Family
C138579	PQL11-Take Long Time to Eat	PQL11-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Take Long Time to Eat
C138571	PQL11-Wake Up Tired	PQL11-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Adult Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults - Wake Up Tired

**PQL12TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Code)**

NCI Code: C138239, Codelist extensible: No

<b>C138239 PQL12TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138615	PQL1201	PQL12-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Breathe
C138616	PQL1202	PQL12-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sick Easily
C138617	PQL1203	PQL12-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sores and/or Rashes
C138618	PQL1204	PQL12-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Legs Hurt
C138619	PQL1205	PQL12-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Feel Tired
C138620	PQL1206	PQL12-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Back Feels Stiff
C138621	PQL1207	PQL12-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Wake Up Tired
C138622	PQL1208	PQL12-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hands Are Weak
C138623	PQL1209	PQL12-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Bathroom
C138624	PQL1210	PQL12-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Gain or Lose Weight
C138625	PQL1211	PQL12-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Hands
C138626	PQL1212	PQL12-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Swallow Food
C138627	PQL1213	PQL12-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Long Time to Bathe or Shower
C138628	PQL1214	PQL12-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Hurt Accidentally
C138629	PQL1215	PQL12-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Take Long Time to Eat
C138630	PQL1216	PQL12-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Turn During Night

**C138239 PQL12TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138631	PQL1217	PQL12-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Go Places With Equipment
C138632	PQL1218	PQL12-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138633	PQL1219	PQL12-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138634	PQL1220	PQL12-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Explain Illness to People
C138635	PQL1221	PQL12-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Plan Activities
C138636	PQL1222	PQL12-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Rest
C138637	PQL1223	PQL12-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Money Problem in Our Family
C138638	PQL1224	PQL12-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Family Has Lot of Problems
C138639	PQL1225	PQL12-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Do Not Have Equipment Need

**PQL12TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Questionnaire Test Name)**

NCI Code: C138238, Codelist extensible: No

<b>C138238 PQL12TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138620	PQL12-Back Feels Stiff	PQL12-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Back Feels Stiff
C138639	PQL12-Do Not Have Equipment Need	PQL12-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Do Not Have Equipment Need
C138638	PQL12-Family Has Lot of Problems	PQL12-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Family Has Lot of Problems
C138619	PQL12-Feel Tired	PQL12-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Feel Tired
C138628	PQL12-Get Hurt Accidentally	PQL12-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Hurt Accidentally
C138616	PQL12-Get Sick Easily	PQL12-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sick Easily
C138617	PQL12-Get Sores and/or Rashes	PQL12-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Get Sores and/or Rashes
C138622	PQL12-Hands Are Weak	PQL12-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hands Are Weak
C138633	PQL12-Hard Ask Doctors/Nurses Questions	PQL12-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Ask Doctors and Nurses Questions
C138634	PQL12-Hard Explain Illness to People	PQL12-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Explain Illness to People
C138635	PQL12-Hard for Family to Plan Activities	PQL12-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Plan Activities
C138636	PQL12-Hard for Family to Rest	PQL12-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard for Family to Rest
C138632	PQL12-Hard Tell Doctors/Nurses How Feel	PQL12-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard Tell Doctors and Nurses How Feel
C138615	PQL12-Hard to Breathe	PQL12-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Breathe
C138624	PQL12-Hard to Gain/Lose Weight	PQL12-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Gain or Lose Weight

**C138238 PQL12TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138631	PQL12-Hard to Go Places With Equipment	PQL12-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Go Places With Equipment
C138626	PQL12-Hard to Swallow Food	PQL12-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Swallow Food
C138630	PQL12-Hard to Turn During Night	PQL12-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Turn During Night
C138623	PQL12-Hard to Use Bathroom	PQL12-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Bathroom
C138625	PQL12-Hard to Use Hands	PQL12-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Hard to Use Hands
C138618	PQL12-Legs Hurt	PQL12-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Legs Hurt
C138627	PQL12-Long Time to Bathe/Shower	PQL12-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Long Time to Bathe or Shower
C138637	PQL12-Money Problem in Our Family	PQL12-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Money Problem in Our Family
C138629	PQL12-Take Long Time to Eat	PQL12-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Take Long Time to Eat
C138621	PQL12-Wake Up Tired	PQL12-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Teen Report - Wake Up Tired

**PQL13TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Code)**

NCI Code: C138233, Codelist extensible: No

<b>C138233 PQL13TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138540	PQL1301	PQL13-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Breathe
C138541	PQL1302	PQL13-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sick Easily
C138542	PQL1303	PQL13-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138543	PQL1304	PQL13-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Legs Hurt
C138544	PQL1305	PQL13-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Feel Tired
C138545	PQL1306	PQL13-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Back Feels Stiff
C138546	PQL1307	PQL13-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Wake Up Tired
C138547	PQL1308	PQL13-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hands Are Weak
C138548	PQL1309	PQL13-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138549	PQL1310	PQL13-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138550	PQL1311	PQL13-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Hands
C138551	PQL1312	PQL13-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138552	PQL1313	PQL13-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138553	PQL1314	PQL13-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138554	PQL1315	PQL13-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Take Long Time to Eat

**C138233 PQL13TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138555	PQL1316	PQL13-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138556	PQL1317	PQL13-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment
C138557	PQL1318	PQL13-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138558	PQL1319	PQL13-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138559	PQL1320	PQL13-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138560	PQL1321	PQL13-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138561	PQL1322	PQL13-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138562	PQL1323	PQL13-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138563	PQL1324	PQL13-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138564	PQL1325	PQL13-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Do Not Have Equipment Need



**PQL13TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report Questionnaire Test Name)**

NCI Code: C138232, Codelist extensible: No

<b>C138232 PQL13TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138545	PQL13-Back Feels Stiff	PQL13-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Back Feels Stiff
C138564	PQL13-Do Not Have Equipment Need	PQL13-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Do Not Have Equipment Need
C138563	PQL13-Family Has Lot of Problems	PQL13-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Family Has Lot of Problems
C138544	PQL13-Feel Tired	PQL13-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Feel Tired
C138553	PQL13-Get Hurt Accidentally	PQL13-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Hurt Accidentally
C138541	PQL13-Get Sick Easily	PQL13-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sick Easily
C138542	PQL13-Get Sores and/or Rashes	PQL13-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Get Sores and/or Rashes
C138547	PQL13-Hands Are Weak	PQL13-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hands Are Weak
C138558	PQL13-Hard Ask Doctors/Nurses Questions	PQL13-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Ask Doctors and Nurses Questions
C138559	PQL13-Hard Explain Illness to People	PQL13-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Explain Illness to People
C138560	PQL13-Hard for Family to Plan Activities	PQL13-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Plan Activities
C138561	PQL13-Hard for Family to Rest	PQL13-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard for Family to Rest
C138557	PQL13-Hard Tell Doctors/Nurses How Feel	PQL13-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard Tell Doctors and Nurses How Feel
C138540	PQL13-Hard to Breathe	PQL13-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Breathe

**C138232 PQL13TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138549	PQL13-Hard to Gain/Lose Weight	PQL13-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Gain or Lose Weight
C138556	PQL13-Hard to Go Places With Equipment	PQL13-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Go Places With Equipment
C138551	PQL13-Hard to Swallow Food	PQL13-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Swallow Food
C138555	PQL13-Hard to Turn During Night	PQL13-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Turn During Night
C138548	PQL13-Hard to Use Bathroom	PQL13-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Bathroom
C138550	PQL13-Hard to Use Hands	PQL13-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Hard to Use Hands
C138543	PQL13-Legs Hurt	PQL13-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Legs Hurt
C138552	PQL13-Long Time to Bathe/Shower	PQL13-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Long Time to Bathe or Shower
C138562	PQL13-Money Problem in Our Family	PQL13-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Money Problem in Our Family
C138554	PQL13-Take Long Time to Eat	PQL13-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Take Long Time to Eat
C138546	PQL13-Wake Up Tired	PQL13-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Teen Parent Report - In the past 7 days, how much of a problem has this been for your teen: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Teen - Wake Up Tired

**PQL14TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Code)**

NCI Code: C138227, Codelist extensible: No

<b>C138227 PQL14TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138465	PQL1401	PQL14-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Breathe
C138466	PQL1402	PQL14-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sick Easily
C138467	PQL1403	PQL14-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sores and/or Rashes
C138468	PQL1404	PQL14-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Legs Hurt
C138469	PQL1405	PQL14-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Feel Tired
C138470	PQL1406	PQL14-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Back Feels Stiff
C138471	PQL1407	PQL14-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Wake Up Tired
C138472	PQL1408	PQL14-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hands Are Weak
C138473	PQL1409	PQL14-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Bathroom
C138474	PQL1410	PQL14-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Gain or Lose Weight
C138475	PQL1411	PQL14-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Hands
C138476	PQL1412	PQL14-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Swallow Food
C138477	PQL1413	PQL14-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Long Time to Bathe or Shower
C138478	PQL1414	PQL14-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Hurt Accidentally
C138479	PQL1415	PQL14-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Take Long Time to Eat
C138480	PQL1416	PQL14-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Turn During Night

**C138227 PQL14TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138481	PQL1417	PQL14-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Go Places With Equipment
C138482	PQL1418	PQL14-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138483	PQL1419	PQL14-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138484	PQL1420	PQL14-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Explain Illness to People
C138485	PQL1421	PQL14-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Plan Activities
C138486	PQL1422	PQL14-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Rest
C138487	PQL1423	PQL14-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Money Problem in Our Family
C138488	PQL1424	PQL14-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Family Has Lot of Problems
C138489	PQL1425	PQL14-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Do Not Have Equipment Need

**PQL14TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Questionnaire Test Name)**

NCI Code: C138226, Codelist extensible: No

<b>C138226 PQL14TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138470	PQL14-Back Feels Stiff	PQL14-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Back Feels Stiff
C138489	PQL14-Do Not Have Equipment Need	PQL14-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I do not have the equipment I need.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Do Not Have Equipment Need
C138488	PQL14-Family Has Lot of Problems	PQL14-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think my family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Family Has Lot of Problems
C138469	PQL14-Feel Tired	PQL14-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Feel Tired
C138478	PQL14-Get Hurt Accidentally	PQL14-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Hurt Accidentally
C138466	PQL14-Get Sick Easily	PQL14-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sick Easily
C138467	PQL14-Get Sores and/or Rashes	PQL14-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Get Sores and/or Rashes
C138472	PQL14-Hands Are Weak	PQL14-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hands Are Weak
C138483	PQL14-Hard Ask Doctors/Nurses Questions	PQL14-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Ask Doctors and Nurses Questions
C138484	PQL14-Hard Explain Illness to People	PQL14-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to explain my illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Explain Illness to People
C138485	PQL14-Hard for Family to Plan Activities	PQL14-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Plan Activities
C138486	PQL14-Hard for Family to Rest	PQL14-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for my family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard for Family to Rest
C138482	PQL14-Hard Tell Doctors/Nurses How Feel	PQL14-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to tell the doctors and nurses how I feel.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard Tell Doctors and Nurses How Feel
C138465	PQL14-Hard to Breathe	PQL14-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Breathe
C138474	PQL14-Hard to Gain/Lose Weight	PQL14-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Gain or Lose Weight

**C138226 PQL14TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138481	PQL14-Hard to Go Places With Equipment	PQL14-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Go Places With Equipment
C138476	PQL14-Hard to Swallow Food	PQL14-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Swallow Food
C138480	PQL14-Hard to Turn During Night	PQL14-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Turn During Night
C138473	PQL14-Hard to Use Bathroom	PQL14-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Bathroom
C138475	PQL14-Hard to Use Hands	PQL14-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Hard to Use Hands
C138468	PQL14-Legs Hurt	PQL14-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Legs Hurt
C138477	PQL14-Long Time to Bathe/Shower	PQL14-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Long Time to Bathe or Shower
C138487	PQL14-Money Problem in Our Family	PQL14-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Money Problem in Our Family
C138479	PQL14-Take Long Time to Eat	PQL14-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Take Long Time to Eat
C138471	PQL14-Wake Up Tired	PQL14-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child - In the past 7 days, how much of a problem has this been for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Child Report - Wake Up Tired

**PQL15TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Code)**

NCI Code: C138231, Codelist extensible: No

<b>C138231 PQL15TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138515	PQL1501	PQL15-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Breathe
C138516	PQL1502	PQL15-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sick Easily
C138517	PQL1503	PQL15-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138518	PQL1504	PQL15-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Legs Hurt
C138519	PQL1505	PQL15-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Feel Tired
C138520	PQL1506	PQL15-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Back Feels Stiff
C138521	PQL1507	PQL15-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Wake Up Tired
C138522	PQL1508	PQL15-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hands Are Weak
C138523	PQL1509	PQL15-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138524	PQL1510	PQL15-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138525	PQL1511	PQL15-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Hands
C138526	PQL1512	PQL15-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Swallow Food
C138527	PQL1513	PQL15-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138528	PQL1514	PQL15-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138529	PQL1515	PQL15-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Take Long Time to Eat

**C138231 PQL15TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138530	PQL1516	PQL15-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Turn During Night
C138531	PQL1517	PQL15-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138532	PQL1518	PQL15-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138533	PQL1519	PQL15-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138534	PQL1520	PQL15-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138535	PQL1521	PQL15-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138536	PQL1522	PQL15-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Rest
C138537	PQL1523	PQL15-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Money Problem in Our Family
C138538	PQL1524	PQL15-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138539	PQL1525	PQL15-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Do Not Have Equipment Need



**PQL15TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report Questionnaire Test Name)**

NCI Code: C138230, Codelist extensible: No

<b>C138230 PQL15TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138520	PQL15-Back Feels Stiff	PQL15-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Back Feels Stiff
C138539	PQL15-Do Not Have Equipment Need	PQL15-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Do Not Have Equipment Need
C138538	PQL15-Family Has Lot of Problems	PQL15-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Family Has Lot of Problems
C138519	PQL15-Feel Tired	PQL15-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Feel Tired
C138528	PQL15-Get Hurt Accidentally	PQL15-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Hurt Accidentally
C138516	PQL15-Get Sick Easily	PQL15-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sick Easily
C138517	PQL15-Get Sores and/or Rashes	PQL15-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Get Sores and/or Rashes
C138522	PQL15-Hands Are Weak	PQL15-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hands Are Weak
C138533	PQL15-Hard Ask Doctors/Nurses Questions	PQL15-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Ask Doctors and Nurses Questions
C138534	PQL15-Hard Explain Illness to People	PQL15-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Explain Illness to People
C138535	PQL15-Hard for Family to Plan Activities	PQL15-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Plan Activities
C138536	PQL15-Hard for Family to Rest	PQL15-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard for Family to Rest
C138532	PQL15-Hard Tell Doctors/Nurses How Feel	PQL15-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard Tell Doctors and Nurses How Feel
C138515	PQL15-Hard to Breathe	PQL15-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Breathe

**C138230 PQL15TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138524	PQL15-Hard to Gain/Lose Weight	PQL15-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Gain or Lose Weight
C138531	PQL15-Hard to Go Places With Equipment	PQL15-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Go Places With Equipment
C138526	PQL15-Hard to Swallow Food	PQL15-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Swallow Food
C138530	PQL15-Hard to Turn During Night	PQL15-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Turn During Night
C138523	PQL15-Hard to Use Bathroom	PQL15-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Bathroom
C138525	PQL15-Hard to Use Hands	PQL15-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Hard to Use Hands
C138518	PQL15-Legs Hurt	PQL15-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Legs Hurt
C138527	PQL15-Long Time to Bathe/Shower	PQL15-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Long Time to Bathe or Shower
C138537	PQL15-Money Problem in Our Family	PQL15-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Money Problem in Our Family
C138529	PQL15-Take Long Time to Eat	PQL15-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Take Long Time to Eat
C138521	PQL15-Wake Up Tired	PQL15-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Child - Wake Up Tired

**PQL16TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Code)**

NCI Code: C138243, Codelist extensible: No

<b>C138243 PQL16TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138665	PQL1601	PQL16-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Breathe
C138666	PQL1602	PQL16-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sick Easily
C138667	PQL1603	PQL16-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sores and/or Rashes
C138668	PQL1604	PQL16-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Legs Hurt
C138669	PQL1605	PQL16-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Feel Tired
C138670	PQL1606	PQL16-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Back Feels Stiff
C138671	PQL1607	PQL16-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Wake Up Tired
C138672	PQL1608	PQL16-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hands Are Weak
C138673	PQL1609	PQL16-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Bathroom
C138674	PQL1610	PQL16-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138675	PQL1611	PQL16-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Hands
C138676	PQL1612	PQL16-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Swallow Food
C138677	PQL1613	PQL16-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Long Time to Bathe or Shower

**C138243 PQL16TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138678	PQL1614	PQL16-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Hurt Accidentally
C138679	PQL1615	PQL16-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Take Long Time to Eat
C138680	PQL1616	PQL16-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Turn During Night
C138681	PQL1617	PQL16-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Go Places With Equipment

**PQL16TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Questionnaire Test Name)**

NCI Code: C138242, Codelist extensible: No

<b>C138242 PQL16TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138670	PQL16-Back Feels Stiff	PQL16-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Back Feels Stiff
C138669	PQL16-Feel Tired	PQL16-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I feel tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Feel Tired
C138678	PQL16-Get Hurt Accidentally	PQL16-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Hurt Accidentally
C138666	PQL16-Get Sick Easily	PQL16-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sick Easily
C138667	PQL16-Get Sores and/or Rashes	PQL16-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I get sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Get Sores and/or Rashes
C138672	PQL16-Hands Are Weak	PQL16-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hands Are Weak
C138665	PQL16-Hard to Breathe	PQL16-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Breathe
C138674	PQL16-Hard to Gain/Lose Weight	PQL16-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to gain or lose weight when I want to.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Gain or Lose Weight
C138681	PQL16-Hard to Go Places With Equipment	PQL16-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard for me to go places with my equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Go Places With Equipment
C138676	PQL16-Hard to Swallow Food	PQL16-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Swallow Food
C138680	PQL16-Hard to Turn During Night	PQL16-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to turn myself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Turn During Night
C138673	PQL16-Hard to Use Bathroom	PQL16-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Bathroom
C138675	PQL16-Hard to Use Hands	PQL16-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It is hard to use my hands.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Hard to Use Hands

**C138242 PQL16TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138668	PQL16-Legs Hurt	PQL16-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: My legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Legs Hurt
C138677	PQL16-Long Time to Bathe/Shower	PQL16-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: It takes me a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Long Time to Bathe or Shower
C138679	PQL16-Take Long Time to Eat	PQL16-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I take a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Take Long Time to Eat
C138671	PQL16-Wake Up Tired	PQL16-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child - Think about how you have been doing for the past 7 days. Please listen carefully to each sentence and tell me how much of a problem this is for you: I wake up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Young Child Report - Wake Up Tired

**PQL17TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Code)**

NCI Code: C138237, Codelist extensible: No

<b>C138237 PQL17TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138590	PQL1701	PQL17-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Breathe
C138591	PQL1702	PQL17-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sick Easily
C138592	PQL1703	PQL17-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138593	PQL1704	PQL17-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Legs Hurt
C138594	PQL1705	PQL17-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Feel Tired
C138595	PQL1706	PQL17-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138596	PQL1707	PQL17-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Wake Up Tired
C138597	PQL1708	PQL17-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hands Are Weak
C138598	PQL1709	PQL17-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138599	PQL1710	PQL17-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138600	PQL1711	PQL17-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138601	PQL1712	PQL17-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138602	PQL1713	PQL17-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138603	PQL1714	PQL17-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Hurt Accidentally

**C138237 PQL17TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138604	PQL1715	PQL17-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138605	PQL1716	PQL17-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138606	PQL1717	PQL17-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138607	PQL1718	PQL17-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138608	PQL1719	PQL17-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138609	PQL1720	PQL17-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138610	PQL1721	PQL17-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138611	PQL1722	PQL17-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138612	PQL1723	PQL17-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138613	PQL1724	PQL17-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138614	PQL1725	PQL17-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need



**PQL17TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report Questionnaire Test Name)**

NCI Code: C138236, Codelist extensible: No

<b>C138236 PQL17TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138595	PQL17-Back Feels Stiff	PQL17-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Back Feels Stiff
C138614	PQL17-Do Not Have Equipment Need	PQL17-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Do Not Have Equipment Need
C138613	PQL17-Family Has Lot of Problems	PQL17-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Family Has Lot of Problems
C138594	PQL17-Feel Tired	PQL17-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Feel Tired
C138603	PQL17-Get Hurt Accidentally	PQL17-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Hurt Accidentally
C138591	PQL17-Get Sick Easily	PQL17-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sick Easily
C138592	PQL17-Get Sores and/or Rashes	PQL17-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Get Sores and/or Rashes
C138597	PQL17-Hands Are Weak	PQL17-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hands Are Weak
C138608	PQL17-Hard Ask Doctors/Nurses Questions	PQL17-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Ask Doctors and Nurses Questions
C138609	PQL17-Hard Explain Illness to People	PQL17-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Explain Illness to People
C138610	PQL17-Hard for Family to Plan Activities	PQL17-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Plan Activities
C138611	PQL17-Hard for Family to Rest	PQL17-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard for Family to Rest
C138607	PQL17-Hard Tell Doctors/Nurses How Feel	PQL17-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard Tell Doctors and Nurses How Feel
C138590	PQL17-Hard to Breathe	PQL17-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Breathe

**C138236 PQL17TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138599	PQL17-Hard to Gain/Lose Weight	PQL17-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Gain or Lose Weight
C138606	PQL17-Hard to Go Places With Equipment	PQL17-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Go Places With Equipment
C138601	PQL17-Hard to Swallow Food	PQL17-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Swallow Food
C138605	PQL17-Hard to Turn During Night	PQL17-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Turn During Night
C138598	PQL17-Hard to Use Bathroom	PQL17-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Bathroom
C138600	PQL17-Hard to Use Hands	PQL17-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Hard to Use Hands
C138593	PQL17-Legs Hurt	PQL17-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Legs Hurt
C138602	PQL17-Long Time to Bathe/Shower	PQL17-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Long Time to Bathe or Shower
C138612	PQL17-Money Problem in Our Family	PQL17-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Money Problem in Our Family
C138604	PQL17-Take Long Time to Eat	PQL17-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Take Long Time to Eat
C138596	PQL17-Wake Up Tired	PQL17-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Young Child Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent Report for Young Child - Wake Up Tired

**PQL18TC (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Code)**

NCI Code: C138229, Codelist extensible: No

<b>C138229 PQL18TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138490	PQL1801	PQL18-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Breathe
C138491	PQL1802	PQL18-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sick Easily
C138492	PQL1803	PQL18-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138493	PQL1804	PQL18-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Legs Hurt
C138494	PQL1805	PQL18-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Feel Tired
C138495	PQL1806	PQL18-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Back Feels Stiff
C138496	PQL1807	PQL18-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Wake Up Tired
C138497	PQL1808	PQL18-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hands Are Weak
C138498	PQL1809	PQL18-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138499	PQL1810	PQL18-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight
C138500	PQL1811	PQL18-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Hands
C138501	PQL1812	PQL18-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Swallow Food
C138502	PQL1813	PQL18-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138503	PQL1814	PQL18-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138504	PQL1815	PQL18-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Take Long Time to Eat

**C138229 PQL18TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138505	PQL1816	PQL18-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Turn During Night
C138506	PQL1817	PQL18-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138507	PQL1818	PQL18-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138508	PQL1819	PQL18-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138509	PQL1820	PQL18-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138510	PQL1821	PQL18-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138511	PQL1822	PQL18-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Rest
C138512	PQL1823	PQL18-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Money Problem in Our Family
C138513	PQL1824	PQL18-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138514	PQL1825	PQL18-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Do Not Have Equipment Need

**PQL18TN (Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report Questionnaire Test Name)**

NCI Code: C138228, Codelist extensible: No

<b>C138228 PQL18TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138495	PQL18-Back Feels Stiff	PQL18-Back Feels Stiff	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's back feels stiff.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Back Feels Stiff
C138514	PQL18-Do Not Have Equipment Need	PQL18-Do Not Have Equipment Need	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child does not have the equipment he or she needs.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Do Not Have Equipment Need
C138513	PQL18-Family Has Lot of Problems	PQL18-Family Has Lot of Problems	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think our family has a lot of problems.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Family Has Lot of Problems
C138494	PQL18-Feel Tired	PQL18-Feel Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child feels tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Feel Tired
C138503	PQL18-Get Hurt Accidentally	PQL18-Get Hurt Accidentally	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets hurt accidentally.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Hurt Accidentally
C138491	PQL18-Get Sick Easily	PQL18-Get Sick Easily	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sick easily.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sick Easily
C138492	PQL18-Get Sores and/or Rashes	PQL18-Get Sores and/or Rashes	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child gets sores and/or rashes.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Get Sores and/or Rashes
C138497	PQL18-Hands Are Weak	PQL18-Hands Are Weak	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's hands are weak.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hands Are Weak
C138508	PQL18-Hard Ask Doctors/Nurses Questions	PQL18-Hard Ask Doctors/Nurses Questions	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to ask the doctors and nurses questions.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Ask Doctors and Nurses Questions
C138509	PQL18-Hard Explain Illness to People	PQL18-Hard Explain Illness to People	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to explain his or her illness to other people.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Explain Illness to People
C138510	PQL18-Hard for Family to Plan Activities	PQL18-Hard for Family to Plan Activities	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to plan activities like vacations.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Plan Activities
C138511	PQL18-Hard for Family to Rest	PQL18-Hard for Family to Rest	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for our family to get enough rest.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard for Family to Rest
C138507	PQL18-Hard Tell Doctors/Nurses How Feel	PQL18-Hard Tell Doctors/Nurses How Feel	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to tell the doctors and nurses how he or she feels.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard Tell Doctors and Nurses How Feel
C138490	PQL18-Hard to Breathe	PQL18-Hard to Breathe	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to breathe.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Breathe
C138499	PQL18-Hard to Gain/Lose Weight	PQL18-Hard to Gain/Lose Weight	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to gain or lose weight when he or she wants to.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Gain or Lose Weight

**C138228 PQL18TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138506	PQL18-Hard to Go Places With Equipment	PQL18-Hard to Go Places With Equipment	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to go places with his or her equipment.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Go Places With Equipment
C138501	PQL18-Hard to Swallow Food	PQL18-Hard to Swallow Food	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to swallow food.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Swallow Food
C138505	PQL18-Hard to Turn During Night	PQL18-Hard to Turn During Night	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to turn him or herself during the night.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Turn During Night
C138498	PQL18-Hard to Use Bathroom	PQL18-Hard to Use Bathroom	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use the bathroom.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Bathroom
C138500	PQL18-Hard to Use Hands	PQL18-Hard to Use Hands	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It is hard for my child to use his or her hands.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Hard to Use Hands
C138493	PQL18-Legs Hurt	PQL18-Legs Hurt	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child's legs hurt.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Legs Hurt
C138502	PQL18-Long Time to Bathe/Shower	PQL18-Long Time to Bathe/Shower	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: It takes my child a long time to bathe or shower.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Long Time to Bathe or Shower
C138512	PQL18-Money Problem in Our Family	PQL18-Money Problem in Our Family	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: I think money is a problem in our family.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Money Problem in Our Family
C138504	PQL18-Take Long Time to Eat	PQL18-Take Long Time to Eat	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child takes a long time to eat.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Take Long Time to Eat
C138496	PQL18-Wake Up Tired	PQL18-Wake Up Tired	Pediatric Quality of Life Neuromuscular Module Acute Version 3 Toddler Parent Report - In the past 7 days, how much of a problem has this been for your child: My child wakes up tired.	PedsQL Neuromuscular Module Acute Version 3.0 Parent of Toddler - Wake Up Tired

**PR01TC (Pain Relief Questionnaire Test Code)**

NCI Code: C105136, Codelist extensible: No

<b>C105136 PR01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105267	PR0101	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105268	PR0102	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105269	PR0103	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105270	PR0104	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105271	PR0105	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105272	PR0106	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation
C105273	PR0107	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105274	PR0108	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105275	PR0109	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR0110	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105277	PR0111	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief

**PR01TN (Pain Relief Questionnaire Test Name)**

NCI Code: C105135, Codelist extensible: No

<b>C105135 PR01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C105268	PR01-Average Pain Relief	PR01-Average Pain Relief	Pain Relief - Average pain relief for various time periods of evaluation.	PR - Average Pain Relief For Various Time Periods of Evaluation
C105271	PR01-Least Pain Relief	PR01-Least Pain Relief	Pain Relief - Least pain relief for various time periods of evaluation.	PR - Least Pain Relief For Various Time Periods of Evaluation
C105270	PR01-Maximum Pain Relief	PR01-Maximum Pain Relief	Pain Relief - Maximum pain relief for various time periods of evaluation.	PR - Maximum Pain Relief For Various Time Periods of Evaluation
C105269	PR01-Minimum Pain Relief	PR01-Minimum Pain Relief	Pain Relief - Minimum pain relief for various time periods of evaluation.	PR - Minimum Pain Relief For Various Time Periods of Evaluation
C105267	PR01-Pain Relief	PR01-Pain Relief	Pain Relief - Pain relief for various time periods of evaluation.	PR - Pain Relief For Various Time Periods of Evaluation
C105273	PR01-Starting Pain at Least 1/2 Gone	PR01-Starting Pain at Least 1/2 Gone	Pain Relief - Starting pain at least 1/2 Gone?	PR - Starting Pain Half Gone
C105277	PR01-Time to Meaningful Pain Relief	PR01-Time to Meaningful Pain Relief	Pain Relief - Time to meaningful pain relief.	PR - Time to Meaningful Pain Relief
C105275	PR01-Time to Perceptible Pain Relief	PR01-Time to Perceptible Pain Relief	Pain Relief - Time to perceptible pain relief.	PR - Time to Perceptible Pain Relief
C105276	PR01-Was there Meaningful Pain Relief	PR01-Was there Meaningful Pain Relief	Pain Relief - Was there meaningful pain relief?	PR - Was There Meaningful Pain Relief
C105274	PR01-Was there Perceptible Pain Relief	PR01-Was there Perceptible Pain Relief	Pain Relief - Was there perceptible pain relief?	PR - Was There Perceptible Pain Relief
C105272	PR01-Worst Pain Relief	PR01-Worst Pain Relief	Pain Relief - Worst pain relief for various time periods of evaluation.	PR - Worst Pain Relief For Various Time Periods of Evaluation



## PRITBCON (Priority of Tuberculosis Contact)

NCI Code: C102582, Codelist extensible: Yes

<b>C102582 PRITBCON</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102644	HIGH-PRIORITY TUBERCULOSIS CONTACT		An individual that has tested positive for pulmonary, laryngeal, or pleural tuberculosis and may or may not present with cavitary disease.	High-priority Tuberculosis Subject
C102662	LOW-PRIORITY TUBERCULOSIS CONTACT		An individual that has had limited exposure to an individual with tuberculosis and has a low probability of having had a recent infection.	Low-priority Tuberculosis Subject
C102665	MEDIUM-PRIORITY TUBERCULOSIS CONTACT		An individual that has tested negative for pulmonary, laryngeal, or pleural tuberculosis but has had a non-cavitary chest x-ray that is consistent with tuberculosis.	Medium-priority Tuberculosis Subject

**PROCEDUR (Procedure)**

NCI Code: C101858, Codelist extensible: Yes

<b>C101858 PROCEDUR</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16035	3D CONFORMAL RADIATION THERAPY	3D CRT	A process by which a dose of radiation is automatically shaped to closely conform to the entire volume of the tumor, so that surrounding normal tissue is spared and treatment toxicity is decreased. (NCI)	3-Dimensional Conformal Radiation Therapy
C20985	ABLATION		Removal, separation, detachment, extirpation or eradication of a body part, pathway or function by surgery, chemical destruction, morbid process, or noxious substance. (NCI)	Ablation Therapy
C99907	ABLATION, ACCESSORY PATHWAYS		An invasive therapeutic procedure to destroy tissue in an accessory pathways in the atrioventricular conduction system that contributes to arrhythmia.	Ablation of Cardiac Accessory Pathway
C80432	ABLATION, ATRIAL		An invasive therapeutic procedure to destroy tissue in the cardiac atria that is the source of an arrhythmia.	Atrial Ablation
C99908	ABLATION, AV NODE		An invasive therapeutic procedure to destroy tissue in the AV-node that contributes to arrhythmia.	Ablation of Cardiac Atrioventricular Node
C111157	ABLATION, CHEMICAL		Removal, separation, detachment, extirpation or eradication of a body part, pathway or function by chemical means. (NCI)	Chemical Ablation
C111241	ABLATION, LASER		Removal, separation, detachment, extirpation or eradication of a body part, pathway or function by light amplification by stimulated emission of radiation. (NCI)	Laser Ablation
C80433	ABLATION, VENTRICULAR		An invasive therapeutic procedure to destroy tissue in the cardiac ventricles that is the source of an arrhythmia.	Ventricular Ablation
C99916	AORTIC BALLOON VALVOTOMY		Dilation of the valve between the left ventricle of the heart and the aorta by inflating a balloon.	Aortic Balloon Valvotomy
C50815	AORTIC VALVE REPLACEMENT		Surgery performed with the purpose of replacing a degenerated, calcified, malformed, dysfunctional, etc. aortic valve with a bioprosthetic, homograft, or autograft valve.	Aortic Valve Replacement
C99939	ATRIAL SEPTAL CLOSURE		Repair of atrial septum.	Closure of Cardiac Atrial Septum
C15195	BRACHYTHERAPY		A type of radiation therapy in which radioactive material is placed inside the body, into a tumor or body cavity.	Internal Radiation Therapy
C66891	BRACHYTHERAPY, INTERSTITIAL		A type of brachytherapy in which radioactive material sealed in needles, seeds, wires, or catheters is placed directly into a tumor or body tissue.	Interstitial Radiation Therapy
C28049	BRACHYTHERAPY, INTRACAVITARY		A type of brachytherapy in which radioactive material sealed in needles, seeds, wires, or catheters is placed directly into a body cavity such as the chest cavity or the vagina.	Intracavitary Radiation Therapy
C38044	CARDIAC CATHETERIZATION		A procedure in which a thin plastic tube (catheter) is inserted into an artery or vein in the arm or leg and then advanced into the chambers of the heart or into the coronary arteries.	Cardiac Catheterization
C80436	CARDIAC RESYNCHRONIZATION THERAPY		An invasive procedure that includes an electronic device that stimulates both right and left cardiac ventricles to improve coordination of ventricular contraction.	Cardiac Resynchronization Therapy
C100080	CARDIAC STENT PLACEMENT		A procedure performed during a percutaneous coronary intervention in which a device is deployed into the lumen of a coronary artery to expand and support the vessel wall such that the vessel remains patent and blood flow is uninhibited.	Cardiac Stent Placement
C15246	CARDIAC TRANSPLANT	Heart Transplant	A surgical procedure in which a damaged heart is removed and replaced by another heart from a suitable donor.	Heart Transplantation
C99937	CARDIOVERSION, CHEMICAL	CHEMICAL CARDIOVERSION	The administration of pharmacologic agents to correct abnormal heart rhythm.	Chemical Cardioversion
C99948	CARDIOVERSION, ELECTRICAL	ELECTRICAL CARDIOVERSION	The administration of electric current to correct abnormal heart rhythm.	Electric Cardioversion

**C101858 PROCEDUR**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C51998	CORONARY ARTERY BYPASS GRAFT	Aortocoronary Bypass;CAB;CABG;Coronary Artery Bypass;Coronary Artery Bypass Graft;Coronary Artery Bypass Graft Surgery;Coronary Artery Bypass Grafting;Heart Bypass	A procedure performed to bypass partially or completely occluded coronary arteries with veins and/or arteries harvested from elsewhere in the body, thereby improving the blood supply to the coronary circulation supplying the myocardium (heart muscle).	Coronary Artery Bypass Surgery
C15215	CRYOABLATION		Removal, separation, detachment, extirpation or eradication of a body part, pathway or function by freezing. (NCI)	Cryosurgery
C40030	CRYOTHERAPY		The therapeutic use of cold or refrigeration.	Cryotherapy
C111192	ELECTROCAUTERIZATION		A procedure for destroying tissue using an electrical current.	Electrocauterization
C52002	ENDARTERECTOMY		Excision of an atheromatous plaque. (NCI)	Endarterectomy
C15232	EXCISION		The act of cutting out; the surgical removal of part or all of a structure or organ. (NCI)	Excision
C15751	EXTERNAL BEAM RADIATION THERAPY		A type of radiation therapy in which high-energy beams are delivered to the tumor from outside of the body.	External Beam Radiation Therapy
C15651	HIGH-DOSE RATE BRACHYTHERAPY		A type of brachytherapy that targets a cancerous tissue with high doses of radiation through the use of inserted temporary implants.	High-Dose Rate Brachytherapy
C15262	IMMUNOTHERAPY		A therapy designed to induce changes in a patient's immune status.	Immunotherapy
C80435	IMPLANTABLE CARDIOVERTER DEFIBRILLATOR	Implantable Cardioverter Defibrillator Procedure	A procedure involving an electronic device implanted in the body that delivers electrical stimulation to the heart to treat tachycardia. It may also have the capability to treat bradycardia.	Implantable Cardioverter-Defibrillator Placement
C62730	INFRARED PHOTO COAGULATION	Infrared Coagulation	The use of an intense beam of light, such as a laser, to seal off blood vessels or destroy tissue. (NCI)	Infrared Photocoagulation Therapy
C16135	INTENSITY-MODULATED RADIATION THERAPY		An advanced form of 3-Dimensional Conformal Radiation Therapy (3D CRT) that involves the use of varying intensities of small radiation beams to produce dosage distributions that are more precise than those possible with 3D CRT. (NCI)	Intensity-Modulated Radiation Therapy
C99934	LEAD	Lead Procedure	A procedure involving one or more wires used for pacemaker or implantable defibrillator devices.	Cardiac Lead Procedure
C99965	LEFT ATRIAL APPENDAGE OCCLUSION		The therapeutic blockage of the muscular pouch in the left atrium.	Intentional Left Cardiac Atrial Appendage Occlusion Procedure
C80473	LEFT VENTRICULAR ASSIST DEVICE	LVAD	A procedure involving a mechanical cardiac pump which receives blood from the left ventricle and delivers it to the aorta.	Left Ventricular Assist Device
C99975	LEFT VENTRICULAR SYSTOLIC DYSFUNCTION EVALUATION		An examination and assessment of the inability of the left ventricle to effectively pump blood to the body.	Left Cardiac Ventricular Systolic Dysfunction Evaluation
C85254	LOW-DOSE RATE BRACHYTHERAPY		A type of brachytherapy that targets a cancerous tissue with low doses of radiation through the use of inserted temporary or permanent implants.	Low-Dose Rate Brachytherapy
C99987	MITRAL BALLOON VALVOTOMY		Dilation of the valve between the left atrium and the left ventricle of the heart by inflating a balloon.	Mitral Balloon Valvotomy
C99988	MITRAL COMMISSUROTOMY		Dilation of the valve between the left atrium and the left ventricle of the heart by use of a surgeon's finger or rigid instrument.	Mitral Commissurotomy
C80449	MITRAL VALVE REPAIR		Surgery performed for the purpose of reducing regurgitation of the mitral valve.	Mitral Valve Repair
C50825	MITRAL VALVE REPLACEMENT		Surgery performed with the purpose of replacing a degenerated, calcified, malformed, dysfunctional, etc. mitral valve with bioprosthetic, homograft or autograft valve.	Mitral Valve Replacement

**C101858 PROCEDUR**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C99995	NON-CARDIOVASCULAR SURGERY		An operative procedure that does not involve the heart or the blood vessels.	Non-Cardiovascular Surgery
C99998	PACEMAKER	Pacemaker Procedure	A procedure involving an electronic device that delivers electrical stimulation to the heart to treat bradycardia.	Pacemaker Procedure
C99521	PERCUTANEOUS CORONARY INTERVENTION	PCI	A percutaneous coronary intervention (PCI) is the placement of an angioplasty guide wire, balloon, or other device (e.g. stent, atherectomy, brachytherapy, or thrombectomy catheter) into a native coronary artery or coronary artery bypass graft for the purpose of mechanical coronary revascularization. Examples of things not considered to be PCI procedures include intravascular ultrasound, measurements of coronary flow reserve, or measurements of fractional flow reserve.	Percutaneous Coronary Intervention
C100003	PERCUTANEOUS MITRAL REPAIR		Invasive procedure through a puncture in the skin, performed for the purpose of reducing regurgitation of the mitral valve.	Percutaneous Mitral Valve Repair
C100004	PERICARDIAL STRIPPING		Removal or resection of the pericardium.	Pericardial Stripping
C51618	PERICARDIAL WINDOW		A procedure in which an opening is made in the pericardium.	Pericardial Window Procedure
C52010	PERICARDIOCENTESIS		The aspiration of excess fluid between the pericardium and the heart.	Pericardiocentesis
C116150	PERIPHERAL VASCULAR INTERVENTION	PVI	A peripheral vascular intervention is a catheter-based or open surgical procedure designed to improve arterial or venous blood flow or otherwise modify or revise vascular conduits. In general, the intention to perform percutaneous vascular intervention is denoted by the insertion of a guide wire into an artery or vein. For the sake of simplicity, this definition applies to the extracranial carotid artery and other non-cardiac arteries and veins, while it excludes the lymphatics and intracranial vessels.	Peripheral Vascular Intervention
C50817	PULMONARY VALVE REPLACEMENT		Surgery performed with the purpose of replacing a degenerated, calcified, malformed, dysfunctional, etc. pulmonary valve with bioprosthetic, homograft or autograft valve.	Pulmonary Valve Replacement
C100044	PULMONIC VALVULOPLASTY		Dilation of the valve between the right ventricle and the pulmonary artery of the heart by inflating a balloon.	Pulmonic Valvuloplasty
C15313	RADIOTHERAPY	Radiation Therapy	Treatment of a disease by means of exposure of the target or the whole body to radiation.	Radiation Therapy
C100010	RIGHT VENTRICULAR ASSIST DEVICE	RVAD	A procedure involving a mechanical pump which receives blood from the right ventricle and delivers it to the pulmonary artery.	Right Cardiac Ventricle Assist Device Procedure
C80439	SEPTAL ABLATION		A cardiac catheterization procedure to relieve symptoms in patients with severe obstructive hypertrophic cardiomyopathy. A catheter is used to inject alcohol into a septal artery supplying the heart muscle responsible for the obstruction, destroying the muscle tissue and relieving the obstruction.	Septal Ablation
C100017	SURGICAL MAZE	Cox Maze	A cardiac procedure intended to inhibit atrial fibrillation, in which a series of incisions are made in the atria to block abnormal electrical circuits that contribute to atrial fibrillation.	Surgical Maze Procedure
C100022	TRANSCATHETER AORTIC VALVE IMPLANT		Use of a thin tube to deliver an artificial valve apparatus between the left ventricle of the heart and the aorta.	Transcatheter Aortic Valve Implantation
C99935	TRICUSPID VALVE REPAIR		Surgery performed for the purpose of reducing regurgitation of the cardiac valve between the right atrium and right ventricle.	Cardiac Tricuspid Valve Repair
C50816	TRICUSPID VALVE REPLACEMENT		Surgery performed with the purpose of replacing a degenerated, calcified, malformed, dysfunctional, etc. tricuspid valve with bioprosthetic, homograft or autograft valve.	Tricuspid Valve Replacement
C80451	VENTRICULAR ANEURYSM RESECTION		Cardiac surgical procedure performed for the removal of an aneurysm from the ventricular wall.	Ventricular Aneurysm Resection
C99940	VENTRICULAR SEPTAL CLOSURE		Repair of ventricular septum.	Closure of Cardiac Ventricle Septum

## PROS01TC (The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Code)

NCI Code: C127360, Codelist extensible: No

<b>C127360 PROS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127504	PROS0101	PROS01-Pain	Prostate Cancer Specific Quality of Life Instrument - Pain.	PROSQOLI - Pain
C127505	PROS0102	PROS01-Physical Activity	Prostate Cancer Specific Quality of Life Instrument - Physical activity.	PROSQOLI - Physical Activity
C127506	PROS0103	PROS01-Fatigue	Prostate Cancer Specific Quality of Life Instrument - Fatigue.	PROSQOLI - Fatigue
C127507	PROS0104	PROS01-Appetite	Prostate Cancer Specific Quality of Life Instrument - Appetite.	PROSQOLI - Appetite
C127508	PROS0105	PROS01-Constipation	Prostate Cancer Specific Quality of Life Instrument - Constipation.	PROSQOLI - Constipation
C127509	PROS0106	PROS01-Urinary Problems	Prostate Cancer Specific Quality of Life Instrument - Urinary problems.	PROSQOLI - Urinary Problems
C127510	PROS0107	PROS01-Enjoying Time Friends/Family	Prostate Cancer Specific Quality of Life Instrument - Enjoying time with friends and family.	PROSQOLI - Enjoying Time with Friends and Family
C127511	PROS0108	PROS01-Mood	Prostate Cancer Specific Quality of Life Instrument - Mood.	PROSQOLI - Mood
C127512	PROS0109	PROS01-Overall Well-Being	Prostate Cancer Specific Quality of Life Instrument - Overall Well-Being (How do you feel?).	PROSQOLI - Overall Well-Being
C127513	PROS0110	PROS01-Present Pain Intensity	Prostate Cancer Specific Quality of Life Instrument - Present pain intensity: Please circle the appropriate number according to how much pain you felt on average during the past 24 hours.	PROSQOLI - Present Pain Intensity

**PROS01TN (The Prostate Cancer Specific Quality of Life Instrument Questionnaire Test Name)**

NCI Code: C127359, Codelist extensible: No

<b>C127359 PROS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127507	PROS01-Appetite	PROS01-Appetite	Prostate Cancer Specific Quality of Life Instrument - Appetite.	PROSQOLI - Appetite
C127508	PROS01-Constipation	PROS01-Constipation	Prostate Cancer Specific Quality of Life Instrument - Constipation.	PROSQOLI - Constipation
C127510	PROS01-Enjoying Time Friends/Family	PROS01-Enjoying Time Friends/Family	Prostate Cancer Specific Quality of Life Instrument - Enjoying time with friends and family.	PROSQOLI - Enjoying Time with Friends and Family
C127506	PROS01-Fatigue	PROS01-Fatigue	Prostate Cancer Specific Quality of Life Instrument - Fatigue.	PROSQOLI - Fatigue
C127511	PROS01-Mood	PROS01-Mood	Prostate Cancer Specific Quality of Life Instrument - Mood.	PROSQOLI - Mood
C127512	PROS01-Overall Well-Being	PROS01-Overall Well-Being	Prostate Cancer Specific Quality of Life Instrument - Overall Well-Being (How do you feel?).	PROSQOLI - Overall Well-Being
C127504	PROS01-Pain	PROS01-Pain	Prostate Cancer Specific Quality of Life Instrument - Pain.	PROSQOLI - Pain
C127505	PROS01-Physical Activity	PROS01-Physical Activity	Prostate Cancer Specific Quality of Life Instrument - Physical activity.	PROSQOLI - Physical Activity
C127513	PROS01-Present Pain Intensity	PROS01-Present Pain Intensity	Prostate Cancer Specific Quality of Life Instrument - Present pain intensity: Please circle the appropriate number according to how much pain you felt on average during the past 24 hours.	PROSQOLI - Present Pain Intensity
C127509	PROS01-Urinary Problems	PROS01-Urinary Problems	Prostate Cancer Specific Quality of Life Instrument - Urinary problems.	PROSQOLI - Urinary Problems

## PROTMLST (Protocol Milestone)

NCI Code: C114118, Codelist extensible: Yes

<b>C114118 PROTMLST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132447	ELIGIBILITY CRITERIA MET		The subject has fulfilled the criteria needed to enter or continue in the study.	Eligibility Criteria Met By Subject
C16735	INFORMED CONSENT OBTAINED		Consent given by a subject, or in the case of an individual that can only give assent, by a parent or legal guardian, for the participation in a clinical study only after having achieved an understanding of both the relevant medical facts and the relevant risks involved.	Informed Consent
C114209	RANDOMIZED		Participants are assigned to arms of a clinical trial by chance.	Subject is Randomized

## PRURGENCY (Procedure Urgency Status)

NCI Code: C101856, Codelist extensible: No

<b>C101856 PRURGENCY</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C51996	ELECTIVE		Elective procedures can be deferred without increased risk of compromised outcome. Patient's clinical condition is currently stable and has been stable in the days/weeks prior. The clinical situation does not demand that the procedure take place at a specified time.	Elective Surgical Procedure
C62648	EMERGENCY		Emergency procedures must be performed as soon as possible because of substantial concerns that delay could lead to death. Clinical situation demands that procedure should be performed immediately or in next available room, even if it means another case must be rescheduled.	Emergency
C15359	SALVAGE		Performing a salvage procedure is the last resort. The clinical situation involves either ongoing life support measures, life support measures for more than 60 seconds during the prior 10 minutes, or unanticipated institution of extracorporeal circulatory support.	Salvage Therapy
C100031	URGENT		Deferring an urgent procedure increases risk of adverse outcome or clinical deterioration. Clinical situation warrants performing urgent procedures during the current episode of care to avoid compromising patient safety.	Urgent Procedure



**PUL01TC (Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Code)**

NCI Code: C138217, Codelist extensible: No

<b>C138217 PUL01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138365	PUL0101	PUL01-Preferred Arm	Performance of the Upper Limb Module for DMD Version 1.2 - Preferred arm.	PUL 1.2 - Preferred Arm
C138366	PUL0102	PUL01-Elbow Contractures	Performance of the Upper Limb Module for DMD Version 1.2 - Elbow contractures of the preferred arm.	PUL 1.2 - Elbow Contractures
C138393	PUL0103	PUL01-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - High level shoulder dimension score.	PUL 1.2 - High Level Shoulder Dimension
C138394	PUL0104	PUL01-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Mid level elbow dimension score.	PUL 1.2 - Mid Level Elbow Dimension
C138395	PUL0105	PUL01-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Distal wrist and hand dimension score.	PUL 1.2 - Distal Wrist or Hand Dimension
C138396	PUL0106	PUL01-Total Score	Performance of the Upper Limb Module for DMD Version 1.2 - Total Score.	PUL 1.2 - Total Score
C138367	PUL01A	PUL01-Entry Item	Performance of the Upper Limb Module for DMD Version 1.2 - Entry item.	PUL 1.2 - Entry Item
C138368	PUL01B	PUL01-Shoulder Abduction to Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction to shoulder height.	PUL 1.2 - Shoulder Abduction to Height
C138369	PUL01C	PUL01-Shoulder Abduction Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction above shoulder height.	PUL 1.2 - Shoulder Abduction Above Height
C138370	PUL01D	PUL01-Shoulder Flexion to Shldr Height	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion to shoulder height.	PUL 1.2 - Shoulder Flexion to Height
C138371	PUL01E	PUL01-Shoulder Flexion Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion above shoulder height.	PUL 1.2 - Shoulder Flexion Above Height
C138372	PUL01F	PUL01-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to mouth.	PUL 1.2 - Hand(s) to Mouth
C138373	PUL01G	PUL01-Hand(s) to Table From Lap	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to table from lap.	PUL 1.2 - Hand(s) to Table From Lap
C138374	PUL01H	PUL01-Move Weight on Table	Performance of the Upper Limb Module for DMD Version 1.2 - Move weight on table.	PUL 1.2 - Move Weight on Table
C138375	PUL01I	PUL01-Lifting Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans.	PUL 1.2 - Lifting Light Cans
C138376	PUL01I1	PUL01-Lifting Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans, time.	PUL 1.2 - Lifting Light Cans Time
C138377	PUL01J	PUL01-Lifting Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans.	PUL 1.2 - Lifting Heavy Cans
C138378	PUL01J1	PUL01-Lifting Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans, time.	PUL 1.2 - Lifting Heavy Cans Time
C138379	PUL01K	PUL01-Stacking Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans.	PUL 1.2 - Stacking Light Cans
C138380	PUL01K1	PUL01-Stacking Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans, time.	PUL 1.2 - Stacking Light Cans Time
C138381	PUL01L	PUL01-Stacking Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans.	PUL 1.2 - Stacking Heavy Cans
C138382	PUL01L1	PUL01-Stacking Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans, time.	PUL 1.2 - Stacking Heavy Cans Time
C138383	PUL01M	PUL01-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 1.2 - Remove lid from container.	PUL 1.2 - Remove Lid From Container
C138384	PUL01N	PUL01-Tearing Paper	Performance of the Upper Limb Module for DMD Version 1.2 - Tearing paper.	PUL 1.2 - Tearing Paper
C138385	PUL01O	PUL01-Tracing Path	Performance of the Upper Limb Module for DMD Version 1.2 - Tracing path.	PUL 1.2 - Tracing Path
C138386	PUL01P	PUL01-Push on The Light	Performance of the Upper Limb Module for DMD Version 1.2 - Push on the light.	PUL 1.2 - Push on The Light

**C138217 PUL01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138387	PUL01Q	PUL01-Supination	Performance of the Upper Limb Module for DMD Version 1.2 - Supination.	PUL 1.2 - Supination
C138388	PUL01R	PUL01-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 1.2 - Picking up coins.	PUL 1.2 - Picking Up Coins
C138389	PUL01S	PUL01-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 1.2 - Placing finger on number diagram.	PUL 1.2 - Placing Finger on Number Diagram
C138390	PUL01T	PUL01-Finger Pinch Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Finger pinch grip.	PUL 1.2 - Finger Pinch Grip
C138391	PUL01U	PUL01-3 Point Grip	Performance of the Upper Limb Module for DMD Version 1.2 - 3 point grip.	PUL 1.2 - 3 Point Grip
C138392	PUL01V	PUL01-Thumb (Key) Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Thumb (key) grip.	PUL 1.2 - Thumb (Key) Grip

**PUL01TN (Performance of the Upper Limb Module for DMD Version 1.2 Functional Test Test Name)**

NCI Code: C138216, Codelist extensible: No

<b>C138216 PUL01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138391	PUL01-3 Point Grip	PUL01-3 Point Grip	Performance of the Upper Limb Module for DMD Version 1.2 - 3 point grip.	PUL 1.2 - 3 Point Grip
C138395	PUL01-Distal Wrist/Hand Dimension	PUL01-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Distal wrist and hand dimension score.	PUL 1.2 - Distal Wrist or Hand Dimension
C138366	PUL01-Elbow Contractures	PUL01-Elbow Contractures	Performance of the Upper Limb Module for DMD Version 1.2 - Elbow contractures of the preferred arm.	PUL 1.2 - Elbow Contractures
C138367	PUL01-Entry Item	PUL01-Entry Item	Performance of the Upper Limb Module for DMD Version 1.2 - Entry item.	PUL 1.2 - Entry Item
C138390	PUL01-Finger Pinch Grip	PUL01-Finger Pinch Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Finger pinch grip.	PUL 1.2 - Finger Pinch Grip
C138372	PUL01-Hand(s) to Mouth	PUL01-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to mouth.	PUL 1.2 - Hand(s) to Mouth
C138373	PUL01-Hand(s) to Table From Lap	PUL01-Hand(s) to Table From Lap	Performance of the Upper Limb Module for DMD Version 1.2 - Hand(s) to table from lap.	PUL 1.2 - Hand(s) to Table From Lap
C138393	PUL01-High Level Shoulder Dimension	PUL01-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - High level shoulder dimension score.	PUL 1.2 - High Level Shoulder Dimension
C138377	PUL01-Lifting Heavy Cans	PUL01-Lifting Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans.	PUL 1.2 - Lifting Heavy Cans
C138378	PUL01-Lifting Heavy Cans Time	PUL01-Lifting Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting heavy cans, time.	PUL 1.2 - Lifting Heavy Cans Time
C138375	PUL01-Lifting Light Cans	PUL01-Lifting Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans.	PUL 1.2 - Lifting Light Cans
C138376	PUL01-Lifting Light Cans Time	PUL01-Lifting Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Lifting light cans, time.	PUL 1.2 - Lifting Light Cans Time
C138394	PUL01-Mid Level Elbow Dimension	PUL01-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 1.2 - Mid level elbow dimension score.	PUL 1.2 - Mid Level Elbow Dimension
C138374	PUL01-Move Weight on Table	PUL01-Move Weight on Table	Performance of the Upper Limb Module for DMD Version 1.2 - Move weight on table.	PUL 1.2 - Move Weight on Table
C138388	PUL01-Picking Up Coins	PUL01-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 1.2 - Picking up coins.	PUL 1.2 - Picking Up Coins
C138389	PUL01-Placing Finger on Number Diagram	PUL01-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 1.2 - Placing finger on number diagram.	PUL 1.2 - Placing Finger on Number Diagram
C138365	PUL01-Preferred Arm	PUL01-Preferred Arm	Performance of the Upper Limb Module for DMD Version 1.2 - Preferred arm.	PUL 1.2 - Preferred Arm
C138386	PUL01-Push on The Light	PUL01-Push on The Light	Performance of the Upper Limb Module for DMD Version 1.2 - Push on the light.	PUL 1.2 - Push on The Light
C138383	PUL01-Remove Lid From Container	PUL01-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 1.2 - Remove lid from container.	PUL 1.2 - Remove Lid From Container
C138369	PUL01-Shoulder Abduction Above Shldr Hgt	PUL01-Shoulder Abduction Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction above shoulder height.	PUL 1.2 - Shoulder Abduction Above Height
C138368	PUL01-Shoulder Abduction to Shldr Hgt	PUL01-Shoulder Abduction to Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder abduction to shoulder height.	PUL 1.2 - Shoulder Abduction to Height
C138371	PUL01-Shoulder Flexion Above Shldr Hgt	PUL01-Shoulder Flexion Above Shldr Hgt	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion above shoulder height.	PUL 1.2 - Shoulder Flexion Above Height
C138370	PUL01-Shoulder Flexion to Shldr Height	PUL01-Shoulder Flexion to Shldr Height	Performance of the Upper Limb Module for DMD Version 1.2 - Shoulder flexion to shoulder height.	PUL 1.2 - Shoulder Flexion to Height
C138381	PUL01-Stacking Heavy Cans	PUL01-Stacking Heavy Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans.	PUL 1.2 - Stacking Heavy Cans
C138382	PUL01-Stacking Heavy Cans Time	PUL01-Stacking Heavy Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking heavy cans, time.	PUL 1.2 - Stacking Heavy Cans Time
C138379	PUL01-Stacking Light Cans	PUL01-Stacking Light Cans	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans.	PUL 1.2 - Stacking Light Cans

**C138216 PUL01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138380	PUL01-Stacking Light Cans Time	PUL01-Stacking Light Cans Time	Performance of the Upper Limb Module for DMD Version 1.2 - Stacking light cans, time.	PUL 1.2 - Stacking Light Cans Time
C138387	PUL01-Supination	PUL01-Supination	Performance of the Upper Limb Module for DMD Version 1.2 - Supination.	PUL 1.2 - Supination
C138384	PUL01-Tearing Paper	PUL01-Tearing Paper	Performance of the Upper Limb Module for DMD Version 1.2 - Tearing paper.	PUL 1.2 - Tearing Paper
C138392	PUL01-Thumb (Key) Grip	PUL01-Thumb (Key) Grip	Performance of the Upper Limb Module for DMD Version 1.2 - Thumb (key) grip.	PUL 1.2 - Thumb (Key) Grip
C138396	PUL01-Total Score	PUL01-Total Score	Performance of the Upper Limb Module for DMD Version 1.2 - Total Score.	PUL 1.2 - Total Score
C138385	PUL01-Tracing Path	PUL01-Tracing Path	Performance of the Upper Limb Module for DMD Version 1.2 - Tracing path.	PUL 1.2 - Tracing Path

## PUL02TC (Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Code)

NCI Code: C138219, Codelist extensible: No

C138219 PUL02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C138398	PUL0201	PUL02-Shoulder Abduction Arms Above Head	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder abduction both arms above head.	PUL 2.0 - Shoulder Abduction Arms Above Head
C138399	PUL0202	PUL02-Raise Both Arms to Shoulder Height	Performance of the Upper Limb Module for DMD Version 2.0 - Raise both arms to shoulder height (elbows at shoulder height).	PUL 2.0 - Raise Both Arms to Shoulder Height
C138400	PUL0203	PUL02-Flexion Shoulder Height No Weights	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height (no weights).	PUL 2.0 - Flexion Shoulder Height No Weights
C138401	PUL0204	PUL02-Flexion to Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height with 500g weight.	PUL 2.0 - Flexion to Shoulder Height 500g
C138402	PUL0205	PUL02-Flexion Above Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder height with 500g weight.	PUL 2.0 - Flexion Above Shoulder Height 500g
C138403	PUL0206	PUL02-Flexion Above Shoulder Height 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder with 1 kg weight.	PUL 2.0 - Flexion Above Shoulder Height 1kg
C138404	PUL0207	PUL02-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 2.0 - Hand(s) to mouth.	PUL 2.0 - Hand(s) to Mouth
C138405	PUL0208	PUL02-Hands to Table From Lap	Performance of the Upper Limb Module for DMD Version 2.0 - Hands to table from lap.	PUL 2.0 - Hands to Table From Lap
C138406	PUL0209	PUL02-Move Weight on Table 100g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 100g.	PUL 2.0 - Move Weight On Table 100g
C138407	PUL0210	PUL02-Move Weight on Table 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 500g.	PUL 2.0 - Move Weight On Table 500g
C138408	PUL0211	PUL02-Move Weight on Table 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 1kg.	PUL 2.0 - Move Weight On Table 1kg
C138409	PUL0212	PUL02-Lift Heavy Can Diagonally	Performance of the Upper Limb Module for DMD Version 2.0 - Lift heavy can diagonally.	PUL 2.0 - Lift Heavy Can Diagonally
C138410	PUL0213	PUL02-Stack of Three Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of three cans.	PUL 2.0 - Stack of Three Cans
C138411	PUL0214	PUL02-Stack of Five Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of five cans.	PUL 2.0 - Stack of Five Cans
C138412	PUL0215	PUL02-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 2.0 - Remove lid from container.	PUL 2.0 - Remove Lid From Container
C138413	PUL0216	PUL02-Tearing Paper	Performance of the Upper Limb Module for DMD Version 2.0 - Tearing paper.	PUL 2.0 - Tearing Paper
C138414	PUL0217	PUL02-Tracing Path	Performance of the Upper Limb Module for DMD Version 2.0 - Tracing path.	PUL 2.0 - Tracing Path
C138415	PUL0218	PUL02-Push on Light	Performance of the Upper Limb Module for DMD Version 2.0 - Push on light.	PUL 2.0 - Push on Light
C138416	PUL0219	PUL02-Supination	Performance of the Upper Limb Module for DMD Version 2.0 - Supination.	PUL 2.0 - Supination
C138417	PUL0220	PUL02-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 2.0 - Picking up coins.	PUL 2.0 - Picking Up Coins
C138418	PUL0221	PUL02-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 2.0 - Placing finger on number diagram.	PUL 2.0 - Placing Finger on Number Diagram
C138419	PUL0222	PUL02-Pick Up 10g Weight Finger Pinch	Performance of the Upper Limb Module for DMD Version 2.0 - Pick up 10g weight finger pinch.	PUL 2.0 - Pick Up 10g Weight Finger Pinch
C138420	PUL0223	PUL02-Preferred Arm	Performance of the Upper Limb Module for DMD Version 2.0 - Preferred arm.	PUL 2.0 - Preferred Arm
C138421	PUL0224	PUL02-Right Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right elbow extension ROM.	PUL 2.0 - Right Elbow Extension ROM

**C138219 PUL02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138422	PUL0225	PUL02-Left Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left elbow extension ROM.	PUL 2.0 - Left Elbow Extension ROM
C138423	PUL0226	PUL02-Right Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right available supination ROM.	PUL 2.0 - Right Available Supination ROM
C138424	PUL0227	PUL02-Left Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left available supination ROM.	PUL 2.0 - Left Available Supination ROM
C138425	PUL0228	PUL02-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - High level shoulder dimension score.	PUL 2.0 - High Level Shoulder Dimension
C138426	PUL0229	PUL02-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Mid level elbow dimension score.	PUL 2.0 - Mid Level Elbow Dimension
C138427	PUL0230	PUL02-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Distal wrist and hand dimension score.	PUL 2.0 - Distal Wrist or Hand Dimension
C138428	PUL0231	PUL02-Total Score	Performance of the Upper Limb Module for DMD Version 2.0 - Total score.	PUL 2.0 - Total Score
C138397	PUL02A	PUL02-Entry Item	Performance of the Upper Limb Module for DMD Version 2.0 - Entry item.	PUL 2.0 - Entry Item

**PUL02TN (Performance of the Upper Limb Module for DMD Version 2.0 Functional Test Test Name)**

NCI Code: C138218, Codelist extensible: No

<b>C138218 PUL02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138427	PUL02-Distal Wrist/Hand Dimension	PUL02-Distal Wrist/Hand Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Distal wrist and hand dimension score.	PUL 2.0 - Distal Wrist or Hand Dimension
C138397	PUL02-Entry Item	PUL02-Entry Item	Performance of the Upper Limb Module for DMD Version 2.0 - Entry item.	PUL 2.0 - Entry Item
C138403	PUL02-Flexion Above Shoulder Height 1kg	PUL02-Flexion Above Shoulder Height 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder with 1 kg weight.	PUL 2.0 - Flexion Above Shoulder Height 1kg
C138402	PUL02-Flexion Above Shoulder Height 500g	PUL02-Flexion Above Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion above shoulder height with 500g weight.	PUL 2.0 - Flexion Above Shoulder Height 500g
C138400	PUL02-Flexion Shoulder Height No Weights	PUL02-Flexion Shoulder Height No Weights	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height (no weights).	PUL 2.0 - Flexion Shoulder Height No Weights
C138401	PUL02-Flexion to Shoulder Height 500g	PUL02-Flexion to Shoulder Height 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder flexion to shoulder height with 500g weight.	PUL 2.0 - Flexion to Shoulder Height 500g
C138404	PUL02-Hand(s) to Mouth	PUL02-Hand(s) to Mouth	Performance of the Upper Limb Module for DMD Version 2.0 - Hand(s) to mouth.	PUL 2.0 - Hand(s) to Mouth
C138405	PUL02-Hands to Table From Lap	PUL02-Hands to Table From Lap	Performance of the Upper Limb Module for DMD Version 2.0 - Hands to table from lap.	PUL 2.0 - Hands to Table From Lap
C138425	PUL02-High Level Shoulder Dimension	PUL02-High Level Shoulder Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - High level shoulder dimension score.	PUL 2.0 - High Level Shoulder Dimension
C138424	PUL02-Left Available Supination ROM	PUL02-Left Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left available supination ROM.	PUL 2.0 - Left Available Supination ROM
C138422	PUL02-Left Elbow Extension ROM	PUL02-Left Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Left elbow extension ROM.	PUL 2.0 - Left Elbow Extension ROM
C138409	PUL02-Lift Heavy Can Diagonally	PUL02-Lift Heavy Can Diagonally	Performance of the Upper Limb Module for DMD Version 2.0 - Lift heavy can diagonally.	PUL 2.0 - Lift Heavy Can Diagonally
C138426	PUL02-Mid Level Elbow Dimension	PUL02-Mid Level Elbow Dimension	Performance of the Upper Limb Module for DMD Version 2.0 - Mid level elbow dimension score.	PUL 2.0 - Mid Level Elbow Dimension
C138406	PUL02-Move Weight on Table 100g	PUL02-Move Weight on Table 100g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 100g.	PUL 2.0 - Move Weight On Table 100g
C138408	PUL02-Move Weight on Table 1kg	PUL02-Move Weight on Table 1kg	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 1kg.	PUL 2.0 - Move Weight On Table 1kg
C138407	PUL02-Move Weight on Table 500g	PUL02-Move Weight on Table 500g	Performance of the Upper Limb Module for DMD Version 2.0 - Move weight on table 500g.	PUL 2.0 - Move Weight On Table 500g
C138419	PUL02-Pick Up 10g Weight Finger Pinch	PUL02-Pick Up 10g Weight Finger Pinch	Performance of the Upper Limb Module for DMD Version 2.0 - Pick up 10g weight finger pinch.	PUL 2.0 - Pick Up 10g Weight Finger Pinch
C138417	PUL02-Picking Up Coins	PUL02-Picking Up Coins	Performance of the Upper Limb Module for DMD Version 2.0 - Picking up coins.	PUL 2.0 - Picking Up Coins
C138418	PUL02-Placing Finger on Number Diagram	PUL02-Placing Finger on Number Diagram	Performance of the Upper Limb Module for DMD Version 2.0 - Placing finger on number diagram.	PUL 2.0 - Placing Finger on Number Diagram
C138420	PUL02-Preferred Arm	PUL02-Preferred Arm	Performance of the Upper Limb Module for DMD Version 2.0 - Preferred arm.	PUL 2.0 - Preferred Arm
C138415	PUL02-Push on Light	PUL02-Push on Light	Performance of the Upper Limb Module for DMD Version 2.0 - Push on light.	PUL 2.0 - Push on Light
C138399	PUL02-Raise Both Arms to Shoulder Height	PUL02-Raise Both Arms to Shoulder Height	Performance of the Upper Limb Module for DMD Version 2.0 - Raise both arms to shoulder height (elbows at shoulder height).	PUL 2.0 - Raise Both Arms to Shoulder Height
C138412	PUL02-Remove Lid From Container	PUL02-Remove Lid From Container	Performance of the Upper Limb Module for DMD Version 2.0 - Remove lid from container.	PUL 2.0 - Remove Lid From Container
C138423	PUL02-Right Available Supination ROM	PUL02-Right Available Supination ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right available supination ROM.	PUL 2.0 - Right Available Supination ROM
C138421	PUL02-Right Elbow Extension ROM	PUL02-Right Elbow Extension ROM	Performance of the Upper Limb Module for DMD Version 2.0 - Right elbow extension ROM.	PUL 2.0 - Right Elbow Extension ROM

**C138218 PUL02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138398	PUL02-Shoulder Abduction Arms Above Head	PUL02-Shoulder Abduction Arms Above Head	Performance of the Upper Limb Module for DMD Version 2.0 - Shoulder abduction both arms above head.	PUL 2.0 - Shoulder Abduction Arms Above Head
C138411	PUL02-Stack of Five Cans	PUL02-Stack of Five Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of five cans.	PUL 2.0 - Stack of Five Cans
C138410	PUL02-Stack of Three Cans	PUL02-Stack of Three Cans	Performance of the Upper Limb Module for DMD Version 2.0 - Stack of three cans.	PUL 2.0 - Stack of Three Cans
C138416	PUL02-Supination	PUL02-Supination	Performance of the Upper Limb Module for DMD Version 2.0 - Supination.	PUL 2.0 - Supination
C138413	PUL02-Tearing Paper	PUL02-Tearing Paper	Performance of the Upper Limb Module for DMD Version 2.0 - Tearing paper.	PUL 2.0 - Tearing Paper
C138428	PUL02-Total Score	PUL02-Total Score	Performance of the Upper Limb Module for DMD Version 2.0 - Total score.	PUL 2.0 - Total Score
C138414	PUL02-Tracing Path	PUL02-Tracing Path	Performance of the Upper Limb Module for DMD Version 2.0 - Tracing path.	PUL 2.0 - Tracing Path



**QIDSC1TC (Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Code)**

NCI Code: C130249, Codelist extensible: No

<b>C130249 QIDSC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130394	QIDSC101	QIDSC1-Sleep Onset Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	QIDS-C - Sleep Onset Insomnia
C130395	QIDSC102	QIDSC1-Mid-Nocturnal Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	QIDS-C - Mid-Nocturnal Insomnia
C130396	QIDSC103	QIDSC1-Early Morning Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	QIDS-C - Early Morning Insomnia
C130397	QIDSC104	QIDSC1-Hypersomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	QIDS-C - Hypersomnia
C130398	QIDSC105	QIDSC1-Mood (Sad)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	QIDS-C - Mood (Sad)
C130399	QIDSC106	QIDSC1-Appetite (Decreased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	QIDS-C - Appetite (Decreased)
C130400	QIDSC107	QIDSC1-Appetite (Increased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	QIDS-C - Appetite (Increased)
C130401	QIDSC108	QIDSC1-Weight (Decrease)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	QIDS-C - Weight (Decrease)
C130402	QIDSC109	QIDSC1-Weight (Increase)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	QIDS-C - Weight (Increase)
C130403	QIDSC110	QIDSC1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	QIDS-C - Concentration or Decision Making
C130404	QIDSC111	QIDSC1-Outlook (Self)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	QIDS-C - Outlook (Self)
C130405	QIDSC112	QIDSC1-Suicidal Ideation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	QIDS-C - Suicidal Ideation
C130406	QIDSC113	QIDSC1-Involvement	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	QIDS-C - Involvement
C130407	QIDSC114	QIDSC1-Energy/Fatiguability	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	QIDS-C - Energy or Fatiguability
C130408	QIDSC115	QIDSC1-Psychomotor Slowing	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	QIDS-C - Psychomotor Slowing
C130409	QIDSC116	QIDSC1-Psychomotor Agitation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	QIDS-C - Psychomotor Agitation

**C130249 QIDSC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130410	QIDSC117	QIDSC1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 sleep items.	QIDS-C - Highest Score Sleep Items
C130411	QIDSC118	QIDSC1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-C - High Score Appetite or Weight Items
C130412	QIDSC119	QIDSC1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on either of the 2 psychomotor items.	QIDS-C - Highest Score Psychomotor Items
C130413	QIDSC120	QIDSC1-Total Score	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Total score.	QIDS-C - Total Score

**QIDSC1TN (Quick Inventory of Depressive Symptomatology Clinician-Rated Version Clinical Classification Test Name)**

NCI Code: C130248, Codelist extensible: No

<b>C130248 QIDSC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130399	QIDSC1-Appetite (Decreased)	QIDSC1-Appetite (Decreased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (decreased).	QIDS-C - Appetite (Decreased)
C130400	QIDSC1-Appetite (Increased)	QIDSC1-Appetite (Increased)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Appetite (increased).	QIDS-C - Appetite (Increased)
C130403	QIDSC1-Concentration/Decision Making	QIDSC1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Concentration/decision making.	QIDS-C - Concentration or Decision Making
C130396	QIDSC1-Early Morning Insomnia	QIDSC1-Early Morning Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Early morning insomnia.	QIDS-C - Early Morning Insomnia
C130407	QIDSC1-Energy/Fatiguability	QIDSC1-Energy/Fatiguability	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Energy/fatiguability.	QIDS-C - Energy or Fatiguability
C130411	QIDSC1-High Score Appetite/Weight Items	QIDSC1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-C - High Score Appetite or Weight Items
C130412	QIDSC1-Highest Score Psychomotor Items	QIDSC1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on either of the 2 psychomotor items.	QIDS-C - Highest Score Psychomotor Items
C130410	QIDSC1-Highest Score Sleep Items	QIDSC1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Enter the highest score on any 1 of the 4 sleep items.	QIDS-C - Highest Score Sleep Items
C130397	QIDSC1-Hypersomnia	QIDSC1-Hypersomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Hypersomnia.	QIDS-C - Hypersomnia
C130406	QIDSC1-Involvement	QIDSC1-Involvement	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Involvement.	QIDS-C - Involvement
C130395	QIDSC1-Mid-Nocturnal Insomnia	QIDSC1-Mid-Nocturnal Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mid-nocturnal insomnia.	QIDS-C - Mid-Nocturnal Insomnia
C130398	QIDSC1-Mood (Sad)	QIDSC1-Mood (Sad)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Mood (sad).	QIDS-C - Mood (Sad)
C130404	QIDSC1-Outlook (Self)	QIDSC1-Outlook (Self)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Outlook (self).	QIDS-C - Outlook (Self)
C130409	QIDSC1-Psychomotor Agitation	QIDSC1-Psychomotor Agitation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor agitation.	QIDS-C - Psychomotor Agitation
C130408	QIDSC1-Psychomotor Slowing	QIDSC1-Psychomotor Slowing	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Psychomotor slowing.	QIDS-C - Psychomotor Slowing
C130394	QIDSC1-Sleep Onset Insomnia	QIDSC1-Sleep Onset Insomnia	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Sleep onset insomnia.	QIDS-C - Sleep Onset Insomnia

**C130248 QIDSC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130405	QIDSC1-Suicidal Ideation	QIDSC1-Suicidal Ideation	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Suicidal ideation.	QIDS-C - Suicidal Ideation
C130413	QIDSC1-Total Score	QIDSC1-Total Score	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Total score.	QIDS-C - Total Score
C130401	QIDSC1-Weight (Decrease)	QIDSC1-Weight (Decrease)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (decrease) within the last two weeks.	QIDS-C - Weight (Decrease)
C130402	QIDSC1-Weight (Increase)	QIDSC1-Weight (Increase)	Quick Inventory of Depressive Symptomatology - Clinician-Rated - Please circle one response to each item that best describes the patient for the last seven days: Weight (increase) within the last two weeks.	QIDS-C - Weight (Increase)

**QIDSR1TC (Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Code)**

NCI Code: C130263, Codelist extensible: No

<b>C130263 QIDSR1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130584	QIDSR101	QIDSR1-Falling Asleep	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	QIDS-SR - Falling Asleep
C130585	QIDSR102	QIDSR1-Sleep During the Night	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	QIDS-SR - Sleep During the Night
C130586	QIDSR103	QIDSR1-Waking Up Too Early	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	QIDS-SR - Waking Up Too Early
C130587	QIDSR104	QIDSR1-Sleeping Too Much	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	QIDS-SR - Sleeping Too Much
C130588	QIDSR105	QIDSR1-Feeling Sad	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	QIDS-SR - Feeling Sad
C130589	QIDSR106	QIDSR1-Decreased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	QIDS-SR - Decreased Appetite
C130590	QIDSR107	QIDSR1-Increased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	QIDS-SR - Increased Appetite
C130591	QIDSR108	QIDSR1-Decreased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Decreased weight.	QIDS-SR - Decreased Weight
C130592	QIDSR109	QIDSR1-Increased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Increased weight.	QIDS-SR - Increased Weight
C130593	QIDSR110	QIDSR1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	QIDS-SR - Concentration or Decision Making
C130594	QIDSR111	QIDSR1-View of Myself	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	QIDS-SR - View of Myself
C130595	QIDSR112	QIDSR1-Thoughts of Death or Suicide	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	QIDS-SR - Thoughts of Death or Suicide
C130596	QIDSR113	QIDSR1-General Interest	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	QIDS-SR - General Interest
C130597	QIDSR114	QIDSR1-Energy Level	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	QIDS-SR - Energy Level
C130598	QIDSR115	QIDSR1-Feeling Slowed Down	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	QIDS-SR - Feeling Slowed Down
C130599	QIDSR116	QIDSR1-Feeling Restless	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	QIDS-SR - Feeling Restless

**C130263 QIDSR1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130600	QIDSR117	QIDSR1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 sleep items.	QIDS-SR - Highest Score Sleep Items
C130601	QIDSR118	QIDSR1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-SR - High Score Appetite or Weight Items
C130602	QIDSR119	QIDSR1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on either of the 2 psychomotor items.	QIDS-SR - Highest Score Psychomotor Items
C130603	QIDSR120	QIDSR1-Total Score	Quick Inventory of Depressive Symptomatology - Self-Report - Total score.	QIDS-SR - Total Score

**QIDSR1TN (Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire Test Name)**

NCI Code: C130262, Codelist extensible: No

<b>C130262 QIDSR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130593	QIDSR1-Concentration/Decision Making	QIDSR1-Concentration/Decision Making	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Concentration/decision making.	QIDS-SR - Concentration or Decision Making
C130589	QIDSR1-Decreased Appetite	QIDSR1-Decreased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Decreased appetite.	QIDS-SR - Decreased Appetite
C130591	QIDSR1-Decreased Weight	QIDSR1-Decreased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Decreased weight.	QIDS-SR - Decreased Weight
C130597	QIDSR1-Energy Level	QIDSR1-Energy Level	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Energy level.	QIDS-SR - Energy Level
C130584	QIDSR1-Falling Asleep	QIDSR1-Falling Asleep	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Falling asleep.	QIDS-SR - Falling Asleep
C130599	QIDSR1-Feeling Restless	QIDSR1-Feeling Restless	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling restless.	QIDS-SR - Feeling Restless
C130588	QIDSR1-Feeling Sad	QIDSR1-Feeling Sad	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling sad.	QIDS-SR - Feeling Sad
C130598	QIDSR1-Feeling Slowed Down	QIDSR1-Feeling Slowed Down	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Feeling slowed down.	QIDS-SR - Feeling Slowed Down
C130596	QIDSR1-General Interest	QIDSR1-General Interest	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: General interest.	QIDS-SR - General Interest
C130601	QIDSR1-High Score Appetite/Weight Items	QIDSR1-High Score Appetite/Weight Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 appetite/weight change items.	QIDS-SR - High Score Appetite or Weight Items
C130602	QIDSR1-Highest Score Psychomotor Items	QIDSR1-Highest Score Psychomotor Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on either of the 2 psychomotor items.	QIDS-SR - Highest Score Psychomotor Items
C130600	QIDSR1-Highest Score Sleep Items	QIDSR1-Highest Score Sleep Items	Quick Inventory of Depressive Symptomatology - Self-Report - Enter the highest score on any 1 of the 4 sleep items.	QIDS-SR - Highest Score Sleep Items
C130590	QIDSR1-Increased Appetite	QIDSR1-Increased Appetite	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Increased appetite.	QIDS-SR - Increased Appetite
C130592	QIDSR1-Increased Weight	QIDSR1-Increased Weight	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: within the last two weeks: Increased weight.	QIDS-SR - Increased Weight
C130585	QIDSR1-Sleep During the Night	QIDSR1-Sleep During the Night	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleep during the night.	QIDS-SR - Sleep During the Night
C130587	QIDSR1-Sleeping Too Much	QIDSR1-Sleeping Too Much	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Sleeping too much.	QIDS-SR - Sleeping Too Much

**C130262 QIDSR1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130595	QIDSR1-Thoughts of Death or Suicide	QIDSR1-Thoughts of Death or Suicide	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Thoughts of death or suicide.	QIDS-SR - Thoughts of Death or Suicide
C130603	QIDSR1-Total Score	QIDSR1-Total Score	Quick Inventory of Depressive Symptomatology - Self-Report - Total score.	QIDS-SR - Total Score
C130594	QIDSR1-View of Myself	QIDSR1-View of Myself	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: View of myself.	QIDS-SR - View of Myself
C130586	QIDSR1-Waking Up Too Early	QIDSR1-Waking Up Too Early	Quick Inventory of Depressive Symptomatology - Self-Report - Please circle the one response to each item that best describes you for the past seven days: Waking up too early.	QIDS-SR - Waking Up Too Early



## QLES1TC (Quality Of Life Enjoyment And Satisfaction Questionnaire Test Code)

NCI Code: C130265, Codelist extensible: No

C130265 QLES1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130604	QLES101	QLES1-Free of Aches, Pains, Discomfort	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been completely free of aches, pains, or discomfort?	Q-LES-Q - Free of Aches, Pains, Discomfort
C130605	QLES102	QLES1-Felt Rested	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt rested?	Q-LES-Q - Felt Rested
C130606	QLES103	QLES1-Felt Energetic	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt energetic?	Q-LES-Q - Felt Energetic
C130607	QLES104	QLES1-Felt in Excellent Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in excellent physical health?	Q-LES-Q - Felt in Excellent Physical Health
C130608	QLES105	QLES1-At Least Very Good Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in at least very good physical health?	Q-LES-Q - At Least Very Good Physical Health
C130609	QLES106	QLES1-Free of Worry of Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of worry about your physical health?	Q-LES-Q - Free of Worry of Physical Health
C130610	QLES107	QLES1-Felt You Got Enough Sleep	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt you got enough sleep?	Q-LES-Q - Felt You Got Enough Sleep
C130611	QLES108	QLES1-Be as Physically Active as Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt able to be as physically active as needed?	Q-LES-Q - Be as Physically Active as Needed
C130612	QLES109	QLES1-Felt Well Coordinated	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt well coordinated?	Q-LES-Q - Felt Well Coordinated
C130613	QLES110	QLES1-Felt Memory Was Functioning Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt your memory was functioning well?	Q-LES-Q - Felt Memory Was Functioning Well
C130614	QLES111	QLES1-Felt Good Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt good physically?	Q-LES-Q - Felt Good Physically
C130615	QLES112	QLES1-Felt Full of Pep and Vitality	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt full of pep and vitality?	Q-LES-Q - Felt Full of Pep and Vitality
C130616	QLES113	QLES1-Free of Visual Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of visual problems?	Q-LES-Q - Free of Visual Problems
C130617	QLES114	QLES1-Felt Clearheaded	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt clearheaded?	Q-LES-Q - Felt Clearheaded
C130618	QLES115	QLES1-Felt Satisfied With Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt satisfied with your life?	Q-LES-Q - Felt Satisfied With Your Life
C130619	QLES116	QLES1-Felt Good About Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your appearance?	Q-LES-Q - Felt Good About Your Appearance
C130620	QLES117	QLES1-Felt Happy or Cheerful	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt happy or cheerful?	Q-LES-Q - Felt Happy or Cheerful

**C130265 QLES1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130621	QLES118	QLES1-Felt Independent	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt independent?	Q-LES-Q - Felt Independent
C130622	QLES119	QLES1-Felt Content	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt content?	Q-LES-Q - Felt Content
C130623	QLES120	QLES1-Able to Communicate With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to communicate with others?	Q-LES-Q - Able to Communicate With Others
C130624	QLES121	QLES1-Taking Care of Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt interested in taking care of your appearance (hair, clothing) and personal hygiene (bathing, dressing)?	Q-LES-Q - Taking Care of Your Appearance
C130625	QLES122	QLES1-Felt Able to Make Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to make decisions?	Q-LES-Q - Felt Able to Make Decisions
C130626	QLES123	QLES1-Felt Relaxed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt relaxed?	Q-LES-Q - Felt Relaxed
C130627	QLES124	QLES1-Felt Good About Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your life?	Q-LES-Q - Felt Good About Your Life
C130628	QLES125	QLES1-Able to Travel About When Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to travel about to get things done when needed (walk, use car, bus, train, or whatever is available as needed)?	Q-LES-Q - Able to Travel About to Get Things Done When Needed
C130629	QLES126	QLES1-Able to Deal With Life's Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to deal with life's problems?	Q-LES-Q - Able to Deal With Life's Problems
C130630	QLES127	QLES1-Able to Take Care of Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to take care of yourself?	Q-LES-Q - Able to Take Care of Yourself
C130631	QLES128A	QLES1-Have a Job	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you have a job?	Q-LES-Q - Have a Job
C130632	QLES128B	QLES1-Work for Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you work for yourself?	Q-LES-Q - Work for Yourself
C130633	QLES128C	QLES1-Do Volunteer Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you do volunteer work?	Q-LES-Q - Do Volunteer Work
C130634	QLES128D	QLES1-Reason for Not Working	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not having a job, working for yourself, and not doing volunteer work?	Q-LES-Q - Reason for Not Working
C130635	QLES129	QLES1-Enjoyed Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Enjoyed your work?	Q-LES-Q - Enjoyed Your Work
C130636	QLES130	QLES1-Solved Work Problem Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved work problems or dealt with them without undue stress?	Q-LES-Q - Solved Work Problem Without Stress
C130637	QLES131	QLES1-Thought Clearly About Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Thought clearly about work?	Q-LES-Q - Thought Clearly About Work
C130638	QLES132	QLES1-Decisive About Work/Made Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive about work, or made decisions when needed?	Q-LES-Q - Decisive About Work or Made Decisions
C130639	QLES133	QLES1-Accomplished What You Wanted to Do	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Accomplished what you wanted to do?	Q-LES-Q - Accomplished What You Wanted to Do
C130640	QLES134	QLES1-Pleased With Work Accomplishments	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been pleased with your work accomplishments?	Q-LES-Q - Pleased With Work Accomplishments

**C130265 QLES1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130641	QLES135	QLES1-Worked Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked well?	Q-LES-Q - Worked Well
C130642	QLES136	QLES1-Been Interested in Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been interested in your work?	Q-LES-Q - Been Interested in Your Work
C130643	QLES137	QLES1-Concentrated on Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated on work?	Q-LES-Q - Concentrated on Work
C130644	QLES138	QLES1-Worked Carefully	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked carefully?	Q-LES-Q - Worked Carefully
C130645	QLES139	QLES1-Kept Up With Expected Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept up with expected work?	Q-LES-Q - Kept Up With Expected Work
C130646	QLES140	QLES1-Taken Care of Work by Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of work by yourself when it was necessary?	Q-LES-Q - Taken Care of Work by Yourself
C130647	QLES141	QLES1-Communicated/Interacted With Ease	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Communicated and interacted with ease with others while working?	Q-LES-Q - Communicated and Interacted With Ease
C130648	QLES142	QLES1-Responsible for Household	Quality Of Life Enjoyment And Satisfaction Questionnaire - Are you responsible for any household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Responsible for Household
C130649	QLES142A	QLES1-Reason for No Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason for no household duties/housework/homemaker activities (e.g., cleaning, shopping doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Reason for No Household Activities
C130650	QLES143	QLES1-Kept Room Clean to Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept your room/apartment/house cleaned to your satisfaction?	Q-LES-Q - Kept Room Clean to Satisfaction
C130651	QLES144	QLES1-Paid Bills, Done Banking	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Paid the bills, done the banking to your satisfaction?	Q-LES-Q - Paid Bills, Done Banking
C130652	QLES145	QLES1-Shopped for Food/Household Items	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Shopped for food or other household items to your satisfaction?	Q-LES-Q - Shopped for Food or Household Items
C130653	QLES146	QLES1-Prepared Food or Obtained Food	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Prepared food or obtained food to your satisfaction?	Q-LES-Q - Prepared Food or Obtained Food
C130654	QLES147	QLES1-Taken Care of Laundry/Cleaning	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of the laundry/cleaning to your satisfaction?	Q-LES-Q - Taken Care of Laundry or Cleaning
C130655	QLES148	QLES1-Accomplish Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Had a feeling of accomplishment with regard to household activities?	Q-LES-Q - Accomplish Household Activities
C130656	QLES149	QLES1-Thought Clearly Household Activ	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated and thought clearly about what household activities needed to be done?	Q-LES-Q - Thought Clearly Household Activities to be Done
C130657	QLES150	QLES1-Solved House Problems w/o Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved household problems or dealt with them without undue stress?	Q-LES-Q - Solved House Problems Without Stress

**C130265 QLES1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130658	QLES151	QLES1-Decisive Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive or made decisions when needed with regard to household activities?	Q-LES-Q - Decisive With Regard to Household Activities
C130659	QLES152	QLES1-Made Repairs Household Maintenance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Made repairs or taken care of household maintenance as needed?	Q-LES-Q - Made Repairs or Household Maintenance
C130660	QLES153	QLES1-Taken Courses/Going to Class	Quality Of Life Enjoyment And Satisfaction Questionnaire - Have you been taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week?	Q-LES-Q - Taken Courses or Going to Class
C130661	QLES153A	QLES1-Reason for No Courses	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week.	Q-LES-Q - Reason for No Courses
C130662	QLES154	QLES1-Enjoyed Course/Class Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Enjoyed the course/class work?	Q-LES-Q - Enjoyed Course or Class Work
C130663	QLES155	QLES1-Looked Forward to Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Looked forward to getting to work on the course/class work?	Q-LES-Q - Looked Forward to Course Work
C130664	QLES156	QLES1-Course/Class Work Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Dealt with the course/class work without undue stress?	Q-LES-Q - Dealt With Course or Class Work Without Stress
C130665	QLES157	QLES1-Thought Clearly About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Thought clearly about the course/class work?	Q-LES-Q - Thought Clearly About Course Work
C130666	QLES158	QLES1-Decisive About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been decisive about the course/class work when needed?	Q-LES-Q - Decisive About Course Work
C130667	QLES159	QLES1-Pleased With Course Accomplishment	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been pleased with your course/class work accomplishments?	Q-LES-Q - Pleased With Course Accomplishment
C130668	QLES160	QLES1-Interested in Your Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been interested in your course/class work?	Q-LES-Q - Interested in Your Course Work
C130669	QLES161	QLES1-Concentrated on Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Concentrated on the course/class work?	Q-LES-Q - Concentrated on Course Work
C130670	QLES162	QLES1-Felt Good Doing Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good while doing your course/class work?	Q-LES-Q - Felt Good Doing Course Work
C130671	QLES163	QLES1-Communicated With Ease at Course	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Communicated and interacted with ease with others at your course/class?	Q-LES-Q - Communicated With Ease at Course
C130672	QLES164	QLES1-Use Time for a Leisure Activity	Quality Of Life Enjoyment And Satisfaction Questionnaire - When you had time, how often did you use that time for a leisure time activity?	Q-LES-Q - Use Time for a Leisure Activity
C130673	QLES165	QLES1-Enjoy the Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you enjoy the leisure activities?	Q-LES-Q - Enjoy the Leisure Activities
C130674	QLES166	QLES1-Look Forward to Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you look forward to the leisure activities before spending time at them?	Q-LES-Q - Look Forward to Leisure Activities
C130675	QLES167	QLES1-Concentrate on Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you concentrate on the leisure activities and pay attention to them?	Q-LES-Q - Concentrate on Leisure Activities

<b>C130265 QLES1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130676	QLES168	QLES1-Solve or Deal Without Undue Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - If a problem arose in your leisure activities, how often did you solve it or deal with it without undue stress?	Q-LES-Q - Solve or Deal Without Undue Stress
C130677	QLES169	QLES1-Leisure Activity Sustain Interest	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did the leisure activities sustain your interest?	Q-LES-Q - Leisure Activity Sustain Interest
C130678	QLES170	QLES1-Enjoyed Being With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with or being with friends or relatives?	Q-LES-Q - Enjoyed Being With Friends
C130679	QLES171	QLES1-Getting Together With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Looked forward to getting together with friends or relatives?	Q-LES-Q - Getting Together With Friends
C130680	QLES172	QLES1-Made Social Plans With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Made social plans with friends or relatives for future activities?	Q-LES-Q - Made Social Plans With Friends
C130681	QLES173	QLES1-Enjoyed Talking With Co-workers	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with co-workers or neighbors?	Q-LES-Q - Enjoyed Talking With Co-workers
C130682	QLES174	QLES1-Patient With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been patient with others when others were irritating in their actions or words?	Q-LES-Q - Patient With Others
C130683	QLES175	QLES1-Interested in Problems of People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been interested in the problems of other people?	Q-LES-Q - Interested in Problems of People
C130684	QLES176	QLES1-Felt Affection Toward People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt affection toward one or more people?	Q-LES-Q - Felt Affection Toward People
C130685	QLES177	QLES1-Gotten Along Well With People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Gotten along well with other people?	Q-LES-Q - Gotten Along Well With People
C130686	QLES178	QLES1-Joked or Laughed With Other People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Joked or laughed with other people?	Q-LES-Q - Joked or Laughed With Other People
C130687	QLES179	QLES1-Met Needs of Friends or Relatives	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt you met the needs of friends or relatives?	Q-LES-Q - Met Needs of Friends or Relatives
C130688	QLES180	QLES1-Relationships Without Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt your relationships with your friends or relatives were without major problems or conflicts?	Q-LES-Q - Relationships Without Problems
C130689	QLES181	QLES1-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q - Physical Health
C130690	QLES182	QLES1-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q - Mood
C130691	QLES183	QLES1-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q - Work
C130692	QLES184	QLES1-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q - Household Activities
C130693	QLES185	QLES1-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q - Social Relationships

**C130265 QLES1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130694	QLES186	QLES1-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q - Family Relationships
C130695	QLES187	QLES1-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q - Leisure Time Activities
C130696	QLES188	QLES1-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q - Ability to Function in Daily Life
C130697	QLES189	QLES1-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q - Sex Drive, Interest, Performance
C130698	QLES190	QLES1-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q - Economic Status
C130699	QLES191	QLES1-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q - Living or Housing Situation
C130700	QLES192	QLES1-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q - Ability to Get Around Physically
C130701	QLES193	QLES1-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: your vision in terms of ability to do work or hobbies?	Q-LES-Q - Vision Ability to Do Work or Hobbies
C130702	QLES194	QLES1-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q - Overall Sense of Well Being
C130703	QLES195	QLES1-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q - Medication
C130704	QLES196	QLES1-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q - Rate Overall Life Satisfaction

**QLES1TN (Quality Of Life Enjoyment And Satisfaction Questionnaire Test Name)**

NCI Code: C130264, Codelist extensible: No

<b>C130264 QLES1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130696	QLES1-Ability to Function in Daily Life	QLES1-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q - Ability to Function in Daily Life
C130700	QLES1-Ability to Get Around Physically	QLES1-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q - Ability to Get Around Physically
C130623	QLES1-Able to Communicate With Others	QLES1-Able to Communicate With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to communicate with others?	Q-LES-Q - Able to Communicate With Others
C130629	QLES1-Able to Deal With Life's Problems	QLES1-Able to Deal With Life's Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to deal with life's problems?	Q-LES-Q - Able to Deal With Life's Problems
C130630	QLES1-Able to Take Care of Yourself	QLES1-Able to Take Care of Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to take care of yourself?	Q-LES-Q - Able to Take Care of Yourself
C130628	QLES1-Able to Travel About When Needed	QLES1-Able to Travel About When Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to travel about to get things done when needed (walk, use car, bus, train, or whatever is available as needed)?	Q-LES-Q - Able to Travel About to Get Things Done When Needed
C130655	QLES1-Accomplish Household Activities	QLES1-Accomplish Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Had a feeling of accomplishment with regard to household activities?	Q-LES-Q - Accomplish Household Activities
C130639	QLES1-Accomplished What You Wanted to Do	QLES1-Accomplished What You Wanted to Do	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Accomplished what you wanted to do?	Q-LES-Q - Accomplished What You Wanted to Do
C130608	QLES1-At Least Very Good Physical Health	QLES1-At Least Very Good Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in at least very good physical health?	Q-LES-Q - At Least Very Good Physical Health
C130611	QLES1-Be as Physically Active as Needed	QLES1-Be as Physically Active as Needed	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt able to be as physically active as needed?	Q-LES-Q - Be as Physically Active as Needed
C130642	QLES1-Been Interested in Your Work	QLES1-Been Interested in Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been interested in your work?	Q-LES-Q - Been Interested in Your Work
C130671	QLES1-Communicated With Ease at Course	QLES1-Communicated With Ease at Course	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Communicated and interacted with ease with others at your course/class?	Q-LES-Q - Communicated With Ease at Course
C130647	QLES1-Communicated/Interacted With Ease	QLES1-Communicated/Interacted With Ease	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Communicated and interacted with ease with others while working?	Q-LES-Q - Communicated and Interacted With Ease
C130675	QLES1-Concentrate on Leisure Activities	QLES1-Concentrate on Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you concentrate on the leisure activities and pay attention to them?	Q-LES-Q - Concentrate on Leisure Activities
C130669	QLES1-Concentrated on Course Work	QLES1-Concentrated on Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Concentrated on the course/class work?	Q-LES-Q - Concentrated on Course Work

**C130264 QLES1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130643	QLES1-Concentrated on Work	QLES1-Concentrated on Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated on work?	Q-LES-Q - Concentrated on Work
C130664	QLES1-Course/Class Work Without Stress	QLES1-Course/Class Work Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Dealt with the course/class work without undue stress?	Q-LES-Q - Dealt With Course or Class Work Without Stress
C130666	QLES1-Decisive About Course Work	QLES1-Decisive About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been decisive about the course/class work when needed?	Q-LES-Q - Decisive About Course Work
C130638	QLES1-Decisive About Work/Made Decisions	QLES1-Decisive About Work/Made Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive about work, or made decisions when needed?	Q-LES-Q - Decisive About Work or Made Decisions
C130658	QLES1-Decisive Household Activities	QLES1-Decisive Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been decisive or made decisions when needed with regard to household activities?	Q-LES-Q - Decisive With Regard to Household Activities
C130633	QLES1-Do Volunteer Work	QLES1-Do Volunteer Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you do volunteer work?	Q-LES-Q - Do Volunteer Work
C130698	QLES1-Economic Status	QLES1-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q - Economic Status
C130673	QLES1-Enjoy the Leisure Activities	QLES1-Enjoy the Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you enjoy the leisure activities?	Q-LES-Q - Enjoy the Leisure Activities
C130678	QLES1-Enjoyed Being With Friends	QLES1-Enjoyed Being With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with or being with friends or relatives?	Q-LES-Q - Enjoyed Being With Friends
C130662	QLES1-Enjoyed Course/Class Work	QLES1-Enjoyed Course/Class Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Enjoyed the course/class work?	Q-LES-Q - Enjoyed Course or Class Work
C130681	QLES1-Enjoyed Talking With Co-workers	QLES1-Enjoyed Talking With Co-workers	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Enjoyed talking with co-workers or neighbors?	Q-LES-Q - Enjoyed Talking With Co-workers
C130635	QLES1-Enjoyed Your Work	QLES1-Enjoyed Your Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Enjoyed your work?	Q-LES-Q - Enjoyed Your Work
C130694	QLES1-Family Relationships	QLES1-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q - Family Relationships
C130625	QLES1-Felt Able to Make Decisions	QLES1-Felt Able to Make Decisions	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt able to make decisions?	Q-LES-Q - Felt Able to Make Decisions
C130684	QLES1-Felt Affection Toward People	QLES1-Felt Affection Toward People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt affection toward one or more people?	Q-LES-Q - Felt Affection Toward People
C130617	QLES1-Felt Clearheaded	QLES1-Felt Clearheaded	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt clearheaded?	Q-LES-Q - Felt Clearheaded
C130622	QLES1-Felt Content	QLES1-Felt Content	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt content?	Q-LES-Q - Felt Content
C130606	QLES1-Felt Energetic	QLES1-Felt Energetic	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt energetic?	Q-LES-Q - Felt Energetic



**C130264 QLES1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130615	QLES1-Felt Full of Pep and Vitality	QLES1-Felt Full of Pep and Vitality	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt full of pep and vitality?	Q-LES-Q - Felt Full of Pep and Vitality
C130619	QLES1-Felt Good About Your Appearance	QLES1-Felt Good About Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your appearance?	Q-LES-Q - Felt Good About Your Appearance
C130627	QLES1-Felt Good About Your Life	QLES1-Felt Good About Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good about your life?	Q-LES-Q - Felt Good About Your Life
C130670	QLES1-Felt Good Doing Course Work	QLES1-Felt Good Doing Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt good while doing your course/class work?	Q-LES-Q - Felt Good Doing Course Work
C130614	QLES1-Felt Good Physically	QLES1-Felt Good Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt good physically?	Q-LES-Q - Felt Good Physically
C130620	QLES1-Felt Happy or Cheerful	QLES1-Felt Happy or Cheerful	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt happy or cheerful?	Q-LES-Q - Felt Happy or Cheerful
C130607	QLES1-Felt in Excellent Physical Health	QLES1-Felt in Excellent Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt in excellent physical health?	Q-LES-Q - Felt in Excellent Physical Health
C130621	QLES1-Felt Independent	QLES1-Felt Independent	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt independent?	Q-LES-Q - Felt Independent
C130613	QLES1-Felt Memory Was Functioning Well	QLES1-Felt Memory Was Functioning Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt your memory was functioning well?	Q-LES-Q - Felt Memory Was Functioning Well
C130626	QLES1-Felt Relaxed	QLES1-Felt Relaxed	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt relaxed?	Q-LES-Q - Felt Relaxed
C130605	QLES1-Felt Rested	QLES1-Felt Rested	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt rested?	Q-LES-Q - Felt Rested
C130618	QLES1-Felt Satisfied With Your Life	QLES1-Felt Satisfied With Your Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt satisfied with your life?	Q-LES-Q - Felt Satisfied With Your Life
C130612	QLES1-Felt Well Coordinated	QLES1-Felt Well Coordinated	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt well coordinated?	Q-LES-Q - Felt Well Coordinated
C130610	QLES1-Felt You Got Enough Sleep	QLES1-Felt You Got Enough Sleep	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Felt you got enough sleep?	Q-LES-Q - Felt You Got Enough Sleep
C130604	QLES1-Free of Aches, Pains, Discomfort	QLES1-Free of Aches, Pains, Discomfort	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been completely free of aches, pains, or discomfort?	Q-LES-Q - Free of Aches, Pains, Discomfort
C130616	QLES1-Free of Visual Problems	QLES1-Free of Visual Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of visual problems?	Q-LES-Q - Free of Visual Problems
C130609	QLES1-Free of Worry of Physical Health	QLES1-Free of Worry of Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - With regard to your physical health, during the past week how much of the time have you: Been free of worry about your physical health?	Q-LES-Q - Free of Worry of Physical Health

**C130264 QLES1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130679	QLES1-Getting Together With Friends	QLES1-Getting Together With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Looked forward to getting together with friends or relatives?	Q-LES-Q - Getting Together With Friends
C130685	QLES1-Gotten Along Well With People	QLES1-Gotten Along Well With People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Gotten along well with other people?	Q-LES-Q - Gotten Along Well With People
C130631	QLES1-Have a Job	QLES1-Have a Job	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you have a job?	Q-LES-Q - Have a Job
C130692	QLES1-Household Activities	QLES1-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q - Household Activities
C130683	QLES1-Interested in Problems of People	QLES1-Interested in Problems of People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been interested in the problems of other people?	Q-LES-Q - Interested in Problems of People
C130668	QLES1-Interested in Your Course Work	QLES1-Interested in Your Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been interested in your course/class work?	Q-LES-Q - Interested in Your Course Work
C130686	QLES1-Joked or Laughed With Other People	QLES1-Joked or Laughed With Other People	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Joked or laughed with other people?	Q-LES-Q - Joked or Laughed With Other People
C130650	QLES1-Kept Room Clean to Satisfaction	QLES1-Kept Room Clean to Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept your room/apartment/house cleaned to your satisfaction?	Q-LES-Q - Kept Room Clean to Satisfaction
C130645	QLES1-Kept Up With Expected Work	QLES1-Kept Up With Expected Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Kept up with expected work?	Q-LES-Q - Kept Up With Expected Work
C130677	QLES1-Leisure Activity Sustain Interest	QLES1-Leisure Activity Sustain Interest	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did the leisure activities sustain your interest?	Q-LES-Q - Leisure Activity Sustain Interest
C130695	QLES1-Leisure Time Activities	QLES1-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q - Leisure Time Activities
C130699	QLES1-Living/Housing Situation	QLES1-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q - Living or Housing Situation
C130674	QLES1-Look Forward to Leisure Activities	QLES1-Look Forward to Leisure Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - How often did you look forward to the leisure activities before spending time at them?	Q-LES-Q - Look Forward to Leisure Activities
C130663	QLES1-Looked Forward to Course Work	QLES1-Looked Forward to Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Looked forward to getting to work on the course/class work?	Q-LES-Q - Looked Forward to Course Work
C130659	QLES1-Made Repairs Household Maintenance	QLES1-Made Repairs Household Maintenance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Made repairs or taken care of household maintenance as needed?	Q-LES-Q - Made Repairs or Household Maintenance
C130680	QLES1-Made Social Plans With Friends	QLES1-Made Social Plans With Friends	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Made social plans with friends or relatives for future activities?	Q-LES-Q - Made Social Plans With Friends
C130703	QLES1-Medication	QLES1-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q - Medication
C130687	QLES1-Met Needs of Friends or Relatives	QLES1-Met Needs of Friends or Relatives	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt you met the needs of friends or relatives?	Q-LES-Q - Met Needs of Friends or Relatives

**C130264 QLES1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130690	QLES1-Mood	QLES1-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q - Mood
C130702	QLES1-Overall Sense of Well Being	QLES1-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q - Overall Sense of Well Being
C130651	QLES1-Paid Bills, Done Banking	QLES1-Paid Bills, Done Banking	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Paid the bills, done the banking to your satisfaction?	Q-LES-Q - Paid Bills, Done Banking
C130682	QLES1-Patient With Others	QLES1-Patient With Others	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Been patient with others when others were irritating in their actions or words?	Q-LES-Q - Patient With Others
C130689	QLES1-Physical Health	QLES1-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q - Physical Health
C130667	QLES1-Pleased With Course Accomplishment	QLES1-Pleased With Course Accomplishment	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Been pleased with your course/class work accomplishments?	Q-LES-Q - Pleased With Course Accomplishment
C130640	QLES1-Pleased With Work Accomplishments	QLES1-Pleased With Work Accomplishments	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Been pleased with your work accomplishments?	Q-LES-Q - Pleased With Work Accomplishments
C130653	QLES1-Prepared Food or Obtained Food	QLES1-Prepared Food or Obtained Food	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Prepared food or obtained food to your satisfaction?	Q-LES-Q - Prepared Food or Obtained Food
C130704	QLES1-Rate Overall Life Satisfaction	QLES1-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q - Rate Overall Life Satisfaction
C130661	QLES1-Reason for No Courses	QLES1-Reason for No Courses	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week.	Q-LES-Q - Reason for No Courses
C130649	QLES1-Reason for No Household Activities	QLES1-Reason for No Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason for no household duties/housework/homemaker activities (e.g., cleaning, shopping doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Reason for No Household Activities
C130634	QLES1-Reason for Not Working	QLES1-Reason for Not Working	Quality Of Life Enjoyment And Satisfaction Questionnaire - Reason not having a job, working for yourself, and not doing volunteer work?	Q-LES-Q - Reason for Not Working
C130688	QLES1-Relationships Without Problems	QLES1-Relationships Without Problems	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how often have you: Felt your relationships with your friends or relatives were without major problems or conflicts?	Q-LES-Q - Relationships Without Problems
C130648	QLES1-Responsible for Household	QLES1-Responsible for Household	Quality Of Life Enjoyment And Satisfaction Questionnaire - Are you responsible for any household duties/housework/homemaker activities (e.g., cleaning, shopping, doing dishes, food shopping or preparation) for your-self or for other people?	Q-LES-Q - Responsible for Household
C130697	QLES1-Sex Drive, Interest, Performance	QLES1-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q - Sex Drive, Interest, Performance
C130652	QLES1-Shopped for Food/Household Items	QLES1-Shopped for Food/Household Items	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Shopped for food or other household items to your satisfaction?	Q-LES-Q - Shopped for Food or Household Items

**C130264 QLES1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130693	QLES1-Social Relationships	QLES1-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q - Social Relationships
C130676	QLES1-Solve or Deal Without Undue Stress	QLES1-Solve or Deal Without Undue Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - If a problem arose in your leisure activities, how often did you solve it or deal with it without undue stress?	Q-LES-Q - Solve or Deal Without Undue Stress
C130657	QLES1-Solved House Problems w/o Stress	QLES1-Solved House Problems w/o Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved household problems or dealt with them without undue stress?	Q-LES-Q - Solved House Problems Without Stress
C130636	QLES1-Solved Work Problem Without Stress	QLES1-Solved Work Problem Without Stress	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Solved work problems or dealt with them without undue stress?	Q-LES-Q - Solved Work Problem Without Stress
C130654	QLES1-Taken Care of Laundry/Cleaning	QLES1-Taken Care of Laundry/Cleaning	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of the laundry/cleaning to your satisfaction?	Q-LES-Q - Taken Care of Laundry or Cleaning
C130646	QLES1-Taken Care of Work by Yourself	QLES1-Taken Care of Work by Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Taken care of work by yourself when it was necessary?	Q-LES-Q - Taken Care of Work by Yourself
C130660	QLES1-Taken Courses/Going to Class	QLES1-Taken Courses/Going to Class	Quality Of Life Enjoyment And Satisfaction Questionnaire - Have you been taking any courses, going to class, or been involved in any type of course work, school or college studies during the past week?	Q-LES-Q - Taken Courses or Going to Class
C130624	QLES1-Taking Care of Your Appearance	QLES1-Taking Care of Your Appearance	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Felt interested in taking care of your appearance (hair, clothing) and personal hygiene (bathing, dressing)?	Q-LES-Q - Taking Care of Your Appearance
C130665	QLES1-Thought Clearly About Course Work	QLES1-Thought Clearly About Course Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week how much of the time have you: Thought clearly about the course/class work?	Q-LES-Q - Thought Clearly About Course Work
C130637	QLES1-Thought Clearly About Work	QLES1-Thought Clearly About Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Thought clearly about work?	Q-LES-Q - Thought Clearly About Work
C130656	QLES1-Thought Clearly Household Activ	QLES1-Thought Clearly Household Activ	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Concentrated and thought clearly about what household activities needed to be done?	Q-LES-Q - Thought Clearly Household Activities to be Done
C130672	QLES1-Use Time for a Leisure Activity	QLES1-Use Time for a Leisure Activity	Quality Of Life Enjoyment And Satisfaction Questionnaire - When you had time, how often did you use that time for a leisure time activity?	Q-LES-Q - Use Time for a Leisure Activity
C130701	QLES1-Vision Ability to Do Work/Hobbies	QLES1-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: your vision in terms of ability to do work or hobbies?	Q-LES-Q - Vision Ability to Do Work or Hobbies
C130691	QLES1-Work	QLES1-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q - Work
C130632	QLES1-Work for Yourself	QLES1-Work for Yourself	Quality Of Life Enjoyment And Satisfaction Questionnaire - Do you work for yourself?	Q-LES-Q - Work for Yourself
C130644	QLES1-Worked Carefully	QLES1-Worked Carefully	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked carefully?	Q-LES-Q - Worked Carefully
C130641	QLES1-Worked Well	QLES1-Worked Well	Quality Of Life Enjoyment And Satisfaction Questionnaire - During the past week, how often have you: Worked well?	Q-LES-Q - Worked Well

## QLES2TC (Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Code)

NCI Code: C130267, Codelist extensible: No

C130267 QLES2TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130705	QLES201	QLES2-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q-SF - Physical Health
C130706	QLES202	QLES2-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q-SF - Mood
C130707	QLES203	QLES2-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q-SF - Work
C130708	QLES204	QLES2-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q-SF - Household Activities
C130709	QLES205	QLES2-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q-SF - Social Relationships
C130710	QLES206	QLES2-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q-SF - Family Relationships
C130711	QLES207	QLES2-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q-SF - Leisure Time Activities
C130712	QLES208	QLES2-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q-SF - Ability to Function in Daily Life
C130713	QLES209	QLES2-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q-SF - Sex Drive, Interest, Performance
C130714	QLES210	QLES2-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q-SF - Economic Status
C130715	QLES211	QLES2-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q-SF - Living or Housing Situation
C130716	QLES212	QLES2-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q-SF - Ability to Get Around Physically
C130717	QLES213	QLES2-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Your vision in terms of ability to do work or hobbies?	Q-LES-Q-SF - Vision Ability to Do Work or Hobbies
C130718	QLES214	QLES2-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q-SF - Overall Sense of Well Being
C130719	QLES215	QLES2-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q-SF - Medication
C130720	QLES216	QLES2-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q-SF - Rate Overall Life Satisfaction

## QLES2TN (Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form Test Name)

NCI Code: C130266, Codelist extensible: No

C130266 QLES2TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130712	QLES2-Ability to Function in Daily Life	QLES2-Ability to Function in Daily Life	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to function in daily life?	Q-LES-Q-SF - Ability to Function in Daily Life
C130716	QLES2-Ability to Get Around Physically	QLES2-Ability to Get Around Physically	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Ability to get around physically without feeling dizzy or unsteady or falling?	Q-LES-Q-SF - Ability to Get Around Physically
C130714	QLES2-Economic Status	QLES2-Economic Status	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Economic status?	Q-LES-Q-SF - Economic Status
C130710	QLES2-Family Relationships	QLES2-Family Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Family relationships?	Q-LES-Q-SF - Family Relationships
C130708	QLES2-Household Activities	QLES2-Household Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Household activities?	Q-LES-Q-SF - Household Activities
C130711	QLES2-Leisure Time Activities	QLES2-Leisure Time Activities	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Leisure time activities?	Q-LES-Q-SF - Leisure Time Activities
C130715	QLES2-Living/Housing Situation	QLES2-Living/Housing Situation	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Living/housing situation?	Q-LES-Q-SF - Living or Housing Situation
C130719	QLES2-Medication	QLES2-Medication	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Medication?	Q-LES-Q-SF - Medication
C130706	QLES2-Mood	QLES2-Mood	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Mood?	Q-LES-Q-SF - Mood
C130718	QLES2-Overall Sense of Well Being	QLES2-Overall Sense of Well Being	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Overall sense of well being?	Q-LES-Q-SF - Overall Sense of Well Being
C130705	QLES2-Physical Health	QLES2-Physical Health	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Physical health?	Q-LES-Q-SF - Physical Health
C130720	QLES2-Rate Overall Life Satisfaction	QLES2-Rate Overall Life Satisfaction	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - How would you rate your overall life satisfaction and contentment during the past week?	Q-LES-Q-SF - Rate Overall Life Satisfaction
C130713	QLES2-Sex Drive, Interest, Performance	QLES2-Sex Drive, Interest, Performance	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Sexual drive, interest and/or performance?	Q-LES-Q-SF - Sex Drive, Interest, Performance
C130709	QLES2-Social Relationships	QLES2-Social Relationships	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Social relationships?	Q-LES-Q-SF - Social Relationships
C130717	QLES2-Vision Ability to Do Work/Hobbies	QLES2-Vision Ability to Do Work/Hobbies	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Your vision in terms of ability to do work or hobbies?	Q-LES-Q-SF - Vision Ability to Do Work or Hobbies
C130707	QLES2-Work	QLES2-Work	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form - Taking everything into consideration, during the past week how satisfied have you been with your: Work?	Q-LES-Q-SF - Work

## QSCAT (Category of Questionnaire)

NCI Code: C100129, Codelist extensible: Yes

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122370	ACQ	ACQ01	Asthma Control Questionnaire (ACQ) (The Asthma Control Questionnaire is copyrighted. It may not be changed, translated or sold [paper or software] without the permission of Elizabeth Juniper. Juniper EF, O'Byrne PM, Guyatt GH, Ferrie PJ, King DR. Development and validation of a questionnaire to measure asthma control. Eur Respir J 1999;14:902-907).	Asthma Control Questionnaire
C123658	ACT	ACT01	Asthma Control Test (ACT) (Asthma Control Test copyright, QualityMetric Incorporated 2002, 2004. All Rights Reserved. Asthma Control Test is a trademark of QualityMetric Incorporated. Nathan RA, Sorkness CA, Kosinski M, Schatz M, Li JT, Marcus P, Murray JJ, Pendergraft TB. Development of the asthma control test: a survey for assessing asthma control. J Allergy Clin Immunol. 2004 Jan;113(1):59-65).	Asthma Control Test Questionnaire
C100762	ADAS-COG	ADC	The CDISC version of the Alzheimer's Disease Assessment Scale-Cognitive (ADAS-Cog CDISC Version) containing 15 summary-level tests. This version is based on combining the total pool of ADAS-Cog tests that were observed during a review of multiple case report forms administered in clinical trials of Alzheimer's disease, as well as the CRF administered in the Alzheimer's Disease Neuroimaging Initiative (ADNI) observational study. (Modified from Mohs RC, Rosen WG, Davis KL. The Alzheimer's disease assessment scale: an instrument for assessing treatment efficacy. Psychopharmacol Bull 1983;19(3):448-450. Rosen WG, Mohs RC, Davis KL. A new rating scale for Alzheimer's disease. Am J Psychiatry 1984;141(11):1356-1364. Mohs RC, Knopman D, Petersen RC et al. Development of cognitive instruments for use in clinical trials of antimentia drugs: additions to the Alzheimer's Disease Assessment Scale that broaden its scope. The Alzheimer's Disease Cooperative Study. Alzheimer Dis Assoc Disord 1997;11 Suppl 2:S13-S21. Wouters H, van Gool WA, Schmand B, Lindeboom R. Revising the ADAS-cog for a more accurate assessment of cognitive impairment. Alzheimer Dis Assoc Disord 2008;22(3):236-244.).	Alzheimer's Disease Assessment Scale-Cognitive CDISC Version Questionnaire
C105166	ADCS-ADL	ADL01	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL) (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. "An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease." Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study Activities of Daily Living Inventory Questionnaire
C106888	ADCS-ADL MCI	ADL03	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), MCI Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Mild Cognitive Impairment Questionnaire
C106889	ADCS-ADL SEVERE DEMENTIA	ADL02	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory (ADCS-ADL), Severe Dementia Version (Galasko, D., Bennett, D., Sano, M., Ernesto, C., Thomas, R., Grundman, M., Ferris, S., and the ADCS. An Inventory to Assess Activities of Daily Living for Clinical Trials in Alzheimer's Disease. Alzheimer's Disease and Associated Disorders, 1997. Volume 11(2): S33-S39).	Alzheimer's Disease Cooperative Study-Activities of Daily Living Inventory Severe Dementia Questionnaire
C103515	ADCS-CGIC	ACGC01	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change (ADCS-CGIC) (Schneider LS, Olin JT, Doody RS, Clark CM, Morris JC, Reisberg B, Schmitt FA, Grundman M, Thomas RG, Ferris SH, and the Alzheimer's Disease Cooperative Study. Validity and Reliability of the Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change. Alzheimer Disease and Associated Disorders. 1997; 11(2):S22-S32).	Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change Questionnaire
C122371	ADHD-RS-IV HOME VERSION	ADHD01	ADHD Rating Scale-IV (ADHD-RS-IV) Home Version (Copyright 1998. DuPaul GJ, Power TJ, Anastopoulos AD, Reid R. ADHD Rating Scale-IV: Checklists, Norms, and Clinical Interpretation. New York: The Guilford Press; 1998).	ADHD Rating Scale-IV Home Version Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102111	AIMS	AIMS01	Abnormal Involuntary Movement Scale (AIMS) (Guy W. Ed. ECDEU Assessment Manual for Psychopharmacology. Rockville MD: US Dept of Health, Education and Welfare. 1976, Publication No. (ADM) 76-338).	Abnormal Involuntary Movement Scale Questionnaire
C112518	AQ20	AQ01	Airway Questionnaire 20 (AQ20) (Barley EA, Quirk FH, Jones PW. Asthma health status in clinical practice: validity of a new short and simple instrument. Respir Med 1998; 92:1207-14. Copyright Reserved P.W. Jones, PhD FRCP).	Airway Questionnaire 20
C122372	AQLQ	AQLQ01	Asthma Quality of Life Questionnaire (AQLQ) (The AQLQ is copyrighted. It may not be altered, sold [paper or electronic], translated or adapted for another medium without the permission of Elizabeth Juniper. Juniper EF, Guyatt GH, Epstein RS, Ferrie PJ, Jaeschke R, Hiller TK. Evaluation of impairment of health-related quality of life in asthma: development of a questionnaire for use in clinical trials. Thorax 1992; 47:76-83).	Asthma Quality of Life Questionnaire
C125757	ASEX-FEMALE	ASEX01	Arizona Sexual Experiences Scale (ASEX)-Female (Copyright 1997 by Arizona Board of Regents, University of Arizona. All rights reserved).	Arizona Sexual Experiences Scale-Female Version Questionnaire
C125758	ASEX-MALE	ASEX02	Arizona Sexual Experiences Scale (ASEX)-Male (Copyright 1997 by Arizona Board of Regents, University of Arizona. All rights reserved).	Arizona Sexual Experiences Scale-Male Version Questionnaire
C119098	AUDIT-C	ADTC01	Alcohol Use Disorder Identification Test-Consumption Questions (AUDIT-C) (Bush K, Kivlahan DR, McDonell MB, Fihn SD, Bradley KA; for the Ambulatory Care Quality Improvement Project (ACQUIP). The AUDIT Alcohol Consumption Questions (AUDIT-C) An Effective Brief Screening Test for Problem Drinking. Arch Intern Med. Sep 14 1998;158:1789-1795).	Alcohol Use Disorder Identification Test Alcohol Consumption Questions Questionnaire
C119097	AUDIT-SR	ADT01	Alcohol Use Disorder Identification Test: Self-Report Version (AUDIT) (Saunders JB, Aasland, OG, Babor, TF, De La Fuente JR, Grant M. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with harmful Alcohol Consumption-II. Addiction (1993) 88:791-804).	Alcohol Use Disorder Identification Test Self-Report Version Questionnaire
C102113	BARS	BARS01	Barnes Akathisia Rating Scale (BARS) (Barnes TR: A Rating Scale for Drug-Induced Akathisia. British Journal of Psychiatry 154:672-676, 1989).	Barnes Akathisia Rating Scale Questionnaire
C106693	BDI	BDI01	Baseline Dyspnea Index (BDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758).	Baseline Dyspnea Index Questionnaire
C135735	BEBQ CONCURRENT	BEBQ01	Baby Eating Behaviour Questionnaire - Concurrent (BEBQ CONCURRENT) (Llewellyn, C. H., van Jaarsveld, C. H., Johnson, L., Carnell, S., & Wardle, J. Development and factor structure of the Baby Eating Behaviour Questionnaire in the Gemini birth cohort. Appetite 57.2, 2011, 388-396).	Baby Eating Behaviour Questionnaire Concurrent Version
C135736	BEBQ RETROSPECTIVE	BEBQ02	Baby Eating Behaviour Questionnaire - Retrospective (BEBQ RETROSPECTIVE) (Llewellyn, C. H., van Jaarsveld, C. H., Johnson, L., Carnell, S., & Wardle, J. Development and factor structure of the Baby Eating Behaviour Questionnaire in the Gemini birth cohort. Appetite 57.2, 2011, 388-396).	Baby Eating Behaviour Questionnaire Retrospective Version
C113874	BLCS	BLCS01	Bladder Control Scale (BLCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bladder Control Scale Questionnaire
C113872	BORG CR10	BCR101	Borg CR10 Scale (BORG CR10) (Borg CR10 Scale. Copyright Gunnar Borg, 1981, 1982, 1998).	Borg Category-Ratio 10 Scale Questionnaire
C100759	BPI	BPI1	Brief Pain Inventory (BPI) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Questionnaire
C100760	BPI SHORT FORM	BPI2	Brief Pain Inventory Short Form (BPI2) (copyright 1991 Charles S. Cleeland, PhD, Pain Research Group, All Right Reserved).	Brief Pain Inventory Short Form Questionnaire
C100761	BPRS-A	BPR01	Brief Psychiatric Rating Scale - Anchored (BPRS-A) (Woerner MB, Mannuzza S, and Kane JM. Anchoring the BPRS: An Aid to Improved Reliability. Psychopharmacology Bulletin 1988; 24(1):112-117).	Brief Psychiatric Rating Scale A Questionnaire



<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C43524	BSI-18	BSI181	Brief Symptom Inventory-18 (BSI-18) (Leonard R. Derogatis. Brief Symptom Inventory (BSI)-18: Administration, scoring and procedures manual. Minneapolis 2001: NCS Pearson, Inc).	Brief Symptom Inventory 18
C113875	BWCS	BWCS01	Bowel Control Scale (BWCS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Bowel Control Scale Questionnaire
C106695	C-SSRS ALREADY ENROLLED SUBJECTS	CSS05	Columbia-Suicide Severity Rating Scale (C-SSRS) Already Enrolled Subjects Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Already Enrolled Subjects Questionnaire
C100765	C-SSRS BASELINE	CSS01	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline Version 2009-01-14 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline Questionnaire
C106696	C-SSRS BASELINE/SCREENING VERSION	CSS04	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline/Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Questionnaire
C105164	C-SSRS BASELINE/SCREENING VERSION PHASE 1 STUDY	CSS03	Columbia-Suicide Severity Rating Scale (C-SSRS) Baseline/Screening Version Phase 1 Study Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Baseline/Screening Version Phase 1 Study 1/14/09 Questionnaire
C111377	C-SSRS CHILDREN'S BASELINE	CSS06	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Baseline Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline Questionnaire
C111378	C-SSRS CHILDREN'S BASELINE/SCREENING	CSS07	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Baseline/Screening Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Baseline/Screening Questionnaire
C111379	C-SSRS CHILDREN'S SINCE LAST VISIT	CSS08	Columbia-Suicide Severity Rating Scale (C-SSRS) Children's Since Last Visit Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Children's Since Last Visit Questionnaire
C117996	C-SSRS LIFETIME/RECENT VERSION	CSS11	Columbia-Suicide Severity Rating Scale (C-SSRS) Lifetime/Recent Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Lifetime/Recent Version Questionnaire
C113873	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED LIFETIME/RECENT	CSS10	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired Lifetime/Recent Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired Lifetime/Recent Questionnaire
C123661	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED-LIFETIME RECENT-CLINICAL	CSS12	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired - Lifetime Recent - Clinical Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired - Lifetime Recent - Clinical Questionnaire
C123662	C-SSRS PEDIATRIC/COGNITIVELY IMPAIRED-SINCE LAST VISIT-CLINICAL	CSS13	Columbia-Suicide Severity Rating Scale (C-SSRS) Pediatric/Cognitively Impaired - Since Last Visit - Clinical Version 6/23/2010 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Pediatric/Cognitively Impaired - Since Last Visit - Clinical Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111380	C-SSRS SCREENING	CSS09	Columbia-Suicide Severity Rating Scale (C-SSRS) Screening Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Screening Questionnaire
C103516	C-SSRS SINCE LAST VISIT	CSS02	Columbia-Suicide Severity Rating Scale (C-SSRS) Since Last Visit Version 1/14/2009 (Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.; copyright 2008 The Research Foundation for Mental Hygiene, Inc.).	Columbia-Suicide Severity Rating Scale Since Last Visit Questionnaire
C119100	CCQ 1 WEEK VERSION	CCQ02	Clinical COPD Questionnaire (CCQ) 1 Week Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 1 Week Version
C119099	CCQ 24 HOUR VERSION	CCQ01	Clinical COPD Questionnaire (CCQ) 24 Hour Version (The CCQ is copyrighted 1999. It may not be altered, sold (paper or electronic), translated or adapted for another medium without the permission of T. van der Molen, Dept. of General Practice, University Medical Center Groningen, Postbus 196, 9700 AD Groningen, The Netherlands.).	Clinical COPD Questionnaire 24 Hour Version
C119092	CDLQ	CDLQ1	Children's Dermatology Life Quality Index (CDLQI) (Copyright of M.S. Lewis-Jones, A.Y. Finlay, May 1993, this must not be copied without the permission of the authors).	Children's Dermatology Life Quality Index Questionnaire
C102114	CDR	CDR01	Clinical Dementia Rating (CDR) (Morris, J.C. Clinical Dementia Rating: A reliable and valid diagnostic and staging measure for dementia of the Alzheimer type. International Psychogeriatrics 1997; 9, Suppl. 1, 173-176).	Clinical Dementia Rating Questionnaire
C132532	CES	CES01	Combat Exposure Scale (CES) (Keane, T.M., Fairbank, J.A., Caddell, J.M., Zimering, R.T., Taylor, K.L., & Mora, C. (1989). Clinical evaluation of a measure to assess combat exposure (PDF). Psychological Assessment, 1, 53-55).	Combat Exposure Scale Questionnaire
C135738	CGI	CGI02	Clinical Global Impression (CGI) generic modification for any disease/condition concept use case (Modified from Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Clinical Global Impression Generic Modification Version Questionnaire
C100763	CGI GUY	CGGUY1	Clinical Global Impression (CGI) (Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Clinical Global Impression Original Version Questionnaire
C117995	CHART-SF INTERVIEW VERSION	CHSF1	Craig Handicap Assessment and Reporting Technique - Short Form Interview Version (CHART-SF INTERVIEW VERSION) (Whiteneck GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique-Short Form Interview Version Questionnaire
C119101	CHART-SF PAPER VERSION	CHSF2	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version (CHART-SF PAPER VERSION) (Whiteneck GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. Arch Phys Med Rehabil. 1992;73:519-526).	Craig Handicap Assessment and Reporting Technique - Short Form Paper Version Questionnaire
C100764	COMM	COMM1	Current Opioid Misuse Measure (COMM) (copyright 2010 Inflexxion, Inc., All rights reserved).	Current Opioid Misuse Measure Questionnaire
C125756	COPD ASSESSMENT TEST	CAT01	COPD Assessment Test (CAT) (COPD Assessment Test and the CAT logo is a trade mark of the GlaxoSmithKline group of companies. Copyright 2009 GlaxoSmithKline group of companies. All rights reserved).	COPD Assessment Test Questionnaire
C102115	COWS	COWS1	The Clinical Opiate Withdrawal Scale (COWS) (Wesson DR and Ling W. The Clinical Opiate Withdrawal Scale (COWS). J Psychoactive Drugs 2003;35(2):253-259).	Clinical Opiate Withdrawal Scale Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C121002	CRQ-SAS FIRST ADMINISTRATION VERSION	CRQ01	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) First Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format First Administration Version Questionnaire
C121003	CRQ-SAS FOLLOW-UP ADMINISTRATION VERSION	CRQ02	Chronic Respiratory Questionnaire Self-Administered Standardized Format (CRQ-SAS) Follow-up Administration Version (Copyright 2001 McMaster University, Hamilton, Ontario, Canada. The Chronic Respiratory Questionnaire Self-Administered including the standardized Dyspnea Domain (CRQSAS), Principal authors G.H. Guyatt and Dr. H.J. Schunemann, is the copyright of McMaster University (Copyright 2001, McMaster University).	Chronic Respiratory Questionnaire Self-Administered Standardized Format Follow-Up Administration Version Questionnaire
C105165	DAD	DAD01	Disability Assessment for Dementia (DAD) (copyright 1994 by L. Gauthier I. Gelin. All rights reserved.).	Disability Assessment for Dementia Questionnaire
C112519	DISEASE STEPS	DS01	Disease Steps (DS) (Hohol MJ, Orav EJ, Weiner HL. Disease steps in multiple sclerosis: a simple approach to evaluate disease progression. Neurology. 1995 Feb;45(2):251-5).	Disease Steps Questionnaire
C119102	DLQI	DLQI1	Dermatology Life Quality Index (DLQI) (Copyright Dermatology Life Quality Index. A Y Finlay, G K Khan, April 1992. www.dermatology.org.uk. This must not be copied without the permission of the authors).	Dermatology Life Quality Index Questionnaire
C141694	DRRI-2	DRRI1	Deployment Risk and Resilience Inventory-2 (DRRI-2) (Vogt, D., Smith, B. N., King, D. W., & King, L. A. (2012). The Deployment Risk and Resilience Inventory-2 (DRRI-2) [Measurement instrument]. Available from http.ptsd.va.gov).	Deployment Risk and Resilience Inventory-2 Questionnaire
C115796	DRS	DRS01	Disability Rating Scale (DRS) (Rappaport et al. (1982) Disability Rating Scale for Severe Head Trauma Patients: Coma to Community. Archives of Physical Medicine and Rehabilitation, 63:118-123).	Disability Rating Scale Questionnaire
C102116	ECOG	ECOG1	Eastern Cooperative Oncology Group (ECOG) Performance Status (Oken MM, Creech RH, Tormey DC, Horton J, Davis TE, McFadden ET, Carbone PP. Toxicity and response criteria of the Eastern Cooperative Oncology Group. Am J Clin Oncol. 1982 Dec;5(6):649-55).	Eastern Cooperative Oncology Group Performance Status Questionnaire
C112520	EDSS	EDSS01	Kurtzke Expanded Disability Status Scale (EDSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Expanded Disability Status Scale Questionnaire
C132533	EPDS	EPDS01	Edinburgh Postnatal Depression Scale (EPDS) (Copyright by Cox, J.L., Holden, J.M., and Sagovsky, R. 1987. Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale. British Journal of Psychiatry 150:782-786).	Edinburgh Postnatal Depression Scale Questionnaire
C127367	EPIC-26	EPIC1	The Expanded Prostate Cancer Index Composite Short Form (EPIC-26) (Copyright 2002. The University of Michigan. All rights reserved).	The Expanded Prostate Cancer Index Composite Short Form Questionnaire
C127368	EPIC-CP	EPIC2	Expanded Prostate Cancer Index Composite for Clinical Practice (EPIC-CP) (Copyright 2016 Beth Israel Deaconess Medical Center 330 Brookline Avenue, Boston, MA 02215).	Expanded Prostate Cancer Index Composite for Clinical Practice Questionnaire
C66957	EQ-5D-3L	EQ5D01	European Quality of Life Five Dimension Three Level Scale (EQ-5D-3L) (Copyright 1990 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Three Level Questionnaire
C102117	EQ-5D-5L	EQ5D02	European Quality of Life Five Dimension Five Level Scale (EQ-5D-5L) (Copyright 2009 EuroQol Group. EQ-5D is a trade mark of the EuroQol Group).	European Quality of Life Five Dimension Five Level Scale Questionnaire
C103517	ESS	ESS01	Epworth Sleepiness Scale (ESS) (copyright Murray W. Johns, 1990-1997. All rights reserved.).	Epworth Sleepiness Scale Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123666	EXACT	EXACT1	Exacerbations of Chronic Pulmonary Disease Tool (EXACT) Patient-Reported Outcome (PRO) (Nancy K. Leidy, EXACT-PRO Initiative, Evidera, 7101 Wisconsin Avenue, Suite 1400, Bethesda, MD; EXACT copyright 2013, Evidera, Inc. All rights reserved). This also includes the subset EXACT-Respiratory Symptoms (E-RS) questions. <a href="http://www.exactproinitiative.com">http://www.exactproinitiative.com</a>	Exacerbations of Chronic Pulmonary Disease Tool Patient-Reported Outcome Questionnaire
C125759	EXPANDED DRS-PI CAREGIVER VERSION	ED1	Expanded Disability Rating Scale - Postacute Interview Caregiver Version (EXPANDED DRS-PI CAREGIVER VERSION) (Malec JF, Hammond FM, Giacino JT, Whyte J, Wright J. Structured Interview to Improve the Reliability and Psychometric Integrity of the Disability Rating Scale. Arch Phys Med Rehabil Sept 2012;93:1603-1608).	Expanded Disability Rating Scale - Postacute Interview Caregiver Version Questionnaire
C125760	EXPANDED DRS-PI SURVIVOR VERSION	ED2	Expanded Disability Rating Scale - Postacute Interview Survivor Version (EXPANDED DRS-PI SURVIVOR VERSION) (Malec JF, Hammond FM, Giacino JT, Whyte J, Wright J. Structured Interview to Improve the Reliability and Psychometric Integrity of the Disability Rating Scale. Arch Phys Med Rehabil Sept 2012;93:1603-1608).	Expanded Disability Rating Scale - Postacute Interview Survivor Version Questionnaire
C147584	FACIT-DYSPNEA SF	FAC084	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form (FACIT-DYSPNEA SF) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Chronic Illness Therapy-Dyspnea 10 Item Short Form Questionnaire
C129105	FACIT-F V4	FAC071	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 (FACIT-F V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Chronic Illness Therapy-Fatigue Version 4 Questionnaire
C147585	FACIT-FATIGUE V4	FAC070	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 (FACIT-FATIGUE V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Chronic Illness Therapy-Fatigue Scale Version 4 Questionnaire
C129108	FACT-B V4	FAC005	Functional Assessment of Cancer Therapy-Breast Version 4 (FACT-B V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Breast Version 4 Questionnaire
C147583	FACT-BMT V4	FAC061	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 (FACT-BMT V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Bone Marrow Transplant Version 4 Questionnaire
C127369	FACT-G V4	FAC001	Functional Assessment of Cancer Therapy-General Version 4 (FACT-G V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-General Version 4 Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130312	FACT-HEP V4	FAC015	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 (FACT-HEP V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Hepatobiliary Version 4 Questionnaire
C130311	FACT-LEU V4	FAC017	Functional Assessment of Cancer Therapy-Leukemia Version 4 (FACT-LEU V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Leukemia Version 4 Questionnaire
C130313	FACT-LYM V4	FAC018	Functional Assessment of Cancer Therapy-Lymphoma Version 4 (FACT-LYM V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Lymphoma Version 4 Questionnaire
C127371	FACT-P V4	FAC023	Functional Assessment of Cancer Therapy-Prostate Version 4 (FACT-P V4) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Prostate Version 4 Questionnaire
C112521	FAMS	FAMS01	Functional Assessment of Multiple Sclerosis Version 4 (FAMS) (Cella et al. Validation of the Functional Assessment of Multiple Sclerosis quality of life instrument. NEUROLOGY 1996;47: 129-139). (Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Multiple Sclerosis Questionnaire
C111381	FAQ	FAQ01	Functional Activities Questionnaire (FAQ) (Pfeiffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.).	Functional Activities Questionnaire
C111382	FAQ-NACC VERSION	FAQ02	Functional Activities Questionnaire-NACC (FAQ-NACC) (Pfeffer, RI.; Kurosaki, TT.; Harrah, CH. Jr.; Chance, JM.; and Filos, S. (1982). Measurement of functional activities in older adults in the community. Journal of Gerontology, 37(3), 323-329.). (Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force. John C. Morris, MD, Chair, and the National Alzheimer's Coordinating Center. U01 AG016976 - Walter A. Kukull, PhD, Director).	Functional Activities Questionnaire-NACC Version
C138336	FBRSI	FAC029	Functional Assessment of Cancer Therapy-Brain Symptom Index (FBRSI) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Brain Symptom Index Questionnaire
C103518	FIQR	FIQR01	Revised Fibromyalgia Impact Questionnaire (FIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.).	Revised Fibromyalgia Impact Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C118498	FKSI-15	FAC039	Functional Assessment of Cancer Therapy-Kidney Symptom Index-15 (FKSI-15) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	FKSI-15 Questionnaire
C138338	FLSI	FAC043	Functional Assessment of Cancer Therapy-Lung Symptom Index (FLSI) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Lung Symptom Index Questionnaire
C119093	FLU-IIQ ONCE DAILY	FLUIQ1	Influenza Intensity and Impact Questionnaire (Flu-iiQ) Once Daily (Copyright RH Osborne 2006. No part of the Flu-iiQ may be copied or reproduced in any form without written permission from the author: measuredsolutions (at) bigpond (dot) com).	Influenza Intensity and Impact Questionnaire Once Daily Version
C119094	FLU-IIQ TWICE DAILY	FLUIQ2	Influenza Intensity and Impact Questionnaire (Flu-iiQ) Twice Daily (Copyright RH Osborne 2006. No part of the Flu-iiQ may be copied or reproduced in any form without written permission from the author: measuredsolutions (at) bigpond (dot) com).	Influenza Intensity and Impact Questionnaire Twice Daily Version
C129109	FOSI	FAC049	Functional Assessment of Cancer Therapy-Ovarian Symptom Index (FOSI) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Functional Assessment of Cancer Therapy-Ovarian Symptom Index Questionnaire
C100766	FPSR	FPSR1	Faces Pain Scale - Revised (FPS-R) (Hicks CL, von Baeyer CL, van Korlaar I, Goodenough B. Faces Pain Scale-Revised: Toward a Common Metric in Pediatric Pain Measurement. Pain 2001; 93:173-183).	Faces Pain Scale Revised Questionnaire
C106621	FSS	FSS01	Fatigue Severity Scale (FSS) (Copyright Lauren B. Krupp).	Fatigue Severity Scale
C103519	GAD-7	GAD01	Generalized Anxiety Disorder - 7 (GAD-7) (Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder: The GAD-7. Arch Intern Med 2006; 166:1092-1097).	Generalized Anxiety Disorder - 7 Questionnaire
C105169	GCGI	GCGI01	The General Clinical Global Impressions (GCGI v1) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) www.acttion.org; 2012-08-07 v1.	STANDARDS General Clinical Global Impressions Questionnaire
C106697	GDS	GDS01	Geriatric Depression Scale (GDS) (Yesavage JA, Brink TL, Rose TL, et al. Development and validation of a geriatric depression screening scale: a preliminary report. J Psychiatry Res. 1983;17(1):37-49).	Geriatric Depression Scale Questionnaire
C106698	GDS SHORT FORM	GDS02	Geriatric Depression Scale Short Form (GDS Short Form) (Sheikh JI, Yesavage JA. Geriatric Depression Scale (GDS): recent evidence and development of a shorter version. Clin Gerontol. 1986 June;5(1/2):165-173).	Geriatric Depression Scale Short Form Questionnaire
C115797	GOSE	GOSE1	Extended Glasgow Outcome Scale (GOSE) (Wilson JT, Pettigrew LE, Teasdale GM. Structured interviews for the Glasgow Outcome Scale and the Extended Glasgow Outcome Scale: Guidelines for their use. Journal of Neurotrauma 1998;15:573-585).	Extended Glasgow Outcome Scale Questionnaire
C103520	HADS	HADS01	Hospital Anxiety and Depression Scale (HADS) (copyright 1983, 1992, 1994 by R.P. Snaith and A.S. Zigmond. All rights reserved.).	Hospital Anxiety and Depression Scale Questionnaire

**C100129 QSCAT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122381	HAEM-A-QOL	HAEM09	Hemophilia Quality of Life Questionnaire Adult Version (Haem-A-QoL) (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group; Von Mackensen S, Scalone L, Ravera S, Mantovani L, Gringeri A, The COCHE Study Group. Assessment of health-related quality of life in patients with Hemophilia with the newly developed Hemophilia-specific instrument (Haem-A-QoL). Value Health 2005; 8:A127).	Hemophilia Quality of Life Questionnaire Adult Version
C122373	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP I	HAEM01	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group I
C122374	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP II	HAEM02	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group II
C122375	HAEMO-QOL CHILDREN'S LONG VERSION AGE GROUP III	HAEM03	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Long Version Age Group III
C122376	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP I	HAEM04	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group I
C122377	HAEMO-QOL CHILDREN'S SHORT VERSION AGE GROUP II/III	HAEM05	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Children's Short Version Age Group II/III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Children's Short Version Age Group II/III
C122378	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP I	HAEM06	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group I (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group I
C122379	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP II	HAEM07	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group II (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group II

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122380	HAEMO-QOL PARENT'S LONG VERSION AGE GROUP III	HAEM08	Hemophilia Quality of Life (HAEMO-QOL) Questionnaire Parent's Long Version Age Group III (The Haemo-QoL questionnaire-set is a joint property of the Haemo-QoL Study Centre at the University of Hamburg, Germany and Bayer Biological Products, Research Triangle Park, North Carolina, USA. Development of new translations, modified versions or any other derivatives - such as electronic versions - are not permitted without special permission and involvement of the Haemo-QoL Study Group).	Hemophilia Quality of Life Questionnaire Parent's Long Version Age Group III
C130314	HAMD 6 SELF-REPORT VERSION	HAMDS1	The Hamilton Depression Rating Scale 6 Self-Report Version (HAM-D6 - Self-Report Version) (Clinical Research: Rating scales in depression: limitations and pitfalls; Per Bech, MD; Copyright 2006 LLS SAS. All rights reserved).	Hamilton Depression Rating Scale 6 Self-Report Version Questionnaire
C106699	HAQ-DI WITH VAS	HAQ01	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale (HAQ-DI WITH VAS) (Fries JF. The assessment of disability: from first to future principles. Br J Rheumatol. 1983 Aug; 22(3 Suppl):48-58).	Health Assessment Questionnaire Disability Index With Pain Visual Analog Scale Questionnaire
C132534	HAQ-DI WITHOUT VAS	HAQ02	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale (HAQ-DI WITHOUT VAS) (Copyright 2003 Fries JF. Bruce B, Fries JF. The Stanford Health Assessment Questionnaire: Dimensions and Practical Applications. Health and Quality of Life Outcomes 2003. 9 June 2003; 1:20 1-6).	Health Assessment Questionnaire Disability Index Without Pain Visual Analog Scale
C130315	IDS-SR	IDSR1	Inventory of Depressive Symptomatology - Self-Report (IDS-SR) (Copyright UT Southwestern Medical Center at Dallas. Rush, A.J., Carmody, T. and Reimnitz, P.E. The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and self-report (IDS-SR) ratings of depressive symptoms. International Journal of Methods in Psychiatric Research, 9:45-59, 2000).	Inventory of Depressive Symptomatology Self-Report Version Questionnaire
C103521	IIEF	IIEF01	International Index of Erectile Function (IIEF) (Rosen RC, Riley A, Wagner G, Osterloh IH, Kirkpatrick J, and Mishra A. The international index of erectile function (IIEF): a multidimensional scale for assessment of erectile dysfunction. Urology. 1997 49(6): 822-830).	International Index of Erectile Function Questionnaire
C141692	IPAQ-LF PHONE VERSION	IPAQ02	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format (IPAQ-LF PHONE VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: <a href="http://www.ipaq.ki.se">http://www.ipaq.ki.se</a> ).	International Physical Activity Questionnaire (November 2002) Long Last 7 Days Telephone Format
C141691	IPAQ-LF SELF-ADMINISTERED VERSION	IPAQ03	International Physical Activity Questionnaire (October 2002) Long Last 7 Days Self-Administered Format (IPAQ-LF SELF-ADMINISTERED VERSION) (Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: <a href="http://www.ipaq.ki.se">http://www.ipaq.ki.se</a> ).	International Physical Activity Questionnaire (August 2002) Long Last 7 Days Self-Administered Format
C141693	IPAQ-SF PHONE VERSION	IPAQ01	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format (IPAQ-SF PHONE VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: <a href="http://www.ipaq.ki.se">http://www.ipaq.ki.se</a> ).	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Telephone Format
C141690	IPAQ-SF SELF-ADMINISTERED VERSION	IPAQ04	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format (IPAQ-SF SELF-ADMINISTERED VERSION)(Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20. Retrieved from the International Physical Activity Questionnaire website: <a href="http://www.ipaq.ki.se">http://www.ipaq.ki.se</a> ).	International Physical Activity Questionnaire (August 2002) Short Last 7 Days Self-Administered Format
C113876	IVIS	IVIS01	Impact of Visual Impairment Scale (IVIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Impact of Visual Impairment Scale Questionnaire
C112522	KFSS	KFSS1	Kurtzke Functional Systems Scores (FSS) (Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983 Nov;33(11):1444-52).	Kurtzke Functional Systems Scores Questionnaire



<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100768	KPS SCALE	KPSS	The Karnofsky Performance Status Scale (KPSS) (Karnofsky DA, Burchenal JH. (1949). "The Clinical Evaluation of Chemotherapeutic Agents in Cancer." In: MacLeod CM (Ed), Evaluation of Chemotherapeutic Agents. Columbia Univ Press. Page 196).	Karnofsky Performance Status Scale Questionnaire
C135740	LEC-5 STANDARD VERSION	LEC01	Life Events Checklist for DSM-5, Standard Version (LEC-5 STANDARD VERSION) (Weathers, F.W., Blake, D.D., Schnurr, P.P., Kaloupek, D.G., Marx, B.P., & Keane, T.M. (2013). The Life Events Checklist for DSM-5 (LEC-5). Retrieved from the National Center for PTSD website: <a href="http://www.ptsd.va.gov">http://www.ptsd.va.gov</a> ).	Life Events Checklist for DSM-5 Standard Version Questionnaire
C122382	MADRS	MADRS1	Montgomery-Asberg Depression Rating Scale (MADRS) (Copyright Stuart Montgomery 1978, Measures of Depression, Fulcrum Press, London. Stuart A. Montgomery and Marie Asberg. A new depression scale designed to be sensitive to change. Br. J. Psychiat. (1979), 134:382-389).	Montgomery-Asberg Depression Rating Scale Questionnaire
C123660	MDQ-T	MDQ01	Menstrual Distress Questionnaire Form-T (Today) (MDQ-T) (Copyright 1968, 1989, 1991, 2000, 2010 by Rudolf H. Moos. All Rights Reserved. Published by Mind Garden, Inc. Moos RH. The development of a menstrual distress questionnaire. Psychosom Med. 1968 Nov-Dec;30(6):853-67).	Menstrual Distress Questionnaire Form-T (Today)
C100769	MDS-UPDRS	UPD2	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale (MDS-UPDRS) (copyright 2008 Movement Disorder Society. All Rights Reserved).	Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire
C113877	MFIS	MFIS01	Modified Fatigue Impact Scale (MFIS) (1997 by the National Multiple Sclerosis Society. All rights reserved).	Modified Fatigue Impact Scale Questionnaire
C112523	MHIS-NACC	MHIS01	Modified Hachinski Ischemic Scale-NACC Version (MHIS-NACC) Reproduced with permission. Copyright 2011 University of Washington. Created and published by the ADC Clinical Task Force (John C. Morris, MD, Chair) and the National Alzheimer's Coordinating Center (Walter A. Kukull, PhD, Director). This publication was funded by the National Institutes of Health through the National Institute on Aging (Cooperative Agreement U01 AG016976).	Modified Hachinski Ischemic Scale-NACC Version Questionnaire
C106700	MMRC	MMRC01	Modified Medical Research Council dyspnea scale (MMRC) (Mahler DA, Wells CK. Evaluation of Clinical Methods for Rating Dyspnea. Chest 1988; 93:580-586).	Modified Medical Research Council Dyspnea Scale Questionnaire
C74982	MMSE	MMS1	Mini-Mental State Examination (MMSE) (MMSE Copyright 1975, 1998, 2001 by MiniMental, LLC All rights reserved. Published 2001 by Psychological Assessment Resources, Inc. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc.).	Mini-Mental Status Exam
C100771	MNSI	MNSI1	Michigan Neuropathy Screening Instrument (MNSI) (copyright University of Michigan, 2000, All rights reserved).	Michigan Neuropathy Screening Instrument Questionnaire
C115798	MPAI-4	MPAI1	The Mayo-Portland Adaptability Inventory-4 (MPAI-4) (Malec, J. (2005). The Mayo-Portland Adaptability Inventory-4. The Center for Outcome Measurement in Brain Injury. <a href="http://www.tbims.org/combi/mpai">http://www.tbims.org/combi/mpai</a> ).	Mayo-Portland Adaptability Inventory-4 Questionnaire
C111383	MRS	MRS01	Modified Rankin Scale (MRS) (Van Swieten J., Koudstaal P., Visser M., Schouten H., and Van Gijn J. Interobserver agreement for the assessment of handicap in stroke patients, 1988. Stroke 19: 604-607).	Modified Rankin Scale Questionnaire
C123664	MSIS-29 V1	MSIS01	Multiple Sclerosis Impact Scale version 1 (MSIS-29v1) (Copyright 2000 Neurological Outcome Measures Unit, Institute of Neurology, University College London, UK).	Multiple Sclerosis Impact Scale Version 1 Questionnaire
C123665	MSIS-29 V2	MSIS02	Multiple Sclerosis Impact Scale version 2 (MSIS-29v2) (Copyright 2005 Neurological Outcome Measures Unit, Peninsula Medical School, Plymouth, UK).	Multiple Sclerosis Impact Scale Version 2 Questionnaire
C113878	MSQOL-54	MSQL1	Multiple Sclerosis Quality of Life-54 Instrument (MSQOL-54) (Copyright 1995, University of California, Los Angeles).	Multiple Sclerosis Quality of Life-54 Instrument Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123663	MSWS-12	MSWS01	12-Item Multiple Sclerosis Walking Scale (MSWS-12) (Copyright 2000 Neurological Outcome Measures Unit).	12-Item Multiple Sclerosis Walking Scale Questionnaire
C129107	NCCN-FACT FBLSI-18 V2	FAC028	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 (NCCN-FACT FBLSI-18 V2) (Copyright 2001 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Bladder Symptom Index-18 Version 2 Questionnaire
C129106	NCCN-FACT FKSI-19 V2	FAC042	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 (NCCN-FACT FKSI-19 V2) (Copyright 2001 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Kidney Symptom Index-19 Version 2 Questionnaire
C129110	NCCN-FACT FOSI-18 V2	FAC050	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 (NCCN-FACT FOSI-18 V2) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Ovarian Symptom Index-18 Version 2 Questionnaire
C127370	NCCN-FACT FPSI-17 V2	FAC052	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 (NCCN-FACT-FPSI 17 V2) (Copyright 2001 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	National Comprehensive Cancer Network/Functional Assessment of Cancer Therapy-Prostate Symptom Index 17 Version 2 Questionnaire
C100772	NPI	NPI1	Neuropsychiatric Inventory (NPI) (copyright JL Cummings, 1994, all rights reserved; permission for commercial use required; npITEST.net).	Neuropsychiatric Inventory Questionnaire
C103522	NPS	NPS01	Neuropathic Pain Scale (NPS) (copyright Brad Galer and Mark Jensen. All rights reserved.).	Neuropathic Pain Scale Questionnaire
C103523	OAB-Q	OABQ01	The Overactive Bladder Questionnaire (OAB-q) (Coyne K, Revicki D, Hunt T, et al. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. Qual Life Res. Sep 2002; 11(6):563-574).	The Overactive Bladder Questionnaire
C103524	OAB-Q SHORT FORM	OABQ02	The Overactive Bladder Questionnaire Short Form (OAB-q Short Form) (Karin S. Coyne, Christine L. Thompson, Jin-Shei Lai, and Chris C. Sexton. An Overactive Bladder Symptom and Health-Related Quality of Life Short-Form: Validation of the OAB-q SF. Neurourology and Urodynamics 34:255-263, 2015).	The Overactive Bladder Questionnaire Short Form
C119095	OCI	OCI01	Ocular Comfort Index (OCI) (The copyright owner of the Ocular Comfort Index is Dr. Michael Edward Johnson. Michael E. Johnson and Paul J. Murphy. Measurement of Ocular Surface Irritation on a Linear Interval Scale with the Ocular Comfort Index. Investigative Ophthalmology and Visual Science, October 2007, Vol. 48, No.10).	Ocular Comfort Index Questionnaire
C103525	ODI V2.1A	ODI01	The Oswestry Disability Index Version 2.1a (ODI v2.1A) (copyright 1980 Jeremy Fairbank. All Rights Reserved.).	The Oswestry Disability Index Version 2.1a Questionnaire
C135741	PCL-5	PCL01	The PTSD Checklist for DSM-5 (PCL-5) (Weathers, F.W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). The PTSD Checklist for DSM-5 (PCL-5). Retrieved from the National Center for PTSD website: <a href="http://www.ptsd.va.gov">http://www.ptsd.va.gov</a> ).	The PTSD Checklist for DSM-5 Questionnaire

**C100129 QSCAT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112524	PDDS	PDDS01	Patient Determined Disease Steps (PDDS) (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: A simple approach to evaluate disease progression. Neurology 1995; 45: 251-55). (Hohol MJ, Orav EJ, Weiner HL. Disease Steps in multiple sclerosis: a longitudinal study comparing disease steps and EDSS to evaluate disease progression. Multiple Sclerosis 1999; 5: 349-54). (Marrie RA and Goldman M. Validity of performance scales for disability assessment in multiple sclerosis. Multiple Sclerosis 2007; 13: 1176-1182). (The PDDS and/or PS are provided for use by the NARCOMS Registry: <a href="http://www.narcoms.org/pdds">www.narcoms.org/pdds</a> . NARCOMS is supported in part by the Consortium of Multiple Sclerosis Centers (CMSC) and the CMSC Foundation).	Patient Determined Disease Steps Questionnaire
C100773	PDQUALIF	PDQ01	Parkinson's Disease Quality of Life Scale (PDQUALIF) (Welsh M, McDermott MP, Holloway RG, Plumb S, Pfeiffer R, Hubble J, and The Parkinson Study Group. Development and Testing of the Parkinson's Disease Quality of Life Scale. Movement Disorders, 2003, Vol. 18; 637-645).	Parkinson's Disease Quality of Life Scale Questionnaire
C147586	PEDS-FACIT-F	FAC099	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue (PEDS-FACIT-F) (Copyright 1987, 1997 David Cella, Ph.D. All Rights Reserved; Questionnaires and all related subscales, translations, and adaptations ('FACIT System') are owned and copyrighted by David Cella, Ph.D. The ownership and copyright of the FACIT System resides strictly with Dr. Cella. Dr. Cella has granted FACIT.org the right to license usage of the FACIT System to other parties).	Pediatric Functional Assessment of Chronic Illness Therapy-Fatigue Questionnaire
C138339	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 CHILD	PQL14	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neurological Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Child Report Questionnaire
C138341	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 CHILD PARENT REPORT	PQL15	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neurological Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Child Questionnaire
C138345	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TEEN	PQL12	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Teen (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. Neurological Disorders, 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. Journal of Clinical Neuromuscular Disease, 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Teen Report Questionnaire

## C100129 QSCAT

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C138342	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TEEN PARENT REPORT	PQL13	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Teen Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Teen Questionnaire
C138340	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 TODDLER PARENT REPORT	PQL18	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Toddler Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent of Toddler Questionnaire
C138346	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG ADULT	PQL10	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Adult (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Young Adult Report Questionnaire
C138343	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG ADULT PARENT REPORT	PQL11	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Adult Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Adults Questionnaire
C138347	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG CHILD	PQL16	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Young Child Report Questionnaire

**C100129 QSCAT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C138344	PEDSQL NEUROMUSCULAR MODULE ACUTE V3 YOUNG CHILD PARENT REPORT	PQL17	Pediatric Quality of Life (PedsQL) Neuromuscular Module Acute Version 3 Young Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Acute Version 3.0 Parent Report for Young Child Questionnaire
C138348	PEDSQL NEUROMUSCULAR MODULE V3 CHILD	PQL05	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Child Report Questionnaire
C138350	PEDSQL NEUROMUSCULAR MODULE V3 CHILD PARENT REPORT	PQL06	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Child Questionnaire
C138354	PEDSQL NEUROMUSCULAR MODULE V3 TEEN	PQL03	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Teen (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Teen Report Questionnaire
C138351	PEDSQL NEUROMUSCULAR MODULE V3 TEEN PARENT REPORT	PQL04	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Teen Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Teen Questionnaire

## C100129 QSCAT

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C138349	PEDSQL NEUROMUSCULAR MODULE V3 TODDLER PARENT REPORT	PQL09	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Toddler Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent of Toddler Questionnaire
C138355	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG ADULT	PQL01	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Adult (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Young Adult Report Questionnaire
C138352	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG ADULT PARENT REPORT	PQL02	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Adult Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Young Adults Report Questionnaire
C138356	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG CHILD	PQL07	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Child (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Young Child Report Questionnaire
C138353	PEDSQL NEUROMUSCULAR MODULE V3 YOUNG CHILD PARENT REPORT	PQL08	Pediatric Quality of Life (PedsQL) Neuromuscular Module Version 3 Young Child Parent Report (Copyright 1998 JW Varni, Ph.D. Iannaccone, S.T., Hynan, L.S., Morton, A., Buchanan, R., Limbers, C.A., Varni, J.W., the AmSMART Group (2009). The PedsQL in pediatric patients with Spinal Muscular Atrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Generic Core Scales and Neuromuscular Module. <i>Neuromuscular Disorders</i> , 19, 805-812. Davis, S.E., Hynan, L.S., Limbers, C.A., Andersen, C.M., Greene, M.C., Varni, J.W., Iannaccone, S.T. (2010). The PedsQL in pediatric patients with Duchenne Muscular Dystrophy: Feasibility, reliability, and validity of the Pediatric Quality of Life Inventory Neuromuscular Module and Generic Core Scales. <i>Journal of Clinical Neuromuscular Disease</i> , 11, 97-109).	Pediatric Quality of Life Neuromuscular Module Version 3.0 Parent Report for Young Child Questionnaire
C135739	PGI	PGI01	Patient Global Impression (PGI) generic modification for any disease/condition concept use case (Modified from Guy W: ECDEU Assessment Manual for Psychopharmacology. Rockville, MD: U.S. Department of Health, Education, and Welfare; 1976).	Patient Global Impression Generic Modification Version Questionnaire

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C125761	PHQ SCREENER VERSION	PHQ03	Patient Health Questionnaire Screener Version (PHQ Screener) (Spitzer RL, Kroenke K, Williams JBW, for the Patient Health Questionnaire Primary Care Study Group. Validation and utility of a self-report version of PRIME-MD: the PHQ Primary Care Study. JAMA 1999;282:1737-1744. <a href="http://www.phqscreeners.com/instructions/instructions.pdf">http://www.phqscreeners.com/instructions/instructions.pdf</a> ).	Patient Health Questionnaire Screener Version
C103527	PHQ-15	PHQ02	Patient Health Questionnaire - 15 (PHQ-15) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-15: Validity of a new measure for evaluating the severity of somatic symptoms. Psychosom Med 2002; 64:258-266).	Patient Health Questionnaire - 15 Item
C103526	PHQ-9	PHQ01	Patient Health Questionnaire - 9 (PHQ-9) (Kroenke K, Spitzer RL, Williams JBW. The PHQ-9: Validity of a brief depression severity measure. J Gen Intern Med 2001; 16:606-613).	Patient Health Questionnaire - 9 Item
C105167	PI	PI01	The Pain Intensity (PI) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) <a href="http://www.action.org">www.action.org</a> ; 2012-08-07 v1.	STANDARDS Pain Intensity Questionnaire
C135743	PODCI - ADOLESCENT PARENT REPORTED	PODCI2	Pediatric Outcomes Data Collection Instrument (PODCI), Adolescent Parent-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire: report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Adolescent Parent-Reported Version Questionnaire
C135744	PODCI - ADOLESCENT SELF REPORTED	PODCI3	Pediatric Outcomes Data Collection Instrument (PODCI), Adolescent Self-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire: report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Adolescent Self-Reported Version Questionnaire
C135742	PODCI - PEDIATRIC PARENT REPORTED	PODCI1	Pediatric Outcomes Data Collection Instrument (PODCI), Pediatric Parent-Reported (Daltroy LH, Liang MH, Fossel AH, Goldberg MJ, and The Outcomes Instrument Development Work Group. The POSNA Pediatric Musculoskeletal Functional Health Questionnaire: report on reliability, validity, and sensitivity to change. J Pediatr Orthop 1998; 18: 561-71).	Pediatric Outcomes Data Collection Instrument, Pediatric Parent-Reported Version Questionnaire
C105168	PR	PR01	The Pain Relief (PR) questions were created by STANDARDS (Standardized Analgesic Database for Research, Discovery, and Submissions) and sponsored by ACTTION (Analgesic Clinical Trial Translations, Innovations, Opportunities, and Networks) <a href="http://www.action.org">www.action.org</a> ; 2012-08-07 v1.	STANDARDS Pain Relief Questionnaire
C127372	PROSQOLI	PROS01	Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) (Stockler MR, Osoba D, Corey P, Goodwin PJ, Tannock IF. Convergent discriminative, and predictive validity of the Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) assessment and comparison with analogous scales from the EORTC QLQ-C30 and a trial-specific module. European Organisation for Research and Treatment of Cancer. Core Quality of Life Questionnaire. J Clin Epidemiol 1999;52:653-66)	Prostate Cancer Specific Quality of Life Instrument Questionnaire
C103849	PSQI	PSQI1	Pittsburgh Sleep Quality Index (PSQI) (Copyright 1989, University of Pittsburgh. Buysse, D.J., Reynolds, C.F., Monk, T.H., Berman, S.R., & Kupfer, D.J. The Pittsburgh Sleep Quality Index (PSQI): A new instrument for psychiatric practice and research. Psychiatry Research, 1989, 28(2):193-213).	Pittsburgh Sleep Quality Index
C130317	Q-LES-Q	QLES1	Quality Of Life Enjoyment And Satisfaction Questionnaire (Q-LES-Q) (Copyright Jean Endicott, PhD; Unit 123, 1051 Riverside Drive, New York, NY 10032. 212-543-5536; Endicott J, Nee J, Harrison W, Blumenthal R. Quality of Life Enjoyment and Satisfaction Questionnaire: a new measure. Psychopharmacol Bull. 1993;29(2):321-6).	Quality Of Life Enjoyment And Satisfaction Questionnaire

C100129 QSCAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130318	Q-LES-Q-SF	QLES2	Quality Of Life Enjoyment And Satisfaction Questionnaire - Short Form (Q-LES-Q-SF) (Copyright Jean Endicott, PhD; Unit 123, 1051 Riverside Drive, New York, NY 10032. 212-543-5536; Endicott J, Nee J, Harrison W, Blumenthal R. Quality of Life Enjoyment and Satisfaction Questionnaire: a new measure. Psychopharmacol Bull. 1993;29(2):321-6).	Quality of Life Enjoyment and Satisfaction Questionnaire-Short Form
C130316	QIDS-SR	QIDSR1	Quick Inventory of Depressive Symptomatology - Self-Report (QIDS-SR) (Copyright UT Southwestern Medical Center at Dallas. Rush AJ, Trivedi MH, Ibrahim HM, Carmody TJ, Arnow B, Klein DN, Markowitz JC, Ninan PT, Kornstein S, Manber R, Thase ME, Kocsis JH, Keller MB. The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QIDS-C) and Self-Report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. Biological Psychiatry, 54:573-583, 2003).	Quick Inventory of Depressive Symptomatology Self-Report Version Questionnaire
C135745	RAND SOCIAL SUPPORT SURVEY INSTRUMENT	RSSS01	RAND Social Support Survey Instrument (Copyright the RAND Corporation. Developed at RAND as part of the Medical Outcomes Study).	RAND Social Support Survey Instrument Questionnaire
C113879	RAND-36 V1.0	R3601	RAND 36-Item Health Survey 1.0 (RAND-36) (Copyright the RAND Corporation. Developed at RAND as part of the Medical Outcomes Study).	RAND 36-Item Health Survey 1.0 Questionnaire
C100774	RDQ	RDQ01	Roland Morris Disability Questionnaire (RDQ) (Roland MO, Morris RW. A study of the natural history of back pain. Part 1: Development of a reliable and sensitive measure of disability in low back pain. Spine 1983;8:141-144).	Roland Morris Disability Questionnaire
C119103	RPQ	RPQ01	Rivermead Post Concussion Symptoms Questionnaire (RPQ) (King NS, Crawford S, Wenden FJ, Moss NEG, Wade DT. The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. J Neurol. 1995;242:587-592).	Rivermead Post-Concussion Symptoms Questionnaire
C111384	SDS	SDS01	Sheehan Disability Scale (Copyright 1983, 2010, 2011 David V. Sheehan. All rights reserved.).	Sheehan Disability Scale Questionnaire
C102120	SF36 V1.0 ACUTE	SF362	The Short Form 36 Health Survey Acute, US Version 1.0 (SF36 v1.0 Acute) (copyright 1988, 2002 by Medical Outcomes Trust and Quality Metric Incorporated. All rights reserved).	Short Form 36 Health Survey Acute, US Version 1.0 Questionnaire
C100775	SF36 V1.0 STANDARD	SF361	The Short Form 36 Health Survey Standard, US Version 1.0 (SF36 v1.0 Standard) (copyright 1988, 2002 by Medical Outcomes Trust and Quality Metric Incorporated. All rights reserved).	Short Form 36 Health Survey Standard, US Version 1.0 Questionnaire
C102121	SF36 V2.0 ACUTE	SF364	The Short Form 36 Health Survey Acute, US Version 2.0 (SF36 v2.0 Acute) (copyright 1996, 2000 by Quality Metric Incorporated and Medical Outcomes Trust. All rights reserved).	Short Form 36 Health Survey Acute, US Version 2.0 Questionnaire
C102122	SF36 V2.0 STANDARD	SF363	The Short Form 36 Health Survey Standard, US Version 2.0 (SF36 v2.0 Standard) (copyright 1996, 2000 by Quality Metric Incorporated and Medical Outcomes Trust. All rights reserved).	Short Form 36 Health Survey Standard, US Version 2.0 Questionnaire
C112525	SGRQ PAST 3 MONTHS VERSION	SGRQ01	St. George's Respiratory Questionnaire (SGRQ) Past 3 Months Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 3 Months Version
C112526	SGRQ PAST 4 WEEKS VERSION	SGRQ02	St. George's Respiratory Questionnaire (SGRQ) Past 4 Weeks Version (copyright P.W. Jones, St. George's University of London).	St. George's Respiratory Questionnaire Past 4 Weeks Version
C106890	SGRQ-C	SGRQC1	St. George's Respiratory Questionnaire for COPD Patients (SGRQ-C) (Jones PW, Quirk FH, Baveystock CM, and Littlejohns PA. Self-complete measure of health status for chronic airflow limitation. The St. George's Respiratory Questionnaire. Am Rev Respir Dis. 1992 Jun; 145(6):1321-7).	St. George's Respiratory Questionnaire for Chronic Obstructive Pulmonary Disease Patients
C100776	SHORT-FORM MPQ-2	SFMP2	Short-Form McGill Pain Questionnaire-2 (SF-MPQ-2) (Copyright R. Melzack and the Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials (IMMPACT), 2009, All Rights Reserved).	Short-Form McGill Pain Questionnaire-2
C103528	SIQR	SIQR01	Symptom Impact Questionnaire (SIQR) (copyright 2009 Bennett RM and Friend. All Rights Reserved.).	Symptom Impact Questionnaire



<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100777	SOAPP-R	SOAPR1	Screeners and Opioid Assessment for Patients with Pain Revised (SOAPP-R) (copyright 2007 Inflexxion, Inc., All rights reserved).	Screeners and Opioid Assessment for Patients with Pain Revised Questionnaire
C123659	SOBDA	SOBDA1	Shortness of Breath with Daily Activities Questionnaire (SOBDA) (Wilcox TK, Chen WH, Howard KA, Wiklund I, Brooks J, Watkins ML, Cates CE, Tabberer MM, Crim C. Item selection, reliability and validity of the Shortness of Breath with Daily Activities (SOBDA) questionnaire: a new outcome measure for evaluating dyspnea in chronic obstructive pulmonary disease. Health and Quality of Life Outcomes 2013 11:196).	Shortness of Breath with Daily Activities Questionnaire
C103529	SOWS SHORT	SOWSB1	Short Opiate Withdrawal Scale (SOWS SHORT) (Gossop, M. The development of a short opiate withdrawal scale. Addictive Behaviors 1990; 15:487-490).	Short Opiate Withdrawal Scale Questionnaire
C102123	SOWS SUBJECTIVE	SOWSA1	The Subjective Opiate Withdrawal Scale (SOWS) (Handelsman, L., Cochrane, K. J., Aronson, M. J. Ness, R., Rubinstein K.J., Kanof, P.D. (1987) Two New Rating Scales for Opiate Withdrawal. American Journal of Alcohol Abuse, 13, 293-308).	Subjective Opiate Withdrawal Scale Questionnaire
C115799	SWLS	SWLS01	The Satisfaction With Life Scale (SWLS) (Diener, E., Emmons, R., Larsen, J., and Griffin, S. (1985). The Satisfaction With Life Scale. J Personality Assessment, 49(1): 71-75).	Satisfaction With Life Scale Questionnaire
C106694	TDI	TDI01	Transition Dyspnea Index (TDI) (Mahler DA, Weinberg DH, Wells CK, Feinstein AR. The measurement of dyspnea. Contents, interobserver agreement, and physiologic correlates of two new clinical indexes. Chest 1984, 85: 751-758).	Transition Dyspnea Index Questionnaire
C147587	TSCC	TSCC01	Trauma Symptom Checklist for Children (TSCC) (Copyright 1989, 1996 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR).	Trauma Symptom Checklist for Children Questionnaire
C147588	TSCYC	TSCYC1	Trauma Symptom Checklist for Young Children (TSCYC) (Copyright 1999, 2005 by Psychological Assessment Resources, Inc. (PAR). All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of Psychological Assessment Resources, Inc).	Trauma Symptom Checklist for Young Children Questionnaire
C132535	TSQM V1.4	TSQM01	Treatment Satisfaction Questionnaire for Medication - Version 1.4 (TSQM V1.4) (Copyright 2004, Quintiles. All Rights Reserved).	Treatment Satisfaction Questionnaire for Medication Version 1.4
C100778	UPDRS	UPD1	Unified Parkinson's Disease Rating Scale (UPDRS) (Fahn S, Marsden CD, Calne DB, Goldstein M, eds. Recent Developments in Parkinson's Disease, Vol 2. Florham Park, NJ. Macmillan Health Care Information 1987, pp 153-163, 293-304).	Unified Parkinson's Disease Rating Scale Questionnaire
C103530	UPS	UPS01	Urgency Perception Scale (UPS) (copyright Pfizer. All rights reserved.).	Urgency Perception Scale Questionnaire
C112527	VFQ-25 INTERVIEWER ADMINISTERED	VFQ1	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Interviewer-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Interviewer Administered Format Version 2000
C112528	VFQ-25 SELF ADMINISTERED	VFQ2	National Eye Institute Visual Functioning Questionnaire - 25 (VFQ-25) Version 2000 Self-Administered Format (Mangione, C. M., Lee, P. P., Gutierrez, P. R., Spritzer, K., Berry, S., & Hays, R. D. Development of the 25-item National Eye Institute Visual Function Questionnaire (VFQ-25). Archives of Ophthalmology. 2001; 119:1050-1058). (This instrument was developed at RAND under the sponsorship of the National Eye Institute).	Visual Functioning Questionnaire 25-Self Administered Format Version 2000

<b>C100129 QSCAT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130325	WHODAS 2.0 - 12 + 24-ITEM INTERVIEWER	WD4	World Health Organization Disability Assessment Schedule 2.0 - 12+24-item Version, Interviewer-administered (WHODAS 2.0 - 12+24-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 12+24-Item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 12+24-item Version Interviewer-administered Questionnaire
C130322	WHODAS 2.0 - 12-ITEM INTERVIEWER	WD1	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Interviewer-administered (WHODAS 2.0 - 12-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 12-item Version Interviewer-administered Questionnaire
C130323	WHODAS 2.0 - 12-ITEM PROXY	WD2	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Proxy-administered (WHODAS 2.0 - 12-item Version Proxy-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Proxy-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 12-item Version Proxy-administered Questionnaire
C130324	WHODAS 2.0 - 12-ITEM SELF	WD3	World Health Organization Disability Assessment Schedule 2.0 - 12-item Version, Self-administered (WHODAS 2.0 - 12-item Version Self-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 12-Item Version, Self-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 12-item Version Self-administered Questionnaire
C130319	WHODAS 2.0 - 36-ITEM INTERVIEWER	WD5	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Interviewer-administered (WHODAS 2.0 - 36-item Version Interviewer-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 36-Item Version, Interviewer-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 36-item Version Interviewer-administered Questionnaire
C130320	WHODAS 2.0 - 36-ITEM PROXY	WD6	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Proxy-administered (WHODAS 2.0 - 36-item Version Proxy-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 36-Item Version, Proxy-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 36-item Version Proxy-administered Questionnaire
C130321	WHODAS 2.0 - 36-ITEM SELF	WD7	World Health Organization Disability Assessment Schedule 2.0 - 36-item Version, Self-administered (WHODAS 2.0 - 36-item Version Self-administered) (Reproduced, with permission of WHO, from Measuring Health and Disability: Manual for WHO Disability Assessment Schedule (WHODAS 2.0). Geneva,World Health Organization, 2010 (WHODAS 2.0 36-Item Version, Self-Administered www.who.int/classifications/icf/whodasii/en)).	World Health Organization Disability Assessment Schedule 2.0 36-item Version Self-administered Questionnaire
C119096	WLQ	WLQ01	Work Limitations Questionnaire (WLQ) (copyright 1998. The Health Institute, Tufts Medical Center f/k/a New England Medical Center Hospitals, Inc.; Debra Lerner, Ph.D.; Benjamin Amick III, Ph.D.; and GlaxoWellcome, Inc. All Rights Reserved).	Work Limitations Questionnaire
C122384	WOMAC LK 3.1 INDEX	WOMAC1	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Likert Scale Format (WOMAC LK 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Likert Scale Format Questionnaire

**C100129 QSCAT**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122385	WOMAC NRS 3.1 INDEX	WOMAC2	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Numerical Rating Scale Format (WOMAC NRS 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Numerical Rating Scale Format Questionnaire
C122386	WOMAC VA 3.1 INDEX	WOMAC3	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Visual Analog Scale Format (WOMAC VA 3.1) (Bellamy N. WOMAC Osteoarthritis Index User Guide. Version V. Brisbane, Australia 2002; WOMAC 3.1 User Guide XI; WOMAC is a registered trade-mark. Copyright 2008. Prof Nicholas Bellamy. All Rights Reserved).	Western Ontario and McMaster Universities Osteoarthritis Index Version 3.1 Visual Analog Scale Format Questionnaire
C100779	WPAI-SHP	WPAI01	The Work Productivity and Activity Impairment - Specific Health Problems Questionnaire Version 2.0 (WPAI01) ( <a href="http://www.reillyassociates.net/WPAI_SHP.html">http://www.reillyassociates.net/WPAI_SHP.html</a> ).	Work Productivity and Activity Impairment Specific Health Problems Version 2.0 Questionnaire
C102124	YMRS	YMRS01	Young Mania Rating Scale (YMRS) (Young RC, Biggs JT, Ziegler VE et al: A rating scale for mania: reliability, validity and sensitivity. Br J Psychiatry 133: 429-435, 1978).	Young Mania Rating Scale Questionnaire

**R3601TC (RAND 36-Item Health Survey 1.0 Questionnaire Test Code)**

NCI Code: C113862, Codelist extensible: No

<b>C113862 R3601TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114043	R360101	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health
C114044	R360102	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114045	R360103	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities
C114046	R360104	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114047	R360105	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries
C114048	R360106	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114049	R360107	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114050	R360108	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114051	R360109	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114052	R360110	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114053	R360111	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114054	R360112	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114055	R360113	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114056	R360114	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114057	R360115	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114058	R360116	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114059	R360117	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114060	R360118	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less

## C113862 R3601TC

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114061	R360119	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R360120	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114063	R360121	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain
C114064	R360122	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R360123	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114066	R360124	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114067	R360125	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114068	R360126	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114069	R360127	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114070	R360128	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114071	R360129	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114072	R360130	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114073	R360131	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114074	R360132	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114075	R360133	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114076	R360134	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R360135	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R360136	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent

**R3601TN (RAND 36-Item Health Survey 1.0 Questionnaire Test Name)**

NCI Code: C113861, Codelist extensible: No

<b>C113861 R3601TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114074	R3601-Amt Time Interfere Social Activity	R3601-Amt Time Interfere Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities?	RAND-36 - Time Physical Health or Emotional Problems Interfere With Social Activities
C114064	R3601-Did Pain Interfere With Your Work	R3601-Did Pain Interfere With Your Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, how much did pain interfere with your normal work?	RAND-36 - Pain Interfere With Normal Work
C114065	R3601-Did You Feel Full of Pep	R3601-Did You Feel Full of Pep	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel full of pep?	RAND-36 - Feel Full of Pep
C114073	R3601-Did You Feel Tired	R3601-Did You Feel Tired	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel tired?	RAND-36 - Feel Tired
C114071	R3601-Did You Feel Worn Out	R3601-Did You Feel Worn Out	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you feel worn out?	RAND-36 - Feel Worn Out
C114069	R3601-Did You Have a Lot of Energy	R3601-Did You Have a Lot of Energy	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Did you have a lot of energy?	RAND-36 - Have a Lot of Energy
C114060	R3601-Emotional Problem: Accomplish Less	R3601-Emotional Problem: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Accomplished less than you would like.	RAND-36 - Emotional Problem Accomplished Less
C114059	R3601-Emotional Problem: Cut Work Time	R3601-Emotional Problem: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Cut down the amount of time you spent on work or other activities.	RAND-36 - Emotional Problem Cut Down Time Spent on Work
C114061	R3601-Emotional Problem: Less Careful	R3601-Emotional Problem: Less Careful	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems: Didn't do work or other activities as carefully as usual.	RAND-36 - Emotional Problem Did Not Do Work as Carefully
C114062	R3601-Extent Interfered Social Activity	R3601-Extent Interfered Social Activity	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?	RAND-36 - Extend Physical Health or Emotional Problems Interfere With Social Activities
C114075	R3601-Get Sick Easier Than Other People	R3601-Get Sick Easier Than Other People	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I seem to get sick a little easier than other people.	RAND-36 - Get Sick Easier Than Other
C114066	R3601-Have Been a Very Nervous Person	R3601-Have Been a Very Nervous Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a very nervous person?	RAND-36 - Been a Nervous Person
C114070	R3601-Have Felt Downhearted and Blue	R3601-Have Felt Downhearted and Blue	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt downhearted and blue?	RAND-36 - Felt Downhearted and Blue
C114067	R3601-Have Felt So Down in the Dumps	R3601-Have Felt So Down in the Dumps	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?	RAND-36 - Felt Nothing Could Cheer You Up
C114072	R3601-Have You Been a Happy Person	R3601-Have You Been a Happy Person	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you been a happy person?	RAND-36 - Been a Happy Person
C114068	R3601-Have You Felt Calm and Peaceful	R3601-Have You Felt Calm and Peaceful	RAND 36-Item Health Survey 1.0 - How much of the time during the past 4 weeks: Have you felt calm and peaceful?	RAND-36 - Felt Calm and Peaceful
C114054	R3601-Health Limit Bathing/Dressing Self	R3601-Health Limit Bathing/Dressing Self	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bathing or dressing yourself.	RAND-36 - Health Limit Bathing or Dressing
C114050	R3601-Health Limit Bending or Kneeling	R3601-Health Limit Bending or Kneeling	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Bending, kneeling, or stooping.	RAND-36 - Health Limit Bending or Stooping
C114047	R3601-Health Limit Carrying Groceries	R3601-Health Limit Carrying Groceries	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Lifting or carrying groceries.	RAND-36 - Health Limit Lifting Groceries

**C113861 R3601TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C114049	R3601-Health Limit Climb One Flight	R3601-Health Limit Climb One Flight	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing one flight of stairs.	RAND-36 - Health Limit Climbing One Flight
C114048	R3601-Health Limit Climb Several Flights	R3601-Health Limit Climb Several Flights	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Climbing several flights of stairs.	RAND-36 - Health Limit Climbing Several Flights
C114046	R3601-Health Limit Moderate Activities	R3601-Health Limit Moderate Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf.	RAND-36 - Health Limit Moderate Activities
C114045	R3601-Health Limit Vigorous Activities	R3601-Health Limit Vigorous Activities	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports.	RAND-36 - Health Limit Vigorous Activities
C114051	R3601-Health Limit Walk More Than Mile	R3601-Health Limit Walk More Than Mile	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking more than a mile.	RAND-36 - Health Limit Walking More Than A Mile
C114053	R3601-Health Limit Walk One Block	R3601-Health Limit Walk One Block	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking one block.	RAND-36 - Health Limit Walking One Block
C114052	R3601-Health Limit Walk Several Blocks	R3601-Health Limit Walk Several Blocks	RAND 36-Item Health Survey 1.0 - Does your health now limit you in these activities: Walking several blocks.	RAND-36 - Health Limit Walking Several Blocks
C114044	R3601-Health Now Compared to 1 Year Ago	R3601-Health Now Compared to 1 Year Ago	RAND 36-Item Health Survey 1.0 - Compared to one year ago, how would you rate your health in general now?	RAND-36 - Rate Your Health Compared to One Year Ago
C114063	R3601-How Much Bodily Pain Have You Had	R3601-How Much Bodily Pain Have You Had	RAND 36-Item Health Survey 1.0 - How much bodily pain have you had during the past 4 weeks?	RAND-36 - Bodily Pain
C114076	R3601-I Am as Healthy as Anybody I Know	R3601-I Am as Healthy as Anybody I Know	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I am as healthy as anybody I know.	RAND-36 - As Healthy as Anybody
C114077	R3601-I Expect My Health to Get Worse	R3601-I Expect My Health to Get Worse	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: I expect my health to get worse.	RAND-36 - Expect Health to Get Worse
C114078	R3601-My Health Is Excellent	R3601-My Health Is Excellent	RAND 36-Item Health Survey 1.0 - How TRUE or FALSE is each of the following statements for you: My health is excellent.	RAND-36 - My Health is Excellent
C114056	R3601-Phys Health: Accomplish Less	R3601-Phys Health: Accomplish Less	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like.	RAND-36 - Physical Health Accomplished Less
C114055	R3601-Phys Health: Cut Work Time	R3601-Phys Health: Cut Work Time	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities.	RAND-36 - Physical Health Cut Down Time Spent on Work
C114058	R3601-Phys Health: Difficulty Performing	R3601-Phys Health: Difficulty Performing	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities.	RAND-36 - Physical Health Difficulty Performing Work
C114057	R3601-Phys Health: Limit Kind of Work	R3601-Phys Health: Limit Kind of Work	RAND 36-Item Health Survey 1.0 - During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities.	RAND-36 - Physical Health Limited in the Kind of Work
C114043	R3601-Would You Say Your Health Is	R3601-Would You Say Your Health Is	RAND 36-Item Health Survey 1.0 - In general, would you say your health is:	RAND-36 - Rate Your Health

## RACE (Race)

NCI Code: C74457, Codelist extensible: No

C74457 RACE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C41259	AMERICAN INDIAN OR ALASKA NATIVE		A person having origins in any of the original peoples of North and South America (including Central America), and who maintains tribal affiliation or community attachment. (FDA)	American Indian or Alaska Native
C41260	ASIAN		A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam. (FDA)	Asian
C16352	BLACK OR AFRICAN AMERICAN		A person having origins in any of the black racial groups of Africa. Terms such as "Haitian" or "Negro" can be used in addition to "Black or African American." (FDA)	Black or African American
C41219	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER		Denotes a person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. The term covers particularly people who identify themselves as part-Hawaiian, Native Hawaiian, Guamanian or Chamorro, Carolinian, Samoan, Chuu. (FDA)	Native Hawaiian or Other Pacific Islander
C41261	WHITE		Denotes a person with European, Middle Eastern, or North African ancestral origin who identifies, or is identified, as White. (FDA)	White



## RACEC (Race As Collected)

NCI Code: C128689, Codelist extensible: Yes

C128689 RACEC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42331	AFRICAN		A person having origins in any of the original peoples of sub-Saharan Africa.	African
C128937	AFRICAN AMERICAN		A person having origins in the original peoples of sub-Saharan Africa and the United States.	African American
C41226	AFRICAN CARIBBEAN		A person having origins in the original peoples of sub-Saharan Africa and the Caribbean.	African Caribbean
C18237	ALASKA NATIVE		The native people of Alaska.	Alaska Native
C43877	AMERICAN INDIAN		The native people of North America.	American Indian
C41259	AMERICAN INDIAN OR ALASKA NATIVE		A person having origins in any of the original peoples of North and South America (including Central America), and who maintains tribal affiliation or community attachment. (FDA)	American Indian or Alaska Native
C43876	ARAB		A person having origins in any of the original peoples of the Arabian peninsula and surrounding territories in the Middle East and northern Africa.	Arab
C41260	ASIAN		A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam. (FDA)	Asian
C16310	ASIAN AMERICAN		A person having origins in the original peoples of Asia and the United States.	Asian American
C41262	ASIAN INDIAN		A person having origins in any of the original peoples of the Indian subcontinent.	Asian Indian
C67271	BAHAMIAN		A person having origins in any of the original peoples of the Bahamas.	Bahamian
C43671	BANGLADESHI		A person having origins in any of the original peoples of Bangladesh.	Bangladeshi
C43823	BARBADIAN		A person having origins in any of the original peoples of Barbados.	Barbadian
C43673	BHUTANESE		A person having origins in any of the original peoples of Bhutan.	Bhutanese
C128938	BLACK		A person having origins in the original peoples of sub-Saharan Africa or the Caribbean.	Black
C128991	BLACK CENTRAL AMERICAN		A person having origins in the original peoples of sub-Saharan Africa and Central America.	Black Central American
C16352	BLACK OR AFRICAN AMERICAN		A person having origins in any of the black racial groups of Africa. Terms such as "Haitian" or "Negro" can be used in addition to "Black or African American." (FDA)	Black or African American
C128992	BLACK SOUTH AMERICAN		A person having origins in the original peoples of sub-Saharan Africa and South America.	Black South American
C43830	BOTSWANAN		A person having origins in any of the original peoples of Botswana.	Botswanan
C43674	BURMESE		A person having origins in any of the original peoples of Myanmar (formerly Burma).	Burmese
C43399	CAMBODIAN		A person having origins in any of the original peoples of Cambodia (formerly Kampuchea).	Cambodian
C77810	CARIBBEAN INDIAN		The native people of the Caribbean.	Caribbean Indian
C44950	CENTRAL AMERICAN INDIAN		The native people of Central America.	Central American Indian
C43391	CHINESE		A person having origins in any of the original peoples of China.	Chinese
C43824	DOMINICA ISLANDER		A person having origins in any of the original peoples of Dominica.	Dominica Islander

**C128689 RACEC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C67117	DOMINICAN		A person having origins in any of the original peoples of the Dominican Republic.	Dominican
C77819	EASTERN EUROPEAN		A person having origins in any of the original peoples of Eastern Europe.	Eastern European
C43831	ETHIOPIAN		A person having origins in any of the original peoples of Ethiopia.	Ethiopian
C43851	EUROPEAN		A person having origins in any of the original peoples of Europe.	European
C43393	FILIPINO		A person having origins in any of the original peoples of the Philippines.	Filipino
C44265	GREENLAND INUIT		The native people of Greenland.	Greenland Eskimo
C43825	HAITIAN		A person having origins in any of the original peoples of Haiti.	Haitian
C43398	HMONG		The native people originating in China around the Yellow River or Hoang Ho.	Hmong
C43715	INDONESIAN		A person having origins in any of the original peoples of Indonesia.	Indonesian
C44268	INUPIAT INUIT		The native people inhabiting the territory spanning the Norton Sound on the Bering Sea to the Canadian border.	Inupiat Eskimo
C43718	IWO JIMAN		A person having origins in any of the original peoples of Iwo Jima.	Iwo Jiman
C43826	JAMAICAN		A person having origins in any of the original peoples of Jamaica.	Jamaican
C43392	JAPANESE		A person having origins in any of the original peoples of Japan.	Japanese
C43395	KOREAN		A person having origins in any of the original peoples of North and South Korea.	Korean
C43397	LAOTIAN		A person having origins in any of the original peoples of Laos.	Laotian
C43832	LIBERIAN		A person having origins in any of the original peoples of Liberia.	Liberian
C43722	MALAGASY		A person having origins in any of the original peoples of Madagascar.	Malagasy
C43716	MALAYSIAN		A person having origins in any of the original peoples of Malaysia.	Malaysian
C43719	MALDIVIAN		A person having origins in any of the original peoples of the Maldives.	Maldivian
C77811	MEDITERRANEAN		A person having origins in any of the original peoples of the countries surrounding the Mediterranean sea.	Mediterranean
C43409	MELANESIAN		A person having origins in any of the original peoples of Melanesia.	Melanesian
C43402	MICRONESIAN		A person having origins in any of the original peoples of Micronesia.	Micronesian
C77820	MIDDLE EASTERN		A person having origins in any of the original peoples of the Middle East.	Middle Eastern
C43864	MONGOLIAN		A person having origins in any of the original peoples of Mongolia.	Mongolian
C43833	NAMIBIAN		A person having origins in any of the original peoples of Namibia.	Namibian
C41219	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER		Denotes a person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. The term covers particularly people who identify themselves as part-Hawaiian, Native Hawaiian, Guamanian or Chamorro, Carolinian, Samoan, Chuu. (FDA)	Native Hawaiian or Other Pacific Islander

**C128689 RACEC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C43720	NEPALESE		A person having origins in any of the original peoples of Nepal.	Nepalese
C43834	NIGERIAN		A person having origins in any of the original peoples of Nigeria.	Nigerian
C77813	NORTH AFRICAN		A person having origins in any of the original peoples of North Africa.	North Coast of Africa
C77814	NORTHERN EUROPEAN		A person having origins in any of the original peoples of Northern Europe.	Northern European
C43717	OKINAWAN		A person having origins in any of the original peoples of Okinawa.	Okinawan
C43427	PAKISTANI		A person having origins in any of the original peoples of Pakistan.	Pakistani
C43405	POLYNESIAN		A person having origins in any of the original peoples of Polynesia.	Polynesian
C43860	RUSSIAN		A person having origins in any of the original peoples of Russia.	Russian
C44269	SIBERIAN ESKIMO		The native Yupik people inhabiting the coast of the Chukchi Peninsula in the far northeast of the Russian Federation and on St. Lawrence Island in Alaska.	Siberian Eskimo
C43721	SINGAPOREAN		A person having origins in any of the original peoples of Singapore.	Singaporean
C44953	SOUTH AMERICAN INDIAN		The native people of South America.	South American Indian
C43672	SRI LANKAN		A person having origins in any of the original peoples of Sri Lanka.	Sri Lankan
C43675	TAIWANESE		A person having origins in any of the original peoples of Taiwan.	Taiwanese
C43400	THAI		A person having origins in any of the original peoples of Thailand.	Thai
C43827	TOBAGOAN		A person having origins in any of the original peoples of Tobago.	Tobagoan
C43828	TRINIDADIAN		A person having origins in any of the original peoples of Trinidad.	Trinidadian
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown
C43396	VIETNAMESE		A person having origins in any of the original peoples of Viet Nam.	Vietnamese
C43829	WEST INDIAN		A person having origins in any of the original peoples of the West Indies.	West Indian
C77817	WESTERN EUROPEAN		A person having origins in any of the original peoples of Western Europe.	Western European
C41261	WHITE		Denotes a person with European, Middle Eastern, or North African ancestral origin who identifies, or is identified, as White. (FDA)	White
C77816	WHITE CARIBBEAN		A person having origins in the original peoples of Europe, the Middle East, or North Africa, and the Caribbean.	White Caribbean
C128993	WHITE CENTRAL AMERICAN		A person having origins in the original peoples of Europe, the Middle East, or North Africa, and Central America.	White Central American
C128994	WHITE SOUTH AMERICAN		A person having origins in the original peoples of Europe, the Middle East, or North Africa, and South America.	White South American
C44270	YUPIK ESKIMO		The native people inhabiting western, southwestern, and southcentral Alaska and the Russian Far East.	Yupik Eskimo
C43835	ZAIREAN		A person having origins in any of the original peoples of Zaire.	Zairean

**RCVD01TC (Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Code)**

NCI Code: C124672, Codelist extensible: No

<b>C124672 RCVD01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124723	RCVD0101	RCVD01-Reynolds CVD 10-Year Risk Score	Reynolds Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	Reynolds CVD 10-Year Risk Score - Risk Score

**RCVD01TN (Reynolds Cardiovascular Disease 10-Year Risk Score Clinical Classification Test Name)**

NCI Code: C124671, Codelist extensible: No

<b>C124671 RCVD01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124723	RCVD01-Reynolds CVD 10-Year Risk Score	RCVD01-Reynolds CVD 10-Year Risk Score	Reynolds Cardiovascular Disease 10-Year Risk Score - Cardiovascular disease 10-year risk score.	Reynolds CVD 10-Year Risk Score - Risk Score

**RDQ01TC (Roland Morris Disability Questionnaire Questionnaire Test Code)**

NCI Code: C100166, Codelist extensible: No

<b>C100166 RDQ01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100780	RDQ0101	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100781	RDQ0102	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100782	RDQ0103	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly
C100783	RDQ0104	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100784	RDQ0105	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100785	RDQ0106	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100786	RDQ0107	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100787	RDQ0108	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100788	RDQ0109	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100789	RDQ0110	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100790	RDQ0111	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100791	RDQ0112	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100792	RDQ0113	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100793	RDQ0114	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100794	RDQ0115	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100795	RDQ0116	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100796	RDQ0117	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100797	RDQ0118	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100798	RDQ0119	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100799	RDQ0120	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100800	RDQ0121	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100801	RDQ0122	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100802	RDQ0123	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100803	RDQ0124	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100804	RDQ0125	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score

## RDQ01TN (Roland Morris Disability Questionnaire Questionnaire Test Name)

NCI Code: C100165, Codelist extensible: No

C100165 RDQ01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100794	RDQ01-Appetite is Not Very Good	RDQ01-Appetite is Not Very Good	Roland Morris Disability Questionnaire - My appetite is not very good because of my back pain.	RDQ - Appetite is Not Very Good
C100800	RDQ01-Avoid Heavy Jobs	RDQ01-Avoid Heavy Jobs	Roland Morris Disability Questionnaire - I avoid heavy jobs around the house because of my back.	RDQ - Avoid Heavy Jobs
C100781	RDQ01-Change Position Frequently	RDQ01-Change Position Frequently	Roland Morris Disability Questionnaire - I change position frequently to try and get my back comfortable.	RDQ - Change Position Frequently
C100791	RDQ01-Difficult to Get Out of a Chair	RDQ01-Difficult to Get Out of a Chair	Roland Morris Disability Questionnaire - I find it difficult to get out of a chair because of my back.	RDQ - Difficult to Get Out of a Chair
C100793	RDQ01-Difficult to Turn Over in Bed	RDQ01-Difficult to Turn Over in Bed	Roland Morris Disability Questionnaire - I find it difficult to turn over in bed because of my back.	RDQ - Difficult to Turn Over in Bed
C100788	RDQ01-Get Dressed More Slowly	RDQ01-Get Dressed More Slowly	Roland Morris Disability Questionnaire - I get dressed more slowly than usual because of my back.	RDQ - Get Dressed More Slowly
C100798	RDQ01-Get Dressed With Help	RDQ01-Get Dressed With Help	Roland Morris Disability Questionnaire - Because of my back pain, I get dressed with help from someone else.	RDQ - Get Dressed With Help
C100787	RDQ01-Get Other People to Do Things	RDQ01-Get Other People to Do Things	Roland Morris Disability Questionnaire - Because of my back, I try to get other people to do things for me.	RDQ - Get Other People to Do Things
C100802	RDQ01-Go Upstairs More Slowly	RDQ01-Go Upstairs More Slowly	Roland Morris Disability Questionnaire - Because of my back, I go upstairs more slowly than usual.	RDQ - Go Upstairs More Slowly
C100786	RDQ01-Hold on to Get Out of a Chair	RDQ01-Hold on to Get Out of a Chair	Roland Morris Disability Questionnaire - Because of my back, I have to hold on to something to get out of an easy chair.	RDQ - Hold on to Get Out of a Chair
C100785	RDQ01-Lie Down to Rest More Often	RDQ01-Lie Down to Rest More Often	Roland Morris Disability Questionnaire - Because of my back, I lie down to rest more often.	RDQ - Lie Down to Rest More Often
C100801	RDQ01-More Irritable With People	RDQ01-More Irritable With People	Roland Morris Disability Questionnaire - Because of my back pain, I am more irritable and bad tempered with people than usual.	RDQ - More Irritable With People
C100783	RDQ01-Not Do Any Usual Jobs	RDQ01-Not Do Any Usual Jobs	Roland Morris Disability Questionnaire - Because of my back, I am not doing any of the jobs that I usually do around the house.	RDQ - Not Do Any Usual House Jobs
C100789	RDQ01-Only Stand for Short Periods	RDQ01-Only Stand for Short Periods	Roland Morris Disability Questionnaire - I only stand for short periods of time because of my back.	RDQ - Only Stand for Short Periods
C100796	RDQ01-Only Walk Short Distances	RDQ01-Only Walk Short Distances	Roland Morris Disability Questionnaire - I only walk short distances because of my back.	RDQ - Only Walk Short Distances
C100792	RDQ01-Painful Almost All the Time	RDQ01-Painful Almost All the Time	Roland Morris Disability Questionnaire - My back is painful almost all the time.	RDQ - Painful Almost All the Time
C100804	RDQ01-RDQ Total Score	RDQ01-RDQ Total Score	Roland Morris Disability Questionnaire - RDQ total derived score.	RDQ - Total Derived Score
C100799	RDQ01-Sit Down Most of the Day	RDQ01-Sit Down Most of the Day	Roland Morris Disability Questionnaire - I sit down for most of the day because of my back.	RDQ - Sit Down Most of the Day
C100797	RDQ01-Sleep Less Well	RDQ01-Sleep Less Well	Roland Morris Disability Questionnaire - I sleep less well because of my back.	RDQ - Sleep Less Well
C100780	RDQ01-Stay at Home	RDQ01-Stay at Home	Roland Morris Disability Questionnaire - I stay at home most of the time because of my back.	RDQ - Stay at Home
C100803	RDQ01-Stay in Bed	RDQ01-Stay in Bed	Roland Morris Disability Questionnaire - I stay in bed most of the time because of my back.	RDQ - Stay in Bed
C100795	RDQ01-Trouble Putting on Socks/Stockings	RDQ01-Trouble Putting on Socks/Stockings	Roland Morris Disability Questionnaire - I have trouble putting on my socks (or stockings) because of the pain in my back.	RDQ - Trouble Putting on Socks or Stockings
C100790	RDQ01-Try Not to Bend or Kneel	RDQ01-Try Not to Bend or Kneel	Roland Morris Disability Questionnaire - Because of my back, I try not to bend or kneel down.	RDQ - Try Not to Bend or Kneel
C100784	RDQ01-Use Handrail to Get Upstairs	RDQ01-Use Handrail to Get Upstairs	Roland Morris Disability Questionnaire - Because of my back, I use a handrail to get upstairs.	RDQ - Use Handrail to Get Upstairs
C100782	RDQ01-Walk More Slowly	RDQ01-Walk More Slowly	Roland Morris Disability Questionnaire - I walk more slowly than usual because of my back.	RDQ - Walk More Slowly

## REASTINT (Reason for Treatment Interruption)

NCI Code: C102583, Codelist extensible: Yes

<b>C102583 REASTINT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102638	FORGOT TO TAKE MEDICATION DOSE		A patient's failure to remember to take a dose of medication.	Forgot to Take Medication Dose
C71437	INTOLERANCE		An inability to absorb or metabolize certain substances in the normal way.	Intolerance
C102664	MEDICATION MISPLACED		Medications that were lost because they were put in the wrong place.	Medication Misplaced
C91752	PATIENT NONCOMPLIANCE		Failure of a patient to follow medical advice, take medication as directed, or adhere to a prescribed course of treatment.	Patient Noncompliance
C48226	TREATMENT FAILURE		The lack of expected or desired effect related to a therapy. (NCI)	Lack of Efficacy
C80227	VACATION		Leisure time away from work devoted to rest or pleasure.	Vacation



## REASTRT (Reason For Treatment)

NCI Code: C102584, Codelist extensible: Yes

<b>C102584 REASTRT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102635	FAILURE AFTER FIRST TREATMENT		A lack of response to the first cycle of therapy.	Failure After First Treatment
C102636	FAILURE AFTER MULTIPLE TREATMENTS		A lack of response to more than one cycle of therapy.	Failure After Multiple Treatments
C102698	PREVIOUS PATIENT NONCOMPLIANCE		A previous episode of failure by a patient to follow medical advice, take medication as directed, or adhere to a prescribed course of treatment.	Previous Patient Noncompliance
C38155	RECURRENT DISEASE	Recurrent Disease	The return of a disease after a period of remission.	Recurrent Disease

## RELSUB (Relationship to Subject)

NCI Code: C100130, Codelist extensible: Yes

C100130 RELSUB				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130052	ACCIDENTAL ASSOCIATE		A person whose association to an individual is unintentional.	Accidental Association
C96569	AUNT, BIOLOGICAL	Biological Aunt	A female relative who is a sibling of either of the biological parents, and who share a common ancestor. (NCI)	Biological Aunt
C96575	AUNT, BIOLOGICAL MATERNAL	Biological Maternal Aunt	A female relative who is a sibling of the biological mother, and who both share a common ancestor. (NCI)	Biological Maternal Aunt
C96581	AUNT, BIOLOGICAL PATERNAL	Biological Paternal Aunt	A female relative who is a sibling of the biological father, and who both share a common ancestor. (NCI)	Biological Paternal Aunt
C71384	BIOLOGICALLY RELATED		An individual that shares genetic makeup with another individual.	Biological Relative
C130053	BIOLOGICALLY UNRELATED		An individual that does not share any genetic makeup with another individual.	Biologically Unrelated
C96570	BROTHER, BIOLOGICAL	Biological Brother	A male who shares with his sibling the genetic makeup inherited from one or both of their shared biological parents.	Biological Brother
C96656	BROTHER, BIOLOGICAL MATERNAL HALF	Half-brother with Mother as Common Parent	A male who shares with his sibling the genetic makeup inherited from only the biological mother.	Half-brother with Mother as Common Parent
C96655	BROTHER, BIOLOGICAL PATERNAL HALF	Half-brother with Father as Common Parent	A male who shares with his sibling the genetic makeup inherited from only the biological father.	Half-brother with Father as Common Parent
C111201	BROTHER, FULL		A male who shares with his sibling the genetic makeup inherited from both of the biological parents.	Full Brother
C71402	BROTHER, HALF	Half Brother	A male who shares with his sibling the genetic makeup inherited from only one of the biological parents.	Half Brother
C17445	CAREGIVER	Caregiver	The primary person in charge of the care of a patient, usually a family member or a designated health care professional. (NCI)	Caregiver
C100807	CHILD, BIOLOGICAL	Biological Child	A son or daughter with genetic makeup inherited from the parent.	Biological Child
C85499	CLINICIAN	Clinician	An individual, such as a physician, nurse practitioner or other health care professional, who takes responsibility for a subject's care.	Clinician
C96571	COUSIN, BIOLOGICAL	Biological Cousin	A relative who is the offspring of a sibling of either of the biological parents, and who share a common ancestor. (NCI)	Biological Cousin
C96576	COUSIN, BIOLOGICAL MATERNAL	Biological Maternal Cousin	A relative who is the offspring of a sibling of the biological mother and share a common ancestor.	Biological Maternal Cousin
C96582	COUSIN, BIOLOGICAL PATERNAL	Biological Paternal Cousin	A relative who is the offspring of a sibling of the biological father and share a common ancestor.	Biological Paternal Cousin
C53262	DOMESTIC PARTNER	Domestic Partner	Person declares that a domestic partnership relationship exists. (HL7)	Domestic Partnership
C48284	DONOR	Donor	One that contributes something. (NCI)	Donor
C132448	DONOR, BLOOD		Someone from whom blood is removed for transplantation or other purpose.	Blood Donor
C130054	DONOR, KIDNEY		Someone from whom one or more kidneys are removed for transplantation or other purpose.	Kidney Donor
C100810	DONOR, ORGAN	Organ Donor	Someone from whom an organ is removed for transplantation or other purpose.	Organ Donor
C25168	DONOR, TISSUE	Tissue Donor	Someone from whom tissue is removed for transplantation or other purpose.	Tissue Donor
C102873	EDUCATOR		One who instructs or educates others.	Teacher
C41256	FAMILY MEMBER	Family Member	Any of the individuals who are descended from a common progenitor, related by marriage or other legal tie.	Family Member

**C100130 RELSUB**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96572	FATHER, BIOLOGICAL	Biological Father	A male who contributes to the genetic makeup of his offspring through the fertilization of an ovum by his sperm. (NCI)	Biological Father
C72884	FRIEND		A person whom an individual knows, likes, and trusts. (NCI)	Friend
C100805	GRANDCHILD, BIOLOGICAL	Biological Grandchild	A biological child of an individual's biological child.	Biological Grandchild
C96573	GRANDFATHER, BIOLOGICAL	Biological Grandfather	A male relative who is the biological father of either the biological mother or the biological father. (NCI)	Biological Grandfather
C96577	GRANDFATHER, BIOLOGICAL MATERNAL	Biological Maternal Grandfather	A male relative who is the biological father of the biological mother. (NCI)	Biological Maternal Grandfather
C96583	GRANDFATHER, BIOLOGICAL PATERNAL	Biological Paternal Grandfather	A male relative who is the biological father of the biological father. (NCI)	Biological Paternal Grandfather
C96574	GRANDMOTHER, BIOLOGICAL	Biological Grandmother	A female relative who is the biological mother of either the biological mother or the biological father. (NCI)	Biological Grandmother
C96578	GRANDMOTHER, BIOLOGICAL MATERNAL	Biological Maternal Grandmother	A female relative who is the biological mother of the biological mother. (NCI)	Biological Maternal Grandmother
C96584	GRANDMOTHER, BIOLOGICAL PATERNAL	Biological Paternal Grandmother	A female relative who is the biological mother of the biological father. (NCI)	Biological Paternal Grandmother
C100806	GRANDPARENT, BIOLOGICAL	Biological Grandparent	A biological parent of the biological father or biological mother.	Biological Grandparent
C111248	GRANDPARENT, BIOLOGICAL MATERNAL		A relative who is the biological parent of the biological mother.	Maternal Biological Grandparent
C111286	GRANDPARENT, BIOLOGICAL PATERNAL		A relative who is the biological parent of the biological father.	Paternal Biological Grandparent
C132449	HOUSEHOLD MEMBER		An individual who is considered part of the social unit comprising one or more individuals living together (all of whom need not be related) in the same dwelling.	Household Member
C71588	HUSBAND		A male partner in marriage. (NCI)	Husband
C96580	MOTHER, BIOLOGICAL	Biological Mother	A female who contributes to the genetic makeup of her offspring from the fertilization of her ovum. (NCI)	Biological Mother
C132450	MOTHER, STEP		A female who has acquired children through marriage.	Stepmother
C20821	NURSE	Nurse	A professional healthcare provider who has graduated from a nursing program.	Nurse
C100811	PREGNANCY PARTNER	Pregnancy Partner	An individual who provides support to a pregnant individual.	Pregnancy Partner
C21480	RELATIVE		Any individual related biologically or legally to another individual.	Relative
C132451	RELATIVE, BIOLOGICAL PATERNAL		Any biological relative of an individual's biological father.	Biological Relative, Paternal
C21481	RELATIVE, FIRST DEGREE	First Degree Relative	Any individual related biologically or legally to another individual and considered immediate family as in the case of a spouse, parent, sibling or child.	First Degree Relative
C127782	RELATIVE, HOUSEHOLD		Any individual related biologically or legally to another individual and residing in the same residence.	Household Relative
C127783	RELATIVE, NON-HOUSEHOLD		Any individual related biologically or legally to another individual and not residing in the same residence.	Non-household Relative
C19811	RELATIVE, SECOND DEGREE	Second Degree Relative	Any individual related biologically or legally to another individual and considered one degree removed from the immediate family as in the case of in-laws, grandparents, aunts and uncles.	Second Degree Relative
C100808	RELATIVE, THIRD DEGREE	Third Degree Relative	Any individual related biologically or legally to another individual and considered two degrees removed from the immediate family as in the case of cousins.	Third Degree Relative
C127784	SCHOOLMATE		Any individual with whom the subject attends or attended the same school.	Schoolmate

**C100130 RELSUB**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100812	SEXUAL PARTNER	Sexual Partner	A person with whom one has had sexual relations.	Sexual Partner
C100809	SIBLING, BIOLOGICAL	Biological Sibling	A person's brother or sister with whom they share a genetic makeup inherited from their shared biological parents.	Biological Sibling
C71390	SIBLING, FULL		A person's brother or sister with whom they share a genetic makeup inherited from both of their shared biological parents.	Full Sibling
C71391	SIBLING, HALF		A person's brother or sister with whom they share a genetic makeup inherited from one of their shared biological parents.	Half Sibling
C96586	SISTER, BIOLOGICAL	Biological Sister	A female who shares with her sibling the genetic makeup inherited from one or both of their shared biological parents.	Biological Sister
C96658	SISTER, BIOLOGICAL MATERNAL HALF	Half-sister with Mother as Common Parent	A female who shares with her sibling the genetic makeup inherited from only the biological mother.	Half-sister with Mother as Common Parent
C96657	SISTER, BIOLOGICAL PATERNAL HALF	Half-sister with Father as Common Parent	A female who shares with her sibling the genetic makeup inherited from only the biological father.	Half-sister with Father as Common Parent
C111202	SISTER, FULL		A female who shares with her sibling the genetic makeup inherited from both of the biological parents.	Full Sister
C71403	SISTER, HALF	Half Sister	A female who shares with her sibling the genetic makeup inherited from only one of the biological parents.	Half Sister
C62649	SPOUSE	Spouse	A person's partner in marriage. (NCI)	Spouse
C132452	SUSPECTED SOURCE CASE		An individual that is believed likely to have transmitted a disease to another individual.	Suspected Source Case
C63861	TECHNICIAN	Technician	A person skilled in the performance of the technical or procedural aspects of a profession. (NCI)	Technician
C73427	TWIN	Twin	Either of two offspring born from the same pregnancy. (NCI)	Twin
C73428	TWIN, DIZYGOTIC	Dizygotic Twin	Either of the two offspring resulting from two separately fertilized ova during the same pregnancy.	Fraternal Twin
C73429	TWIN, MONOZYGOTIC	Monozygotic Twin	Either of the two offspring resulting from a shared ovum. (NCI)	Identical Twin
C96587	UNCLE, BIOLOGICAL	Biological Uncle	A male relative who is a sibling of either of the biological parents, and who share a common ancestor. (NCI)	Biological Uncle
C96579	UNCLE, BIOLOGICAL MATERNAL	Biological Maternal Uncle	A male relative who is a sibling of the biological mother, and who both share a common ancestor. (NCI)	Biological Maternal Uncle
C96585	UNCLE, BIOLOGICAL PATERNAL	Biological Paternal Uncle	A male relative who is a sibling of the biological father, and who both share a common ancestor. (NCI)	Biological Paternal Uncle

## RELTYPE (Relationship Type)

NCI Code: C78737, Codelist extensible: No

<b>C78737 RELTYPE</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C78728	MANY	Many;Several	More than one. (NCI)	Many
C66832	ONE		A textual representation of the numeral 1.	One

## RETEST (Respiratory Test Name)

NCI Code: C111107, Codelist extensible: Yes

C111107 RETEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C124422	Airway Conductance	Airway Conductance	The instantaneous rate of air flow in the airway, expressed as the pressure difference between any given part of the airway and the alveoli; it is the reciprocal of airway resistance (Raw).	Airway Conductance
C120927	Airway Resistance	Airway Resistance	A measurement of respiratory tract resistance to airflow during inspiration and expiration.	Airway Resistance
C38083	Diffusion Capacity of Lung for CO	Diffusion Capacity of Lung for CO;TLC0;Transfer Factor of Lung for CO	The volume of the carbon monoxide that is transferred from inspired air into the pulmonary capillary blood.	Carbon Monoxide Diffusing Capability Test
C120830	DLCO/VA	DLCO/VA	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the alveolar volume.	Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C135493	Elastance	Elastance	A measure of the resistance of a system to expand, i.e. the pressure change that is required to elicit a unit volume change in the lungs. Elastance is the reciprocal of compliance.	Elastance
C111200	Expiratory Reserve Volume	Expiratory Reserve Volume	The maximum volume of air a subject can exhale from the lungs after a tidal exhalation.	Expiratory Reserve Volume
C147484	Expiratory Vital Capacity	Expiratory Vital Capacity	The maximum volume of air an individual can exhale from the point of maximal inhalation.	Expiratory Vital Capacity
C139249	FEV at PEF	FEV at PEF;Forced Expiratory Volume at Peak Expiratory Flow	The volume of gas that is forcibly exhaled at the peak of expiratory flow.	Forced Expiratory Volume at Peak Expiratory Flow
C112285	FEV1 Reversibility	FEV1 Reversibility	The change in FEV1 following administration of a bronchodilator relative to the pre-treatment FEV1 value.	Forced Expiratory Volume in 1 Second Reversibility
C111359	FEV1/FVC	FEV1/FVC	The ratio of the forced expiratory volume during the first second of exhalation to the largest observed expired volume during a forced vital capacity maneuver.	Forced Expiratory Volume in 1 Second to Forced Vital Capacity Ratio Measurement
C123565	FEV1/FVC6	FEV1/FVC6	The ratio of the forced expiratory volume during the first second of exhalation to the largest observed expired volume during the first six seconds of a forced vital capacity maneuver.	Forced Expiratory Volume in 1 Second to Forced Vital Capacity in 6 Seconds
C119545	Forced Expiratory Flow 25-75%	Forced Expiratory Flow 25-75%	The mean forced expiratory flow rate at 25-75% of the forced vital capacity. (NCI)	Forced Expiratory Flow at 25-75 Percent
C139253	Forced Expiratory Flow 50%	Forced Expiratory Flow 50%	The mean forced expiratory flow rate at 50% of the forced vital capacity. (NCI)	Forced Expiratory Flow at 50 Percent Forced Vital Capacity
C139250	Forced Expiratory Flow in 0.05 Second	Forced Expiratory Flow in 0.05 Second	The forced expiratory flow rate during the first 0.05 second of a forced exhalation.	Forced Expiratory Flow in 0.05 Second
C139251	Forced Expiratory Flow in 0.1 Second	Forced Expiratory Flow in 0.1 Second	The forced expiratory flow rate during the first 0.1 second of a forced exhalation.	Forced Expiratory Flow in 0.1 Second
C139252	Forced Expiratory Flow in 0.2 Second	Forced Expiratory Flow in 0.2 Second	The forced expiratory flow rate during the first 0.2 second of a forced exhalation.	Forced Expiratory Flow in 0.2 Second
C139243	Forced Expiratory Volume in 0.05 S/FVC	Forced Expiratory Volume in 0.05 S/FVC;Forced Expiratory Volume in 0.05 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.05 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.05 Second to FVC Ratio Measurement
C139246	Forced Expiratory Volume in 0.05 Second	Forced Expiratory Volume in 0.05 Second	The volume of air that can be forcibly exhaled during the first 0.05 second following maximal inhalation.	Forced Expiratory Volume in 0.05 Second
C139244	Forced Expiratory Volume in 0.1 S/FVC	Forced Expiratory Volume in 0.1 S/FVC;Forced Expiratory Volume in 0.1 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.1 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.1 Second to FVC Ratio Measurement
C139247	Forced Expiratory Volume in 0.1 Second	Forced Expiratory Volume in 0.1 Second	The volume of air that can be forcibly exhaled during the first 0.1 second following maximal inhalation.	Forced Expiratory Volume in 0.1 Second

**C111107 RETEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C139245	Forced Expiratory Volume in 0.2 S/FVC	Forced Expiratory Volume in 0.2 S/FVC; Forced Expiratory Volume in 0.2 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.2 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.2 Second to FVC Ratio Measurement
C139248	Forced Expiratory Volume in 0.2 Second	Forced Expiratory Volume in 0.2 Second	The volume of air that can be forcibly exhaled during the first 0.2 second following maximal inhalation.	Forced Expiratory Volume in 0.2 Second
C139262	Forced Expiratory Volume in 0.5 Second	Forced Expiratory Volume in 0.5 Second	The volume of air that can be forcibly exhaled during the first half second following maximal inhalation.	Forced Expiratory Volume in 0.5 Second
C38084	Forced Expiratory Volume in 1 Second	Forced Expiratory Volume in 1 Second	The volume of air that can be forcibly exhaled during the first second following maximal inhalation.	Forced Expiratory Volume in 1 Second
C132453	Forced Expiratory Volume in 3 Seconds	Forced Expiratory Volume in 3 Seconds	The volume of air that can be forcibly exhaled during the first three seconds following maximal inhalation.	Forced Expiratory Volume in 3 Seconds
C47843	Forced Expiratory Volume in 6 Seconds	Forced Expiratory Volume in 6 Seconds	The volume of air that can be forcibly exhaled during the first six seconds following maximal inhalation.	Forced Expiratory Volume in 6 Seconds
C124418	Forced Inspiratory Flow at 25%	Forced Inspiratory Flow at 25%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 25 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 25%
C124419	Forced Inspiratory Flow at 50%	Forced Inspiratory Flow at 50%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 50 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 50%
C124420	Forced Inspiratory Flow at 75%	Forced Inspiratory Flow at 75%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 75 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 75%
C139263	Forced Inspiratory Vital Capacity	Forced Inspiratory Vital Capacity	The difference in lung volume between maximal expiration to residual volume followed immediately by full inspiration to total lung capacity during forceful inhalation.	Forced Inspiratory Vital Capacity
C111360	Forced Inspiratory Volume in 1 Second	Forced Inspiratory Volume in 1 Second	The volume of air that a subject can breathe in during the first second of inhalation after maximum exhalation.	Forced Inspiratory Volume in 1 Second
C111361	Forced Vital Capacity	Forced Vital Capacity	The volume of air that can be forcibly exhaled following maximal inhalation.	Forced Vital Capacity
C124421	Forced Vital Capacity in 6 Seconds	Forced Vital Capacity in 6 Seconds	The volume of air that can be forcibly exhaled during the first six seconds following maximal inhalation.	Forced Vital Capacity in 6 Seconds
C89800	Functional Residual Capacity	Functional Residual Capacity	The volume of air remaining in the lungs after a normal exhalation. (NCI)	Functional Residual Capacity
C120825	HGB Corrected DLCO	HGB Corrected DLCO	The diffusing capacity of the lungs for carbon monoxide adjusted for hemoglobin concentration.	Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide
C120827	HGB Corrected DLCO/VA	HGB Corrected DLCO/VA	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the alveolar volume, adjusted for hemoglobin concentration.	Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C112321	IC Reversibility	IC Reversibility	The change in IC following administration of a bronchodilator relative to the pre-treatment IC value.	Inspiratory Capacity Reversibility
C139254	Inertance	Inertance	The measure of the force of the column of air in the conducting airways.	Pulmonary Inertance
C111362	Inspiratory Capacity	Inspiratory Capacity	The maximum volume of air a subject can inhale into the lungs after a tidal exhalation (IRV plus TV).	Inspiratory Capacity
C111237	Inspiratory Reserve Volume	Inspiratory Reserve Volume	The maximum volume of air a subject can inhale into the lungs after a tidal inhalation.	Inspiratory Reserve Volume
C124423	Inspiratory Vital Capacity	Inspiratory Vital Capacity	The maximum volume of air an individual can inhale from the point of maximal exhalation.	Inspiratory Vital Capacity
C124425	Lung Clearance Index	Lung Clearance Index	A representative measurement of the number of times the volume of air in the lung at the start of the washout (the Functional Residual Capacity) must be recycled to eliminate the tracer to the pre-defined endpoint.	Lung Clearance Index
C135494	Maximal Expiratory Pressure	Maximal Expiratory Pressure	The greatest amount of pressure that can be generated by exhaling against a mouthpiece, which is a measure of the strength of respiratory muscles. (NCI)	Maximal Expiratory Pressure

**C111107 RETEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C135496	Maximal Inspiratory Pressure	Maximal Inspiratory Pressure;NIF;Negative Inspiratory Force	The greatest amount of pressure that can be generated during inhalation against a fully occluded airway, which is used to measure the strength of respiratory muscles. (NCI)	Maximal Inspiratory Pressure
C112333	Maximum Forced Inspiratory Flow	Maximum Forced Inspiratory Flow	The fastest rate of inspired air achieved during a forced inspiration maneuver.	Maximum Forced Inspiratory Flow
C123564	Mean Diffusion Capacity of Lung for CO	Mean Diffusion Capacity of Lung for CO	The mean volume of the carbon monoxide that is transferred from inspired air into the pulmonary capillary blood.	Mean Carbon Monoxide Diffusing Capability Test
C123570	Oxygen Consumption	Oxygen Consumption	The rate at which oxygen is absorbed and utilized by any given tissue in the body.	Oxygen Consumption
C123566	Oxygen Pulse	Oxygen Pulse	The volume of oxygen per heartbeat consumed by the body while at rest.	Oxygen Pulse
C135498	Peak Cough Flow	Peak Cough Flow	The maximum rate of air flow expelled through the mouth, endotracheal, or tracheostomy tube during a cough. (NCI)	Peak Cough Flow
C41372	Peak Expiratory Flow	Peak Expiratory Flow	The maximum rate of exhalation.	Peak Expiratory Flow
C139259	Peak Expiratory Flow Time	Peak Expiratory Flow Time	The time from the start of the test until the subject reaches his maximum expiratory gas flow rate.	Peak Expiratory Flow Time
C120939	Peak Inspiratory Flow	Peak Inspiratory Flow	The maximum rate of inhalation.	Peak Inspiratory Flow Rate
C119547	Peak Nasal Inspiratory Flow	Peak Nasal Inspiratory Flow	The maximal flow achieved during the maximally forced inspiration through the nose initiated at maximum exhalation. (NCI)	Peak Nasal Inspiratory Flow
C112368	PEF Reversibility	PEF Reversibility	The change in PEF following administration of a bronchodilator relative to the pre-treatment PEF value.	Peak Expiratory Flow Reversibility
C120829	Percent Predicted DLCO	Percent Predicted DLCO	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the predicted normal value.	Percent Predicted Diffusion Capacity of the Lung for Carbon Monoxide
C120831	Percent Predicted DLCO/VA	Percent Predicted DLCO/VA	The proportion of the diffusing capacity of the lungs for carbon monoxide to alveolar volume, expressed as a proportion of the predicted normal value.	Percent Predicted Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C112375	Percent Predicted ERV	Percent Predicted ERV	The maximum volume of air a subject can exhale from the lungs after a tidal exhalation as a proportion of the predicted normal value.	Percent Predicted Expiratory Reserve Volume
C119546	Percent Predicted FEF25-75	Percent Predicted FEF25-75	The mean forced expiratory flow rate at 25-75% of the forced vital capacity as a proportion of the predicted normal value. (NCI)	Percent Predicted Forced Expiratory Flow at 25-75 Percent
C112376	Percent Predicted FEV1	Percent Predicted FEV1	Forced expiratory volume in one second as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 1 Second
C112377	Percent Predicted FEV1/FVC	Percent Predicted FEV1/FVC	The proportion of total forced vital capacity that is expelled during the first second of a forced exhalation as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 1 Second Divided by Forced Vital Capacity
C112378	Percent Predicted FEV6	Percent Predicted FEV6	Forced expiratory volume in six seconds as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 6 Seconds
C112379	Percent Predicted FIFmax	Percent Predicted FIFmax	The fastest rate of inspired air achieved during a forced inspiration maneuver expressed as a percentage of the expected result value for healthy individuals with similar characteristics.	Percent Predicted Forced Inspiratory Flow Maximum
C112380	Percent Predicted FIV1	Percent Predicted FIV1	The volume of air that a subject can breathe in during the first second of inhalation after maximum exhalation as a proportion of the predicted normal value.	Percent Predicted Forced Inspiratory Volume in 1 Second
C112381	Percent Predicted Forced Vital Capacity	Percent Predicted Forced Vital Capacity	Forced vital capacity as a proportion of the predicted normal value.	Percent Predicted Forced Vital Capacity



**C111107 RETEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126052	Percent Predicted FRC	Percent Predicted FRC	The functional residual capacity as a proportion of the predicted normal value.	Percent Predicted Functional Residual Capacity
C120826	Percent Predicted HGB Corrected DLCO	Percent Predicted HGB Corrected DLCO	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the predicted normal value, adjusted for hemoglobin concentration.	Percent Predicted Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide
C120828	Percent Predicted HGB Corrected DLCO/VA	Percent Predicted HGB Corrected DLCO/VA	The proportion of diffusing capacity of the lungs for carbon monoxide to the alveolar volume expressed as a proportion of the predicted normal value, adjusted for hemoglobin concentration.	Percent Predicted Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C112382	Percent Predicted Inspiratory Capacity	Percent Predicted Inspiratory Capacity	The maximum volume of air a subject can inhale into the lungs after a tidal exhalation (IRV plus TV) as a proportion of the predicted normal value.	Percent Predicted Inspiratory Capacity
C112383	Percent Predicted IRV	Percent Predicted IRV	The maximum volume of air a subject can inhale into the lungs after a tidal inhalation as a proportion of the predicted normal value.	Percent Predicted Inspiratory Reserve Volume
C124424	Percent Predicted IVC	Percent Predicted IVC	The maximum volume of air an individual can inhale from the point of maximal exhalation as a percentage of the predicted normal value.	Percent Predicted Inspiratory Vital Capacity
C135495	Percent Predicted MEP	Percent Predicted MEP	The greatest amount of pressure that can be generated by exhaling against a mouthpiece, which is a measure of the strength of respiratory muscles expressed as a proportion of the predicted normal value. (NCI)	Percent Predicted Maximal Expiratory Pressure
C135497	Percent Predicted MIP	Percent Predicted MIP	The greatest amount of pressure that can be generated during inhalation against a fully occluded airway, which is used to measure the strength of respiratory muscles expressed as a proportion of the predicted normal value. (NCI)	Percent Predicted Maximal Inspiratory Pressure
C112384	Percent Predicted Peak Expiratory Flow	Percent Predicted Peak Expiratory Flow	The maximal flow achieved during the maximally forced expiration initiated at maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Peak Expiratory Flow
C112385	Percent Predicted Residual Volume	Percent Predicted Residual Volume	The volume of air remaining in the lungs after maximum exhalation as a proportion of the predicted normal value.	Percent Predicted Residual Volume
C112386	Percent Predicted Slow Vital Capacity	Percent Predicted Slow Vital Capacity	The maximum volume of air that can be exhaled after slow maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Slow Vital Capacity
C112387	Percent Predicted Tidal Volume	Percent Predicted Tidal Volume	The volume of air moved into and out of the lungs during breathing at rest as a proportion of the predicted normal value.	Percent Predicted Tidal Volume
C112388	Percent Predicted Total Lung Capacity	Percent Predicted Total Lung Capacity	The total volume of air in the lungs after maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Total Lung Capacity
C135499	Pulmonary Blood Flow	Pulmonary Blood Flow	An evaluation of the perfusion of a specific lung segment. (NCI)	Pulmonary Blood Flow Assessment
C123567	Pulmonary Reactance	Pulmonary Reactance	A measurement of the ability of the lung to store energy, which is required for passive expiration.	Pulmonary Reactance
C139255	Quasi-Static Compliance	Quasi-Static Compliance	The static elastic recoil pressure of the lungs at a given lung volume.	Quasi-Static Compliance
C89836	Residual Volume	Residual Volume	The volume of air remaining in the lungs after maximum exhalation.	Residual Volume
C123568	Respiratory Exchange Ratio	Respiratory Exchange Ratio	The ratio between the amount of carbon dioxide produced and oxygen consumed in one breath.	Respiratory Exchange Ratio
C139256	Salazar-Knowles Equation Parameter A	Salazar-Knowles Equation Parameter A	A representation of the exponential function described by the Salazar-Knowles equation, and an estimation of a subject's inspiratory capacity.	Salazar-Knowles Equation Parameter A
C139257	Salazar-Knowles Equation Parameter B	Salazar-Knowles Equation Parameter B	The difference between the volume at total lung capacity and the hypothesized volume at a transpulmonary pressure of zero.	Salazar-Knowles Equation Parameter B
C139258	Salazar-Knowles Equation, K	Salazar-Knowles Equation, K	The reflection of the curvature of the upper portion of the deflationary limb of the pressure-volume curve.	Salazar-Knowles Equation, K Parameter

**C111107 RETEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111315	Slow Vital Capacity	Slow Vital Capacity	The maximum volume of air that can be exhaled after slow maximum inhalation.	Slow Vital Capacity
C122186	Specific Airway Conductance	Specific Airway Conductance	A measurement of the airway conductance relative to lung volume. (NCI)	Specific Airway Conductance
C123569	Specific Airway Resistance	Specific Airway Resistance	A measurement used to describe airway behavior irrespective of lung volume; it is calculated as airway resistance (Raw) multiplied by functional residual capacity (FRC).	Specific Airway Resistance
C124426	Thoracic Gas Volume	Thoracic Gas Volume	The absolute volume of air contained in the thoracic cavity at any given point in time and at any level of alveolar pressure.	Thoracic Gas Volume
C111324	Tidal Volume	Tidal Volume	The volume of air moved into and out of the lungs during breathing at rest.	Tidal Volume
C139260	Tissue Elastance	Tissue Elastance	A measurement of the reflection of energy conservation within a given tissue.	Tissue Elastance
C139261	Tissue Hysteresivity	Tissue Hysteresivity	The energy dissipated relative to the elastic energy stored in the tissue in a P-V cycle. (Fredberg JJ, Stamenovic D. On the imperfect elasticity of lung tissue. J Appl Physiol (1985). 1989 Dec;67(6):2408-19).	Tissue Hysteresivity Measurement
C111325	Total Lung Capacity	Total Lung Capacity	The total volume of air in the lungs after maximum inhalation.	Total Lung Capacity
C122185	Total Respiratory System Resistance	Total Respiratory System Resistance	A calculated value based on all factors that influence the flow of gas from the airway opening to the alveoli, including airway resistance, and tissue resistance of the lung and chest wall. (NCI)	Total Respiratory System Resistance

## RETESTCD (Respiratory Test Code)

NCI Code: C111106, Codelist extensible: Yes

C111106 RETESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38083	DLCO	Diffusion Capacity of Lung for CO;TLCO;Transfer Factor of Lung for CO	The volume of the carbon monoxide that is transferred from inspired air into the pulmonary capillary blood.	Carbon Monoxide Diffusing Capability Test
C120825	DLCOHC	HGB Corrected DLCO	The diffusing capacity of the lungs for carbon monoxide adjusted for hemoglobin concentration.	Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide
C120826	DLCOHCPP	Percent Predicted HGB Corrected DLCO	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the predicted normal value, adjusted for hemoglobin concentration.	Percent Predicted Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide
C120827	DLCOHCVA	HGB Corrected DLCO/VA	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the alveolar volume, adjusted for hemoglobin concentration.	Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C120828	DLCOHVAP	Percent Predicted HGB Corrected DLCO/VA	The proportion of diffusing capacity of the lungs for carbon monoxide to the alveolar volume expressed as a proportion of the predicted normal value, adjusted for hemoglobin concentration.	Percent Predicted Hemoglobin Corrected Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C123564	DLCOM	Mean Diffusion Capacity of Lung for CO	The mean volume of the carbon monoxide that is transferred from inspired air into the pulmonary capillary blood.	Mean Carbon Monoxide Diffusing Capability Test
C120829	DLCOPP	Percent Predicted DLCO	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the predicted normal value.	Percent Predicted Diffusion Capacity of the Lung for Carbon Monoxide
C120830	DLCOVA	DLCO/VA	The diffusing capacity of the lungs for carbon monoxide expressed as a proportion of the alveolar volume.	Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C120831	DLCOVAPP	Percent Predicted DLCO/VA	The proportion of the diffusing capacity of the lungs for carbon monoxide to alveolar volume, expressed as a proportion of the predicted normal value.	Percent Predicted Diffusion Capacity of the Lung for Carbon Monoxide/Alveolar Volume Ratio
C135493	ELSTNCE	Elastance	A measure of the resistance of a system to expand, i.e. the pressure change that is required to elicit a unit volume change in the lungs. Elastance is the reciprocal of compliance.	Elastance
C111200	ERV	Expiratory Reserve Volume	The maximum volume of air a subject can exhale from the lungs after a tidal exhalation.	Expiratory Reserve Volume
C112375	ERVPP	Percent Predicted ERV	The maximum volume of air a subject can exhale from the lungs after a tidal exhalation as a proportion of the predicted normal value.	Percent Predicted Expiratory Reserve Volume
C139243	EV_05FVC	Forced Expiratory Volume in 0.05 S/FVC;Forced Expiratory Volume in 0.05 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.05 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.05 Second to FVC Ratio Measurement
C139244	EV_1FVC	Forced Expiratory Volume in 0.1 S/FVC;Forced Expiratory Volume in 0.1 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.1 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.1 Second to FVC Ratio Measurement
C139245	EV_2FVC	Forced Expiratory Volume in 0.2 S/FVC;Forced Expiratory Volume in 0.2 Seconds over FVC	The ratio of the volume of gas that is forcibly exhaled during the first 0.2 seconds following maximal inhalation to that of the forced vital capacity.	Forced Expiratory Volume in 0.2 Second to FVC Ratio Measurement
C147484	EVC	Expiratory Vital Capacity	The maximum volume of air an individual can exhale from the point of maximal inhalation.	Expiratory Vital Capacity
C119545	FEF2575	Forced Expiratory Flow 25-75%	The mean forced expiratory flow rate at 25-75% of the forced vital capacity. (NCI)	Forced Expiratory Flow at 25-75 Percent

**C111106 RETESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119546	FEF2575P	Percent Predicted FEF25-75	The mean forced expiratory flow rate at 25-75% of the forced vital capacity as a proportion of the predicted normal value. (NCI)	Percent Predicted Forced Expiratory Flow at 25-75 Percent
C139253	FEF50	Forced Expiratory Flow 50%	The mean forced expiratory flow rate at 50% of the forced vital capacity. (NCI)	Forced Expiratory Flow at 50 Percent Forced Vital Capacity
C139250	FEF_05	Forced Expiratory Flow in 0.05 Second	The forced expiratory flow rate during the first 0.05 second of a forced exhalation.	Forced Expiratory Flow in 0.05 Second
C139251	FEF_1	Forced Expiratory Flow in 0.1 Second	The forced expiratory flow rate during the first 0.1 second of a forced exhalation.	Forced Expiratory Flow in 0.1 Second
C139252	FEF_2	Forced Expiratory Flow in 0.2 Second	The forced expiratory flow rate during the first 0.2 second of a forced exhalation.	Forced Expiratory Flow in 0.2 Second
C38084	FEV1	Forced Expiratory Volume in 1 Second	The volume of air that can be forcibly exhaled during the first second following maximal inhalation.	Forced Expiratory Volume in 1 Second
C111359	FEV1FVC	FEV1/FVC	The ratio of the forced expiratory volume during the first second of exhalation to the largest observed expired volume during a forced vital capacity maneuver.	Forced Expiratory Volume in 1 Second to Forced Vital Capacity Ratio Measurement
C123565	FEV1FVC6	FEV1/FVC6	The ratio of the forced expiratory volume during the first second of exhalation to the largest observed expired volume during the first six seconds of a forced vital capacity maneuver.	Forced Expiratory Volume in 1 Second to Forced Vital Capacity in 6 Seconds
C112377	FEV1FVCP	Percent Predicted FEV1/FVC	The proportion of total forced vital capacity that is expelled during the first second of a forced exhalation as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 1 Second Divided by Forced Vital Capacity
C112376	FEV1PP	Percent Predicted FEV1	Forced expiratory volume in one second as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 1 Second
C112285	FEV1REV	FEV1 Reversibility	The change in FEV1 following administration of a bronchodilator relative to the pre-treatment FEV1 value.	Forced Expiratory Volume in 1 Second Reversibility
C132453	FEV3	Forced Expiratory Volume in 3 Seconds	The volume of air that can be forcibly exhaled during the first three seconds following maximal inhalation.	Forced Expiratory Volume in 3 Seconds
C47843	FEV6	Forced Expiratory Volume in 6 Seconds	The volume of air that can be forcibly exhaled during the first six seconds following maximal inhalation.	Forced Expiratory Volume in 6 Seconds
C112378	FEV6PP	Percent Predicted FEV6	Forced expiratory volume in six seconds as a proportion of the predicted normal value.	Percent Predicted Forced Expiratory Volume in 6 Seconds
C139246	FEV_05	Forced Expiratory Volume in 0.05 Second	The volume of air that can be forcibly exhaled during the first 0.05 second following maximal inhalation.	Forced Expiratory Volume in 0.05 Second
C139247	FEV_1	Forced Expiratory Volume in 0.1 Second	The volume of air that can be forcibly exhaled during the first 0.1 second following maximal inhalation.	Forced Expiratory Volume in 0.1 Second
C139248	FEV_2	Forced Expiratory Volume in 0.2 Second	The volume of air that can be forcibly exhaled during the first 0.2 second following maximal inhalation.	Forced Expiratory Volume in 0.2 Second
C139262	FEV_5	Forced Expiratory Volume in 0.5 Second	The volume of air that can be forcibly exhaled during the first half second following maximal inhalation.	Forced Expiratory Volume in 0.5 Second
C139249	FEV_PEF	FEV at PEF; Forced Expiratory Volume at Peak Expiratory Flow	The volume of gas that is forcibly exhaled at the peak of expiratory flow.	Forced Expiratory Volume at Peak Expiratory Flow
C124418	FIF25	Forced Inspiratory Flow at 25%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 25 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 25%
C124419	FIF50	Forced Inspiratory Flow at 50%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 50 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 50%
C124420	FIF75	Forced Inspiratory Flow at 75%	The forced inspiratory flow rate at the point on the inspiratory flow-volume curve where 75 percent of the total volume of air has been inhaled.	Forced Inspiratory Flow at 75%
C112333	FIFMAX	Maximum Forced Inspiratory Flow	The fastest rate of inspired air achieved during a forced inspiration maneuver.	Maximum Forced Inspiratory Flow

## C111106 RETESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112379	FIFMAXPP	Percent Predicted FIFmax	The fastest rate of inspired air achieved during a forced inspiration maneuver expressed as a percentage of the expected result value for healthy individuals with similar characteristics.	Percent Predicted Forced Inspiratory Flow Maximum
C111360	FIV1	Forced Inspiratory Volume in 1 Second	The volume of air that a subject can breathe in during the first second of inhalation after maximum exhalation.	Forced Inspiratory Volume in 1 Second
C112380	FIV1PP	Percent Predicted FIV1	The volume of air that a subject can breathe in during the first second of inhalation after maximum exhalation as a proportion of the predicted normal value.	Percent Predicted Forced Inspiratory Volume in 1 Second
C139263	FIVC	Forced Inspiratory Vital Capacity	The difference in lung volume between maximal expiration to residual volume followed immediately by full inspiration to total lung capacity during forceful inhalation.	Forced Inspiratory Vital Capacity
C89800	FRC	Functional Residual Capacity	The volume of air remaining in the lungs after a normal exhalation. (NCI)	Functional Residual Capacity
C126052	FRCPP	Percent Predicted FRC	The functional residual capacity as a proportion of the predicted normal value.	Percent Predicted Functional Residual Capacity
C111361	FVC	Forced Vital Capacity	The volume of air that can be forcibly exhaled following maximal inhalation.	Forced Vital Capacity
C124421	FVC6	Forced Vital Capacity in 6 Seconds	The volume of air that can be forcibly exhaled during the first six seconds following maximal inhalation.	Forced Vital Capacity in 6 Seconds
C112381	FVCPP	Percent Predicted Forced Vital Capacity	Forced vital capacity as a proportion of the predicted normal value.	Percent Predicted Forced Vital Capacity
C124422	GAW	Airway Conductance	The instantaneous rate of air flow in the airway, expressed as the pressure difference between any given part of the airway and the alveoli; it is the reciprocal of airway resistance (Raw).	Airway Conductance
C111362	IC	Inspiratory Capacity	The maximum volume of air a subject can inhale into the lungs after a tidal exhalation (IRV plus TV).	Inspiratory Capacity
C112382	ICPP	Percent Predicted Inspiratory Capacity	The maximum volume of air a subject can inhale into the lungs after a tidal exhalation (IRV plus TV) as a proportion of the predicted normal value.	Percent Predicted Inspiratory Capacity
C112321	ICREV	IC Reversibility	The change in IC following administration of a bronchodilator relative to the pre-treatment IC value.	Inspiratory Capacity Reversibility
C139254	INERTANC	Inertance	The measure of the force of the column of air in the conducting airways.	Pulmonary Inertance
C111237	IRV	Inspiratory Reserve Volume	The maximum volume of air a subject can inhale into the lungs after a tidal inhalation.	Inspiratory Reserve Volume
C112383	IRVPP	Percent Predicted IRV	The maximum volume of air a subject can inhale into the lungs after a tidal inhalation as a proportion of the predicted normal value.	Percent Predicted Inspiratory Reserve Volume
C124423	IVC	Inspiratory Vital Capacity	The maximum volume of air an individual can inhale from the point of maximal exhalation.	Inspiratory Vital Capacity
C124424	IVCPP	Percent Predicted IVC	The maximum volume of air an individual can inhale from the point of maximal exhalation as a percentage of the predicted normal value.	Percent Predicted Inspiratory Vital Capacity
C124425	LCI	Lung Clearance Index	A representative measurement of the number of times the volume of air in the lung at the start of the washout (the Functional Residual Capacity) must be recycled to eliminate the tracer to the pre-defined endpoint.	Lung Clearance Index
C135494	MEP	Maximal Expiratory Pressure	The greatest amount of pressure that can be generated by exhaling against a mouthpiece, which is a measure of the strength of respiratory muscles. (NCI)	Maximal Expiratory Pressure
C135495	MEPPP	Percent Predicted MEP	The greatest amount of pressure that can be generated by exhaling against a mouthpiece, which is a measure of the strength of respiratory muscles expressed as a proportion of the predicted normal value. (NCI)	Percent Predicted Maximal Expiratory Pressure
C135496	MIP	Maximal Inspiratory Pressure;NIF;Negative Inspiratory Force	The greatest amount of pressure that can be generated during inhalation against a fully occluded airway, which is used to measure the strength of respiratory muscles. (NCI)	Maximal Inspiratory Pressure

## C111106 RETESTCD

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135497	MIPPP	Percent Predicted MIP	The greatest amount of pressure that can be generated during inhalation against a fully occluded airway, which is used to measure the strength of respiratory muscles expressed as a proportion of the predicted normal value. (NCI)	Percent Predicted Maximal Inspiratory Pressure
C123566	OXPULSE	Oxygen Pulse	The volume of oxygen per heartbeat consumed by the body while at rest.	Oxygen Pulse
C135498	PCF	Peak Cough Flow	The maximum rate of air flow expelled through the mouth, endotracheal, or tracheostomy tube during a cough. (NCI)	Peak Cough Flow
C41372	PEF	Peak Expiratory Flow	The maximum rate of exhalation.	Peak Expiratory Flow
C112384	PEFPP	Percent Predicted Peak Expiratory Flow	The maximal flow achieved during the maximally forced expiration initiated at maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Peak Expiratory Flow
C112368	PEFREV	PEF Reversibility	The change in PEF following administration of a bronchodilator relative to the pre-treatment PEF value.	Peak Expiratory Flow Reversibility
C139259	PEFTIME	Peak Expiratory Flow Time	The time from the start of the test until the subject reaches his maximum expiratory gas flow rate.	Peak Expiratory Flow Time
C120939	PIF	Peak Inspiratory Flow	The maximum rate of inhalation.	Peak Inspiratory Flow Rate
C135499	PLMBLFLW	Pulmonary Blood Flow	An evaluation of the perfusion of a specific lung segment. (NCI)	Pulmonary Blood Flow Assessment
C123567	PLMXRS	Pulmonary Reactance	A measurement of the ability of the lung to store energy, which is required for passive expiration.	Pulmonary Reactance
C119547	PNIF	Peak Nasal Inspiratory Flow	The maximal flow achieved during the maximally forced inspiration through the nose initiated at maximum exhalation. (NCI)	Peak Nasal Inspiratory Flow
C139255	QUASCOMP	Quasi-Static Compliance	The static elastic recoil pressure of the lungs at a given lung volume.	Quasi-Static Compliance
C120927	RAW	Airway Resistance	A measurement of respiratory tract resistance to airflow during inspiration and expiration.	Airway Resistance
C123568	RER	Respiratory Exchange Ratio	The ratio between the amount of carbon dioxide produced and oxygen consumed in one breath.	Respiratory Exchange Ratio
C122185	RRS	Total Respiratory System Resistance	A calculated value based on all factors that influence the flow of gas from the airway opening to the alveoli, including airway resistance, and tissue resistance of the lung and chest wall. (NCI)	Total Respiratory System Resistance
C89836	RV	Residual Volume	The volume of air remaining in the lungs after maximum exhalation.	Residual Volume
C112385	RVPP	Percent Predicted Residual Volume	The volume of air remaining in the lungs after maximum exhalation as a proportion of the predicted normal value.	Percent Predicted Residual Volume
C139256	SALKA	Salazar-Knowles Equation Parameter A	A representation of the exponential function described by the Salazar-Knowles equation, and an estimation of a subject's inspiratory capacity.	Salazar-Knowles Equation Parameter A
C139257	SALKB	Salazar-Knowles Equation Parameter B	The difference between the volume at total lung capacity and the hypothesized volume at a transpulmonary pressure of zero.	Salazar-Knowles Equation Parameter B
C139258	SALKK	Salazar-Knowles Equation, K	The reflection of the curvature of the upper portion of the deflationary limb of the pressure-volume curve.	Salazar-Knowles Equation, K Parameter
C122186	SGAW	Specific Airway Conductance	A measurement of the airway conductance relative to lung volume. (NCI)	Specific Airway Conductance
C123569	SRAW	Specific Airway Resistance	A measurement used to describe airway behavior irrespective of lung volume; it is calculated as airway resistance (Raw) multiplied by functional residual capacity (FRC).	Specific Airway Resistance
C111315	SVC	Slow Vital Capacity	The maximum volume of air that can be exhaled after slow maximum inhalation.	Slow Vital Capacity
C112386	SVCPP	Percent Predicted Slow Vital Capacity	The maximum volume of air that can be exhaled after slow maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Slow Vital Capacity

**C111106 RETESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124426	TGV	Thoracic Gas Volume	The absolute volume of air contained in the thoracic cavity at any given point in time and at any level of alveolar pressure.	Thoracic Gas Volume
C111325	TLC	Total Lung Capacity	The total volume of air in the lungs after maximum inhalation.	Total Lung Capacity
C112388	TLCPP	Percent Predicted Total Lung Capacity	The total volume of air in the lungs after maximum inhalation as a proportion of the predicted normal value.	Percent Predicted Total Lung Capacity
C139260	TSUELAS	Tissue Elastance	A measurement of the reflection of energy conservation within a given tissue.	Tissue Elastance
C139261	TSUHYS	Tissue Hysteresivity	The energy dissipated relative to the elastic energy stored in the tissue in a P-V cycle. (Fredberg JJ, Stamenovic D. On the imperfect elasticity of lung tissue. J Appl Physiol (1985). 1989 Dec;67(6):2408-19).	Tissue Hysteresivity Measurement
C111324	TV	Tidal Volume	The volume of air moved into and out of the lungs during breathing at rest.	Tidal Volume
C112387	TVPP	Percent Predicted Tidal Volume	The volume of air moved into and out of the lungs during breathing at rest as a proportion of the predicted normal value.	Percent Predicted Tidal Volume
C123570	VO2	Oxygen Consumption	The rate at which oxygen is absorbed and utilized by any given tissue in the body.	Oxygen Consumption

## RISEF1TC (Rising From Floor Functional Test Test Code)

NCI Code: C141659, Codelist extensible: No

<b>C141659 RISEF1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141702	RISEF101	RISEF1-Time to Rise From Floor	Rising From Floor - Time to rise from supine position.	Rising From Floor - Time to Rise From Floor
C141703	RISEF102	RISEF1-Test Grade	Rising From Floor - Test grade.	Rising From Floor - Test Grade



## RISEF1TN (Rising From Floor Functional Test Test Name)

NCI Code: C141658, Codelist extensible: No

<b>C141658 RISEF1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141703	RISEF1-Test Grade	RISEF1-Test Grade	Rising From Floor - Test grade.	Rising From Floor - Test Grade
C141702	RISEF1-Time to Rise From Floor	RISEF1-Time to Rise From Floor	Rising From Floor - Time to rise from supine position.	Rising From Floor - Time to Rise From Floor

**RISKSOC (Social Risk Factor)**

NCI Code: C102587, Codelist extensible: Yes

<b>C102587 RISKSOC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102714	CONTACT WITH TUBERCULOSIS SOURCE		An individual that came into contact with a source of Tuberculosis.	Subject in Contact With Tuberculosis Source
C102613	CURRENT OR RECENT EMPLOYEE OR VOLUNTEER IN HOMELESS SHELTER		An individual who is presently or not long ago worked or offered to assist without pay at a temporary housing facility for persons without a stable or permanent residence.	Current or Recent Employee or Volunteer in Homeless Shelter
C102614	CURRENT OR RECENT EMPLOYEE OR VOLUNTEER IN JAIL OR PRISON		An individual who is presently or not long ago worked or offered to assist without pay at an institution where persons are confined for punishment and to protect the public.	Current or Recent Employee or Volunteer in Jail or Prison
C102615	CURRENT OR RECENT EMPLOYEE OR VOLUNTEER IN NURSING HOME		An individual who is presently or not long ago worked or offered to assist without pay at a residential health care facility for persons with chronic illness or disability.	Current or Recent Employee or Volunteer in Nursing Home
C102645	HOMELESS DURING PAST YEAR		An individual without a stable or permanent residence within the last 365 days.	Homeless During Past Year
C102648	IMMIGRANT FROM HIGH TUBERCULOSIS PREVALENT AREA		An individual that has migrated from a country with a high occurrence of tuberculosis.	Immigrant From High Tuberculosis Prevalent Area
C85521	INCARCERATION		The state of being confined to jail or prison.	Incarceration
C102657	LIVED IN REFUGEE CAMP		An individual that resided in a camp for those displaced from their homeland.	Lived in Refugee Camp
C102660	LONG-TERM FACILITY RESIDENT		An individual that lives at a healthcare facility that provides rehabilitative, restorative, and/or ongoing skilled nursing care to patients or residents in need of assistance with activities of daily living.	Long-term Facility Resident
C102670	MIGRATORY WORKER		An individual who moves from one location to another location within or outside of their homeland for work.	Migratory Worker
C102705	REFUGEE FROM HIGH TUBERCULOSIS PREVALENT AREA		An individual that has fled a country for their own safety which has a high occurrence of tuberculosis.	Refugee From High Tuberculosis Prevalent Area
C102719	TRAVEL TO HIGH BURDEN COUNTRY		Entry into one or more of the 22 countries that have a relatively high prevalence of tuberculosis cases.	Travel To High Burden Tuberculosis Country
C75563	UNEMPLOYMENT		The state of not having a job.	Unemployment

## ROUTE (Route of Administration Response)

NCI Code: C66729, Codelist extensible: Yes

C66729 ROUTE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38192	AURICULAR (OTIC)		Administration to or by way of the ear. (FDA)	Auricular Route of Administration
C38193	BUCCAL		Administration directed toward the cheek, generally from within the mouth. (FDA)	Buccal Route of Administration
C38194	CONJUNCTIVAL		Administration to the conjunctiva, the delicate membrane that lines the eyelids and covers the exposed surface of the eyeball. (FDA)	Conjunctival Route of Administration
C38675	CUTANEOUS		Administration to the skin. (FDA)	Cutaneous Route of Administration
C38197	DENTAL		Administration to a tooth or teeth. (FDA)	Dental Route of Administration
C78373	DIETARY		Administration by way of food or water.	Dietary Route of Administration
C38633	ELECTRO-OSMOSIS		Administration of through the diffusion of substance through a membrane in an electric field. (FDA)	Electro-osmosis Route of Administration
C38205	ENDOCERVICAL	Intracervical Route of Administration	Administration within the canal of the cervix uteri. Synonymous with the term intracervical. (FDA)	Endocervical Route of Administration
C38206	ENDOSINUSIAL		Administration within the nasal sinuses of the head. (FDA)	Endosinusial Route of Administration
C38208	ENDOTRACHEAL	Intratracheal Route of Administration	Administration directly into the trachea. Synonymous with the term intratracheal. (FDA)	Endotracheal Route of Administration
C38209	ENTERAL		Administration directly into the intestines. (FDA)	Enteral Route of Administration
C38210	EPIDURAL		Administration upon or over the dura mater. (FDA)	Epidural Route of Administration
C38211	EXTRA-AMNIOTIC		Administration to the outside of the membrane enveloping the fetus. (FDA)	Extraamniotic Route of Administration
C38212	EXTRACORPOREAL		Administration outside of the body. (FDA)	Extracorporeal Circulation Route of Administration
C38200	HEMODIALYSIS		Administration through hemodialysate fluid. (FDA)	Administration via Hemodialysis
C38215	INFILTRATION		Administration that results in substances passing into tissue spaces or into cells. (FDA)	Infiltration Route of Administration
C38219	INTERSTITIAL		Administration to or in the interstices of a tissue. (FDA)	Interstitial Route of Administration
C38220	INTRA-ABDOMINAL		Administration within the abdomen. (FDA)	Intraabdominal Route of Administration
C38221	INTRA-AMNIOTIC		Administration within the amnion. (FDA)	Intraamniotic Route of Administration
C38222	INTRA-ARTERIAL		Administration within an artery or arteries. (FDA)	Intraarterial Route of Administration
C38223	INTRA-ARTICULAR		Administration within a joint. (FDA)	Intraarticular Route of Administration
C38224	INTRABILIARY		Administration within the bile, bile ducts or gallbladder. (FDA)	Intrabiliary Route of Administration
C38225	INTRABRONCHIAL		Administration within a bronchus. (FDA)	Intrabronchial Route of Administration
C38226	INTRABURSAL		Administration within a bursa. (FDA)	Intrabursal Route of Administration
C64984	INTRACAMERAL		Administration by injection directly into the anterior chamber of the eye.	Intracameral Route of Administration
C38227	INTRACARDIAC		Administration within the heart. (FDA)	Intracardiac Route of Administration

C66729 ROUTE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38228	INTRACARTILAGINOUS		Administration within a cartilage; endochondral. (FDA)	Intracartilaginous Route of Administration
C38229	INTRACAUDAL		Administration within the cauda equina. (FDA)	Intracaudal Route of Administration
C38230	INTRACAVERNOUS		Administration within a pathologic cavity, such as occurs in the lung in tuberculosis. (FDA)	Intracavernous Route of Administration
C38231	INTRACAVITARY		Administration within a non-pathologic cavity, such as that of the cervix, uterus, or penis, or such as that is formed as the result of a wound. (FDA)	Intracavitary Route of Administration
C38232	INTRACEREBRAL		Administration within the cerebrum. (FDA)	Intracerebral Route of Administration
C38233	INTRACISTERNAL		Administration within the cisterna magna cerebellomedularis. (FDA)	Intracisternal Route of Administration
C38234	INTRACORNEAL		Administration within the cornea (the transparent structure forming the anterior part of the fibrous tunic of the eye). (FDA)	Intracorneal Route of Administration
C38217	INTRACORONAL, DENTAL		Administration of a drug within a portion of a tooth which is covered by enamel and which is separated from the roots by a slightly constricted region known as the neck. (FDA)	Intracoronaral Dental Route of Administration
C38218	INTRACORONARY		Administration within the coronary arteries. (FDA)	Intracoronary Route of Administration
C38235	INTRACORPORUS CAVERNOSUM		Administration within the dilatable spaces of the corporus cavernosa of the penis. (FDA)	Intracorporus Cavernosum Route of Administration
C38238	INTRADERMAL		Administration within the dermis. (FDA)	Intradermal Route of Administration
C38239	INTRADISCAL		Administration within a disc. (FDA)	Intradiscal Route of Administration
C38240	INTRADUCTAL		Administration within the duct of a gland. (FDA)	Intraductal Route of Administration
C38241	INTRADUODENAL		Administration within the duodenum. (FDA)	Intraduodenal Route of Administration
C38242	INTRADURAL		Administration within or beneath the dura. (FDA)	Intradural Route of Administration
C38243	INTRAEPIDERMAL		Administration within the epidermis. (FDA)	Intraepidermal Route of Administration
C38245	INTRAESOPHAGEAL		Administration within the esophagus. (FDA)	Intraesophageal Route of Administration
C38246	INTRAGASTRIC		Administration within the stomach. (FDA)	Intragastric Route of Administration
C38247	INTRAGINGIVAL		Administration within the gingivae. (FDA)	Intragingival Route of Administration
C38248	INTRAHEPATIC		Administration into the liver.	Intrahepatic Route of Administration
C38249	INTRAILEAL		Administration within the distal portion of the small intestine, from the jejunum to the cecum. (FDA)	Intraileal Route of Administration
C102399	INTRAJEJUNAL		Administration into the jejunum.	Intrajejunal Route of Administration
C38250	INTRALESIONAL		Administration within or introduced directly into a localized lesion. (FDA)	Intralesional Route of Administration
C38251	INTRALUMINAL		Administration within the lumen of a tube. (FDA)	Intraluminal Route of Administration
C38252	INTRALYMPHATIC		Administration within the lymph. (FDA)	Intralymphatic Route of Administration
C38253	INTRAMEDULLARY		Administration within the marrow cavity of a bone. (FDA)	Intramedullary Route of Administration

C66729 ROUTE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38254	INTRAMENINGEAL		Administration within the meninges (the three membranes that envelope the brain and spinal cord). (FDA)	Intrameningeal Route of Administration
C28161	INTRAMUSCULAR		Administration within a muscle. (FDA)	Intramuscular Route of Administration
C79141	INTRANODAL		Administration within a lymph node.	Intranodal Route of Administration
C38255	INTRAOCULAR		Administration within the eye. (FDA)	Intraocular Route of Administration
C64987	INTRAOSSEOUS		Administration within the marrow of the bone.	Intraosseous Route of Administration
C38256	INTRAOVARIAN		Administration within the ovary. (FDA)	Intraovarian Route of Administration
C102400	INTRAPALATAL		Administration into the palate.	Intrapalatal Route of Administration
C119548	INTRAPARENCHYMAL		Administration within or into the parenchyma of a targeted organ.	Intraparenchymal Route of Administration
C38257	INTRAPERICARDIAL		Administration within the pericardium. (FDA)	Intrapericardial Route of Administration
C38258	INTRAPERITONEAL		Administration within the peritoneal cavity. (FDA)	Intraperitoneal Route of Administration
C38259	INTRAPLEURAL		Administration within the pleura. (FDA)	Intrapleural Route of Administration
C38260	INTRAPROSTATIC		Administration within the prostate gland. (FDA)	Intraprostatic Route of Administration
C38261	INTRAPULMONARY		Administration within the lungs or its bronchi. (FDA)	Intrapulmonary Route of Administration
C38262	INTRASINAL		Administration within the nasal or periorbital sinuses. (FDA)	Intrasinal Route of Administration
C38263	INTRASPINAL		Administration within the vertebral column. (FDA)	Intraspinal Route of Administration
C65138	INTRASTOMAL		Administration into a stoma.	Administration via Stoma
C142365	INTRASURGICAL SITE		Administration within the site of surgery.	Intrasurgical Site Route of Administration
C38264	INTRASYNOVIAL		Administration within the synovial cavity of a joint. (FDA)	Intrasynovial Route of Administration
C38265	INTRATENDINOUS		Administration within a tendon. (FDA)	Intratendinous Route of Administration
C38266	INTRATESTICULAR		Administration within the testicle. (FDA)	Intratesticular Route of Administration
C128995	INTRATHALAMIC		Administration within the thalamus.	Intrathalamic Route of Administration
C38267	INTRATHECAL		Administration within the cerebrospinal fluid at any level of the cerebrospinal axis, including injection into the cerebral ventricles. (FDA)	Intrathecal Route of Administration
C38207	INTRATHORACIC		Administration within the thorax (internal to the ribs); synonymous with the term endothoracic. (FDA)	Endothoracic Route of Administration
C38268	INTRATUBULAR		Administration within the tubules of an organ. (FDA)	Intratubular Route of Administration
C38269	INTRATUMOR	Intratumor Route of Administration	Administration within a tumor. (FDA)	Intratumoral Route of Administration
C38270	INTRATYMPANIC		Administration within the auris media. (FDA)	Intratympanic Route of Administration
C38272	INTRAUTERINE		Administration within the uterus. (FDA)	Intrauterine Route of Administration

C66729 ROUTE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C128996	INTRAVAGINAL		Administration within the vagina.	Intravaginal Route of Administration
C38273	INTRAVASCULAR		Administration within a vessel or vessels. (FDA)	Intravascular Route of Administration
C38276	INTRAVENOUS		Administration within or into a vein or veins. (FDA)	Intravenous Route of Administration
C38274	INTRAVENOUS BOLUS		Administration within or into a vein or veins all at once. (FDA)	Intravenous Bolus
C38279	INTRAVENOUS DRIP		Administration within or into a vein or veins over a sustained period of time. (FDA)	Intravenous Drip
C38277	INTRAVENTRICULAR		Administration within a ventricle. (FDA)	Intraventricular Route of Administration
C38278	INTRAVESICAL		Administration within the bladder. (FDA)	Intravesical Route of Administration
C38280	INTRAVITREAL		Administration within the vitreous body of the eye. (FDA)	Intravitreal Route of Administration
C38203	IONTOPHORESIS		Administration by means of an electric current where ions of soluble salts migrate into the tissues of the body. (FDA)	Iontophoresis Route of Administration
C38281	IRRIGATION		Administration to bathe or flush open wounds or body cavities. (FDA)	Irrigation-Route of Administration
C38282	LARYNGEAL		Administration directly upon the larynx. (FDA)	Laryngeal Route of Administration
C38284	NASAL	Intranasal Route of Administration	Administration to the nose; administered by way of the nose. (FDA)	Nasal Route of Administration
C38285	NASOGASTRIC		Administration through the nose and into the stomach, usually by means of a tube. (FDA)	Nasogastric Route of Administration
C48623	NOT APPLICABLE		Routes of administration are not applicable. (FDA)	Route of Administration Not Applicable
C38286	OCCLUSIVE DRESSING TECHNIQUE		Administration by the topical route which is then covered by a dressing which occludes the area. (FDA)	Occlusive Dressing Technique
C38287	OPHTHALMIC		Administration to the external eye. (FDA)	Ophthalmic Route of Administration
C38288	ORAL	Intraoral Route of Administration;PO	Administration to or by way of the mouth. (FDA)	Oral Route of Administration
C78374	ORAL GAVAGE		Administration through the mouth and into the stomach, usually by means of a tube. (NCI)	Oral Gavage Route of Administration
C64906	OROMUCOSAL		Administration across the mucosa of the oral cavity.	Oromucosal Route of Administration
C38289	OROPHARYNGEAL		Administration directly to the mouth and pharynx. (FDA)	Oropharyngeal Route of Administration
C38291	PARENTERAL		Administration by injection, infusion, or implantation. (FDA)	Parenteral Route of Administration
C38676	PERCUTANEOUS		Administration through the skin. (FDA)	Percutaneous Route of Administration
C38292	PERIARTICULAR		Administration around a joint. (FDA)	Periarticular Route of Administration
C38677	PERIDURAL		Administration to the outside of the dura mater of the spinal cord. (FDA)	Peridural Route of Administration
C38293	PERINEURAL		Administration surrounding a nerve or nerves. (FDA)	Perineural Route of Administration
C38294	PERIODONTAL		Administration around a tooth. (FDA)	Periodontal Route of Administration
C112396	PERIVENOUS		Administration into the area surrounding a vein. (NCI)	Perivenous Route of Administration

C66729 ROUTE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38295	RECTAL		Administration to the rectum. (FDA)	Rectal Route of Administration
C38216	RESPIRATORY (INHALATION)		Administration within the respiratory tract by inhaling orally or nasally for local or systemic effect. (FDA)	Inhalation Route of Administration
C38296	RETROBULBAR		Administration behind the pons or behind the eyeball. (FDA)	Retrobulbar Route of Administration
C38198	SOFT TISSUE		Administration into any soft tissue. (FDA)	Soft Tissue Route of Administration
C38297	SUBARACHNOID		Administration beneath the arachnoid. (FDA)	Subarachnoid Route of Administration
C38298	SUBCONJUNCTIVAL		Administration beneath the conjunctiva. (FDA)	Subconjunctival Route of Administration
C38299	SUBCUTANEOUS	SC;Subdermal Route of Administration	Administration beneath the skin; hypodermic. Synonymous with the term SUBDERMAL. (FDA)	Subcutaneous Route of Administration
C38300	SUBLINGUAL		Administration beneath the tongue. (FDA)	Sublingual Route of Administration
C38301	SUBMUCOSAL		Administration beneath the mucous membrane. (FDA)	Submucosal Route of Administration
C79143	SUBRETINAL		Administration beneath the retina.	Subretinal Route of Administration
C94636	SUBTENON		Administration by injection through the membrane covering the muscles and nerves at the back of the eyeball.	Subtenon Route of Administration
C128997	SUPRACHOROIDAL		Administration above the choroid.	Suprachoroidal Route of Administration
C38304	TOPICAL	TOP	Administration to a particular spot on the outer surface of the body. The E2B term TRANSMAMMARY is a subset of the term TOPICAL. (FDA)	Topical Route of Administration
C38305	TRANSDERMAL		Administration through the dermal layer of the skin to the systemic circulation by diffusion. (FDA)	Transdermal Route of Administration
C111326	TRANSMAMMARY		Administration by ingestion of colostrum or breast milk.	Transmammary Route of Administration
C38283	TRANSMUCOSAL		Administration across the mucosa. (FDA)	Mucosal Route of Administration
C38307	TRANSPLACENTAL		Administration through or across the placenta. (FDA)	Transplacental Route of Administration
C38308	TRANSTRACHEAL		Administration through the wall of the trachea. (FDA)	Transtracheal Route of Administration
C38309	TRANSTYMPANIC		Administration across or through the tympanic cavity. (FDA)	Transtympanic Route of Administration
C38310	UNASSIGNED		Route of administration has not yet been assigned. (FDA)	Unassigned Route of Administration
C38311	UNKNOWN		Route of administration is unknown. (FDA)	Unknown Route of Administration
C38312	URETERAL		Administration into the ureter. (FDA)	Ureteral Route of Administration
C38271	URETHRAL		Administration into the urethra. (FDA)	Intraurethral Route of Administration
C38313	VAGINAL		Administration into the vagina. (FDA)	Vaginal Route of Administration

**RPQ01TC (Rivermead Post Concussion Symptoms Questionnaire Questionnaire Test Code)**

NCI Code: C119072, Codelist extensible: No

<b>C119072 RPQ01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119175	RPQ0101	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119176	RPQ0102	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119177	RPQ0103	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ0104	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119179	RPQ0105	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119180	RPQ0106	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119181	RPQ0107	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119182	RPQ0108	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ0109	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119184	RPQ0110	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119185	RPQ0111	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119186	RPQ0112	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think
C119187	RPQ0113	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119188	RPQ0114	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119189	RPQ0115	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119190	RPQ0116	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119191	RPQ0117A	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119192	RPQ0117B	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119193	RPQ0118A	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119194	RPQ0118B	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)



**RPQ01TN (Rivermead Post Concussion Symptoms Questionnaire Questionnaire Test Name)**

NCI Code: C119071, Codelist extensible: No

<b>C119071 RPQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119192	RPQ01-Any Other Difficulties 1	RPQ01-Any Other Difficulties 1	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1?	RPQ - Any Other Difficulties 1 (number)
C119191	RPQ01-Any Other Difficulties 1 (Text)	RPQ01-Any Other Difficulties 1 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 1? (Text).	RPQ - Any Other Difficulties 1 (Text)
C119194	RPQ01-Any Other Difficulties 2	RPQ01-Any Other Difficulties 2	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2?	RPQ - Any Other Difficulties 2 (Number)
C119193	RPQ01-Any Other Difficulties 2 (Text)	RPQ01-Any Other Difficulties 2 (Text)	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, are you experiencing any other difficulties 2? (Text).	RPQ - Any Other Difficulties 2 (Text)
C119181	RPQ01-Being Irritable, Easily Angered	RPQ01-Being Irritable, Easily Angered	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Being irritable, easily angered.	RPQ - Being Irritable, Easily Angered
C119187	RPQ01-Blurred Vision	RPQ01-Blurred Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Blurred vision.	RPQ - Blurred Vision
C119189	RPQ01-Double Vision	RPQ01-Double Vision	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Double vision.	RPQ - Double Vision
C119180	RPQ01-Fatigue, Tiring More Easily	RPQ01-Fatigue, Tiring More Easily	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Fatigue, tiring more easily.	RPQ - Fatigue, Tiring More Easily
C119182	RPQ01-Feeling Depressed or Tearful	RPQ01-Feeling Depressed or Tearful	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling depressed or tearful.	RPQ - Feeling Depressed or Tearful
C119183	RPQ01-Feeling Frustrated or Impatient	RPQ01-Feeling Frustrated or Impatient	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feeling frustrated or impatient.	RPQ - Feeling Frustrated or Impatient
C119176	RPQ01-Feelings of Dizziness	RPQ01-Feelings of Dizziness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Feelings of dizziness.	RPQ - Feelings of Dizziness
C119184	RPQ01-Forgetfulness, Poor Memory	RPQ01-Forgetfulness, Poor Memory	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Forgetfulness, poor memory.	RPQ - Forgetfulness, Poor Memory
C119175	RPQ01-Headaches	RPQ01-Headaches	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Headaches.	RPQ - Headaches
C119188	RPQ01-Light Sensitivity/Bright Light	RPQ01-Light Sensitivity/Bright Light	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Light sensitivity, easily upset by bright light.	RPQ - Light Sensitivity
C119177	RPQ01-Nausea and/or Vomiting	RPQ01-Nausea and/or Vomiting	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Nausea and/or vomiting.	RPQ - Nausea and/or Vomiting
C119178	RPQ01-Noise Sensitivity/Loud Noise	RPQ01-Noise Sensitivity/Loud Noise	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Noise sensitivity, easily upset by loud noise.	RPQ - Noise Sensitivity
C119185	RPQ01-Poor Concentration	RPQ01-Poor Concentration	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Poor concentration.	RPQ - Poor Concentration
C119190	RPQ01-Restlessness	RPQ01-Restlessness	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Restlessness.	RPQ - Restlessness
C119179	RPQ01-Sleep Disturbance	RPQ01-Sleep Disturbance	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Sleep disturbance.	RPQ - Sleep Disturbance
C119186	RPQ01-Taking Longer to Think	RPQ01-Taking Longer to Think	Rivermead Post Concussion Symptoms Questionnaire - Compared with before the accident, do you now suffer from: Taking longer to think.	RPQ - Taking Longer to Think

**RPTEST (Reproductive System Findings Test Name)**

NCI Code: C106478, Codelist extensible: Yes

<b>C106478 RPTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106501	Birth Control Method	Birth Control Method	The method by which conception or impregnation is prevented.	Birth Control Method
C106508	Childbearing Potential	Childbearing Potential	An indicator as to whether the female subject has the potential to become pregnant. (NCI)	Childbearing Potential
C122187	Congenital Abnormality Indicator	Congenital Abnormality Indicator	An indication as to whether any abnormality was present at birth or during the neonatal period.	Congenital Abnormality Indicator
C120833	Estimated Date of Conception	Estimated Date of Conception	An approximate calculated date at which the conception event took place.	Estimated Date of Conception
C81247	Estimated Date of Delivery	Estimated Date of Delivery	An approximate calculation of the delivery date.	Expected Date of Confinement
C122188	Estimated Gestational Age	Estimated Gestational Age	An approximate calculation of the gestational age of the fetus.	Estimated Gestational Age
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C81257	Last Menstrual Period Start Date	Last Menstrual Period Start Date	The first day of the most recent menstrual cycle.	Last Menstrual Period
C19666	Menarche Age	Menarche Age	The age at which the first menstruation event occurred. (NCI)	Age at Menarche
C106497	Menopause Age	Menopause Age	The age at which permanent cessation of menses occurred. (NCI)	Age at Menopause
C106541	Menopause Status	Menopause Status	The status of a female with respect to menopause.	Menopause Status
C119549	Menstrual Cycle Duration	Menstrual Cycle Duration	The length of time of the menses cycle, measured from the beginning of one menstrual period to the beginning of the next.	Menstrual Cycle Duration
C122191	Miscarriage Indicator	Miscarriage Indicator	An indication as to whether any pregnancies resulted in miscarriages.	Miscarriage Indicator
C139265	Number Full Term Live Births	Number Full Term Live Births	A measurement of the total number of live birth events at which the gestational age of the neonate is 39 weeks and 0 days through 40 weeks and 6 days.	Number of Full Term Live Births
C106550	Number of Abortions	Number of Abortions	A measurement of the total number of instances in which there has been a spontaneous termination of pregnancy (miscarriage) or elective termination of pregnancy.	Number of Abortions
C122189	Number of Early Term Births	Number of Early Term Births	A measurement of the total number of birth events at which the gestational age of the neonate is 37 weeks and 0 days through 38 weeks and 6 days.	Number of Early Term Births
C120832	Number of Ectopic Pregnancies	Number of Ectopic Pregnancies	A measurement of the total number of ectopic pregnancies experienced by a female subject.	Number of Ectopic Pregnancies
C122190	Number of Full Term Births	Number of Full Term Births	A measurement of the total number of birth events (both live and dead) at which the gestational age of the neonate is 39 weeks and 0 days through 40 weeks and 6 days.	Number of Full Term Births
C120835	Number of Induced Abortions	Number of Induced Abortions	A measurement of the total number of induced abortions experienced by a female subject.	Number of Induced Abortions
C120834	Number of Late Fetal Deaths	Number of Late Fetal Deaths	A measurement of the total number of fetal deaths (death of a fetus at 16 weeks, 0 days to 19 weeks, 6 days of gestation) experienced by a female subject.	Number of Late Fetal Deaths
C16955	Number of Live Births	Number of Live Births	A measurement of the total number of live-born offspring a female has delivered.	Parity
C106551	Number of Pregnancies	Number of Pregnancies	A measurement of the total number of pregnancy events experienced by a female.	Number of Pregnancies

**C106478 RPTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C122193	Number of Premature Births	Number of Premature Births	A measurement of the total number of birth events (both live and dead) at which the gestational age of the neonate is less than 37 weeks and 0 days.	Number of Premature Births
C139266	Number of Premature Live Births	Number of Premature Live Births	A measurement of the total number of live birth events at which the gestational age of the neonate is less than 37 weeks and 0 days.	Number of Premature Live Births
C120836	Number of Previous Pregnancies	Number of Previous Pregnancies	A measurement of the total number of pregnancy events experienced by the female subject prior to the current pregnancy.	Number of Previous Pregnancies
C120837	Number of Spontaneous Abortions	Number of Spontaneous Abortions	A measurement of the total number of spontaneous abortions (in which the fetus is less than 20 weeks gestational age) experienced by a female subject.	Number of Spontaneous Abortions
C139267	Number of Stillbirths	Number of Stillbirths	A measurement of the total number of birth events at which the fetus is of at least 20 weeks gestation, or of a birth weight of at least 350 grams if the gestational age is unknown, which is born without signs of life at the time of delivery, and with an Apgar score of zero at both one and five minutes.	Number of Stillbirths
C122192	Pregnancy Confirmed Indicator	Pregnancy Confirmed Indicator	An indication as to whether the subject's pregnancy has been confirmed.	Pregnancy Confirmed Indicator
C106561	Pregnant During the Study	Pregnant During the Study	An indicator as to whether a female is pregnant during the study period. (NCI)	Pregnant During the Study
C139264	Pregnant Indicator	Pregnant Indicator	An indication as to whether the subject or associated person is pregnant at the time the question is asked.	Pregnancy Indicator
C122194	Stillbirth Indicator	Stillbirth Indicator	An indication as to whether any pregnancies resulted in stillbirths.	Stillbirth Indicator
C41145	Thickness	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness

## RPTESTCD (Reproductive System Findings Test Code)

NCI Code: C106479, Codelist extensible: Yes

C106479 RPTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106550	ABORTN	Number of Abortions	A measurement of the total number of instances in which there has been a spontaneous termination of pregnancy (miscarriage) or elective termination of pregnancy.	Number of Abortions
C106501	BCMETHOD	Birth Control Method	The method by which conception or impregnation is prevented.	Birth Control Method
C139265	BRTHFTN	Number Full Term Live Births	A measurement of the total number of live birth events at which the gestational age of the neonate is 39 weeks and 0 days through 40 weeks and 6 days.	Number of Full Term Live Births
C16955	BRTHLVN	Number of Live Births	A measurement of the total number of live-born offspring a female has delivered.	Parity
C139266	BRTHPRN	Number of Premature Live Births	A measurement of the total number of live birth events at which the gestational age of the neonate is less than 37 weeks and 0 days.	Number of Premature Live Births
C139267	BRTHSTN	Number of Stillbirths	A measurement of the total number of birth events at which the fetus is of at least 20 weeks gestation, or of a birth weight of at least 350 grams if the gestational age is unknown, which is born without signs of life at the time of delivery, and with an Apgar score of zero at both one and five minutes.	Number of Stillbirths
C122187	CABNIND	Congenital Abnormality Indicator	An indication as to whether any abnormality was present at birth or during the neonatal period.	Congenital Abnormality Indicator
C106508	CHILDPOT	Childbearing Potential	An indicator as to whether the female subject has the potential to become pregnant. (NCI)	Childbearing Potential
C120832	ECTPREGN	Number of Ectopic Pregnancies	A measurement of the total number of ectopic pregnancies experienced by a female subject.	Number of Ectopic Pregnancies
C120833	EDCDTC	Estimated Date of Conception	An approximate calculated date at which the conception event took place.	Estimated Date of Conception
C81247	EDLVRDTC	Estimated Date of Delivery	An approximate calculation of the delivery date.	Expected Date of Confinement
C122188	EGESTAGE	Estimated Gestational Age	An approximate calculation of the gestational age of the fetus.	Estimated Gestational Age
C122189	ERLYTRMN	Number of Early Term Births	A measurement of the total number of birth events at which the gestational age of the neonate is 37 weeks and 0 days through 38 weeks and 6 days.	Number of Early Term Births
C120834	FETLDTHN	Number of Late Fetal Deaths	A measurement of the total number of fetal deaths (death of a fetus at 16 weeks, 0 days to 19 weeks, 6 days of gestation) experienced by a female subject.	Number of Late Fetal Deaths
C122190	FULLTRMN	Number of Full Term Births	A measurement of the total number of birth events (both live and dead) at which the gestational age of the neonate is 39 weeks and 0 days through 40 weeks and 6 days.	Number of Full Term Births
C120835	INABORTN	Number of Induced Abortions	A measurement of the total number of induced abortions experienced by a female subject.	Number of Induced Abortions
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C81257	LMPSTDTC	Last Menstrual Period Start Date	The first day of the most recent menstrual cycle.	Last Menstrual Period
C19666	MENARAGE	Menarche Age	The age at which the first menstruation event occurred. (NCI)	Age at Menarche
C106497	MENOAGE	Menopause Age	The age at which permanent cessation of menses occurred. (NCI)	Age at Menopause
C106541	MENOSTAT	Menopause Status	The status of a female with respect to menopause.	Menopause Status

**C106479 RPTESTCD**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119549	MENSDUR	Menstrual Cycle Duration	The length of time of the menses cycle, measured from the beginning of one menstrual period to the beginning of the next.	Menstrual Cycle Duration
C122191	MSCRGIN	Miscarriage Indicator	An indication as to whether any pregnancies resulted in miscarriages.	Miscarriage Indicator
C122192	PCONFIND	Pregnancy Confirmed Indicator	An indication as to whether the subject's pregnancy has been confirmed.	Pregnancy Confirmed Indicator
C139264	PREGIND	Pregnant Indicator	An indication as to whether the subject or associated person is pregnant at the time the question is asked.	Pregnancy Indicator
C106551	PREGNN	Number of Pregnancies	A measurement of the total number of pregnancy events experienced by a female.	Number of Pregnancies
C106561	PREGST	Pregnant During the Study	An indicator as to whether a female is pregnant during the study period. (NCI)	Pregnant During the Study
C122193	PREMBTHN	Number of Premature Births	A measurement of the total number of birth events (both live and dead) at which the gestational age of the neonate is less than 37 weeks and 0 days.	Number of Premature Births
C120836	PRVPREGN	Number of Previous Pregnancies	A measurement of the total number of pregnancy events experienced by the female subject prior to the current pregnancy.	Number of Previous Pregnancies
C120837	SPABORTN	Number of Spontaneous Abortions	A measurement of the total number of spontaneous abortions (in which the fetus is less than 20 weeks gestational age) experienced by a female subject.	Number of Spontaneous Abortions
C122194	STILBIND	Stillbirth Indicator	An indication as to whether any pregnancies resulted in stillbirths.	Stillbirth Indicator
C41145	THICK	Thickness	The dimension between two surfaces of an object, usually the smallest dimension as opposed to the width or the length.	Thickness

## RSKASMT (Risk Assessment)

NCI Code: C101848, Codelist extensible: No

<b>C101848 RSKASMT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102401	HIGH RISK		The potential future harm that may arise from some present action or attribute or condition is almost certain.	High Risk
C102402	INTERMEDIATE RISK		The potential future harm that may arise from some present action or attribute or condition is moderate.	Intermediate Risk
C102403	LOW RISK		The potential future harm that may arise from some present action or attribute or condition is small.	Low Risk
C139268	MINIMAL RISK		The potential future harm that may arise from some present action or attribute or condition is minimal.	Minimal Risk
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

**RSSS01TC (RAND Social Support Survey Instrument Questionnaire Test Code)**

NCI Code: C135700, Codelist extensible: No

<b>C135700 RSSS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136215	RSSS0101	RSSS01-Count on to Listen to You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone you can count on to listen to you when you need to talk.	RAND Social Support Survey - Count on to Listen to You
C136216	RSSS0102	RSSS01-Give You Info to Help Understand	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you information to help you understand a situation.	RAND Social Support Survey - Give You Info to Help Understand
C136217	RSSS0103	RSSS01-Give You Advice About a Crisis	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you good advice about a crisis.	RAND Social Support Survey - Give You Advice About a Crisis
C136218	RSSS0104	RSSS01-Confide in/Talk to About Yourself	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to confide in or talk to about yourself or your problems.	RAND Social Support Survey - Confide in or Talk to About Yourself
C136219	RSSS0105	RSSS01-Advice You Really Want	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone whose advice you really want.	RAND Social Support Survey - Advice You Really Want
C136220	RSSS0106	RSSS01-Share Your Private Worries/Fears	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to share your most private worries and fears with.	RAND Social Support Survey - Share Your Private Worries and Fears
C136221	RSSS0107	RSSS01-Turn to Suggestions Personal Prob	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to turn to for suggestions about how to deal with a personal problem.	RAND Social Support Survey - Suggestions to Deal With Personal Problem
C136222	RSSS0108	RSSS01-Understands Your Problems	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who understands your problems.	RAND Social Support Survey - Understands Your Problems
C136223	RSSS0109	RSSS01-Help If You Were Confined to Bed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help you if you were confined to bed.	RAND Social Support Survey - Help If You Were Confined to Bed
C136224	RSSS0110	RSSS01-Take You to the Doctor If Needed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to take you to the doctor if you needed it.	RAND Social Support Survey - Take You to the Doctor If Needed
C136225	RSSS0111	RSSS01-Prepare Your Meals If Unable	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to prepare your meals if you were unable to do it yourself.	RAND Social Support Survey - Prepare Your Meals If Unable
C136226	RSSS0112	RSSS01-Help With Daily Chores If Sick	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help with daily chores if you were sick.	RAND Social Support Survey - Help With Daily Chores If Sick
C136227	RSSS0113	RSSS01-Shows You Love and Affection	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who shows you love and affection.	RAND Social Support Survey - Shows You Love and Affection
C136228	RSSS0114	RSSS01-Love and Make You Feel Wanted	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to love and make you feel wanted.	RAND Social Support Survey - Love and Make You Feel Wanted
C136229	RSSS0115	RSSS01-Hugs You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who hugs you.	RAND Social Support Survey - Hugs You
C136230	RSSS0116	RSSS01-Have a Good Time With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to have a good time with.	RAND Social Support Survey - Have a Good Time With
C136231	RSSS0117	RSSS01-Get Together With for Relaxation	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to get together with for relaxation.	RAND Social Support Survey - Get Together With for Relaxation

**C135700 R55S01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136232	R55S0118	R55S01-Do Something Enjoyable With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do something enjoyable with.	RAND Social Support Survey - Do Something Enjoyable With
C136233	R55S0119	R55S01-Help You Get Your Mind Off Things	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do things with to help you get your mind off things.	RAND Social Support Survey - Help You Get Your Mind Off Things



**RSSS01TN (RAND Social Support Survey Instrument Questionnaire Test Name)**

NCI Code: C135699, Codelist extensible: No

<b>C135699 RSSS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136219	RSSS01-Advice You Really Want	RSSS01-Advice You Really Want	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone whose advice you really want.	RAND Social Support Survey - Advice You Really Want
C136218	RSSS01-Confide in/Talk to About Yourself	RSSS01-Confide in/Talk to About Yourself	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to confide in or talk to about yourself or your problems.	RAND Social Support Survey - Confide in or Talk to About Yourself
C136215	RSSS01-Count on to Listen to You	RSSS01-Count on to Listen to You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone you can count on to listen to you when you need to talk.	RAND Social Support Survey - Count on to Listen to You
C136232	RSSS01-Do Something Enjoyable With	RSSS01-Do Something Enjoyable With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do something enjoyable with.	RAND Social Support Survey - Do Something Enjoyable With
C136231	RSSS01-Get Together With for Relaxation	RSSS01-Get Together With for Relaxation	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to get together with for relaxation.	RAND Social Support Survey - Get Together With for Relaxation
C136217	RSSS01-Give You Advice About a Crisis	RSSS01-Give You Advice About a Crisis	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you good advice about a crisis.	RAND Social Support Survey - Give You Advice About a Crisis
C136216	RSSS01-Give You Info to Help Understand	RSSS01-Give You Info to Help Understand	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to give you information to help you understand a situation.	RAND Social Support Survey - Give You Info to Help Understand
C136230	RSSS01-Have a Good Time With	RSSS01-Have a Good Time With	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to have a good time with.	RAND Social Support Survey - Have a Good Time With
C136223	RSSS01-Help If You Were Confined to Bed	RSSS01-Help If You Were Confined to Bed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help you if you were confined to bed.	RAND Social Support Survey - Help If You Were Confined to Bed
C136226	RSSS01-Help With Daily Chores If Sick	RSSS01-Help With Daily Chores If Sick	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to help with daily chores if you were sick.	RAND Social Support Survey - Help With Daily Chores If Sick
C136233	RSSS01-Help You Get Your Mind Off Things	RSSS01-Help You Get Your Mind Off Things	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to do things with to help you get your mind off things.	RAND Social Support Survey - Help You Get Your Mind Off Things
C136229	RSSS01-Hugs You	RSSS01-Hugs You	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who hugs you.	RAND Social Support Survey - Hugs You
C136228	RSSS01-Love and Make You Feel Wanted	RSSS01-Love and Make You Feel Wanted	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to love and make you feel wanted.	RAND Social Support Survey - Love and Make You Feel Wanted
C136225	RSSS01-Prepare Your Meals If Unable	RSSS01-Prepare Your Meals If Unable	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to prepare your meals if you were unable to do it yourself.	RAND Social Support Survey - Prepare Your Meals If Unable
C136220	RSSS01-Share Your Private Worries/Fears	RSSS01-Share Your Private Worries/Fears	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to share your most private worries and fears with.	RAND Social Support Survey - Share Your Private Worries and Fears
C136227	RSSS01-Shows You Love and Affection	RSSS01-Shows You Love and Affection	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who shows you love and affection.	RAND Social Support Survey - Shows You Love and Affection
C136224	RSSS01-Take You to the Doctor If Needed	RSSS01-Take You to the Doctor If Needed	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to take you to the doctor if you needed it.	RAND Social Support Survey - Take You to the Doctor If Needed

**C135699 RSSS01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C136221	RSSS01-Turn to Suggestions Personal Prob	RSSS01-Turn to Suggestions Personal Prob	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone to turn to for suggestions about how to deal with a personal problem.	RAND Social Support Survey - Suggestions to Deal With Personal Problem
C136222	RSSS01-Understands Your Problems	RSSS01-Understands Your Problems	RAND Social Support Survey Instrument - How often is each of the following kinds of support available to you if you need it: Someone who understands your problems.	RAND Social Support Survey - Understands Your Problems

## SCTEST (Subject Characteristic Test Name)

NCI Code: C103330, Codelist extensible: Yes

C103330 SCTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112233	Breast Fed Indicator	Breast Fed Indicator	An indication as to whether the subject was breast fed (received mother's milk) as an infant.	Breast Fed Indicator
C139271	CDC HIV High Risk Donor Indicator	CDC HIV High Risk Donor Indicator	An indication as to whether an organ donor may fall into one or more behavioral categories associated with increased risk of human immunodeficiency virus (HIV) infection, as defined by the 1994 Centers for Disease Control (CDC) Public Health Service Criteria for High Risk Behavior (Guidelines for preventing transmission of human immunodeficiency virus through transplantation of human tissue and organs. Centers for Disease Control and Prevention. MMWR Recomm Rep 1994; 43: 1-17).	CDC HIV High Risk Donor Indicator
C102625	Contact Investigation	Contact Investigation	A public health activity whereby individuals who have been exposed to a person with a suspected or confirmed contagious illness are identified, usually for the purpose of identifying additional cases of the illness, or to offer some form of prophylactic intervention to either prevent or ameliorate disease in the exposed individual.	Disease Contact Investigation
C102612	Country of Potential Disease Exposure	Country of Potential Disease Exposure	System of classification based on the nation in which an individual was exposed to a disease, regardless of the nation in which he/she currently resides.	Country of Potential Disease Exposure
C139270	Deceased Donor Donation Type	Deceased Donor Donation Type	The conditions under which an organ is harvested from a dead donor, including the condition of the donor and the environment.	Deceased Donor Donation Condition
C114182	Dominant Hand	Dominant Hand	The preferred hand of use for controlled and efficient performance of motor tasks.	Dominant Hand
C139269	Donor Status at Time of Organ Donation	Donor Status at Time of Organ Donation	The donor's state or condition of being either living or brain dead at the time of organ harvesting.	Donor Status at Time of Organ Donation
C25193	Employee Job	Employee Job	A code specifying the job performed by the employee for the employer. For example, accountant, programmer analyst, patient care associate, staff nurse, etc.	Occupation
C74565	Employee Job Class	Employee Job Class	A code qualifying the employment in various ways, such as, full-time vs. part time, etc.	Employee Job Class
C74566	Employee Salary Type	Employee Salary Type	A code specifying the method used by the employer to compute the employee's salary or wages. For example, hourly, annual, or commission.	Employee Salary Type
C102631	Entry Date from Ptntl Cntry Disease Exp	Entry Date from Ptntl Cntry Disease Exp	The date on which the subject arrived in the reporting country from the country of potential disease exposure.	Entry Date from Country of Potential Disease Exposure
C124435	Gestational Age at Birth	Gestational Age at Birth	The gestational age of the subject at birth.	Gestational Age at Birth
C17953	Level of Education Attained	Level of Education Attained	Highest level of education that a person has attained.	Education Level
C135502	Living with Subject Indicator	Living with Subject Indicator	An indication as to whether the associated person is living with the subject. (NCI)	Living with Subject Indicator
C25188	Marital Status	Marital Status	A demographic parameter indicating a person's current conjugal status.	Marital Status
C102666	Member of High Risk Population	Member of High Risk Population	An indication that a subject is part of a population group that has a greater chance of contracting a disease or disorder.	Member of High Risk Population
C28407	National Origin	National Origin	System of classification based on nation from which a person originates, regardless of the nation in which he/she currently resides.	National Origin
C135500	Number of Brothers, Biological	Number of Brothers, Biological	The number of brothers that are biologically related to the subject. (NCI)	Number of Biological Brothers
C135501	Number of Sisters, Biological	Number of Sisters, Biological	The number of sisters that are biologically related to the subject. (NCI)	Number of Biological Sisters
C122393	Number of Years of Education	Number of Years of Education	The number of years of education that a person has completed.	Number of Years of Education
C112400	Premature Birth Indicator	Premature Birth Indicator	An indication as to whether the subject was born prior to 38 weeks gestation.	Premature Birth Indicator

**C103330 SCTEST**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132459	Primary Language Spoken	Primary Language Spoken	The main language that is spoken by the subject most frequently or dominantly.	Primary Language Spoken
C102699	Priority of Disease Contact	Priority of Disease Contact	The categorization of individuals with or without the potential for having a particular disease.	Priority of Disease Contact
C132460	Secondary Language Spoken	Secondary Language Spoken	Additional language(s) that is spoken by the subject but not considered the primary language.	Secondary Language Spoken
C102708	Setting of Contact	Setting of Contact	The environment within which the person may have come into contact with a disease carrier, or played the role of a disease carrier.	Setting of Disease Contact
C124436	Sex Reported at Birth	Sex Reported at Birth	The physical sexual characteristics of the neonate at birth.	Sex at Birth
C74563	Skin Classification	Fitzpatrick Skin Classification;Skin Classification	Test to categorize the sensitivity of a subject's skin to sunlight. (Fitzpatrick TB. The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871.)	Fitzpatrick Classification Scale
C74580	Skin Type	Skin Type	A distinctive characteristic of the skin marked by the amount of sebum secreted by sebaceous glands.	Skin Type
C102711	Social Risk Factor	Social Risk Factor	Social factors such as personal behavior, lifestyle, or environment belonging to the subject which are known to increase the likelihood of infection and disease.	Social Risk Factor
C102713	Source Case Investigation	Source Case Investigation	A public health activity for the determination of who transmitted a disease to another subject and whether this person: is still infectious; was reported to the health department as a disease case or suspect; or has infected others.	Source Case Investigation
C147485	Student Indicator	Student Indicator	An indication as to whether the subject or associated person is enrolled in school.	Student Indicator
C4876	Symptom	Symptom	Subjective evidence of disease perceived by the patient.	Symptom
C112424	Twin Type	Twin Type	The classification of the two offspring born from the same pregnancy.	Twin Type
C102723	Type of Contact	Type of Contact	Identification and clinical investigation of disease contacts.	Type of Contagion Contact

## SCTESTCD (Subject Characteristic Test Code)

NCI Code: C74559, Codelist extensible: Yes

C74559 SCTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135500	BIOBRON	Number of Brothers, Biological	The number of brothers that are biologically related to the subject. (NCI)	Number of Biological Brothers
C135501	BIOSISN	Number of Sisters, Biological	The number of sisters that are biologically related to the subject. (NCI)	Number of Biological Sisters
C112233	BRFEDIND	Breast Fed Indicator	An indication as to whether the subject was breast fed (received mother's milk) as an infant.	Breast Fed Indicator
C102625	CNTCINV	Contact Investigation	A public health activity whereby individuals who have been exposed to a person with a suspected or confirmed contagious illness are identified, usually for the purpose of identifying additional cases of the illness, or to offer some form of prophylactic intervention to either prevent or ameliorate disease in the exposed individual.	Disease Contact Investigation
C102631	CTRYDDTC	Entry Date from Pntnl Cntry Disease Exp	The date on which the subject arrived in the reporting country from the country of potential disease exposure.	Entry Date from Country of Potential Disease Exposure
C102612	CTRYDEXP	Country of Potential Disease Exposure	System of classification based on the nation in which an individual was exposed to a disease, regardless of the nation in which he/she currently resides.	Country of Potential Disease Exposure
C139270	DDDTYPE	Deceased Donor Donation Type	The conditions under which an organ is harvested from a dead donor, including the condition of the donor and the environment.	Deceased Donor Donation Condition
C139269	DSTATOD	Donor Status at Time of Organ Donation	The donor's state or condition of being either living or brain dead at the time of organ harvesting.	Donor Status at Time of Organ Donation
C17953	EDULEVEL	Level of Education Attained	Highest level of education that a person has attained.	Education Level
C122393	EDUYRNUM	Number of Years of Education	The number of years of education that a person has completed.	Number of Years of Education
C25193	EMPJOB	Employee Job	A code specifying the job performed by the employee for the employer. For example, accountant, programmer analyst, patient care associate, staff nurse, etc.	Occupation
C124435	GSTABRTH	Gestational Age at Birth	The gestational age of the subject at birth.	Gestational Age at Birth
C114182	HANDDOM	Dominant Hand	The preferred hand of use for controlled and efficient performance of motor tasks.	Dominant Hand
C139271	HIVHRIND	CDC HIV High Risk Donor Indicator	An indication as to whether an organ donor may fall into one or more behavioral categories associated with increased risk of human immunodeficiency virus (HIV) infection, as defined by the 1994 Centers for Disease Control (CDC) Public Health Service Criteria for High Risk Behavior (Guidelines for preventing transmission of human immunodeficiency virus through transplantation of human tissue and organs. Centers for Disease Control and Prevention. MMWR Recomm Rep 1994; 43: 1-17).	CDC HIV High Risk Donor Indicator
C74565	JOBCLAS	Employee Job Class	A code qualifying the employment in various ways, such as, full-time vs. part time, etc.	Employee Job Class
C132459	LNGSPP	Primary Language Spoken	The main language that is spoken by the subject most frequently or dominantly.	Primary Language Spoken
C132460	LNGSPS	Secondary Language Spoken	Additional language(s) that is spoken by the subject but not considered the primary language.	Secondary Language Spoken
C135502	LVSBJIND	Living with Subject Indicator	An indication as to whether the associated person is living with the subject. (NCI)	Living with Subject Indicator
C25188	MARISTAT	Marital Status	A demographic parameter indicating a person's current conjugal status.	Marital Status
C28407	NATORIG	National Origin	System of classification based on nation from which a person originates, regardless of the nation in which he/she currently resides.	National Origin
C112400	PREMBRTH	Premature Birth Indicator	An indication as to whether the subject was born prior to 38 weeks gestation.	Premature Birth Indicator

<b>C74559 SCTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102699	PRICON	Priority of Disease Contact	The categorization of individuals with or without the potential for having a particular disease.	Priority of Disease Contact
C102666	RISKPOP	Member of High Risk Population	An indication that a subject is part of a population group that has a greater chance of contracting a disease or disorder.	Member of High Risk Population
C102711	RISKSOC	Social Risk Factor	Social factors such as personal behavior, lifestyle, or environment belonging to the subject which are known to increase the likelihood of infection and disease.	Social Risk Factor
C74566	SALTYP	Employee Salary Type	A code specifying the method used by the employer to compute the employee's salary or wages. For example, hourly, annual, or commission.	Employee Salary Type
C102708	SETCON	Setting of Contact	The environment within which the person may have come into contact with a disease carrier, or played the role of a disease carrier.	Setting of Disease Contact
C124436	SEXRBRTH	Sex Reported at Birth	The physical sexual characteristics of the neonate at birth.	Sex at Birth
C74563	SKINCLAS	Fitzpatrick Skin Classification;Skin Classification	Test to categorize the sensitivity of a subject's skin to sunlight. (Fitzpatrick TB. The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871.)	Fitzpatrick Classification Scale
C74580	SKINTYP	Skin Type	A distinctive characteristic of the skin marked by the amount of sebum secreted by sebaceous glands.	Skin Type
C102713	SRCCSINV	Source Case Investigation	A public health activity for the determination of who transmitted a disease to another subject and whether this person: is still infectious; was reported to the health department as a disease case or suspect; or has infected others.	Source Case Investigation
C147485	STDNTIND	Student Indicator	An indication as to whether the subject or associated person is enrolled in school.	Student Indicator
C4876	SYMPTOM	Symptom	Subjective evidence of disease perceived by the patient.	Symptom
C112424	TWINTYP	Twin Type	The classification of the two offspring born from the same pregnancy.	Twin Type
C102723	TYPCON	Type of Contact	Identification and clinical investigation of disease contacts.	Type of Contagion Contact

**SDMT01TC (Symbol Digit Modalities Test Functional Test Test Code)**

NCI Code: C115396, Codelist extensible: No

<b>C115396 SDMT01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115816	SDMT0101	SDMT01-Total Score	Symbol Digit Modalities Test - Total score.	SDMT - Total Score

**SDMT01TN (Symbol Digit Modalities Test Functional Test Test Name)**

NCI Code: C115395, Codelist extensible: No

<b>C115395 SDMT01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115816	SDMT01-Total Score	SDMT01-Total Score	Symbol Digit Modalities Test - Total score.	SDMT - Total Score



**SDS01TC (Sheehan Disability Scale Questionnaire Test Code)**

NCI Code: C111350, Codelist extensible: No

<b>C111350 SDS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111521	SDS0101	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work
C111522	SDS0101A	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder
C111523	SDS0102	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities
C111524	SDS0103	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities
C111525	SDS0104	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost
C111526	SDS0105	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive

**SDS01TN (Sheehan Disability Scale Questionnaire Test Name)**

NCI Code: C111349, Codelist extensible: No

<b>C111349 SDS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111525	SDS01-Days Lost	SDS01-Days Lost	Sheehan Disability Scale - On how many days in the last week did your symptoms cause you to miss school or work or leave you unable to carry out your normal daily responsibilities?	SDS - Days Lost
C111526	SDS01-Days Unproductive	SDS01-Days Unproductive	Sheehan Disability Scale - On how many days in the last week did you feel so impaired by your symptoms, that even though you went to school or work or had other daily responsibilities, your productivity was reduced?	SDS - Days Unproductive
C111524	SDS01-Family Life/Home Responsibilities	SDS01-Family Life/Home Responsibilities	Sheehan Disability Scale - The symptoms have disrupted your family life/home responsibilities.	SDS - Symptoms Disrupted Family Life/Home Responsibilities
C111522	SDS01-No Work/Study - Unrelated Disorder	SDS01-No Work/Study - Unrelated Disorder	Sheehan Disability Scale - I have not worked/studied at all during the past week for reasons unrelated to the disorder.	SDS - Not Worked/Studied in Past Week for Reason Unrelated to Disorder
C111523	SDS01-Social Life	SDS01-Social Life	Sheehan Disability Scale - The symptoms have disrupted your social life/leisure activities.	SDS - Symptoms Disrupted Social Life/Leisure Activities
C111521	SDS01-Work/School	SDS01-Work/School	Sheehan Disability Scale - The symptoms have disrupted your work/school work.	SDS - Symptoms Disrupted Work/School Work

**SDTHSDTP (Sudden Death Syndrome Type)**

NCI Code: C101852, Codelist extensible: No

<b>C101852 SDTHSDTP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C71059	BRUGADA SYNDROME	Ventricular arrhythmia associated with Brugada syndrome	Polymorphic ventricular tachycardia in the absence of structural heart disease, associated with a baseline ECG pattern during sinus rhythm showing right bundle branch block with ST segment elevation in leads V1 through V3. It can also be characterized by documentation of ECG patterns associated with Brugada Syndrome, some of which may be unmasked when provoked with drugs. The most common genetic mutations identified for Brugada syndrome are in the sodium channel gene SCN5A.	Brugada Syndrome Ventricular Arrhythmia by ECG Finding
C99936	CATECHOLAMINERGIC POLYMORPHIC VENTRICULAR TACHYCARDIA		Ventricular Tachycardia associated with syncope and/or cardiac arrest triggered by emotion or exercise in patients whose baseline ECG is normal.	Catecholaminergic Polymorphic Ventricular Tachycardia by ECG Finding
C100036	IDIOPATHIC PRIMARY VENTRICULAR TACHYCARDIA/VENTRICULAR FLUTTER		Ventricular tachycardia or ventricular fibrillation whose cause is unknown.	Idiopathic Primary Ventricular Tachycardia/Ventricular Flutter by ECG Finding
C34786	LONG QT SYNDROME	Ventricular arrhythmia associated with long QT syndrome	Long QT Syndrome includes prolongation of the corrected QT interval beyond 440 ms for adult males, 460 ms for adult females and 50 ms in the presence of ventricular depolarization abnormalities (i.e., bundle branch blocks or IVCB more than 120 ms. A normal QT interval in a resting ECG with a failure to shorten with an increase in heart rate qualifies as Long QT Syndrome.	Long QT Syndrome
C17649	OTHER	Other	Different than the one(s) previously specified or mentioned. (NCI)	Other
C71060	SHORT QT SYNDROME	Ventricular arrhythmia associated with short QT syndrome	Short QT Syndrome is characterized by a QT interval of less than or equal to 300 ms.	Short QT Syndrome

**SETTING (Environmental Setting)**

NCI Code: C127262, Codelist extensible: Yes

<b>C127262 SETTING</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C127785	CHILD CARE CENTER		An establishment that provides care for infants and children.	Childcare Center
C48953	FARM		A tract of land cultivated for the purpose of agricultural production or devoted to the raising and breeding of domestic animals.	Farm
C102650	FIELD		A setting outside the clinic or a comparable health care facility, e.g. a doctor's office, the subject's home or workplace, a school, a public park, or a restaurant.	In the Field
C21541	HEALTH FACILITY		The buildings and organizations where healthcare services are provided.	Healthcare Facility
C18002	HOME		A person's place of residence.	Home
C16696	HOSPITAL		An institution that provides medical, surgical, or psychiatric care and treatment for the sick or the injured.	Hospital
C102647	HOUSEHOLD ENVIRONMENT		The area in which an individual lives.	Household Environment
C41206	INSTITUTION		An established society, corporation, foundation or other organization founded and united for a specific purpose, e.g. for health-related research; also used to refer to a building or buildings occupied or used by such organization.	Institution
C102679	NON-HOUSEHOLD ENVIRONMENT		An area outside of that in which an individual lives.	Non-household Environment
C16281	OUTPATIENT CLINIC		A medical care center that provides healthcare services on an outpatient basis.	Ambulatory Care Facility
C85862	PRISON		An institution where persons are confined for punishment and to protect the public.	Correctional Institution
C17118	SCHOOL		An educational institution.	School
C85863	SHELTER		Temporary housing for displaced or at-risk persons.	Shelter
C102712	SOCIAL SETTING		The surroundings or environment in which social activities occur.	Social Setting
C17556	WORKSITE		Place or physical location of work or employment.	Worksite

## SEX (Sex)

NCI Code: C66731, Codelist extensible: No

<b>C66731 SEX</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16576	F	Female	A person who belongs to the sex that normally produces ova. The term is used to indicate biological sex distinctions, or cultural gender role distinctions, or both. (NCI)	Female
C20197	M	Male	A person who belongs to the sex that normally produces sperm. The term is used to indicate biological sex distinctions, cultural gender role distinctions, or both. (NCI)	Male
C17998	U	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown
C45908	UNDIFFERENTIATED		A person (one of unisexual specimens) who is born with genitalia and/or secondary sexual characteristics of indeterminate sex, or which combine features of both sexes. (NCI)	Intersex

## SEXPOP (Sex of Participants Response)

NCI Code: C66732, Codelist extensible: No

C66732 SEXPOP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C49636	BOTH		One and the other; relating to or being two in conjunction. (NCI)	Both
C16576	F	Female	A person who belongs to the sex that normally produces ova. The term is used to indicate biological sex distinctions, or cultural gender role distinctions, or both. (NCI)	Female
C20197	M	Male	A person who belongs to the sex that normally produces sperm. The term is used to indicate biological sex distinctions, cultural gender role distinctions, or both. (NCI)	Male

## SFMP2TC (Short-Form McGill Pain Questionnaire-2 Questionnaire Test Code)

NCI Code: C100156, Codelist extensible: No

C100156 SFMP2TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100849	SFMP201	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C100850	SFMP202	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100851	SFMP203	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100852	SFMP204	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100853	SFMP205	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100854	SFMP206	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100855	SFMP207	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100856	SFMP208	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100857	SFMP209	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100858	SFMP210	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100859	SFMP211	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100860	SFMP212	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting
C100861	SFMP213	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100862	SFMP214	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100863	SFMP215	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100864	SFMP216	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100865	SFMP217	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100866	SFMP218	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100867	SFMP219	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100868	SFMP220	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C101021	SFMP221	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100869	SFMP222	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness

**SFMP2TN (Short-Form McGill Pain Questionnaire-2 Questionnaire Test Name)**

NCI Code: C100155, Codelist extensible: No

<b>C100155 SFMP2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100856	SFMP2-Aching Pain	SFMP2-Aching Pain	Short-Form McGill Pain Questionnaire-2 - Aching pain.	SF-MPQ-2 - Aching Pain
C100865	SFMP2-Cold-Freezing Pain	SFMP2-Cold-Freezing Pain	Short-Form McGill Pain Questionnaire-2 - Cold-freezing pain.	SF-MPQ-2 - Cold-Freezing Pain
C100853	SFMP2-Cramping Pain	SFMP2-Cramping Pain	Short-Form McGill Pain Questionnaire-2 - Cramping pain.	SF-MPQ-2 - Cramping Pain
C100864	SFMP2-Electric-Shock Pain	SFMP2-Electric-Shock Pain	Short-Form McGill Pain Questionnaire-2 - Electric-shock pain.	SF-MPQ-2 - Electric-Shock Pain
C100862	SFMP2-Fearful	SFMP2-Fearful	Short-Form McGill Pain Questionnaire-2 - Fearful.	SF-MPQ-2 - Fearful
C100854	SFMP2-Gnawing Pain	SFMP2-Gnawing Pain	Short-Form McGill Pain Questionnaire-2 - Gnawing pain.	SF-MPQ-2 - Gnawing Pain
C100857	SFMP2-Heavy Pain	SFMP2-Heavy Pain	Short-Form McGill Pain Questionnaire-2 - Heavy pain.	SF-MPQ-2 - Heavy Pain
C100855	SFMP2-Hot-burning Pain	SFMP2-Hot-burning Pain	Short-Form McGill Pain Questionnaire-2 - Hot-burning pain.	SF-MPQ-2 - Hot-burning Pain
C100868	SFMP2-Itching	SFMP2-Itching	Short-Form McGill Pain Questionnaire-2 - Itching.	SF-MPQ-2 - Itching
C100869	SFMP2-Numbness	SFMP2-Numbness	Short-Form McGill Pain Questionnaire-2 - Numbness.	SF-MPQ-2 - Numbness
C100867	SFMP2-Pain Caused by Light Touch	SFMP2-Pain Caused by Light Touch	Short-Form McGill Pain Questionnaire-2 - Pain caused by light touch.	SF-MPQ-2 - Pain Caused by Light Touch
C100866	SFMP2-Piercing	SFMP2-Piercing	Short-Form McGill Pain Questionnaire-2 - Piercing.	SF-MPQ-2 - Piercing
C100863	SFMP2-Punishing-Cruel	SFMP2-Punishing-Cruel	Short-Form McGill Pain Questionnaire-2 - Punishing-cruel.	SF-MPQ-2 - Punishing-Cruel
C100852	SFMP2-Sharp Pain	SFMP2-Sharp Pain	Short-Form McGill Pain Questionnaire-2 - Sharp pain.	SF-MPQ-2 - Sharp Pain
C100850	SFMP2-Shooting Pain	SFMP2-Shooting Pain	Short-Form McGill Pain Questionnaire-2 - Shooting pain.	SF-MPQ-2 - Shooting Pain
C100861	SFMP2-Sickening	SFMP2-Sickening	Short-Form McGill Pain Questionnaire-2 - Sickening.	SF-MPQ-2 - Sickening
C100859	SFMP2-Splitting Pain	SFMP2-Splitting Pain	Short-Form McGill Pain Questionnaire-2 - Splitting pain.	SF-MPQ-2 - Splitting Pain
C100851	SFMP2-Stabbing Pain	SFMP2-Stabbing Pain	Short-Form McGill Pain Questionnaire-2 - Stabbing pain.	SF-MPQ-2 - Stabbing Pain
C100858	SFMP2-Tender	SFMP2-Tender	Short-Form McGill Pain Questionnaire-2 - Tender.	SF-MPQ-2 - Tender
C100849	SFMP2-Throbbing Pain	SFMP2-Throbbing Pain	Short-Form McGill Pain Questionnaire-2 - Throbbing pain.	SF-MPQ-2 - Throbbing Pain
C101021	SFMP2-Tingling or 'Pins and Needles'	SFMP2-Tingling or 'Pins and Needles'	Short-Form McGill Pain Questionnaire-2 - Tingling or 'pins and needles'.	SF-MPQ-2 - Tingling or 'Pins and Needles'
C100860	SFMP2-Tiring-Exhausting	SFMP2-Tiring-Exhausting	Short-Form McGill Pain Questionnaire-2 - Tiring-exhausting.	SF-MPQ-2 - Tiring-Exhausting



## SGRQ01TC (St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Code)

NCI Code: C112449, Codelist extensible: No

C112449 SGRQ01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112627	SGRQ0101	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112628	SGRQ0102	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112629	SGRQ0103	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112630	SGRQ0104	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ0105	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112632	SGRQ0106	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112633	SGRQ0107	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ0108	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had
C112635	SGRQ0109	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning
C112636	SGRQ0110	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112637	SGRQ0111	SGRQ01-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112638	SGRQ0112	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112639	SGRQ0113	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself
C112640	SGRQ0114	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ0115	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ0116	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ0117	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills
C112644	SGRQ0118	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities

**C112449 SGRQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112645	SGRQ0119	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ0120	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired
C112647	SGRQ0121	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112648	SGRQ0122	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112649	SGRQ0123	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112650	SGRQ0124	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112651	SGRQ0125	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112652	SGRQ0126	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family
C112653	SGRQ0127	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112654	SGRQ0128	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112655	SGRQ0129	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better
C112656	SGRQ0130	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112657	SGRQ0131	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me
C112658	SGRQ0132	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112659	SGRQ0133	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112660	SGRQ0134	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public
C112661	SGRQ0135	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication

**C112449 SGRQ01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112662	SGRQ0136	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112663	SGRQ0137	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112664	SGRQ0138	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112665	SGRQ0139	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age
C112666	SGRQ0140	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112667	SGRQ0141	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112668	SGRQ0142	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112669	SGRQ0143	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112670	SGRQ0144	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ0145	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112672	SGRQ0146	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112673	SGRQ0147	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ0148	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112675	SGRQ0149	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores
C112676	SGRQ0150	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112677	SGRQ0151	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You

**SGRQ01TN (St. George's Respiratory Questionnaire Past 3 Months Version Questionnaire Test Name)**

NCI Code: C112448, Codelist extensible: No

<b>C112448 SGRQ01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112653	SGRQ01-Afraid When Cannot Catch Breath	SGRQ01-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 3 Months Version - Get Afraid When Cannot Catch My Breath
C112673	SGRQ01-Cannot Go Out for Entertainment	SGRQ01-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 3 Months Version - Cannot Go Out for Entertainment
C112674	SGRQ01-Cannot Go Out to Do Shopping	SGRQ01-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 3 Months Version - Cannot Go Out to Do Shopping
C112651	SGRQ01-Cough Is Embarrassing in Public	SGRQ01-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 3 Months Version - My Cough is Embarrassing in Public
C112649	SGRQ01-Coughing Disturbs My Sleep	SGRQ01-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 3 Months Version - Coughing Disturbs My Sleep
C112645	SGRQ01-Coughing Hurts	SGRQ01-Coughing Hurts	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 3 Months Version - Coughing Hurts
C112646	SGRQ01-Coughing Makes Me Tired	SGRQ01-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 3 Months Version - Coughing Makes Me Tired
C112627	SGRQ01-Describe Your Current Health	SGRQ01-Describe Your Current Health	St. George's Respiratory Questionnaire Past 3 Months Version - Please check one box to show how you describe your current health.	SGRQ Past 3 Months Version - Describe Your Current Health
C112636	SGRQ01-Describe Your Resp Condition	SGRQ01-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 3 Months Version - How would you describe your respiratory condition?	SGRQ Past 3 Months Version - Describe Your Respiratory Condition
C112670	SGRQ01-Difficult to Carry Heavy Loads	SGRQ01-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Carry Heavy Loads
C112671	SGRQ01-Difficult to Do Very Heavy Work	SGRQ01-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Do Heavy Manual Work
C112669	SGRQ01-Difficult to Walk Up Hills	SGRQ01-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 3 Months Version - Breathing Makes Difficult to Walk Up Hills
C112660	SGRQ01-Embarrassed Using Med in Public	SGRQ01-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 3 Months Version - Embarrassed Using Medication in Public
C112658	SGRQ01-Everything Too Much Effort	SGRQ01-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 3 Months Version - Everything Too Much Effort
C112657	SGRQ01-Exercise Is Not Safe for Me	SGRQ01-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 3 Months Version - Exercise Is Not Safe for Me

**C112448 SGRQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112633	SGRQ01-How Long Worst Resp Attack Last	SGRQ01-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 3 Months Version - How long did the worst respiratory attack last?	SGRQ Past 3 Months Version - How Long Did Worst Respiratory Attack Last
C112634	SGRQ01-How Many Good Days Have You Had	SGRQ01-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 3 Months Version - How Many Good Days You Had
C112677	SGRQ01-How Resp Problems Affect You	SGRQ01-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 3 Months Version - Best describe how your respiratory problems affect you.	SGRQ Past 3 Months Version - How Respiratory Problems Affect You
C112675	SGRQ01-I Cannot Do Household Chores	SGRQ01-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 3 Months Version - Cannot Do Household Chores
C112676	SGRQ01-I Cannot Move Far From My Bed	SGRQ01-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 3 Months Version - Cannot Move Far From Bed or Chair
C112672	SGRQ01-I Cannot Play Sports	SGRQ01-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 3 Months Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 3 Months Version - Cannot Play Sports or Do Physical Activities
C112664	SGRQ01-I Cannot Take a Bath or Shower	SGRQ01-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 3 Months Version - Cannot Take a Bath or Shower
C112650	SGRQ01-I Get Exhausted Easily	SGRQ01-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 3 Months Version - I Get Exhausted Easily
C112656	SGRQ01-I Have Become Frail	SGRQ01-I Have Become Frail	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 3 Months Version - Become Frail or Invalid Because of My Respiratory Problems
C112629	SGRQ01-I Have Brought Up Phlegm	SGRQ01-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have brought up phlegm (sputum).	SGRQ Past 3 Months Version - I Have Brought Up Phlegm
C112628	SGRQ01-I Have Coughed	SGRQ01-I Have Coughed	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have coughed.	SGRQ Past 3 Months Version - I Have Coughed
C112630	SGRQ01-I Have Had Shortness of Breath	SGRQ01-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had shortness of breath.	SGRQ Past 3 Months Version - I Have Had Shortness of Breath
C112631	SGRQ01-I Have Had Wheezing Attacks	SGRQ01-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - Over the past 3 months, I have had wheezing attacks.	SGRQ Past 3 Months Version - I Have Had Wheezing Attacks
C112665	SGRQ01-I Walk Slower Than Other People	SGRQ01-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 3 Months Version - Walk Slower Than Other People My Age
C112668	SGRQ01-If I Hurry, I Have to Stop	SGRQ01-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 3 Months Version - If Walk Fast I Have to Stop or Slow Down
C112637	SGRQ01-If You Have Ever Held a Job	SGRQ01-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 3 Months Version - If you have ever held a job.	SGRQ Past 3 Months Version - Held a Job
C112666	SGRQ01-Jobs Take a Long Time	SGRQ01-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 3 Months Version - Jobs Take Long Time or I Have to Stop
C112655	SGRQ01-Not Expect Probs to Get Better	SGRQ01-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 3 Months Version - Not Expect Respiratory Problems Get Better

**C112448 SGRQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112654	SGRQ01-Not in Control of Resp Problems	SGRQ01-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 3 Months Version - Not in Control of My Respiratory Problems
C112644	SGRQ01-Playing Sports	SGRQ01-Playing Sports	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 3 Months Version - Playing Sports or Other Physical Activities
C112652	SGRQ01-Respiratory Problems a Nuisance	SGRQ01-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 3 Months Version - Respiratory Problems a Nuisance to Family
C112648	SGRQ01-Short of Breath When Bend Over	SGRQ01-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 3 Months Version - Short of Breath When Bend Over
C112647	SGRQ01-Short of Breath When I Talk	SGRQ01-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 3 Months Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 3 Months Version - Short of Breath When I Talk
C112638	SGRQ01-Sitting or Lying Still	SGRQ01-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 3 Months Version - Sitting or Lying Still
C112663	SGRQ01-Take a Long Time to Get Washed	SGRQ01-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 3 Months Version - Take Long Time to Get Washed or Dressed
C112632	SGRQ01-Times Suffered Sev Resp Attacks	SGRQ01-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 3 Months Version - How many times during the past 3 months have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 3 Months Version - Times Suffered From Severe Respiratory Attacks
C112659	SGRQ01-Treatment Does Not Help Me Much	SGRQ01-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 3 Months Version - Treatment Does Not Help Me Much
C112662	SGRQ01-Treatment Interferes With Life	SGRQ01-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 3 Months Version - Treatment Interferes With My Life
C112661	SGRQ01-Unpleasant Side Effect From Med	SGRQ01-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 3 Months Version - Unpleasant Side Effects From Medication
C112667	SGRQ01-Walk Up Flight of Stairs Slowly	SGRQ01-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 3 Months Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112640	SGRQ01-Walking Around the House	SGRQ01-Walking Around the House	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 3 Months Version - Walking Around the House
C112641	SGRQ01-Walking Outside on Level Ground	SGRQ01-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 3 Months Version - Walking Outside on Level Ground
C112642	SGRQ01-Walking Up a Flight of Stairs	SGRQ01-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 3 Months Version - Walking Up a Flight of Stairs
C112643	SGRQ01-Walking Up Hills	SGRQ01-Walking Up Hills	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 3 Months Version - Walking Up Hills
C112639	SGRQ01-Washing or Dressing Yourself	SGRQ01-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 3 Months Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 3 Months Version - Washing or Dressing Yourself

**C112448 SGRQ01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112635	SGRQ01-Wheeze Worse in the Morning	SGRQ01-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 3 Months Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 3 Months Version - Wheeze Worse When Get Up in the Morning

## SGRQ02TC (St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Code)

NCI Code: C112451, Codelist extensible: No

C112451 SGRQ02TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112678	SGRQ0201	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112679	SGRQ0202	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112680	SGRQ0203	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112681	SGRQ0204	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ0205	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112683	SGRQ0206	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112684	SGRQ0207	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ0208	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had
C112686	SGRQ0209	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning
C112687	SGRQ0210	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112688	SGRQ0211	SGRQ02-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112689	SGRQ0212	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112690	SGRQ0213	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself
C112691	SGRQ0214	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ0215	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ0216	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ0217	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills
C112695	SGRQ0218	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities



**C112451 SGRQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112696	SGRQ0219	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ0220	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112698	SGRQ0221	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk
C112699	SGRQ0222	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over
C112700	SGRQ0223	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112701	SGRQ0224	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112702	SGRQ0225	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112703	SGRQ0226	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112704	SGRQ0227	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112705	SGRQ0228	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112706	SGRQ0229	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better
C112707	SGRQ0230	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112708	SGRQ0231	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me
C112709	SGRQ0232	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112710	SGRQ0233	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112711	SGRQ0234	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public
C112712	SGRQ0235	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication

**C112451 SGRQ02TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112713	SGRQ0236	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112714	SGRQ0237	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112715	SGRQ0238	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112716	SGRQ0239	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age
C112717	SGRQ0240	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112718	SGRQ0241	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112719	SGRQ0242	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112720	SGRQ0243	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112721	SGRQ0244	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ0245	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112723	SGRQ0246	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112724	SGRQ0247	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ0248	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112726	SGRQ0249	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores
C112727	SGRQ0250	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112728	SGRQ0251	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You

**SGRQ02TN (St. George's Respiratory Questionnaire Past 4 Weeks Version Questionnaire Test Name)**

NCI Code: C112450, Codelist extensible: No

<b>C112450 SGRQ02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112704	SGRQ02-Afraid When Cannot Catch Breath	SGRQ02-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I get afraid or panic when I cannot catch my breath.	SGRQ Past 4 Weeks Version - Get Afraid When Cannot Catch My Breath
C112724	SGRQ02-Cannot Go Out for Entertainment	SGRQ02-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ Past 4 Weeks Version - Cannot Go Out for Entertainment
C112725	SGRQ02-Cannot Go Out to Do Shopping	SGRQ02-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ Past 4 Weeks Version - Cannot Go Out to Do Shopping
C112702	SGRQ02-Cough Is Embarrassing in Public	SGRQ02-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My cough or breathing is embarrassing in public.	SGRQ Past 4 Weeks Version - My Cough is Embarrassing in Public
C112700	SGRQ02-Coughing Disturbs My Sleep	SGRQ02-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: My coughing or breathing disturbs my sleep.	SGRQ Past 4 Weeks Version - Coughing Disturbs My Sleep
C112696	SGRQ02-Coughing Hurts	SGRQ02-Coughing Hurts	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing hurts.	SGRQ Past 4 Weeks Version - Coughing Hurts
C112697	SGRQ02-Coughing Makes Me Tired	SGRQ02-Coughing Makes Me Tired	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: Coughing makes me tired.	SGRQ Past 4 Weeks Version - Coughing Makes Me Tired
C112678	SGRQ02-Describe Your Current Health	SGRQ02-Describe Your Current Health	St. George's Respiratory Questionnaire Past 4 Weeks Version - Please check one box to show how you describe your current health.	SGRQ Past 4 Weeks Version - Describe Your Current Health
C112687	SGRQ02-Describe Your Resp Condition	SGRQ02-Describe Your Resp Condition	St. George's Respiratory Questionnaire Past 4 Weeks Version - How would you describe your respiratory condition?	SGRQ Past 4 Weeks Version - Describe Your Respiratory Condition
C112721	SGRQ02-Difficult to Carry Heavy Loads	SGRQ02-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Carry Heavy Loads
C112722	SGRQ02-Difficult to Do Very Heavy Work	SGRQ02-Difficult to Do Very Heavy Work	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as very heavy manual work, ride a bike, run, swim fast, or play competitive sports.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Do Heavy Manual Work
C112720	SGRQ02-Difficult to Walk Up Hills	SGRQ02-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ Past 4 Weeks Version - Breathing Makes Difficult to Walk Up Hills
C112711	SGRQ02-Embarrassed Using Med in Public	SGRQ02-Embarrassed Using Med in Public	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I get embarrassed using my medication in public.	SGRQ Past 4 Weeks Version - Embarrassed Using Medication in Public
C112709	SGRQ02-Everything Too Much Effort	SGRQ02-Everything Too Much Effort	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Everything seems too much of an effort.	SGRQ Past 4 Weeks Version - Everything Too Much Effort
C112708	SGRQ02-Exercise Is Not Safe for Me	SGRQ02-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: Exercise is not safe for me.	SGRQ Past 4 Weeks Version - Exercise Is Not Safe for Me

**C112450 SGRQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112684	SGRQ02-How Long Worst Resp Attack Last	SGRQ02-How Long Worst Resp Attack Last	St. George's Respiratory Questionnaire Past 4 Weeks Version - How long did the worst respiratory attack last?	SGRQ Past 4 Weeks Version - How Long Did Worst Respiratory Attack Last
C112685	SGRQ02-How Many Good Days Have You Had	SGRQ02-How Many Good Days Have You Had	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, in a typical week, how many good days (with few respiratory problems) have you had?	SGRQ Past 4 Weeks Version - How Many Good Days You Had
C112728	SGRQ02-How Resp Problems Affect You	SGRQ02-How Resp Problems Affect You	St. George's Respiratory Questionnaire Past 4 Weeks Version - Best describe how your respiratory problems affect you.	SGRQ Past 4 Weeks Version - How Respiratory Problems Affect You
C112726	SGRQ02-I Cannot Do Household Chores	SGRQ02-I Cannot Do Household Chores	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ Past 4 Weeks Version - Cannot Do Household Chores
C112727	SGRQ02-I Cannot Move Far From My Bed	SGRQ02-I Cannot Move Far From My Bed	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ Past 4 Weeks Version - Cannot Move Far From Bed or Chair
C112723	SGRQ02-I Cannot Play Sports	SGRQ02-I Cannot Play Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ Past 4 Weeks Version - Cannot Play Sports or Do Physical Activities
C112715	SGRQ02-I Cannot Take a Bath or Shower	SGRQ02-I Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ Past 4 Weeks Version - Cannot Take A Bath or Shower
C112701	SGRQ02-I Get Exhausted Easily	SGRQ02-I Get Exhausted Easily	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I get exhausted easily.	SGRQ Past 4 Weeks Version - I Get Exhausted Easily
C112707	SGRQ02-I Have Become Frail	SGRQ02-I Have Become Frail	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I have become frail or an invalid because of my respiratory problems.	SGRQ Past 4 Weeks Version - Become Frail or Invalid Because of My Respiratory Problems
C112680	SGRQ02-I Have Brought Up Phlegm	SGRQ02-I Have Brought Up Phlegm	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have brought up phlegm (sputum).	SGRQ Past 4 Weeks Version - I Have Brought Up Phlegm
C112679	SGRQ02-I Have Coughed	SGRQ02-I Have Coughed	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have coughed.	SGRQ Past 4 Weeks Version - I Have Coughed
C112681	SGRQ02-I Have Had Shortness of Breath	SGRQ02-I Have Had Shortness of Breath	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had shortness of breath.	SGRQ Past 4 Weeks Version - I Have Had Shortness of Breath
C112682	SGRQ02-I Have Had Wheezing Attacks	SGRQ02-I Have Had Wheezing Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - Over the past 4 weeks, I have had wheezing attacks.	SGRQ Past 4 Weeks Version - I Have Had Wheezing Attacks
C112716	SGRQ02-I Walk Slower Than Other People	SGRQ02-I Walk Slower Than Other People	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ Past 4 Weeks Version - Walk Slower Than Other People My Age
C112719	SGRQ02-If I Hurry, I Have to Stop	SGRQ02-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ Past 4 Weeks Version - If Walk Fast I Have to Stop or Slow Down
C112688	SGRQ02-If You Have Ever Held a Job	SGRQ02-If You Have Ever Held a Job	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you have ever held a job.	SGRQ Past 4 Weeks Version - Held a Job
C112717	SGRQ02-Jobs Take a Long Time	SGRQ02-Jobs Take a Long Time	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ Past 4 Weeks Version - Jobs Take Long Time or I Have to Stop
C112706	SGRQ02-Not Expect Probs to Get Better	SGRQ02-Not Expect Probs to Get Better	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I do not expect my respiratory problems to get any better.	SGRQ Past 4 Weeks Version - Not Expect Respiratory Problems Get Better

**C112450 SGRQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112705	SGRQ02-Not in Control of Resp Problems	SGRQ02-Not in Control of Resp Problems	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: I feel that I am not in control of my respiratory problems.	SGRQ Past 4 Weeks Version - Not in Control of My Respiratory Problems
C112695	SGRQ02-Playing Sports	SGRQ02-Playing Sports	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Playing sports or other physical activities.	SGRQ Past 4 Weeks Version - Playing Sports or Other Physical Activities
C112703	SGRQ02-Respiratory Problems a Nuisance	SGRQ02-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about other effects that your respiratory problems may have on you these days: My respiratory problems are a nuisance to my family, friends or neighbors.	SGRQ Past 4 Weeks Version - Respiratory Problems a Nuisance to Family
C112699	SGRQ02-Short of Breath When Bend Over	SGRQ02-Short of Breath When Bend Over	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I bend over.	SGRQ Past 4 Weeks Version - Short of Breath When Bend Over
C112698	SGRQ02-Short of Breath When I Talk	SGRQ02-Short of Breath When I Talk	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are more questions about your cough and shortness of breath these days: I am short of breath when I talk.	SGRQ Past 4 Weeks Version - Short of Breath When I Talk
C112689	SGRQ02-Sitting or Lying Still	SGRQ02-Sitting or Lying Still	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Sitting or lying still.	SGRQ Past 4 Weeks Version - Sitting or Lying Still
C112714	SGRQ02-Take a Long Time to Get Washed	SGRQ02-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ Past 4 Weeks Version - Take Long Time to Get Washed or Dressed
C112683	SGRQ02-Times Suffered Sev Resp Attacks	SGRQ02-Times Suffered Sev Resp Attacks	St. George's Respiratory Questionnaire Past 4 Weeks Version - How many times during the past 4 weeks have you suffered from severe or very unpleasant respiratory attacks?	SGRQ Past 4 Weeks Version - Times Suffered From Severe Respiratory Attacks
C112710	SGRQ02-Treatment Does Not Help Me Much	SGRQ02-Treatment Does Not Help Me Much	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment does not help me very much.	SGRQ Past 4 Weeks Version - Treatment Does Not Help Me Much
C112713	SGRQ02-Treatment Interferes With Life	SGRQ02-Treatment Interferes With Life	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: My treatment interferes with my life a lot.	SGRQ Past 4 Weeks Version - Treatment Interferes With My Life
C112712	SGRQ02-Unpleasant Side Effect From Med	SGRQ02-Unpleasant Side Effect From Med	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about your respiratory treatment: I have unpleasant side effects from my medication.	SGRQ Past 4 Weeks Version - Unpleasant Side Effects From Medication
C112718	SGRQ02-Walk Up Flight of Stairs Slowly	SGRQ02-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ Past 4 Weeks Version - If Walk Up One Flight of Stairs I Have to Go Slow
C112691	SGRQ02-Walking Around the House	SGRQ02-Walking Around the House	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking around the house.	SGRQ Past 4 Weeks Version - Walking Around the House
C112692	SGRQ02-Walking Outside on Level Ground	SGRQ02-Walking Outside on Level Ground	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking outside on level ground.	SGRQ Past 4 Weeks Version - Walking Outside on Level Ground
C112693	SGRQ02-Walking Up a Flight of Stairs	SGRQ02-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up a flight of stairs.	SGRQ Past 4 Weeks Version - Walking Up a Flight of Stairs
C112694	SGRQ02-Walking Up Hills	SGRQ02-Walking Up Hills	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Walking up hills.	SGRQ Past 4 Weeks Version - Walking Up Hills
C112690	SGRQ02-Washing or Dressing Yourself	SGRQ02-Washing or Dressing Yourself	St. George's Respiratory Questionnaire Past 4 Weeks Version - These are questions about what activities usually make you feel short of breath these days: Washing or dressing yourself.	SGRQ Past 4 Weeks Version - Washing or Dressing Yourself

**C112450 SGRQ02TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112686	SGRQ02-Wheeze Worse in the Morning	SGRQ02-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire Past 4 Weeks Version - If you wheeze, is it worse when you get up in the morning?	SGRQ Past 4 Weeks Version - Wheeze Worse When Get Up in the Morning

## SGRQC1TC (St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Code)

NCI Code: C106671, Codelist extensible: No

C106671 SGRQC1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106853	SGRQC101	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106854	SGRQC102	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106855	SGRQC103	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106856	SGRQC104	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106857	SGRQC105	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106858	SGRQC106	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year
C106859	SGRQC107	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106860	SGRQC108	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning
C106861	SGRQC109	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106862	SGRQC110	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106863	SGRQC111	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC112	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground
C106865	SGRQC113	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC114	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106867	SGRQC115	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC116	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106869	SGRQC117	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106870	SGRQC118	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106871	SGRQC119	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106872	SGRQC120	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106873	SGRQC121	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public

**C106671 SGRQC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107021	SGRQC122	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106874	SGRQC123	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath
C106875	SGRQC124	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C106876	SGRQC125	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106877	SGRQC126	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me
C106878	SGRQC127	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106879	SGRQC128	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106880	SGRQC129	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106881	SGRQC130	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106882	SGRQC131	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106883	SGRQC132	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106884	SGRQC133	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106885	SGRQC134	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106886	SGRQC135	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C107022	SGRQC136	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C107023	SGRQC137	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC138	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping



**C106671 SGRQC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C107025	SGRQC139	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107026	SGRQC140	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C106887	SGRQC141	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You

## SGRQC1TN (St. George's Respiratory Questionnaire for COPD Patients Questionnaire Test Name)

NCI Code: C106670, Codelist extensible: No

C106670 SGRQC1TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C106874	SGRQC1-Afraid When Cannot Catch Breath	SGRQC1-Afraid When Cannot Catch Breath	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I get afraid or panic when I cannot catch my breath.	SGRQ-C - Afraid or Panic When Cannot Catch Breath
C107025	SGRQC1-Cannot Do Household Chores	SGRQC1-Cannot Do Household Chores	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot do household chores.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Do Household Chores
C107023	SGRQC1-Cannot Go Out for Entertainment	SGRQC1-Cannot Go Out for Entertainment	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out for entertainment or recreation.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out for Entertainment
C107024	SGRQC1-Cannot Go Out to Do Shopping	SGRQC1-Cannot Go Out to Do Shopping	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot go out of the house to do the shopping.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Go Out to Do Shopping
C107026	SGRQC1-Cannot Move Far From My Bed	SGRQC1-Cannot Move Far From My Bed	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot move far from my bed or chair.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Move Far From Bed
C107022	SGRQC1-Cannot Play Sports	SGRQC1-Cannot Play Sports	St. George's Respiratory Questionnaire - We would like to know how your respiratory problems usually affect your daily life: I cannot play sports or do other physical activities.	SGRQ-C - Respiratory Problems Affect Daily Life: Cannot Play Sports
C106880	SGRQC1-Cannot Take a Bath or Shower	SGRQC1-Cannot Take a Bath or Shower	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I cannot take a bath or shower, or I take a long time to do it.	SGRQ-C - Cannot Take a Bath or Shower
C106873	SGRQC1-Cough Is Embarrassing in Public	SGRQC1-Cough Is Embarrassing in Public	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My cough or breathing is embarrassing in public.	SGRQ-C - Cough Is Embarrassing in Public
C106871	SGRQC1-Coughing Disturbs My Sleep	SGRQC1-Coughing Disturbs My Sleep	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: My coughing or breathing disturbs my sleep.	SGRQ-C - Coughing Disturbs My Sleep
C106867	SGRQC1-Coughing Hurts	SGRQC1-Coughing Hurts	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing hurts.	SGRQ-C - Coughing Hurts
C106868	SGRQC1-Coughing Makes Me Tired	SGRQC1-Coughing Makes Me Tired	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: Coughing makes me tired.	SGRQ-C - Coughing Makes Me Tired
C106853	SGRQC1-Describe Your Current Health	SGRQC1-Describe Your Current Health	St. George's Respiratory Questionnaire - Please check one box to show how you describe your current health.	SGRQ-C - Description of Your Current Health
C106861	SGRQC1-Describe Your Resp Problems	SGRQC1-Describe Your Resp Problems	St. George's Respiratory Questionnaire - How would you describe your respiratory problems?	SGRQ-C - Description of Your Respiratory Problems
C106886	SGRQC1-Difficult to Carry Heavy Loads	SGRQC1-Difficult to Carry Heavy Loads	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as carry heavy loads, dig in the garden or shovel snow, jog or walk briskly (5 miles per hour), play tennis or swim.	SGRQ-C - Difficult to Carry Heavy Loads
C106885	SGRQC1-Difficult to Walk Up Hills	SGRQC1-Difficult to Walk Up Hills	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: My breathing makes it difficult to do things such as walk up hills, carry things up stairs, light gardening such as weeding, dance, bowl or play golf.	SGRQ-C - Difficult to Walk Up Hills
C106878	SGRQC1-Everything Too Much Effort	SGRQC1-Everything Too Much Effort	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Everything seems too much of an effort.	SGRQ-C - Everything Seems Too Much Effort
C106877	SGRQC1-Exercise Is Not Safe for Me	SGRQC1-Exercise Is Not Safe for Me	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: Exercise is not safe for me.	SGRQ-C - Exercise Is Not Safe for Me

**C106670 SGRQC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106876	SGRQC1-Frail Because of Resp Problems	SGRQC1-Frail Because of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I have become frail or an invalid because of my respiratory problems.	SGRQ-C - Become Frail Because of Respiratory Problems
C106872	SGRQC1-Get Exhausted Easily	SGRQC1-Get Exhausted Easily	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I get exhausted easily.	SGRQ-C - Get Exhausted Easily
C106858	SGRQC1-How Many Respiratory Attacks	SGRQC1-How Many Respiratory Attacks	St. George's Respiratory Questionnaire - How many respiratory attacks did you have during the last year?	SGRQ-C - Number of Respiratory Attacks Last Year
C106859	SGRQC1-How Often Do You Have Good Days	SGRQC1-How Often Do You Have Good Days	St. George's Respiratory Questionnaire - How often do you have good days (with few respiratory problems)?	SGRQ-C - Good Days with Few Respiratory Problems
C106887	SGRQC1-How Resp Problems Affect You	SGRQC1-How Resp Problems Affect You	St. George's Respiratory Questionnaire - How do your respiratory problems affect you?	SGRQ-C - How Respiratory Problems Affect You
C106855	SGRQC1-I Bring Up Phlegm	SGRQC1-I Bring Up Phlegm	St. George's Respiratory Questionnaire - I bring up phlegm (sputum).	SGRQ-C - Bring Up Phlegm
C106854	SGRQC1-I Cough	SGRQC1-I Cough	St. George's Respiratory Questionnaire - I cough.	SGRQ-C - Cough
C106857	SGRQC1-I Have Attacks of Wheezing	SGRQC1-I Have Attacks of Wheezing	St. George's Respiratory Questionnaire - I have attacks of wheezing.	SGRQ-C - Have Attacks of Wheezing
C106856	SGRQC1-I Have Shortness of Breath	SGRQC1-I Have Shortness of Breath	St. George's Respiratory Questionnaire - I have shortness of breath.	SGRQ-C - Have Shortness of Breath
C106884	SGRQC1-If I Hurry, I Have to Stop	SGRQC1-If I Hurry, I Have to Stop	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I hurry or walk fast, I have to stop or slow down.	SGRQ-C - If Walk Fast Have to Stop
C106882	SGRQC1-Jobs Take a Long Time	SGRQC1-Jobs Take a Long Time	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: Jobs such as household chores take a long time, or I have to stop to rest.	SGRQ-C - Jobs Take a Long Time
C106875	SGRQC1-Not in Control of Resp Problems	SGRQC1-Not in Control of Resp Problems	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: I feel that I am not in control of my respiratory problems.	SGRQ-C - Not in Control of Respiratory Problems
C107021	SGRQC1-Respiratory Problems a Nuisance	SGRQC1-Respiratory Problems a Nuisance	St. George's Respiratory Questionnaire - Questions about other effects that your respiratory problems may have on you: My respiratory problems are a nuisance to my family, friends or neighbours.	SGRQ-C - Respiratory Problems a Nuisance to Family, Friends or Neighbours
C106870	SGRQC1-Short of Breath When Bend Over	SGRQC1-Short of Breath When Bend Over	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I bend over.	SGRQ-C - Short of Breath When Bend Over
C106869	SGRQC1-Short of Breath When Talk	SGRQC1-Short of Breath When Talk	St. George's Respiratory Questionnaire - Some more questions about your cough and breathlessness: I am short of breath when I talk.	SGRQ-C - Short of Breath When Talk
C106879	SGRQC1-Take a Long Time to Get Washed	SGRQC1-Take a Long Time to Get Washed	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I take a long time to get washed or dressed.	SGRQ-C - Take a Long Time to Get Washed or Dressed
C106881	SGRQC1-Walk Slow Than Others My Age	SGRQC1-Walk Slow Than Others My Age	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: I walk slower than other people my age, or I stop to rest.	SGRQ-C - Walk Slower Than Other People My Age
C106883	SGRQC1-Walk Up Flight of Stairs Slowly	SGRQC1-Walk Up Flight of Stairs Slowly	St. George's Respiratory Questionnaire - These are questions about how your activities might be affected by your respiratory problems: If I walk up one flight of stairs, I have to go slowly or stop.	SGRQ-C - Walk Up Flight of Stairs Slowly
C106863	SGRQC1-Walking Around the House	SGRQC1-Walking Around the House	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking around the house.	SGRQ-C - Feel Breathless Walking Around the House
C106864	SGRQC1-Walking Outside on Level Ground	SGRQC1-Walking Outside on Level Ground	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking outside on level ground.	SGRQ-C - Feel Breathless Walking Outside on Level Ground

**C106670 SGRQC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106865	SGRQC1-Walking Up a Flight of Stairs	SGRQC1-Walking Up a Flight of Stairs	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up a flight of stairs.	SGRQ-C - Feel Breathless Walking Up a Flight of Stairs
C106866	SGRQC1-Walking Up Hills	SGRQC1-Walking Up Hills	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Walking up hills.	SGRQ-C - Feel Breathless Walking Up Hills
C106862	SGRQC1-Washing or Dressing Yourself	SGRQC1-Washing or Dressing Yourself	St. George's Respiratory Questionnaire - Questions about what activities usually make you feel breathless: Washing or dressing yourself.	SGRQ-C - Feel Breathless Washing or Dressing Yourself
C106860	SGRQC1-Wheeze Worse in the Morning	SGRQC1-Wheeze Worse in the Morning	St. George's Respiratory Questionnaire - If you wheeze, is it worse when you get up in the morning?	SGRQ-C - Wheezing Worse In the Morning

## SIQR01TC (Symptom Impact Questionnaire Questionnaire Test Code)

NCI Code: C103485, Codelist extensible: No

C103485 SIQR01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103730	SIQR0101	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103731	SIQR0102	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103732	SIQR0103	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103733	SIQR0104	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103734	SIQR0105	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103735	SIQR0106	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103736	SIQR0107	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103737	SIQR0108	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103738	SIQR0109	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103739	SIQR0110	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103740	SIQR0111	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR0112	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103742	SIQR0113	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103743	SIQR0114	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103744	SIQR0115	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep
C103745	SIQR0116	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103746	SIQR0117	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103747	SIQR0118	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103748	SIQR0119	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103749	SIQR0120	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103750	SIQR0121	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold

## SIQR01TN (Symptom Impact Questionnaire Questionnaire Test Name)

NCI Code: C103484, Codelist extensible: No

C103484 SIQR01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103747	SIQR01-Anxiety	SIQR01-Anxiety	Symptom Impact Questionnaire - Please rate your level of anxiety.	SIQR - Anxiety
C103749	SIQR01-Balance Problems	SIQR01-Balance Problems	Symptom Impact Questionnaire - Please rate your level of balance problems.	SIQR - Balance Problems
C103730	SIQR01-Brush or Comb Your Hair	SIQR01-Brush or Comb Your Hair	Symptom Impact Questionnaire - Brush or comb your hair.	SIQR - Brush or Comb Your Hair
C103736	SIQR01-Change Bed Sheets	SIQR01-Change Bed Sheets	Symptom Impact Questionnaire - Change bed sheets.	SIQR - Change Bed Sheets
C103735	SIQR01-Climb One Flight of Stairs	SIQR01-Climb One Flight of Stairs	Symptom Impact Questionnaire - Climb one flight of stairs.	SIQR - Climb One Flight of Stairs
C103745	SIQR01-Depression	SIQR01-Depression	Symptom Impact Questionnaire - Please rate your level of depression.	SIQR - Depression
C103742	SIQR01-Energy	SIQR01-Energy	Symptom Impact Questionnaire - Please rate your level of energy.	SIQR - Energy
C103738	SIQR01-Go Shopping for Groceries	SIQR01-Go Shopping for Groceries	Symptom Impact Questionnaire - Go shopping for groceries.	SIQR - Go Shopping for Groceries
C103734	SIQR01-Lift/Carry Bag Full of Groceries	SIQR01-Lift/Carry Bag Full of Groceries	Symptom Impact Questionnaire - Lift and carry a bag full of groceries.	SIQR - Lift and Carry a Bag Full of Groceries
C103746	SIQR01-Memory Problems	SIQR01-Memory Problems	Symptom Impact Questionnaire - Please rate your level of memory problems.	SIQR - Memory Problems
C103740	SIQR01-Overwhelmed by Medical Problems	SIQR01-Overwhelmed by Medical Problems	Symptom Impact Questionnaire - I was completely overwhelmed by my medical problems.	SIQR - I was Completely Overwhelmed by My Medical Problem
C103741	SIQR01-Pain	SIQR01-Pain	Symptom Impact Questionnaire - Please rate your level of pain.	SIQR - Pain
C103732	SIQR01-Prepare a Homemade Meal	SIQR01-Prepare a Homemade Meal	Symptom Impact Questionnaire - Prepare a homemade meal.	SIQR - Prepare a Homemade Meal
C103739	SIQR01-Prevent from Accomplishing Goals	SIQR01-Prevent from Accomplishing Goals	Symptom Impact Questionnaire - My medical problems prevented me from accomplishing goals for week.	SIQR - My Medical Problem Prevented Me from Accomplishing Goals for the Week
C103750	SIQR01-Sensitivity Noise/Light/Odor/Cold	SIQR01-Sensitivity Noise/Light/Odor/Cold	Symptom Impact Questionnaire - Please rate your level of sensitivity to loud noises, bright lights, odors and cold.	SIQR - Sensitivity to Loud Noises, Bright Lights, Odors and Cold
C103737	SIQR01-Sit in a Chair for 45 Minutes	SIQR01-Sit in a Chair for 45 Minutes	Symptom Impact Questionnaire - Sit in a chair for 45 minutes.	SIQR - Sit in a Chair for 45 Minutes
C103743	SIQR01-Stiffness	SIQR01-Stiffness	Symptom Impact Questionnaire - Please rate your level of stiffness.	SIQR - Stiffness
C103748	SIQR01-Tenderness to Touch	SIQR01-Tenderness to Touch	Symptom Impact Questionnaire - Please rate your level of tenderness to touch.	SIQR - Tenderness to Touch
C103733	SIQR01-Vacuum Scrub or Sweep Floors	SIQR01-Vacuum Scrub or Sweep Floors	Symptom Impact Questionnaire - Vacuum, scrub or sweep floors.	SIQR - Vacuum Scrub or Sweep Floors
C103731	SIQR01-Walk Continuously for 20 Minutes	SIQR01-Walk Continuously for 20 Minutes	Symptom Impact Questionnaire - Walk continuously for 20 minutes.	SIQR - Walk Continuously for 20 Minutes
C103744	SIQR01-Your Sleep	SIQR01-Your Sleep	Symptom Impact Questionnaire - Please rate the quality of your sleep.	SIQR - Your Sleep

**SIXMW1TC (6 Minute Walk Functional Test Test Code)**

NCI Code: C115388, Codelist extensible: No

<b>C115388 SIXMW1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115800	SIXMW101	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW102	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW103	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW104	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW105	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW106	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes

**SIXMW1TN (6 Minute Walk Functional Test Test Name)**

NCI Code: C115387, Codelist extensible: No

<b>C115387 SIXMW1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115800	SIXMW1-Distance at 1 Minute	SIXMW1-Distance at 1 Minute	6 Minute Walk Test - Distance at 1 minute.	6MWT - Distance at 1 Minute
C115801	SIXMW1-Distance at 2 Minutes	SIXMW1-Distance at 2 Minutes	6 Minute Walk Test - Distance at 2 minutes.	6MWT - Distance at 2 Minutes
C115802	SIXMW1-Distance at 3 Minutes	SIXMW1-Distance at 3 Minutes	6 Minute Walk Test - Distance at 3 minutes.	6MWT - Distance at 3 Minutes
C115803	SIXMW1-Distance at 4 Minutes	SIXMW1-Distance at 4 Minutes	6 Minute Walk Test - Distance at 4 minutes.	6MWT - Distance at 4 Minutes
C115804	SIXMW1-Distance at 5 Minutes	SIXMW1-Distance at 5 Minutes	6 Minute Walk Test - Distance at 5 minutes.	6MWT - Distance at 5 Minutes
C115805	SIXMW1-Distance at 6 Minutes	SIXMW1-Distance at 6 Minutes	6 Minute Walk Test - Distance at 6 minutes.	6MWT - Distance at 6 Minutes



## SIZE (Size Response)

NCI Code: C66733, Codelist extensible: Yes

<b>C66733 SIZE</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49508	LARGE		Of considerable or relatively great size, extent, or capacity. (NCI)	Large
C49507	MEDIUM		Mid-way between small and large in number, quantity, magnitude or extent. (NCI)	Medium
C25376	SMALL		Limited in number, quantity, magnitude or extent. (NCI)	Small

**SKINCLAS (Fitzpatrick Skin Classification Response)**

NCI Code: C76351, Codelist extensible: Yes

<b>C76351 SKINCLAS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74569	TYPEI	TYPE1	Individuals who never tan and always sunburn if exposed to any appreciable amount of sunlight, primarily red headed individuals and lightly complected blondes. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type I
C74570	TYPEII	TYPE2	Individuals who frequently burn but are able to tan to a small degree after extended sun exposure. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type II
C74571	TYPEIII	TYPE3	Individuals who burn infrequently and tan readily. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type III
C74572	TYPEIV	TYPE4	Individuals who rarely burn and tan heavily with moderate sun exposures, especially individuals of Asian, American Indian, Mediterranean and Latin American descent. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type IV
C74573	TYPEV	TYPE5	Individuals who have dark constitutive pigmentation but become noticeably darker with sun exposure, especially light complected black individuals, those of Indian descent. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type V
C74574	TYPEVI	TYPE6	Individuals who have the heaviest constitutive pigmentation, especially dark skinned black individuals. (Reference: Fitzpatrick TB: The validity and practicality of sun-reactive skin types I through VI. Arch. Dermatol. 1998 124: 869-871)	Fitzpatrick Skin Type VI

## SKINTYP (Skin Type Response)

NCI Code: C74561, Codelist extensible: Yes

<b>C74561 SKINTYP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C74592	DRY		The pores are generally fine with a papery thin texture that feels dry to the touch. Usually flaky and dull looking.	Dry Skin
C74593	NORMAL		The pores are visible but not large. The texture is neither fine or thick and it neither feels dry or oily to the touch.	Normal Skin
C74591	OILY		The pores of the skin are generally large and visible with a coarse or thick texture. It has a tendency to look dull and greasy and feels oily to the touch.	Oily Skin

## SOAPR1TC (Screener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Code)

NCI Code: C100160, Codelist extensible: No

C100160 SOAPR1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100870	SOAPR101	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100871	SOAPR102	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication
C100872	SOAPR103	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR104	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100874	SOAPR105	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100875	SOAPR106	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100876	SOAPR107	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100877	SOAPR108	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100878	SOAPR109	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100879	SOAPR110	SOAPR1-Worried About Being Left Alone	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone
C100880	SOAPR111	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100881	SOAPR112	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100882	SOAPR113	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100883	SOAPR114	SOAPR1-Others Told You Bad Temper	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper
C100884	SOAPR115	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100885	SOAPR116	SOAPR1-Run Out of Pain Med Early	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100886	SOAPR117	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR118	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100888	SOAPR119	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100889	SOAPR120	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100890	SOAPR121	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused

<b>C100160 SOAPR1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100891	SOAPR122	SOAPR1-Suggested Drug or Alcohol Problem	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem
C100892	SOAPR123	SOAPR1-How Often Borrowed Pain Meds	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication
C100893	SOAPR124	SOAPR1-Treated for Alcohol or Drug Prob	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem
C100894	SOAPR125	SOAPR1-Any Additional Information	Screeener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100895	SOAPR126	SOAPR1-Score	Screeener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score

**SOAPR1TN (Screener and Opioid Assessment for Patients with Pain - Revised Questionnaire Test Name)**

NCI Code: C100159, Codelist extensible: No

<b>C100159 SOAPR1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100894	SOAPR1-Any Additional Information	SOAPR1-Any Additional Information	Screener and Opioid Assessment for Patients with Pain - Revised - Please include any additional information you wish about the above answers.	SOAPP-R - Any Additional Information
C100889	SOAPR1-Argument Someone Got Hurt	SOAPR1-Argument Someone Got Hurt	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been in an argument that was so out of control that someone got hurt?	SOAPP-R - Argument Where Someone Got Hurt
C100888	SOAPR1-Attended AA or NA Meeting	SOAPR1-Attended AA or NA Meeting	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you attended an AA or NA meeting?	SOAPP-R - Attended AA or NA Meeting
C100876	SOAPR1-Concerned People Will Judge You	SOAPR1-Concerned People Will Judge You	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been concerned that people will judge you for taking pain medication?	SOAPP-R - Concerned People Will Judge You
C100881	SOAPR1-Expressed Concern Over Med Use	SOAPR1-Expressed Concern Over Med Use	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others expressed concern over your use of medication?	SOAPP-R - Others Expressed Concern Over Medication Use
C100884	SOAPR1-Felt Consumed to Get Pain Med	SOAPR1-Felt Consumed to Get Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt consumed by the need to get pain medication?	SOAPP-R - Felt Consumed to Get Pain Medication
C100880	SOAPR1-Felt Craving for Medication	SOAPR1-Felt Craving for Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a craving for medication?	SOAPP-R - Felt Craving for Medication
C100872	SOAPR1-Felt Impatient With Doctors	SOAPR1-Felt Impatient With Doctors	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt impatient with your doctors?	SOAPP-R - Felt Impatient With Doctors
C100873	SOAPR1-Felt That Things Are Overwhelming	SOAPR1-Felt That Things Are Overwhelming	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt that things are just too overwhelming that you can't handle them?	SOAPP-R - Felt That Things Are Overwhelming
C100892	SOAPR1-How Often Borrowed Pain Meds	SOAPR1-How Often Borrowed Pain Meds	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you had to borrow pain medications from your family or friends?	SOAPP-R - How Often Borrowed Pain Medication
C100875	SOAPR1-How Often Counted Pain Pills	SOAPR1-How Often Counted Pain Pills	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you counted pain pills to see how many are remaining?	SOAPP-R - How Often Counted Pain Pills
C100877	SOAPR1-How Often Feel Bored	SOAPR1-How Often Feel Bored	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you feel bored?	SOAPP-R - How Often Feel Bored
C100882	SOAPR1-How Often Friends Had Problem	SOAPR1-How Often Friends Had Problem	Screener and Opioid Assessment for Patients with Pain - Revised - How often have any of your close friends had a problem with alcohol or drugs?	SOAPP-R - How Often Friends Had Problem
C100870	SOAPR1-How Often Mood Swings	SOAPR1-How Often Mood Swings	Screener and Opioid Assessment for Patients with Pain - Revised - How often do you have mood swings?	SOAPP-R - How Often Mood Swings
C100890	SOAPR1-How Often Sexually Abused	SOAPR1-How Often Sexually Abused	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you been sexually abused?	SOAPP-R - How Often Sexually Abused
C100878	SOAPR1-How Often Taken More Pain Med	SOAPR1-How Often Taken More Pain Med	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you taken more pain medication than you were supposed to?	SOAPP-R - How Often Taken More Pain Medication
C100874	SOAPR1-How Often Tension at Home	SOAPR1-How Often Tension at Home	Screener and Opioid Assessment for Patients with Pain - Revised - How often is there tension in the home?	SOAPP-R - How Often Tension at Home
C100886	SOAPR1-Kept From What You Deserve	SOAPR1-Kept From What You Deserve	Screener and Opioid Assessment for Patients with Pain - Revised - How often have others kept you from getting what you deserve?	SOAPP-R - Others Kept You From what You Deserve
C100887	SOAPR1-Legal Problems or Arrested	SOAPR1-Legal Problems or Arrested	Screener and Opioid Assessment for Patients with Pain - Revised - How often, in your lifetime, have you had legal problems or been arrested?	SOAPP-R - Legal Problems or Arrested
C100871	SOAPR1-Need Higher Doses of Medication	SOAPR1-Need Higher Doses of Medication	Screener and Opioid Assessment for Patients with Pain - Revised - How often have you felt a need for higher doses of medication to treat your pain?	SOAPP-R - Need Higher Doses of Medication

**C100159 SOAPR1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100883	SOAPR1-Others Told You Bad Temper	SOAPR1-Others Told You Bad Temper	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have others told you that you had a bad temper?	SOAPP-R - Others Told You Bad Temper
C100885	SOAPR1-Run Out of Pain Med Early	SOAPR1-Run Out of Pain Med Early	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you run out of pain medication early?	SOAPP-R - Run Out of Pain Medication Early
C100895	SOAPR1-Score	SOAPR1-Score	Screeener and Opioid Assessment for Patients with Pain - Revised - Score.	SOAPP-R - Score
C100891	SOAPR1-Suggested Drug or Alcohol Problem	SOAPR1-Suggested Drug or Alcohol Problem	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have others suggested that you have a drug or alcohol problem?	SOAPP-R - Others Suggested Drug or Alcohol Problem
C100893	SOAPR1-Treated for Alcohol or Drug Prob	SOAPR1-Treated for Alcohol or Drug Prob	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you been treated for an alcohol or drug problem?	SOAPP-R - Treated for Alcohol or Drug Problem
C100879	SOAPR1-Worried About Being Left Alone	SOAPR1-Worried About Being Left Alone	Screeener and Opioid Assessment for Patients with Pain - Revised - How often have you worried about being left alone?	SOAPP-R - Worried About Being Left Alone

## SOWSA1TC (Subjective Opiate Withdrawal Scale Questionnaire Test Code)

NCI Code: C101828, Codelist extensible: No

<b>C101828 SOWSA1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102409	SOWSA101	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102410	SOWSA102	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102411	SOWSA103	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102412	SOWSA104	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102413	SOWSA105	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running
C102414	SOWSA106	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102415	SOWSA107	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102416	SOWSA108	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102417	SOWSA109	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102418	SOWSA110	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102419	SOWSA111	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102420	SOWSA112	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102421	SOWSA113	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102422	SOWSA114	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102423	SOWSA115	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102424	SOWSA116	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now



**SOWSA1TN (Subjective Opiate Withdrawal Scale Questionnaire Test Name)**

NCI Code: C101829, Codelist extensible: No

<b>C101829 SOWSA1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102415	SOWSA1-I Am Shaking	SOWSA1-I Am Shaking	Subjective Opiate Withdrawal Scale - I am shaking.	SOWS Subjective (Handelsman) - I Am Shaking
C102409	SOWSA1-I Feel Anxious	SOWSA1-I Feel Anxious	Subjective Opiate Withdrawal Scale - I feel anxious.	SOWS Subjective (Handelsman) - I Feel Anxious
C102424	SOWSA1-I Feel Like Shooting Up Now	SOWSA1-I Feel Like Shooting Up Now	Subjective Opiate Withdrawal Scale - I feel like shooting up now.	SOWS Subjective (Handelsman) - I Feel Like Shooting Up Now
C102421	SOWSA1-I Feel Like Vomiting	SOWSA1-I Feel Like Vomiting	Subjective Opiate Withdrawal Scale - I feel like vomiting.	SOWS Subjective (Handelsman) - I Feel Like Vomiting
C102410	SOWSA1-I Feel Like Yawning	SOWSA1-I Feel Like Yawning	Subjective Opiate Withdrawal Scale - I feel like yawning.	SOWS Subjective (Handelsman) - I Feel Like Yawning
C102420	SOWSA1-I Feel Nauseous	SOWSA1-I Feel Nauseous	Subjective Opiate Withdrawal Scale - I feel nauseous.	SOWS Subjective (Handelsman) - I Feel Nauseous
C102419	SOWSA1-I Feel Restless	SOWSA1-I Feel Restless	Subjective Opiate Withdrawal Scale - I feel restless.	SOWS Subjective (Handelsman) - I Feel Restless
C102417	SOWSA1-I Have Cold Flashes	SOWSA1-I Have Cold Flashes	Subjective Opiate Withdrawal Scale - I have cold flashes.	SOWS Subjective (Handelsman) - I Have Cold Flashes
C102423	SOWSA1-I Have Cramps in My Stomach	SOWSA1-I Have Cramps in My Stomach	Subjective Opiate Withdrawal Scale - I have cramps in my stomach.	SOWS Subjective (Handelsman) - I Have Cramps in My Stomach
C102414	SOWSA1-I Have Goose Flesh	SOWSA1-I Have Goose Flesh	Subjective Opiate Withdrawal Scale - I have goose flesh.	SOWS Subjective (Handelsman) - I Have Goose Flesh
C102416	SOWSA1-I Have Hot Flashes	SOWSA1-I Have Hot Flashes	Subjective Opiate Withdrawal Scale - I have hot flashes.	SOWS Subjective (Handelsman) - I Have Hot Flashes
C102411	SOWSA1-I'm Perspiring	SOWSA1-I'm Perspiring	Subjective Opiate Withdrawal Scale - I'm perspiring.	SOWS Subjective (Handelsman) - I'm Perspiring
C102418	SOWSA1-My Bones and Muscles Ache	SOWSA1-My Bones and Muscles Ache	Subjective Opiate Withdrawal Scale - My bones and muscles ache.	SOWS Subjective (Handelsman) - My Bones and Muscles Ache
C102412	SOWSA1-My Eyes Are Tearing	SOWSA1-My Eyes Are Tearing	Subjective Opiate Withdrawal Scale - My eyes are tearing.	SOWS Subjective (Handelsman) - My Eyes Are Tearing
C102422	SOWSA1-My Muscles Twitch	SOWSA1-My Muscles Twitch	Subjective Opiate Withdrawal Scale - My muscles twitch.	SOWS Subjective (Handelsman) - My Muscles Twitch
C102413	SOWSA1-My Nose is Running	SOWSA1-My Nose is Running	Subjective Opiate Withdrawal Scale - My nose is running.	SOWS Subjective (Handelsman) - My Nose is Running

## SPCIES (SDTM Species)

NCI Code: C116111, Codelist extensible: Yes

C116111 SPCIES				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C86095	ACINETOBACTER LWOFFII	Acinetobacter calcoaceticus subsp. lwoffii	Any bacterial organism that can be assigned to the species Acinetobacter lwoffii.	Acinetobacter lwoffii
C86101	ACTINOBACILLUS PLEUROPNEUMONIAE	Haemophilus pleuropneumoniae	Any bacterial organism that can be assigned to the species Actinobacillus pleuropneumoniae.	Actinobacillus pleuropneumoniae
C86160	BACILLUS ANTHRACIS		Any bacterial organism that can be assigned to the species Bacillus anthracis.	Bacillus anthracis
C112232	BARMAH FOREST VIRUS		Any viral organism that can be assigned to the species Barmah Forest virus.	Barmah Forest Virus
C89820	BK POLYOMAVIRUS	BK Virus	Any viral organism that can be assigned to the species BK polyomavirus.	BK Virus
C76205	BORDETELLA PERTUSSIS		Any bacterial organism that can be assigned to the species Bordetella pertussis.	Bordetella pertussis
C86229	BUTTIAUXELLA AGRESTIS		Any bacterial organism that can be assigned to the species Buttiauxella agrestis.	Buttiauxella agrestis
C86253	CHLAMYDIA TRACHOMATIS		Any bacterial organism that can be assigned to the species Chlamydia trachomatis.	Chlamydia trachomatis
C76272	CHLAMYDOPHILA PNEUMONIAE	Chlamydia pneumoniae	Any bacterial organism that can be assigned to the species Chlamydophila pneumoniae.	Chlamydophila pneumoniae
C86280	CLOSTRIDIUM GLYCOLICUM		Any bacterial organism that can be assigned to the species Clostridium glycolicum.	Clostridium glycolicum
C86282	CLOSTRIDIUM HISTOLYTICUM		Any bacterial organism that can be assigned to the species Clostridium histolyticum.	Clostridium histolyticum
C86285	CLOSTRIDIUM NOVYI		Any bacterial organism that can be assigned to the species Clostridium novyi.	Clostridium novyi
C86297	CLOSTRIDIUM TERTIUM		Any bacterial organism that can be assigned to the species Clostridium tertium.	Clostridium tertium
C112240	COLORADO TICK FEVER VIRUS	CTFV	Any viral organism that can be assigned to the species Colorado tick fever virus.	Colorado Tick Fever Virus
C86308	CORYNEBACTERIUM AMYCOLATUM		Any bacterial organism that can be assigned to the species Corynebacterium amycolatum.	Corynebacterium amycolatum
C86312	CORYNEBACTERIUM DIPHTHERIAE		Any bacterial organism that can be assigned to the species Corynebacterium diphtheriae.	Corynebacterium diphtheriae
C86315	CORYNEBACTERIUM MACGINLEYI		Any bacterial organism that can be assigned to the species Corynebacterium macginleyi.	Corynebacterium macginleyi
C86325	CORYNEBACTERIUM UREALYTICUM	CDC Coryneform Group D-2	Any bacterial organism that can be assigned to the species Corynebacterium urealyticum.	Corynebacterium urealyticum
C86326	CORYNEBACTERIUM XEROSIS		Any bacterial organism that can be assigned to the species Corynebacterium xerosis.	Corynebacterium xerosis
C86328	COXIELLA BURNETII		Any bacterial organism that can be assigned to the species Coxiella burnetii.	Coxiella burnetii
C112036	DENGUE VIRUS		Any viral organism that can be assigned to the species Dengue virus.	Dengue Virus
C112272	ECHOVIRUS		Any viral organism that can be assigned to the species Echovirus.	Echovirus
C86356	ENTEROBACTER AEROGENES	Aerobacter aerogenes	Any bacterial organism that can be assigned to the species Enterobacter aerogenes.	Enterobacter aerogenes
C86358	ENTEROBACTER ASBURIAE	CDC Enteric Group 17	Any bacterial organism that can be assigned to the species Enterobacter asburiae.	Enterobacter asburiae
C14206	ESCHERICHIA COLI	E. coli	Any bacterial organism that can be assigned to the species Escherichia coli.	Escherichia coli
C86380	ESCHERICHIA FERGUSONII	CDC Enteric Group 10	Any bacterial organism that can be assigned to the species Escherichia fergusonii.	Escherichia fergusonii

**C116111 SPCIES**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86382	ESCHERICHIA VULNERIS	CDC Enteric Group 1	Any bacterial organism that can be assigned to the species <i>Escherichia vulneris</i> .	<i>Escherichia vulneris</i>
C86391	EWINGELLA AMERICANA		Any bacterial organism that can be assigned to the species <i>Ewingella americana</i> .	<i>Ewingella americana</i>
C86886	EXIGUOBACTERIUM ACETYLICUM	Brevibacterium acetylicum	Any bacterial organism that can be assigned to the species <i>Exiguobacterium acetylicum</i> .	<i>Exiguobacterium acetylicum</i>
C86416	GORDONIA BRONCHIALIS	Gordona bronchialis;Rhodococcus bronchialis	Any bacterial organism that can be assigned to the species <i>Gordonia bronchialis</i> .	<i>Gordonia bronchialis</i>
C86418	GORDONIA SPUTI	Gordona sputi	Any bacterial organism that can be assigned to the species <i>Gordonia sputi</i> .	<i>Gordonia sputi</i>
C86428	HAEMOPHILUS AEGYPTIUS		Any bacterial organism that can be assigned to the species <i>Haemophilus aegyptius</i> .	<i>Haemophilus aegyptius</i>
C86431	HAEMOPHILUS INFLUENZAE	H-flu	Any bacterial organism that can be assigned to the species <i>Haemophilus influenzae</i> .	<i>Haemophilus influenzae</i>
C112289	HENDRA VIRUS		Any viral organism that can be assigned to the species <i>Hendra virus</i> .	<i>Hendra Virus</i>
C14325	HEPATITIS A VIRUS	HAV	Any viral organism that can be assigned to the species <i>Hepatitis A virus</i> .	<i>Hepatitis A Virus</i>
C14215	HEPATITIS B VIRUS	HBV	Any viral organism that can be assigned to the species <i>Hepatitis B virus</i> .	<i>Hepatitis B Virus</i>
C14312	HEPATITIS C VIRUS	HCV	Any viral organism that can be assigned to the species <i>Hepatitis C virus</i> .	<i>Hepatitis C Virus</i>
C93324	HEPATITIS D VIRUS	HDV	Any viral organism that can be assigned to the species <i>Hepatitis D virus</i> .	<i>Hepatitis D Virus</i>
C14295	HEPATITIS E VIRUS	HEV	Any viral organism that can be assigned to the species <i>Hepatitis E virus</i> .	<i>Hepatitis E Virus</i>
C14311	HUMAN HERPESVIRUS 1	HHV-1;HSV-1;Herpes Simplex Virus Type 1	Any viral organism that can be assigned to the species <i>Human Herpesvirus 1</i> within the genus <i>Simplexvirus</i> .	<i>Human Herpesvirus 1</i>
C112313	HUMAN HERPESVIRUS 2	HHV-2;HSV-2;Herpes Simplex Virus Type 2	Any viral organism that can be assigned to the species <i>Human Herpesvirus 2</i> within the genus <i>Simplexvirus</i> .	<i>Human Herpesvirus 2</i>
C71091	HUMAN HERPESVIRUS 3	HHV-3;VZV;Varicella Zoster Virus	Any viral organism that can be assigned to the species <i>Human Herpesvirus 3</i> .	<i>Varicella Zoster Virus</i>
C14204	HUMAN HERPESVIRUS 4	EBV;Epstein-Barr Virus;HHV-4	Any viral organism that can be assigned to the species <i>Human Herpesvirus 4</i> .	<i>Epstein-Barr Virus</i>
C112314	HUMAN HERPESVIRUS 5	HCMV;HHV-5;Human Cytomegalovirus	Any viral organism that can be assigned to the species <i>Human Herpesvirus 5</i> .	<i>Human Herpesvirus 5</i>
C14218	HUMAN HERPESVIRUS 6	HHV-6	Any viral organism that can be assigned to the species <i>Human Herpesvirus 6</i> .	<i>Human Herpesvirus 6</i>
C112315	HUMAN HERPESVIRUS 7	HHV-7	Any viral organism that can be assigned to the species <i>Human Herpesvirus 7</i> .	<i>Human Herpesvirus 7</i>
C14327	HUMAN HERPESVIRUS 8	HHV-8;KSHV;Kaposi's sarcoma-associated herpesvirus	Any viral organism that can be assigned to the species <i>Human herpesvirus 8</i> .	<i>Human Herpesvirus 8</i>
C14220	HUMAN IMMUNODEFICIENCY VIRUS 1	HIV-1;LAV-1	Any viral organism that can be assigned to the species <i>Human Immunodeficiency virus 1</i> .	<i>Human Immunodeficiency Virus 1</i>
C14221	HUMAN IMMUNODEFICIENCY VIRUS 2	HIV-2;LAV-2	Any viral organism that can be assigned to the species <i>Human Immunodeficiency virus 2</i> .	<i>Human Immunodeficiency Virus 2</i>
C89772	HUMAN PARVOVIRUS B19	B19 Virus;Human Erythrovirus B19;Parvovirus B19	Any viral organism that can be assigned to the species <i>Human Parvovirus B19</i> .	<i>Parvovirus B19</i>
C14267	HUMAN RESPIRATORY SYNCYTIAL VIRUS	Human RSV;RSV;hRSV	Any viral organism that can be assigned to the species <i>Human Respiratory Syncytial virus</i> .	<i>Human Respiratory Syncytial Virus</i>
C53454	INFLUENZA A VIRUS	FLUAV;Influenza Virus Type A	Any viral organism that can be assigned to the species <i>Influenza A virus</i> .	<i>Influenza A Virus</i>

**C116111 SPCIES**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C53468	INFLUENZA B VIRUS	FLUBV;Influenza Virus Type B	Any viral organism that can be assigned to the species Influenza B virus.	Influenza B Virus
C97157	INFLUENZA C VIRUS	FLUCV;Influenza Virus Type C	Any viral organism that can be assigned to the species Influenza C virus.	Influenza C Virus
C14229	JC VIRUS	Human polyomavirus (type JC);Polyomavirus hominis 2;polyomavirus JC	Any viral organism that can be assigned to the species JC polyomavirus.	JC Virus
C86456	KLEBSIELLA OZAENAE	Klebsiella pneumoniae subsp. ozaenae	Any bacterial organism that can be assigned to the species Klebsiella ozaenae.	Klebsiella ozaenae
C86457	KLEBSIELLA PNEUMONIAE		Any bacterial organism that can be assigned to the species Klebsiella pneumoniae.	Klebsiella pneumoniae
C86458	KLEBSIELLA RHINOSCLEROMATIS	Klebsiella pneumoniae subsp. rhinoscleromatis	Any bacterial organism that can be assigned to the species Klebsiella rhinoscleromatis.	Klebsiella rhinoscleromatis
C86459	KLEBSIELLA SINGAPORENSIS		Any bacterial organism that can be assigned to the species Klebsiella singaporensis.	Klebsiella singaporensis
C86460	KLEBSIELLA VARIICOLA		Any bacterial organism that can be assigned to the species Klebsiella variicola.	Klebsiella variicola
C86462	KLUYVERA ASCORBATA	CDC Enteric Group 8	Any bacterial organism that can be assigned to the species Kluuvera ascorbata.	Kluuvera ascorbata
C86463	KLUYVERA CRYOCRESCENS		Any bacterial organism that can be assigned to the species Kluuvera cryocrescens.	Kluuvera cryocrescens
C86468	KOCURIA KRISTINAE	Micrococcus kristinae	Any bacterial organism that can be assigned to the species Kocuria kristinae.	Kocuria kristinae
C127307	KOCURIA RHIZOPHILA		Any bacterial organism that can be assigned to the species Kocuria rhizophila.	Kocuria rhizophila
C86469	KOCURIA ROSEA		Any bacterial organism that can be assigned to the species Kocuria rosea.	Kocuria rosea
C86470	KOCURIA VARIANS		Any bacterial organism that can be assigned to the species Kocuria varians.	Kocuria varians
C86489	LEGIONELLA PNEUMOPHILA		Any bacterial organism that can be assigned to the species Legionella pneumophila.	Legionella pneumophila
C86508	MANNHEIMIA HAEMOLYTICA	Pasteurella haemolytica	Any bacterial organism that can be assigned to the species Mannheimia haemolytica.	Mannheimia haemolytica
C14237	MEASLES VIRUS	Rougeole Virus;Rubeola Virus;SSPEV;Subacute Sclerosing Panencephalitis Virus	Any viral organism that can be assigned to the species Measles virus.	Measles Virus
C86896	MEGASPHAERA ELSDENII	Peptostreptococcus elsdenii	Any bacterial organism that can be assigned to the species Megasphaera elsdenii.	Megasphaera elsdenii
C86510	METHYLOBACTERIUM MESOPHILICUM	Pseudomonas mesophilica	Any bacterial organism that can be assigned to the species Methylobacterium mesophilicum.	Methylobacterium mesophilicum
C86512	MICROBACTERIUM PARAOXYDANS		Any bacterial organism that can be assigned to the species Microbacterium paraoxydans.	Microbacterium paraoxydans
C86513	MICROCOCCUS LUTEUS		Any bacterial organism that can be assigned to the species Micrococcus luteus.	Micrococcus luteus
C86514	MICROCOCCUS LYLAE		Any bacterial organism that can be assigned to the species Micrococcus lylae.	Micrococcus lylae
C86516	MITSUOKELLA MULTACIDA		Any bacterial organism that can be assigned to the species Mitsuokella multacida.	Mitsuokella multacida
C112357	MOLLUSCUM CONTAGIOSUM VIRUS	MCV;MOCV	Any viral organism that can be assigned to the species Molluscum contagiosum virus.	Molluscum Contagiosum Virus
C86524	MORAXELLA BOVIS		Any bacterial organism that can be assigned to the species Moraxella bovis.	Moraxella bovis
C76210	MORAXELLA CATARRHALIS	Branhamella catarrhalis	Any bacterial organism that can be assigned to the species Moraxella catarrhalis.	Moraxella catarrhalis

**C116111 SPCIES**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C86526	MORAXELLA LACUNATA	Moraxella liquefaciens	Any bacterial organism that can be assigned to the species Moraxella lacunata.	Moraxella lacunata
C86538	MYCOBACTERIUM FORTUITUM		Any bacterial organism that can be assigned to the species Mycobacterium fortuitum.	Mycobacterium fortuitum
C86546	MYCOBACTERIUM PEREGRINUM		Any bacterial organism that can be assigned to the species Mycobacterium peregrinum.	Mycobacterium peregrinum
C86590	MYCOBACTERIUM SMEGMATIS		Any bacterial organism that can be assigned to the species Mycobacterium smegmatis.	Mycobacterium smegmatis
C86599	MYCOPLASMA PNEUMONIAE		Any bacterial organism that can be assigned to the species Mycoplasma pneumoniae.	Mycoplasma pneumoniae
C86954	MYROIDES ODORATUS	Flavobacterium odoratum	Any bacterial organism that can be assigned to the species Myroides odoratus.	Myroides odoratus
C86603	NEISSERIA GONORRHOEAE		Any bacterial organism that can be assigned to the species Neisseria gonorrhoeae.	Neisseria gonorrhoeae
C93023	NEWCASTLE DISEASE VIRUS	Avian Paramyxovirus Type 1;NDV	Any viral organism that can be assigned to the species Newcastle disease virus.	Newcastle Disease Virus
C112359	NIPAH VIRUS	NiV	Any viral organism that can be assigned to the species Nipah virus.	Nipah Virus
C112363	NORWALK VIRUS	NV;Norwalk calicivirus	Any viral organism that can be assigned to the species Norwalk virus.	Norwalk Virus
C14259	POLIOVIRUS	Enterovirus C;Human enterovirus C	Any viral organism that can be assigned to the species Poliovirus.	Poliovirus
C86019	PROTEUS MIRABILIS		Any bacterial organism that can be assigned to the species Proteus mirabilis.	Proteus mirabilis
C86688	PROTEUS PENNERI	Indole Negative Proteus vulgaris	Any bacterial organism that can be assigned to the species Proteus penneri.	Proteus penneri
C112401	PSEUDOCOWPOX VIRUS	Paravaccinia virus;Pseudocowpoxvirus	Any viral organism that can be assigned to the species Pseudocowpox virus.	Pseudocowpox Virus
C86696	PSEUDOMONAS AERUGINOSA		Any bacterial organism that can be assigned to the species Pseudomonas aeruginosa.	Pseudomonas aeruginosa
C112405	RABIES VIRUS		Any viral organism that can be assigned to the species Rabies virus.	Rabies Virus
C112407	RHINOVIRUS A	Human Rhinovirus A	Any viral organism that can be assigned to the species Rhinovirus A.	Rhinovirus A
C112408	RHINOVIRUS B	Human Rhinovirus B	Any viral organism that can be assigned to the species Rhinovirus B.	Rhinovirus B
C112409	RHINOVIRUS C	Human Rhinovirus C	Any viral organism that can be assigned to the species Rhinovirus C.	Rhinovirus C
C112411	ROSS RIVER VIRUS	RRV	Any viral organism that can be assigned to the species Ross River virus.	Ross River Virus
C77198	RUBELLA VIRUS	German Measles Virus	Any viral organism that can be assigned to the species Rubella virus.	Rubella Virus
C112415	SAPPORO VIRUS	Human Calicivirus SLV;Human Calicivirus Sapporo-like Virus	Any viral organism that can be assigned to the species Sapporo virus.	Sapporo Virus
C112432	SARS CORONAVIRUS	HCoV-SARS;SARS;Severe Acute Respiratory Syndrome Coronavirus	Any viral organism that can be assigned to the species SARS coronavirus.	SARS Coronavirus
C86740	SERRATIA PLYMUTHICA		Any bacterial organism that can be assigned to the species Serratia plymuthica.	Serratia plymuthica
C50921	STAPHYLOCOCCUS AUREUS	Staph. aureus	Any bacterial organism that can be assigned to the species Staphylococcus aureus.	Staphylococcus Aureus
C86752	STAPHYLOCOCCUS CAPITIS		Any bacterial organism that can be assigned to the species Staphylococcus capitis.	Staphylococcus capitis
C86756	STAPHYLOCOCCUS COHNII		Any bacterial organism that can be assigned to the species Staphylococcus cohnii.	Staphylococcus cohnii

**C116111 SPCIES**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C76384	STREPTOCOCCUS PNEUMONIAE	Diplococcus pneumoniae	Any bacterial organism that can be assigned to the species Streptococcus pneumoniae.	Streptococcus pneumoniae
C86816	SUTTONELLA INDOLOGENES	Kingella indologenes	Any bacterial organism that can be assigned to the species Suttonella indologenes.	Suttonella indologenes
C86817	TATLOCKIA MICDADEI	Legionella micdadei	Any bacterial organism that can be assigned to the species Legionella micdadei.	Tatlockia micdadei
C112422	TICK-BORNE ENCEPHALITIS VIRUS	FSME virus;TBEV	Any viral organism that can be assigned to the species Tick-borne encephalitis virus.	Tick-Borne Encephalitis Virus
C14281	VACCINIA VIRUS	VV	Any viral organism that can be assigned to the species Vaccinia virus.	Vaccinia Virus
C96527	VARIOLA VIRUS	Smallpox Virus;Variola Virus VAR	Any viral organism that can be assigned to the species Variola virus.	Variola Virus
C86840	VIBRIO ALGINOLYTICUS		Any bacterial organism that can be assigned to the species Vibrio alginolyticus.	Vibrio alginolyticus
C86846	VIBRIO PARAHAEMOLYTICUS		Any bacterial organism that can be assigned to the species Vibrio parahaemolyticus.	Vibrio parahaemolyticus
C86847	VIBRIO VULNIFICUS	Beneckeia vulnifica	Any bacterial organism that can be assigned to the species Vibrio vulnificus.	Vibrio vulnificus
C71877	WEST NILE VIRUS	WNV	Any viral organism that can be assigned to the species West Nile virus.	West Nile Virus
C97156	YELLOW FEVER VIRUS	Flavivirus febricis;YFV	Any viral organism that can be assigned to the species Yellow fever virus.	Yellow Fever Virus
C86860	YERSINIA PESTIS	Pasteurella pestis	Any bacterial organism that can be assigned to the species Yersinia pestis.	Yersinia pestis

**SPECCOND (Specimen Condition)**

NCI Code: C78733, Codelist extensible: Yes

<b>C78733 SPECCOND</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C78725	AUTOLYZED		A specimen that has undergone autolysis, or self-digestion by the specimen's own digestive enzymes. (NCI)	Autolyzed Specimen
C78723	CALCIFIED	Calcified Specimen	A specimen that has undergone calcification. (NCI)	Calcified Specimen
C78724	CLOTTED	Clotted Specimen	A specimen that has become coagulated. (NCI)	Clotted Specimen
C128999	CONCENTRATED	Concentrated Specimen	A specimen that has undergone concentration to increase the content of a targeted entity.	Concentrated Specimen
C68768	CONTAMINATED		The presence of any substance or organism that makes a preparation impure. (NCI)	Contamination
C142366	DISCHARGE		Normal or abnormal secretions expelled from a body location.	Discharge Body Fluid
C84516	DRIED	Dried Specimen	A specimen that has become dessicated or dehydrated.	Dried Specimen
C84517	FRESH	Fresh Specimen	A specimen that is analyzed in the state that it was collected.	Fresh Specimen
C70717	FROZEN	Frozen Specimen	A specimen that has been subjected to and immobilized by severe cold. (NCI)	Frozen Specimen
C135503	GELLED	Gelled Specimen	A specimen that has a gelatinous consistency. (NCI)	Gelatinous Specimen
C70720	HEMOLYZED	Hemolysis in Specimen	A specimen that has undergone the destruction of red blood cells followed by the release of the hemoglobin. (NCI)	Hemolysis in Specimen
C98744	ICTERIC	Icteric Specimen	A specimen that exhibits a yellowish pigmentation due to jaundice. (NCI)	Icteric Specimen
C70715	LIPEMIC	Lipemic Specimen	A specimen that consists of or contains excessive amounts of fat and fatty substances. (NCI)	Lipemic Specimen
C19597	PARAFFIN-EMBEDDED	Paraffin Block;Paraffin-Embedded Specimen	A specimen that has been fixed and preserved in paraffin.	Paraffin Embedded Tissue
C70718	REFRIGERATED	Refrigerated Specimen	A specimen that has been kept or preserved at a low temperature in a refrigerator. (NCI)	Refrigerated Specimen
C70719	ROOM TEMPERATURE	Ambient Temperature;Specimen at Room Temperature	A specimen that has been subjected to and adjusted to the average ambient temperature of a room, usually considered to be around 20 degrees C (68 degrees F). (NCI)	Specimen at Room Temperature
C135504	SOLIDIFIED	Solidified Specimen	A specimen that has a regular, firm consistency and retains a definite size and shape.	Solidified Specimen
C135505	UNEXPECTED ODOR	Specimen with Unexpected Odor	A specimen that has an unanticipated odor.	Specimen with Unexpected Odor

## SPECTYPE (Specimen Type)

NCI Code: C78734, Codelist extensible: Yes

C78734 SPECTYPE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12472	ADIPOSE TISSUE	Body Fat;Fat Tissue	Connective tissue consisting primarily of adipocytes (fat cells) and supporting structural matrix.	Adipose Tissue
C13188	AMNIOTIC FLUID	Aqua Amnii	The fluid within the amniotic cavity which surrounds and protects the developing embryo. (NCI)	Amniotic Fluid
C13190	AQUEOUS HUMOR	Aqueous Humour	The watery fluid which is present in the anterior and posterior chambers of the eye. (NCI)	Aqueous Humor
C78729	ARTERIAL BLOOD		Oxygenated blood which is transported with nutrients to body tissues through the arterial system. The exception is blood within the pulmonary artery which carries deoxygenated blood to the lungs. (NCI)	Arterial Blood
C120838	ARTERIAL CORD BLOOD		Blood present in the umbilical arteries at the time of delivery.	Arterial Cord Blood
C78739	ATHEROSCLEROTIC PLAQUE		Fatty tissue which is deposited in the inner lining of the arterial wall. (NCI)	Atherosclerotic Plaque
C13192	BILE		Fluid composed of waste products, bile acids, salts, cholesterol, and electrolytes. It is produced by the liver and may be stored in the gallbladder (if present).	Bile
C12434	BLOOD	Peripheral Blood;Whole Blood	A liquid tissue with the primary function of transporting oxygen and carbon dioxide. It supplies the tissues with nutrients, removes waste products, and contains various components of the immune system defending the body against infection.	Blood
C12366	BONE		Calcified connective tissue that forms the skeletal components of the body. (NCI)	Bone
C12431	BONE MARROW		The tissue occupying the spaces of some bones. It consists of blood vessel sinuses and a network of hematopoietic cells.	Bone Marrow
C13257	BREAST MILK		A liquid produced by the mammary gland.	Breast Milk
C84507	BUFFY COAT		The middle fraction of an anticoagulated blood specimen following separation by centrifugation. It contains most of the white blood cells and platelets.	Buffy Coat
C35708	CALCULUS		A concretion of material in the body, usually composed of mineral salts. Representative examples include gallbladder stones, kidney stones, and salivary gland stones.	Stone
C112235	CAPILLARY BLOOD		A mixture of arterial blood, venous blood and interstitial fluid, which is found in the capillaries.	Capillary Blood
C132461	CAPILLARY PLASMA		A plasma sample that is prepared from capillary blood.	Capillary Plasma
C12371	CARDIAC MUSCLE TISSUE	Myocardium	The striated muscle tissue of the heart enveloped by the epicardium and the endocardium. (NCI)	Myocardium
C12692	CEREBROSPINAL FLUID	CSF	The fluid that is contained within the brain ventricles, the subarachnoid space and the central canal of the spinal cord. (NCI)	Cerebrospinal Fluid
C32293	CERUMEN		A wax secreted by glands in the ear canal.	Cerumen
C63797	CIRCULATING TUMOR CELL	CTC	A metastatic cancer cell found in the peripheral blood. (NCI)	Circulating Tumor Cell
C32348	COLOSTRUM		A thick, protein-rich substance secreted by the breasts during the second half of pregnancy and for a few days after birth before the breast milk comes in.	Human Colostrum
C13300	CORD BLOOD	Umbilical Cord Blood	Blood present in the umbilical vessels at the time of delivery.	Umbilical Cord Blood
C119550	CORD SERUM		The clear portion of the blood that remains after the removal of the blood cells and the clotting proteins from the cord blood of a newborn baby.	Umbilical Cord Serum



C78734 SPECTYPE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C12701	DERMAL TISSUE		The cells and connective tissue from the inner layer of the two main layers of the skin. The dermis has connective tissue, blood vessels, oil and sweat glands, nerves, hair follicles, and other structures. It is made up of a thin upper layer called the papillary dermis, and a thick lower layer called the reticular dermis.	Dermis
C106515	DIALYSIS FLUID	Dialysate	The fluid which runs through a dialysis machine and captures, for discard or analysis, the excess water and waste from the blood stream through diffusion and ultrafiltration. (NCI)	Dialysis Fluid
C77666	EMESIS	Emesis;Vomitus	Partially digested gastric contents that are returned to the mouth or beyond via the vomit reflex present in some species.	Vomitus
C12708	EPIDERMAL TISSUE		The cells and connective tissue from the epithelial portion of the skin (cutis). It consists of the following layers: stratum corneum (horny layer), stratum granulosum (granular layer), stratum spinosum (prickle cell layer), and stratum basale (basal cell layer).	Epidermis
C12578	EPITHELIAL CELL		Any of the cells of the epithelium, which covers the body and lines its cavities and glands.	Epithelial Cell
C12521	ERYTHROCYTES	RBC;Red Blood Cells	Cell specialized for oxygen transport, having a high concentration of hemoglobin in the cytoplasm and little else; biconcave, anucleate discs, 7nm diameter in mammals.	Erythrocyte
C126053	EXHALED BREATH CONDENSATE		Expired air that has been condensed.	Exhaled Breath Condensate
C78741	EXPIRED AIR	Expired Breath	The air that moves out of the chest during expiration. It contains a higher percentage of carbon dioxide and a lower percentage of oxygen compared to the inhaled air. (NCI)	Expired Air
C13233	EXUDATE		Fluid, cells or cellular debris that escapes from the blood vessels and accumulates in nearby tissues. It is the result of inflammation and is rich in proteins.	Exudate
C13236	FLUID		Liquid substances produced by the body.	Body Fluid or Substance
C77614	GASTRIC CONTENTS	Stomach Contents	The contents of the stomach that may include undigested food mixed with juices secreted by the gastric mucosal glands. (NCI)	Gastric Content
C32705	HAIR	Hair	The filamentous outgrowth of the epidermis. (NCI)	Hair
C13317	HAIR FOLLICLE		A tube-like invagination of the epidermis from which the hair shaft develops and into which the sebaceous glands open; the follicle is lined by a cellular inner and outer root sheath of epidermal origin and is invested with a fibrous sheath derived from the dermis. (NCI)	Hair Follicle
C106554	INFRANATANT, PLASMA		The liquid, solid or semi-solid lying below a liquid residue, which is separated by crystallization, precipitation or centrifugation of a plasma sample. (NCI)	Plasma Infranatant
C106558	INFRANATANT, PLEURAL FLUID		The liquid, solid or semi-solid lying below a liquid residue, which is separated by crystallization, precipitation or centrifugation of a pleural fluid sample. (NCI)	Pleural Fluid Infranatant
C106565	INFRANATANT, SERUM		The liquid, solid or semi-solid lying below a liquid residue, which is separated by crystallization, precipitation or centrifugation of a serum sample. (NCI)	Serum Infranatant
C120839	INTERSTITIAL FLUID		The extracellular fluid component found in the spaces between tissues. This excludes plasma and transcellular fluid.	Interstitial Fluid
C53471	ISOLATE	Microbial Isolate	A specific individual microbe and its genetically identical progeny separated on a single occasion from a sample taken from a host or culture system.	Isolate
C12589	KERATINOCYTE		The keratin-producing cell of the epidermis that forms in the deep basal layer of the stratified epithelium.	Keratinocyte
C103411	LAVAGE FLUID		Fluid introduced into, and collected from, a body cavity by lavage procedure. (NCI)	Lavage Fluid

C78734 SPECTYPE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C78742	LOCHIA		Vaginal discharge occurring during the post-partum period. It consists of a mixture of blood, mucus, and placental remnants. (NCI)	Lochia
C13273	LUNG SURFACTANT		Pulmonary surfactant lines the lung epithelium and lowers surface tension to prevent collapse at end-expiration. Deficiency of pulmonary surfactant results in respiratory distress syndrome (RDS) in premature infants. Lung surfactant is synthesized in alveolar type II cells, stored in lamellar bodies and secreted via exocytosis. (NCI)	Lung Surfactant
C13252	LYMPH		A clear, transparent, sometimes faintly yellow and slightly opalescent fluid that is collected from the tissues throughout the body, flows in the lymphatic vessels (through the lymph nodes), and is eventually added to the venous blood circulation. Lymph consists of a clear liquid portion, varying numbers of white blood cells (chiefly lymphocytes), and a few red blood cells. (NCI)	Lymph
C62004	LYSATE		The cellular debris and fluid produced by lysis of cells.	Lysate
C78743	MECONIUM		The newborn's first intestinal discharge. It is a dark-green, thick substance composed of mucus, intestinal secretions, hair, and intestinal mucosa cells. (NCI)	Meconium
C78740	MENSTRUAL BLOOD		The discharged blood from the uterus during the reproductive years. The discharge occurs approximately once a month. (NCI)	Menstrual Blood
C12547	MONOCYTE		A large, phagocytic mononuclear leukocyte produced in the vertebrate bone marrow and released into the blood; containing a large, oval or somewhat indented nucleus surrounded by voluminous cytoplasm and numerous organelles.	Monocyte
C13259	MUCUS		The thick fluid secreted by the mucus glands in the aerodigestive tract and the vagina. (NCI)	Mucus
C33156	NAIL	Nail	The cutaneous plate on the dorsal surface of the distal end of a finger or toe. (NCI)	Nail
C12954	PERIPHERAL BLOOD MONONUCLEAR CELL	PBMC	A peripheral blood cell with a single nucleus, for example lymphocytes and monocytes.	Peripheral Blood Mononuclear Cell
C13280	PERSPIRATION	Sweat	The liquid secreted by the sweat glands. (NCI)	Sweat
C13356	PLASMA		The fluid (acellular) portion of the circulating blood with retained clotting components.	Plasma
C12520	PLATELET	Thrombocyte	An irregular, disc-shaped structure in the blood that assists in blood clotting. Platelets are not blood cells, they are fragments of large bone marrow cells called megakaryocytes. (NCI)	Platelet
C106556	PLATELET POOR PLASMA	PPP	A plasma sample that is prepared from whole blood, which has undergone a number of centrifugation steps to decrease the amount of platelets. (NCI)	Platelet-poor Plasma
C106557	PLATELET RICH PLASMA	PRP	A plasma sample that is prepared from whole blood, which has undergone a number of centrifugation steps to concentrate the amount of platelets. (NCI)	Platelet-rich Plasma
C77613	PLEURAL FLUID		The fluid that is abnormally collected in the pleural cavity. (NCI)	Pleural Fluid
C100896	PROSTATIC FLUID		A slightly alkaline, white fluid secreted from the prostate and is a constituent of semen.	Prostatic Fluid
C50718	PUS		A yellowish substance produced during bacterial inflammation. It contains necrotic cells and cells fighting the infection. (NCI)	Pus
C13275	SALIVA		A clear liquid secreted by the salivary glands.	Saliva
C13276	SEBUM		A thick, oily substance produced by the sebaceous glands located in the dermis. (NCI)	Sebum
C13277	SEMEN		The fluid containing the spermatozoa, secreted by the testes and accessory reproductive glands of the male.	Semen
C33529	SEMINAL FLUID		Part of the ejaculated fluid. It contains secretions from the seminal vesicles, Cowper gland, and prostate gland.	Seminal Fluid

<b>C78734 SPECTYPE</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C13325	SERUM	Sera	The clear portion of the blood that remains after the removal of the blood cells and the clotting proteins. (NCI)	Serum
C105706	SERUM OR PLASMA		The non-cellular portion of the circulating blood, with or without the clotting proteins present.	Serum or Plasma
C13050	SKELETAL MUSCLE TISSUE		Voluntary, striated muscle tissue predominantly associated with the skeleton.	Skeletal Muscle Tissue
C33563	SKIN TISSUE		Tissue composed of three layers, epidermis, dermis and subcutis which protect underlying muscles and organs.	Skin Tissue
C33574	SMEGMA		A white secretion of the sebaceous glands of the foreskin. (NCI)	Smegma
C12437	SMOOTH MUSCLE TISSUE		Primarily involuntary, non-striated muscle tissue of the internal organs and blood vessels.	Smooth Muscle Tissue
C12471	SOFT TISSUE	Soft Tissue	Refers to muscle, fat, fibrous tissue, blood vessels, organ parenchyma, or other supporting tissue of the body.	Soft Tissue
C12602	SPERMATOZOON	Sperm Cell	The male reproductive cell that is formed in the testicle. A sperm consists of a head, a body, and a tail that provides propulsion.	Spermatozoon
C13278	SPUTUM		Material containing mucus, cellular debris, microorganisms and sometimes blood or pus. It is ejected through the mouth from the lungs, bronchi, and trachea. (NCI)	Sputum
C13234	STOOL	Feces	The material discharged from the bowel during defecation. It consists of undigested food, intestinal mucus, epithelial cells, and bacteria. (NCI)	Feces
C12436	STRIATED MUSCLE TISSUE		Striated muscles are appendicular and axial muscles typically connected at either or both ends to the bony skeleton of the body. Striated muscle fibers contain a highly organized, contractile cytoskeletal apparatus with a striated microscopic appearance; muscle contraction is typically under voluntary control. (NCI)	Striated Muscle Tissue
C106555	SUPERNATANT, PLASMA		The liquid lying above a liquid, solid or semi-solid residue, which is separated by crystallization, precipitation or centrifugation of a plasma sample. (NCI)	Plasma Supernatant
C106559	SUPERNATANT, PLEURAL FLUID		The liquid lying above a liquid, solid or semi-solid residue, which is separated by crystallization, precipitation or centrifugation of a pleural fluid sample. (NCI)	Pleural Fluid Supernatant
C106566	SUPERNATANT, SERUM		The liquid lying above a liquid, solid or semi-solid residue, which is separated by crystallization, precipitation or centrifugation of a serum sample. (NCI)	Serum Supernatant
C33718	SYNOVIAL FLUID	Synovia	The fluid within a joint capsule.	Synovial Fluid
C12801	TISSUE		An anatomical structure consisting of similarly specialized cells and intercellular matrix, aggregated according to genetically determined spatial relationships, performing a specific function. (NCI)	Tissue
C78744	TRANSUDATE		The fluid that passes through the wall of the veins and capillaries to the surrounding tissues because of increased intravascular pressure. It has low protein content. (NCI)	Transudate
C18009	TUMOR TISSUE		A tumor sample, or entire tumor that is removed for examination.	Tumor Tissue
C13283	URINE		The fluid produced by the kidneys.	Urine
C78730	VENOUS BLOOD		Deoxygenated blood containing urea and other waste products which is transported through the venous system to the heart and lungs. The exception is blood within the pulmonary vein which is oxygenated and travels from the lungs to the left atrium of the heart. (NCI)	Venous Blood
C120840	VENOUS CORD BLOOD		Blood present in the umbilical vein at the time of delivery.	Venous Cord Blood
C132462	VENOUS PLASMA		A plasma sample that is prepared from venous blood.	Venous Plasma
C13323	VITREOUS HUMOR		The clear colorless transparent jelly that fills the posterior chamber of the eyeball. (NCI)	Vitreous Humor

**C78734 SPECTYPE**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C33892	WHITE MATTER TISSUE		The nerve tissue forming the bulk of the deep parts of the brain and the superficial parts of the spinal cord. It is composed of nerve cell processes, i.e. extensions (axons), which connect various grey matter areas of the brain to each other and carry nerve impulses to and from the nerve cell bodies within the central nervous system (neurons). (NCI)	White Matter

**SRTEST (Skin Response Test Name)**

NCI Code: C112023, Codelist extensible: Yes

<b>C112023 SRTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112221	Allergen Skin Response Index	Allergen Skin Response Index	A relative measurement (ratio or percentage) of the allergen wheal size to the positive control wheal size in an allergen skin test.	Allergen Skin Response Index
C112222	Allergen Skin Response Intensity	Allergen Skin Response Intensity	A semi-quantitative assessment of the intensity of the wheal and flare reaction.	Allergen Skin Response Intensity
C122195	Blistering Indicator	Blistering Indicator	An indication as to whether blistering occurred.	Blistering Indicator
C112281	Flare Longest Diameter	Flare Longest Diameter	The longest diameter of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Longest Diameter
C112282	Flare Mean Diameter	Flare Mean Diameter	The mean diameter of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Mean Diameter
C112283	Flare Size	Flare Size	The size of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Size
C122196	Induration Longest Diameter	Induration Longest Diameter	The longest diameter of an area of hardness in the skin. (NCI)	Induration Longest Diameter
C41255	Interpretation	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C130186	Wheal Diameter Interpretation	Wheal Diameter Interpretation	The process of evaluating the wheal diameter in response to an allergen, based on a threshold size.	Wheal Diameter Interpretation
C112427	Wheal Longest Diameter	Wheal Longest Diameter	The longest diameter of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Longest Diameter
C112428	Wheal Mean Diameter	Wheal Mean Diameter	The mean diameter of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Mean Diameter
C112429	Wheal Size	Wheal Size	A semi-quantitative size assessment of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Size

## SRTESTCD (Skin Response Test Code)

NCI Code: C112024, Codelist extensible: Yes

C112024 SRTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C112221	ASRINDEX	Allergen Skin Response Index	A relative measurement (ratio or percentage) of the allergen wheal size to the positive control wheal size in an allergen skin test.	Allergen Skin Response Index
C112222	ASRINT	Allergen Skin Response Intensity	A semi-quantitative assessment of the intensity of the wheal and flare reaction.	Allergen Skin Response Intensity
C122195	BLISTIND	Blistering Indicator	An indication as to whether blistering occurred.	Blistering Indicator
C112283	FLARESZ	Flare Size	The size of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Size
C112281	FLRLDIAM	Flare Longest Diameter	The longest diameter of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Longest Diameter
C112282	FLRMDIAM	Flare Mean Diameter	The mean diameter of the area of redness that forms around the site of an antigenic challenge to the skin.	Flare Mean Diameter
C122196	IDRLDIAM	Induration Longest Diameter	The longest diameter of an area of hardness in the skin. (NCI)	Induration Longest Diameter
C41255	INTP	Interpretation	An act or process of elucidation; explication, or explanation of the meaning of the event or thing via the assignment of objects from the domain to the constants of a formal language, truth-values to the proposition symbols, truth-functions to the connectives, other functions to the function symbols, and extensions to the predicates, if any. The assignments are result of human logic application and are not native to the symbols of the formal language.	Interpretation
C112429	WHEALSZ	Wheal Size	A semi-quantitative size assessment of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Size
C130186	WHLINT	Wheal Diameter Interpretation	The process of evaluating the wheal diameter in response to an allergen, based on a threshold size.	Wheal Diameter Interpretation
C112427	WHLLDIAM	Wheal Longest Diameter	The longest diameter of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Longest Diameter
C112428	WHLMDIAM	Wheal Mean Diameter	The mean diameter of the flat, circular, slightly raised area that forms around the site of an antigenic challenge to the skin.	Wheal Mean Diameter

## SSTATRS (Subject Status Response)

NCI Code: C124304, Codelist extensible: Yes

<b>C124304 SSTATRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C37987	ALIVE		Living; showing characteristics of life.	Alive
C28554	DEAD	Died	The absence of life or state of being dead. (NCI)	Dead
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

**SSTEST (Subject Status Test Name)**

NCI Code: C124306, Codelist extensible: Yes

<b>C124306 SSTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25717	Survival Status	Survival Status	The state or condition of being living or deceased; also includes the case where the vital status is unknown.	Vital Status



## SSTESTCD (Subject Status Test Code)

NCI Code: C124305, Codelist extensible: Yes

<b>C124305 SSTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25717	SURVSTAT	Survival Status	The state or condition of being living or deceased; also includes the case where the vital status is unknown.	Vital Status

## STCARCRS (Stent Thrombosis, Coronary ARC Grade Responses)

NCI Code: C119020, Codelist extensible: No

C119020 STCARCRS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119598	STENT THROMBOSIS ARC GRADE DEFINITE		Includes acute ischemic symptoms at rest, acute post ischemic ECG, positive biomarkers and pathological evidence. Definite stent thrombosis is considered to have occurred when there is either angiographic or pathological confirmation. Angiographic confirmation is the presence of a thrombus at coronary angiography that originates in the stent or in the segment 5 mm proximal or distal to the stent, with the presence of at least 1 of 3 clinical criteria within a 48-hour time window: 1) acute onset of ischemic symptoms at rest; 2) new ischemic ECG changes that suggest acute ischemia; or 3) typical rise and fall in cardiac biomarkers. Pathological confirmation is evidence of recent thrombus within the stent determined at autopsy or via examination of tissue retrieved following thrombectomy. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Definite Stent Thrombosis
C119600	STENT THROMBOSIS ARC GRADE POSSIBLE		Possible stent thrombosis is considered to have occurred with any unexplained death more than 30 days after intracoronary stenting. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Possible Stent Thrombosis
C119599	STENT THROMBOSIS ARC GRADE PROBABLE		Includes death within 30 days and myocardial infarction of stent territory. Probable stent thrombosis is considered to have occurred after intracoronary stenting in the following situations: 1) any unexplained death within the first 30 days; or 2) irrespective of the time after the index procedure, any MI that is related to documented acute ischemia in the territory of the implanted stent without angiographic confirmation of stent thrombosis and in the absence of any other obvious cause. (Cutlip DE, Windecker S, Mehran R, et al. Clinical End Points in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Probable Stent Thrombosis

**STCG01TC (Stent Thrombosis Coronary ARC Grade Clinical Classification Test Code)**

NCI Code: C119080, Codelist extensible: No

<b>C119080 STCG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119198	STCG0101	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade

**STCG01TN (Stent Thrombosis Coronary ARC Grade Clinical Classification Test Name)**

NCI Code: C119079, Codelist extensible: No

<b>C119079 STCG01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119198	STCG01-STC ARC Grade	STCG01-STC ARC Grade	Stent Thrombosis Coronary ARC Grade - A grading system to describe the coronary stent thrombosis per the classification schema described by the Academic Research Consortium.	ARC STC Grade - Stent Thrombosis Coronary ARC Grade

**STCTIMRS (Stent Thrombosis, Coronary, ARC Timing Responses)**

NCI Code: C119019, Codelist extensible: No

<b>C119019 STCTIMRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119594	STENT THROMBOSIS ARC ACUTE		0 to 24 hours after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical Endpoints in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Stent Thrombosis Timing Acute
C119596	STENT THROMBOSIS ARC LATE		Greater than 30 days to 1 year after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical Endpoints in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Stent Thrombosis Timing Late
C119595	STENT THROMBOSIS ARC SUBACUTE		Greater than 24 hours to 30 days after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical Endpoints in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Stent Thrombosis Timing Subacute
C119597	STENT THROMBOSIS ARC VERY LATE		Greater than 1 year after stent implantation. (Cutlip DE, Windecker S, Mehran R, et al. Clinical Endpoints in Coronary Stent Trials : A Case for Standardized Definitions. Circulation. 2007;115:2344-2351)	ARC Stent Thrombosis Timing Very Late

## STENRF (Relation to Reference Period)

NCI Code: C66728, Codelist extensible: No

C66728 STENRF				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C38008	AFTER		The time period following a point or another period of time. (NCI)	Post
C25629	BEFORE		Earlier in time or order. (NCI)	Prior
C25456	COINCIDENT		Occurring or operating at the same time.	Concurrent
C25490	DURING		At some point in a given period of time. (NCI)	During
C49640	DURING/AFTER		Within a certain period of time or after a certain point or period in time. (NCI)	During or After
C53279	ONGOING	Continuous	Remain in force or carry on without letup; keep or maintain in unaltered condition; exist in time or space without stop or interruption. (NCI)	Continue
C17998	UNKNOWN	U;Unknown	Not known, not observed, not recorded, or refused. (NCI)	Unknown

## STYPE (Study Type Response)

NCI Code: C99077, Codelist extensible: No

C99077		STYPE		
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98722	EXPANDED ACCESS		Studies that provide a means for obtaining an experimental drug or device for patients who are not adequately treated by existing therapy, who do not meet the eligibility criteria for enrollment, or who are otherwise unable to participate in another clinical study. Expanded Access studies include individual-patient IND, treatment IND, compassionate use, emergency use or continued access.	Expanded Access Study
C98388	INTERVENTIONAL		Studies in which individuals are assigned by an investigator based on a protocol to receive specific interventions. Subjects may receive diagnostic, therapeutic or other types of interventions. The assignment of the intervention may or may not be random. The individuals are then followed and biomedical and/or health outcomes are assessed.	Interventional Study
C16084	OBSERVATIONAL		Studies in which biomedical and/or health outcomes are assessed in pre-defined groups of individuals. Subjects in the study may receive diagnostic, therapeutic, or other interventions, but the investigator does not assign specific interventions to the subjects of the study.	Observational Study
C129000	PATIENT REGISTRY		Observational studies which include an organized system that uses observational methods to collect uniform data (clinical and other) prospectively for a population defined by a particular disorder/disease, condition (including susceptibility to a disorder), or exposure (including products, health care services, and/or procedures) and that serves a predetermined scientific, clinical, or policy purpose. Patient registries may be single purpose or on-going data collection programs that address one or more questions. (AHRQ)	Patient Registry Study

**SWLS01TC (Satisfaction With Life Scale Questionnaire Test Code)**

NCI Code: C115408, Codelist extensible: No

<b>C115408 SWLS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115895	SWLS0101	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal
C115896	SWLS0102	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115897	SWLS0103	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115898	SWLS0104	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115899	SWLS0105	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing



**SWLS01TN (Satisfaction With Life Scale Questionnaire Test Name)**

NCI Code: C115407, Codelist extensible: No

<b>C115407 SWLS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115898	SWLS01-Have Gotten Important Things	SWLS01-Have Gotten Important Things	Satisfaction With Life Scale - So far I have gotten the important things I want in life.	SWLS - Have Gotten Important Things
C115897	SWLS01-I Am Satisfied with My Life	SWLS01-I Am Satisfied with My Life	Satisfaction With Life Scale - I am satisfied with my life.	SWLS - Satisfied with My Life
C115899	SWLS01-Live Life Over Change Nothing	SWLS01-Live Life Over Change Nothing	Satisfaction With Life Scale - If I could live my life over, I would change almost nothing.	SWLS - Live Life Over Change Nothing
C115896	SWLS01-My Life Conditions are Excellent	SWLS01-My Life Conditions are Excellent	Satisfaction With Life Scale - The conditions of my life are excellent.	SWLS - Life Conditions are Excellent
C115895	SWLS01-My Life is Close to Ideal	SWLS01-My Life is Close to Ideal	Satisfaction With Life Scale - In most ways my life is close to ideal.	SWLS - My Life is Close to Ideal

**SZFATS (Schizophrenia Findings About Test Name)**

NCI Code: C124303, Codelist extensible: Yes

<b>C124303 SZFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124438	Age At First Episode	Age At First Episode	The age at which the first episode occurred.	Age at First Episode
C124439	Age At First Hospitalization	Age At First Hospitalization	The age at which the first hospitalization event occurred.	Age at First Hospitalization
C124440	Age At First Treatment	Age At First Treatment	The age at which the first treatment for the condition occurred.	Age at First Treatment
C124442	Clinic Stay Indicator	Clinic Stay Indicator	An indication as to whether the subject was admitted to a healthcare clinic.	Clinic Stay Indicator
C35461	Longitudinal Course	Longitudinal Course	A description of the series of events, including signs and symptoms, that define the course of a chronic disease over time.	Clinical Course of Disease
C124437	Most Severe Acute Stressor	Most Severe Acute Stressor	The agent, stimulus, activity, or event that causes stress with an acute frequency, which has the highest level of severity.	Most Severe Acute Stressor
C124441	Most Severe Chronic Stressor	Most Severe Chronic Stressor	The agent, stimulus, activity, or event that causes stress with a chronic frequency, which has the highest level of severity.	Most Severe Chronic Stressor
C124281	Number of Episodes	Number of Episodes	The total number of episodes that have occurred for the condition.	Number of Episodes
C124443	Number Of Hospitalizations	Number Of Hospitalizations	The total number of hospitalization events that have occurred for the condition.	Number of Hospitalizations
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C124444	Treatment Setting	Treatment Setting	The surroundings or environment within which the subject receives therapeutic treatment for the condition.	Treatment Setting

**SZFATSCD (Schizophrenia Findings About Test Code)**

NCI Code: C124302, Codelist extensible: Yes

<b>C124302 SZFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124437	ACUTSTRS	Most Severe Acute Stressor	The agent, stimulus, activity, or event that causes stress with an acute frequency, which has the highest level of severity.	Most Severe Acute Stressor
C124438	AGEE PSD1	Age At First Episode	The age at which the first episode occurred.	Age at First Episode
C124439	AGEHOSP1	Age At First Hospitalization	The age at which the first hospitalization event occurred.	Age at First Hospitalization
C124440	AGETRT1	Age At First Treatment	The age at which the first treatment for the condition occurred.	Age at First Treatment
C124441	CHRNSTRS	Most Severe Chronic Stressor	The agent, stimulus, activity, or event that causes stress with a chronic frequency, which has the highest level of severity.	Most Severe Chronic Stressor
C124442	CLININD	Clinic Stay Indicator	An indication as to whether the subject was admitted to a healthcare clinic.	Clinic Stay Indicator
C124281	EPSDNUM	Number of Episodes	The total number of episodes that have occurred for the condition.	Number of Episodes
C124443	HOSPNUM	Number Of Hospitalizations	The total number of hospitalization events that have occurred for the condition.	Number of Hospitalizations
C35461	LONGCRSE	Longitudinal Course	A description of the series of events, including signs and symptoms, that define the course of a chronic disease over time.	Clinical Course of Disease
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C124444	TRTSETT	Treatment Setting	The surroundings or environment within which the subject receives therapeutic treatment for the condition.	Treatment Setting

## T25FW1TC (Timed 25-Foot Walk Test Functional Test Test Code)

NCI Code: C115398, Codelist extensible: No

<b>C115398 T25FW1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115817	T25FW101	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk
C115818	T25FW102	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts

**T25FW1TN (Timed 25-Foot Walk Test Functional Test Test Name)**

NCI Code: C115397, Codelist extensible: No

<b>C115397 T25FW1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115818	T25FW1-More Than Two Attempts	T25FW1-More Than Two Attempts	Timed 25-Foot Walk - Did it take more than two attempts to get two successful trials?	T25FW - More Than Two Attempts
C115817	T25FW1-Time to Complete 25-Foot Walk	T25FW1-Time to Complete 25-Foot Walk	Timed 25-Foot Walk - Time in seconds to complete 25-foot walk.	T25FW - Time to Complete 25-Foot Walk

## TANN01TC (Tanner Scale Girl Clinical Classification Test Code)

NCI Code: C124664, Codelist extensible: No

<b>C124664 TANN01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124718	TANN0101	TANN01-Breast Stages	Tanner Scale Girl - Breast stages.	Tanner Scale-Girl - Breast Stages
C124719	TANN0102	TANN01-Pubic Hair Stages	Tanner Scale Girl - Pubic hair stages.	Tanner Scale-Girl - Pubic Hair Stages

**TANN01TN (Tanner Scale Girl Clinical Classification Test Name)**

NCI Code: C124663, Codelist extensible: No

<b>C124663 TANN01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124718	TANN01-Breast Stages	TANN01-Breast Stages	Tanner Scale Girl - Breast stages.	Tanner Scale-Girl - Breast Stages
C124719	TANN01-Pubic Hair Stages	TANN01-Pubic Hair Stages	Tanner Scale Girl - Pubic hair stages.	Tanner Scale-Girl - Pubic Hair Stages

## TANN02TC (Tanner Scale Boy Clinical Classification Test Code)

NCI Code: C124662, Codelist extensible: No

<b>C124662 TANN02TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124716	TANN0201	TANN02-Genitalia Stages	Tanner Scale Boy - Genitalia stages.	Tanner Scale-Boy - Genitalia Stages
C124717	TANN0202	TANN02-Pubic Hair Stages	Tanner Scale Boy - Pubic hair stages.	Tanner Scale-Boy - Pubic Hair Stages



**TANN02TN (Tanner Scale Boy Clinical Classification Test Name)**

NCI Code: C124661, Codelist extensible: No

<b>C124661 TANN02TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124716	TANN02-Genitalia Stages	TANN02-Genitalia Stages	Tanner Scale Boy - Genitalia stages.	Tanner Scale-Boy - Genitalia Stages
C124717	TANN02-Pubic Hair Stages	TANN02-Pubic Hair Stages	Tanner Scale Boy - Pubic hair stages.	Tanner Scale-Boy - Pubic Hair Stages

## TBFATS (Tuberculosis Findings About Test Name)

NCI Code: C127267, Codelist extensible: Yes

<b>C127267 TBFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102626	Drug Resistance Status	Drug Resistance Status	The state or condition of not responding to a pharmacological agent.	Drug Resistance Status
C96684	Longest Diameter	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C127787	Total Number	Total Number	A measurement of the total number of entities.	Total Number

## TBFATSCD (Tuberculosis Findings About Test Code)

NCI Code: C127266, Codelist extensible: Yes

<b>C127266 TBFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C102626	DRSTAT	Drug Resistance Status	The state or condition of not responding to a pharmacological agent.	Drug Resistance Status
C96684	LDIAM	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C127787	TOTNUM	Total Number	A measurement of the total number of entities.	Total Number

## TBLIND (Trial Blinding Schema Response)

NCI Code: C66735, Codelist extensible: Yes

<b>C66735 TBLIND</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C15228	DOUBLE BLIND		A study in which neither the subject nor the investigator nor the research team interacting with the subject or data during the trial knows what treatment a subject is receiving. (CDISC glossary)	Double Blind Study
C49659	OPEN LABEL		A trial in which subjects and investigators know which product each subject is receiving; opposite of a blinded or double-blind study. (CDISC glossary)	Open Label Study
C28233	SINGLE BLIND		A study in which one party, either the investigator or the subject, does not know which medication or placebo is administered to the subject; also called singlemasked study. (CDISC glossary)	Single Blind Study

## TCNTRL (Control Type Response)

NCI Code: C66785, Codelist extensible: Yes

C66785 TCNTRL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C49649	ACTIVE		A type of control, which has a demonstrated effect, administered as a comparator, to subjects in a clinical trial. [From ICH E10].	Active Control
C120841	DOSE RESPONSE		A type of control using different doses or regimens of the same treatment across the treatment arms.	Dose Response Control
C41132	NONE		No person or thing, nobody, not any. (NCI)	None
C49648	PLACEBO		Use of an inactive compound identical in appearance to drug or treatment being tested in experimental research, which may or may not be known to the physician and/or subject, administered to distinguish between drug action and suggestive effect of the drug or treatment under study. The effects of the active drug or treatment are compared to the effects of the placebo. (NCI)	Placebo Control

## TDI01TC (Transition Dyspnea Index Questionnaire Test Code)

NCI Code: C106657, Codelist extensible: No

<b>C106657 TDI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106704	TDI0101	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106705	TDI0102	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task
C106706	TDI0103	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort

**TDI01TN (Transition Dyspnea Index Questionnaire Test Name)**

NCI Code: C106656, Codelist extensible: No

<b>C106656 TDI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C106704	TDI01-Change in Functional Impairment	TDI01-Change in Functional Impairment	Transition Dyspnea Index - Change in functional impairment.	TDI - Change in Functional Impairment
C106706	TDI01-Change in Magnitude of Effort	TDI01-Change in Magnitude of Effort	Transition Dyspnea Index - Change in magnitude of effort.	TDI - Change in Magnitude of Effort
C106705	TDI01-Change in Magnitude of Task	TDI01-Change in Magnitude of Task	Transition Dyspnea Index - Change in magnitude of task.	TDI - Change in Magnitude of Task

## TDIGRP (Diagnosis Group Response)

NCI Code: C66787, Codelist extensible: Yes

<b>C66787 TDIGRP</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49651	HEALTHY SUBJECTS		An individual who is or becomes a participant in a research study and has no significant health-related issues. (NCI)	Healthy Subject



**TENMW1TC (Ten Meter Walk/Run Functional Test Test Code)**

NCI Code: C141657, Codelist extensible: No

<b>C141657 TENMW1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141700	TENMW101	TENMW1-Time to Walk/Run 10 Meters	Ten Meter Walk/Run - Time to walk or run 10 meters.	10 Meter Walk/Run - Time to Walk/Run 10 Meters
C141701	TENMW102	TENMW1-Test Grade	Ten Meter Walk/Run - Test grade.	10 Meter Walk/Run - Test Grade
C147592	TENMW103	TENMW1-Wear Orthoses	Ten Meter Walk/Run - Did subject wear orthoses?	10 Meter Walk/Run - Wear Orthoses

**TENMW1TN (Ten Meter Walk/Run Functional Test Test Name)**

NCI Code: C141656, Codelist extensible: No

<b>C141656 TENMW1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141701	TENMW1-Test Grade	TENMW1-Test Grade	Ten Meter Walk/Run - Test grade.	10 Meter Walk/Run - Test Grade
C141700	TENMW1-Time to Walk/Run 10 Meters	TENMW1-Time to Walk/Run 10 Meters	Ten Meter Walk/Run - Time to walk or run 10 meters.	10 Meter Walk/Run - Time to Walk/Run 10 Meters
C147592	TENMW1-Wear Orthoses	TENMW1-Wear Orthoses	Ten Meter Walk/Run - Did subject wear orthoses?	10 Meter Walk/Run - Wear Orthoses

**TIMG01TC (Coronary Thrombus TIMI Grade Clinical Classification Test Code)**

NCI Code: C119074, Codelist extensible: No

<b>C119074 TIMG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119195	TIMG0101	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

**TIMG01TN (Coronary Thrombus TIMI Grade Clinical Classification Test Name)**

NCI Code: C119073, Codelist extensible: No

<b>C119073 TIMG01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C119195	TIMG01-Coronary Thrombus TIMI Grade	TIMG01-Coronary Thrombus TIMI Grade	Coronary Thrombus TIMI Grade - Grade corresponding to thrombus development as defined in the grading system by the Thrombolysis in the Myocardial Infarction Group.	TIMI Thrombus Grade - Coronary Thrombus TIMI Grade

**TIMIFLRS (TIMI Flow Responses)**

NCI Code: C101841, Codelist extensible: No

<b>C101841 TIMIFLRS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100040	TIMI GRADE 0	Thrombolysis in Myocardial Infarction Flow - 0	No perfusion. There is no antegrade flow beyond the point of occlusion. (Chesebro JH, Knatterud GL, Roberts R, et al, Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase: Clinical findings through hospital discharge, Circulation 76, No. 1, 142-154, 1987)	Thrombolysis in Myocardial Infarction Flow-0
C100041	TIMI GRADE 1	Thrombolysis in Myocardial Infarction Flow - 1	Penetration without perfusion. Contrast material passes beyond the area of obstruction but "hangs up" and fails to opacify the entire coronary bed distal to the obstruction for the duration of the cineangiographic filming sequence. (Chesebro JH, Knatterud GL, Roberts R, et al, Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase: Clinical findings through hospital discharge, Circulation 76, No. 1, 142-154, 1987)	Thrombolysis in Myocardial Infarction Flow-1
C100042	TIMI GRADE 2	Thrombolysis in Myocardial Infarction Flow - 2	Partial perfusion. The contrast material passes across the obstruction and opacifies the coronary bed distal to the obstruction. However, the rate of entry of contrast material into the vessel distal to the obstruction or its rate of clearance from the distal bed (or both) is perceptibly slower than its entry into or clearance from comparable areas not perfused by the previously occluded vessel (e.g., the opposite coronary artery or the coronary bed proximal to the obstruction). (Chesebro JH, Knatterud GL, Roberts R, et al, Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase: Clinical findings through hospital discharge, Circulation 76, No. 1, 142-154, 1987)	Thrombolysis in Myocardial Infarction Flow-2
C100043	TIMI GRADE 3	Thrombolysis in Myocardial Infarction Flow - 3	Complete perfusion. Antegrade flow into the bed distal to the obstruction occurs as promptly as into the bed from the involved bed and is as rapid as clearance from an uninvolved bed in the same vessel or the opposite artery. (Chesebro JH, Knatterud GL, Roberts R, et al, Thrombolysis in Myocardial Infarction (TIMI) Trial, Phase I: a comparison between intravenous tissue plasminogen activator and intravenous streptokinase: Clinical findings through hospital discharge, Circulation 76, No. 1, 142-154, 1987)	Thrombolysis in Myocardial Infarction Flow-3

## TINDTP (Trial Intent Type Response)

NCI Code: C66736, Codelist extensible: Yes

C66736 TINDTP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C15714	BASIC SCIENCE	Basic Research	A type of study designed to examine the basic mechanism of action (e.g., physiology, biomechanics) of an intervention. (ClinicalTrials.gov)	Basic Research
C49654	CURE		A type of study designed to evaluate intervention(s) aimed to cure a disease or condition.	Cure Study
C139174	DEVICE FEASIBILITY		An intervention of a device product is being evaluated to determine the feasibility of the product or to test a prototype device and not health outcomes. Such studies are conducted to confirm the design and operating specifications of a device before beginning a full clinical trial. (ClinicalTrials.gov)	Device Feasibility Study
C49653	DIAGNOSIS		A type of study designed to evaluate intervention(s) aimed at identifying a disease or condition.	Diagnosis Study
C15245	HEALTH SERVICES RESEARCH		A type of study designed to evaluate the delivery, processes, management, organization or financing of health care. (ClinicalTrials.gov)	Health Services Research
C49655	MITIGATION		A type of study designed to identify actions necessary to eliminate or reduce the risk to human life or well-being as a result of a particular medication or treatment regimen. (NCI)	Adverse Effect Mitigation Study
C49657	PREVENTION	Prophylaxis Study	A type of study designed to identify actions necessary to permanently eliminate or reduce the long-term risk to human life as a result of a particular medication or treatment regimen.	Prevention Study
C71485	SCREENING		A type of study designed to assess or examine methods of identifying a condition (or risk factors for a condition) in people who are not yet known to have the condition (or risk factor). (Clinicaltrials.gov)	Screening Study
C71486	SUPPORTIVE CARE		A type of study designed to evaluate one or more interventions where the primary intent is to maximize comfort, minimize side effects or mitigate against a decline in the subject's health or function. In general, supportive care interventions are not intended to cure a disease. (ClinicalTrials.gov)	Supportive Care Study
C49656	TREATMENT	Therapy Trial	A type of study designed to evaluate intervention(s) for treatment of disease, syndrome or condition.	Treatment Study

## TMT01TC (Trail Making Test Functional Test Test Code)

NCI Code: C124688, Codelist extensible: No

<b>C124688 TMT01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124780	TMT0101	TMT01-Time to Complete Trails A	Trail Making Test - Time (in seconds) to complete Trails A.	TMT - Time to Complete Trails A
C124781	TMT0102	TMT01-Time to Complete Trails B	Trail Making Test - Time (in seconds) to complete Trails B.	TMT - Time to Complete Trails B

**TMT01TN (Trail Making Test Functional Test Test Name)**

NCI Code: C124687, Codelist extensible: No

<b>C124687 TMT01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124780	TMT01-Time to Complete Trails A	TMT01-Time to Complete Trails A	Trail Making Test - Time (in seconds) to complete Trails A.	TMT - Time to Complete Trails A
C124781	TMT01-Time to Complete Trails B	TMT01-Time to Complete Trails B	Trail Making Test - Time (in seconds) to complete Trails B.	TMT - Time to Complete Trails B



## TPHASE (Trial Phase Response)

NCI Code: C66737, Codelist extensible: Yes

C66737 TPHASE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C48660	NOT APPLICABLE	NA;Not Applicable	Determination of a value is not relevant in the current context. (NCI)	Not Applicable
C54721	PHASE 0 TRIAL	0;Pre-clinical Trial;Trial Phase 0	First-in-human trials, in a small number of subjects, that are conducted before Phase 1 trials and are intended to assess new candidate therapeutic and imaging agents. The study agent is administered at a low dose for a limited time, and there is no therapeutic or diagnostic intent. NOTE: FDA Guidance for Industry, Investigators, and Reviewers: Exploratory IND Studies, January 2006 classifies such studies as Phase 1. NOTE: A Phase 0 study might not include any drug delivery but may be an exploration of human material from a study (e.g., tissue samples or biomarker determinations). [Improving the Quality of Cancer Clinical Trials: Workshop summary-Proceedings of the National Cancer Policy Forum Workshop, improving the Quality of Cancer Clinical Trials (Washington, DC, Oct 2007)] (CDISC glossary)	Phase 0 Trial
C15600	PHASE I TRIAL	1;Trial Phase 1	The initial introduction of an investigational new drug into humans. Phase 1 studies are typically closely monitored and may be conducted in patients or normal volunteer subjects. NOTE: These studies are designed to determine the metabolism and pharmacologic actions of the drug in humans, the side effects associated with increasing doses, and, if possible, to gain early evidence on effectiveness. During Phase 1, sufficient information about the drug's pharmacokinetics and pharmacological effects should be obtained to permit the design of well-controlled, scientifically valid, Phase 2 studies. The total number of subjects and patients included in Phase I studies varies with the drug, but is generally in the range of 20 to 80. Phase 1 studies also include studies of drug metabolism, structure-activity relationships, and mechanism of action in humans, as well as studies in which investigational drugs are used as research tools to explore biological phenomena or disease processes. [After FDA CDER Handbook, ICH E8] (CDISC glossary)	Phase I Trial
C15693	PHASE I/II TRIAL	1-2;Trial Phase 1-2	A class of clinical study that combines elements characteristic of traditional Phase I and Phase II trials. See also Phase I, Phase II.	Phase I/II Trial
C15601	PHASE II TRIAL	2;Trial Phase 2	Phase 2. Controlled clinical studies conducted to evaluate the effectiveness of the drug for a particular indication or indications in patients with the disease or condition under study and to determine the common short-term side effects and risks associated with the drug. NOTE: Phase 2 studies are typically well controlled, closely monitored, and conducted in a relatively small number of patients, usually involving no more than several hundred subjects. [After FDA CDER Handbook, ICH E8] (CDISC glossary)	Phase II Trial
C15694	PHASE II/III TRIAL	2-3;Trial Phase 2-3	A class of clinical study that combines elements characteristic of traditional Phase II and Phase III trials.	Phase II/III Trial
C49686	PHASE IIA TRIAL	2A;Trial Phase 2A	A clinical research protocol generally referred to as a pilot or feasibility trial that aims to prove the concept of the new intervention in question. (NCI)	Phase IIa Trial
C49688	PHASE IIB TRIAL	2B;Trial Phase 2B	A clinical research protocol generally referred to as a well-controlled and pivotal trial that aims to prove the mechanism of action of the new intervention in question. A pivotal study will generally be well-controlled, randomized, of adequate size, and whenever possible, double-blind. (NCI)	Phase IIb Trial
C15602	PHASE III TRIAL	3;Trial Phase 3	Phase 3. Studies are expanded controlled and uncontrolled trials. They are performed after preliminary evidence suggesting effectiveness of the drug has been obtained, and are intended to gather the additional information about effectiveness and safety that is needed to confirm efficacy and evaluate the overall benefit-risk relationship of the drug and to provide an adequate basis for physician labeling. NOTE: Phase 3 studies usually include from several hundred to several thousand subjects. [After FDA CDER Handbook, ICH E8] (CDISC glossary)	Phase III Trial

<b>C66737 TPHASE</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49687	PHASE IIIA TRIAL	3A; Trial Phase 3A	A classification typically assigned retrospectively to a Phase III trial upon determination by regulatory authorities of a need for a Phase III B trial. (NCI)	Phase IIIa Trial
C49689	PHASE IIIB TRIAL	3B; Trial Phase 3B	A subcategory of Phase III trials done near the time of approval to elicit additional findings. NOTE: Dossier review may continue while associated Phase IIIB trials are conducted. These trials may be required as a condition of regulatory authority approval.	Phase IIIb Trial
C15603	PHASE IV TRIAL	4; Trial Phase 4	Phase 4. Postmarketing (Phase 4) studies to delineate additional information about the drug's risks, benefits, and optimal use that may be requested by regulatory authorities in conjunction with marketing approval. NOTE: These studies could include, but would not be limited to, studying different doses or schedules of administration than were used in Phase 2 studies, use of the drug in other patient populations or other stages of the disease, or use of the drug over a longer period of time. [After FDA CDER Handbook, ICH E8] (CDISC glossary)	Phase IV Trial
C47865	PHASE V TRIAL	5; Trial Phase 5	Postmarketing surveillance is sometimes referred to as Phase V.	Phase V Trial

## TRPROPRS (Tumor or Lesion Properties Test Result)

NCI Code: C124309, Codelist extensible: Yes

C124309 TRPROPRS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C48190	ABSENT		Not existing in a specified place at a specified time. (NCI)	Absent
C25640	DECREASED		Made less in size, amount, degree, or extent.	Reduced
C147486	DIFFUSELY INCREASED		An indication that the increase is homogenously dispersed.	Diffusely Increased
C73432	ENLARGEMENT		An increase in size, volume, quantity or scope in comparison to normal or previous state.	Enlargement
C86071	EQUIVOCAL		Open to question.	Equivocal
C147487	FOCALLY INCREASED		An indication that the increase is concentrated in a specific area(s).	Focally Increased
C142367	FURTHER ENLARGEMENT		An increase in size, volume, quantity or scope in comparison to a previous enlarged state.	Further Enlargement
C126054	NON-PATHOLOGICAL		The absence of disease or pathology. (NCI)	Non-Pathological
C124445	NONPALPABLE		Incapable of being handled, touched or felt through palpation. (NCI)	Non-Palpable
C14165	NORMAL		Being approximately average or within certain limits; conforming with or constituting a norm or standard or level or type or social norm. (NCI)	Normal
C25606	PALPABLE		Capable of being handled, touched or felt through palpation. (NCI)	Palpable
C25610	PATHOLOGICAL		Manifesting disease or pathology.	Pathologic
C25626	PRESENT		Being or existing in a specified place or at the specified time. (NCI)	Present
C126055	PRESENT WITHOUT UNEQUIVOCAL PROGRESSION		There is evidence of disease without any indication or sign of unequivocal progression.	Present Without Unequivocal Progression
C94525	TUMOR MERGED	Tumor Merged	An indication that multiple tumors have coalesced into one tumor.	Matted Tumor Mass Present
C71687	UNCHANGED		In an unchanged or similar condition.	About The Same
C123645	UNEQUIVOCAL		Leaving no doubt; not open to question. (NCI)	Unequivocal
C96644	UNEQUIVOCAL PROGRESSION		An overall level of substantial worsening in non-target disease that is of a magnitude that, even in the presence of SD or PR in target disease, the treating physician would feel it important to change therapy. (RECIST)	Unequivocal Progression

## TRTEST (Tumor or Lesion Properties Test Name)

NCI Code: C96778, Codelist extensible: Yes

C96778 TRTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103347	Absolute Change From Nadir	Absolute Change From Nadir	The current value minus the lowest value previously recorded.	Absolute Change From Nadir
C147488	Absolute Change From PPD Nadir in LDIAM	Absolute Change From PPD Nadir in LDIAM	The absolute change in the longest diameter of the lesion from the timepoint at which the product of perpendicular diameters of the lesion is the smallest.	Absolute Change in Longest Diameter From Nadir Product of Perpendicular Diameters Timepoint
C147489	Absolute Change From PPD Nadir in LPERP	Absolute Change From PPD Nadir in LPERP	The absolute change in the longest perpendicular of the lesion from the timepoint at which the product of perpendicular diameters of the lesion is the smallest.	Absolute Change in Longest Perpendicular from Nadir Product of Perpendicular Diameters Timepoint
C135506	Absolute Change Nadir in Organ Enlarge	Absolute Change Nadir in Organ Enlarge;Absolute Change Nadir in Organ Enlargement	The current organ enlargement minus the lowest organ enlargement previously recorded. (NCI)	Absolute Change from Nadir in Organ Enlargement
C112218	Absolute Change Nadir in Sum of Diam	Absolute Change Nadir in Sum of Diam	The current sum of diameters minus the lowest sum of diameters previously recorded.	Absolute Change From Nadir in Sum of Diameter
C25244	Area	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C96566	Average Metabolic Standard Uptake Value	Average Metabolic Standard Uptake Value	A semiquantitative analysis of the average uptake of analyte by body tissue in relation to the total administered dose of the analyte.	Average Metabolic Standard Uptake Value
C147490	Bone Marrow Tracer Uptake	Bone Marrow Tracer Uptake	A visually assessed combination of extent and intensity of tracer uptake within the bone marrow.	Bone Marrow Tracer Uptake
C126056	Calcification Indicator	Calcification Indicator	An indication as to whether calcification is present.	Calcification Indicator
C25285	Diameter	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C99723	FDG PET Lymphoma 5PS Score	FDG PET Lymphoma 5PS Score	A 5 point scale devised to assess the response to treatment of Hodgkin and aggressive Non-Hodgkin lymphoma. (Barrington SF, Mikhaeel NG, Kostakoglu L, Meignan M, et al. Role of imaging in the staging and response assessment of lymphoma: consensus of the International Conference on Malignant Lymphomas Imaging Working Group. J Clin Oncol. 2014 Sep 20;32(27):3048-58.)	London Deauville Criteria Point Scale
C119551	Lesion Failure Indicator	Lesion Failure Indicator	An indication as to whether lesion failure occurred.	Lesion Failure Indicator
C119556	Lesion Revas Clinical Indicator	Lesion Revas Clinical Indicator	An indication as to whether an appropriate clinical context was present before lesion revascularization occurred.	Lesion Revascularization Clinical Indicator
C119555	Lesion Revas Ischemia Indicator	Lesion Revas Ischemia Indicator	An indication as to whether clinical or functional ischemia is present before lesion revascularization occurred.	Lesion Revascularization Ischemia Indicator
C119552	Lesion Revascularization Indicator	Lesion Revascularization Indicator	An indication as to whether repeat revascularization of a lesion occurred.	Lesion Revascularization Indicator
C119553	Lesion Success Indicator	Lesion Success Indicator	An indication as to whether a performed procedure of a target lesion is considered successful.	Lesion Success Indicator
C119554	Limb Failure Indicator	Limb Failure Indicator	An indication as to whether limb failure occurred.	Limb Failure Indicator
C96684	Longest Diameter	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C96685	Longest Perpendicular	Longest Perpendicular	The longest possible straight line or plane through a body or figure that is at a right angle to a given line or plane.	Longest Perpendicular
C124448	Lymph Node State	Lymph Node State	A condition or state of a lymph node at a particular time.	Lymph Node State
C103421	New Tumor Confirmed	New Tumor Confirmed	The verification/confirmation by other methods or modalities that a tumor, which has not been previously seen or characterized, is present in the subject.	New Tumor Confirmation
C132463	Number of Bone Lesions	Number of Bone Lesions	The number of lesions within the bone.	Number of Bone Lesions

<b>C96778 TRTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124446	Number of Lymph Nodes Examined	Number of Lymph Nodes Examined	The number of lymph nodes that were examined.	Number of Lymph Nodes Examined
C124447	Number of Lymph Nodes Positive	Number of Lymph Nodes Positive	The number of subject lymph nodes that were positive for presence of disease.	Number of Lymph Nodes Positive
C132464	Number of New Bone Lesions	Number of New Bone Lesions	The number of new lesions within the bone, in comparison to a reference timepoint.	Number of New Bone Lesions
C135507	Organ Enlargement, Quantitative	Organ Enlargement, Quantitative	A quantitative measurement of the increase in organ size or dimension, relative to a defined value.	Quantitative Organ Enlargement Assessment
C135508	Organ State	Organ State	A condition or state of an organ at a particular time.	Organ State
C135509	Organ Vertical Length	Organ Vertical Length	The linear extent along the craniocaudal axis from one end of an organ to the other end. (NCI)	Organ Craniocaudal Length Measurement
C139128	Overall Tracer Uptake Compared to BL	Overall Tracer Uptake Compared to BL;Overall Tracer Uptake Compared to Baseline	A visually assessed combination of extent and intensity of tracer uptake, as compared to baseline.	Overall Tracer Uptake Compared to Baseline
C124449	Palpable State	Palpable State	A condition or state of the tumor with regards to its palpability status at a particular point in time.	Palpable State
C135510	Percent Change Baseline in Organ Enlarge	Percent Change Baseline in Organ Enlarge;Percent Change Baseline in Organ Enlargement	The (current organ enlargement minus the baseline organ enlargement) divided by the baseline organ enlargement, multiplied by 100. (NCI)	Percent Change from Baseline in Organ Enlargement
C112370	Percent Change Baseline in Sum of Diam	Percent Change Baseline in Sum of Diam	The (current sum of diameters minus the baseline sum of diameters) divided by the baseline sum of diameters, multiplied by 100.	Percent Change From Baseline in Sum of Diameter
C132264	Percent Change Baseline in Sum of PPD	Percent Change Baseline in Sum of PPD	The (current sum of products of perpendicular diameters minus the baseline sum of products of perpendicular diameters) divided by the baseline sum of products of perpendicular diameters, multiplied by 100.	Percent Change From Baseline in Sum of Products of Perpendicular Diameter
C112372	Percent Change Baseline in Sum of Volume	Percent Change Baseline in Sum of Volume	The (current sum of volumes minus the baseline sum of volumes) divided by the baseline sum of volumes, multiplied by 100.	Percent Change From Baseline in Sum of Volume
C112371	Percent Change Baseline Sum Longest Diam	Percent Change Baseline Sum Longest Diam	The (current sum of longest diameters minus the baseline sum of longest diameters) divided by the baseline sum of longest diameters, multiplied by 100.	Percent Change From Baseline in Sum of Longest Diameter
C96621	Percent Change From Baseline	Percent Change From Baseline	The (current value minus the baseline value) divided by the baseline value, multiplied by 100.	Percent Change From Baseline
C96622	Percent Change From Nadir	Percent Change From Nadir	The (current value minus the lowest value previously recorded) divided by the lowest value previously recorded, multiplied by 100.	Percent Change From Nadir
C135511	Percent Change Nadir in Organ Enlarge	Percent Change Nadir in Organ Enlarge;Percent Change Nadir in Organ Enlargement	The (current organ enlargement minus the lowest organ enlargement previously recorded) divided by the lowest organ enlargement previously recorded, multiplied by 100. (NCI)	Percent Change from Nadir in Organ Enlargement
C135512	Percent Change Nadir in PPD	Percent Change Nadir in PPD	The (current product of perpendicular diameters minus the lowest product of perpendicular diameters previously recorded) divided by the lowest product of perpendicular diameters previously recorded, multiplied by 100.	Percent Change from Nadir in Product of Perpendicular Diameters
C112374	Percent Change Nadir in Sum Longest Diam	Percent Change Nadir in Sum Longest Diam	The (current sum of longest diameters minus the lowest sum of longest diameters previously recorded) divided by the lowest sum of longest diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Longest Diameter
C112373	Percent Change Nadir in Sum of Diam	Percent Change Nadir in Sum of Diam	The (current sum of diameters minus the lowest sum of diameters previously recorded) divided by the lowest sum of diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Diameter
C132265	Percent Change Nadir in Sum of PPD	Percent Change Nadir in Sum of PPD	The (current sum of products of perpendicular diameters minus the lowest sum of products of perpendicular diameters previously recorded) divided by the lowest sum of products of perpendicular diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Products of Perpendicular Diameters
C135513	Product of Perpendicular Diameters	PPD;Product of Perpendicular Diameters	The longest diameter multiplied by its longest perpendicular diameter.	Product of Perpendicular Diameters

<b>C96778 TRTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96627	Radiodensity	Radiodensity	The transparency of a material to the passage of X-rays and other forms of radiation.	Radiodensity
C103441	Sum Diameters of Non Lymph Node Tumors	Sum Diameters of Non Lymph Node Tumors	A calculation of the aggregated diameter values for tumors other than the lymph nodes.	Sum of Diameters of Non Lymph Node Tumors
C96631	Sum of Diameter	Sum of Diameter	A calculation of the aggregated diameter values.	Sum of Diameters
C96632	Sum of Longest Diameter	Sum of Longest Diameter	A calculation of the aggregated longest diameter values.	Sum of Longest Diameters
C96633	Sum of Longest Perpendicular	Sum of Longest Perpendicular	A calculation of the aggregated longest perpendicular values.	Sum of Longest Perpendiculars
C132261	Sum of Products of Perpendicular Diam	SPD;Sum of Products of Perpendicular Diam;Sum of Products of Perpendicular Diameters	The result of the addition of the products of perpendicular diameters.	Sum of Products of Perpendicular Diameters
C96634	Sum of Viable Diameter	Sum of Viable Diameter	A calculation of the aggregated diameter values taken from the viable portion of the tumor mass.	Sum of Viable Diameters
C96635	Sum of Volume	Sum of Volume	A calculation of the aggregated volume values.	Sum of Volumes
C96643	Tumor State	Tumor State	A condition or state of a tumor at a particular time.	Tumor Status
C132490	Two or More New Bone Lesions Indicator	Two or More New Bone Lesions Indicator	An indication as to whether there are two or more new bone lesions, in comparison to a reference timepoint.	Two or More New Bone Lesions Indicator
C132465	Two or More Persist New Bone Lesions Ind	Two or More Persist New Bone Lesions Ind;Two or More Persisting New Bone Lesions Indicator	An indication as to whether there are two or more bone lesions previously identified as new and are considered to be persisting.	Two or More Persisting New Bone Lesions Indicator
C119557	Vessel Failure Indicator	Vessel Failure Indicator	An indication as to whether vessel failure occurred.	Vessel Failure Indicator
C119558	Vessel Patency Indicator	Vessel Patency Indicator	An indication as to whether an artery is patent (free of TLR or restenosis) following intervention.	Vessel Patency Indicator
C119559	Vessel Revascularization Indicator	Vessel Revascularization Indicator	An indication as to whether repeat revascularization of an artery containing a lesion occurred.	Vessel Revascularization Indicator
C96646	Viable Diameter	Viable Diameter	The diameter of the portion of the tumor mass that is capable of growth, proliferation and metastasis.	Viable Tumor Diameter
C25335	Volume	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume

## TRTESTCD (Tumor or Lesion Properties Test Code)

NCI Code: C96779, Codelist extensible: Yes

C96779 TRTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103347	ACHNAD	Absolute Change From Nadir	The current value minus the lowest value previously recorded.	Absolute Change From Nadir
C135506	ACNDOREN	Absolute Change Nadir in Organ Enlarge;Absolute Change Nadir in Organ Enlargement	The current organ enlargement minus the lowest organ enlargement previously recorded. (NCI)	Absolute Change from Nadir in Organ Enlargement
C112218	ACNSD	Absolute Change Nadir in Sum of Diam	The current sum of diameters minus the lowest sum of diameters previously recorded.	Absolute Change From Nadir in Sum of Diameter
C147488	ACPPDNLD	Absolute Change From PPD Nadir in LDIAM	The absolute change in the longest diameter of the lesion from the timepoint at which the product of perpendicular diameters of the lesion is the smallest.	Absolute Change in Longest Diameter From Nadir Product of Perpendicular Diameters Timepoint
C147489	ACPPDNLP	Absolute Change From PPD Nadir in LPERP	The absolute change in the longest perpendicular of the lesion from the timepoint at which the product of perpendicular diameters of the lesion is the smallest.	Absolute Change in Longest Perpendicular from Nadir Product of Perpendicular Diameters Timepoint
C25244	AREA	Area	The extent of a 2-dimensional surface enclosed within a boundary. (NCI)	Area
C96566	AVMETSUV	Average Metabolic Standard Uptake Value	A semiquantitative analysis of the average uptake of analyte by body tissue in relation to the total administered dose of the analyte.	Average Metabolic Standard Uptake Value
C147490	BMUPTAKE	Bone Marrow Tracer Uptake	A visually assessed combination of extent and intensity of tracer uptake within the bone marrow.	Bone Marrow Tracer Uptake
C132463	BNLNUM	Number of Bone Lesions	The number of lesions within the bone.	Number of Bone Lesions
C126056	CALCFIND	Calcification Indicator	An indication as to whether calcification is present.	Calcification Indicator
C25285	DIAMETER	Diameter	The length of a straight line passing through the center of a circle or sphere and connecting two points on the circumference. (NCI)	Diameter
C99723	FDPL5PS	FDG PET Lymphoma 5PS Score	A 5 point scale devised to assess the response to treatment of Hodgkin and aggressive Non-Hodgkin lymphoma. (Barrington SF, Mikhaeel NG, Kostakoglu L, Meignan M, et al. Role of imaging in the staging and response assessment of lymphoma: consensus of the International Conference on Malignant Lymphomas Imaging Working Group. J Clin Oncol. 2014 Sep 20;32(27):3048-58.)	London Deauville Criteria Point Scale
C96684	LDIAM	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C119551	LESFLIND	Lesion Failure Indicator	An indication as to whether lesion failure occurred.	Lesion Failure Indicator
C119552	LESRVIND	Lesion Revascularization Indicator	An indication as to whether repeat revascularization of a lesion occurred.	Lesion Revascularization Indicator
C119553	LESSCIND	Lesion Success Indicator	An indication as to whether a performed procedure of a target lesion is considered successful.	Lesion Success Indicator
C119554	LMBFLIND	Limb Failure Indicator	An indication as to whether limb failure occurred.	Limb Failure Indicator
C124446	LMNDEXAM	Number of Lymph Nodes Examined	The number of lymph nodes that were examined.	Number of Lymph Nodes Examined
C124447	LMNDPNUM	Number of Lymph Nodes Positive	The number of subject lymph nodes that were positive for presence of disease.	Number of Lymph Nodes Positive
C124448	LNSTATE	Lymph Node State	A condition or state of a lymph node at a particular time.	Lymph Node State
C96685	LPERP	Longest Perpendicular	The longest possible straight line or plane through a body or figure that is at a right angle to a given line or plane.	Longest Perpendicular
C119555	LRISCIND	Lesion Revas Ischemia Indicator	An indication as to whether clinical or functional ischemia is present before lesion revascularization occurred.	Lesion Revascularization Ischemia Indicator

C96779 TRTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119556	LRVCLIND	Lesion Revas Clinical Indicator	An indication as to whether an appropriate clinical context was present before lesion revascularization occurred.	Lesion Revascularization Clinical Indicator
C132490	NBNL2IND	Two or More New Bone Lesions Indicator	An indication as to whether there are two or more new bone lesions, in comparison to a reference timepoint.	Two or More New Bone Lesions Indicator
C132464	NBNLNUM	Number of New Bone Lesions	The number of new lesions within the bone, in comparison to a reference timepoint.	Number of New Bone Lesions
C103421	NEWCONF	New Tumor Confirmed	The verification/confirmation by other methods or modalities that a tumor, which has not been previously seen or characterized, is present in the subject.	New Tumor Confirmation
C135507	ORENLQN	Organ Enlargement, Quantitative	A quantitative measurement of the increase in organ size or dimension, relative to a defined value.	Quantitative Organ Enlargement Assessment
C135508	ORSTATE	Organ State	A condition or state of an organ at a particular time.	Organ State
C135509	ORVERLN	Organ Vertical Length	The linear extent along the craniocaudal axis from one end of an organ to the other end. (NCI)	Organ Craniocaudal Length Measurement
C139128	OTRCUPCB	Overall Tracer Uptake Compared to BL;Overall Tracer Uptake Compared to Baseline	A visually assessed combination of extent and intensity of tracer uptake, as compared to baseline.	Overall Tracer Uptake Compared to Baseline
C124449	PALPSTAT	Palpable State	A condition or state of the tumor with regards to its palpability status at a particular point in time.	Palpable State
C132465	PBNL2IND	Two or More Persist New Bone Lesions Ind;Two or More Persisting New Bone Lesions Indicator	An indication as to whether there are two or more bone lesions previously identified as new and are considered to be persisting.	Two or More Persisting New Bone Lesions Indicator
C112370	PCBSD	Percent Change Baseline in Sum of Diam	The (current sum of diameters minus the baseline sum of diameters) divided by the baseline sum of diameters, multiplied by 100.	Percent Change From Baseline in Sum of Diameter
C112371	PCBSLD	Percent Change Baseline Sum Longest Diam	The (current sum of longest diameters minus the baseline sum of longest diameters) divided by the baseline sum of longest diameters, multiplied by 100.	Percent Change From Baseline in Sum of Longest Diameter
C135510	PCBSOREN	Percent Change Baseline in Organ Enlarge;Percent Change Baseline in Organ Enlargement	The (current organ enlargement minus the baseline organ enlargement) divided by the baseline organ enlargement, multiplied by 100. (NCI)	Percent Change from Baseline in Organ Enlargement
C132264	PCBSPPD	Percent Change Baseline in Sum of PPD	The (current sum of products of perpendicular diameters minus the baseline sum of products of perpendicular diameters) divided by the baseline sum of products of perpendicular diameters, multiplied by 100.	Percent Change From Baseline in Sum of Products of Perpendicular Diameter
C112372	PCBSV	Percent Change Baseline in Sum of Volume	The (current sum of volumes minus the baseline sum of volumes) divided by the baseline sum of volumes, multiplied by 100.	Percent Change From Baseline in Sum of Volume
C96621	PCHGBL	Percent Change From Baseline	The (current value minus the baseline value) divided by the baseline value, multiplied by 100.	Percent Change From Baseline
C96622	PCHGNAD	Percent Change From Nadir	The (current value minus the lowest value previously recorded) divided by the lowest value previously recorded, multiplied by 100.	Percent Change From Nadir
C135511	PCNDOREN	Percent Change Nadir in Organ Enlarge;Percent Change Nadir in Organ Enlargement	The (current organ enlargement minus the lowest organ enlargement previously recorded) divided by the lowest organ enlargement previously recorded, multiplied by 100. (NCI)	Percent Change from Nadir in Organ Enlargement
C135512	PCNPPD	Percent Change Nadir in PPD	The (current product of perpendicular diameters minus the lowest product of perpendicular diameters previously recorded) divided by the lowest product of perpendicular diameters previously recorded, multiplied by 100.	Percent Change from Nadir in Product of Perpendicular Diameters
C112373	PCNSD	Percent Change Nadir in Sum of Diam	The (current sum of diameters minus the lowest sum of diameters previously recorded) divided by the lowest sum of diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Diameter
C112374	PCNSLD	Percent Change Nadir in Sum Longest Diam	The (current sum of longest diameters minus the lowest sum of longest diameters previously recorded) divided by the lowest sum of longest diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Longest Diameter



C96779 TRTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132265	PCNSPPD	Percent Change Nadir in Sum of PPD	The (current sum of products of perpendicular diameters minus the lowest sum of products of perpendicular diameters previously recorded) divided by the lowest sum of products of perpendicular diameters previously recorded, multiplied by 100.	Percent Change From Nadir in Sum of Products of Perpendicular Diameters
C135513	PPD	PPD;Product of Perpendicular Diameters	The longest diameter multiplied by its longest perpendicular diameter.	Product of Perpendicular Diameters
C96627	RADIODEN	Radiodensity	The transparency of a material to the passage of X-rays and other forms of radiation.	Radiodensity
C96631	SUMDIAM	Sum of Diameter	A calculation of the aggregated diameter values.	Sum of Diameters
C96632	SUMLDIAM	Sum of Longest Diameter	A calculation of the aggregated longest diameter values.	Sum of Longest Diameters
C96633	SUMLPERP	Sum of Longest Perpendicular	A calculation of the aggregated longest perpendicular values.	Sum of Longest Perpendiculars
C103441	SUMNLNLD	Sum Diameters of Non Lymph Node Tumors	A calculation of the aggregated diameter values for tumors other than the lymph nodes.	Sum of Diameters of Non Lymph Node Tumors
C132261	SUMPPD	SPD;Sum of Products of Perpendicular Diameters;Sum of Products of Perpendicular Diameters	The result of the addition of the products of perpendicular diameters.	Sum of Products of Perpendicular Diameters
C96634	SUMVDIAM	Sum of Viable Diameter	A calculation of the aggregated diameter values taken from the viable portion of the tumor mass.	Sum of Viable Diameters
C96635	SUMVOL	Sum of Volume	A calculation of the aggregated volume values.	Sum of Volumes
C96643	TUMSTATE	Tumor State	A condition or state of a tumor at a particular time.	Tumor Status
C96646	VDIAM	Viable Diameter	The diameter of the portion of the tumor mass that is capable of growth, proliferation and metastasis.	Viable Tumor Diameter
C25335	VOLUME	Volume	The amount of three dimensional space occupied by an object or the capacity of a space or container. (NCI)	Volume
C119557	VSLFLIND	Vessel Failure Indicator	An indication as to whether vessel failure occurred.	Vessel Failure Indicator
C119558	VSLPIND	Vessel Patency Indicator	An indication as to whether an artery is patent (free of TLR or restenosis) following intervention.	Vessel Patency Indicator
C119559	VSLRVIND	Vessel Revascularization Indicator	An indication as to whether repeat revascularization of an artery containing a lesion occurred.	Vessel Revascularization Indicator

## TRTINTNT (Treatment Intent)

NCI Code: C124307, Codelist extensible: Yes

C124307 TRTINTNT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C62220	CURATIVE		Any action or response that serves to eliminate disease and prevent recurrence.	Cure
C101516	PALLIATIVE		Any action or response, without curative intent, that mitigates some or all of the unpleasant effects of a disease or condition.	Palliative
C15843	PREVENTATIVE		Any action or response to modify or stop the development of a disease.	Preventive Intervention

## TRTSET (Treatment Setting)

NCI Code: C124308, Codelist extensible: Yes

<b>C124308 TRTSET</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124450	ADJUVANT		A clinical trial or treatment setting in which the therapy of interest is considered adjuvant.	Adjuvant Therapy Clinical Trial Setting
C124451	LOCALLY ADVANCED		A clinical trial or treatment setting in which the therapy of interest is used to treat locally advanced disease.	Locally Advanced Disease Clinical Trial Setting
C124452	METASTATIC		A clinical trial or treatment setting in which the therapy of interest is used to treat metastatic disease.	Metastatic Disease Clinical Trial Setting
C124453	NEO-ADJUVANT		A clinical trial or treatment setting in which the therapy of interest is considered neo-adjuvant.	Neoadjuvant Therapy Clinical Trial Setting
C124454	PREVENTATIVE		A clinical trial or treatment setting in which the therapy of interest is considered preventative.	Preventative Therapy Clinical Trial Setting

## TSCC01TC (Trauma Symptom Checklist for Children Questionnaire Test Code)

NCI Code: C147548, Codelist extensible: No

C147548 TSCC01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147699	TSCC0101	TSCC01-Bad Dreams or Nightmares	Trauma Symptom Checklist for Children - Bad dreams or nightmares.	TSCC - Bad Dreams or Nightmares
C147700	TSCC0102	TSCC01-Afraid Something Bad Might Happen	Trauma Symptom Checklist for Children - Feeling afraid something bad might happen.	TSCC - Afraid Something Bad Might Happen
C147701	TSCC0103	TSCC01-Scary Ideas Just Pop Into My Head	Trauma Symptom Checklist for Children - Scary ideas or pictures just pop into my head.	TSCC - Scary Ideas Just Pop Into My Head
C147702	TSCC0104	TSCC01-Wanting to Say Dirty Words	Trauma Symptom Checklist for Children - Wanting to say dirty words.	TSCC - Wanting to Say Dirty Words
C147703	TSCC0105	TSCC01-Pretending I am Someone Else	Trauma Symptom Checklist for Children - Pretending I am someone else.	TSCC - Pretending I am Someone Else
C147704	TSCC0106	TSCC01-Arguing Too Much	Trauma Symptom Checklist for Children - Arguing too much.	TSCC - Arguing Too Much
C147705	TSCC0107	TSCC01-Feeling Lonely	Trauma Symptom Checklist for Children - Feeling lonely.	TSCC - Feeling Lonely
C147706	TSCC0108	TSCC01-Touching Private Parts Too Much	Trauma Symptom Checklist for Children - Touching my private parts too much.	TSCC - Touching Private Parts Too Much
C147707	TSCC0109	TSCC01-Feeling Sad or Unhappy	Trauma Symptom Checklist for Children - Feeling sad or unhappy.	TSCC - Feeling Sad or Unhappy
C147708	TSCC0110	TSCC01-Remembering Things I Didn't Like	Trauma Symptom Checklist for Children - Remembering things that happened that I didn't like.	TSCC - Remembering Things I Didn't Like
C147709	TSCC0111	TSCC01-Going Away in My Mind	Trauma Symptom Checklist for Children - Going away in my mind, trying not to think.	TSCC - Going Away in My Mind
C147710	TSCC0112	TSCC01-Remembering Scary Things	Trauma Symptom Checklist for Children - Remembering scary things.	TSCC - Remembering Scary Things
C147711	TSCC0113	TSCC01-Wanting to Yell and Break Things	Trauma Symptom Checklist for Children - Wanting to yell and break things.	TSCC - Wanting to Yell and Break Things
C147712	TSCC0114	TSCC01-Crying	Trauma Symptom Checklist for Children - Crying.	TSCC - Crying
C147713	TSCC0115	TSCC01-Getting Scared All of Sudden	Trauma Symptom Checklist for Children - Getting scared all of a sudden and don't know why.	TSCC - Getting Scared All of Sudden
C147714	TSCC0116	TSCC01-Getting Mad and Can't Calm Down	Trauma Symptom Checklist for Children - Getting mad and can't calm down.	TSCC - Getting Mad and Can't Calm Down
C147715	TSCC0117	TSCC01-Thinking About Having Sex	Trauma Symptom Checklist for Children - Thinking about having sex.	TSCC - Thinking About Having Sex
C147716	TSCC0118	TSCC01-Feeling Dizzy	Trauma Symptom Checklist for Children - Feeling dizzy.	TSCC - Feeling Dizzy
C147717	TSCC0119	TSCC01-Wanting to Yell at People	Trauma Symptom Checklist for Children - Wanting to yell at people.	TSCC - Wanting to Yell at People
C147718	TSCC0120	TSCC01-Wanting to Hurt Myself	Trauma Symptom Checklist for Children - Wanting to hurt myself.	TSCC - Wanting to Hurt Myself
C147719	TSCC0121	TSCC01-Wanting to Hurt Other People	Trauma Symptom Checklist for Children - Wanting to hurt other people.	TSCC - Wanting to Hurt Other People
C147720	TSCC0122	TSCC01-Think Touch People Private Parts	Trauma Symptom Checklist for Children - Thinking about touching other people's private parts.	TSCC - Think Touch People Private Parts
C147721	TSCC0123	TSCC01-Think About Sex When Don't Want	Trauma Symptom Checklist for Children - Thinking about sex when I don't want to.	TSCC - Think About Sex When Don't Want
C147722	TSCC0124	TSCC01-Feeling Scared of Men	Trauma Symptom Checklist for Children - Feeling scared of men.	TSCC - Feeling Scared of Men
C147723	TSCC0125	TSCC01-Feeling Scared of Women	Trauma Symptom Checklist for Children - Feeling scared of women.	TSCC - Feeling Scared of Women
C147724	TSCC0126	TSCC01-Washing Myself Because Feel Dirty	Trauma Symptom Checklist for Children - Washing myself because I feel dirty on the inside.	TSCC - Washing Myself Because Feel Dirty
C147725	TSCC0127	TSCC01-Feeling Stupid or Bad	Trauma Symptom Checklist for Children - Feeling stupid or bad.	TSCC - Feeling Stupid or Bad

**C147548 TSCC01TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147726	TSCC0128	TSCC01-Feeling Like Did Something Wrong	Trauma Symptom Checklist for Children - Feeling like I did something wrong.	TSCC - Feeling Like Did Something Wrong
C147727	TSCC0129	TSCC01-Feeling Like Things Aren't Real	Trauma Symptom Checklist for Children - Feeling like things aren't real.	TSCC - Feeling Like Things Aren't Real
C147728	TSCC0130	TSCC01-Forgetting Things	Trauma Symptom Checklist for Children - Forgetting things, can't remember things.	TSCC - Forgetting Things
C147729	TSCC0131	TSCC01-Feeling Like I'm Not in My Body	Trauma Symptom Checklist for Children - Feeling like I'm not in my body.	TSCC - Feeling Like I'm Not in My Body
C147730	TSCC0132	TSCC01-Feeling Nervous or Jumpy Inside	Trauma Symptom Checklist for Children - Feeling nervous or jumpy inside.	TSCC - Feeling Nervous or Jumpy Inside
C147731	TSCC0133	TSCC01-Feeling Afraid	Trauma Symptom Checklist for Children - Feeling afraid.	TSCC - Feeling Afraid
C147732	TSCC0134	TSCC01-Not Trusting People Because Sex	Trauma Symptom Checklist for Children - Not trusting people because they might want sex.	TSCC - Not Trusting People Because Sex
C147733	TSCC0135	TSCC01-Can't Stop Thinking Something Bad	Trauma Symptom Checklist for Children - Can't stop thinking about something bad that happened to me.	TSCC - Can't Stop Thinking Something Bad
C147734	TSCC0136	TSCC01-Getting Into Fights	Trauma Symptom Checklist for Children - Getting into fights.	TSCC - Getting Into Fights
C147735	TSCC0137	TSCC01-Feeling Mean	Trauma Symptom Checklist for Children - Feeling mean.	TSCC - Feeling Mean
C147736	TSCC0138	TSCC01-Pretending I'm Somewhere Else	Trauma Symptom Checklist for Children - Pretending I'm somewhere else.	TSCC - Pretending I'm Somewhere Else
C147737	TSCC0139	TSCC01-Being Afraid of the Dark	Trauma Symptom Checklist for Children - Being afraid of the dark.	TSCC - Being Afraid of the Dark
C147738	TSCC0140	TSCC01-Scared When Think About Sex	Trauma Symptom Checklist for Children - Getting scared or upset when I think about sex.	TSCC - Scared When Think About Sex
C147739	TSCC0141	TSCC01-Worrying About Things	Trauma Symptom Checklist for Children - Worrying about things.	TSCC - Worrying About Things
C147740	TSCC0142	TSCC01-Feeling Like Nobody Likes Me	Trauma Symptom Checklist for Children - Feeling like nobody likes me.	TSCC - Feeling Like Nobody Likes Me
C147741	TSCC0143	TSCC01-Remembering Things Don't Want To	Trauma Symptom Checklist for Children - Remembering things I don't want to remember.	TSCC - Remembering Things Don't Want To
C147742	TSCC0144	TSCC01-Having Sex Feelings in My Body	Trauma Symptom Checklist for Children - Having sex feelings in my body.	TSCC - Having Sex Feelings in My Body
C147743	TSCC0145	TSCC01-My Mind Going Empty or Blank	Trauma Symptom Checklist for Children - My mind going empty or blank.	TSCC - My Mind Going Empty or Blank
C147744	TSCC0146	TSCC01-Feeling Like I Hate People	Trauma Symptom Checklist for Children - Feeling like I hate people.	TSCC - Feeling Like I Hate People
C147745	TSCC0147	TSCC01-Can't Stop Thinking About Sex	Trauma Symptom Checklist for Children - Can't stop thinking about sex.	TSCC - Can't Stop Thinking About Sex
C147746	TSCC0148	TSCC01-Trying Not to Have Any Feelings	Trauma Symptom Checklist for Children - Trying not to have any feelings.	TSCC - Trying Not to Have Any Feelings
C147747	TSCC0149	TSCC01-Feeling Mad	Trauma Symptom Checklist for Children - Feeling mad.	TSCC - Feeling Mad
C147748	TSCC0150	TSCC01-Feeling Afraid Somebody Kill Me	Trauma Symptom Checklist for Children - Feeling afraid somebody will kill me.	TSCC - Feeling Afraid Somebody Kill Me
C147749	TSCC0151	TSCC01-Wishing Bad Things Never Happened	Trauma Symptom Checklist for Children - Wishing bad things had never happened.	TSCC - Wishing Bad Things Never Happened
C147750	TSCC0152	TSCC01-Wanting to Kill Myself	Trauma Symptom Checklist for Children - Wanting to kill myself.	TSCC - Wanting to Kill Myself
C147751	TSCC0153	TSCC01-Daydreaming	Trauma Symptom Checklist for Children - Daydreaming.	TSCC - Daydreaming
C147752	TSCC0154	TSCC01-Getting Upset People Talk Sex	Trauma Symptom Checklist for Children - Getting upset when people talk about sex.	TSCC - Getting Upset People Talk Sex

## TSCC01TN (Trauma Symptom Checklist for Children Questionnaire Test Name)

NCI Code: C147547, Codelist extensible: No

C147547 TSCC01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C147700	TSCC01-Afraid Something Bad Might Happen	TSCC01-Afraid Something Bad Might Happen	Trauma Symptom Checklist for Children - Feeling afraid something bad might happen.	TSCC - Afraid Something Bad Might Happen
C147704	TSCC01-Arguing Too Much	TSCC01-Arguing Too Much	Trauma Symptom Checklist for Children - Arguing too much.	TSCC - Arguing Too Much
C147699	TSCC01-Bad Dreams or Nightmares	TSCC01-Bad Dreams or Nightmares	Trauma Symptom Checklist for Children - Bad dreams or nightmares.	TSCC - Bad Dreams or Nightmares
C147737	TSCC01-Being Afraid of the Dark	TSCC01-Being Afraid of the Dark	Trauma Symptom Checklist for Children - Being afraid of the dark.	TSCC - Being Afraid of the Dark
C147745	TSCC01-Can't Stop Thinking About Sex	TSCC01-Can't Stop Thinking About Sex	Trauma Symptom Checklist for Children - Can't stop thinking about sex.	TSCC - Can't Stop Thinking About Sex
C147733	TSCC01-Can't Stop Thinking Something Bad	TSCC01-Can't Stop Thinking Something Bad	Trauma Symptom Checklist for Children - Can't stop thinking about something bad that happened to me.	TSCC - Can't Stop Thinking Something Bad
C147712	TSCC01-Crying	TSCC01-Crying	Trauma Symptom Checklist for Children - Crying.	TSCC - Crying
C147751	TSCC01-Daydreaming	TSCC01-Daydreaming	Trauma Symptom Checklist for Children - Daydreaming.	TSCC - Daydreaming
C147731	TSCC01-Feeling Afraid	TSCC01-Feeling Afraid	Trauma Symptom Checklist for Children - Feeling afraid.	TSCC - Feeling Afraid
C147748	TSCC01-Feeling Afraid Somebody Kill Me	TSCC01-Feeling Afraid Somebody Kill Me	Trauma Symptom Checklist for Children - Feeling afraid somebody will kill me.	TSCC - Feeling Afraid Somebody Kill Me
C147716	TSCC01-Feeling Dizzy	TSCC01-Feeling Dizzy	Trauma Symptom Checklist for Children - Feeling dizzy.	TSCC - Feeling Dizzy
C147726	TSCC01-Feeling Like Did Something Wrong	TSCC01-Feeling Like Did Something Wrong	Trauma Symptom Checklist for Children - Feeling like I did something wrong.	TSCC - Feeling Like Did Something Wrong
C147744	TSCC01-Feeling Like I Hate People	TSCC01-Feeling Like I Hate People	Trauma Symptom Checklist for Children - Feeling like I hate people.	TSCC - Feeling Like I Hate People
C147729	TSCC01-Feeling Like I'm Not in My Body	TSCC01-Feeling Like I'm Not in My Body	Trauma Symptom Checklist for Children - Feeling like I'm not in my body.	TSCC - Feeling Like I'm Not in My Body
C147740	TSCC01-Feeling Like Nobody Likes Me	TSCC01-Feeling Like Nobody Likes Me	Trauma Symptom Checklist for Children - Feeling like nobody likes me.	TSCC - Feeling Like Nobody Likes Me
C147727	TSCC01-Feeling Like Things Aren't Real	TSCC01-Feeling Like Things Aren't Real	Trauma Symptom Checklist for Children - Feeling like things aren't real.	TSCC - Feeling Like Things Aren't Real
C147705	TSCC01-Feeling Lonely	TSCC01-Feeling Lonely	Trauma Symptom Checklist for Children - Feeling lonely.	TSCC - Feeling Lonely
C147747	TSCC01-Feeling Mad	TSCC01-Feeling Mad	Trauma Symptom Checklist for Children - Feeling mad.	TSCC - Feeling Mad
C147735	TSCC01-Feeling Mean	TSCC01-Feeling Mean	Trauma Symptom Checklist for Children - Feeling mean.	TSCC - Feeling Mean
C147730	TSCC01-Feeling Nervous or Jumpy Inside	TSCC01-Feeling Nervous or Jumpy Inside	Trauma Symptom Checklist for Children - Feeling nervous or jumpy inside.	TSCC - Feeling Nervous or Jumpy Inside
C147707	TSCC01-Feeling Sad or Unhappy	TSCC01-Feeling Sad or Unhappy	Trauma Symptom Checklist for Children - Feeling sad or unhappy.	TSCC - Feeling Sad or Unhappy
C147722	TSCC01-Feeling Scared of Men	TSCC01-Feeling Scared of Men	Trauma Symptom Checklist for Children - Feeling scared of men.	TSCC - Feeling Scared of Men
C147723	TSCC01-Feeling Scared of Women	TSCC01-Feeling Scared of Women	Trauma Symptom Checklist for Children - Feeling scared of women.	TSCC - Feeling Scared of Women
C147725	TSCC01-Feeling Stupid or Bad	TSCC01-Feeling Stupid or Bad	Trauma Symptom Checklist for Children - Feeling stupid or bad.	TSCC - Feeling Stupid or Bad
C147728	TSCC01-Forgetting Things	TSCC01-Forgetting Things	Trauma Symptom Checklist for Children - Forgetting things, can't remember things.	TSCC - Forgetting Things
C147734	TSCC01-Getting Into Fights	TSCC01-Getting Into Fights	Trauma Symptom Checklist for Children - Getting into fights.	TSCC - Getting Into Fights
C147714	TSCC01-Getting Mad and Can't Calm Down	TSCC01-Getting Mad and Can't Calm Down	Trauma Symptom Checklist for Children - Getting mad and can't calm down.	TSCC - Getting Mad and Can't Calm Down
C147713	TSCC01-Getting Scared All of Sudden	TSCC01-Getting Scared All of Sudden	Trauma Symptom Checklist for Children - Getting scared all of a sudden and don't know why.	TSCC - Getting Scared All of Sudden

**C147547 TSCC01TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147752	TSCC01-Getting Upset People Talk Sex	TSCC01-Getting Upset People Talk Sex	Trauma Symptom Checklist for Children - Getting upset when people talk about sex.	TSCC - Getting Upset People Talk Sex
C147709	TSCC01-Going Away in My Mind	TSCC01-Going Away in My Mind	Trauma Symptom Checklist for Children - Going away in my mind, trying not to think.	TSCC - Going Away in My Mind
C147742	TSCC01-Having Sex Feelings in My Body	TSCC01-Having Sex Feelings in My Body	Trauma Symptom Checklist for Children - Having sex feelings in my body.	TSCC - Having Sex Feelings in My Body
C147743	TSCC01-My Mind Going Empty or Blank	TSCC01-My Mind Going Empty or Blank	Trauma Symptom Checklist for Children - My mind going empty or blank.	TSCC - My Mind Going Empty or Blank
C147732	TSCC01-Not Trusting People Because Sex	TSCC01-Not Trusting People Because Sex	Trauma Symptom Checklist for Children - Not trusting people because they might want sex.	TSCC - Not Trusting People Because Sex
C147703	TSCC01-Pretending I am Someone Else	TSCC01-Pretending I am Someone Else	Trauma Symptom Checklist for Children - Pretending I am someone else.	TSCC - Pretending I am Someone Else
C147736	TSCC01-Pretending I'm Somewhere Else	TSCC01-Pretending I'm Somewhere Else	Trauma Symptom Checklist for Children - Pretending I'm somewhere else.	TSCC - Pretending I'm Somewhere Else
C147710	TSCC01-Remembering Scary Things	TSCC01-Remembering Scary Things	Trauma Symptom Checklist for Children - Remembering scary things.	TSCC - Remembering Scary Things
C147741	TSCC01-Remembering Things Don't Want To	TSCC01-Remembering Things Don't Want To	Trauma Symptom Checklist for Children - Remembering things I don't want to remember.	TSCC - Remembering Things Don't Want To
C147708	TSCC01-Remembering Things I Didn't Like	TSCC01-Remembering Things I Didn't Like	Trauma Symptom Checklist for Children - Remembering things that happened that I didn't like.	TSCC - Remembering Things I Didn't Like
C147738	TSCC01-Scared When Think About Sex	TSCC01-Scared When Think About Sex	Trauma Symptom Checklist for Children - Getting scared or upset when I think about sex.	TSCC - Scared When Think About Sex
C147701	TSCC01-Scary Ideas Just Pop Into My Head	TSCC01-Scary Ideas Just Pop Into My Head	Trauma Symptom Checklist for Children - Scary ideas or pictures just pop into my head.	TSCC - Scary Ideas Just Pop Into My Head
C147721	TSCC01-Think About Sex When Don't Want	TSCC01-Think About Sex When Don't Want	Trauma Symptom Checklist for Children - Thinking about sex when I don't want to.	TSCC - Think About Sex When Don't Want
C147720	TSCC01-Think Touch People Private Parts	TSCC01-Think Touch People Private Parts	Trauma Symptom Checklist for Children - Thinking about touching other people's private parts.	TSCC - Think Touch People Private Parts
C147715	TSCC01-Thinking About Having Sex	TSCC01-Thinking About Having Sex	Trauma Symptom Checklist for Children - Thinking about having sex.	TSCC - Thinking About Having Sex
C147706	TSCC01-Touching Private Parts Too Much	TSCC01-Touching Private Parts Too Much	Trauma Symptom Checklist for Children - Touching my private parts too much.	TSCC - Touching Private Parts Too Much
C147746	TSCC01-Trying Not to Have Any Feelings	TSCC01-Trying Not to Have Any Feelings	Trauma Symptom Checklist for Children - Trying not to have any feelings.	TSCC - Trying Not to Have Any Feelings
C147718	TSCC01-Wanting to Hurt Myself	TSCC01-Wanting to Hurt Myself	Trauma Symptom Checklist for Children - Wanting to hurt myself.	TSCC - Wanting to Hurt Myself
C147719	TSCC01-Wanting to Hurt Other People	TSCC01-Wanting to Hurt Other People	Trauma Symptom Checklist for Children - Wanting to hurt other people.	TSCC - Wanting to Hurt Other People
C147750	TSCC01-Wanting to Kill Myself	TSCC01-Wanting to Kill Myself	Trauma Symptom Checklist for Children - Wanting to kill myself.	TSCC - Wanting to Kill Myself
C147702	TSCC01-Wanting to Say Dirty Words	TSCC01-Wanting to Say Dirty Words	Trauma Symptom Checklist for Children - Wanting to say dirty words.	TSCC - Wanting to Say Dirty Words
C147711	TSCC01-Wanting to Yell and Break Things	TSCC01-Wanting to Yell and Break Things	Trauma Symptom Checklist for Children - Wanting to yell and break things.	TSCC - Wanting to Yell and Break Things
C147717	TSCC01-Wanting to Yell at People	TSCC01-Wanting to Yell at People	Trauma Symptom Checklist for Children - Wanting to yell at people.	TSCC - Wanting to Yell at People
C147724	TSCC01-Washing Myself Because Feel Dirty	TSCC01-Washing Myself Because Feel Dirty	Trauma Symptom Checklist for Children - Washing myself because I feel dirty on the inside.	TSCC - Washing Myself Because Feel Dirty
C147749	TSCC01-Wishing Bad Things Never Happened	TSCC01-Wishing Bad Things Never Happened	Trauma Symptom Checklist for Children - Wishing bad things had never happened.	TSCC - Wishing Bad Things Never Happened
C147739	TSCC01-Worrying About Things	TSCC01-Worrying About Things	Trauma Symptom Checklist for Children - Worrying about things.	TSCC - Worrying About Things

## TSCYC1TC (Trauma Symptom Checklist for Young Children Questionnaire Test Code)

NCI Code: C147550, Codelist extensible: No

<b>C147550 TSCYC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147753	TSCYC101	TSCYC1-Temper Tantrums	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Temper tantrums.	TSCYC - Temper Tantrums
C147754	TSCYC102	TSCYC1-Looking Sad	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Looking sad.	TSCYC - Looking Sad
C147755	TSCYC103	TSCYC1-Telling a Lie	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Telling a lie.	TSCYC - Telling a Lie
C147756	TSCYC104	TSCYC1-Bad Dreams or Nightmares	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Bad dreams or nightmares.	TSCYC - Bad Dreams or Nightmares
C147757	TSCYC105	TSCYC1-Living in a Fantasy World	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Living in a fantasy world.	TSCYC - Living in a Fantasy World
C147758	TSCYC106	TSCYC1-Seeming to Know More About Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to know more about sex than he or she should.	TSCYC - Seeming to Know More About Sex
C147759	TSCYC107	TSCYC1-Being Easily Scared	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being easily scared.	TSCYC - Being Easily Scared
C147760	TSCYC108	TSCYC1-Not Wanting to Go Somewhere	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to go somewhere that reminded him or her of a bad thing from the past.	TSCYC - Not Wanting to Go Somewhere
C147761	TSCYC109	TSCYC1-Worrying Food Was Poisoned	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that his or her food was poisoned.	TSCYC - Worrying Food Was Poisoned
C147762	TSCYC110	TSCYC1-Flinching When Someone Moved	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Flinching or jumping when someone moved quickly or there was a loud noise.	TSCYC - Flinching When Someone Moved
C147763	TSCYC111	TSCYC1-Being Bothered by Memories	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being bothered by memories of something that happened to him or her.	TSCYC - Being Bothered by Memories
C147764	TSCYC112	TSCYC1-Worrying Someone Might Be Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that someone might be sexual with him or her.	TSCYC - Worrying Someone Might Be Sexual
C147765	TSCYC113	TSCYC1-Not Wanting to Talk	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to talk about something that happened to him or her.	TSCYC - Not Wanting to Talk
C147766	TSCYC114	TSCYC1-Not Do Something Supposed to Do	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not doing something he or she was supposed to do.	TSCYC - Not Do Something Supposed to Do



**C147550 TSCYC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147767	TSCYC115	TSCYC1-Breaking Things on Purpose	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Breaking things on purpose.	TSCYC - Breaking Things on Purpose
C147768	TSCYC116	TSCYC1-Talking About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Talking about sexual things.	TSCYC - Talking About Sexual Things
C147769	TSCYC117	TSCYC1-Having Trouble Concentrating	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble concentrating.	TSCYC - Having Trouble Concentrating
C147770	TSCYC118	TSCYC1-Blaming for Things Weren't Fault	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Blaming himself or herself for things that weren't his or her fault.	TSCYC - Blaming for Things Weren't Fault
C147771	TSCYC119	TSCYC1-Acting Frightened Reminded Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Acting frightened when he or she was reminded of something that happened in the past.	TSCYC - Acting Frightened Reminded Past
C147772	TSCYC120	TSCYC1-Pretending to Have Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Pretending to have sex.	TSCYC - Pretending to Have Sex
C147773	TSCYC121	TSCYC1-Worrying Bad Things in Future	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that bad things would happen in the future.	TSCYC - Worrying Bad Things in Future
C147774	TSCYC122	TSCYC1-Arguing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Arguing.	TSCYC - Arguing
C147775	TSCYC123	TSCYC1-Getting Into Physical Fights	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Getting into physical fights.	TSCYC - Getting Into Physical Fights
C147776	TSCYC124	TSCYC1-Drawing Pictures Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Drawing pictures about an upsetting thing that happened to him or her.	TSCYC - Drawing Pictures Upsetting Thing
C147777	TSCYC125	TSCYC1-Not Noticing What He or She Doing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not noticing what he or she was doing.	TSCYC - Not Noticing What He or She Doing
C147778	TSCYC126	TSCYC1-Having Trouble Sitting Still	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble sitting still.	TSCYC - Having Trouble Sitting Still
C147779	TSCYC127	TSCYC1-Playing Games Something Bad Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Playing games about something bad that actually happened to him or her in the past.	TSCYC - Playing Games Something Bad Past
C147780	TSCYC128	TSCYC1-Seeming to Be in a Daze	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to be in a daze.	TSCYC - Seeming to Be in a Daze
C147781	TSCYC129	TSCYC1-Trouble Remember Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble remembering an upsetting thing that happened in the past.	TSCYC - Trouble Remember Upsetting Thing
C147782	TSCYC130	TSCYC1-Using Drugs	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Using drugs.	TSCYC - Using Drugs

<b>C147550 TSCYC1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147783	TSCYC131	TSCYC1-Fear of the Dark	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Fear of the dark.	TSCYC - Fear of the Dark
C147784	TSCYC132	TSCYC1-Being Afraid to Be Alone	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being afraid to be alone.	TSCYC - Being Afraid to Be Alone
C147785	TSCYC133	TSCYC1-Spacing Out	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Spacing out.	TSCYC - Spacing Out
C147786	TSCYC134	TSCYC1-Being Too Aggressive	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being too aggressive.	TSCYC - Being Too Aggressive
C147787	TSCYC135	TSCYC1-Touching Other Private Parts	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Touching other children's or adults' private parts (under or over clothes).	TSCYC - Touching Other Private Parts
C147788	TSCYC136	TSCYC1-Seeing Bad Happened in the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Suddenly seeing, feeling, or hearing something bad that happened in the past.	TSCYC - Seeing Bad Happened in the Past
C147789	TSCYC137	TSCYC1-Hearing Voices to Hurt Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hearing voices telling him or her to hurt someone.	TSCYC - Hearing Voices to Hurt Someone
C147790	TSCYC138	TSCYC1-Staring Off Into Space	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Staring off into space.	TSCYC - Staring Off Into Space
C147791	TSCYC139	TSCYC1-Changing Subject About Bad Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Changing the subject or not answering when he or she was asked about a bad thing that happened to him or her.	TSCYC - Changing Subject About Bad Thing
C147792	TSCYC140	TSCYC1-Having a Nervous Breakdown	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Having a nervous breakdown.	TSCYC - Having a Nervous Breakdown
C147793	TSCYC141	TSCYC1-Not Happy Like Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not laughing or being happy like other children.	TSCYC - Not Happy Like Other Children
C147794	TSCYC142	TSCYC1-Crying at Night Frightened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying at night because he or she was frightened.	TSCYC - Crying at Night Frightened
C147795	TSCYC143	TSCYC1-Hitting Adults	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hitting adults (including parents).	TSCYC - Hitting Adults
C147796	TSCYC144	TSCYC1-Being Frightened of Men	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened of men.	TSCYC - Being Frightened of Men
C147797	TSCYC145	TSCYC1-Not Being Able to Pay Attention	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not being able to pay attention.	TSCYC - Not Being Able to Pay Attention
C147798	TSCYC146	TSCYC1-Seeming to Be Million Miles Away	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Seeming to be a million miles away.	TSCYC - Seeming to Be Million Miles Away

**C147550 TSCYC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147799	TSCYC147	TSCYC1-Being Easily Startled	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being easily startled.	TSCYC - Being Easily Startled
C147800	TSCYC148	TSCYC1-Watching Out for Possible Danger	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Watching out everywhere for possible danger.	TSCYC - Watching Out for Possible Danger
C147801	TSCYC149	TSCYC1-No Longer Doing Things Enjoy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: No longer doing things that he or she used to enjoy.	TSCYC - No Longer Doing Things Enjoy
C147802	TSCYC150	TSCYC1-Frightened Something Sexual Seen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming frightened or disturbed when something sexual was mentioned or seen.	TSCYC - Frightened Something Sexual Seen
C147803	TSCYC151	TSCYC1-Not Sleeping for Two or More Days	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping for two or more days.	TSCYC - Not Sleeping for Two or More Days
C147804	TSCYC152	TSCYC1-Not Paying Attention in Own World	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not paying attention because he or she was in his or her own world.	TSCYC - Not Paying Attention in Own World
C147805	TSCYC153	TSCYC1-Making Mistakes	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making mistakes.	TSCYC - Making Mistakes
C147806	TSCYC154	TSCYC1-Crying for No Obvious Reason	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying for no obvious reason.	TSCYC - Crying for No Obvious Reason
C147807	TSCYC155	TSCYC1-Not Wanting to Be Around Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to be around someone who did something bad to him or her or reminded him or her of something bad.	TSCYC - Not Wanting to Be Around Someone
C147808	TSCYC156	TSCYC1-Being Tense	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being tense.	TSCYC - Being Tense
C147809	TSCYC157	TSCYC1-Worrying About People's Safety	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about other people's safety.	TSCYC - Worrying About People's Safety
C147810	TSCYC158	TSCYC1-Very Angry Over a Little Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming very angry over a little thing.	TSCYC - Very Angry Over a Little Thing
C147811	TSCYC159	TSCYC1-Drawing Pictures About Sex Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Drawing pictures about sexual things.	TSCYC - Drawing Pictures About Sex Things
C147812	TSCYC160	TSCYC1-Pulling His or Her Hair Out	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Pulling his or her hair out.	TSCYC - Pulling His or Her Hair Out
C147813	TSCYC161	TSCYC1-Calling Himself or Herself Bad	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Calling himself or herself bad, stupid, or ugly.	TSCYC - Calling Himself or Herself Bad
C147814	TSCYC162	TSCYC1-Throwing Things at Friends/Family	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Throwing things at friends or family members.	TSCYC - Throwing Things at Friends/Family

**C147550 TSCYC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147815	TSCYC163	TSCYC1-Getting Upset About the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something in the past.	TSCYC - Getting Upset About the Past
C147816	TSCYC164	TSCYC1-Temporary Blindness or Paralysis	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Temporary blindness or paralysis.	TSCYC - Temporary Blindness or Paralysis
C147817	TSCYC165	TSCYC1-Getting Upset Something Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something sexual.	TSCYC - Getting Upset Something Sexual
C147818	TSCYC166	TSCYC1-Not Going to Bed First Time Asked	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not going to bed at night the first time he or she was asked.	TSCYC - Not Going to Bed First Time Asked
C147819	TSCYC167	TSCYC1-Fear He or She Killed by Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Fear that he or she would be killed by someone.	TSCYC - Fear He or She Killed by Someone
C147820	TSCYC168	TSCYC1-Saying Nobody Liked Him or Her	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that nobody liked him or her.	TSCYC - Saying Nobody Liked Him or Her
C147821	TSCYC169	TSCYC1-Crying When Reminded From Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying when he or she was reminded of something from the past.	TSCYC - Crying When Reminded From Past
C147822	TSCYC170	TSCYC1-Saying Bad Didn't Happen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that something bad didn't happen to him or her even though it did happen.	TSCYC - Saying Bad Didn't Happen
C147823	TSCYC171	TSCYC1-Saying He or She Wanted to Die	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying he or she wanted to die or be killed.	TSCYC - Saying He or She Wanted to Die
C147824	TSCYC172	TSCYC1-Acting as If Didn't Have Feelings	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting as if he or she didn't have any feelings about something bad that happened to him or her.	TSCYC - Acting as If Didn't Have Feelings
C147825	TSCYC173	TSCYC1-Whining	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Whining.	TSCYC - Whining
C147826	TSCYC174	TSCYC1-Not Sleeping Well	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping well.	TSCYC - Not Sleeping Well
C147827	TSCYC175	TSCYC1-Worrying About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about sexual things.	TSCYC - Worrying About Sexual Things
C147828	TSCYC176	TSCYC1-Being Frightened by Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened by things that didn't used to scare him or her.	TSCYC - Being Frightened by Things
C147829	TSCYC177	TSCYC1-Hallucinating	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hallucinating.	TSCYC - Hallucinating
C147830	TSCYC178	TSCYC1-Acting Like He/She Was in Trance	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting like he or she was in a trance.	TSCYC - Acting Like He or She Was in Trance

**C147550 TSCYC1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147831	TSCYC179	TSCYC1-Forgetting His or Her Own Name	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Forgetting his or her own name.	TSCYC - Forgetting His or Her Own Name
C147832	TSCYC180	TSCYC1-Upset When Reminded Bad Happened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset when he or she was reminded of something bad that happened.	TSCYC - Upset When Reminded Bad Happened
C147833	TSCYC181	TSCYC1-Avoiding Bad Happened in Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Avoiding things that reminded him or her of a bad thing that had happened in the past.	TSCYC - Avoiding Bad Happened in Past
C147834	TSCYC182	TSCYC1-Acting Jumpy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting jumpy.	TSCYC - Acting Jumpy
C147835	TSCYC183	TSCYC1-Making a Mess	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making a mess.	TSCYC - Making a Mess
C147836	TSCYC184	TSCYC1-Acting Sad or Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting sad or depressed.	TSCYC - Acting Sad or Depressed
C147837	TSCYC185	TSCYC1-Being Absent-minded	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being so absent-minded that he or she didn't notice what was going on around him or her.	TSCYC - Being Absent-minded
C147838	TSCYC186	TSCYC1-Not Wanting to Eat Certain Foods	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to eat certain foods.	TSCYC - Not Wanting to Eat Certain Foods
C147839	TSCYC187	TSCYC1-Yelling at Family/Friend/Teachers	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Yelling at family, friends, or teachers.	TSCYC - Yelling at Family, Friends or Teachers
C147840	TSCYC188	TSCYC1-Not Playing Because Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not playing because he or she was depressed.	TSCYC - Not Playing Because Depressed
C147841	TSCYC189	TSCYC1-Being Disobedient	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being disobedient.	TSCYC - Being Disobedient
C147842	TSCYC190	TSCYC1-Intentionally Hurt Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Intentionally hurting other children or family members.	TSCYC - Intentionally Hurt Other Children

**TSCYC1TN (Trauma Symptom Checklist for Young Children Questionnaire Test Name)**

NCI Code: C147549, Codelist extensible: No

<b>C147549 TSCYC1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147824	TSCYC1-Acting as If Didn't Have Feelings	TSCYC1-Acting as If Didn't Have Feelings	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting as if he or she didn't have any feelings about something bad that happened to him or her.	TSCYC - Acting as If Didn't Have Feelings
C147771	TSCYC1-Acting Frightened Reminded Past	TSCYC1-Acting Frightened Reminded Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Acting frightened when he or she was reminded of something that happened in the past.	TSCYC - Acting Frightened Reminded Past
C147834	TSCYC1-Acting Jumpy	TSCYC1-Acting Jumpy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting jumpy.	TSCYC - Acting Jumpy
C147830	TSCYC1-Acting Like He/She Was in Trance	TSCYC1-Acting Like He/She Was in Trance	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting like he or she was in a trance.	TSCYC - Acting Like He or She Was in Trance
C147836	TSCYC1-Acting Sad or Depressed	TSCYC1-Acting Sad or Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Acting sad or depressed.	TSCYC - Acting Sad or Depressed
C147774	TSCYC1-Arguing	TSCYC1-Arguing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Arguing.	TSCYC - Arguing
C147833	TSCYC1-Avoiding Bad Happened in Past	TSCYC1-Avoiding Bad Happened in Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Avoiding things that reminded him or her of a bad thing that had happened in the past.	TSCYC - Avoiding Bad Happened in Past
C147756	TSCYC1-Bad Dreams or Nightmares	TSCYC1-Bad Dreams or Nightmares	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Bad dreams or nightmares.	TSCYC - Bad Dreams or Nightmares
C147837	TSCYC1-Being Absent-minded	TSCYC1-Being Absent-minded	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being so absent-minded that he or she didn't notice what was going on around him or her.	TSCYC - Being Absent-minded
C147784	TSCYC1-Being Afraid to Be Alone	TSCYC1-Being Afraid to Be Alone	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being afraid to be alone.	TSCYC - Being Afraid to Be Alone
C147763	TSCYC1-Being Bothered by Memories	TSCYC1-Being Bothered by Memories	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being bothered by memories of something that happened to him or her.	TSCYC - Being Bothered by Memories
C147841	TSCYC1-Being Disobedient	TSCYC1-Being Disobedient	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being disobedient.	TSCYC - Being Disobedient
C147759	TSCYC1-Being Easily Scared	TSCYC1-Being Easily Scared	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being easily scared.	TSCYC - Being Easily Scared
C147799	TSCYC1-Being Easily Startled	TSCYC1-Being Easily Startled	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being easily startled.	TSCYC - Being Easily Startled
C147828	TSCYC1-Being Frightened by Things	TSCYC1-Being Frightened by Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened by things that didn't used to scare him or her.	TSCYC - Being Frightened by Things

**C147549 TSCYC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147796	TSCYC1-Being Frightened of Men	TSCYC1-Being Frightened of Men	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being frightened of men.	TSCYC - Being Frightened of Men
C147808	TSCYC1-Being Tense	TSCYC1-Being Tense	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Being tense.	TSCYC - Being Tense
C147786	TSCYC1-Being Too Aggressive	TSCYC1-Being Too Aggressive	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Being too aggressive.	TSCYC - Being Too Aggressive
C147770	TSCYC1-Blaming for Things Weren't Fault	TSCYC1-Blaming for Things Weren't Fault	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Blaming himself or herself for things that weren't his or her fault.	TSCYC - Blaming for Things Weren't Fault
C147767	TSCYC1-Breaking Things on Purpose	TSCYC1-Breaking Things on Purpose	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Breaking things on purpose.	TSCYC - Breaking Things on Purpose
C147813	TSCYC1-Calling Himself or Herself Bad	TSCYC1-Calling Himself or Herself Bad	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Calling himself or herself bad, stupid, or ugly.	TSCYC - Calling Himself or Herself Bad
C147791	TSCYC1-Changing Subject About Bad Thing	TSCYC1-Changing Subject About Bad Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Changing the subject or not answering when he or she was asked about a bad thing that happened to him or her.	TSCYC - Changing Subject About Bad Thing
C147794	TSCYC1-Crying at Night Frightened	TSCYC1-Crying at Night Frightened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying at night because he or she was frightened.	TSCYC - Crying at Night Frightened
C147806	TSCYC1-Crying for No Obvious Reason	TSCYC1-Crying for No Obvious Reason	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying for no obvious reason.	TSCYC - Crying for No Obvious Reason
C147821	TSCYC1-Crying When Reminded From Past	TSCYC1-Crying When Reminded From Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Crying when he or she was reminded of something from the past.	TSCYC - Crying When Reminded From Past
C147811	TSCYC1-Drawing Pictures About Sex Things	TSCYC1-Drawing Pictures About Sex Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Drawing pictures about sexual things.	TSCYC - Drawing Pictures About Sex Things
C147776	TSCYC1-Drawing Pictures Upsetting Thing	TSCYC1-Drawing Pictures Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Drawing pictures about an upsetting thing that happened to him or her.	TSCYC - Drawing Pictures Upsetting Thing
C147819	TSCYC1-Fear He or She Killed by Someone	TSCYC1-Fear He or She Killed by Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Fear that he or she would be killed by someone.	TSCYC - Fear He or She Killed by Someone
C147783	TSCYC1-Fear of the Dark	TSCYC1-Fear of the Dark	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Fear of the dark.	TSCYC - Fear of the Dark
C147762	TSCYC1-Flinching When Someone Moved	TSCYC1-Flinching When Someone Moved	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Flinching or jumping when someone moved quickly or there was a loud noise.	TSCYC - Flinching When Someone Moved
C147831	TSCYC1-Forgetting His or Her Own Name	TSCYC1-Forgetting His or Her Own Name	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Forgetting his or her own name.	TSCYC - Forgetting His or Her Own Name

**C147549 TSCYC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147802	TSCYC1-Frightened Something Sexual Seen	TSCYC1-Frightened Something Sexual Seen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming frightened or disturbed when something sexual was mentioned or seen.	TSCYC - Frightened Something Sexual Seen
C147775	TSCYC1-Getting Into Physical Fights	TSCYC1-Getting Into Physical Fights	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Getting into physical fights.	TSCYC - Getting Into Physical Fights
C147815	TSCYC1-Getting Upset About the Past	TSCYC1-Getting Upset About the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something in the past.	TSCYC - Getting Upset About the Past
C147817	TSCYC1-Getting Upset Something Sexual	TSCYC1-Getting Upset Something Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset about something sexual.	TSCYC - Getting Upset Something Sexual
C147829	TSCYC1-Hallucinating	TSCYC1-Hallucinating	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hallucinating.	TSCYC - Hallucinating
C147792	TSCYC1-Having a Nervous Breakdown	TSCYC1-Having a Nervous Breakdown	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Having a nervous breakdown.	TSCYC - Having a Nervous Breakdown
C147769	TSCYC1-Having Trouble Concentrating	TSCYC1-Having Trouble Concentrating	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble concentrating.	TSCYC - Having Trouble Concentrating
C147778	TSCYC1-Having Trouble Sitting Still	TSCYC1-Having Trouble Sitting Still	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble sitting still.	TSCYC - Having Trouble Sitting Still
C147789	TSCYC1-Hearing Voices to Hurt Someone	TSCYC1-Hearing Voices to Hurt Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hearing voices telling him or her to hurt someone.	TSCYC - Hearing Voices to Hurt Someone
C147795	TSCYC1-Hitting Adults	TSCYC1-Hitting Adults	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Hitting adults (including parents).	TSCYC - Hitting Adults
C147842	TSCYC1-Intentionally Hurt Other Children	TSCYC1-Intentionally Hurt Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Intentionally hurting other children or family members.	TSCYC - Intentionally Hurt Other Children
C147757	TSCYC1-Living in a Fantasy World	TSCYC1-Living in a Fantasy World	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Living in a fantasy world.	TSCYC - Living in a Fantasy World
C147754	TSCYC1-Looking Sad	TSCYC1-Looking Sad	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Looking sad.	TSCYC - Looking Sad
C147835	TSCYC1-Making a Mess	TSCYC1-Making a Mess	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making a mess.	TSCYC - Making a Mess
C147805	TSCYC1-Making Mistakes	TSCYC1-Making Mistakes	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Making mistakes.	TSCYC - Making Mistakes
C147801	TSCYC1-No Longer Doing Things Enjoy	TSCYC1-No Longer Doing Things Enjoy	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: No longer doing things that he or she used to enjoy.	TSCYC - No Longer Doing Things Enjoy
C147797	TSCYC1-Not Being Able to Pay Attention	TSCYC1-Not Being Able to Pay Attention	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not being able to pay attention.	TSCYC - Not Being Able to Pay Attention



**C147549 TSCYC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147766	TSCYC1-Not Do Something Supposed to Do	TSCYC1-Not Do Something Supposed to Do	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not doing something he or she was supposed to do.	TSCYC - Not Do Something Supposed to Do
C147818	TSCYC1-Not Going to Bed First Time Asked	TSCYC1-Not Going to Bed First Time Asked	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not going to bed at night the first time he or she was asked.	TSCYC - Not Going to Bed First Time Asked
C147793	TSCYC1-Not Happy Like Other Children	TSCYC1-Not Happy Like Other Children	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not laughing or being happy like other children.	TSCYC - Not Happy Like Other Children
C147777	TSCYC1-Not Noticing What He or She Doing	TSCYC1-Not Noticing What He or She Doing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not noticing what he or she was doing.	TSCYC - Not Noticing What He or She Doing
C147804	TSCYC1-Not Paying Attention in Own World	TSCYC1-Not Paying Attention in Own World	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not paying attention because he or she was in his or her own world.	TSCYC - Not Paying Attention in Own World
C147840	TSCYC1-Not Playing Because Depressed	TSCYC1-Not Playing Because Depressed	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not playing because he or she was depressed.	TSCYC - Not Playing Because Depressed
C147803	TSCYC1-Not Sleeping for Two or More Days	TSCYC1-Not Sleeping for Two or More Days	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping for two or more days.	TSCYC - Not Sleeping for Two or More Days
C147826	TSCYC1-Not Sleeping Well	TSCYC1-Not Sleeping Well	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not sleeping well.	TSCYC - Not Sleeping Well
C147807	TSCYC1-Not Wanting to Be Around Someone	TSCYC1-Not Wanting to Be Around Someone	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to be around someone who did something bad to him or her or reminded him or her of something bad.	TSCYC - Not Wanting to Be Around Someone
C147838	TSCYC1-Not Wanting to Eat Certain Foods	TSCYC1-Not Wanting to Eat Certain Foods	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Not wanting to eat certain foods.	TSCYC - Not Wanting to Eat Certain Foods
C147760	TSCYC1-Not Wanting to Go Somewhere	TSCYC1-Not Wanting to Go Somewhere	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to go somewhere that reminded him or her of a bad thing from the past.	TSCYC - Not Wanting to Go Somewhere
C147765	TSCYC1-Not Wanting to Talk	TSCYC1-Not Wanting to Talk	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Not wanting to talk about something that happened to him or her.	TSCYC - Not Wanting to Talk
C147779	TSCYC1-Playing Games Something Bad Past	TSCYC1-Playing Games Something Bad Past	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Playing games about something bad that actually happened to him or her in the past.	TSCYC - Playing Games Something Bad Past
C147772	TSCYC1-Pretending to Have Sex	TSCYC1-Pretending to Have Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Pretending to have sex.	TSCYC - Pretending to Have Sex
C147812	TSCYC1-Pulling His or Her Hair Out	TSCYC1-Pulling His or Her Hair Out	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Pulling his or her hair out.	TSCYC - Pulling His or Her Hair Out
C147822	TSCYC1-Saying Bad Didn't Happen	TSCYC1-Saying Bad Didn't Happen	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that something bad didn't happen to him or her even though it did happen.	TSCYC - Saying Bad Didn't Happen

**C147549 TSCYC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147823	TSCYC1-Saying He or She Wanted to Die	TSCYC1-Saying He or She Wanted to Die	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying he or she wanted to die or be killed.	TSCYC - Saying He or She Wanted to Die
C147820	TSCYC1-Saying Nobody Liked Him or Her	TSCYC1-Saying Nobody Liked Him or Her	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Saying that nobody liked him or her.	TSCYC - Saying Nobody Liked Him or Her
C147788	TSCYC1-Seeing Bad Happened in the Past	TSCYC1-Seeing Bad Happened in the Past	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Suddenly seeing, feeling, or hearing something bad that happened in the past.	TSCYC - Seeing Bad Happened in the Past
C147780	TSCYC1-Seeming to Be in a Daze	TSCYC1-Seeming to Be in a Daze	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to be in a daze.	TSCYC - Seeming to Be in a Daze
C147798	TSCYC1-Seeming to Be Million Miles Away	TSCYC1-Seeming to Be Million Miles Away	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Seeming to be a million miles away.	TSCYC - Seeming to Be Million Miles Away
C147758	TSCYC1-Seeming to Know More About Sex	TSCYC1-Seeming to Know More About Sex	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Seeming to know more about sex than he or she should.	TSCYC - Seeming to Know More About Sex
C147785	TSCYC1-Spacing Out	TSCYC1-Spacing Out	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Spacing out.	TSCYC - Spacing Out
C147790	TSCYC1-Staring Off Into Space	TSCYC1-Staring Off Into Space	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Staring off into space.	TSCYC - Staring Off Into Space
C147768	TSCYC1-Talking About Sexual Things	TSCYC1-Talking About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Talking about sexual things.	TSCYC - Talking About Sexual Things
C147755	TSCYC1-Telling a Lie	TSCYC1-Telling a Lie	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Telling a lie.	TSCYC - Telling a Lie
C147753	TSCYC1-Temper Tantrums	TSCYC1-Temper Tantrums	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Temper tantrums.	TSCYC - Temper Tantrums
C147816	TSCYC1-Temporary Blindness or Paralysis	TSCYC1-Temporary Blindness or Paralysis	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Temporary blindness or paralysis.	TSCYC - Temporary Blindness or Paralysis
C147814	TSCYC1-Throwing Things at Friends/Family	TSCYC1-Throwing Things at Friends/Family	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Throwing things at friends or family members.	TSCYC - Throwing Things at Friends/Family
C147787	TSCYC1-Touching Other Private Parts	TSCYC1-Touching Other Private Parts	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Touching other children's or adults' private parts (under or over clothes).	TSCYC - Touching Other Private Parts
C147781	TSCYC1-Trouble Remember Upsetting Thing	TSCYC1-Trouble Remember Upsetting Thing	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Having trouble remembering an upsetting thing that happened in the past.	TSCYC - Trouble Remember Upsetting Thing
C147832	TSCYC1-Upset When Reminded Bad Happened	TSCYC1-Upset When Reminded Bad Happened	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Getting upset when he or she was reminded of something bad that happened.	TSCYC - Upset When Reminded Bad Happened

**C147549 TSCYC1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C147782	TSCYC1-Using Drugs	TSCYC1-Using Drugs	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Using drugs.	TSCYC - Using Drugs
C147810	TSCYC1-Very Angry Over a Little Thing	TSCYC1-Very Angry Over a Little Thing	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Becoming very angry over a little thing.	TSCYC - Very Angry Over a Little Thing
C147800	TSCYC1-Watching Out for Possible Danger	TSCYC1-Watching Out for Possible Danger	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Watching out everywhere for possible danger.	TSCYC - Watching Out for Possible Danger
C147825	TSCYC1-Whining	TSCYC1-Whining	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Whining.	TSCYC - Whining
C147809	TSCYC1-Worrying About People's Safety	TSCYC1-Worrying About People's Safety	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about other people's safety.	TSCYC - Worrying About People's Safety
C147827	TSCYC1-Worrying About Sexual Things	TSCYC1-Worrying About Sexual Things	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Worrying about sexual things.	TSCYC - Worrying About Sexual Things
C147773	TSCYC1-Worrying Bad Things in Future	TSCYC1-Worrying Bad Things in Future	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that bad things would happen in the future.	TSCYC - Worrying Bad Things in Future
C147761	TSCYC1-Worrying Food Was Poisoned	TSCYC1-Worrying Food Was Poisoned	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that his or her food was poisoned.	TSCYC - Worrying Food Was Poisoned
C147764	TSCYC1-Worrying Someone Might Be Sexual	TSCYC1-Worrying Someone Might Be Sexual	Trauma Symptom Checklist for Young Children - Please indicate how often he or she has done, felt, or experienced each of the following things in the last month: Worrying that someone might be sexual with him or her.	TSCYC - Worrying Someone Might Be Sexual
C147839	TSCYC1-Yelling at Family/Friend/Teachers	TSCYC1-Yelling at Family/Friend/Teachers	Trauma Symptom Checklist for Young Children - Please indicate how often the child has done, felt, or experienced each of the following things in the last month: Yelling at family, friends, or teachers.	TSCYC - Yelling at Family, Friends or Teachers

## TSPARM (Trial Summary Parameter Test Name)

NCI Code: C67152, Codelist extensible: Yes

C67152 TSPARM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98703	Actual Number of Subjects	Actual Number of Subjects	Actual number of subjects enrolled; may include subjects who were not randomized.	Actual Subject Number
C146995	Adaptive Design	Adaptive Design	Indicate if the study includes a prospectively planned opportunity for modification of one or more specified aspects of the study design and hypotheses based on analysis of data (usually interim data) from subjects in the study.	Adaptive Study Design Indicator
C49703	Added on to Existing Treatments	Added on to Existing Treatments	The addition of a therapeutic product to the existing regimen in a clinical trial, where both entities remain as discrete products.	Test Product Added to Existing Treatment
C126058	Biospecimen Retention Contains DNA	Biospecimen Retention Contains DNA	A textual description as to whether a biospecimen is retained and/or contains DNA.	Biospecimen Retained and/or Contains DNA Indicator
C139272	Blinded Status SDTM Dataset Generation	Blinded Status SDTM Dataset Generation;Blinded Status at SDTM Dataset Generation	The blinding status of the trial at the point in time when the SDTM datasets are generated.	Blinded Status at SDTM Dataset Generation
C127788	Citation Used in Study	Citation Used in Study	A bibliographical reference related to a particular study.	Clinical Study Citation
C139273	Clinical Study Report Archive Date	Clinical Study Report Archive Date	The date when the clinical study report was archived.	Clinical Study Report Archive Date
C70793	Clinical Study Sponsor	Clinical Study Sponsor;Sponsor;Study Sponsor	An entity that is responsible for the initiation, management, and/or financing of a clinical study.	Clinical Study Sponsor
C127789	Commercial Sponsor Status	Commercial Sponsor Status	The state or condition of the sponsor as pertains to whether the sponsor is considered a commercial entity.	Sponsor Commercial Status
C68612	Comparative Treatment Name	Comparative Treatment Name	A therapeutically active agent that is intended to provide reference measurements for the experimental protocol of a clinical trial.	Active Comparator Drug
C98715	Confirmed Response Minimum Duration	Confirmed Response Minimum Duration	The protocol specified minimum amount of time needed to meet the definition of a confirmed response to treatment.	Confirmed Response Minimum Duration
C49647	Control Type	Control Type	Comparator against which the study treatment is evaluated.	Control Type
C124455	Country of Manufacture	Country of Manufacture	The name of the country within which the final product under study is produced.	Country of Manufacture
C85582	Current Therapy or Treatment	Current Therapy or Treatment	The literal identifier of the therapy or medication that is currently being given per protocol.	Current Therapy
C98717	Data Cutoff Date	Data Cutoff Date	A date which indicates any data collected by this date will be used for analysis.	Data Cutoff Date
C98718	Data Cutoff Description	Data Cutoff Description	Text that describes the cutoff date.	Data Cutoff Date Description
C127790	Data Monitoring Committee Indicator	Data Monitoring Committee Indicator	An indication as to whether the clinical trial has an appointed data monitoring committee.	Data Monitoring Committee Indicator
C135514	Delayed Graft Function Dx Criteria	Delayed Graft Function Diagnostic Criteria;Delayed Graft Function Dx Criteria	A standard by which the determination of delayed graft function (DGF) is established.	Delayed Graft Function Diagnostic Criteria Name
C49650	Diagnosis Group	Diagnosis Group	A grouping of individuals on the basis of a shared procedure or disease, or lack thereof.	Diagnosis Group
C117960	Diagnostic Criteria	Diagnostic Criteria	A standard from which a judgment concerning a medical diagnosis can be established.	Diagnostic Criteria
C25488	Dose per Administration	Dose Level;Dose per Administration	The amount of drug administered to a patient or test subject at one time or the total quantity administered. [AMA Manual of Style] (CDISC Glossary)	Dose
C73558	Dose Units	Dose Units	The unit of measure for the dosage form.	Dosage Form Unit
C89081	Dosing Frequency	Dosing Frequency	The number of doses administered per a specific interval.	Dose Frequency

C67152 TSPARM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119561	ECG Continuous Monitoring	ECG Continuous Monitoring	Indicates whether the 10-second ECGs for this study were extracted from a continuous recording.	ECG Continuous Monitoring Indicator
C119562	ECG Planned Primary Lead	ECG Planned Primary Lead	The ECG lead which was planned to be used for ECG interval measurements for this study.	ECG Planned Primary Lead for Study
C119564	ECG Read Method	ECG Read Method	The degree of automation involved in assessing the ECGs for this study.	ECG Read Method Degree of Automation
C119560	ECG Reading Blinded	ECG Reading Blinded	Indicates whether assessors of ECGs for this study were blinded to subject identity, timing and treatment.	ECG Evaluator Blinding Parameters
C119565	ECG Replicates at Baseline	ECG Replicates at Baseline	Indicates whether this study includes replicate ECGs for time points during the baseline portion of the study.	ECG Replicates at Baseline Indicator
C119566	ECG Replicates On-Treatment	ECG Replicates On-Treatment	Indicates whether this study includes replicate ECGs for time points during the on-treatment portion of the study.	ECG Replicates On-Treatment Indicator
C119582	ECG Twave Algorithm	ECG Twave Algorithm	The algorithm used to identify the end of the T wave for ECGs for this study.	ECG T Wave Algorithm
C119563	ECG Used Same Lead	ECG Used Same Lead	Indicates whether all ECG interval measurements for the study were based on the same lead.	ECG Used Same Lead Indicator
C126059	EMA Decision Number for PIP	EMA Decision Number for PIP	An alphanumeric code assigned by the European Medicines Agency (EMA) to an EMA regulatory decision for a pediatric investigation plan (PIP).	EMA Decision Number for Pediatric Investigation Plan
C127791	Email Address for XML File	Email Address for XML File	The Email address to which copies of the XML format of the EudraCT application should be sent.	E-mail Address for XML File Feedback
C126060	EudraCT Resubmission Indicator	EudraCT Resubmission Indicator	An indication as to whether the trial being submitted to the EudraCT is a trial that has been previously submitted to the EudraCT system.	EudraCT Resubmission Indicator
C126061	EudraVigilance Sender ID	EudraVigilance Sender ID	A unique identifier assigned to the organization that is transmitting an adverse drug reaction report to the EudraVigilance system.	EudraVigilance Sender Identifier
C126090	EudraVigilance Sender Organization	EudraVigilance Sender Organization	The name of the group or institution that is transmitting an adverse drug reaction report to the EudraVigilance system.	EudraVigilance Sender Organization
C127792	Expanded Access Record NCT Number	Expanded Access Record NCT Number	The unique alphanumeric identifier for the study with associated expanded access record, as assigned by the clinicaltrials.gov protocol registration and results system (PRS).	Clinicaltrials.gov NCT Number for the Expanded Access Record
C127793	Expanded Access Status	Expanded Access Status	Status indicating availability of an experimental drug or device outside any clinical trial protocol. (clinicaltrials.gov)	Trial Expanded Access Status
C98724	Exploratory Outcome Measure	Exploratory Outcome Measure	Exploratory measures that will be used to evaluate the intervention(s) or, for observational studies, that are exploratory of the study.	Exploratory Outcome Measure
C139274	Extension Trial Indicator	Extension Trial Indicator	An indication as to whether the clinical trial is an extension trial.	Extension Trial Indicator
C123629	FDA-Regulated Device Study Indicator	FDA-Regulated Device Study Indicator	An indication as to whether the study involves an FDA-regulated device.	FDA-Regulated Device Study Indicator
C123630	FDA-Regulated Drug Study Indicator	FDA-Regulated Drug Study Indicator	An indication as to whether the study involves an FDA-regulated drug.	FDA-Regulated Drug Study Indicator
C98737	Healthy Subject Indicator	Healthy Subject Indicator	Indicate if persons who have not had the condition(s) being studied or otherwise related conditions or symptoms, as specified in the eligibility requirements, may participate in the study.	Healthy Subject Indicator
C98746	Intervention Model	Intervention Model	The general design of the strategy for assigning interventions to participants in a clinical study. (clinicaltrials.gov)	Intervention Model
C98747	Intervention Type	Intervention Type	The kind of product or procedure studied in a trial.	Intervention Type
C41161	Investigational Therapy or Treatment	Investigational Therapy or Treatment	The investigational product under study.	Protocol Agent
C127794	Multiple Site EU State Trial Indicator	Multiple Site EU State Trial Indicator	An indication as to whether the clinical study is being conducted at multiple sites within the European Union member state concerned by the application.	Multiple Site European Union State Trial Indicator

C67152 TSPARM				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C126063	Number of Groups/Cohorts	Number of Groups/Cohorts	The number of groups or cohorts that are part of the study.	Number of Groups or Cohorts
C127795	Number of Trial Sites EU State	Number of Trial Sites EU State	The total number of trial sites within the European Union member state concerned by the application.	Number of Trial Sites within European Union State
C126066	Obs Study Population Description	Obs Study Population Description	A description of the population from which the groups or cohorts will be selected within an observational study.	Observational Study Population Description
C126068	Obs Study Sampling Method Description	Obs Study Sampling Method Description	A textual description of the sampling method used to assign study participants into groups or cohorts within an observational study.	Observational Study Sampling Method Description
C126064	Observational Model	Observational Model	The trial design developed to compare biomedical and/or health outcomes in pre-defined and non-assigned groups of individuals.	Observational Model
C126067	Observational Study Sampling Method	Observational Study Sampling Method	The sampling method used to assign study participants into groups or cohorts within an observational study.	Observational Study Sampling Method
C126065	Observational Time Perspective	Observational Time Perspective	The temporal relationship between the observation period and time of subject enrollment. (ClinicalTrials.gov)	Observational Time Perspective of Study
C126069	Pediatric Investigation Plan Indicator	Pediatric Investigation Plan Indicator	An indication as to whether the trial is part of a pediatric investigation plan (PIP).	Pediatric Investigation Plan Indicator
C123631	Pediatric Postmarket Study Indicator	Pediatric Postmarket Study Indicator	An indication as to whether the study is a pediatric postmarket study.	Pediatric Postmarket Study Indicator
C123632	Pediatric Study Indicator	Pediatric Study Indicator	An indication as to whether the study is a pediatric study.	Pediatric Study Indicator
C98768	Pharmacologic Class	Pharmacologic Class	The pharmacological class of the investigational product.	Pharmacological Class of Investigational Therapy
C98770	Planned Country of Investigational Sites	Planned Country of Investigational Sites	The country name of planned study facility which has received IRB approval.	Planned Country of Investigational Site
C49694	Planned Maximum Age of Subjects	Planned Maximum Age of Subjects	The anticipated maximum age of the subjects to be entered in a clinical trial. (NCI)	Planned Maximum Age of Subjects
C49693	Planned Minimum Age of Subjects	Planned Minimum Age of Subjects	The anticipated minimum age of the subjects to be entered in a clinical trial. (NCI)	Planned Minimum Age of Subjects
C98771	Planned Number of Arms	Planned Number of Arms	The planned number of intervention groups.	Planned Number of Arms
C49692	Planned Number of Subjects	Anticipated Enrollment;Planned Enrollment;Planned Number of Subjects;Target Enrollment	The planned number of subjects to be entered in a clinical trial. (NCI)	Planned Subject Number
C139276	Planned Treatment Duration	Planned Treatment Duration	The period of time during which the treatment is intended to be given.	Planned Treatment Duration
C127796	Planned Trial Duration	Planned Trial Duration	The approximate period of time over which the clinical trial is expected to occur.	Planned Trial Duration
C139275	Post Authorization Safety Study Ind	Post Authorization Safety Study Ind	An indication as to whether the clinical study is a post authorization safety study.	Post Authorization Safety Study Indicator
C98772	Primary Outcome Measure	Primary Outcome Measure	The primary measurement(s) or observation(s) used to measure the effect of experimental variables in a study, or for observational studies, to describe patterns of diseases or traits or associations with exposures, risk factors or treatment. These are the outcome measures used to assess the primary objective(s).	Primary Outcome Measure
C126062	Protocol Keyword	Protocol Keyword	A word or small set of words designed to convey the focus of the protocol.	Protocol Keyword
C139277	Protocol Risk Assessment	Protocol Risk Assessment	The potential future harm that may arise from a protocol-related activity.	Protocol Risk Assessment
C127797	PubMed ID for Citation Used in Study	PubMed ID for Citation Used in Study	A globally unique identifier for a biomedical article, as assigned by PubMed.	PubMed Identifier for Citation Used in Study
C98775	Randomization Quotient	Randomization Quotient	The randomization quotient is the number of planned subjects to be exposed to investigational therapy, independent of dose or other factors, divided by the total number of planned subjects.	Randomization Quotient

<b>C67152 TSPARM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C126070	Rare Disease Indicator	Rare Disease Indicator	An indication as to whether the condition under study is considered a rare disease.	Rare Disease Indicator
C98714	Registry Identifier	Registry Identifier	Identification numbers assigned to the protocol by clinicaltrials.gov, EudraCT, or other registries.	Clinical Trial Registry Identifier
C117961	Relapse Criteria	Relapse Criteria	A standard from which a judgment concerning a disease relapse can be established.	Relapse Criteria
C127798	Request for XML Copy of Study Indicator	Request for XML Copy of Study Indicator	An indication as to whether the registrant would like to receive an XML copy of their study as saved on EudraCT.	Study Saved as XML Indicator
C126071	Resubmission Letter	Resubmission Letter	An alphabetic character that describes the incremental order of trial resubmissions.	Resubmission Letter
C126072	Retained Biospecimen Description	Retained Biospecimen Description	A textual description of the specimen types that are retained as reserve samples.	Retained Biospecimen Description
C38114	Route of Administration	Route of Administration	The course by which a substance is administered in order to reach the site of action in the body.	Route of Administration
C98781	Secondary Outcome Measure	Secondary Outcome Measure	Other key measures that will be used to evaluate the intervention(s) or, for observational studies, that are a focus of the study. These are the outcome measures used to assess the secondary objective(s).	Secondary Outcome Measure
C127799	Secure Delivery XML Required Indicator	Secure Delivery XML Required Indicator	An indication as to whether the XML copy of the EudraCT application requires secure E-mail delivery.	Requires Secure Email Delivery of XML Indicator
C117962	Severity Criteria	Severity Criteria	A standard from which a judgment concerning the severity of an event, disease or condition can be established.	Severity Criteria
C49696	Sex of Participants	Sex of Participants	The specific sex, either male, female, or mixed of the subject group being studied. (NCI)	Sex of Study Group
C127800	Single Site EU State Trial Indicator	Single Site EU State Trial Indicator	An indication as to whether the clinical study is being conducted at only one site within the European Union member state concerned by the application.	Single Site European Union State Trial Indicator
C98783	Stable Disease Minimum Duration	Stable Disease Minimum Duration	The protocol specified minimum amount of time needed to meet the definition of stable disease.	Stable Disease Minimum Duration
C16153	Stratification Factor	Stratification Factor	Selected pre-treatment factors by which patients are segregated to assure balance of these factors before randomization to the intervention arms of a clinical protocol.	Stratification Factors
C90462	Study End Date	Study End Date	Final date on which data was collected for any subject (Date/Time of End of Participation, RFPENDTC) based on the protocol.	Study End Date
C69208	Study Start Date	Study Start Date	The earliest date of informed consent among any subject (Date/Time of Informed Consent, RFICDTC) that enrolled in the study. For studies conducted without informed consent (ie. emergency use) use the date of treatment. Dates for subjects who were screen failures are not included.	Study Start Date
C49698	Study Stop Rules	Study Stop Rules	The rule, regulation and/or condition that determines the point in time when a clinical trial will be terminated. (NCI)	Study Stop Rule
C142175	Study Type	Study Type	Describes the role the study plays in determining the interventions a subject receives.	Study Type
C126075	Substudy Details	Substudy Details	A textual description of the substudy.	Substudy Details
C126076	Substudy Planned Indicator	Substudy Planned Indicator	An indication as to whether a study performed on a subgroup of subjects included in the original trial (substudy) is planned for the current study.	Substudy Planned Indicator
C126073	SUSAR Reporting to EVCTM Indicator	SUSAR Reporting to EVCTM Indicator	An indication as to whether suspected unexpected serious adverse reactions (SUSAR) will be reported to a EudraVigilance clinical trial module (EVCTM).	SUSAR Reporting to EudraVigilance Clinical Trial Module Indicator
C126074	SUSAR Reporting to NCA Indicator	SUSAR Reporting to NCA Indicator	An indication as to whether suspected unexpected serious adverse reactions (SUSAR) will be reported to national competent authorities (NCA).	SUSAR Reporting to National Competent Authority Indicator
C126077	Target Follow-Up Duration	Target Follow-Up Duration	The anticipated time period over which each study participant is to be followed. (ClinicalTrials.gov)	Planned Follow-Up Duration

<b>C67152 TSPARM</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C101302	Therapeutic Area	Therapeutic Area	A knowledge field that focuses on research and development of specific treatments for diseases and pathologic findings, as well as prevention of conditions that negatively impact the health of an individual. (NCI)	Therapeutic Area
C49658	Trial Blinding Schema	Trial Blinding Schema	The type of experimental design used to describe the level of awareness of the clinical trial subjects and/or investigators of the intervention(s) that they are receiving and/or administering.	Trial Blinding Schema
C112038	Trial Disease/Condition Indication	Trial Disease/Condition Indication	The condition, disease or disorder that the clinical trial is intended to investigate or address.	Trial Indication
C49652	Trial Intent Type	Trial Intent Type	The planned purpose of the therapy, device, or agent under study in the clinical trial.	Clinical Study by Intent
C25196	Trial is Randomized	Trial is Randomized	The process of assigning trial subjects to treatment or control groups using an element of chance to determine the assignments in order to reduce bias. NOTE: Unequal randomization is used to allocate subjects into groups at a differential rate; for example, three subjects may be assigned to a treatment group for every one assigned to the control group. [ICH E6 1.48] See also balanced study. (CDISC glossary)	Randomization
C49697	Trial Length	Trial Length	Planned length of observation for a single subject.	Trial Length
C48281	Trial Phase Classification	Trial Phase Classification	Any defined stage in the lifecycle of a clinical trial.	Trial Phase
C85826	Trial Primary Objective	Trial Primary Objective	The principal purpose of the trial.	Trial Primary Objective
C85827	Trial Secondary Objective	Trial Secondary Objective	The auxiliary purpose of the trial.	Trial Secondary Objective
C49802	Trial Title	Trial Title	The name of a clinical trial. (NCI)	Trial Title
C49660	Trial Type	Trial Scope; Trial Type	The type of primary outcome or endpoint that the protocol is designed to evaluate. (clinicaltrials.gov)	Trial Type
C127801	URL Related to Study	URL Related to Study	The uniform resource locator (URL) related to a particular study.	Study Protocol Uniform Resource Locator
C127802	URL Related to Study Description	URL Related to Study Description	A textual description of the uniform resource locator (URL) related to a particular study.	Study Protocol Uniform Resource Locator Description



## TSPARMCD (Trial Summary Parameter Test Code)

NCI Code: C66738, Codelist extensible: Yes

C66738 TSPARMCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98703	ACTSUB	Actual Number of Subjects	Actual number of subjects enrolled; may include subjects who were not randomized.	Actual Subject Number
C146995	ADAPT	Adaptive Design	Indicate if the study includes a prospectively planned opportunity for modification of one or more specified aspects of the study design and hypotheses based on analysis of data (usually interim data) from subjects in the study.	Adaptive Study Design Indicator
C49703	ADDON	Added on to Existing Treatments	The addition of a therapeutic product to the existing regimen in a clinical trial, where both entities remain as discrete products.	Test Product Added to Existing Treatment
C49694	AGEMAX	Planned Maximum Age of Subjects	The anticipated maximum age of the subjects to be entered in a clinical trial. (NCI)	Planned Maximum Age of Subjects
C49693	AGEMIN	Planned Minimum Age of Subjects	The anticipated minimum age of the subjects to be entered in a clinical trial. (NCI)	Planned Minimum Age of Subjects
C126058	BIOSPRET	Biospecimen Retention Contains DNA	A textual description as to whether a biospecimen is retained and/or contains DNA.	Biospecimen Retained and/or Contains DNA Indicator
C139272	BLNDSTAT	Blinded Status SDTM Dataset Generation;Blinded Status at SDTM Dataset Generation	The blinding status of the trial at the point in time when the SDTM datasets are generated.	Blinded Status at SDTM Dataset Generation
C127788	CITNSTDY	Citation Used in Study	A bibliographical reference related to a particular study.	Clinical Study Citation
C127789	CMSPSTAT	Commercial Sponsor Status	The state or condition of the sponsor as pertains to whether the sponsor is considered a commercial entity.	Sponsor Commercial Status
C68612	COMPTRT	Comparative Treatment Name	A therapeutically active agent that is intended to provide reference measurements for the experimental protocol of a clinical trial.	Active Comparator Drug
C98715	CRMDUR	Confirmed Response Minimum Duration	The protocol specified minimum amount of time needed to meet the definition of a confirmed response to treatment.	Confirmed Response Minimum Duration
C139273	CSRARDTC	Clinical Study Report Archive Date	The date when the clinical study report was archived.	Clinical Study Report Archive Date
C85582	CURTRT	Current Therapy or Treatment	The literal identifier of the therapy or medication that is currently being given per protocol.	Current Therapy
C98718	DCUTDESC	Data Cutoff Description	Text that describes the cutoff date.	Data Cutoff Date Description
C98717	DCUTDTC	Data Cutoff Date	A date which indicates any data collected by this date will be used for analysis.	Data Cutoff Date
C135514	DGFCRIT	Delayed Graft Function Diagnostic Criteria;Delayed Graft Function Dx Criteria	A standard by which the determination of delayed graft function (DGF) is established.	Delayed Graft Function Diagnostic Criteria Name
C127790	DMCIND	Data Monitoring Committee Indicator	An indication as to whether the clinical trial has an appointed data monitoring committee.	Data Monitoring Committee Indicator
C25488	DOSE	Dose Level;Dose per Administration	The amount of drug administered to a patient or test subject at one time or the total quantity administered. [AMA Manual of Style] (CDISC Glossary)	Dose
C89081	DOSFRQ	Dosing Frequency	The number of doses administered per a specific interval.	Dose Frequency
C73558	DOSU	Dose Units	The unit of measure for the dosage form.	Dosage Form Unit
C117960	DXCRIT	Diagnostic Criteria	A standard from which a judgment concerning a medical diagnosis can be established.	Diagnostic Criteria
C119560	EGBLIND	ECG Reading Blinded	Indicates whether assessors of ECGs for this study were blinded to subject identity, timing and treatment.	ECG Evaluator Blinding Parameters
C119561	EGCTMON	ECG Continuous Monitoring	Indicates whether the 10-second ECGs for this study were extracted from a continuous recording.	ECG Continuous Monitoring Indicator

C66738 TSPARMCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C119562	EGLEADPR	ECG Planned Primary Lead	The ECG lead which was planned to be used for ECG interval measurements for this study.	ECG Planned Primary Lead for Study
C119563	EGLEADSM	ECG Used Same Lead	Indicates whether all ECG interval measurements for the study were based on the same lead.	ECG Used Same Lead Indicator
C119564	EGRDMETH	ECG Read Method	The degree of automation involved in assessing the ECGs for this study.	ECG Read Method Degree of Automation
C119565	EGREPLBL	ECG Replicates at Baseline	Indicates whether this study includes replicate ECGs for time points during the baseline portion of the study.	ECG Replicates at Baseline Indicator
C119566	EGREPLTR	ECG Replicates On-Treatment	Indicates whether this study includes replicate ECGs for time points during the on-treatment portion of the study.	ECG Replicates On-Treatment Indicator
C119582	EGTWVALG	ECG Twave Algorithm	The algorithm used to identify the end of the T wave for ECGs for this study.	ECG T Wave Algorithm
C127791	EMAILXML	Email Address for XML File	The Email address to which copies of the XML format of the EudraCT application should be sent.	E-mail Address for XML File Feedback
C126059	EMPIPCDN	EMA Decision Number for PIP	An alphanumeric code assigned by the European Medicines Agency (EMA) to an EMA regulatory decision for a pediatric investigation plan (PIP).	EMA Decision Number for Pediatric Investigation Plan
C126060	EURSBIND	EudraCT Resubmission Indicator	An indication as to whether the trial being submitted to the EudraCT is a trial that has been previously submitted to the EudraCT system.	EudraCT Resubmission Indicator
C126061	EVSNDID	EudraVigilance Sender ID	A unique identifier assigned to the organization that is transmitting an adverse drug reaction report to the EudraVigilance system.	EudraVigilance Sender Identifier
C126090	EVSNDORG	EudraVigilance Sender Organization	The name of the group or institution that is transmitting an adverse drug reaction report to the EudraVigilance system.	EudraVigilance Sender Organization
C127792	EXPARECN	Expanded Access Record NCT Number	The unique alphanumeric identifier for the study with associated expanded access record, as assigned by the clinicaltrials.gov protocol registration and results system (PRS).	Clinicaltrials.gov NCT Number for the Expanded Access Record
C127793	EXPASTAT	Expanded Access Status	Status indicating availability of an experimental drug or device outside any clinical trial protocol. (clinicaltrials.gov)	Trial Expanded Access Status
C139274	EXTTIND	Extension Trial Indicator	An indication as to whether the clinical trial is an extension trial.	Extension Trial Indicator
C98770	FCNTRY	Planned Country of Investigational Sites	The country name of planned study facility which has received IRB approval.	Planned Country of Investigational Site
C123629	FDADEIND	FDA-Regulated Device Study Indicator	An indication as to whether the study involves an FDA-regulated device.	FDA-Regulated Device Study Indicator
C123630	FDADRIND	FDA-Regulated Drug Study Indicator	An indication as to whether the study involves an FDA-regulated drug.	FDA-Regulated Drug Study Indicator
C98737	HLTSUBJI	Healthy Subject Indicator	Indicate if persons who have not had the condition(s) being studied or otherwise related conditions or symptoms, as specified in the eligibility requirements, may participate in the study.	Healthy Subject Indicator
C112038	INDIC	Trial Disease/Condition Indication	The condition, disease or disorder that the clinical trial is intended to investigate or address.	Trial Indication
C98746	INTMODEL	Intervention Model	The general design of the strategy for assigning interventions to participants in a clinical study. (clinicaltrials.gov)	Intervention Model
C98747	INTTYPE	Intervention Type	The kind of product or procedure studied in a trial.	Intervention Type
C126062	KEYWORD	Protocol Keyword	A word or small set of words designed to convey the focus of the protocol.	Protocol Keyword
C49697	LENGTH	Trial Length	Planned length of observation for a single subject.	Trial Length
C124455	MNFCNTRY	Country of Manufacture	The name of the country within which the final product under study is produced.	Country of Manufacture
C127794	MSEUTIND	Multiple Site EU State Trial Indicator	An indication as to whether the clinical study is being conducted at multiple sites within the European Union member state concerned by the application.	Multiple Site European Union State Trial Indicator

<b>C66738 TSPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C98771	NARMS	Planned Number of Arms	The planned number of intervention groups.	Planned Number of Arms
C126063	NCOHORT	Number of Groups/Cohorts	The number of groups or cohorts that are part of the study.	Number of Groups or Cohorts
C127795	NUMSEUST	Number of Trial Sites EU State	The total number of trial sites within the European Union member state concerned by the application.	Number of Trial Sites within European Union State
C85826	OBJPRIM	Trial Primary Objective	The principal purpose of the trial.	Trial Primary Objective
C85827	OBJSEC	Trial Secondary Objective	The auxiliary purpose of the trial.	Trial Secondary Objective
C126064	OBSMODEL	Observational Model	The trial design developed to compare biomedical and/or health outcomes in pre-defined and non-assigned groups of individuals.	Observational Model
C126065	OBSTIMP	Observational Time Perspective	The temporal relationship between the observation period and time of subject enrollment. (ClinicalTrials.gov)	Observational Time Perspective of Study
C126066	OBSTPOPD	Obs Study Population Description	A description of the population from which the groups or cohorts will be selected within an observational study.	Observational Study Population Description
C126067	OBSTSMM	Observational Study Sampling Method	The sampling method used to assign study participants into groups or cohorts within an observational study.	Observational Study Sampling Method
C126068	OBSTSMMD	Obs Study Sampling Method Description	A textual description of the sampling method used to assign study participants into groups or cohorts within an observational study.	Observational Study Sampling Method Description
C98724	OUTMSEXP	Exploratory Outcome Measure	Exploratory measures that will be used to evaluate the intervention(s) or, for observational studies, that are exploratory of the study.	Exploratory Outcome Measure
C98772	OUTMSPRI	Primary Outcome Measure	The primary measurement(s) or observation(s) used to measure the effect of experimental variables in a study, or for observational studies, to describe patterns of diseases or traits or associations with exposures, risk factors or treatment. These are the outcome measures used to assess the primary objective(s).	Primary Outcome Measure
C98781	OUTMSSEC	Secondary Outcome Measure	Other key measures that will be used to evaluate the intervention(s) or, for observational studies, that are a focus of the study. These are the outcome measures used to assess the secondary objective(s).	Secondary Outcome Measure
C139275	PASSIND	Post Authorization Safety Study Ind	An indication as to whether the clinical study is a post authorization safety study.	Post Authorization Safety Study Indicator
C98768	PCLAS	Pharmacologic Class	The pharmacological class of the investigational product.	Pharmacological Class of Investigational Therapy
C123631	PDPSTIND	Pediatric Postmarket Study Indicator	An indication as to whether the study is a pediatric postmarket study.	Pediatric Postmarket Study Indicator
C123632	PDSTIND	Pediatric Study Indicator	An indication as to whether the study is a pediatric study.	Pediatric Study Indicator
C126069	PIPIND	Pediatric Investigation Plan Indicator	An indication as to whether the trial is part of a pediatric investigation plan (PIP).	Pediatric Investigation Plan Indicator
C49692	PLANSUB	Anticipated Enrollment;Planned Enrollment;Planned Number of Subjects;Target Enrollment	The planned number of subjects to be entered in a clinical trial. (NCI)	Planned Subject Number
C127796	PLNTRDUR	Planned Trial Duration	The approximate period of time over which the clinical trial is expected to occur.	Planned Trial Duration
C139277	PROTRSK	Protocol Risk Assessment	The potential future harm that may arise from a protocol-related activity.	Protocol Risk Assessment
C139276	PTRTDUR	Planned Treatment Duration	The period of time during which the treatment is intended to be given.	Planned Treatment Duration
C127797	PUBMEDID	PubMed ID for Citation Used in Study	A globally unique identifier for a biomedical article, as assigned by PubMed.	PubMed Identifier for Citation Used in Study

<b>C66738 TSPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C25196	RANDOM	Trial is Randomized	The process of assigning trial subjects to treatment or control groups using an element of chance to determine the assignments in order to reduce bias. NOTE: Unequal randomization is used to allocate subjects into groups at a differential rate; for example, three subjects may be assigned to a treatment group for every one assigned to the control group. [ICH E6 1.48] See also balanced study. (CDISC glossary)	Randomization
C98775	RANDQT	Randomization Quotient	The randomization quotient is the number of planned subjects to be exposed to investigational therapy, independent of dose or other factors, divided by the total number of planned subjects.	Randomization Quotient
C126070	RDIND	Rare Disease Indicator	An indication as to whether the condition under study is considered a rare disease.	Rare Disease Indicator
C98714	REGID	Registry Identifier	Identification numbers assigned to the protocol by clinicaltrials.gov, EudraCT, or other registries.	Clinical Trial Registry Identifier
C126071	RESUBLTR	Resubmission Letter	An alphabetic character that describes the incremental order of trial resubmissions.	Resubmission Letter
C117961	RLPSCRIT	Relapse Criteria	A standard from which a judgment concerning a disease relapse can be established.	Relapse Criteria
C38114	ROUTE	Route of Administration	The course by which a substance is administered in order to reach the site of action in the body.	Route of Administration
C126072	RTSPCDES	Retained Biospecimen Description	A textual description of the specimen types that are retained as reserve samples.	Retained Biospecimen Description
C127798	RXMLCIND	Request for XML Copy of Study Indicator	An indication as to whether the registrant would like to receive an XML copy of their study as saved on EudraCT.	Study Saved as XML Indicator
C98783	SDMDUR	Stable Disease Minimum Duration	The protocol specified minimum amount of time needed to meet the definition of stable disease.	Stable Disease Minimum Duration
C127799	SDXMLIND	Secure Delivery XML Required Indicator	An indication as to whether the XML copy of the EudraCT application requires secure E-mail delivery.	Requires Secure Email Delivery of XML Indicator
C90462	SENDTC	Study End Date	Final date on which data was collected for any subject (Date/Time of End of Participation, RFPENDTC) based on the protocol.	Study End Date
C117962	SEVCRIT	Severity Criteria	A standard from which a judgment concerning the severity of an event, disease or condition can be established.	Severity Criteria
C49696	SEXPOP	Sex of Participants	The specific sex, either male, female, or mixed of the subject group being studied. (NCI)	Sex of Study Group
C70793	SPONSOR	Clinical Study Sponsor; Sponsor; Study Sponsor	An entity that is responsible for the initiation, management, and/or financing of a clinical study.	Clinical Study Sponsor
C126073	SREVIND	SUSAR Reporting to EVCTM Indicator	An indication as to whether suspected unexpected serious adverse reactions (SUSAR) will be reported to a EudraVigilance clinical trial module (EVCTM).	SUSAR Reporting to EudraVigilance Clinical Trial Module Indicator
C126074	SRNCAIND	SUSAR Reporting to NCA Indicator	An indication as to whether suspected unexpected serious adverse reactions (SUSAR) will be reported to national competent authorities (NCA).	SUSAR Reporting to National Competent Authority Indicator
C127800	SSEUTIND	Single Site EU State Trial Indicator	An indication as to whether the clinical study is being conducted at only one site within the European Union member state concerned by the application.	Single Site European Union State Trial Indicator
C69208	SSTDTC	Study Start Date	The earliest date of informed consent among any subject (Date/Time of Informed Consent, RFICDTC) that enrolled in the study. For studies conducted without informed consent (ie. emergency use) use the date of treatment. Dates for subjects who were screen failures are not included.	Study Start Date
C126075	SSTDYDTL	Substudy Details	A textual description of the substudy.	Substudy Details
C126076	SSTDYIND	Substudy Planned Indicator	An indication as to whether a study performed on a subgroup of subjects included in the original trial (substudy) is planned for the current study.	Substudy Planned Indicator
C49698	STOPRULE	Study Stop Rules	The rule, regulation and/or condition that determines the point in time when a clinical trial will be terminated. (NCI)	Study Stop Rule

<b>C66738 TSPARMCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C16153	STRATFCT	Stratification Factor	Selected pre-treatment factors by which patients are segregated to assure balance of these factors before randomization to the intervention arms of a clinical protocol.	Stratification Factors
C142175	STYPE	Study Type	Describes the role the study plays in determining the interventions a subject receives.	Study Type
C49658	TBLIND	Trial Blinding Schema	The type of experimental design used to describe the level of awareness of the clinical trial subjects and/or investigators of the intervention(s) that they are receiving and/or administering.	Trial Blinding Schema
C49647	TCNTRL	Control Type	Comparator against which the study treatment is evaluated.	Control Type
C49650	TDIGRP	Diagnosis Group	A grouping of individuals on the basis of a shared procedure or disease, or lack thereof.	Diagnosis Group
C101302	THERAREA	Therapeutic Area	A knowledge field that focuses on research and development of specific treatments for diseases and pathologic findings, as well as prevention of conditions that negatively impact the health of an individual. (NCI)	Therapeutic Area
C49652	TINDTP	Trial Intent Type	The planned purpose of the therapy, device, or agent under study in the clinical trial.	Clinical Study by Intent
C49802	TITLE	Trial Title	The name of a clinical trial. (NCI)	Trial Title
C48281	TPHASE	Trial Phase Classification	Any defined stage in the lifecycle of a clinical trial.	Trial Phase
C126077	TRGFUDUR	Target Follow-Up Duration	The anticipated time period over which each study participant is to be followed. (ClinicalTrials.gov)	Planned Follow-Up Duration
C41161	TRT	Investigational Therapy or Treatment	The investigational product under study.	Protocol Agent
C49660	TTYPE	Trial Scope; Trial Type	The type of primary outcome or endpoint that the protocol is designed to evaluate. (clinicaltrials.gov)	Trial Type
C127801	URLSTDY	URL Related to Study	The uniform resource locator (URL) related to a particular study.	Study Protocol Uniform Resource Locator
C127802	URLSTDYD	URL Related to Study Description	A textual description of the uniform resource locator (URL) related to a particular study.	Study Protocol Uniform Resource Locator Description

## TSQM01TC (Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Code)

NCI Code: C132525, Codelist extensible: No

C132525 TSQM01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132618	TSQM0101	TSQM01-Med to Prevent/Treat Condition	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the ability of the medication to prevent or treat your condition?	TSQM Version 1.4 - Medication to Prevent or Treat Condition
C132619	TSQM0102	TSQM01-Way Medication Relieves Symptoms	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the way the medication relieves your symptoms?	TSQM Version 1.4 - Way Medication Relieves Symptoms
C132620	TSQM0103	TSQM01-Time Takes Med to Start Working	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the amount of time it takes the medication to start working?	TSQM Version 1.4 - Time Takes Medication to Start Working
C132621	TSQM0104	TSQM01-Experience Any Side Effect at All	Treatment Satisfaction Questionnaire for Medication - As a result of taking this medication, do you experience any side effects at all?	TSQM Version 1.4 - Experience Any Side Effect at All
C132622	TSQM0105	TSQM01-How Bothersome Are Side Effects	Treatment Satisfaction Questionnaire for Medication - How bothersome are the side effects of the medication you take to treat your condition?	TSQM Version 1.4 - How Bothersome Are Side Effects
C132623	TSQM0106	TSQM01-Interfere With Physical Health	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your physical health and ability to function (i.e., strength, energy levels, etc.)?	TSQM Version 1.4 - Interfere With Physical Health
C132624	TSQM0107	TSQM01-Interfere With Mental Function	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your mental function (i.e., ability to think clearly, stay awake, etc.)?	TSQM Version 1.4 - Interfere With Mental Function
C132625	TSQM0108	TSQM01-Side Effect Affect Overall Satisf	Treatment Satisfaction Questionnaire for Medication - To what degree have medication side effects affected your overall satisfaction with the medication?	TSQM Version 1.4 - Side Effect Affect Overall Satisfaction
C132626	TSQM0109	TSQM01-Easy/Difficult Use Medication	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to use the medication in its current form?	TSQM Version 1.4 - Easy or Difficult Use Medication
C132627	TSQM0110	TSQM01-Easy/Difficult to Plan Use of Med	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to plan when you will use the medication each time?	TSQM Version 1.4 - Easy or Difficult to Plan Use of Medication
C132628	TSQM0111	TSQM01-Convenient/Inconvenient Take Med	Treatment Satisfaction Questionnaire for Medication - How convenient or inconvenient is it to take the medication as instructed?	TSQM Version 1.4 - Convenient or Inconvenient Take Medication
C132629	TSQM0112	TSQM01-Confident Med Is Good for You	Treatment Satisfaction Questionnaire for Medication - Overall, how confident are you that taking this medication is a good thing for you?	TSQM Version 1.4 - Confident Medication Is Good for You
C132630	TSQM0113	TSQM01-Certain Good Things Outweigh Bad	Treatment Satisfaction Questionnaire for Medication - How certain are you that the good things about your medication outweigh the bad things?	TSQM Version 1.4 - Certain Good Things Outweigh Bad
C132631	TSQM0114	TSQM01-Satisfied/Dissatisfied With Med	Treatment Satisfaction Questionnaire for Medication - Taking all things into account, how satisfied or dissatisfied are you with this medication?	TSQM Version 1.4 - Satisfied or Dissatisfied With Medication

**TSQM01TN (Treatment Satisfaction Questionnaire for Medication Version 1.4 Questionnaire Test Name)**

NCI Code: C132524, Codelist extensible: No

<b>C132524 TSQM01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C132630	TSQM01-Certain Good Things Outweigh Bad	TSQM01-Certain Good Things Outweigh Bad	Treatment Satisfaction Questionnaire for Medication - How certain are you that the good things about your medication outweigh the bad things?	TSQM Version 1.4 - Certain Good Things Outweigh Bad
C132629	TSQM01-Confident Med Is Good for You	TSQM01-Confident Med Is Good for You	Treatment Satisfaction Questionnaire for Medication - Overall, how confident are you that taking this medication is a good thing for you?	TSQM Version 1.4 - Confident Medication Is Good for You
C132628	TSQM01-Convenient/Inconvenient Take Med	TSQM01-Convenient/Inconvenient Take Med	Treatment Satisfaction Questionnaire for Medication - How convenient or inconvenient is it to take the medication as instructed?	TSQM Version 1.4 - Convenient or Inconvenient Take Medication
C132627	TSQM01-Easy/Difficult to Plan Use of Med	TSQM01-Easy/Difficult to Plan Use of Med	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to plan when you will use the medication each time?	TSQM Version 1.4 - Easy or Difficult to Plan Use of Medication
C132626	TSQM01-Easy/Difficult Use Medication	TSQM01-Easy/Difficult Use Medication	Treatment Satisfaction Questionnaire for Medication - How easy or difficult is it to use the medication in its current form?	TSQM Version 1.4 - Easy or Difficult Use Medication
C132621	TSQM01-Experience Any Side Effect at All	TSQM01-Experience Any Side Effect at All	Treatment Satisfaction Questionnaire for Medication - As a result of taking this medication, do you experience any side effects at all?	TSQM Version 1.4 - Experience Any Side Effect at All
C132622	TSQM01-How Bothersome Are Side Effects	TSQM01-How Bothersome Are Side Effects	Treatment Satisfaction Questionnaire for Medication - How bothersome are the side effects of the medication you take to treat your condition?	TSQM Version 1.4 - How Bothersome Are Side Effects
C132624	TSQM01-Interfere With Mental Function	TSQM01-Interfere With Mental Function	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your mental function (i.e., ability to think clearly, stay awake, etc.)?	TSQM Version 1.4 - Interfere With Mental Function
C132623	TSQM01-Interfere With Physical Health	TSQM01-Interfere With Physical Health	Treatment Satisfaction Questionnaire for Medication - To what extent do the side effects interfere with your physical health and ability to function (i.e., strength, energy levels, etc.)?	TSQM Version 1.4 - Interfere With Physical Health
C132618	TSQM01-Med to Prevent/Treat Condition	TSQM01-Med to Prevent/Treat Condition	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the ability of the medication to prevent or treat your condition?	TSQM Version 1.4 - Medication to Prevent or Treat Condition
C132631	TSQM01-Satisfied/Dissatisfied With Med	TSQM01-Satisfied/Dissatisfied With Med	Treatment Satisfaction Questionnaire for Medication - Taking all things into account, how satisfied or dissatisfied are you with this medication?	TSQM Version 1.4 - Satisfied or Dissatisfied With Medication
C132625	TSQM01-Side Effect Affect Overall Satisf	TSQM01-Side Effect Affect Overall Satisf	Treatment Satisfaction Questionnaire for Medication - To what degree have medication side effects affected your overall satisfaction with the medication?	TSQM Version 1.4 - Side Effect Affect Overall Satisfaction
C132620	TSQM01-Time Takes Med to Start Working	TSQM01-Time Takes Med to Start Working	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the amount of time it takes the medication to start working?	TSQM Version 1.4 - Time Takes Medication to Start Working
C132619	TSQM01-Way Medication Relieves Symptoms	TSQM01-Way Medication Relieves Symptoms	Treatment Satisfaction Questionnaire for Medication - How satisfied or dissatisfied are you with the way the medication relieves your symptoms?	TSQM Version 1.4 - Way Medication Relieves Symptoms

## TTYPE (Trial Type Response)

NCI Code: C66739, Codelist extensible: Yes

C66739		TTYPE		
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C49664	BIO-AVAILABILITY		A study of the degree to which or rate at which a drug or other substance is absorbed or becomes available at the site of physiological activity after administration. (NCI)	Bioavailability Study
C49665	BIO-EQUIVALENCE		A study most often used to compare the efficacy of different formulations to treat a given disease. It is the testing of an old versus a new formulation in healthy volunteers or subjects with the disease under study and usually in one dose. (NCI)	Therapeutic Equivalency Study
C49653	DIAGNOSIS		A type of study designed to evaluate intervention(s) aimed at identifying a disease or condition.	Diagnosis Study
C127803	DOSE RESPONSE		A study of the effect of dose changes on the efficacy of a drug in order to determine the dose-response relationship and optimal dose of a therapy.	Dose Response Study
C49666	EFFICACY		A study of the relative therapeutic efficacy of treatment of a disease. Usually this is a Phase II or III study. (NCI)	Efficacy Study
C98729	FOOD EFFECT		Studies that are conducted to assess the effect of food on the rate and extent of absorption of a drug, either compared to a fasted state or to a reference drug.	Food Effect Study
C120842	IMMUNOGENICITY		A study that assesses an agent's ability to provoke an immune response.	Immunogenicity Study
C49662	PHARMACODYNAMIC		A study of the biochemical and physiological effect of a drug and the mechanism of drug action and the relationship between drug concentration and effect. (NCI)	Pharmacodynamic Study
C39493	PHARMACOECONOMIC		A study that assesses the value associated with a given drug in therapeutic and economic terms. This type of study is multidisciplinary in nature and takes into consideration the social and economic costs (resource utilization costs including direct, indirect, and intangible costs) of drug therapy in addition to its direct therapeutic benefits. Analyses relate the difference in therapeutic benefits to the difference in costs between treatment alternatives. (NCI)	Pharmacoeconomic Study
C129001	PHARMACOGENETIC		A study that assesses variation in DNA sequence, usually within a single gene, and its effect on drug response.	Pharmacogenetic Study
C49661	PHARMACOGENOMIC		A study that identifies or assesses variations within the entire genome, including DNA, RNA, or transcriptional elements, and its effects on drug response.	Pharmacogenomic Study
C49663	PHARMACOKINETIC		A study of the process by which a drug is absorbed, distributed, metabolized, and eliminated by the body. (NCI)	Pharmacokinetic Study
C49657	PREVENTION	Prophylaxis Study	A type of study designed to identify actions necessary to permanently eliminate or reduce the long-term risk to human life as a result of a particular medication or treatment regimen.	Prevention Study
C49667	SAFETY		A study that assesses the medical risks to a subject. Safety is usually assessed by examining a wide range of clinical parameters, including adverse events, vital signs, physical exam, laboratory tests.	Safety Study
C98791	TOLERABILITY		A type of safety study that assesses the degree to which overt adverse effects can be tolerated by the subject.	Tolerability Study
C49656	TREATMENT	Therapy Trial	A type of study designed to evaluate intervention(s) for treatment of disease, syndrome or condition.	Treatment Study



## TUG01TC (Timed Up and Go Test Functional Test Test Code)

NCI Code: C115400, Codelist extensible: No

<b>C115400 TUG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C115819	TUG0101	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test

## TUG01TN (Timed Up and Go Test Functional Test Test Name)

NCI Code: C115399, Codelist extensible: No

C115399 TUG01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C115819	TUG01-Time to Complete TUG Test	TUG01-Time to Complete TUG Test	Timed Up and Go - Time in seconds to complete TUG test.	TUG - Time to Complete TUG Test

## TUIDRS (Tumor or Lesion Identification Test Results)

NCI Code: C123650, Codelist extensible: Yes

C123650 TUIDRS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C48190	ABSENT		Not existing in a specified place at a specified time. (NCI)	Absent
C14172	BENIGN	Benign	For neoplasms, a non-infiltrating and non-metastasizing neoplastic process that is characterized by the absence of morphologic features associated with malignancy (e.g., severe atypia, nuclear pleomorphism, tumor cell necrosis, and abnormal mitoses). For other conditions, a process that is mild in nature and not dangerous to health. (NCI)	Benign
C132466	BONE LESION		A localized pathological or traumatic structural change, damage, deformity, or discontinuity of the bone.	Bone Lesion Identification
C25321	DISTANT		Of or belonging to an area on the body that is far apart in relation to a point of origin.	Distant
C67263	LOCAL		Of or belonging to a restricted area on the body in relation to a point of origin.	Local
C25388	LOCOREGIONAL		Of or belonging to either a local and/or regional area of the body in relation to a point of origin.	Local-Regional
C103416	MEASURED		The identification of a tumor, lesion, or site of disease that is present at baseline and will be quantifiably measured.	Measured Tumor Identification
C94522	NEW		The identification of a tumor, lesion, or site of disease which has not been previously seen or characterized.	New Lesion Identification
C132467	NEW BONE LESION		A localized pathological or traumatic structural change, damage, deformity, or discontinuity of the bone, which has not been previously seen or characterized.	New Bone Lesion Lesion Identification
C139126	NEW NON-TARGET	New Non-Index	The identification of a tumor, lesion, or site of disease that will be assessed qualitatively over time, and which was not detected at baseline.	New Non-Target Lesion Identification
C139127	NEW TARGET	New Index	The identification of a tumor, lesion, or site of disease that will be assessed quantitatively over time, and which was not detected at baseline.	New Target Lesion Identification
C103423	NON-MEASURABLE		The identification of a tumor, lesion, or site of disease that is incapable of being measured at baseline.	Non-Measurable Tumor Identification
C94521	NON-TARGET	Non-Index	The identification of a tumor, lesion or site of disease that is present at baseline and not considered a target, but may be part of the objective assessment of the response to the therapeutic intervention.	Non-Target Lesion Identification
C132468	NON-TARGET ENHANCING		The identification of a contrast-enhancing tumor, lesion, or site of disease that is present at baseline and not considered a target, but may be part of the objective assessment of the response to the therapeutic intervention.	Non-target Enhancing Lesion Identification
C132469	NON-TARGET EXTRA NODAL		The identification of a tumor or lesion located outside of or independent of any lymph nodes that is present at baseline and not considered a target, but may be part of the assessment of the response to the therapeutic intervention.	Non-Target Extra Nodal Lesion Identification
C132470	NON-TARGET NODAL		The identification of a tumor or lesion located at or near the lymph node that is present at baseline and not considered a target, but may be part of the assessment of the response to the therapeutic intervention.	Non-Target Nodal Lesion Identification
C132471	NON-TARGET NON-ENHANCING		The identification of a non-contrast-enhancing tumor, lesion, or site of disease that is present at baseline and not considered a target, but may be part of the assessment of the response to the therapeutic intervention.	Non-target Non-enhancing Lesion Identification
C103425	NOT MEASURED		The identification of a tumor, lesion, or site of disease that is present at baseline and will not be quantifiably measured.	Not Measured Tumor Identification
C25643	REGIONAL		Of or belonging to a broader area or region of the body in relation to a point of origin.	Regional

**C123650 TUIDRS**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C94520	TARGET	Index	The identification of a tumor, lesion, or site of disease that is present at baseline and is the target of the therapeutic intervention.	Target Lesion Identification
C103442	TARGET EXTRA NODAL		The identification of a tumor or lesion that is present at baseline, located outside of or independent of any lymph nodes, and is the target of the therapeutic intervention.	Target Extra Nodal Tumor Identification
C103443	TARGET NODAL		The identification of a tumor or lesion located at or near the lymph node that is present at baseline and is the target of the therapeutic intervention.	Target Nodal Tumor Identification
C103444	TARGET NODULE		The identification of a nodule that is the target of the therapeutic intervention.	Target Nodule Tumor Identification

**TUTEST (Tumor or Lesion Identification Test Name)**

NCI Code: C96783, Codelist extensible: Yes

<b>C96783 TUTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C123633	Disease Recurrence Relative Location	Disease Recurrence Relative Location	A description of the region or relative location for the disease recurrence.	Disease Recurrence Relative Location
C119567	Graft Lesion Identification	Graft Lesion Identification	An indication that a graft with a lesion has been located and characterized.	Graft Lesion Identification
C94189	Lesion Identification	Lesion Identification	An indication that a lesion has been located and characterized.	Lesion Identification
C119568	Limb Lesion Identification	Limb Lesion Identification	An indication that a limb containing a lesion has been selected and characterized.	Limb Associated Lesion Identification
C94523	Tumor Identification	Tumor Identification	A classification of malignant disease manifestation as part of the response assessment.	Tumor Identification
C94525	Tumor Merged	Tumor Merged	An indication that multiple tumors have coalesced into one tumor.	Matted Tumor Mass Present
C96642	Tumor Split	Tumor Split	An indication that a single tumor has divided into two or more tumors.	Tumor Split
C119569	Vessel Lesion Identification	Vessel Lesion Identification	An indication that a vessel with a lesion has been located and characterized.	Vessel Lesion Identification

## TUTESTCD (Tumor or Lesion Identification Test Code)

NCI Code: C96784, Codelist extensible: Yes

C96784 TUTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C123633	DRCRLTLC	Disease Recurrence Relative Location	A description of the region or relative location for the disease recurrence.	Disease Recurrence Relative Location
C119567	GRLIDENT	Graft Lesion Identification	An indication that a graft with a lesion has been located and characterized.	Graft Lesion Identification
C94189	LESIDENT	Lesion Identification	An indication that a lesion has been located and characterized.	Lesion Identification
C119568	LMLIDENT	Limb Lesion Identification	An indication that a limb containing a lesion has been selected and characterized.	Limb Associated Lesion Identification
C94525	TUMERGE	Tumor Merged	An indication that multiple tumors have coalesced into one tumor.	Matted Tumor Mass Present
C94523	TUMIDENT	Tumor Identification	A classification of malignant disease manifestation as part of the response assessment.	Tumor Identification
C96642	TUSPLIT	Tumor Split	An indication that a single tumor has divided into two or more tumors.	Tumor Split
C119569	VSLIDENT	Vessel Lesion Identification	An indication that a vessel with a lesion has been located and characterized.	Vessel Lesion Identification

## UNIT (Unit)

NCI Code: C71620, Codelist extensible: Yes

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25613	%	Percentage	One hundred times the quotient of one quantity divided by another, with the same units of measurement.	Percentage
C117963	% INHIBITION	Percent Inhibition	The rate of measured normal activity minus inhibited activity, divided by the rate of normal activity of a given object. It is expressed as a percentage.	Percent Inhibition
C48571	%(v/v)	Percent Volume per Volume;vol%	A percent ratio of volume to volume, defined by the equation: [volume of solute (in ml)/ volume of solution (in ml)](100), typically used for admixtures of solutions.(NCI)	Percent Volume per Volume
C48527	%(w/v)	Percent Weight per Volume	A percent ratio of weight to volume, defined by the equation: [weight of solute (in gm)/volume of solution (in dl)](100). Since the numerator and denominator of this ratio have different units, it is not a true percentage. A 1% w/v solution is defined as being 1 gram of solute dissolved in 100 milliliters of solvent.(NCI)	Percent Mass per Volume
C48528	%(w/w)	Percent Weight per Weight	A percent ratio of weight to weight, defined by the equation: [weight of solute (in gm)/weight of solution (in gm)](100).(NCI)	Percent Mass per Mass
C114240	%/min	Percent per Minute	A unit of frequency expressed as the percentage of entities or events per minute.	Percent per Minute
C102695	/100 HPFs	Per 100 High Powered Fields	A unit of measurement of the number of entities per unit of area equal to one hundred high powered fields.	Per 100 High Powered Fields
C67219	/100 WBC	Per 100 White Blood Cells	Natural number unit of measurement for a portion of a particular type of cell (excluding white blood cell subtypes) per 100 white blood cells.	Per 100 White Blood Cells
C123634	/10 <sup>3</sup>		A unit equal to one thousand entities used as a denominator to build a derived unit expressed as a ratio. (NCI)	Per Thousand
C135515	/10 <sup>4</sup>		A unit equal to ten thousand entities used as a denominator to build a derived unit expressed as a ratio. (NCI)	Per Ten Thousand
C135516	/10 <sup>5</sup>		A unit equal to one hundred thousand entities used as a denominator to build a derived unit expressed as a ratio. (NCI)	Per Hundred Thousand
C132472	/200 HPFs		A unit of measurement of the number of entities per unit of area equal to 200 high powered fields.	Per 200 High Powered Fields
C132473	/2000 RBC		Natural number unit of measurement for a portion of a particular type of cell (excluding red blood cell subtypes) per 2000 red blood cells.	Per 2000 Red Blood Cells
C132474	/2500 WBC		Natural number unit of measurement for a portion of a particular type of cell (excluding white blood cell subtypes) per 2500 white blood cells.	Per 2500 White Blood Cells
C122197	/4.0 mL		A volume unit equal to 4.0 milliliters used as a denominator to build a derived unit expressed as a ratio.	per 4.0 Milliliters

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C132475	/40 HPFs		A unit of measurement of the number of entities per unit of area equal to 40 high powered fields.	Per 40 High Powered Fields
C132476	/500 WBC		Natural number unit of measurement for a portion of a particular type of cell (excluding white blood cell subtypes) per 500 white blood cells.	Per 500 White Blood Cells
C122198	/7.5 mL		A volume unit equal to 7.5 milliliters used as a denominator to build a derived unit expressed as a ratio.	per 7.5 Milliliters
C135517	/cmH2O		A unit of pressure equal to one centimeter of water used as a denominator to build a derived unit expressed as a ratio. (NCI)	Per Centimeter of Water
C25473	/day	Daily	A rate of occurrences within a period of time equal to one day.	Daily
C66966	/h	Per Hour	A rate of occurrences within a period of time equal to one hour.	Per Hour
C96619	/HPF	Per High Powered Field	A unit of measure equal to the instances of an entity per visual field of a microscope set to a high magnification power.	Per High Powered Field
C120844	/kg		A unit equal to one kilogram used as a denominator to build a derived unit expressed as a ratio. (NCI)	Per Kilogram
C96620	/LPF	Per Low Powered Field	A unit of measure equal to the instances of an entity per visual field of a microscope set to a low magnification power.	Per Low Powered Field
C130187	/LSQN	/Large Square Neubauer	A unit of measure equal to the instances of an entity per large square (with a 1 mm <sup>2</sup> area) in a Neubauer chamber.	Per Large Square Neubauer Chamber
C66967	/min		A rate of occurrences within a period of time equal to one minute.	Per Minute
C130188	/mm		A unit of length equal to one millimeter used as a denominator to build a derived unit expressed as a ratio.	Per Millimeter
C122199	/mm <sup>2</sup>		An area unit equal to one millimeter squared used as a denominator to build a derived unit expressed as a ratio.	per Square Millimeter
C64498	/month	Every Month;Per Month	Every month. (NCI)	Monthly
C66965	/sec		A rate of occurrences within a period of time equal to one second.	Per Second
C105516	/VF	Per Visual Field	A unit of measure equal to the instances of an entity per visual field of a microscope. (NCI)	Per Visual Field
C67069	/wk	Every week;Per Week;QS	Every week. (NCI)	Weekly
C127804	1/(s*kPa)		A unit of resistance equal to the inverse of one second times one kilopascal.	One per Second Times Kilopascal
C71185	100 IU/mL	100 International units/Milliliter	A unit of arbitrary substance concentration (biologic activity concentration) defined as the concentration of one hundred international units per one milliliter of system volume.(NCI)	100 International Units per Milliliter
C105517	10 <sup>10</sup> /L	10 <sup>4</sup> /mm <sup>3</sup> ;10 <sup>4</sup> /uL;10 <sup>7</sup> /mL	A unit of measurement equal to 10 to the tenth power of entities per unit of volume equal to one liter. (NCI)	Ten Billion Per Liter



C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C105488	10 <sup>11</sup> /L	10 <sup>5</sup> /mm <sup>3</sup> ;10 <sup>5</sup> /uL;10 <sup>8</sup> /mL	A unit of measurement equal to 10 to the eleventh power of entities per unit of volume equal to one liter.	Hundred Billion Per Liter
C105518	10 <sup>12</sup> IU/L	TIU/L;Tera International Unit per Liter	Unit of arbitrary substance concentration (biologic activity concentration) defined as the concentration of 10 <sup>12</sup> international unit per one liter of system volume.(NCI)	Tera International Unit Per Liter
C67308	10 <sup>12</sup> /L	1/pL;10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>6</sup> /uL;T/L;TI/L;Tera/L	A unit of measurement equal to 10 to the twelfth power of the number of entities per unit of volume equal to one liter.	Million per Microliter
C68895	10 <sup>3</sup> CFU	Thousand CFU;Thousand Colony Forming Units	A unit of measurement of viable bacterial numbers equal to 10 to the third power colony forming units.	Thousand Colony Forming Units
C68899	10 <sup>3</sup> CFU/g	Thousand CFU/g;Thousand Colony Forming Units per Gram	A unit of measurement of viable bacterial organisms in a unit mass of substance of interest defined as the number of 10 to the third power colony forming units in one gram of substance.	Thousand Colony Forming Units per Gram
C68903	10 <sup>3</sup> CFU/mL	Thousand CFU/mL;Thousand Colony Forming Units per Milliliter	A unit of measurement of viable bacterial organisms in a unit volume of substance of interest defined as the number of 10 to the third power colony forming units in one milliliter of substance.	Thousand Colony Forming Units per Milliliter
C100897	10 <sup>3</sup> copies/mL		The unit of concentration expressed as the number of 10 to the third power copies in unit volume equal to one milliliter. (NCI)	Thousand Copies per Milliliter
C98788	10 <sup>3</sup> DNA copies/mL		A unit of measurement equal to 10 to the third power of the number of deoxyribonucleic acid (DNA) copies per unit of volume equal to one milliliter.	Thousand DNA Copies per Milliliter
C71187	10 <sup>3</sup> organisms	Thousand Organisms	A unit of measure of quantity of organisms expressed in 10 to the third power of organisms.	Thousand Organisms
C71190	10 <sup>3</sup> organisms/g	Thousand Organisms per Gram;Thousand Organisms/g	A unit of measure of organism content expressed in 10 to the third power of organisms per unit of mass equal to one gram.	Thousand Organisms per Gram
C71195	10 <sup>3</sup> organisms/mL	Thousand Organisms per Milliliter;Thousand Organisms/mL	A unit of measure of organism concentration expressed in 10 to the third power of organisms per unit of volume equal to one milliliter.	Thousand Organisms per Milliliter
C98790	10 <sup>3</sup> RNA copies/mL		A unit of measurement equal to 10 to the third power of the number of ribonucleic acid (RNA) copies per unit of volume equal to one milliliter.	Thousand RNA Copies per Milliliter
C98789	10 <sup>3</sup> /hpf		A unit of measurement equal to 10 to the third power of the number of entities per unit of area equal to one high powered field.	Thousand per High Powered Field
C105519	10 <sup>3</sup> /L	1/mL	A unit of measurement equal to 10 to the third power of entities per unit of volume equal to one liter.	Thousand Per Liter
C98787	10 <sup>4</sup> /hpf		A unit of measurement equal to 10 to the fourth power of the number of entities per unit of area equal to one high powered field.	Ten Thousand per High Powered Field
C73771	10 <sup>4</sup> /L		A unit of measurement equal to 10 to the fourth power of entities per unit of volume equal to one liter.	Thousand per Deciliter

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98743	10 <sup>5</sup> /hpf		A unit of measurement equal to 10 to the fifth power of the number of entities per unit of area equal to one high powered field.	Hundred Thousand per High Powered Field
C105490	10 <sup>5</sup> /L	10 <sup>2</sup> /mL	A unit of measurement equal to 10 to the fifth power of entities per unit of volume equal to one liter.	Hundred Thousand Per Liter
C68896	10 <sup>6</sup> CFU	Million CFU;Million Colony Forming Units	A unit of measurement of viable bacterial numbers equal to 10 to the sixth power colony forming units.	Million Colony Forming Units
C68900	10 <sup>6</sup> CFU/g	Million CFU/g;Million Colony Forming Units per Gram	A unit of measurement of viable bacterial organisms in a unit mass of substance of interest defined as the number of 10 to the sixth power colony forming units in one gram of substance.	Million Colony Forming Units per Gram
C68904	10 <sup>6</sup> CFU/mL	Million CFU/mL;Million Colony Forming Units per Milliliter	A unit of measurement of viable bacterial organisms in a unit volume of substance of interest defined as the number of 10 to the sixth power colony forming units in one milliliter of substance.	Million Colony Forming Units per Milliliter
C100898	10 <sup>6</sup> copies/mL		The unit of concentration expressed as the number of 10 to the sixth power copies in unit volume equal to one milliliter. (NCI)	Million Copies per Milliliter
C98756	10 <sup>6</sup> DNA copies/mL		A unit of measurement equal to 10 to the sixth power of the number of deoxyribonucleic acid (DNA) copies per unit of volume equal to one milliliter.	Million DNA Copies per Milliliter
C67335	10 <sup>6</sup> IU	Million IU;Million International Units	A unit of biological activity equal to 10 to the sixth power international units.	Million International Units
C98757	10 <sup>6</sup> IU/mL		A unit of measurement equal to 10 to the sixth power of the number of international units of an entity per unit of volume equal to one milliliter.	Million International Units per Milliliter
C71188	10 <sup>6</sup> organisms	Million Organisms	A unit of measure of quantity of organisms expressed in 10 to the sixth power of organisms.	Million Organisms
C71191	10 <sup>6</sup> organisms/g	Million Organisms per Gram;Million Organisms/g	A unit of measure of organism content expressed in 10 to the sixth power of organisms per unit of mass equal to one gram.	Million Organisms per Gram
C71193	10 <sup>6</sup> organisms/mg	Million Organisms per Milligram;Million Organisms/mg	A unit of measure of organism content expressed in 10 to the sixth power of organisms per unit of mass equal to one milligram.	Million Organisms per Milligram
C71196	10 <sup>6</sup> organisms/mL	Million Organisms per Milliliter;Million Organisms/mL	A unit of measure of organism concentration expressed in 10 to the sixth power of organisms per unit of volume equal to one milliliter.	Million Organisms per Milliliter
C98760	10 <sup>6</sup> RNA copies/mL		A unit of measurement equal to 10 to the sixth power of the number of ribonucleic acid (RNA) copies per unit of volume equal to one milliliter.	Million RNA Copies per Milliliter
C67310	10 <sup>6</sup> U	Million U;Million Units	A unit of measure equal to 10 to the sixth power of arbitrary units.	Million Units
C130189	10 <sup>6</sup> /Ejaculate U		A unit of measurement equal to 10 to the sixth power of entities per unit equal to one ejaculation.	Million Per Ejaculate Unit
C98758	10 <sup>6</sup> /g		A unit of measurement equal to 10 to the sixth power of the number of entities per unit of mass equal to one gram.	Million per Gram

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98759	10 <sup>6</sup> /hpf		A unit of measurement equal to 10 to the sixth power of the number of entities per unit of area equal to one high powered field.	Million per High Powered Field
C67452	10 <sup>6</sup> /L	1/mm <sup>3</sup> ;1/uL;10 <sup>3</sup> /mL;M/L;Mega/L	A unit of measurement equal to 10 to the sixth power of the number of entities per unit of volume equal to one liter.	Thousand per Milliliter
C98786	10 <sup>7</sup> /L	10 <sup>6</sup> /dL	A unit of measurement equal to 10 to the seventh power of the number of entities per unit of volume equal to one liter.	Ten Million per Liter
C105489	10 <sup>8</sup> /L	10 <sup>2</sup> /mm <sup>3</sup> ;10 <sup>2</sup> /uL;10 <sup>5</sup> /mL	A unit of measurement equal to 10 to the eighth power of entities per unit of volume equal to one liter.	Hundred Million Per Liter
C68897	10 <sup>9</sup> CFU	Billion CFU;Billion Colony Forming Units	A unit of measurement of viable bacterial numbers equal to 10 to the ninth power colony forming units.	Billion Colony Forming Units
C68901	10 <sup>9</sup> CFU/g	Billion CFU/g;Billion Colony Forming Units per Gram	A unit of measurement of viable bacterial organisms in a unit mass of substance of interest defined as the number of 10 to the ninth power colony forming units in one gram of substance.	Billion Colony Forming Units per Gram
C68905	10 <sup>9</sup> CFU/mL	Billion CFU/mL;Billion Colony Forming Units per Milliliter	A unit of measurement of viable bacterial organisms in a unit volume of substance of interest defined as the number of 10 to the ninth power colony forming units in one milliliter of substance.	Billion Colony Forming Units per Milliliter
C71189	10 <sup>9</sup> organisms	Billion Organisms	A unit of measure of quantity of organisms expressed in 10 to the ninth power of organisms.	Billion Organisms
C71192	10 <sup>9</sup> organisms/g	Billion Organisms per Gram;Billion Organisms/g	A unit of measure of organism content expressed in 10 to the ninth power of organisms per unit of mass equal to one gram.	Billion Organisms per Gram
C71194	10 <sup>9</sup> organisms/mg	Billion Organisms per Milligram;Billion Organisms/mg	A unit of measure of organism content expressed in 10 to the ninth power of organisms per unit of mass equal to one milligram.	Billion Organisms per Milligram
C71197	10 <sup>9</sup> organisms/mL	Billion Organisms per Milliliter;Billion Organisms/mL	A unit of measure of organism concentration expressed in 10 to the ninth power of organisms per unit of volume equal to one milliliter.	Billion Organisms per Milliliter
C122200	10 <sup>9</sup> /g	10 <sup>12</sup> /kg;10 <sup>3</sup> /ug;10 <sup>6</sup> /mg	A unit of measurement equal to 10 to the ninth power of the number of entities per unit of mass equal to one gram.	Billion per Gram
C67255	10 <sup>9</sup> /L	1/nL;10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>3</sup> /uL;10 <sup>6</sup> /mL;G/L;GI/L;Giga per Liter	A unit of measurement equal to 10 to the ninth power of the number of entities per unit of volume equal to one liter.	Billion per Liter
C73686	Absorbance U	Absorbance Unit	A unit of optical density expressed as a logarithm of absorbance of light transmitted through a partially absorbing substance.	Absorbance Unit
C73687	Absorbance U/min	Absorbance Unit per Minute	A unit of a speed of optical density change expressed as a logarithm of absorbance of light transmitted through a partially absorbing substance per minute. (NCI)	Absorbance Unit per Minute
C126078	Absorbance U/mL		A unit of optical density expressed as a logarithm of absorbance of light transmitted through a partially absorbing substance per unit of volume equal to one milliliter.	Absorbance Unit per Milliliter
C77534	AFU	Arbitrary Fluorescence Unit	Arbitrary unit(s) of fluorescent luminescence. (NCI)	Arbitrary Fluorescence Units

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C64553	ag	Attogram	A unit of mass equal to one quintillionth of a gram (1E-18 gram). (NCI)	Attogram
C70500	AgU/mL	Antigen Unit per Milliliter	A measure of an antigen potency defined as a number of antigen units per one milliliter of product.(NCI)	Antigen Unit per Milliliter
C68855	amol	Attomole	A unit of amount of substance equal to one quintillionth of a mole (1E-18 mole). (NCI)	Attomole
C42536	amp	Ampere	A unit of electric current, named after the French physicist Andre Ampere. It is that constant current which, if maintained in two straight parallel conductors of infinite length and zero diameter separated by one meter in a vacuum, would produce between these conductors a force equal to 2(1E7) Newton per meter of length. This is dependent upon the definitions of the meter, kilogram, and second. One Ampere represents 6.24 x 1(E18) unit electric charge carriers, such as electrons, passing a specified fixed point in one second. (NCI)	Ampere
C48473	AMPULE	Ampule Dosing Unit	A dosing measurement based on the ampule unit.(NCI)	Ampule Dosing Unit
C64559	amu	Atomic Mass Unit	A small unit of mass used to express atomic and molecular masses. (NCI)	Atomic Mass Unit
C122201	Anson U		A unit of enzyme concentration which is defined as the amount of enzyme that can digest urea-denatured hemoglobin at the same initial rate as one milliequivalent of tyrosine at standard conditions.	Anson Unit
C70497	anti-Xa IU	Anti-Xa Activity International Unit	A unit of unfractionated or low molecular weight heparin anticoagulation potency determined as the amount that neutralizes one unit of coagulation factor Xa preparation defined as an international biological standard by WHO (World Health Organization) First International Low Molecular Weight Heparin Reference Standard.(NCI)	Anti-Xa Activity International Unit
C70498	anti-Xa IU/mL	Anti-Xa Activity International Unit per Milliliter	A specific anticoagulation activity of unfractionated or low molecular weight heparin on factor Xa, expressed as a number of international anti-Xa heparin units per one milliliter of plasma.(NCI)	Anti-Xa Activity International Unit per Milliliter
C111129	Antibody Unit		A unit of antibody concentration measured by comparison against a known concentration of antibodies in a standard reference specimen.	Antibody Unit
C122202	APL U	Immunoglobulin A Phospholipid Units;[APL'U]	A unit for semiquantitative measurement of IgA autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard.	IgA Phospholipid Unit
C117965	APL U/mL	Immunoglobulin A Phospholipid Units per Milliliter	A unit for semiquantitative measurement of IgA autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard, per unit of volume equal to one milliliter.	Immunoglobulin A Phospholipid Unit per Milliliter
C25397	APPLICATION	Application Dosing Unit	A dosing measurement based on the amount of substance applied.	Application Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C75765	Arbitrary U		A unit based on or subject to individual judgment, preference, or predetermined reference. (NCI)	Arbitrary Unit
C54711	atm	Atmosphere	A unit of pressure, equal to a barometer reading of 760 mm Hg. 1 atmosphere is 101325 Pascals and 1.01325 bar. This unit of pressure is roughly equal to the average atmospheric pressure at sea level on the earth.(NCI)	Atmosphere
C70504	AU/mL	Allergy Unit per Milliliter	Unit of measure of potency of allergenic product expressed as a number of allergy units per one milliliter of formulation.(NCI)	Allergy Unit per Milliliter
C48474	BAG	Bag Dosing Unit	A dosing measurement based on the bag unit.(NCI)	Bag Dosing Unit
C48475	BAR	Bar Dosing Unit	A dosing measurement based on the bar unit.(NCI)	Bar Dosing Unit
C70505	BAU	Bioequivalent Allergy Unit	A unit used for standardization of an allergenic product based on evaluation of product potency against reference standard in combined in vivo (skin test) and in vitro (IgE-based ELISA) testing.(NCI)	Bioequivalent Allergy Unit
C116235	BAU/mL	Bioequivalent Allergy Unit per Milliliter	Unit of measure of potency of allergenic product expressed as a number of bioequivalent allergy units per one milliliter of formulation.	Bioequivalent Allergy Unit per Milliliter
C116231	BE/mL	Biological Unit per Milliliter	Unit of measure of potency of allergenic product expressed as a number of biological units per one milliliter of formulation.	Biological Allergy Unit per Milliliter
C129002	BEAM BREAKS		The unit of measure for the number of times in which light paths are interrupted by movement.	Beam Break Unit
C49673	beats/min	Beats per Minute	The number of heartbeats measured per minute time. (NCI)	Beats per Minute
C71200	bel	Bel	A logarithmic ratio unit (base-10 logarithms) used to express relative magnitude of a physical quantity (usually power or intensity) in comparison with a specified or implied reference level. Particularly, Bel is used as a unit of relative sound intensity. In the latter context it is equal to ten decibels or to approximately 1.151293 nepers.(NCI)	Bel
C111139	BISCUIT	Biscuit Dosing Unit	A measurement based on the biscuit unit.	Biscuit Dosing Unit
C111140	BLOCKS		A unit of measure to quantify the number of rectangular areas in a city surrounded by streets.	Block Unit of Distance
C48476	BOLUS	Bolus Dosing Unit	A dosing measurement based on the bolus unit.(NCI)	Bolus Dosing Unit
C48477	BOTTLE	Bottle Dosing Unit	A dosing measurement based on the bottle unit.(NCI)	Bottle Dosing Unit
C48478	BOX	Box Dosing Unit	A dosing measurement based on the box unit.(NCI)	Box Dosing Unit
C132477	BP	BASE PAIRS	A number representing the paired nucleotides in a DNA or RNA sequence.	Base Pair Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42562	Bq	Becquerel	A unit of activity of a radionuclide, equal to one nuclear disintegration or other nuclear transition from a particular energy state occurring in an amount of a radionuclide during one second-long time interval.(NCI)	Becquerel
C70522	Bq/g	Becquerel per Gram	A unit of specific radioactivity (massic activity) equal to activity of one Becquerel of the sample with total mass of one gram.(NCI)	Becquerel per Gram
C70521	Bq/kg	Becquerel per Kilogram	A unit of specific radioactivity (massic activity) equal to activity of one Becquerel of the sample with total mass of one kilogram.(NCI)	Becquerel per Kilogram
C71165	Bq/L	Becquerel per Liter	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Becquerel per unit volume equal to one liter.(NCI)	Becquerel per Liter
C70524	Bq/mg	Becquerel per Milligram;Kilobecquerel per Gram;kBq/g	A unit of specific radioactivity (massic activity) equal to activity of one Becquerel of the sample with total mass of one milligram.(NCI)	Becquerel per Milligram
C71167	Bq/mL	Becquerel per Milliliter;Kilobecquerel per Liter;kBq/L	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Becquerel per unit volume equal to one milliliter or one kilobecquerel per liter.(NCI)	Becquerel per Milliliter
C70523	Bq/ug	Becquerel per Microgram;Bq/mcg;Kilobecquerel per Milligram;MBq/g;Megabecquerel per Gram;kBq/mg	A unit of specific radioactivity (massic activity) equal to activity of one Becquerel of the sample with total mass of one microgram.(NCI)	Becquerel per Microgram
C71166	Bq/uL	Becquerel per Microliter;Kilobecquerel per Milliliter;MBq/L;Megabecquerel per Liter;kBq/mL	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Becquerel per unit volume equal to one millionth of a liter.(NCI)	Becquerel per Microliter
C49674	breaths/min	Breaths per Minute	The number of breaths (inhalation and exhalation) taken per minute time. (NCI)	Breaths per Minute
C117966	BU	Bethesda Unit	A unit of measurement for blood coagulation inhibitor activity, expressed in the amount of an inhibitor neutralizing 50% of a coagulant during the incubation period.	Bethesda Unit
C117967	BU/mL	Bethesda Unit per Milliliter	A unit of measurement for blood coagulation inhibitor activity, expressed as a Bethesda Unit per unit of volume equal to one milliliter. (NCI)	Bethesda Unit per Milliliter
C42559	C	Degree Celsius	A unit of temperature of the temperature scale designed so that the freezing point of water is 0 degrees and the boiling point is 100 degrees at standard atmospheric pressure. The current official definition of the Celsius sets 0.01 C to be at the triple point of water and a degree to be 1/273.16 of the difference in temperature between the triple point of water and absolute zero. One degree Celsius represents the same temperature difference as one Kelvin. (NCI)	Degree Celsius

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67193	cal	Calorie	A measurement of nutritional energy. The quantity of thermal energy required to raise one gram of water one degree Centigrade under standard conditions. 1 calorie equals 4.186 joules. (NCI)	calorie
C48479	CAN	Can Dosing Unit	A dosing measurement based on the can unit.(NCI)	Can Dosing Unit
C102405	CAPFUL	Capful Dosing Unit	A unit of measure equal to the amount that the cap on the bottle can contain.	Capful Dosing Unit
C64696	CAPLET	Caplet Dosing Unit	A dosing measurement based on the caplet unit.	Caplet Dosing Unit
C48480	CAPSULE	Capsule Dosing Unit;cap	A dosing measurement based on the capsule unit.(NCI)	Capsule Dosing Unit
C48481	CARTRIDGE	Cartridge Dosing Unit	A dosing measurement based on the cartridge unit.(NCI)	Cartridge Dosing Unit
C70535	CCID 50/dose	50 Percent Cell Culture Infective Dose per Dose	A potency unit equal to the potency at which one dose of preparation contains one 50 percent cell culture infective dose.(NCI)	50 Percent Cell Culture Infective Dose per Dose
C120845	CCID 50/mL	50 Percent Cell Culture Infective Dose per Milliliter	A potency unit equal to the potency at which one milliliter of preparation contains one 50 percent cell culture infective dose. (NCI)	50 Percent Cell Culture Infective Dose per Milliliter
C42538	cd	Candela	The candela is the basic unit of luminous intensity. It is the luminous intensity in a given direction of a small monochromatic light source at 540 terahertz emitting 1/683 watt per steradian in that direction. This is dependent upon the definitions of the meter, kilogram, and second.(NCI)	Candela
C122203	cd*s/m2		A unit of luminous intensity expressed as one candela in one second of light emittance per square meter of area.	Candela Second per Square Meter
C122204	cd/m2		A unit of luminous intensity expressed as one candela per square meter of area.	Candela per Square Meter
C68898	CFU/g	Colony Forming Unit per Gram	A unit of measurement of viable bacterial organisms in a unit mass of substance of interest defined as the number of colony forming units in one gram of substance.(NCI)	Colony Forming Unit per Gram
C68902	CFU/mL	Colony Forming Unit per Milliliter	A unit of measurement of viable bacterial organisms in a unit volume of substance of interest defined as the number of colony forming units in one milliliter of substance.(NCI)	Colony Forming Unit per Milliliter
C64554	cg	Centigram	A unit of mass equal to one hundredth of a gram.(NCI)	Centigram
C64693	cGy	Centigray	The metric unit of absorbed radiation dose equal to the absorption of one hundredth of joule of radiation energy per kilogram of matter.	Centigray
C48466	Ci	Curie	A unit of radioactivity defined as 3.7 E10 atomic disintegrations or other nuclear transformations per second. One Curie is equal to 37 gigabecquerels.(NCI)	Curie
C70528	Ci/g	Curie per Gram;Microcurie per Microgram;Millicurie per Milligram;mCi/mg;uCi/ug	A unit of specific radioactivity (massic activity) equal to activity of one Curie of the sample with total mass of one gram.(NCI)	Curie per Gram

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C70529	Ci/kg	Curie per Kilogram;Microcurie per Milligram;Millicurie per Gram;mCi/g;uCi/mg	A unit of specific radioactivity (massic activity) equal to activity of one Curie of the sample with total mass of one kilogram.(NCI)	Curie per Kilogram
C71170	Ci/L	Curie per Liter;Microcurie per Microliter;uCi/uL	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Curie per unit volume equal to one liter.(NCI)	Curie per Liter
C70531	Ci/mg	Curie per Milligram;Millicurie per Microgram;mCi/ug	A unit of specific radioactivity (massic activity) equal to activity of one Curie of the sample with total mass of one milligram.(NCI)	Curie per Milligram
C71172	Ci/mL	Curie per Milliliter	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Curie per unit volume equal to one milliliter.(NCI)	Curie per Milliliter
C70530	Ci/ug	Ci/mcg;Curie per Microgram	A unit of specific radioactivity (massic activity) equal to activity of one Curie of the sample with total mass of one microgram.(NCI)	Curie per Microgram
C71171	Ci/uL	Ci/mL;Curie per Microliter	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one Curie per unit volume equal to one millionth of a liter.(NCI)	Curie per Microliter
C116244	CIGAR	Cigar Dosing Unit	A dosing measurement based on the cigar unit.	Cigar Dosing Unit
C116245	CIGARETTE	Cigarette Dosing Unit	A dosing measurement based on the cigarette unit.	Cigarette Dosing Unit
C69087	cL	Centiliter	The unit of volume equal to one hundredth of a liter or 10 milliliters or 10 cubic centimeters or 0.6102 cubic inch.	Centiliter
C49668	cm	Centimeter	A basic unit of length equal to one hundredth of a meter or approximately 0.393700787 inch.	Centimeter
C91060	cm H2O		A unit of pressure defined by a column of water with a height of one centimeter, frequently used to measure central venous pressure, intracranial pressure, and for pressures during mechanical ventilation.	Centimeters of Water
C105481	cm/min	Centimeters per Minute	A unit of both speed (scalar) and velocity (vector), defined as the distance of one centimeter travelled per unit time equal to one minute. (NCI)	Centimeter Per Minute
C102406	cm/s	cm/sec	A unit of both speed (scalar) and velocity (vector), defined as the distance of one centimeter travelled per unit time equal to one second. (NCI)	Centimeter per Second
C48460	cm2	Square Centimeter	A unit of area measurement equal to a square measuring one centimeter on each side. One square centimeter is equal to 1E-4 square meter. (NCI)	Square Centimeter
C135518	cmH2O*s/mL		A unit of pressure defined as centimeters of water times seconds per unit of volume equal to one milliliter.	Centimeter of Water Times Second per Milliliter
C135519	cmH2O*s2/mL		A unit of pressure defined as centimeters of water times seconds squared per unit of volume equal to one milliliter.	Centimeter of Water Times Second Squared per Milliliter



C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C135520	cmH2O/mL		A unit of pressure defined as centimeters of water per unit of volume equal to one milliliter.	Centimeter of Water per Milliliter
C147129	cmHg	Centimeter of Mercury	A unit of pressure equal to 0.001316 atmosphere and equal to the pressure indicated by one centimeter rise of mercury in a barometer at the Earth's surface.	Centimeters of Mercury
C68687	cmol	Centimole	A unit of amount of substance equal to one hundredth of a mole (1E-2 mole). (NCI)	Centimole
C68886	cmol/L	Millimoles per Deciliter;mmol/dL	A unit of concentration (molarity unit) equal to one centimole of solute in one liter of solution. (NCI)	Centimole per Liter
C48483	COAT	Coat Dosing Unit	A dosing measurement based on the coat unit.(NCI)	Coat Dosing Unit
C48484	CONTAINER	Container Dosing Unit	A dosing measurement based on the container unit.(NCI)	Container Dosing Unit
C100900	copies/mL		A unit of concentration expressed as a number of copies per unit volume equal to one milliliter.	Copies per Milliliter
C126079	copies/ug		A unit of concentration expressed as a number of copies per unit volume equal to one microgram.	Copies per Microgram
C116237	copies/uL		A unit of concentration expressed as a number of copies per unit volume equal to one microliter.	Copies per Microliter
C42550	Coulomb	Coulomb	A unit of quantity of electricity, equal to the quantity of charge transferred in one second across a conductor in which there is a constant current of one Ampere.(NCI)	Coulomb
C73688	cpm	Counts per Minute	A unit of frequency expressed as the detection rate of ionization events per minute.	Count per Minute
C105482	cs	10^-2 sec;Centisecond;csec	A unit of time equal to one hundredth of a second (1E-2 seconds). (NCI)	Centisecond
C54703	CUP	Cup Dosing Unit	A dosing measurement based on the cup unit.(NCI)	Cup Dosing Unit
C114242	cy/cm	Grating Cycles per Centimeter;cpcm	A unit of measure for the number of repeating vertical or horizontal bars per unit of length equal to one centimeter on a visual acuity testing card.	Grating Cycles per Centimeter
C71176	cycle/min	Cycle per Minute	A unit of frequency equal to the frequency at which one complete execution of a periodically repeated phenomenon, alternation, event, or sequence of events occurs per unit of time equal to one minute.(NCI)	Cycle per Minute
C71480	cycle/sec	Cycle per Second	A unit of frequency equal to the frequency at which one complete execution of a periodically repeated phenomenon, alternation, event, or sequence of events occurs per unit of time equal to one second.(NCI)	Cycle per Second
C48489	CYLINDER	Cylinder Dosing Unit	A dosing measurement based on the cylinder unit.(NCI)	Cylinder Dosing Unit
C70501	DAGU	D Antigen Unit	A unit of potency of poliovirus vaccine used for poliomyelitis prevention. The unit is poliovirus type-specific.(NCI)	D Antigen Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C70502	DAGU/mL	D Antigen Unit per Milliliter	A unit of potency of poliovirus vaccine expressed as a number of D antigen units per one milliliter of vaccine formulation.(NCI)	D Antigen Unit per Milliliter
C105483	damol/L	Decamole per Liter;Moles per Deciliter;mol/dL	A unit of concentration (molarity unit) equal to one decamole of solute in one liter of solution. (NCI)	Decamole Per Liter
C25301	DAYS		A unit of measurement of time equal to 24 hours.	Day
C102407	dB	Decibel	A unit of measure representing the intensity of an electrical signal or sound which is equal to ten times the logarithm of the ratio of two signals.	Decibel
C68667	deg	Degree Unit of Plane Angle	A unit of plane angle measurement equal to the length of the arc cut out by the angle, divided by the circumference of the circle, and multiplied by 360. The symbol for degrees is a small superscript circle. One radian is about 57 degrees and one degree is pi/180 radians.(NCI)	Degree Unit of Plane Angle
C100899	DIOPTER	Diopter	A unit of measurement of the optical power of a curved mirror or lens represented by the inverse of the focal length in meters.	Diopter
C48490	DISK	Disk Dosing Unit	A dosing measurement based on the disk unit.(NCI)	Disk Dosing Unit
C64697	dL	Deciliter	The unit of volume equal to one tenth of a liter. Accepted for use with the SI. (NCI)	Deciliter
C68685	dmol	Decimole	A unit of amount of substance equal to one tenth of a mole (1E-1 mole). (NCI)	Decimole
C98719	DNA copies/mL	DNA Copies per Milliliter	The unit of concentration of deoxyribonucleic acid (DNA) copies expressed as a number of copies in unit volume equal to one milliliter.	DNA Copies per Milliliter
C73710	DPM	Disintegrations per Minute	A unit of radioactive decay expressed in atoms of radioactive material that decay over a period of time equal to sixty seconds. (NCI)	Disintegration per Minute
C120846	dpm/0.5 mL	Disintegrations per Minute per 0.5 Milliliter	A unit of radioactive decay expressed in atoms of radioactive material that decay over a period of time equal to sixty seconds in a volume unit equal to a half milliliter.	Disintegrations per Minute per 0.5 Milliliter
C117968	dpm/100mg	Disintegrations per Minute per 100 milligrams;dpm/cg	A unit of radioactive decay expressed in atoms of radioactive material that decay over a period of time equal to sixty seconds in a mass unit equal to one hundred milligrams.	Disintegration per Minute per 100 milligrams
C117969	dpm/mg	Disintegrations per Minute per Milligram	A unit of radioactive decay expressed in atoms of radioactive material that decay over a period of time equal to sixty seconds in a mass unit equal to one milligram.	Disintegration per Minute per Milligram
C117970	dpm/mL	Disintegrations per Minute per Milliliter	A unit of radioactive decay expressed in atoms of radioactive material that decay over a period of time equal to sixty seconds in a volume unit equal to one milliliter.	Disintegration per Minute per Milliliter
C64564	dram	Dram	A unit of mass equal to 1/16 Avoirdupois ounce or 1/256 Avoirdupois pound. One dram equals approximately 1.7718451953125 grams.(NCI)	Dram Mass Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C69441	DROP	Drip	A unit of measure of volume defined as the amount of liquid dispensed as one drop from a dropper dispenser. The volume of a drop depends on the physical properties of the liquid dispensed, the dispenser device, and the technique used to produce the drop. (NCI)	Drop
C48492	DRUM	Drum Dosing Unit	A dosing measurement based on the drum unit.(NCI)	Drum Dosing Unit
C70470	dyn	Dyne	A unit of force defined as the force that accelerates a mass of one gram at the rate of one centimeter per second squared. One dyne is equal to 1E-5 Newton and 2.248E-6 pounds of force. (NCI)	Dyne
C122205	EIA unit	EIA value;Enzyme Immunoassay Unit	A unit for measuring concentration or/and reactivity of a test substance (an antigen or antibody of interest) as defined in the literature reference standard for the particular quantitative enzyme immunoassay method.	Enzyme Immunoassay Unit
C70533	EID 50/dose	50 Percent Embryo Infective Dose per Dose	A potency unit for measuring infectious activity of a biologic product or an infectious agent preparation equal to the potency at which one dose of infectious material contains one 50 percent embryo infective dose.(NCI)	50 Percent Embryo Infective Dose per Dose
C120847	EID 50/mL	50 Percent Embryo Infective Dose per Milliliter	A potency unit equal to the potency at which one milliliter of preparation contains one 50 percent embryo infective dose.	50 Percent Embryo Infective Dose per Milliliter
C130046	Ejaculate U		A unit of volume equal to the amount of seminal fluid produced by a single ejaculation event.	Ejaculate Unit
C68875	ELISA unit	Enzyme-Linked Immunosorbent Assay Unit	A unit for measuring concentration or/and reactivity of a test substance (an antigen or antibody of interest) as defined in the literature reference standard for the particular quantitative enzyme-linked immunosorbent assay method. The enzyme-linked immunosorbent assay unit is used to express potency of immunologically active substances and products, e.g. vaccines.(NCI)	Enzyme-Linked Immunosorbent Assay Unit
C68876	ELISA unit/dose	Enzyme-Linked Immunosorbent Assay Unit per Dose	A unit for measuring potency of immunologically active substance in a product determined as reactivity in a quantitative immunoassay for particular antigen or antibody and expressed per quantity of preparation used as a single dose.(NCI)	Enzyme-Linked Immunosorbent Assay Unit per Dose
C68877	ELISA unit/mL	Enzyme-Linked Immunosorbent Assay Unit per Milliliter	A unit for measuring potency of immunologically active substance in a product determined as reactivity in a quantitative immunoassay for particular antigen or antibody and expressed per unit volume equal to one milliliter.(NCI)	Enzyme-Linked Immunosorbent Assay Unit per Milliliter
C64778	Enzyme U	Enzyme Unit	A unit of catalytic activity measurement defined as the quantity of a particular enzyme that catalyzes the transformation of one micromole of the substrate per minute under standard conditions for specified assay system.	Enzyme Unit
C147130	Enzyme U/L	Enzyme Unit/L	Unit of catalytic activity concentration defined as activity equal to one enzyme unit per one liter of system volume.	Enzyme Unit per Liter

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67273	eq	Equivalent Weight	A unit of relative amount of a substance that combines with or displaces 8.0 grams of oxygen or 1.008 gram of hydrogen. The unit is usually expressed in grams and is equal to the amount of substance that gains or loses one mole of electrons in a redox reaction, or to the amount of substances that releases or accepts one mole of hydrogen ions in a neutralization reaction; or to the amount of electrolyte that carries one mole of positive or negative charge. This is a large unit and measurements are more often done in its derivatives, e.g. in milliequivalents.(NCI)	Equivalent Weight
C96599	EU	EU/dL;Ehrlich Units	A unit of measure equal to one milligram of urobilinogen per deciliter.	Ehrlich Unit
C44277	F	Degree Fahrenheit	The Fahrenheit temperature scale is named after the German physicist Gabriel Fahrenheit (1686-1736), who proposed it in 1724. In this scale, the freezing point of water is 32 degrees Fahrenheit and the boiling point is 212 degrees, placing the boiling and melting points of water 180 degrees apart. In this scale a degree Fahrenheit is 5/9ths of a Kelvin (or of a degree Celsius), and minus 40 degrees Fahrenheit is equal to minus 40 degrees Celsius. (NCI)	Degree Fahrenheit
C42552	Farad	Farad	A unit of capacitance equal to the capacitance of a capacitor having an equal and opposite charge of one coulomb on each plate and a potential difference of one volt between the plates.(NCI)	Farad
C96649	FEU	Fibrinogen Equivalent Units	A unit of measure for the concentration of fibrin degradation products in a sample, calculated based upon the mass of fibrinogen contained within that sample.	Fibrinogen Equivalent Unit
C64552	fg	Femtogram	A unit of mass equal to one quadrillionth of a gram (1E-15 gram). (NCI)	Femtogram
C71321	FINGERTIP UNIT	Fingertip Dosing Unit	An arbitrary dosing unit used predominantly for semisolid topical formulations such as cream, ointment, paste, etc. One fingertip unit is the amount of a product that is squeezed out from a standard tube with 5-millimeter diameter nozzle along an adult's fingertip. A fingertip length is defined from the tip of the index finger to the first finger crease. A fingertip dosing unit varies with age and size of the body. The average fingertip unit is equal to approximately 0.5 gram for an adult male and 0.4 gram for an adult female.(NCI)	Fingertip Dosing Unit
C64780	fL	Cubic Micrometer;Cubic Micron;Femtoliter;um3	The unit of volume equal 1E-15 liter.	Femtoliter
C68854	fmol	Femtomole	A unit of amount of substance equal to one quadrillionth of a mole (1E-15 mole). (NCI)	Femtomole
C73711	fmol/g	Femtomole per Gram	A molality unit that describes the amount of substance, expressed in femtomole(s) per gram. (NCI)	Femtomole per Gram
C68887	fmol/L	Femtomole per Liter	A unit of concentration (molarity unit) equal to one quadrillionth of a mole (1E-15 mole) of solute in one liter of solution. (NCI)	Femtomole per Liter

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C122206	fmol/L/sec	Femtomoles per Liter per Second	A concentration unit equal to one femtomole of solute in one liter of solution per unit of time equal to one second. (NCI)	Femtomole per Liter per Second
C48577	foz_br	Fluid Ounce Imperial	A traditional unit of liquid volume equal in the British Imperial system to 1/20 pint, or 1.733871 cubic inches or 28.413063 milliliters.	Fluid Ounce British
C48494	foz_us	Fluid Ounce US	A traditional unit of liquid volume equal in the US customary system to 1/16 pint, or 1.804687 cubic inches or 29.573531 milliliters.	Fluid Ounce US
C105484	fraction of 1	Proportion of 1	A unit for expressing a percentage as a decimal whereby the total value is measured as a fraction of the numeric 1.	Fraction of 1
C106524	Frames/s	F/s;FPS;Frames per Second;Frames/sec	A unit of measure equal to the number of visual frames per unit of time equal to one second. (NCI)	Frames Per Second
C71253	ft	Foot	A unit of length defined by the U.S. National Bureau of Standards as 30.48 centimeters. It is equal to 0.3048 meter, 12 inches, or to approximately 0.999998 survey foot.(NCI)	International Foot
C48461	ft2	Square Foot	A unit of area equal to 144 square inches, 929.0304 square centimeters, or 9.290304E-2 square meters.(NCI)	Square Foot
C68859	ft3	Standard Cubic Foot	A unit used in physical chemistry to express the amount of substance of an ideal gas in one cubic foot at 60 degrees Fahrenheit and pressure of one atmosphere.(NCI)	Standard Cubic Foot
C48155	g	Gram	A unit of mass equal to one thousandth (1E-3) of a kilogram, the kilogram being the base unit of mass in the International System of Units (SI).	Gram
C73713	g/animal	Gram per Animal	A unit of measure expressed in gram(s) per animal.	Gram per Animal
C73714	g/animal/day	Gram per Animal per Day	A unit of measure expressed in gram(s) per animal per period of time equal to twenty-four hours.	Gram per Animal per Day
C73715	g/animal/wk	Gram per Animal per Week	A unit of measure expressed in gram(s) per animal per period of time equal to seven days.	Gram per Animal per Week
C73716	g/cage	Gram per Cage	A unit of measure expressed in gram(s) per cage.	Gram per Cage
C73717	g/cage/day	Gram per Cage per Day	A unit of measure expressed in gram(s) per cage per period of time equal to twenty-four hours.	Gram per Cage per Day
C73718	g/cage/wk	Gram per Cage per Week	A unit of measure expressed in gram(s) per cage per period of time equal to seven days.	Gram per Cage per Week
C71201	g/cm2	Gram per Square Centimeter	A unit of area density defined as a spread rate at which one gram of a substance is spread over the area of one square centimeter. The unit is also used as a dose calculation unit.(NCI)	Gram per Square Centimeter
C67372	g/day	g/24h	A unit of mass flow rate equal to one gram per day.	Gram per 24 Hours

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C64783	g/dL	Gram per Deciliter;g%	A unit of mass concentration defined as the concentration of one gram of a substance per unit volume of the mixture equal to one deciliter (100 milliliters). The concept also refers to the metric unit of mass density (volumic mass) defined as the density of substance which mass equal to one gram occupies the volume one deciliter.(NCI)	Gram per Deciliter
C70453	g/g	mg/mg	A unit of a mass fraction expressed as a number of grams of substance per gram of mixture.	Gram per Gram
C73720	g/g/day	Gram per Gram per Day	A unit of measure expressed in gram(s) per gram per period of time equal to twenty-four hours.	Gram per Gram per Day
C69104	g/kg	Gram per Kilogram;Milligram per Gram;mg/g;ug/mg	A unit of a mass fraction expressed as a number of grams of substance per kilogram of mixture. The unit is also used as a dose calculation unit.(NCI)	Gram per Kilogram
C66975	g/kg/day	Gram per Kilogram per Day;Milligram per Gram per Day;mg/g/day	A dose administration rate unit equal to the rate at which one gram of a product per kilogram of body mass is delivered or administered over the period of one day. (NCI)	Gram per Kilogram per Day
C42576	g/L	Gram per Liter;Kilogram per Cubic Meter;Microgram per Microliter;Milligram per Milliliter;g/L;kg/m <sup>3</sup> ;mg/mL;ug/uL	A unit of concentration or mass density equal to one milligram of substance per milliliter of solution or one gram of substance per liter of solution.	Kilogram per Cubic Meter
C67282	g/m <sup>2</sup>	Gram per Square Meter	A unit of area density defined as a spread rate at which one gram of a substance is spread over the area of one square meter. It is equal to approximately 0.029 4935 ounce per square yard. Also used as a dose calculation unit.(NCI)	Gram per Square Meter
C73722	g/m <sup>2</sup> /day	Gram per Square Meter per Day	A dose calculation unit expressed in gram(s) per square meter per period of time equal to twenty-four hours.	Gram per Square Meter per Day
C73721	g/mol	mg/mmol	A unit of mass commonly used to express the molar mass of a substance in gram(s) per mole. (NCI)	Gram per Mole
C68915	Gauss	Gauss	The unit of magnetic flux density. A field of one Gauss exerts a force on a conductor, placed in the field of 0.1 dyne per Ampere of current per centimeter of conductor. One Gauss represents a magnetic flux of one Maxwell per square centimeter of cross-section perpendicular to the field. One Gauss equals 10 <sup>-4</sup> Tesla.(NCI)	Gauss
C70513	GBq	Gigabecquerel	A unit of radioactivity equal to one billion nuclear disintegrations or other nuclear transformations per second, or to 1E9 Becquerels. (NCI)	Gigabecquerel
C70525	GBq/g	Gigabecquerel per Gram;Kilobecquerel per Microgram;kBq/ug	A unit of specific radioactivity (massic activity) equal to activity of one gigabecquerel of the sample with total mass of one gram.(NCI)	Gigabecquerel per Gram
C70527	GBq/mg	Gigabecquerel per Milligram;MBq/mcg;MBq/ug;Megabecquerel per Microgram	A unit of specific radioactivity (massic activity) equal to activity of one gigabecquerel of the sample with total mass of one milligram.(NCI)	Gigabecquerel per Milligram
C70526	GBq/ug	GBq/mcg;Gigabecquerel per Microgram;MBq/ng;Megabecquerel per nanogram	A unit of specific radioactivity (massic activity) equal to activity of one gigabecquerel of the sample with total mass of one microgram.(NCI)	Gigabecquerel per Microgram

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C91803	GLOBULE		A dosing measurement based on the globule unit.	Globule Unit
C130190	gpELISA unit/mL		A unit for measuring potency of immunologically active substance in a product determined as reactivity in a glycoprotein enzyme-linked immunosorbent assay for particular antigen or antibody and expressed per unit volume equal to one milliliter.	Glycoprotein-ELISA Unit Per Milliliter
C67347	GPL U	Immunoglobulin G Phospholipid Units;[GPL'U]	A unit for semiquantitative measurement of IgG autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard. (NCI)	IgG Phospholipid Unit
C117971	GPL U/mL	Immunoglobulin G Phospholipid Units per Milliliter	A unit for semiquantitative measurement of IgG autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard, per unit of volume equal to one milliliter.	Immunoglobulin G Phospholipid Unit per Milliliter
C48497	grain	Grain	A unit of mass derived from the weight of a grain and equal to one seven-thousandth of a pound, or 1/480 troy ounce, or 64.79891 milligrams. The original English grain unit based on the mass of a ripe grain barleycorn was larger the corresponding grain units of France and other European nations which were based on the weight of the smaller wheat grain.(NCI)	Grain
C73772	Gravitational Unit		A unit of acceleration expressed as a multiple of the force of gravity on earth (1 gravitational unit = 9.81m/s <sup>2</sup> ).	Unit of Gravity
C48491	gtt	Metric Drop	A unit of volume equal to 0.05 milliliter (20 drops/ml).(NCI)	Metric Drop
C18063	Gy	Gray	A unit of absorbed radiation dose. One gray is equal to an absorbed dose of one joule per kilogram of matter, or to 100 rads.(NCI)	Gray
C139131	h*%		A unit of measure for the area under an effect curve (AUEC) defined as hours times percent.	Hour Times Percent
C42558	Henry	Henry	A unit of electric inductance. A coil with an inductance of one Henry requires a flux of one Weber for each Ampere of induced current. If it is the current which changes, then the induced field will generate a potential difference within the coil: if the inductance is one Henry a current change of one Ampere per second generates a potential difference of one volt. The Henry is a large unit; inductances in practical circuits are measured in millihenrys or microhenrys.(NCI)	Henry
C116232	HEP	Histamine Equivalent Prick Unit	Unit of measure of potency of allergenic product expressed as a number of histamine equivalent prick units.	Histamine Equivalent Prick Unit
C48498	HOMEOPATHIC DILUTION	Homeopathic Dilution Unit	A dosing measurement based on the homeopathic dilution unit.(NCI)	Homeopathic Dilution Unit
C94908	Hounsfield Unit	HU	The unit of measure for the radiodensity of a substance. The radiodensity of distilled water at standard temperature and pressure is zero on the Hounsfield scale.	Hounsfield Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25529	HOURS	Hours;h;hr	A unit of measurement of time equal to 60 minutes.	Hour
C105487	hPa	Hectopascal	A SI derived unit of pressure equivalent to one hundred pascals, 1 millibar or 0.0145 pounds per square inch.	Hectopascal
C42545	Hz	Hertz	A unit of frequency equal to one cycle per second.(NCI)	Hertz
C48499	IMPLANT	Implant Dosing Unit	A dosing measurement based on the implant unit.(NCI)	Implant Dosing Unit
C48500	in	Inch	A traditional unit of length equal to 2.54 centimeters. (NCI)	Inch
C68871	in2	Square Inch	A unit of area equal to the area of a square with sides of one inch. It is equal to 6.4516 square centimeters.(NCI)	Square Inch
C48501	INHALATION	Inhalation Dosing Unit	A dosing measurement based on the inhalation unit.(NCI)	Inhalation Dosing Unit
C48579	IU	IE;International Unit	The unitage assigned by the WHO (World Health Organization) to International Biological Standards - substances, classed as biological according to the criteria provided by WHO Expert Committee on Biological Standardization, to enable the results of biological and immunological assay procedures to be expressed in the same way throughout the world. The definition of an international unit is generally arbitrary and technical, and has to be officially approved by the International Conference for Unification of Formulae.(NCI)	International Unit
C85645	IU/day		A unit of substance (biologic activity) flow rate equal to one international unit per day.	International Unit per Day
C120848	IU/dL		Unit of arbitrary substance concentration (biologic activity concentration) defined as the concentration of one international unit per one deciliter of system volume.	International Unit per Deciliter
C70493	IU/g	International Unit per Gram	A unit of measure of quantity of substance per unit mass, expressed in terms of the International Unit per grams.(NCI)	International Unit per Gram
C122207	IU/g Hb		A unit of concentration (biologic activity) equal to one international unit of substance per gram of hemoglobin.	International Unit per Gram Hemoglobin
C67379	IU/kg	International Unit per Kilogram	An arbitrary unit of substance content expressed in international units of biological activity per one kilogram of mass of the system. It is also used as a dose calculation unit expressed in international units of biological activity per one kilogram of body mass.(NCI)	International Unit per Kilogram
C71209	IU/kg/h	International units per Kilogram per Hour	A dose calculation unit equal to one international unit (an arbitrary unit of biological activity) of a product per one kilogram of body mass administered per unit of time equal to one hour.(NCI)	International Unit per Kilogram per Hour
C67376	IU/L	IE/L;IU/L;International Unit per Liter;mIU/mL	A unit of concentration (biologic activity) equal to one milli-international unit of substance per milliliter of solution or one international unit of substance per liter of solution.	International Unit per Liter



C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67380	IU/mg	International Unit per Milligram	A unit of measure of quantity of substance per unit mass, expressed in terms of international units per milligram.	International Unit per Milligram
C67377	IU/mL	IE/mL;International Unit per Milliliter;Kilo International Unit per Liter;kIU/L	A unit of concentration (biologic activity) equal to one international unit of substance per milliliter of solution.	International Unit per Milliliter
C122208	IU/mmol		A unit of concentration (biologic activity) equal to one international unit of substance per millimole of substance.	International Unit per Millimole
C48502	JAR	Jar Dosing Unit	A dosing measurement based on the jar unit.(NCI)	Jar Dosing Unit
C42548	Joule	Joule	A unit of electrical, mechanical, and thermal energy (as well as work and quantity of heat), equal to the work done when the point of application of a force of one Newton is displaced through a distance of one meter in the direction of the force or the work done when a current of one Ampere passes through a resistance of one ohm for one second. One joule is equal to 0.23889 gram-calorie (mean).(NCI)	Joule
C42537	K	Kelvin	A basic unit of thermodynamic temperature, one of the seven base units of the International System of Units (Système International d'Unités, SI). It is 1/273.16th of the thermodynamic temperature of the triple point of water, This sets the size of the kelvin unit for temperature differences and defines the thermodynamic temperature of an equilibrium mixture of waters ice-liquid-vapor as 273.16 K, where 0 K is the lowest possible temperature ("absolute zero").	Kelvin
C122209	ka_u/dL		A unit of phosphatase concentration that can free one milligram of phenol from disodium phenylphosphate at standard conditions, per unit volume of the mixture equal to one deciliter. (NCI)	King-Armstrong Unit per Deciliter
C48503	KALLIKREIN INHIBITOR UNIT	Kallikrein Inhibitor Unit	A dosing measurement based on the Kallikrein inhibitor unit.(NCI)	Kallikrein Inhibitor Unit
C42566	kat	Katal	A unit for measuring catalytic (e.g. enzymatic) activity, the ability of the compound to accelerate the chemical reaction by providing a lower energy pathway between the reactants and the products. One katal is that catalytic activity which will raise the rate of reaction by one mole per second in a specified assay system. When the katal is used, the measurand should be specified by reference to the measurement procedure; the measurement procedure must identify the indicator reaction. The katal is not used to express a rate of reaction itself, which should be expressed in moles per second.(NCI)	Katal
C70511	kBq	Kilobecquerel	A unit of radioactivity equal to one thousand nuclear disintegrations or other nuclear transformations per second, or to 1E3 Becquerels. (NCI)	Kilobecquerel
C71168	kBq/uL	GBq/L;Gigabecquerel per Liter;Kilobecquerel per Microliter;MBq/mL;Megabecquerel per Milliliter	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one thousand Becquerels per unit volume equal to one millionth of a liter.(NCI)	Kilobecquerel per Microliter

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67194	kcal	Kilogram-Calorie	A unit of energy defined as the amount of heat required to raise the temperature of one kilogram of pure water by one degree Centigrade under standard conditions (the specific heat of the water at 15 degrees Celsius and the constant pressure of 101.325 kilopascals or one atm being defined as unity), equal to approximately 4.1855 kJ. It is also used by nutritionists in measuring the energy-producing potential of food as a unit of potential energy contained by a substance, which can be liberated when the material is oxidized, usually by combustion in the presence of oxygen.(NCI)	Calorie
C139135	kcal/day		A unit of energy equal to one kilocalorie per day. (NCI)	Kilocalorie per Day
C105491	kDa	Kilodalton;Kilounified Atomic Mass Unit;ku	A mass unit equal to one thousand daltons.	Kilodalton
C28252	kg	Kilogram	The base unit of mass in the International System of Units (SI) equal to the mass of the international prototype kilogram, a platinum-iridium cylinder in the custody of the International Bureau of Weights and Measures.	Kilogram
C120849	kg/cm		A unit of measure equal to kilograms per length unit equal to one centimeter.	Kilogram per Centimeter
C69094	kg/cm2	Kilogram per Square Centimeter	A unit of spread rate of a substance by mass expressed in kilograms per area unit equal to one square centimeter, used also as a measure of area density and as a dose calculation unit.(NCI)	Kilogram per Square Centimeter
C64566	kg/L	Gram per Milliliter;Kilogram per Liter;g/mL;gram/mL;kg/L;mg/uL	A unit of concentration or mass density equal to one gram of substance per milliliter of solution or one kilogram of substance per liter of solution.	Kilogram per Liter
C49671	kg/m2	Kilogram per Square Meter	A unit expressed as kilogram of mass per square meter of area.(NCI)	Kilogram per Square Meter
C122210	kg/mol	g/mmol	A unit of mass commonly used to express the molar mass of a substance in kilogram(s) per mole.	Kilogram per Mole
C67279	kHz	kilohertz	A unit of measure denoting the frequency equal to 1000 cycles per second meaning e.g. that the cyclical waveform changes from one state to the other (from one polarity to the other) 1000 times per second. (NCI)	Kilohertz
C48504	KIT	Kit Dosing Unit	A dosing measurement based on the kit unit.(NCI)	Kit Dosing Unit
C70492	kIU	Kilo International Unit	A unit equal to one thousand international units.(NCI)	Kilointernational Unit
C71177	km	Kilometer	A unit of distance equal to 1000 meters, 0.621 miles, 1094 yards, or 3281 feet.(NCI)	Kilometer
C71203	km/h	Kilometer Per Hour	A unit of both speed (scalar) and velocity (vector), defined as the distance of one thousand meters travelled per unit time equal to one hour.(NCI)	Kilometer per Hour

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C92615	kN/cm2	Kilonewton per Centimeter Squared;kdyn/cm2	The kilonewton per centimeter squared is an SI derived unit of pressure; one newton is computed as the force necessary to accelerate a mass of one gram at the rate of one centimeter per second squared. One kilonewton per centimeter squared is descriptive of the amount of force exerted in a particular area. This measurement is frequently used when describing conditions of cellular movement. (NCI)	Kilonewton per Centimeter Squared
C67284	kPa	Kilopascal	A SI derived unit of pressure equivalent to 1000 newtons per square meter or 10000 bars or to 0.145 pound per square inch. (NCI)	Kilopascal
C105492	kPa/L/sec	Pa/mL/sec	A unit of resistance equal to the number of kilopascals per unit of volume equal to one liter per unit of time equal to one second. (NCI)	Kilopascal Per Liter Per Second
C105493	ks	10^3 sec;Kilosecond;ksec	A unit of time equal to one thousand seconds (1E3 seconds). (NCI)	Kilosecond
C71202	kUSP	Kilo United States Pharmacopeia Unit	A unit of potency equal to one thousand US Pharmacopoeia Units.(NCI)	Kilo United States Pharmacopeia Unit
C48505	L	Liter	A unit of volume equal to one thousandth (1E-3) of a cubic meter, the cubic meter being the standard derived unit of volume in the International System of Units (SI).	Liter
C69110	L/day		A unit of flow rate equal to one liter per day.	Liter per Day
C69160	L/h		A unit of flow rate equal to one liter per hour.	Liter per Hour
C105494	L/h/m2	(L/h)/m2;L/h/m2	Liters per hour (flow rate), divided by meters squared (surface area).	Liter Per Hour Per Square Meter
C73725	L/kg	L/kg;mL/g	Liters (volume) divided by kilograms (weight) or milliliters (volume), divided by grams (weight).	Liter per Kilogram
C105495	L/L	Liter per Liter;dL/dL;mL/mL;uL/uL	A unit of volume concentration equal to the number of liters per unit of volume equal to one liter.	Liter Per Liter
C67388	L/min		A unit of flow rate equal to one liter per minute.	Liter per Minute
C105496	L/min/m2	(L/min)/m2;L/min/m2	Liters per minute (flow rate), divided by meters squared (surface area).	Liter Per Minute Per Square Meter
C67390	L/s	L/sec	Liters per second.	Liter per Second
C139133	L/s/kPa		A unit of conductance equal to the number of liters per unit of time equal to one second per unit of pressure equal to one kilopascal.	Liter per Second per Kilopascal
C48531	LB	Pound	A traditional unit of mass. By international agreement, one avoirdupois pound is equal to exactly 0.453 592 37 kilogram, 16 ounces, or 1.215 28 troy pounds. (NCI)	Pound
C139134	Linear ft*LB	Linear Foot-pound;Linear Pounds Feet;Linear ft*lbf	A unit of measure that equals the work required to move one pound a linear distance of one foot in the direction of the applied force.	Linear Foot Pound
C42560	lm	Lumen	A unit of luminous flux. It is the amount of light that falls on a unit area at unit distance from a source of one candela.(NCI)	Lumen

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C70480	log EID 50/dose	Log10 50 Percent Embryo Infective Dose per Dose	A logarithmic-scale (base 10) potency unit for measuring infectious activity of a biologic product or infectious agent preparation equal to the potency at which one dose of infectious material contains one 50 percent embryo infective dose.(NCI)	Log10 50 Percent Embryo Infective Dose per Dose
C70485	log10 CCID 50/dose	Log10 50 Percent Cell Culture Infective Dose per Dose	A logarithmic-scale (base 10) potency unit for measuring infectious activity of a biologic product or infectious agent preparation equal to the potency at which one dose of infectious material contains one 50 percent cell culture infective dose.(NCI)	Log10 50 Percent Cell Culture Infective Dose per Dose
C102658	log10 CFU/g		A logarithmic-scale (base 10) unit for measuring colony forming units per unit of mass equal to one gram.	Log10 Colony Forming Units per Gram
C102659	log10 CFU/mL		A logarithmic-scale (base 10) unit for measuring colony forming units per unit of volume equal to one milliliter.	Log10 Colony Forming Units per Milliliter
C117972	log10 copies/mL		A logarithmic-scale (base 10) unit for measuring copies per unit of volume equal to one milliliter.	Log10 Copies per Milliliter
C68878	Log10 ELISA unit	Log10 Enzyme-Linked Immunosorbent Assay Unit	A logarithmic-scale (base 10) unit for measuring concentration and/or reactivity of a test substance (an antigen or antibody of interest) as defined in the literature reference for the particular quantitative enzyme-linked immunosorbent assay method.(NCI)	Log10 Enzyme-Linked Immunosorbent Assay Unit
C68879	Log10 ELISA unit/dose	Log10 Enzyme-Linked Immunosorbent Assay Unit per Dose	A logarithmic-scale (base 10) unit for measuring potency of immunologically active substance in a product determined as reactivity in a quantitative immunoassay for particular antigen or antibody and expressed per quantity of preparation used as a single dose.(NCI)	Log10 Enzyme-Linked Immunosorbent Assay Unit per Dose
C116238	log10 IU/mL		A logarithmic-scale (base 10) unit for measuring international units per unit of volume equal to one milliliter.	Log10 International Units per Milliliter
C70489	log10 TCID 50/dose	Log10 50 Percent Tissue Culture Infective Dose per Dose	A logarithmic-scale (base 10) potency unit for measuring infectious activity of a biologic product or infectious agent preparation equal to the potency at which one dose of infectious material contains one 50 percent tissue culture infective dose.(NCI)	Log10 50 Percent Tissue Culture Infective Dose per Dose
C132478	log10 TCID 50/mL	Log10 50 Percent Tissue Culture Infective Dose per Milliliter	A logarithmic-scale (base 10) potency unit for measuring infectious activity of a biologic product or infectious agent preparation equal to the potency at which one milliliter of infectious material contains one 50 percent tissue culture infective dose.	Log10 50 Percent Tissue Culture Infective Dose per Milliliter
C132479	log10 TCID 50/ $\mu$ L	Log10 50 Percent Tissue Culture Infective Dose per Microliter	A logarithmic-scale (base 10) potency unit for measuring infectious activity of a biologic product or infectious agent preparation equal to the potency at which one microliter of infectious material contains one 50 percent tissue culture infective dose.	Log10 50 Percent Tissue Culture Infective Dose per Microliter
C48506	LOZENGE	Lozenge Dosing Unit	A dosing measurement based on the lozenge unit.(NCI)	Lozenge Dosing Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42561	lx	Lux	A unit of illuminance equal to the direct illumination on a surface that is everywhere one meter from a uniform point source of one candela; a unit of illuminance that is equal to one lumen per square meter.(NCI)	Lux
C41139	m	Meter	A meter is defined as the length of the path traveled by light in a vacuum during a time interval of 1/299 792 458 of a second and is equal to 1.093 61 yards.(NCI)	Meter
C42571	m/sec	Meter Per Second	A unit of both speed (scalar) and velocity (vector), defined as the distance of one meter travelled per unit time equal to one second.(NCI)	Meter per Second
C42572	m/sec2		A unit of acceleration equal to one meter per unit of time equal to one second squared.	Meter per Second Squared
C42569	m2	Square Meter	The standard derived unit of area in the International System of Units (SI) equal to the area of a square whose sides are one meter long.	Square Meter
C42570	m3	Cubic Meter	A unit of volume or capacity equal to the volume of a cube with edges one meter in length. It is equal to 1,000 liters; 1,000 cubic decimeters; 10(E6) cubic centimeters; 25.3 cubic feet; 6.29 barrels.(NCI)	Cubic Meter
C139130	MAC50	Minimum Alveolar Concentration 50%	A unit of potency for inhalational gases defined as the concentration of gas in the lung required to immobilize 50 percent of individuals in response to a stimulus, such as pain.	Minimum Alveolar Concentration 50 Percent
C122211	mAnson U/mL		A unit of enzymatic activity defined a one milli-Anson unit per unit volume equal to one milliliter.	Milli-Anson Unit per Milliliter
C70512	MBq	Megabecquerel	A unit of radioactivity equal to one million nuclear disintegrations or other nuclear transformations per second, or to 1E6 Becquerels. (NCI)	Megabecquerel
C71169	MBq/uL	GBq/mL;Gigabecquerel per Milliliter;Megabecquerel per Microliter	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one million Becquerels per unit volume equal to one millionth of a liter.(NCI)	Megabecquerel per Microliter
C48511	mCi	Millicurie	A unit of radioactivity equal to one thousandth of a Curie or 37 megabecquerels, and corresponding to a radioactivity of 37 millions of atomic disintegrations per second.(NCI)	Millicurie
C70570	mCi/kg	Microcurie per Gram;Millicurie per Kilogram;uCi/g	A unit of specific radioactivity (massic activity) equal to activity of one millicurie of the sample with total mass of one kilogram.(NCI)	Millicurie per Kilogram
C71174	mCi/L	Microcurie per Milliliter;Millicurie per Liter;uCi/mL	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one thousandth of a Curie per unit volume equal to one liter.(NCI)	Millicurie per Liter
C48512	mEq	Milliequivalent	A unit of relative amount of a substance equal to one thousandth of an equivalent weight.(NCI)	Milliequivalent

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67471	mEq/day	Milliequivalents per Day	A unit of relative amount of substance flow rate equivalent to the rate at which one thousandth of an equivalent of substance travels to a given object or space over a period of time equal to twenty four hours.(NCI)	Milliequivalent per 24 Hours
C67473	mEq/dL	Milliequivalent per Deciliter	A concentration unit measured as a number of milliequivalents of solute per deciliter of solution. (NCI)	Milliequivalent per Deciliter
C70580	mEq/g	Milliequivalent Per Gram	A unit of relative amount of substance content equivalent to the content at which one gram of mixture contains one thousandth of an equivalent of a component. The unit is also used as a dose calculation unit.(NCI)	Milliequivalent per Gram
C67475	mEq/kg	Milliequivalent Per Kilogram	A unit of relative amount of substance content equivalent to the content at which one kilogram of mixture contains one thousandth of an equivalent of a component. The unit is also used as a dose calculation unit.(NCI)	Milliequivalent per Kilogram
C67474	mEq/L	Milliequivalent Per Liter;Millivalent per Liter;mval/L	A concentration unit measured as a number of milliequivalents of solute per liter of solution.(NCI)	Milliequivalent per Liter
C73737	mEq/mL	Milliequivalent per Milliliter	A concentration unit expressed in milliequivalent(s) of solute per milliliter of solution. (NCI)	Milliequivalent per Milliliter
C92616	mEq/mmol	Milliequivalent per Millimole	A concentration unit measured as a number of one thousandth of an equivalent weight per millimole of substance. (NCI)	Milliequivalent per Millimole
C70581	mEq/ug	Milliequivalent Per Microgram;mEq/mcg	A unit of relative amount of substance content equivalent to the content at which one millionth of a gram of mixture contains one thousandth of an equivalent of a component. The unit is also used as a dose calculation unit.(NCI)	Milliequivalent per Microgram
C70578	mEq/uL	Milliequivalent Per Microliter	A concentration unit measured as a number of milliequivalents of solute per microliter of solution.(NCI)	Milliequivalent per Microliter
C96691	MESF	Molecules of Equivalent Soluble Fluorochromes	A unit of measure of the fluorescence intensity of a fluorochrome-labeled sample, which is equivalent to the fluorescence intensity of a solution containing an equivalent number of molecules of free fluorochrome in solution, under identical experimental conditions.	Molecule of Equivalent Soluble Fluorochrome
C127805	MET	Metabolic Equivalent of Task	A unit of energy expenditure equal to the ratio of metabolic rate during physical activity versus a reference metabolic rate.	Metabolic Equivalent of Task Unit
C127806	MET*h		A unit of energy expenditure equal to the number of metabolic equivalent of task units times the number of hours of performed activity.	Metabolic Equivalent of Task Hours
C127807	MET*min		A unit of energy expenditure equal to the number of metabolic equivalent of task units times the number of minutes of performed activity.	Metabolic Equivalent of Task Minute
C96687	MFI	Median Fluorescence Intensity	A unit of measure equal to the geometric mean fluorescence intensity of a log-normal distribution of fluorescence signals.	Median Fluorescence Intensity
C28253	mg	Milligram	A unit of mass equal to one thousandth (1E-3) of a gram.	Milligram

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C73738	mg/animal	Milligram per Animal	A unit of measure expressed in milligram(s) per animal.	Milligram per Animal
C124456	mg/cm2		A unit of area density defined as a spread rate at which one milligram of a substance is spread over the area of one square centimeter. The unit is also used as a dose calculation unit.	Milligram per Squared Centimeter
C67399	mg/day		A unit of mass flow rate equal to one milligram per day.	Milligram per 24 Hours
C67015	mg/dL	Milligram per Deciliter;mg%	A unit of mass concentration defined as the concentration of one milligram of a substance in unit volume of the mixture equal to one cubic deciliter or 100 cubic centimeters. It is also a unit of mass density (volumic mass) defined as the density of substance which mass equal to one milligram occupies the volume one cubic deciliter or 100 cubic centimeters.(NCI)	Milligram per Deciliter
C124457	mg/dose		A unit of measure expressed in milligram(s) per dose.	Milligram per Dose
C73740	mg/g/h	Milligram per Gram per Hour	A dose calculation unit expressed in milligram(s) per gram per period of time equal to sixty minutes. (NCI)	Milligram per Gram per Hour
C73741	mg/g/min	Milligram per Gram per Minute	A dose calculation unit expressed in milligram(s) per gram per period of time equal to sixty seconds. (NCI)	Milligram per Gram per Minute
C66969	mg/h		A unit of mass flow rate equal to one milligram per hour.	Milligram per Hour
C67401	mg/kg	Milligram per Kilogram;ug/g	A unit of a mass fraction expressed as a number of milligrams of substance per kilogram of mixture. The unit is also used as a dose calculation unit.(NCI)	Milligram per Kilogram
C66976	mg/kg/day	Milligram per Kilogram per Day	A dose calculation unit expressed in milligram(s) per kilogram per period of time equal to twenty-four hours. (NCI)	Milligram per Kilogram per Day
C124458	mg/kg/dose		A dose calculation unit expressed in milligram(s) per kilogram per single dose.	Milligram per Kilogram per Dose
C71362	mg/kg/h	Milligram per Kilogram per Hour	A dose calculation unit equal to one thousandth of a gram of a preparation per one kilogram of body mass administered per unit of time equal to one hour.(NCI)	Milligram per Kilogram per Hour
C71207	mg/kg/min	Milligram per Kilogram per Minute	A dose calculation unit equal to one thousandth of a gram of a preparation per one kilogram of body mass administered per unit of time equal to one minute.(NCI)	Milligram per Kilogram per Minute
C64572	mg/L	Gram per Cubic Meter;Microgram per Milliliter;Milligram per Liter;g/m3;mcg/mL;mg/L;ng/uL;ug/mL	A unit of concentration or mass density equal to one microgram of substance per milliliter of solution or one milligram of substance per liter of solution.	Microgram per Milliliter
C67402	mg/m2	Milligram per Square Meter	A unit of area density equal to approximately 2.94935E-5 ounce per square yard. Also used as a dose calculation unit.(NCI)	Milligram per Square Meter
C66974	mg/m2/day	Milligram per Square Meter per Day	A dose calculation unit expressed in milligram(s) per square meter per period of time equal to twenty-four hours. (NCI)	Milligram per Square Meter per Day
C73743	mg/m2/h	Milligram per Square Meter per Hour	A dose calculation unit expressed in milligram(s) per square meter per period of time equal to sixty minutes. (NCI)	Milligram per Square Meter per Hour

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C73744	mg/m <sup>2</sup> /min	Milligram per Square Meter per Minute	A dose calculation unit expressed in milligram(s) per square meter per period of time equal to sixty seconds. (NCI)	Milligram per Square Meter per Minute
C73742	mg/min		A unit of mass flow rate equal to one milligram per minute.	Milligram per Minute
C67403	mg/mL/min	Milligram per Milliliter per Minute	A unit expressed in milligrams per milliliter per period of time equal to sixty seconds.	Milligram per Milliliter per Minute
C120843	mg/mol	ug/mmol	A unit of mass commonly used to express the molar mass of a substance in milligram(s) per mole.	Milligram per Mole
C122212	mg <sup>2</sup> /dL <sup>2</sup>		A unit of mass concentration defined as one square milligram of a substance in unit volume of the mixture equal to one square deciliter.	Square Milligram per Square Deciliter
C67314	MHz	Megahertz	The SI derived unit of frequency; equal to one million oscillations per second or to 1E6 hertz. (NCI)	Megahertz
C71183	Mile	International Mile	A unit of distance equal to 5280 international feet, 1760 international yards, or 1609.344 meters.(NCI)	Mile
C48154	min	Minute	A unit of measurement of time equal to 60 seconds.	Minute
C67405	mIU/L	Micro-International Unit per milliliter;mIE/L;mIU/L;mcIU/mL;uIU/mL	A unit of concentration (biologic activity) equal to one micro-international unit of substance per milliliter of solution or one milli-international unit of substance per liter of solution.	Microinternational Unit per Milliliter
C116241	mJoule/cm <sup>2</sup>		A unit of radiant exposure defined as a unit of energy equal to one millijoule applied to a unit of area equal to one square centimeter.	Millijoules per Square Centimeter
C70507	mkat	Millikatal	A unit of catalytic activity measurement equal to one thousandth of one katal (1E-3 katal). (NCI)	Millikatal
C28254	mL	Milliliter;cm <sup>3</sup>	A unit of volume equal to one thousandth (1E-3) of a liter.	Milliliter
C135521	mL*cmH <sub>2</sub> O		A unit of volume defined as milliliters times centimeter of water.	Milliliter Times Centimeter of Water
C130191	mL/(min*100mL)		A unit of flow rate expressed as the number of milliliters, divided by the number of minutes times a unit of volume equal to 100 milliliters.	Milliliter Per Minute Times One Hundred Milliliters
C73746	mL/animal	Milliliter per Animal	A unit of measure expressed in milliliter(s) per animal.	Milliliter per Animal
C73747	mL/animal/day	Milliliter per Animal per Day	A unit of measure expressed in milliliter(s) per animal per period of time equal to twenty-four hours.	Milliliter per Animal per Day
C73748	mL/animal/wk	Milliliter per Animal per Week	A unit of measure expressed in milliliter(s) per animal per period of time equal to seven days.	Milliliter per Animal per Week
C127808	mL/beat		A unit of measure expressed in milliliter(s) per heart beat.	Milliliter per Heartbeat
C73749	mL/breath	Milliliter per Breath	A unit of measure expressed in milliliter(s) per inspiration or expiration of breath.	Milliliter per Breath
C73750	mL/cage	Milliliter per Cage	A unit of measure expressed in milliliter(s) per cage.	Milliliter per Cage



C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C73751	mL/cage/day	Milliliter per Cage per Day	A unit of measure expressed in milliliter(s) per cage per period of time equal to twenty-four hours.	Milliliter per Cage per Day
C73752	mL/cage/wk	Milliliter per Cage per Week	A unit of measure expressed in milliliter(s) per cage expressed per period of time equal to seven days.	Milliliter per Cage per Week
C105503	mL/cm	Milliliter per Centimeter;dL/m	A unit of measure equal to the number of milliliters per unit of length equal to one centimeter. (NCI)	Milliliter per Centimeter
C98755	mL/cm H2O		A unit of pressure expressed in milliliter(s) per centimeter of water. (NCI)	Milliliter per Centimeter of Water
C67410	mL/day		A unit of flow rate equal to one milliliter per day.	Milliliter per 24 Hours
C105504	mL/dL	Milliliters per Deciliter	A unit of volume concentration equal to the number of milliliters per unit of volume equal to one deciliter.	Milliliter per Deciliter
C124459	mL/dose		A unit of measure expressed in milliliter(s) per dose.	Milliliter per Dose
C73755	mL/g/day	(L/day)/kg;(mL/day)/g;mL/g/day	Milliliters per gram per day or liters per day (flow rate), divided by kilograms (weight) or milliliters per day (flow rate), divided by grams (weight).	Milliliter per Gram per Day
C73756	mL/g/h	(L/h)/kg;(mL/h)/g;mL/g/h	Milliliters per gram per hour or liters per hour (flow rate), divided by kilograms (weight) or milliliters per hour (flow rate), divided by grams (weight).	Milliliter per Gram per Hour
C73757	mL/g/min	(L/min)/kg;(mL/min)/g;mL/g/min	Milliliters per gram per minute or liters per minute (flow rate), divided by kilograms (weight) or milliliters per minute (flow rate), divided by grams (weight).	Milliliter per Gram per Minute
C66962	mL/h		A unit of flow rate equal to one milliliter per hour.	Milliliter per Hour
C67411	mL/kg		Milliliters (volume) divided by kilograms (weight).	Milliliter per Kilogram
C73758	mL/kg/day	(mL/day)/kg;mL/kg/day	Milliliters per kilogram per day or milliliters per day (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Day
C73759	mL/kg/h	(mL/h)/kg;mL/kg/h	Milliliters per kilogram per hour or milliliters per hour (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Hour
C73760	mL/kg/min	(mL/min)/kg;mL/kg/min	Milliliters per kilogram per minute or milliliters per minute (flow rate), divided by kilograms (weight).	Milliliter per Kilogram per Minute
C73761	mL/m2		Milliliters (volume) divided by meters squared (surface area).	Milliliter per Square Meter
C66977	mL/m2/day	Milliliter per Square Meter per Day	A dose calculation unit expressed in milliliter(s) per square meter per period of time equal to twenty-four hours. (NCI)	Milliliter per Square Meter per Day
C73762	mL/m2/h	Milliliter per Square Meter per Hour	A dose calculation unit expressed in milliliter(s) per square meter per period of time equal to sixty minutes. (NCI)	Milliliter per Square Meter per Hour
C73763	mL/m2/min	Milliliter per Square Meter per Minute	A dose calculation unit expressed in milliliter(s) per square meter per period of time equal to sixty seconds. (NCI)	Milliliter per Square Meter per Minute
C64777	mL/min		A unit of flow rate equal to one milliliter per minute.	Milliliter per Minute

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67412	mL/min/1.73m2		A metric unit of volumetric flow rate defined as the rate at which one milliliter of matter travels during the period of time equal to one minute per 1.73 meters squared of body surface area.	Milliliter per Minute per 1.73 m2 of Body Surface Area
C67417	mL/min/mmHg	Milliliter per Minute per Torr	A unit of measure equal to the number of milliliters per unit of time equal to one minute per unit of pressure equal to one milliliter of mercury (mmHg).	Milliliter per Minute per Millimeters of Mercury
C106542	mL/mmHg	Milliliters per Millimeter of Mercury	A unit equal to the volume in milliliters per one millimeter rise of mercury in a barometer at the Earth's surface. (NCI)	Milliliters Per Millimeter of Mercury
C67418	mL/mmHg/min/L		A unit of gas diffusion capacity equal to one milliliter per millimeter of mercury per minute per liter of volume.	Milliliter per Minute per Millimeters of Mercury per Liter
C69073	mL/s	mL/sec	Milliliters per second.	Milliliter per Second
C105505	mL/sec/1.73m2		A metric unit of volumetric flow rate defined as the rate at which one milliliter of matter travels during the period of time equal to one second per 1.73 meters squared of body surface area.	Milliliter Per Second Per 1.73 Meter Squared
C28251	mm	Millimeter	A unit of measure equal to one thousandth of a meter. (NCI)	Millimeter
C105509	mm/2h	Millimeters per Two Hours	A unit of both speed (scalar) and velocity (vector), defined as the distance of one centimeter travelled per unit time equal to two hours. (NCI)	Millimeter per Two Hours
C67419	mm/h	Millimeter per Hour	A unit of both speed (scalar) and velocity (vector), defined as the distance of one millimeter travels per unit time equal to one hour.(NCI)	Millimeter per Hour
C105507	mm/min	Millimeters per Minute	A unit of both speed (scalar) and velocity (vector), defined as the distance of one millimeter travelled per unit time equal to one minute. (NCI)	Millimeter Per Minute
C105508	mm/sec	Millimeters per Second	A unit of both speed (scalar) and velocity (vector), defined as the distance of one millimeter travelled per unit time equal to one second. (NCI)	Millimeter Per Second
C65104	mm2	Square Millimeter	A unit of area measurement equal to a square measuring one millimeter on each side. One square millimeter is equal to 10(E-2) square centimeter and 10(E-6) square meter.(NCI)	Square Millimeter
C126080	mm3/mm2/year		A unit defined as the volume, in cubic millimeters, per area equal to one square millimeter per unit of time equal to one year.	Cubic Millimeter per Square Millimeter per Year
C49670	mmHg	Millimeter of Mercury	A unit of pressure equal to 0.001316 atmosphere and equal to the pressure indicated by one millimeter rise of mercury in a barometer at the Earth's surface. (NCI)	Millimeter of Mercury
C105506	mmHg/L/min		A unit of resistance equal to the number of millimeters of mercury per unit of volume equal to one liter per unit of time equal to one minute.	Millimeter Mercury Per Liter Per Minute

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C73764	mmHg/sec	Millimeter of Mercury per Second	A rate of inflation or deflation of a manometric device based on the unit of pressure equal to 133,332 Pa or 1.316E10-3 standard atmosphere during period of time equal to one sixtieth of a minute. (NCI)	Millimeter of Mercury per Second
C48513	mmol	Millimole	A unit of amount of substance equal to one thousandth (1E-3) of a mole.	Millimole
C67420	mmol/day		A unit of substance flow rate equal to one millimole per day.	Millimole per 24 Hours
C68740	mmol/g	Millimole per Gram	A unit amount of substance content (molality unit) defined as one mole of solute per one kilogram of solvent.(NCI)	Mole per Kilogram
C68892	mmol/kg	Millimole per Kilogram	A unit of amount of substance content (molality unit) defined as one thousandth of mole (1E-3 mole) of solute per one kilogram of solvent. (NCI)	Millimole per Kilogram
C64387	mmol/L	Micromole per Milliliter;Millimole per Liter;Mole per Cubic Meter;mcmol/mL;mmol/L;mol/m3;nmol/uL;u mol/mL	A unit of concentration (molarity unit) equal to one millimole of solute per liter of solution.	Millimole per Liter
C116242	mmol/min/kPa		A unit of gas diffusion capacity equal to one millimole per minute per kilopascal.	Millimoles per Minute per Kilopascal
C67423	mmol/min/kPa/L		A unit of gas diffusion capacity equal to one millimole per minute per kilopascal per liter of volume.	Millimole per Minute per Thousand Pascal per Liter
C111253	mmol/mol		A unit of fraction expressed as the ratio of the amount of a substance in solution, in millimoles, to the amount of a different substance in the mixture, in moles.	Millimole per Mole
C122213	mmol <sup>2</sup> /L <sup>2</sup>		A unit of concentration (molarity unit) equal to one square millimole of solute per square liter of solution.	Square Millimole per Square Liter
C132480	mMU/mL	MilliMerck Unit per Milliliter	A unit of concentration based on the vaccine specific number of titers that are the geometric mean titer at which an individual is considered to convert from a seronegative to a seropositive response due to the vaccine.	MilliMerck Unit per Milliliter
C127809	mN	Millinewton	A unit of force equal to one thousandth of a Newton.	Millinewton
C42539	mol	Mole	The base unit of amount of substance in the International System of Units (SI). It is equal to the same number of elementary units as there are atoms in 0.012 kg of carbon-12.	Mole
C85737	mol/day		A unit of substance flow rate equal to one mole per day.	Mole per Day
C68893	mol/g	mmol/mg	A unit of amount of substance content (molality unit) defined as one mole of solute per one gram of solvent.(NCI)	Mole per Gram
C48555	mol/L	Mole per Liter;mmol/mL;mol/L	A unit of concentration (molarity unit) equal to one mole of solute in one liter of solution.(NCI)	Mole per Liter
C68894	mol/mg	Mole per Milligram	A unit of amount of substance content (molality unit) defined as one mole of solute per one milligram of solvent.(NCI)	Mole per Milligram

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C68891	mol/mL	Mole per Milliliter	A unit of concentration (molarity unit) equal to one mole of solute in one milliliter of solution.(NCI)	Mole per Milliliter
C70455	mol/mol	Mole per Mole;mmol/mmol	A unit of fraction expressed as the ratio of the amount of substance of solute in moles to the amount of substance of the mixture in moles.(NCI)	Mole per Mole
C29846	MONTHS	Month	One of the 12 divisions of a year as determined by a calendar. It corresponds to the unit of time of approximately to one cycle of the moon's phases, about 30 days or 4 weeks. (NCI)	Month
C67318	mOsm	Milliosmole	A unit of osmotic pressure equal to one thousandth of an osmole or osmotic pressure of 0.001 molar solution of a substance that does not dissociate. (NCI)	Milliosmole
C67427	mOsm/kg	Milliosmole per Kilogram	A unit of osmotic pressure equal to one thousandth of an osmole per kilogram substance.	Milliosmole per Kilogram
C122214	mOsm/L		A unit of osmotic pressure equal to one thousandth of an osmole per unit of volume equal to one Liter.	Milliosmole per Liter
C73765	mPa	Millipascal	A SI derived unit of pressure equivalent to one thousandth of one pascal. (NCI)	Millipascal
C105500	mph	Miles per Hour	A unit of both speed (scalar) and velocity (vector), defined as the distance of one mile travelled per unit time equal to one hour. (NCI)	Mile Per Hour
C67348	MPL U	Immunoglobulin M Phospholipid Units;[MPL'U]	A unit for semiquantitative measurement of IgM autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard.	IgM Phospholipid Unit
C117973	MPL U/mL	Immunoglobulin M Phospholipid Units per Milliliter	A unit for semiquantitative measurement of IgM autoantibodies to proteins associated with negatively charged phospholipids evaluated against an established reference standard, per unit of volume equal to one milliliter.	Immunoglobulin M Phospholipid Unit per Milliliter
C41140	msec	Millisecond	A unit of time, which is equal to one thousandth of a second.(NCI)	Millisecond
C122215	mU/g		An arbitrary unit of substance content expressed in milliunit(s) per gram.	Milliunit per Gram
C67408	mU/L	uU/mL	An arbitrary unit of substance concentration equal to the concentration at which one liter of mixture contains one thousandth of a unit of a substance.	Microunit per Milliliter
C67324	mV	Millivolt	A unit of electric potential and electromotive force equal to one thousandth of a volt.(NCI)	Millivolt
C105512	mV*min	Millivolt * Minutes	A SI derived unit of magnetic flux, equal to the flux that produces in a circuit of one turn an electromotive force of one millivolt, when the flux is uniformly reduced to zero within one minute. (NCI)	Millivolt Minute
C122216	mV/sec	uV/msec	A SI derived rate unit equal to one millivolt per unit of time equal to one second.	Millivolt per Second

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114241	mV <sup>2</sup> /Hz	Millivolt Squared per Hertz;Millivolt <sup>2</sup> /Hertz	A unit equal to one thousandth of a volt squared per unit of frequency equal to one Hertz.	Millivolt Squared per Hertz
C67352	nCi	Nanocurie	A unit of radioactivity equal to one billionth of Curie or 37 Becquerels, and corresponding to a radioactivity of 37 atomic disintegrations per second.(NCI)	Nanocurie
C71204	NEBULE	Nebule Dosing Unit	A unit of measurement based on the nebule dosing unit.(NCI)	Nebule Dosing Unit
C101687	NEEDLE GAUGE		A number representing the outer diameter of a needle. (NCI)	Needle Gauge
C42546	Newton	Newton	A unit of force which, when applied in a vacuum to a body having a mass of one kilogram, causes an acceleration of one meter per second squared. It is equal to 1E5 dynes. (NCI)	Newton
C48516	ng	Nanogram	A unit of mass equal to one billionth (1E-9) of a gram.	Nanogram
C67326	ng/dL	Nanogram per Deciliter	A unit of mass concentration defined as the concentration of one nanogram of a substance in unit volume of the mixture equal to one deciliter. The concept also refers to the unit of mass density (volumic mass) defined as the density of substance which mass equal to one nanogram occupies the volume one deciliter.(NCI)	Nanogram per Deciliter
C67327	ng/L	Microgram per Cubic Meter;ng/L;pg/mL;ug/m <sup>3</sup>	A unit of concentration or mass density equal to one picogram of substance per milliliter of solution or one nanogram of substance per liter of solution.	Nanogram per Liter
C130192	ngEq/L		A concentration unit measured as a number of nanogram equivalent of solute per liter of solution.	Nanogram Equivalents Per Liter
C77535	NIU	Normalized Fluorescence Intensity Unit;Normalized Intensity Unit;Relative Fluorescence Intensity Unit;Relative Intensity Unit	A unit of measurement that estimates the size or amount of material in a sample by normalizing its luminescence to that of a reference standard. (NCI)	Relative Fluorescence Unit
C70508	nkat	Nanokatal	A unit of catalytic activity measurement equal to one billionth of one katal (1E-9 katal). (NCI)	Nanokatal
C70510	nkat/L	Nanokatal per Liter	A unit of catalytic activity concentration defined as the catalytic activity of the component equal to one billionth of one katal (1E-9 katal) in the unit volume of the system equal to one liter. (NCI)	Nanokatal per Liter
C69188	nL	Nanoliter	A unit of volume equal to one billionth of a liter (1E-9 liter). (NCI)	Nanoliter
C67328	nm	Nanometer	A unit of length equal to one billionth of a meter (1E-9 meter). Nanometer is used as a unit for light wavelength measurement. (NCI)	Nanometer
C48517	nmol	Nanomole	A unit of amount of substance equal to one billionth (1E-9) of a mole. (NCI)	Nanomole
C117974	nmol BCE/L	Nanomoles Bone Collagen Equivalents per Liter	A unit of relative amount of substance concentration equal to nanomoles of bone collagen equivalent weight per unit of volume equal to one liter.	Nanomole Bone Collagen Equivalent per Liter

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C118137	nmol BCE/mmol	Nanomoles Bone Collagen Equivalents per Millimole	A unit of relative amount of substance concentration equal to nanomoles of bone collagen equivalent weight per unit of substance concentration equal to one millimole.	Nanomole Bone Collagen Equivalent per Millimole
C122217	nmol BCE/nmol	Nanomoles Bone Collagen Equivalents per Nanomole	A unit of relative amount of substance concentration equal to nanomoles of bone collagen equivalent weight per unit of substance concentration equal to one nanomole.	Nanomole Bone Collagen Equivalents per Nanomole
C85751	nmol/day		A unit of substance flow rate equal to one nanomole per day.	Nanomole per Day
C85752	nmol/g	nmol/g;pmol/mg;umol/kg	Nanomoles per gram.	Nanomole per Gram
C67432	nmol/L	Nanomole per Liter;pmol/mL	A unit of concentration (molarity unit) equal to one nanomole of solute per liter of solution.	Nanomole per Liter
C122218	nmol/L/h	pmol/mL/h	A rate unit expressed in nanomole(s) per liter of solution per period of time equal to sixty minutes.	Nanomole per Liter per Hour
C122219	nmol/L/min	nmol*min/L;pmol/mL/min	A rate unit equal to the number of nanomoles per unit of volume equal to one liter per unit of time equal to one minute.	Nanomole per Liter per Minute
C92613	nmol/mL/min	Nanomole per Milliliter per Minute	A unit of concentration (molarity unit) equal to one billionth of a mole (1E-9 mole) of solute in one milliliter of solution to be administered per minute of time.	Nanomole per Minute per Milliliter
C122220	nmol/mol	pmol/mmol	A unit of fraction expressed as the ratio of the amount of a substance in solution, in nanomoles, to the amount of a different substance in the mixture, in moles.	Nanomole per Mole
C73767	nsec	Nanosecond	A unit of time equal to one billionth of a second. (NCI)	Nanosecond
C105513	nU/cL	Nanounit per Centiliter	An arbitrary unit of substance content expressed in nanounit(s) per centiliter. (NCI)	Nanounit Per Centiliter
C42554	ohm	Ohm	A unit of electrical resistance equal to the resistance between two points on a conductor when a potential difference of one volt between them produces a current of one Ampere. Ohm is also used to measure impedance and reactance for complex resistance. A measurement in ohms is the reciprocal of a measurement in Siemens. (NCI)	Ohm
C130193	OI50	Opsonization Index 50%	A potency unit equal to the dilution of serum that causes opsonization and phagocytosis of 50% of the bacteria in a sample. (NCI)	Opsonization Index 50%
C67330	osm	Osmole	A unit of osmotic pressure equal to that of an ideal solution of a nondissociating substance that has a concentration of one mole of solute per liter of solution.(NCI)	Osmole
C48519	oz	Ounce	A unit of mass, the avoirdupois ounce is equal to 1/16 pound, or 28.3495 grams, or 0.911 457 troy ounce.(NCI)	Ounce
C74924	PA	/Year;Every Year;Per Annum;Per Year	A frequency rate of occurrences of something within a period of time equal to three hundred sixty-five days.	Per Year

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42547	Pa	Pascal	A unit of pressure equivalent to one Newton per square meter or 10 bars or to 1.45x10(E-4) pounds per square inch.(NCI)	Pascal
C62653	PACK		A number of individual items packaged as a unit.	Pack Dosage Form
C73993	Pack Year		A quantification of lifetime tobacco exposure defined as (number of cigarettes smoked per day x number of years smoked)/20. One pack-year is smoking 20 cigarettes a day for one year.	Pack Year
C48520	PACKAGE	Pack Dosing Unit;Package Dosing Unit	A dosing measurement based on the package unit.(NCI)	Package Dosing Unit
C48521	PACKET	Packet Dosing Unit	A dosing measurement based on the packet unit.(NCI)	Packet Dosing Unit
C48524	PATCH	Patch Dosing Unit	A dosing measurement based on the patch unit.(NCI)	Patch Dosing Unit
C48525	PELLET	Pellet Dosing Unit	A dosing measurement based on the pellet unit.(NCI)	Pellet Dosing Unit
C67264	PFU	Plaque Forming Unit	A measure of viable infectious entities (e.g. viral particle or group of particles) in the specimen or product defined as the smallest quantity that can produce a cytopathic effect in the host cell culture challenged with the defined inoculum, visible under the microscope or/and to the naked eye as a plaque. A number of plaque forming units (PFU) per unit volume is a conventional way to refer the titer of an infective entity in a specimen or preparation.(NCI)	Plaque Forming Unit
C122221	PFU/animal		A unit of measure expressed in plaque forming unit(s) per animal.	Plaque Forming Units per Animal
C71198	PFU/dose	Plaque Forming Unit per Dose	A unit of potency of a biological product expressed as a quantity of viable infectious entities capable to produce a cytopathic effect in the appropriate cell culture per a single dose of the preparation.(NCI)	Plaque Forming Unit per Dose
C71199	PFU/mL	Plaque Forming Unit per Milliliter	A unit of potency of a biological product expressed as a quantity of viable infectious entities capable to produce a cytopathic effect in the appropriate cell culture per one milliliter of the preparation.(NCI)	Plaque Forming Unit per Milliliter
C64551	pg	Picogram	A unit of mass equal to one trillionth of a gram (1E-12 gram). (NCI)	Picogram
C67331	pg/dL	Picogram per Deciliter	Picograms per deciliter.	Picogram per Deciliter
C85597	pg/L	fg/mL;pg/L	A unit of concentration or mass density equal to one femtogram of substance per milliliter of solution or one picogram of substance per liter of solution.	Femtogram per Milliliter
C127810	PHERESIS UNIT		An arbitrary unit of substance concentration equal to the yield from a blood pheresis procedure.	Pheresis Unit
C116246	PIPE	Pipe Dosing Unit	A dosing measurement based on the pipe unit.	Pipe Dosing Unit
C48367	PIXEL		The smallest resolvable rectangular area of an image, either on a screen or stored in memory. (NCI)	Pixel

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C114238	PIXELS/cm	PPCM;Pixels per Centimeter	A unit of image resolution expressed in the numbers of pixels per centimeter in the horizontal or vertical direction.	Pixels per Centimeter
C114239	PIXELS/in	PPI;Pixels per Inch	A unit of image resolution expressed in the numbers of pixels per inch in the horizontal or vertical direction.	Pixels per Inch
C70509	pkat	Picokatal	A unit of catalytic activity measurement equal to trillionth of one katal (1E-12 katal). (NCI)	Picokatal
C122222	pkat/L	Picokatal per Liter	Unit of catalytic activity concentration defined as activity equal to a picokatal per one liter of the system volume.	Picokatal per Liter
C69189	pL	Picoliter	A unit of volume equal to one trillionth of a liter (1E-12 liter). (NCI)	Picoliter
C69148	pm	Picometer	A unit of length equal to one trillionth of a meter (1E-12 meter). (NCI)	Picometer
C65045	pmol	Picomole	A unit of amount of substance equal to a trillionth (1E-12) of a mole. (NCI)	Picomole
C122223	pmol/10 <sup>10</sup> cells		A unit of concentration (molarity unit) equal to one picomole of substance per 10 <sup>10</sup> cells.	Picomole per Ten Billion Cells
C122224	pmol/10 <sup>9</sup> cells		A unit of concentration (molarity unit) equal to one picomole of substance per 10 <sup>9</sup> cells.	Picomole per Billion Cells
C122225	pmol/day		A unit of substance flow rate equal to one picomole per day.	Picomole per Day
C122226	pmol/dL	Picomoles per Deciliter	A unit of concentration (molarity unit) equal to one picomole of solute per deciliter of solution.	Picomole per Deciliter
C85754	pmol/g	nmol/kg;pmol/g	Nanomoles (amount), divided by kilograms (weight) or picomoles per gram.	Nanomole per Kilogram
C67434	pmol/L	Femtomole per Milliliter;Picomole per Liter;fmol/mL	A unit of concentration (molarity unit) equal to one picomole of solute per liter of solution.	Picomole per Liter
C122227	pmol/L/h	Picomoles per Liter per Hour	A rate unit expressed in picomole(s) per liter of solution per period of time equal to sixty minutes.	Picomole per Liter per Hour
C116236	PNU/mL	Protein Nitrogen Unit per Milliliter	Unit of measure of potency of an allergenic product expressed as a number of protein nitrogen units per one milliliter of formulation.	Allergenic Protein Nitrogen Unit per Milliliter
C113499	POINT		A numeric unit used to quantify a score.	Point
C48530	POUCH	Pouch Dosing Unit	A dosing measurement based on the pouch unit.(NCI)	Pouch Dosing Unit
C70565	ppb	Part per Billion	A unit of measure referring to one entity counted per one billion entities.(NCI)	Part Per Billion
C48523	ppm	Part per Million	A unit of measurement referring to one entity counted per one million entities.(NCI)	Part Per Million
C69112	ppth	Part per Thousand	A unit of proportion equal to 1E-3. (NCI)	Part per Thousand
C70566	pptr	Parts per Trillion	A unit of measure referring to one entity counted per one trillion entities.(NCI)	Part Per Trillion
C48532	PRESSOR UNITS	Pressor Unit	A dosing measurement based on the pressor unit.(NCI)	Pressor Unit



C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C73768	psec	Picosecond	A unit of time equal to one trillionth of a second. (NCI)	Picosecond
C67334	psi	Pounds per Square Inch	A unit of pressure equivalent to 6.894757 kilopascals, or 703.0696 kilograms per square meter, or 51.71507 millimeters of mercury.(NCI)	Pound per Square Inch
C69114	pt_br	British Pint;Imperial Pint	A traditional unit of volume equal to 20 British fluid ounces, 34.678 cubic inches or approximately 568.261 milliliters.	Pint British
C48529	pt_us	US Pint	A United States liquid unit equal to 16 US fluid ounces or 28.875 cubic inches or approximately 473.177 milliliters.	Pint
C65060	PUFF	Puff Dosing Unit	A means of delivering a defined dose of a therapeutic aerolized solution into either the upper or lower respiratory tract. Metered-dose inhalers or spray pumps are devices that provide a puff dose for delivery into either the oral or the nasal cavity.(NCI)	Puff Dosing Unit
C48590	QUANTITY SUFFICIENT	Quantity Sufficient	A quantity of an ingredient or product needed to bring up a volume or weight of the preparation to a final amount as it is indicated in the prescription; also refers to a determination of an adequate supply of medicine to fulfill either a prescribed amount or a sufficient quantity to provide treatment over a specified time frame.(NCI)	Quantity Sufficient
C18064	Rad	Rad	The special unit for absorbed radiation dose, which is the amount of energy from any type of ionizing radiation (e.g., alpha, beta, gamma, neutrons, etc.) deposited in any medium (e.g., water, tissue, air). A dose of one rad means the absorption of 100 ergs per gram of absorbing tissue. One rad is equal to 0.01 gray.(NCI)	Rad
C44256	RATIO		The quotient of one quantity divided by another, with the same units of measurement.	Ratio
C62609	RING	Ring Dosing Unit	A dosing measurement based on the ring unit.(NCI)	Ring Dosing Unit
C67441	RNA copies/mL	RNA Copies per Milliliter	The unit of concentration of Ribonucleic Acid (RNA) copies expressed as a number of copies in unit volume equal to one milliliter.(NCI)	RNA Copy per Milliliter
C70575	Roentgen	Roentgen	A unit of exposure to ionizing radiation. One Roentgen is the amount of gamma or x-rays required to produce ions resulting in a charge of 2.58E-4 Coulombs/kilogram of air under standard conditions.(NCI)	Roentgen
C70469	rpm	Revolution per Minute	A unit of frequency equal to one revolution per unit of time equal to one minute.(NCI)	Revolution per Minute
C139132	s*kPa		A unit of resistance equal to one second times one kilopascal.	Second Times Kilopascal
C130194	s^-1(%O2)^-1		A unit of oxygen transfer function expressed as the reciprocal of time in seconds, times the reciprocal of oxygen concentration.	Reciprocal of Seconds Times Percent O2 Concentration

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C71324	SACHET	Sachet dosing unit	A dosing unit that contains a solid pharmaceutical preparation in the form of a small packet or bag made from a flexible, often porous material.(NCI)	Sachet Dosing Unit
C116233	SBE/mL	Standardized Biological Unit per Milliliter	Unit of measure of potency of allergenic product expressed as a number of standardized biological units per one milliliter of formulation.	Standardized Allergy Biological Unit per Milliliter
C68858	scm	Standard Cubic Meter	A unit used in physical chemistry to express the amount of substance of an ideal gas in one cubic meter at standard conditions: temperature 273.15 K and pressure of one atmosphere (101.325 kilopascals).(NCI)	Standard Cubic Meter
C48536	SCOOPFUL	Scoopful Dosing Unit	A dosing measurement based on the scoopful unit.(NCI)	Scoopful Dosing Unit
C42535	sec	Second	The base unit of time in the International System of Units (SI) equal to the duration of 9,192,631,770 periods of the specified light radiation corresponding to the transition between the two hyperfine levels of the cesium 133 atom in its ground state at 0 K.	Second
C120850	SFC/10 <sup>6</sup> PBMC	SFU/10 <sup>6</sup> PBMC;Spots/10 <sup>6</sup> PBMC	A unit of activity of cell-mediated immunity expressed as a quantity of spot forming cells per million peripheral blood mononuclear cells.	Spot Forming Units Per Million Peripheral Blood Mononuclear Cells
C112433	Shock Wave	Shockwave Dosing Unit	A dosing measurement based on the shock wave unit.	Shockwave Dosing Unit
C42555	Siemens	Siemens	A unit of electrical conductance, admittance, and susceptance. A conductor has a conductance of one Siemens if an electrical potential difference of one volt produces a one Ampere current in it. The conductance in Siemens is the reciprocal of its resistance in ohms.(NCI)	Siemens
C48537	SPRAY	Spray Dosing Unit	A dosing measurement based on the spray unit.(NCI)	Spray Dosing Unit
C116234	SQU/mL	Standardized Quality Unit per Milliliter	Unit of measure of potency of allergenic product expressed as a number of standardized quality units per one milliliter of formulation.	Standardized Allergy Quality Unit per Milliliter
C111318	STEPS		A unit of measure to quantify the number of strides taken during a normal walking gait.	Step Unit of Distance
C48538	STRIP	Strip Dosing Unit	A dosing measurement based on the strip unit.(NCI)	Strip Dosing Unit
C48539	SUPPOSITORY	Suppository Dosing Unit	A dosing measurement based on the suppository unit.(NCI)	Suppository Dosing Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C42553	Sv	Sievert	A unit of equivalent radiation dose. One Sv is received when the actual absorbed dose of ionizing radiation, after being multiplied by the dimensionless factors Q (the relative biological efficiency or quality factor) and N (the product of any other multiplying factors that takes into account the distribution of energy throughout the dose), is one joule per kilogram. In this scheme, the relationship between the absorbed dose of radiation D and the dose equivalent H is, therefore, given by $H = QND$ . Both Q and N are stipulated by the International Commission on Radiological Protection. One Sv is equal to 100 rem.(NCI)	Sievert
C48540	SYRINGE	Syringe Dosing Unit	A dosing measurement based on the syringe unit.(NCI)	Syringe Dosing Unit
C48542	TABLET	Tablet Dosing Unit;tab	A dosing measurement based on the tablet unit.(NCI)	Tablet Dosing Unit
C48543	TAMPON	Tampon Dosing Unit	A dosing measurement based on the tampon unit.(NCI)	Tampon Dosing Unit
C48541	Tbsp	Tablespoon Dosing Unit	A unit of volume informally used in pharmacy. The tablespoon has been standardized at 15 milliliters in US, Britain, Canada, and New Zealand, and at 20 milliliters in Australia and some European countries.(NCI)	Tablespoon Dosing Unit
C70537	TCID 50/dose	50 Percent Tissue Culture Infective Dose per Dose	A potency unit equal to the potency at which one dose of preparation contains one 50 percent tissue culture infective dose.(NCI)	50 Percent Tissue Culture Infective Dose per Dose
C42557	Tesla	Tesla	A unit of magnetic flux density equal to the magnitude of the magnetic field vector necessary to produce a force of one Newton on a charge of one coulomb moving perpendicular to the direction of the magnetic field vector with a velocity of one meter per second. It is equivalent to one Weber per square meter.(NCI)	Tesla
C67454	titer		Concentration of a substance in a solution as determined by the quantitative reaction with added measured volume(s) of a solution of the precisely known concentration(s) of a standard reagent.	Titer
C112423	Torr	Torr	A non-SI manometric unit of pressure equal to 1/760 of a standard atmosphere (a standard atmosphere being defined as equal to 101325 pascals). One Torr is equal to 133.3223684 pascals.	Torr
C48547	TRACE	Trace Dosing Unit	An extremely small amount.(NCI)	Trace Dosing Unit
C124460	TRANSDUCING UNIT		A unit of biological activity described as the number of viral particles in solution that are capable of infecting a cell and stimulating expression of a transgene.	Transducing Unit
C124461	TRANSDUCING UNIT/mL		Unit of measure of potency expressed as a number of transducing units per one milliliter of solution.	Transducing Unit per Milliliter
C48548	TROCHE	Troche Dosing Unit	A dosing measurement based on the troche unit.(NCI)	Troche Dosing Unit
C48544	tsp	Teaspoon Dosing Unit	A unit of volume used in pharmacy equal to 5 milliliters.(NCI)	Teaspoon Dosing Unit
C48549	TUBE	Tube Dosing Unit	A dosing measurement based on the tube unit.(NCI)	Tube Dosing Unit

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C65132	tuberculin unit	Tuberculin Unit	An arbitrary unit of tuberculin dosage defined by comparison of clinical response with a preparation of the purified protein derivative standardized for use in humans for tuberculin skin test reaction.(NCI)	Tuberculin Unit
C70506	tuberculin unit/mL	Tuberculin Unit per Milliliter	A unit of biologic activity of tuberculin expressed as a number of arbitrary units of tuberculin in one milliliter of preparation.(NCI)	Tuberculin Unit per Milliliter
C44278	U	Unit	A single undivided thing occurring in the composition of something else.	Unit
C120851	U.CARR	CARR U;Carratelli Unit	An arbitrary unit of substance concentration expressed in milligrams per a volume of hydrogen peroxide. One Carratelli unit is equal to 0.8mg substance per liter of hydrogen peroxide.	Carratelli Unit
C122228	U/10 <sup>12</sup> RBC		An arbitrary unit of substance content expressed in units of biological activity per 10 <sup>12</sup> red blood cells.	Unit per Trillion Red Blood Cells
C73773	U/animal	Unit per Animal	An arbitrary dosing unit expressed in unit(s) per animal. (NCI)	Unit per Animal
C105520	U/cL	Unit per Centiliter	An arbitrary unit of substance content expressed in unit(s) per centiliter.	Unit Per Centiliter
C105521	U/dL	Unit per Deciliter	An arbitrary unit of substance content expressed in unit(s) per deciliter.	Unit Per Deciliter
C77606	U/g	Unit per Gram	An arbitrary unit of substance content expressed in unit(s) per gram. (NCI)	Unit per Gram
C105522	U/g Hb		A unit of concentration (biologic activity) equal to one unit of substance per gram of hemoglobin.	Unit Per Gram Hemoglobin
C73774	U/g/day	Unit per Gram per Day	An arbitrary unit of substance rate expressed in unit(s) per gram per period of time equal to twenty-four hours. (NCI)	Unit per Gram per Day
C73775	U/g/h	Unit per Gram per Hour	An arbitrary unit of substance rate expressed in unit(s) per gram per period of time equal to sixty minutes. (NCI)	Unit per Gram per Hour
C73776	U/g/min	Unit per Gram per Minute	An arbitrary unit of substance rate expressed in unit(s) per gram per period of time equal to sixty seconds. (NCI)	Unit per Gram per Minute
C67465	U/kg	Unit per Kilogram	An arbitrary unit of substance content expressed in units of biological activity per unit of mass equal to one kilogram. Unit per kilogram is also used as a dose calculation unit expressed in arbitrary units per one kilogram of body mass. (NCI)	Unit per Kilogram
C73777	U/kg/day	Unit per kilogram per Day	An arbitrary unit of substance rate expressed in unit(s) per kilogram per period of time equal to twenty-four hours. (NCI)	Unit per Kilogram per Day
C73778	U/kg/h	Unit per Kilogram per Hour	An arbitrary unit of substance rate expressed in unit(s) per kilogram per period of time equal to sixty minutes. (NCI)	Unit per Kilogram per Hour
C73779	U/kg/min	Unit per Kilogram per Minute	An arbitrary unit of substance rate expressed in unit(s) per kilogram per period of time equal to sixty seconds. (NCI)	Unit per Kilogram per Minute

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67456	U/L	Unit per Liter;mU/mL	An arbitrary unit of substance concentration equal to the concentration at which one liter of mixture contains one unit of a substance. (NCI)	Unit per Liter
C67467	U/m2	Unit per Square Meter	A unit expressed as a number of arbitrary units of substance per one square meter of a body surface area.	Unit per Square Meter
C73783	U/m2/day	Unit per Square Meter per Day	An arbitrary unit of substance rate expressed in unit(s) per square meter per period of time equal to twenty-four hours. (NCI)	Unit per Square Meter per Day
C73784	U/m2/h	Unit per Square Meter per Hour	An arbitrary unit of substance rate expressed in unit(s) per square meter per period of time equal to sixty minutes. (NCI)	Unit per Square Meter per Hour
C73785	U/m2/min	Unit per Square Meter per Minute	An arbitrary unit of substance rate expressed in unit(s) per square meter per period of time equal to sixty seconds. (NCI)	Unit per Square Meter per Minute
C73780	U/mg	Unit per Milligram	An arbitrary unit of substance content expressed in unit(s) per milligram. (NCI)	Unit per Milligram
C77607	U/mL	Unit per Milliliter	An arbitrary unit of substance content expressed in unit(s) per milliliter. (NCI)	Unit per Milliliter
C92618	U/mmol	Unit per Millimole	An arbitrary unit of substance concentration equal to the concentration at which one millimole of a mixture contains one unit of a substance. (NCI)	Unit per Millimole
C48507	uCi	Microcurie;mcCi	A unit of radioactivity equal to one millionth of a Curie or 37 kilobecquerels, and corresponding to a radioactivity of 37 000 atomic disintegrations per second.(NCI)	Microcurie
C70571	uCi/kg	Microcurie per Kilogram;mcCi/kg	A unit of specific radioactivity (massic activity) equal to activity of one microcurie of the sample with total mass of one kilogram.(NCI)	Microcurie per Kilogram
C71173	uCi/L	Microcurie per Liter;mcCi/L	A unit of volumetric radioactivity concentration defined as a concentration of a radionuclide with an activity equal to one millionth of a Curie per unit volume equal to one liter.(NCI)	Microcurie per Liter
C73726	uEq	Microequivalent	A unit of relative amount of a substance equal to one millionth of an equivalent weight.(NCI)	Microequivalent
C117975	uEq/L	Microequivalent per Liter;Nanoequivalent per Milliliter;nEq/mL	A concentration unit measured as a number of microequivalents of solute per liter of solution.	Microequivalent per Liter
C48152	ug	Microgram;mcg	A unit of mass equal to one millionth (1E-6) of a gram.	Microgram
C73728	ug/animal	Microgram per Animal	A unit of measure expressed in microgram(s) per animal.	Microgram per Animal
C67311	ug/cm2	mcg/cm2	A unit of area density defined as a spread rate at which one microgram of a substance is spread over the area of one square centimeter. The unit is also used as a dose calculation unit.	Microgram per Square Centimeter
C71205	ug/day	mcg/day	A unit of mass flow rate equal to one microgram per day.	Microgram per Day

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C67305	ug/dL	Microgram per Deciliter	A unit of mass concentration defined as the concentration of one microgram of a substance per unit volume of the mixture equal to one deciliter. The concept also refers to the unit of mass density (volumic mass) defined as the density of substance which mass equal to one microgram occupies the volume one deciliter. (NCI)	Microgram per Deciliter
C124462	ug/dose		A unit of measure expressed in microgram(s) per dose.	Microgram per Dose
C74921	ug/g/day	Microgram per Gram per Day	A dose calculation unit expressed in microgram(s) per gram per period of time equal to twenty-four hours. (NCI)	Microgram per Gram per Day
C74922	ug/g/h	Microgram per Gram per Hour	A dose calculation unit expressed in microgram(s) per gram per period of time equal to sixty minutes. (NCI)	Microgram per Gram per Hour
C74923	ug/g/min	Microgram per Gram per Minute	A dose calculation unit expressed in microgram(s) per gram per period of time equal to sixty seconds. (NCI)	Microgram per Gram per Minute
C67394	ug/h	mcg/h	A unit of mass flow rate equal to one microgram per hour.	Microgram per Hour
C67396	ug/kg	Microgram per Kilogram;mcg/kg;ng/g;pg/mg;ug/kg	A unit of a mass fraction expressed as a number of micrograms of substance per kilogram of mixture. The unit is also used as a dose calculation unit.(NCI)	Microgram per Kilogram
C73729	ug/kg/day	Microgram per Kilogram per Day	A dose calculation unit expressed in microgram(s) per kilogram per period of time equal to twenty-four hours. (NCI)	Microgram per Kilogram per Day
C73730	ug/kg/h	Microgram per Kilogram per Hour	A dose calculation unit expressed in microgram(s) per kilogram per period of time equal to sixty minutes. (NCI)	Microgram per Kilogram per Hour
C71210	ug/kg/min	Gamma per Kilogram per Minute;Microgram per Kilogram per Minute;gamma/kg/min;mcg/kg/min	A dose calculation unit equal to one millionth of a gram of a preparation per one kilogram of body mass administered per unit of time equal to one minute.(NCI)	Microgram per Kilogram per Minute
C67306	ug/L	Microgram per Liter;Milligram per Cubic Meter;Nanogram per Milliliter;mcg/L;mg/m <sup>3</sup> ;ng/mL;ug/L	A unit of concentration or mass density equal to one nanogram of substance per milliliter of solution or one microgram of substance per liter of solution.	Microgram per Liter
C122229	ug/L/h	ng/mL/h	A rate unit equal to the number of micrograms per unit of volume equal to one liter per unit of time equal to one hour.	Microgram per Liter per Hour
C67312	ug/m <sup>2</sup>	Microgram per Square Meter	A dose calculation unit expressed in microgram(s) per square meter.	Microgram per Square Meter
C73787	ug/m <sup>2</sup> /day	Microgram per Square Meter per Day	A dose calculation unit expressed in microgram(s) per square meter per period of time equal to twenty-four hours. (NCI)	Microgram per Square Meter per Day
C73727	ug/m <sup>2</sup> /h	Microgram per Square Meter per Hour	A dose calculation unit expressed in microgram(s) per square meter per period of time equal to sixty minutes. (NCI)	Microgram per Square Meter per Hour
C73733	ug/m <sup>2</sup> /min	Microgram per Square Meter per Minute	A dose calculation unit expressed in microgram(s) per square meter per period of time equal to sixty seconds. (NCI)	Microgram per Square Meter per Minute
C71211	ug/min	mcg/min	A unit of mass flow rate equal to one microgram per minute.	Microgram per Minute

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C75905	ug/mL/h	Microgram per Milliliter per Hour	A dose calculation unit expressed in microgram(s) per milliliter of solution per period of time equal to sixty minutes. (NCI)	Microgram per Milliliter per Hour
C105497	ugEq	Microgram Equivalent	A unit of relative amount of substance concentration equal to one millionth of a gram of an equivalent weight. (NCI)	Microgram Equivalent
C122230	ugEq/L	ngEq/mL	A concentration unit measured as the number of microgram equivalents of solute per liter of solution.	Microgram Equivalent per Liter
C124463	uIU/dL		A unit of concentration (biologic activity) equal to one micro-international unit of substance per deciliter of solution.	Micro-International Unit per Deciliter
C124464	uIU/L		A unit of concentration (biologic activity) equal to one micro-international unit of substance per liter of solution.	Micro-International Unit per Liter
C70562	ukat	Microkatal;mckat	A unit of catalytic activity measurement equal to one millionth of katal (1E-6 katal). (NCI)	Microkatal
C124465	ukat/10 <sup>12</sup> RBC	mckat/10 <sup>12</sup> RBC	Unit of catalytic activity concentration defined as activity equal to one millionth of katal per 10 <sup>12</sup> erythrocytes.	Microkatal per Trillion Erythrocytes
C67397	ukat/L	Microkatal per Liter;mckat/L	Unit of catalytic activity concentration defined as activity equal to one millionth of katal per one liter of the system volume.(NCI)	Microkatal per Liter
C48153	uL	Microliter;mCL;mm3	A unit of volume accepted for use with the SI and equal to one millionth of a liter (1E-6 liter). (NCI)	Microliter
C124466	uL/dose		A unit of measure expressed in microliter(s) per dose.	Microliter per Dose
C132481	uL/kg/day	(uL/day)/kg;uL/kg/day	Microliters per kilogram per day or microliters per day (flow rate), divided by kilograms (weight).	Microliter per Kilogram per Day
C69175	uL/mL	Microliter per Milliliter;mL/L;mCL/mL	A unit of volume fraction expressed as a number of microliters of the constituent per the volume of the system represented in milliliters.(NCI)	Microliter per Milliliter
C48510	um	Micron;mcm	A unit of length in metric system equal to 1E-6 meter, or micrometer. (NCI)	Micron
C126081	um/day		A unit of length equal to one micrometer per unit of time equal to one day.	Micrometer per Day
C73770	um <sup>2</sup>	MicroSquare Meter	A SI unit of area measurement equal to a square whose sides are one micrometer long. (NCI)	Square Micrometer
C48509	umol	Micromole;mcmol	A unit of amount of substance equal to one millionth (1E-6) of a mole. (NCI)	Micromole
C67406	umol/day	mcmol/day	A unit of substance flow rate equal to one micromole per day.	Micromole per 24 Hours
C67407	umol/dL		A unit of concentration (molarity unit) equal to one micromole of solute per deciliter of solution. (NCI)	Micromole per Deciliter
C124467	umol/h/mmol		A unit of fraction expressed as the ratio of the number of micromoles of substance per unit of time equal to one hour, to the amount of a different substance, in millimoles.	Micromole per Hour per Millimole

C71620 UNIT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C126082	umol/kg/min		A unit of concentration (molarity unit) equal to one millionth of a mole (1E-6 mole) per kilogram of a substance per period of time equal to sixty seconds.	Micromole per Kilogram per Minute
C48508	umol/L	nmol/mL	A unit of concentration (molarity unit) equal to one micromole of solute per liter of solution.	Micromole per Liter
C124468	umol/L/h		A concentration unit equal to one micromole of solute in one liter of solution per unit of time equal to one hour.	Micromole per Liter per Hour
C120852	umol/L/min		A concentration unit equal to one micromole of solute in one liter of solution per unit of time equal to one minute.	Micromole per Liter per Minute
C105498	umol/L/sec	Micromoles per Liter per Second	A concentration unit equal to one micromole of solute in one liter of solution per unit of time equal to one second. (NCI)	Micromole Per Liter Per Second
C73735	umol/mg/min	Micromole per Milligram per Minute	A unit of concentration (molarity unit) equal to one millionth of a mole (1E-6 mole) per milligram of a substance per period of time equal to sixty seconds. (NCI)	Micromole per Milligram per Minute
C85708	umol/min	mcmol/min	A unit of substance flow rate equal to one micromole per minute.	Micromole per Minute
C122231	umol/mol	nmol/mmol	A unit of fraction expressed as the ratio of the amount of a substance in solution, in micromoles, to the amount of a different substance in the mixture, in moles.	Micromole per Mole
C73736	uOsM	Microosmole	A unit of osmotic pressure equal to one millionth of an osmole or the osmotic pressure of a 1E-6 molar solution of a substance that does not dissociate. (NCI)	Microosmole
C69149	usec	Microsecond	A unit of time equal to one millionth of a second. (NCI)	Microsecond
C124469	uU/dL		An arbitrary unit of substance content expressed in microunit(s) per deciliter.	Micro-Unit per Deciliter
C124470	uU/L		An arbitrary unit of substance content expressed in microunit(s) per liter.	Micro-Unit per Liter
C71175	uV	Microvolt;mcV	A unit of an electric potential and electromotive force equal to one millionth of a volt.(NCI)	Microvolt
C105499	uV*sec	Microvolt * Seconds	A SI derived unit of magnetic flux, equal to the flux that produces in a circuit of one turn an electromotive force of one microvolt, when the flux is uniformly reduced to zero within one second. (NCI)	Microvolt Second
C42551	V	Volt	A unit of electric potential and electromotive force, equal to the difference of electric potential between two points on a conducting wire carrying a constant current of one Ampere when the power dissipated between the points is one watt. This is equivalent to the potential difference across a resistance of one ohm when one Ampere of current flows through it.(NCI)	Volt
C105524	V/sec	V/s;Volt per Second	A SI derived rate unit equal to one volt per unit of time equal to one second.	Volt Per Second



<b>C71620 UNIT</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C67469	v/v	volume fraction	Quotient of the volume of a substance and the total volume of the sample containing the substance.	Volume Fraction
C124471	vg/dose	Vector Genomes/dose	A unit for cloning vector amount expressed as the number of vector genomes per dose.	Vector Genomes per Dose
C124472	vg/mL	Vector Genomes/mL	A unit for cloning vector concentration expressed as the number of vector genomes per milliliter.	Vector Genomes per Milliliter
C48551	VIAL	Vial Dosing Unit	A dosing measurement based on the vial unit.(NCI)	Vial Dosing Unit
C114237	VIRTUAL PIXEL		A type of pixel created from overlying two adjacent real pixels to create an additional virtual image of a pixel that is visible to the human eye.	Virtual Pixel
C124473	vp/dose	Viral Particles/dose	A unit for virus amount expressed as the number of viral particles per dose.	Viral Particles per Dose
C124474	vp/mL	Viral Particles/mL	A unit for virus concentration expressed as the number of viral particles per milliliter.	Viral Particles per Milliliter
C48552	WAFER	Wafer Dosing Unit	A dosing measurement based on the wafer unit.(NCI)	Wafer Dosing Unit
C42549	Watt		A unit of power equal to the power which in one second produces or transfers the energy of one joule. The unit is used in measurements of power emitted, transferred or received as radiation, sound waves, heat flow rate, and rate of energy transfer. Equal to 1/746 of horsepower.(NCI)	Watt
C42556	Weber	V*sec;Volt Second;Volt-second;Weber	A unit of magnetic flux, equal to the flux that produces in a circuit of one turn an electromotive force of one volt, when the flux is uniformly reduced to zero within one second.(NCI)	Weber
C29844	WEEKS	Week	Any period of seven consecutive days. (NCI)	Week
C48553	yd	Yard	A unit of length equal to 3 feet, or 36 inches, or 0.9144 meter.(NCI)	Yard
C29848	YEARS	Year	The period of time that it takes for Earth to make a complete revolution around the sun, approximately 365 days; a specific one year period. (NCI)	Year

## UPD1TC (Unified Parkinson's Disease Rating Scale Questionnaire Test Code)

NCI Code: C100148, Codelist extensible: No

C100148 UPD1TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C100901	UPD101	UPD1-Mentation: Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100902	UPD102	UPD1-Mentation: Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100903	UPD103	UPD1-Mentation: Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100904	UPD104	UPD1-Mentation: Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100905	UPD105	UPD1-Activities: Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100906	UPD106	UPD1-Activities: Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100907	UPD107	UPD1-Activities: Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100908	UPD108	UPD1-Activities: Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100909	UPD109	UPD1-Activities: Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD110	UPD1-Activities: Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100911	UPD111	UPD1-Activities: Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100912	UPD112	UPD1-Activities: Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100913	UPD113	UPD1-Activities: Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD114	UPD1-Activities: Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100915	UPD115	UPD1-Activities: Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C100916	UPD116	UPD1-Activities: Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100917	UPD117	UPD1-Activities: Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100918	UPD118	UPD1-Motor: Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech
C100919	UPD119	UPD1-Motor: Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111585	UPD120A	UPD1-Motor: Tremor at Rest: Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111586	UPD120B	UPD1-Motor: Tremor at Rest: Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right

**C100148 UPD1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111587	UPD120C	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111588	UPD120D	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111589	UPD120E	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left
C111590	UPD121A	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111591	UPD121B	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111592	UPD122A	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111593	UPD122B	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C111594	UPD122C	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111595	UPD122D	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111596	UPD122E	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111597	UPD123A	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C111598	UPD123B	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111599	UPD124A	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111600	UPD124B	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left
C111601	UPD125A	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111602	UPD125B	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111603	UPD126A	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C111604	UPD126B	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C100927	UPD127	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100928	UPD128	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C100929	UPD129	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait

<b>C100148 UPD1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100930	UPD130	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100931	UPD131	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100932	UPD132	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration
C100933	UPD133	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100934	UPD134	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias
C100935	UPD135	UPD1-Complications:Dyskinesias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Presence of Early Morning Dystonia
C100936	UPD136	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100937	UPD137	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100938	UPD138	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100939	UPD139	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100940	UPD140	UPD1-Complications:Anorexia Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100941	UPD141	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD142	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111605	UPD142A	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111606	UPD142B	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine
C111607	UPD142C	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111608	UPD142D	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight

**C100148 UPD1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111609	UPD142E	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD142F	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C100943	UPD143	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111611	UPD144A	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111612	UPD144B	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111613	UPD145	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C111614	UPD146	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C111615	UPD147	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total
C111616	UPD148	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total

**UPD1TN (Unified Parkinson's Disease Rating Scale Questionnaire Test Name)**

NCI Code: C100147, Codelist extensible: No

<b>C100147 UPD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111591	UPD1--Motor:Action Tremor:Hand: Left	UPD1--Motor:Action Tremor:Hand: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Left.	UPDRS - Motor Examination: Action Tremor, Hand, Left
C111590	UPD1--Motor:Action Tremor:Hand: Right	UPD1--Motor:Action Tremor:Hand: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Action tremor: Hand: Right.	UPDRS - Motor Examination: Action Tremor, Hand, Right
C111614	UPD1-Activities Daily Living Sub-Total	UPD1-Activities Daily Living Sub-Total	Unified Parkinson's Disease Rating Scale - Activities of daily living sub-total.	UPDRS - Activities of Daily Living Sub-total
C100909	UPD1-Activities:Cut Food/Handle Utensil	UPD1-Activities:Cut Food/Handle Utensil	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Cutting food and handling utensils.	UPDRS - Activities of Daily Living: Cutting Food and Handling Utensils
C100910	UPD1-Activities:Dressing	UPD1-Activities:Dressing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Dressing.	UPDRS - Activities of Daily Living: Dressing
C100913	UPD1-Activities:Falling	UPD1-Activities:Falling	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Falling (unrelated to freezing).	UPDRS - Activities of Daily Living: Falling
C100914	UPD1-Activities:Freezing When Walking	UPD1-Activities:Freezing When Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Freezing when walking.	UPDRS - Activities of Daily Living: Freezing When Walking
C100908	UPD1-Activities:Handwriting	UPD1-Activities:Handwriting	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Handwriting.	UPDRS - Activities of Daily Living: Handwriting
C100911	UPD1-Activities:Hygiene	UPD1-Activities:Hygiene	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Hygiene.	UPDRS - Activities of Daily Living: Hygiene
C100906	UPD1-Activities:Salivation	UPD1-Activities:Salivation	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Salivation.	UPDRS - Activities of Daily Living: Salivation
C100917	UPD1-Activities:Sensory Complaints	UPD1-Activities:Sensory Complaints	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Sensory complaints related to Parkinsonism.	UPDRS - Activities of Daily Living: Sensory Complaints Related to Parkinsonism
C100905	UPD1-Activities:Speech	UPD1-Activities:Speech	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Speech.	UPDRS - Activities of Daily Living: Speech
C100907	UPD1-Activities:Swallowing	UPD1-Activities:Swallowing	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Swallowing.	UPDRS - Activities of Daily Living: Swallowing
C100916	UPD1-Activities:Tremor	UPD1-Activities:Tremor	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Tremor (Symptomatic complaint of tremor in any part of body.).	UPDRS - Activities of Daily Living: Tremor
C100912	UPD1-Activities:Turn Bed/Adj Clothes	UPD1-Activities:Turn Bed/Adj Clothes	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Turning in bed and adjusting bed clothes.	UPDRS - Activities of Daily Living: Turning in Bed and Adjusting Bed Clothes
C100915	UPD1-Activities:Walking	UPD1-Activities:Walking	Unified Parkinson's Disease Rating Scale - Activities of daily living (for both 'on' and 'off'): Walking.	UPDRS - Activities of Daily Living: Walking
C111605	UPD1-Blood Pressure: Seated	UPD1-Blood Pressure: Seated	Unified Parkinson's Disease Rating Scale - Blood pressure: Seated.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Seated
C111607	UPD1-Blood Pressure: Standing	UPD1-Blood Pressure: Standing	Unified Parkinson's Disease Rating Scale - Blood pressure: Standing.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Standing
C111606	UPD1-Blood Pressure: Supine	UPD1-Blood Pressure: Supine	Unified Parkinson's Disease Rating Scale - Blood pressure: Supine.	UPDRS - Symptomatic Orthostasis: Blood Pressure, Supine

<b>C100147 UPD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100940	UPD1-Complications:Anorex Nausea Vomit	UPD1-Complications:Anorex Nausea Vomit	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have anorexia, nausea, or vomiting?	UPDRS - Complications of Therapy: Other Complications - Anorexia, Nausea, or Vomiting
C100933	UPD1-Complications:Dyskinesias Disable	UPD1-Complications:Dyskinesias Disable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Disability: How disabling are the dyskinesias? (Historical information; may be modified by office examination.).	UPDRS - Complications of Therapy: Dyskinesias - Disability
C100932	UPD1-Complications:Dyskinesias Duration	UPD1-Complications:Dyskinesias Duration	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Duration: What proportion of the waking day are dyskinesias present? (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Duration
C100935	UPD1-Complications:Dyskinesias Dystonia	UPD1-Complications:Dyskinesias Dystonia	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Presence of early morning dystonia (Historical information.).	UPDRS - Complications of Therapy: Dyskinesias - Presence of Early Morning Dystonia
C100934	UPD1-Complications:Dyskinesias Painful	UPD1-Complications:Dyskinesias Painful	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Dyskinesias, Painful dyskinesias: How painful are the dyskinesias?	UPDRS - Complications of Therapy: Dyskinesias - Painful Dyskinesias
C100939	UPD1-Complications:Fluct Average	UPD1-Complications:Fluct Average	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, What proportion of the waking day is the patient 'off' on average?	UPDRS - Complications of Therapy: Clinical Fluctuations - Average Off Periods Per Day
C100936	UPD1-Complications:Fluct Predictable	UPD1-Complications:Fluct Predictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods predictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Predictable
C100938	UPD1-Complications:Fluct Suddenly	UPD1-Complications:Fluct Suddenly	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Do 'off' periods come on suddenly, within a few seconds?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Sudden
C100937	UPD1-Complications:Fluct Unpredictable	UPD1-Complications:Fluct Unpredictable	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Clinical fluctuations, Are 'off' periods unpredictable?	UPDRS - Complications of Therapy: Clinical Fluctuations - Off Periods Unpredictable
C100941	UPD1-Complications:Insomnia Hypersomnol	UPD1-Complications:Insomnia Hypersomnol	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Any sleep disturbances, such as insomnia or hypersomnolence?	UPDRS - Complications of Therapy: Other Complications - Sleep Disturbances
C100942	UPD1-Complications:Symptom Orthostasis	UPD1-Complications:Symptom Orthostasis	Unified Parkinson's Disease Rating Scale - Complications of therapy (in the past week): Other complications, Does the patient have symptomatic orthostasis? (Record the patient's blood pressure, height and weight on the scoring form).	UPDRS - Complications of Therapy: Other Complications - Symptomatic Orthostasis
C111613	UPD1-Mentation, Behavior, Mood Sub-Total	UPD1-Mentation, Behavior, Mood Sub-Total	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood sub-total.	UPDRS - Mentation, Behavior and Mood Sub-total
C100903	UPD1-Mentation:Depression	UPD1-Mentation:Depression	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Depression.	UPDRS - Mentation, Behavior and Mood: Depression
C100901	UPD1-Mentation:Intellectual Impairment	UPD1-Mentation:Intellectual Impairment	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Intellectual impairment.	UPDRS - Mentation, Behavior and Mood: Intellectual Impairment
C100904	UPD1-Mentation:Motivation/Initiative	UPD1-Mentation:Motivation/Initiative	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Motivation/Initiative.	UPDRS - Mentation, Behavior and Mood: Motivation/Initiative
C100902	UPD1-Mentation:Thought Disorder	UPD1-Mentation:Thought Disorder	Unified Parkinson's Disease Rating Scale - Mentation, behavior and mood: Thought disorder.	UPDRS - Mentation, Behavior and Mood: Thought Disorder
C100943	UPD1-Modified Hoehn and Yahr Staging	UPD1-Modified Hoehn and Yahr Staging	Unified Parkinson's Disease Rating Scale - Modified Hoehn and Yahr Staging.	UPDRS - Modified Hoehn and Yahr Staging
C111615	UPD1-Motor Examination Sub-Total	UPD1-Motor Examination Sub-Total	Unified Parkinson's Disease Rating Scale - Motor examination sub-total.	UPDRS - Motor Examination Sub-total

**C100147 UPD1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100927	UPD1-Motor:Arising from Chair	UPD1-Motor:Arising from Chair	Unified Parkinson's Disease Rating Scale - Motor examination: Arising from chair (Patient attempts to rise from a straightbacked chair, with arms folded across chest.).	UPDRS - Motor Examination: Arising from Chair
C100931	UPD1-Motor:Bradykinesia and Hypokinesia	UPD1-Motor:Bradykinesia and Hypokinesia	Unified Parkinson's Disease Rating Scale - Motor examination: Body bradykinesia and hypokinesia (Combining slowness, hesitancy, decreased arm swing, small amplitude, and poverty of movement in general.).	UPDRS - Motor Examination: Body Bradykinesia and Hypokinesia
C100919	UPD1-Motor:Facial Expression	UPD1-Motor:Facial Expression	Unified Parkinson's Disease Rating Scale - Motor examination: Facial expression.	UPDRS - Motor Examination: Facial Expression
C111598	UPD1-Motor:Finger Taps: Left	UPD1-Motor:Finger Taps: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Left.	UPDRS - Motor Examination: Finger Taps, Left
C111597	UPD1-Motor:Finger Taps: Right	UPD1-Motor:Finger Taps: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Finger taps: Right.	UPDRS - Motor Examination: Finger Taps, Right
C100929	UPD1-Motor:Gait	UPD1-Motor:Gait	Unified Parkinson's Disease Rating Scale - Motor examination: Gait.	UPDRS - Motor Examination: Gait
C111600	UPD1-Motor:Hand Grips: Left	UPD1-Motor:Hand Grips: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Left.	UPDRS - Motor Examination: Hand Grips, Left
C111599	UPD1-Motor:Hand Grips: Right	UPD1-Motor:Hand Grips: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand grips: Right.	UPDRS - Motor Examination: Hand Grips, Right
C111602	UPD1-Motor:Hand Pronate/Supinate: Left	UPD1-Motor:Hand Pronate/Supinate: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Left.	UPDRS - Motor Examination: Hand Pronate/Supinate, Left
C111601	UPD1-Motor:Hand Pronate/Supinate: Right	UPD1-Motor:Hand Pronate/Supinate: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Hand pronate/supinate: Right.	UPDRS - Motor Examination: Hand Pronate/Supinate, Right
C111604	UPD1-Motor:Leg Agility: Left	UPD1-Motor:Leg Agility: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Left.	UPDRS - Motor Examination: Leg Agility, Left
C111603	UPD1-Motor:Leg Agility: Right	UPD1-Motor:Leg Agility: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Leg agility: Right.	UPDRS - Motor Examination: Leg Agility, Right
C100930	UPD1-Motor:Postural Stability	UPD1-Motor:Postural Stability	Unified Parkinson's Disease Rating Scale - Motor examination: Postural stability (Response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart. Patient is prepared.).	UPDRS - Motor Examination: Postural Stability
C100928	UPD1-Motor:Posture	UPD1-Motor:Posture	Unified Parkinson's Disease Rating Scale - Motor examination: Posture.	UPDRS - Motor Examination: Posture
C111596	UPD1-Motor:Rigidity Lower Extrem: Left	UPD1-Motor:Rigidity Lower Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Left.	UPDRS - Motor Examination: Rigidity Lower Extremity, Left
C111595	UPD1-Motor:Rigidity Lower Extrem: Right	UPD1-Motor:Rigidity Lower Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity lower extremity: Right.	UPDRS - Motor Examination: Rigidity Lower Extremity, Right
C111592	UPD1-Motor:Rigidity Neck	UPD1-Motor:Rigidity Neck	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity neck.	UPDRS - Motor Examination: Rigidity Neck
C111594	UPD1-Motor:Rigidity Upper Extrem: Left	UPD1-Motor:Rigidity Upper Extrem: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Left.	UPDRS - Motor Examination: Rigidity Upper Extremity, Left
C111593	UPD1-Motor:Rigidity Upper Extrem: Right	UPD1-Motor:Rigidity Upper Extrem: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Rigidity upper extremity: Right.	UPDRS - Motor Examination: Rigidity Upper Extremity, Right
C100918	UPD1-Motor:Speech	UPD1-Motor:Speech	Unified Parkinson's Disease Rating Scale - Motor examination: Speech.	UPDRS - Motor Examination: Speech



**C100147 UPD1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C111585	UPD1-Motor:Tremor at Rest:Face Lips Chin	UPD1-Motor:Tremor at Rest:Face Lips Chin	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: face, lips, chin.	UPDRS - Motor Examination: Tremor at Rest, Face, Lips, Chin
C111589	UPD1-Motor:Tremor at Rest:Feet: Left	UPD1-Motor:Tremor at Rest:Feet: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Left.	UPDRS - Motor Examination: Tremor at Rest, Feet, Left
C111588	UPD1-Motor:Tremor at Rest:Feet: Right	UPD1-Motor:Tremor at Rest:Feet: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Feet: Right.	UPDRS - Motor Examination: Tremor at Rest, Feet, Right
C111587	UPD1-Motor:Tremor at Rest:Hands: Left	UPD1-Motor:Tremor at Rest:Hands: Left	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Left.	UPDRS - Motor Examination: Tremor at Rest, Hands, Left
C111586	UPD1-Motor:Tremor at Rest:Hands: Right	UPD1-Motor:Tremor at Rest:Hands: Right	Unified Parkinson's Disease Rating Scale - Motor examination: Tremor at rest: Hands: Right.	UPDRS - Motor Examination: Tremor at Rest, Hands, Right
C111609	UPD1-Pulse: Seated	UPD1-Pulse: Seated	Unified Parkinson's Disease Rating Scale - Pulse: Seated.	UPDRS - Symptomatic Orthostasis: Pulse, Seated
C111610	UPD1-Pulse: Standing	UPD1-Pulse: Standing	Unified Parkinson's Disease Rating Scale - Pulse: Standing.	UPDRS - Symptomatic Orthostasis: Pulse, Standing
C111612	UPD1-Schwab/England % ADL (Dyskinesia)	UPD1-Schwab/England % ADL (Dyskinesia)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL (with dyskinesia).	UPDRS - Schwab and England % ADL (With Dyskinesia)
C111611	UPD1-Schwab/England % ADL Score (PD)	UPD1-Schwab/England % ADL Score (PD)	Unified Parkinson's Disease Rating Scale - Schwab and England % ADL Score (PD).	UPDRS - Schwab and England % ADL Score (PD)
C111616	UPD1-UPDRS Total	UPD1-UPDRS Total	Unified Parkinson's Disease Rating Scale - UPDRS total.	UPDRS - UPDRS Total
C111608	UPD1-Weight	UPD1-Weight	Unified Parkinson's Disease Rating Scale - Weight.	UPDRS - Symptomatic Orthostasis: Weight

**UPD2TC (Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Code)**

NCI Code: C100140, Codelist extensible: No

<b>C100140 UPD2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100473	UPD2101	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100474	UPD2102	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100475	UPD2103	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100476	UPD2104	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2105	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100478	UPD2106	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100479	UPD2107	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems
C100480	UPD2108	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100481	UPD2109	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations
C100482	UPD2110	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100483	UPD2111	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100484	UPD2112	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100485	UPD2113	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100486	UPD2201	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100487	UPD2202	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling

**C100140 UPD2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100488	UPD2203	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100489	UPD2204	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks
C100490	UPD2205	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100491	UPD2206	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100492	UPD2207	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100493	UPD2208	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100494	UPD2209	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100495	UPD2210	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C101018	UPD2211	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100496	UPD2212	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance
C100497	UPD2213	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100502	UPD2301	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100503	UPD2302	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression
C100504	UPD2303A	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck
C100505	UPD2303B	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100506	UPD2303C	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100507	UPD2303D	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100508	UPD2303E	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100509	UPD2304A	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100510	UPD2304B	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping

<b>C100140 UPD2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100511	UPD2305A	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100512	UPD2305B	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100513	UPD2306A	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronation-Supination Movement of Right Hand
C100514	UPD2306B	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronation-Supination Movement of Left Hand
C100515	UPD2307A	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping
C100516	UPD2307B	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100517	UPD2308A	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100518	UPD2308B	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100519	UPD2309	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100520	UPD2310	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C100521	UPD2311	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait
C100522	UPD2312	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C100523	UPD2313	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100524	UPD2314	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100525	UPD2315A	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C113882	UPD2315B	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C113883	UPD2316A	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100526	UPD2316B	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C100527	UPD2317A	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100528	UPD2317B	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2317C	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100530	UPD2317D	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100531	UPD2317E	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw

**C100140 UPD2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100532	UPD2318	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100498	UPD23A	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease
C100499	UPD23B	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100500	UPD23C	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100501	UPD23C1	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100536	UPD2401	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias
C100537	UPD2402	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100538	UPD2403	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100539	UPD2404	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100540	UPD2405	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100541	UPD2406	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100533	UPD2DA	UPD2-Dyskinesias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinesias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinesias During Exam
C100534	UPD2DB	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100535	UPD2HY	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage

**UPD2TN (Movement Disorder Society Unified Parkinson's Disease Rating Scale Questionnaire Test Name)**

NCI Code: C100139, Codelist extensible: No

<b>C100139 UPD2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100476	UPD2-Anxious Mood	UPD2-Anxious Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt nervous, worried or tense? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you to follow your usual activities or to be with other people?	MDS-UPDRS - Anxious Mood
C100477	UPD2-Apathy	UPD2-Apathy	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt indifferent to doing activities or being with people?	MDS-UPDRS - Apathy
C100519	UPD2-Arising from Chair	UPD2-Arising from Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Arising from Chair.	MDS-UPDRS - Arising from Chair
C100524	UPD2-Body Bradykinesia	UPD2-Body Bradykinesia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Global Spontaneity of Movement (Body Bradykinesia).	MDS-UPDRS - Body Bradykinesia
C100488	UPD2-Chewing and Swallowing	UPD2-Chewing and Swallowing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems swallowing pills or eating meals?	MDS-UPDRS - Chewing and Swallowing
C100499	UPD2-Clinical State on Meds	UPD2-Clinical State on Meds	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If the patient is receiving medication for treating the symptoms of Parkinson's Disease, mark the patient's clinical state.	MDS-UPDRS - Clinical State on Medication
C100473	UPD2-Cognitive Impairment	UPD2-Cognitive Impairment	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had problems remembering things, following conversations, paying attention, thinking clearly, or finding your way around the house or in town?	MDS-UPDRS - Cognitive Impairment
C100540	UPD2-Complexity Motor Fluctuations	UPD2-Complexity Motor Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Complexity of Motor Fluctuations.	MDS-UPDRS - Complexity of Motor Fluctuations
C100532	UPD2-Consistency of Rest Tremor	UPD2-Consistency of Rest Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Consistency of Rest Tremor.	MDS-UPDRS - Consistency of Rest Tremor
C100483	UPD2-Constipation Problems	UPD2-Constipation Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you had constipation troubles that cause you difficulty moving your bowels?	MDS-UPDRS - Constipation Problems
C100480	UPD2-Daytime Sleepiness	UPD2-Daytime Sleepiness	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble staying awake during the daytime?	MDS-UPDRS - Daytime Sleepiness
C100475	UPD2-Depressed Mood	UPD2-Depressed Mood	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you felt low, sad, hopeless or unable to enjoy things? If yes, was this feeling for longer than one day at a time? Did it make it difficult for you carry out your usual activities or to be with people?	MDS-UPDRS - Depressed Mood
C100493	UPD2-Doing Hobbies/Other Activities	UPD2-Doing Hobbies/Other Activities	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble doing your hobbies or other things that you like to do?	MDS-UPDRS - Doing Hobbies and Other Activities
C100490	UPD2-Dressing	UPD2-Dressing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems dressing?	MDS-UPDRS - Dressing
C100533	UPD2-Dyskinesias During Exam	UPD2-Dyskinesias During Exam	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Were dyskinesias (chorea or dystonia) present during examination?	MDS-UPDRS - Dyskinesias During Exam
C100489	UPD2-Eating Tasks	UPD2-Eating Tasks	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had troubles handling your food and using eating utensils?	MDS-UPDRS - Eating Tasks
C100503	UPD2-Facial Expression	UPD2-Facial Expression	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Facial Expression.	MDS-UPDRS - Facial Expression

<b>C100139 UPD2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100485	UPD2-Fatigue	UPD2-Fatigue	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually felt fatigued?	MDS-UPDRS - Fatigue
C100497	UPD2-Freezing	UPD2-Freezing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, on your usual day when walking, do you suddenly stop or freeze as if your feet are stuck to the floor?	MDS-UPDRS - Freezing
C100521	UPD2-Freezing of Gait	UPD2-Freezing of Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Freezing of Gait.	MDS-UPDRS - Freezing of Gait
C100478	UPD2-Ftrs Dopa Dysregulation Synd	UPD2-Ftrs Dopa Dysregulation Synd	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had unusually strong urges that are hard to control? Do you feel driven to do or think about something and find it hard to stop?	MDS-UPDRS - Features of Dopamine Dysregulation Syndrome
C100537	UPD2-Functional Impact Dyskinesias	UPD2-Functional Impact Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Dyskinesias.	MDS-UPDRS - Functional Impact of Dyskinesias
C100539	UPD2-Functional Impact Fluctuations	UPD2-Functional Impact Fluctuations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Functional Impact of Fluctuations.	MDS-UPDRS - Functional Impact of Fluctuations
C100520	UPD2-Gait	UPD2-Gait	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Gait.	MDS-UPDRS - Gait
C101018	UPD2-Get Out of Bed/Car/Deep Chair	UPD2-Get Out of Bed/Car/Deep Chair	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had trouble getting out of bed, a car seat, or a deep chair?	MDS-UPDRS - Get Out of Bed, Car, or Deep Chair
C100474	UPD2-Hallucinations and Psychosis	UPD2-Hallucinations and Psychosis	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week have you seen, heard, smelled or felt things that were not really there?	MDS-UPDRS - Hallucinations and Psychosis
C100492	UPD2-Handwriting	UPD2-Handwriting	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have people usually had trouble reading your handwriting?	MDS-UPDRS - Handwriting
C100535	UPD2-Hoehn and Yahr Stage	UPD2-Hoehn and Yahr Stage	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Hoehn and Yahr Stage.	MDS-UPDRS - Hoehn and Yahr Stage
C100491	UPD2-Hygiene	UPD2-Hygiene	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually been slow or do you need help with washing, bathing, shaving, brushing teeth, combing your hair or with other personal hygiene?	MDS-UPDRS - Hygiene
C100526	UPD2-Kinetic Tremor of Left Hand	UPD2-Kinetic Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Left Hand.	MDS-UPDRS - Kinetic Tremor of Left Hand
C113883	UPD2-Kinetic Tremor of Right Hand	UPD2-Kinetic Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Kinetic Tremor of the Right Hand.	MDS-UPDRS - Kinetic Tremor of Right Hand
C100510	UPD2-Left Finger Tapping	UPD2-Left Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Finger Tapping.	MDS-UPDRS - Left Finger Tapping
C100512	UPD2-Left Hand Movements	UPD2-Left Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Hand Movements.	MDS-UPDRS - Left Hand Movements
C100518	UPD2-Left Leg Agility	UPD2-Left Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Leg Agility.	MDS-UPDRS - Left Leg Agility
C100516	UPD2-Left Toe Tapping	UPD2-Left Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Left Toe Tapping.	MDS-UPDRS - Left Toe Tapping
C100484	UPD2-Lightheadedness on Standing	UPD2-Lightheadedness on Standing	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you felt faint, dizzy or foggy when you stand up after sitting or lying down?	MDS-UPDRS - Lightheadedness on Standing
C100498	UPD2-Medication for PD	UPD2-Medication for PD	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on medication for treating the symptoms of Parkinson's Disease?	MDS-UPDRS - Medication for Parkinson's Disease

<b>C100139 UPD2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100501	UPD2-Minutes Since Levodopa Dose	UPD2-Minutes Since Levodopa Dose	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Minutes since last Levodopa dose.	MDS-UPDRS - Minutes Since Levodopa Dose
C100534	UPD2-Movements Interfere Ratings	UPD2-Movements Interfere Ratings	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - If yes, did these movements interfere with your ratings?	MDS-UPDRS - Movements Interfere with Ratings
C100481	UPD2-Pain and other Sensations	UPD2-Pain and other Sensations	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had uncomfortable feelings in your body like pain, aches tingling or cramps?	MDS-UPDRS - Pain and Other Sensations
C100541	UPD2-Painful Off-state Dystonia	UPD2-Painful Off-state Dystonia	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Painful Off-state Dystonia.	MDS-UPDRS - Painful Off-state Dystonia
C100522	UPD2-Postural Stability	UPD2-Postural Stability	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Stability.	MDS-UPDRS - Postural Stability
C113882	UPD2-Postural Tremor of Left Hand	UPD2-Postural Tremor of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Left Hand.	MDS-UPDRS - Postural Tremor of Left Hand
C100525	UPD2-Postural Tremor of Right Hand	UPD2-Postural Tremor of Right Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Postural Tremor of the Right Hand.	MDS-UPDRS - Postural Tremor of Right Hand
C100523	UPD2-Posture	UPD2-Posture	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Posture.	MDS-UPDRS - Posture
C100514	UPD2-Pron/Sup Movement of Left Hand	UPD2-Pron/Sup Movement of Left Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Left Hand.	MDS-UPDRS - Pronation-Supination Movement of Left Hand
C100513	UPD2-Pron/Sup Movement of RT Hand	UPD2-Pron/Sup Movement of RT Hand	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Pronation-Supination Movements of Right Hand.	MDS-UPDRS - Pronation-Supination Movement of Right Hand
C100531	UPD2-Rest Tremor Amplitude Lip/Jaw	UPD2-Rest Tremor Amplitude Lip/Jaw	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Lip/Jaw.	MDS-UPDRS - Rest Tremor Amplitude Lip or Jaw
C100530	UPD2-Rest Tremor Amplitude LLE	UPD2-Rest Tremor Amplitude LLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Lower Extremity
C100528	UPD2-Rest Tremor Amplitude LUE	UPD2-Rest Tremor Amplitude LUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Left Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Left Upper Extremity
C100529	UPD2-Rest Tremor Amplitude RLE	UPD2-Rest Tremor Amplitude RLE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Lower Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Lower Extremity
C100527	UPD2-Rest Tremor Amplitude RUE	UPD2-Rest Tremor Amplitude RUE	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rest Tremor Amplitude Right Upper Extremity.	MDS-UPDRS - Rest Tremor Amplitude Right Upper Extremity
C100509	UPD2-Right Finger Tapping	UPD2-Right Finger Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Finger Tapping.	MDS-UPDRS - Right Finger Tapping
C100511	UPD2-Right Hand Movements	UPD2-Right Hand Movements	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Hand Movements.	MDS-UPDRS - Right Hand Movements
C100517	UPD2-Right Leg Agility	UPD2-Right Leg Agility	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Leg Agility.	MDS-UPDRS - Right Leg Agility
C100515	UPD2-Right Toe Tapping	UPD2-Right Toe Tapping	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Right Toe Tapping.	MDS-UPDRS - Right Toe Tapping
C100508	UPD2-Rigidity Left Lower Extremity	UPD2-Rigidity Left Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Lower Extremity.	MDS-UPDRS - Rigidity Left Lower Extremity
C100506	UPD2-Rigidity Left Upper Extremity	UPD2-Rigidity Left Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Left Upper Extremity.	MDS-UPDRS - Rigidity Left Upper Extremity
C100504	UPD2-Rigidity Neck	UPD2-Rigidity Neck	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Neck.	MDS-UPDRS - Rigidity Neck



**C100139 UPD2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100507	UPD2-Rigidity RT Lower Extremity	UPD2-Rigidity RT Lower Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Lower Extremity.	MDS-UPDRS - Rigidity Right Lower Extremity
C100505	UPD2-Rigidity RT Upper Extremity	UPD2-Rigidity RT Upper Extremity	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Rigidity Right Upper Extremity.	MDS-UPDRS - Rigidity Right Upper Extremity
C100487	UPD2-Saliva and Drooling	UPD2-Saliva and Drooling	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had too much saliva during when you are awake or when you sleep?	MDS-UPDRS - Saliva and Drooling
C100479	UPD2-Sleep Problems	UPD2-Sleep Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble going to sleep at night or staying asleep through the night?	MDS-UPDRS - Sleep Problems
C100486	UPD2-Speech	UPD2-Speech	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had problems with your speech?	MDS-UPDRS - Speech
C100502	UPD2-Speech Problems	UPD2-Speech Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Speech Problems.	MDS-UPDRS - Speech Problems
C100500	UPD2-Taking Levodopa	UPD2-Taking Levodopa	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Is the patient on Levodopa?	MDS-UPDRS - Taking Levodopa
C100538	UPD2-Time Spent in the Off State	UPD2-Time Spent in the Off State	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent in the Off State.	MDS-UPDRS - Time Spent in the Off State
C100536	UPD2-Time Spent with Dyskinesias	UPD2-Time Spent with Dyskinesias	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Time Spent with Dyskinesias.	MDS-UPDRS - Time Spent with Dyskinesias
C100495	UPD2-Tremor	UPD2-Tremor	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had shaking or tremor?	MDS-UPDRS - Tremor
C100494	UPD2-Turning in Bed	UPD2-Turning in Bed	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, do you usually have trouble turning over in bed?	MDS-UPDRS - Turning in Bed
C100482	UPD2-Urinary Problems	UPD2-Urinary Problems	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you had trouble with urine control?	MDS-UPDRS - Urinary Problems
C100496	UPD2-Walking and Balance	UPD2-Walking and Balance	The Movement Disorder Society version of the Unified Parkinson's Disease Rating Scale - Over the past week, have you usually had problems with balance and walking?	MDS-UPDRS - Walking and Balance

## UPS01TC (Urgency Perception Scale Questionnaire Test Code)

NCI Code: C103489, Codelist extensible: No

<b>C103489 UPS01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103761	UPS0101	UPS01-Describe Your Desire to Urinate	Urgency Perception Scale - Which of the following would typically describe your experience when you have a desire to urinate.	UPS - Describe Your Experience When You Desire to Urinate

## UPS01TN (Urgency Perception Scale Questionnaire Test Name)

NCI Code: C103488, Codelist extensible: No

<b>C103488 UPS01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C103761	UPS01-Describe Your Desire to Urinate	UPS01-Describe Your Desire to Urinate	Urgency Perception Scale - Which of the following would typically describe your experience when you have a desire to urinate.	UPS - Describe Your Experience When You Desire to Urinate

## URNSTS (Urinary System Test Name)

NCI Code: C129941, Codelist extensible: Yes

<b>C129941 URNSTS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64546	Color	Color	A measurement of the color of a biological specimen.	Color Assessment
C135522	Graft Status	Graft Status	The condition of the donated organ or tissue. (NCI)	Graft Status
C25334	Length	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C130195	Number of Renal Arteries	Number of Renal Arteries	A measurement of the total number of renal arteries.	Number of Renal Arteries
C130196	Number of Renal Veins	Number of Renal Veins	A measurement of the total number of renal veins.	Number of Renal Veins

## URNSTSCD (Urinary System Test Code)

NCI Code: C129942, Codelist extensible: Yes

<b>C129942 URNSTSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C64546	COLOR	Color	A measurement of the color of a biological specimen.	Color Assessment
C135522	GRFTSTAT	Graft Status	The condition of the donated organ or tissue. (NCI)	Graft Status
C25334	LENGTH	Length	The linear extent in space from one end of something to the other end, or the extent of something from beginning to end. (NCI)	Length
C130195	RNLANUM	Number of Renal Arteries	A measurement of the total number of renal arteries.	Number of Renal Arteries
C130196	RNLVNUM	Number of Renal Veins	A measurement of the total number of renal veins.	Number of Renal Veins

## VALG01TC (Veterans Administration Lung Study Group Clinical Classification Test Code)

NCI Code: C141653, Codelist extensible: No

<b>C141653 VALG01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141695	VALG0101	VALG01-Cancer Stage	Veterans Administration Lung Study Group - Cancer stage.	VALG - Cancer Stage

**VALG01TN (Veterans Administration Lung Study Group Clinical Classification Test Name)**

NCI Code: C141652, Codelist extensible: No

<b>C141652 VALG01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C141695	VALG01-Cancer Stage	VALG01-Cancer Stage	Veterans Administration Lung Study Group - Cancer stage.	VALG - Cancer Stage

## VCNEVD (Vaccination Evidence Source)

NCI Code: C102590, Codelist extensible: Yes

<b>C102590 VCNEVD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C34483	SCAR		A mark left (usually on the skin) by the healing of injured tissue.	Scar
C74528	SELF-REPORT		An individual's perspective or subjective interpretation of an event or information.	Self-Report
C86042	WRITTEN DOCUMENTATION		The collecting, abstracting, and coding of printed or written information for future reference.	Written Documentation



**VFQ1TC (National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Code)**

NCI Code: C112453, Codelist extensible: No

<b>C112453 VFQ1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112729	VFQ101	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health
C112730	VFQ102	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112731	VFQ103	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight
C112732	VFQ104	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112733	VFQ105	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112734	VFQ106	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112735	VFQ107	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112736	VFQ108	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112737	VFQ109	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112738	VFQ110	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112739	VFQ111	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112740	VFQ112	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112741	VFQ113	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People

**C112453 VFQ1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112742	VFQ114	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112743	VFQ115	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112744	VFQ115A	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving
C112745	VFQ115B	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112746	VFQ115C	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112747	VFQ116	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112748	VFQ116A	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112749	VFQ117	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112750	VFQ118	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision
C112751	VFQ119	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112752	VFQ120	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112753	VFQ121	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112754	VFQ122	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112755	VFQ123	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112756	VFQ124	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight

**C112453 VFQ1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112757	VFQ125	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112758	VFQ1A01	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112759	VFQ1A02	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112760	VFQ1A03	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print
C112761	VFQ1A04	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112762	VFQ1A05	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112763	VFQ1A06	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know
C112764	VFQ1A07	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112765	VFQ1A08	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112766	VFQ1A09	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112767	VFQ1A11A	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112768	VFQ1A11B	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112769	VFQ1A12	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112770	VFQ1A13	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight

**VFQ1TN (National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format Questionnaire Test Name)**

NCI Code: C112452, Codelist extensible: No

<b>C112452 VFQ1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112749	VFQ1-Accomplish Less Than You Would Like	VFQ1-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Interviewer Administered Format - Accomplish Less Because of Vision
C112743	VFQ1-Are You Currently Driving	VFQ1-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Interviewer Administered Format - Are You Currently Driving
C112734	VFQ1-Difficulty Doing Work/Hobbies	VFQ1-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Doing Work or Hobbies
C112747	VFQ1-Difficulty Driving at Night	VFQ1-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving at Night
C112746	VFQ1-Difficulty Driving During Daytime	VFQ1-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Driving During Daytime
C112766	VFQ1-Difficulty Entertaining Friends	VFQ1-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Interviewer Administered Format - Difficulty Entertaining Friends and Family in Home
C112761	VFQ1-Difficulty Figure Out Bill Accuracy	VFQ1-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Interviewer Administered Format - Difficulty Figure Out Bill Accuracy
C112735	VFQ1-Difficulty Finding on Crowded Shelf	VFQ1-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Interviewer Administered Format - Difficulty Finding Something On a Shelf
C112737	VFQ1-Difficulty Going Down Step at Night	VFQ1-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Interviewer Administered Format - Difficulty Going Down Steps at Night
C112742	VFQ1-Difficulty Going Out to See Movies	VFQ1-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Interviewer Administered Format - Difficulty Going Out to See Movies
C112738	VFQ1-Difficulty Noticing Objects to Side	VFQ1-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Interviewer Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112740	VFQ1-Difficulty Picking Out Own Clothes	VFQ1-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Interviewer Administered Format - Difficulty Picking Out and Matching Own Clothes
C112733	VFQ1-Difficulty Reading Newspapers	VFQ1-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Interviewer Administered Format - Difficulty Reading Ordinary Print in Newspapers

**C112452 VFQ1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112760	VFQ1-Difficulty Reading Small Print	VFQ1-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Interviewer Administered Format - Difficulty Reading Small Print
C112736	VFQ1-Difficulty Reading Street Signs	VFQ1-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Interviewer Administered Format - Difficulty Reading Street Signs
C112763	VFQ1-Difficulty Recognizing People	VFQ1-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Interviewer Administered Format - Difficulty Recognizing People You Know
C112739	VFQ1-Difficulty Seeing How People React	VFQ1-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Interviewer Administered Format - Difficulty Seeing How People React
C112765	VFQ1-Difficulty Seeing Programs on TV	VFQ1-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Interviewer Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112762	VFQ1-Difficulty Shaving or Styling Hair	VFQ1-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Interviewer Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112764	VFQ1-Difficulty Taking Part in Sports	VFQ1-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Interviewer Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112741	VFQ1-Difficulty Visiting With People	VFQ1-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Interviewer Administered Format - Difficulty Visiting People
C112767	VFQ1-Do You Have More Help From Others	VFQ1-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Interviewer Administered Format - Do You Have More Help From Others
C112748	VFQ1-Driving in Difficult Conditions	VFQ1-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Interviewer Administered Format - Driving in Difficult Condition
C112751	VFQ1-Eye Pain Keep From Doing What Like	VFQ1-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Interviewer Administered Format - Pain in Eyes Keep You From Doing What You Like
C112730	VFQ1-Eyesight Using Both Eyes Is	VFQ1-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Interviewer Administered Format - Eyesight Using Both Eyes
C112732	VFQ1-How Much Pain in and Around Eyes	VFQ1-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Interviewer Administered Format - Pain or Discomfort You Had in and Around Eyes
C112731	VFQ1-How Often You Worry About Eyesight	VFQ1-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Interviewer Administered Format - Time Spent Worry About Eyesight

**C112452 VFQ1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112770	VFQ1-I Don't Go Out of My Home Alone	VFQ1-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Interviewer Administered Format - Don't Go Out of Home Alone Because of Eyesight
C112753	VFQ1-I Feel Frustrated a Lot of the Time	VFQ1-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Feel Frustrated Because of Eyesight
C112756	VFQ1-I Need a Lot of Help From Others	VFQ1-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Interviewer Administered Format - Need Help From Others Because of Eyesight
C112752	VFQ1-I Stay Home Most of the Time	VFQ1-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Interviewer Administered Format - Stay Home Because of Eyesight
C112750	VFQ1-Limited in How Long You Can Work	VFQ1-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Interviewer Administered Format - Limited in How Long You Can Work Because of Vision
C112768	VFQ1-Limited in Kinds of Things Can Do	VFQ1-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Interviewer Administered Format - Limited in Kinds of Things Can Do
C112745	VFQ1-Main Reason You Gave Up Driving	VFQ1-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Interviewer Administered Format - Main Reason You Gave Up Driving
C112754	VFQ1-Much Less Control Over What I Do	VFQ1-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Interviewer Administered Format - Have Less Control Because of Eyesight
C112744	VFQ1-Never Driven or Given Up Driving	VFQ1-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Difficulty With Activities: If no, Have you never driven a car or have you given up driving?	VFQ25-Interviewer Administered Format - Never Driven or Given Up Driving
C112769	VFQ1-Often Irritable Because Eyesight	VFQ1-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Interviewer Administered Format - Often Irritable Because of Eyesight
C112759	VFQ1-Rate Your Eyesight Now	VFQ1-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Interviewer Administered Format - Rate Your Eyesight Now
C112758	VFQ1-Rate Your Overall Health	VFQ1-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Interviewer Administered Format - Rate Your Overall Health
C112755	VFQ1-Rely Too Much on What Others Tell	VFQ1-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Interviewer Administered Format - Have to Rely On Other People Because of Eyesight
C112757	VFQ1-Worry I'll Do Embarrassing Things	VFQ1-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Interviewer Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112729	VFQ1-Your Overall Health Is	VFQ1-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Interviewer-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Interviewer Administered Format - Overall Health

**VFQ2TC (National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Code)**

NCI Code: C112455, Codelist extensible: No

<b>C112455 VFQ2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112771	VFQ201	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health
C112772	VFQ202	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112773	VFQ203	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight
C112774	VFQ204	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112775	VFQ205	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112776	VFQ206	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112777	VFQ207	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112778	VFQ208	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112779	VFQ209	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112780	VFQ210	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112781	VFQ211	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112782	VFQ212	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112783	VFQ213	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People

<b>C112455 VFQ2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112784	VFQ214	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112785	VFQ215	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112786	VFQ215A	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving
C112787	VFQ215B	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112788	VFQ215C	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112789	VFQ216	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112790	VFQ216A	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112791	VFQ217	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112792	VFQ218	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision
C112793	VFQ219	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112794	VFQ220	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112795	VFQ221	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112796	VFQ222	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112797	VFQ223	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112798	VFQ224	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight



**C112455 VFQ2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112799	VFQ225	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112800	VFQ2A01	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112801	VFQ2A02	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112802	VFQ2A03	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print
C112803	VFQ2A04	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112804	VFQ2A05	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112805	VFQ2A06	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know
C112806	VFQ2A07	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112807	VFQ2A08	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112808	VFQ2A09	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112809	VFQ2A11A	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112810	VFQ2A11B	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112811	VFQ2A12	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112812	VFQ2A13	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight

**VFQ2TN (National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format Questionnaire Test Name)**

NCI Code: C112454, Codelist extensible: No

<b>C112454 VFQ2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112791	VFQ2-Accomplish Less Than You Would Like	VFQ2-Accomplish Less Than You Would Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Do you accomplish less than you would like because of your vision?	VFQ25-Self Administered Format - Accomplish Less Because of Vision
C112785	VFQ2-Are You Currently Driving	VFQ2-Are You Currently Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Are you currently driving, at least once in a while?	VFQ25-Self Administered Format - Are You Currently Driving
C112776	VFQ2-Difficulty Doing Work/Hobbies	VFQ2-Difficulty Doing Work/Hobbies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have doing work or hobbies that require you to see well up close, such as cooking, sewing, fixing things around the house, or using hand tools? Would you say:	VFQ25-Self Administered Format - Difficulty Doing Work or Hobbies
C112789	VFQ2-Difficulty Driving at Night	VFQ2-Difficulty Driving at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving at night? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving at Night
C112788	VFQ2-Difficulty Driving During Daytime	VFQ2-Difficulty Driving During Daytime	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If currently driving: How much difficulty do you have driving during the daytime in familiar places? Would you say you have:	VFQ25-Self Administered Format - Difficulty Driving During Daytime
C112808	VFQ2-Difficulty Entertaining Friends	VFQ2-Difficulty Entertaining Friends	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Social Function: Because of your eyesight, how much difficulty do you have entertaining friends and family in your home?	VFQ25-Self Administered Format - Difficulty Entertaining Friends and Family in Home
C112803	VFQ2-Difficulty Figure Out Bill Accuracy	VFQ2-Difficulty Figure Out Bill Accuracy	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have figuring out whether bills you receive are accurate?	VFQ25-Self Administered Format - Difficulty Figure Out Bill Accuracy
C112777	VFQ2-Difficulty Finding on Crowded Shelf	VFQ2-Difficulty Finding on Crowded Shelf	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have finding something on a crowded shelf?	VFQ25-Self Administered Format - Difficulty Finding Something On a Shelf
C112779	VFQ2-Difficulty Going Down Step at Night	VFQ2-Difficulty Going Down Step at Night	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going down steps, stairs, or curbs in dim light or at night?	VFQ25-Self Administered Format - Difficulty Going Down Steps at Night
C112784	VFQ2-Difficulty Going Out to See Movies	VFQ2-Difficulty Going Out to See Movies	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have going out to see movies, plays, or sports events?	VFQ25-Self Administered Format - Difficulty Going Out to See Movies
C112780	VFQ2-Difficulty Noticing Objects to Side	VFQ2-Difficulty Noticing Objects to Side	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have noticing objects off to the side while you are walking along?	VFQ25-Self Administered Format - Difficulty Noticing Objects Off to the Side While Walking
C112782	VFQ2-Difficulty Picking Out Own Clothes	VFQ2-Difficulty Picking Out Own Clothes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have picking out and matching your own clothes?	VFQ25-Self Administered Format - Difficulty Picking Out and Matching Own Clothes
C112775	VFQ2-Difficulty Reading Newspapers	VFQ2-Difficulty Reading Newspapers	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading ordinary print in newspapers? Would you say you have:	VFQ25-Self Administered Format - Difficulty Reading Ordinary Print in Newspapers
C112802	VFQ2-Difficulty Reading Small Print	VFQ2-Difficulty Reading Small Print	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Wearing glasses, how much difficulty do you have reading the small print in a telephone book, on a medicine bottle, or on legal forms? Would you say:	VFQ25-Self Administered Format - Difficulty Reading Small Print

<b>C112454 VFQ2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112778	VFQ2-Difficulty Reading Street Signs	VFQ2-Difficulty Reading Street Signs	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have reading street signs or the names of stores?	VFQ25-Self Administered Format - Difficulty Reading Street Signs
C112805	VFQ2-Difficulty Recognizing People	VFQ2-Difficulty Recognizing People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have recognizing people you know from across a room?	VFQ25-Self Administered Format - Difficulty Recognizing People You Know
C112781	VFQ2-Difficulty Seeing How People React	VFQ2-Difficulty Seeing How People React	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have seeing how people react to things you say?	VFQ25-Self Administered Format - Difficulty Seeing How People React
C112807	VFQ2-Difficulty Seeing Programs on TV	VFQ2-Difficulty Seeing Programs on TV	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have seeing and enjoying programs on TV?	VFQ25-Self Administered Format - Difficulty Seeing and Enjoying Programs on TV
C112804	VFQ2-Difficulty Shaving or Styling Hair	VFQ2-Difficulty Shaving or Styling Hair	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Near Vision: Because of your eyesight, how much difficulty do you have doing things like shaving, styling your hair, or putting on makeup?	VFQ25-Self Administered Format - Difficulty Shaving or Styling Hair or Putting On Makeup
C112806	VFQ2-Difficulty Taking Part in Sports	VFQ2-Difficulty Taking Part in Sports	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Distance Vision: Because of your eyesight, how much difficulty do you have taking part in active sports or other outdoor activities that you enjoy (like golf, bowling, jogging, or walking)?	VFQ25-Self Administered Format - Difficulty Taking Part in Sports or Outdoor Activities
C112783	VFQ2-Difficulty Visiting With People	VFQ2-Difficulty Visiting With People	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: Because of your eyesight, how much difficulty do you have visiting with people in their homes, at parties, or in restaurants?	VFQ25-Self Administered Format - Difficulty Visiting People
C112809	VFQ2-Do You Have More Help From Others	VFQ2-Do You Have More Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Do you have more help from others because of your vision?	VFQ25-Self Administered Format - Do You Have More Help From Others
C112790	VFQ2-Driving in Difficult Conditions	VFQ2-Driving in Difficult Conditions	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: How much difficulty do you have driving in difficult conditions, such as in bad weather, during rush hour, on the freeway, or in city traffic? Would you say you have:	VFQ25-Self Administered Format - Driving in Difficult Condition
C112793	VFQ2-Eye Pain Keep From Doing What Like	VFQ2-Eye Pain Keep From Doing What Like	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: How much does pain or discomfort in or around your eyes, for example, burning, itching, or aching, keep you from doing what you'd like to be doing? Would you say:	VFQ25-Self Administered Format - Pain in Eyes Keep You From Doing What You Like
C112772	VFQ2-Eyesight Using Both Eyes Is	VFQ2-Eyesight Using Both Eyes Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: At the present time, would you say your eyesight using both eyes (with glasses or contact lenses, if you wear them) is excellent, good, fair, poor, or very poor or are you completely blind?	VFQ25-Self Administered Format - Eyesight Using Both Eyes
C112774	VFQ2-How Much Pain in and Around Eyes	VFQ2-How Much Pain in and Around Eyes	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much pain or discomfort have you had in and around your eyes (for example, burning, itching, or aching)? Would you say it is:	VFQ25-Self Administered Format - Pain or Discomfort You Had in and Around Eyes
C112773	VFQ2-How Often You Worry About Eyesight	VFQ2-How Often You Worry About Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: How much of the time do you worry about your eyesight?	VFQ25-Self Administered Format - Time Spent Worry About Eyesight
C112812	VFQ2-I Don't Go Out of My Home Alone	VFQ2-I Don't Go Out of My Home Alone	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Dependency: I don't go out of my home alone, because of my eyesight.	VFQ25-Self Administered Format - Don't Go Out of Home Alone Because of Eyesight

**C112454 VFQ2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C112795	VFQ2-I Feel Frustrated a Lot of the Time	VFQ2-I Feel Frustrated a Lot of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I feel frustrated a lot of the time because of my eyesight.	VFQ25-Self Administered Format - Feel Frustrated Because of Eyesight
C112798	VFQ2-I Need a Lot of Help From Others	VFQ2-I Need a Lot of Help From Others	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I need a lot of help from others because of my eyesight.	VFQ25-Self Administered Format - Need Help From Others Because of Eyesight
C112794	VFQ2-I Stay Home Most of the Time	VFQ2-I Stay Home Most of the Time	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I stay home most of the time because of my eyesight.	VFQ25-Self Administered Format - Stay Home Because of Eyesight
C112792	VFQ2-Limited in How Long You Can Work	VFQ2-Limited in How Long You Can Work	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Are you limited in how long you can work or do other activities because of your vision?	VFQ25-Self Administered Format - Limited in How Long You Can Work Because of Vision
C112810	VFQ2-Limited in Kinds of Things Can Do	VFQ2-Limited in Kinds of Things Can Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Role Limitations: Are you limited in the kinds of things you can do because of your vision?	VFQ25-Self Administered Format - Limited in Kinds of Things Can Do
C112787	VFQ2-Main Reason You Gave Up Driving	VFQ2-Main Reason You Gave Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If you gave up driving: Was that mainly because of your eyesight, mainly for some other reason, or because of both your eyesight and other reasons?	VFQ25-Self Administered Format - Main Reason You Gave Up Driving
C112796	VFQ2-Much Less Control Over What I Do	VFQ2-Much Less Control Over What I Do	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I have much less control over what I do, because of my eyesight.	VFQ25-Self Administered Format - Have Less Control Because of Eyesight
C112786	VFQ2-Never Driven or Given Up Driving	VFQ2-Never Driven or Given Up Driving	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Difficulty With Activities: If no: Have you never driven a car or have you given up driving?	VFQ25-Self Administered Format - Never Driven or Given Up Driving
C112811	VFQ2-Often Irritable Because Eyesight	VFQ2-Often Irritable Because Eyesight	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Well-Being/Distress: I am often irritable because of my eyesight.	VFQ25-Self Administered Format - Often Irritable Because of Eyesight
C112801	VFQ2-Rate Your Eyesight Now	VFQ2-Rate Your Eyesight Now	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Vision: How would you rate your eyesight now (with glasses or contact lens on, if you wear them), on a scale of from 0 to 10, where zero means the worst possible eyesight, as bad or worse than being blind, and 10 means the best possible eyesight?	VFQ25-Self Administered Format - Rate Your Eyesight Now
C112800	VFQ2-Rate Your Overall Health	VFQ2-Rate Your Overall Health	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health: How would you rate your overall health, on a scale where zero is as bad as death and 10 is best possible health?	VFQ25-Self Administered Format - Rate Your Overall Health
C112797	VFQ2-Rely Too Much on What Others Tell	VFQ2-Rely Too Much on What Others Tell	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: Because of my eyesight, I have to rely too much on what other people tell me.	VFQ25-Self Administered Format - Have to Rely On Other People Because of Eyesight
C112799	VFQ2-Worry I'll Do Embarrassing Things	VFQ2-Worry I'll Do Embarrassing Things	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - Responses to Vision Problems: I worry about doing things that will embarrass myself or others, because of my eyesight.	VFQ25-Self Administered Format - Worry About Embarrass Myself or Others Because of Eyesight
C112771	VFQ2-Your Overall Health Is	VFQ2-Your Overall Health Is	National Eye Institute Visual Functioning Questionnaire - 25 Version 2000 Self-Administered Format - General Health and Vision: In general, would you say your overall health is:	VFQ25-Self Administered Format - Overall Health

## VLERS1TC (Vignos Lower Extremity Rating Scale Clinical Classification Test Code)

NCI Code: C130241, Codelist extensible: No

<b>C130241 VLERS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130327	VLERS101	VLERS1-Vignos Lower Extremity Rating	Vignos Lower Extremity Rating Scale - Vignos rating scale.	VLERS - Vignos Lower Extremity Rating

**VLERS1TN (Vignos Lower Extremity Rating Scale Clinical Classification Test Name)**

NCI Code: C130240, Codelist extensible: No

<b>C130240 VLERS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130327	VLERS1-Vignos Lower Extremity Rating	VLERS1-Vignos Lower Extremity Rating	Vignos Lower Extremity Rating Scale - Vignos rating scale.	VLERS - Vignos Lower Extremity Rating

## VNFATS (Vaccines Findings About Test Name)

NCI Code: C142189, Codelist extensible: Yes

<b>C142189 VNFATS</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C96684	Longest Diameter	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C124281	Number of Episodes	Number of Episodes	The total number of episodes that have occurred for the condition.	Number of Episodes
C127786	Occurrence Indicator	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	Severity/Intensity	Severity/Intensity	The degree of something undesirable.	Severity

## VNFATSCD (Vaccines Findings About Test Code)

NCI Code: C142187, Codelist extensible: Yes

<b>C142187 VNFATSCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124281	EPSDNUM	Number of Episodes	The total number of episodes that have occurred for the condition.	Number of Episodes
C96684	LDIAM	Longest Diameter	The longest possible length of a straight line passing through the center of a circular or spheroid object that connects two points on the circumference.	Longest Diameter
C127786	OCCUR	Occurrence Indicator	An indication as to whether something has happened, such as an event or incident.	Occurrence Indicator
C25676	SEV	Severity/Intensity	The degree of something undesirable.	Severity



## VSRESU (Units for Vital Signs Results)

NCI Code: C66770, Codelist extensible: Yes

C66770 VSRESU				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25613	%	Percentage	One hundred times the quotient of one quantity divided by another, with the same units of measurement.	Percentage
C49673	beats/min	Beats per Minute	The number of heartbeats measured per minute time. (NCI)	Beats per Minute
C49674	breaths/min	Breaths per Minute	The number of breaths (inhalation and exhalation) taken per minute time. (NCI)	Breaths per Minute
C42559	C	Degree Celsius	A unit of temperature of the temperature scale designed so that the freezing point of water is 0 degrees and the boiling point is 100 degrees at standard atmospheric pressure. The current official definition of the Celsius sets 0.01 C to be at the triple point of water and a degree to be 1/273.16 of the difference in temperature between the triple point of water and absolute zero. One degree Celsius represents the same temperature difference as one Kelvin. (NCI)	Degree Celsius
C49668	cm	Centimeter	A basic unit of length equal to one hundredth of a meter or approximately 0.393700787 inch.	Centimeter
C147129	cmHg	Centimeter of Mercury	A unit of pressure equal to 0.001316 atmosphere and equal to the pressure indicated by one centimeter rise of mercury in a barometer at the Earth's surface.	Centimeters of Mercury
C44277	F	Degree Fahrenheit	The Fahrenheit temperature scale is named after the German physicist Gabriel Fahrenheit (1686-1736), who proposed it in 1724. In this scale, the freezing point of water is 32 degrees Fahrenheit and the boiling point is 212 degrees, placing the boiling and melting points of water 180 degrees apart. In this scale a degree Fahrenheit is 5/9ths of a Kelvin (or of a degree Celsius), and minus 40 degrees Fahrenheit is equal to minus 40 degrees Celsius. (NCI)	Degree Fahrenheit
C48155	g	Gram	A unit of mass equal to one thousandth (1E-3) of a kilogram, the kilogram being the base unit of mass in the International System of Units (SI).	Gram
C42545	Hz	Hertz	A unit of frequency equal to one cycle per second.(NCI)	Hertz
C48500	in	Inch	A traditional unit of length equal to 2.54 centimeters. (NCI)	Inch
C42537	K	Kelvin	A basic unit of thermodynamic temperature, one of the seven base units of the International System of Units (Système International d'Unités, SI). It is 1/273.16th of the thermodynamic temperature of the triple point of water, This sets the size of the kelvin unit for temperature differences and defines the thermodynamic temperature of an equilibrium mixture of waters ice-liquid-vapor as 273.16 K, where 0 K is the lowest possible temperature ("absolute zero").	Kelvin
C139135	kcal/day		A unit of energy equal to one kilocalorie per day. (NCI)	Kilocalorie per Day
C28252	kg	Kilogram	The base unit of mass in the International System of Units (SI) equal to the mass of the international prototype kilogram, a platinum-iridium cylinder in the custody of the International Bureau of Weights and Measures.	Kilogram
C49671	kg/m2	Kilogram per Square Meter	A unit expressed as kilogram of mass per square meter of area.(NCI)	Kilogram per Square Meter
C48531	LB	Pound	A traditional unit of mass. By international agreement, one avoirdupois pound is equal to exactly 0.453 592 37 kilogram, 16 ounces, or 1.215 28 troy pounds. (NCI)	Pound
C42569	m2	Square Meter	The standard derived unit of area in the International System of Units (SI) equal to the area of a square whose sides are one meter long.	Square Meter
C127805	MET	Metabolic Equivalent of Task	A unit of energy expenditure equal to the ratio of metabolic rate during physical activity versus a reference metabolic rate.	Metabolic Equivalent of Task Unit
C28251	mm	Millimeter	A unit of measure equal to one thousandth of a meter. (NCI)	Millimeter

**C66770 VSRESU**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C49670	mmHg	Millimeter of Mercury	A unit of pressure equal to 0.001316 atmosphere and equal to the pressure indicated by one millimeter rise of mercury in a barometer at the Earth's surface. (NCI)	Millimeter of Mercury
C42547	Pa	Pascal	A unit of pressure equivalent to one Newton per square meter or 10 bars or to 1.45x10(E-4) pounds per square inch.(NCI)	Pascal
C44256	RATIO		The quotient of one quantity divided by another, with the same units of measurement.	Ratio
C42549	Watt		A unit of power equal to the power which in one second produces or transfers the energy of one joule. The unit is used in measurements of power emitted, transferred or received as radiation, sound waves, heat flow rate, and rate of energy transfer. Equal to 1/746 of horsepower.(NCI)	Watt

## VSTEST (Vital Signs Test Name)

NCI Code: C67153, Codelist extensible: Yes

C67153 VSTEST				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103346	Abdominal Skinfold Thickness	Abdominal Skinfold Thickness	A measurement for determining the subcutaneous fat layer thickness whereby a pinch of skin approximately five centimeters to the right of the umbilicus is measured using calipers. (NCI)	Abdominal Skinfold Thickness
C126083	Basal Metabolic Rate	Basal Metabolic Rate	The measurement of a subject's energy expenditure when at rest.	Basal Metabolic Rate
C122232	Body Fat Measurement	Body Fat Measurement	A measurement of the total fat mass within the subject's body. (NCI)	Body Fat Measurement
C49680	Body Frame Size	Body Frame Size	The categorization of a person's body frame into small, medium and large based on the measurement of wrist circumference or the breadth of the elbow. (NCI)	Body Frame Size
C81298	Body Length	Body Length	The linear extent in space from one end of the body to the other end, or the extent of the body from beginning to end.	Total Body Length
C16358	Body Mass Index	Body Mass Index	A general indicator of the body fat an individual is carrying based upon the ratio of weight to height. (NCI)	Body Mass Index
C25157	Body Surface Area	Body Surface Area	A measure of the 2-dimensional extent of the body surface (i.e., the skin). Body surface area (BSA) can be calculated by mathematical formula or from a chart that relates height to weight. BSA is often an important factor in dosing. (NCI)	Body Surface Area
C25299	Diastolic Blood Pressure	Diastolic Blood Pressure	The minimum blood pressure in the systemic arterial circulation during the cardiac cycle.	Diastolic Blood Pressure
C147491	Energy Expenditure	Energy Expenditure	A measurement of the amount of energy used to carry out a physiological or physical function.	Energy Expenditure
C132482	Estimated Weight	Estimated Weight	An approximate determination of the weight of the subject.	Estimated Body Weight
C100946	Forearm Circumference	Forearm Circumference	The distance around an individual's forearm.	Forearm Circumference
C81255	Head Circumference	Head Circumference	A circumferential measurement of the head at the widest point.	Head Circumference
C49677	Heart Rate	Heart Rate	The number of heartbeats per unit of time, usually expressed as beats per minute. (NCI)	Heart Rate
C25347	Height	Height	The vertical measurement or distance from the base to the top of an object; the vertical dimension of extension. (NCI)	Height
C100947	Hip Circumference	Hip Circumference	The distance around an individual's pelvic area or hips.	Hip Circumference
C117976	Ideal Body Weight	Ideal Body Weight	A person's optimum weight as calculated by a standard methodology.	Ideal Body Weight
C84372	Knee to Heel Length	Knee to Heel Length	A measurement of the length of the lower leg from the top of the knee to the bottom of the heel. This measurement may be taken with a knemometer or calipers. (NCI)	Knee to Heel Length Measurement
C71258	Lean Body Mass	Lean Body Mass	The weight of all organs and tissue in an individual less the weight of the individual's body fat.	Lean Body Mass
C147492	Maximum Predicted Heart Rate	Maximum Predicted Heart Rate	The predicted upper limit for an individual's heart rate, which is calculated as 220 minus the subject's age for men, and 210 minus the subject's age for women.	Maximum Predicted Heart Rate
C49679	Mean Arterial Pressure	Mean Arterial Pressure	The mean pressure of the blood within the arterial circulation. The arterial pressure may be directly measured by insertion of an intra-arterial catheter connected to a transducer. The mean arterial pressure (MAP) can be calculated by subsequent analysis of the waveform. MAP can be approximated without an invasive procedure using the following formula: diastolic pressure plus 1/3 of the pulse pressure, where pulse pressure is systolic pressure - diastolic pressure. (NCI)	Mean Arterial Pressure
C124475	Mid-Upper Arm Circumference	Mid-Upper Arm Circumference	The distance around an individual's upper arm, at the widest point.	Mid-Upper Arm Circumference

<b>C67153 VSTEST</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C60832	Oxygen Saturation	Oxygen Saturation	A measurement of the oxygen-hemoglobin saturation of a volume of blood.	Oxygen Saturation Measurement
C100945	Pulse Pressure	Pulse Pressure	The change in systolic to diastolic pressure which produces a pulse.	Pulse Pressure
C49676	Pulse Rate	Pulse Rate	The rate of the pulse as observed in an artery, expressed as beats per minute. It can be measured at several anatomical sites, including the wrist, neck, temple, groin, behind the knees, or on top of the foot. (NCI)	Pulse Rate
C49678	Respiratory Rate	Respiratory Rate	The rate of breathing (inhalation and exhalation) measured within in a unit time, usually expressed as breaths per minute. (NCI)	Respiratory Rate
C87054	Sagittal Abdominal Diameter	Sagittal Abdominal Diameter	A standard measure of visceral obesity, or abdominal fat, which is measured from the patient's back to upper abdomen between the bottom of the rib cage and the top of the pelvic area. This measurement may be taken with the patient standing or in the supine position. (NCI)	Sagittal Abdominal Diameter
C98785	Subscapular Skinfold Thickness	Subscapular Skinfold Thickness	A measurement of the thickness of a pinch of skin situated below or on the underside of the scapula. (NCI)	Subscapular Skinfold Thickness
C25298	Systolic Blood Pressure	Systolic Blood Pressure	The maximum blood pressure in the systemic arterial circulation during the cardiac cycle.	Systolic Blood Pressure
C25206	Temperature	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C104622	Total Body Water	Total Body Water	A measurement of the quantity of water within the body, including both the intracellular and extracellular compartments.	Total Body Water Measurement
C98793	Triceps Skinfold Thickness	Triceps Skinfold Thickness	A measurement of the thickness of a pinch of skin on the triceps. (NCI)	Triceps Skinfold Thickness
C100948	Waist Circumference	Waist Circumference	The distance around an individual's midsection or waist.	Waist Circumference
C17651	Waist to Hip Ratio	Waist to Hip Ratio	A relative measurement (ratio) of the waist circumference to the hip circumference.	Waist-Hip Ratio
C25208	Weight	Weight	The vertical force exerted by a mass as a result of gravity. (NCI)	Weight

## VSTESTCD (Vital Signs Test Code)

NCI Code: C66741, Codelist extensible: Yes

C66741 VSTESTCD				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C103346	ABSKNF	Abdominal Skinfold Thickness	A measurement for determining the subcutaneous fat layer thickness whereby a pinch of skin approximately five centimeters to the right of the umbilicus is measured using calipers. (NCI)	Abdominal Skinfold Thickness
C16358	BMI	Body Mass Index	A general indicator of the body fat an individual is carrying based upon the ratio of weight to height. (NCI)	Body Mass Index
C126083	BMR	Basal Metabolic Rate	The measurement of a subject's energy expenditure when at rest.	Basal Metabolic Rate
C81298	BODLNTH	Body Length	The linear extent in space from one end of the body to the other end, or the extent of the body from beginning to end.	Total Body Length
C122232	BODYFATM	Body Fat Measurement	A measurement of the total fat mass within the subject's body. (NCI)	Body Fat Measurement
C25157	BSA	Body Surface Area	A measure of the 2-dimensional extent of the body surface (i.e., the skin). Body surface area (BSA) can be calculated by mathematical formula or from a chart that relates height to weight. BSA is often an important factor in dosing. (NCI)	Body Surface Area
C25299	DIABP	Diastolic Blood Pressure	The minimum blood pressure in the systemic arterial circulation during the cardiac cycle.	Diastolic Blood Pressure
C147491	ENRGEXP	Energy Expenditure	A measurement of the amount of energy used to carry out a physiological or physical function.	Energy Expenditure
C132482	EWEIGHT	Estimated Weight	An approximate determination of the weight of the subject.	Estimated Body Weight
C100946	FARMCIR	Forearm Circumference	The distance around an individual's forearm.	Forearm Circumference
C49680	FRMSIZE	Body Frame Size	The categorization of a person's body frame into small, medium and large based on the measurement of wrist circumference or the breadth of the elbow. (NCI)	Body Frame Size
C81255	HDCIRC	Head Circumference	A circumferential measurement of the head at the widest point.	Head Circumference
C25347	HEIGHT	Height	The vertical measurement or distance from the base to the top of an object; the vertical dimension of extension. (NCI)	Height
C100947	HIPCIR	Hip Circumference	The distance around an individual's pelvic area or hips.	Hip Circumference
C49677	HR	Heart Rate	The number of heartbeats per unit of time, usually expressed as beats per minute. (NCI)	Heart Rate
C117976	IDEALWT	Ideal Body Weight	A person's optimum weight as calculated by a standard methodology.	Ideal Body Weight
C84372	KNEEHEEL	Knee to Heel Length	A measurement of the length of the lower leg from the top of the knee to the bottom of the heel. This measurement may be taken with a knemometer or calipers. (NCI)	Knee to Heel Length Measurement
C71258	LBM	Lean Body Mass	The weight of all organs and tissue in an individual less the weight of the individual's body fat.	Lean Body Mass
C49679	MAP	Mean Arterial Pressure	The mean pressure of the blood within the arterial circulation. The arterial pressure may be directly measured by insertion of an intra-arterial catheter connected to a transducer. The mean arterial pressure (MAP) can be calculated by subsequent analysis of the waveform. MAP can be approximated without an invasive procedure using the following formula: diastolic pressure plus 1/3 of the pulse pressure, where pulse pressure is systolic pressure - diastolic pressure. (NCI)	Mean Arterial Pressure
C147492	MAXPREHR	Maximum Predicted Heart Rate	The predicted upper limit for an individual's heart rate, which is calculated as 220 minus the subject's age for men, and 210 minus the subject's age for women.	Maximum Predicted Heart Rate
C124475	MUARMCIR	Mid-Upper Arm Circumference	The distance around an individual's upper arm, at the widest point.	Mid-Upper Arm Circumference

<b>C66741 VSTESTCD</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C60832	OXYSAT	Oxygen Saturation	A measurement of the oxygen-hemoglobin saturation of a volume of blood.	Oxygen Saturation Measurement
C49676	PULSE	Pulse Rate	The rate of the pulse as observed in an artery, expressed as beats per minute. It can be measured at several anatomical sites, including the wrist, neck, temple, groin, behind the knees, or on top of the foot. (NCI)	Pulse Rate
C100945	PULSEPR	Pulse Pressure	The change in systolic to diastolic pressure which produces a pulse.	Pulse Pressure
C49678	RESP	Respiratory Rate	The rate of breathing (inhalation and exhalation) measured within in a unit time, usually expressed as breaths per minute. (NCI)	Respiratory Rate
C87054	SAD	Sagittal Abdominal Diameter	A standard measure of visceral obesity, or abdominal fat, which is measured from the patient's back to upper abdomen between the bottom of the rib cage and the top of the pelvic area. This measurement may be taken with the patient standing or in the supine position. (NCI)	Sagittal Abdominal Diameter
C98785	SSSKNF	Subscapular Skinfold Thickness	A measurement of the thickness of a pinch of skin situated below or on the underside of the scapula. (NCI)	Subscapular Skinfold Thickness
C25298	SYSBP	Systolic Blood Pressure	The maximum blood pressure in the systemic arterial circulation during the cardiac cycle.	Systolic Blood Pressure
C104622	TBW	Total Body Water	A measurement of the quantity of water within the body, including both the intracellular and extracellular compartments.	Total Body Water Measurement
C25206	TEMP	Temperature	The property of a body or region of space that determines whether or not there will be a net flow of heat into it or out of it from a neighboring body or region and in which direction (if any) the heat will flow, perceptible by living organism as a somatic sensation of cold or heat. It is a measure of the average translational kinetic energy associated with the disordered microscopic motion of atoms and molecules. Temperature is measured in one of the three standard temperature scales: Celsius, Kelvin, and Fahrenheit. (NCI)	Temperature
C98793	TRSKNF	Triceps Skinfold Thickness	A measurement of the thickness of a pinch of skin on the triceps. (NCI)	Triceps Skinfold Thickness
C17651	WAISTHIP	Waist to Hip Ratio	A relative measurement (ratio) of the waist circumference to the hip circumference.	Waist-Hip Ratio
C25208	WEIGHT	Weight	The vertical force exerted by a mass as a result of gravity. (NCI)	Weight
C100948	WSTCIR	Waist Circumference	The distance around an individual's midsection or waist.	Waist Circumference

**WD1TC (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Code)**

NCI Code: C130275, Codelist extensible: No

<b>C130275 WD1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130899	WD1A1	WD1-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Record sex as observed.	WHODAS 2.0 12-item Version Interviewer-administered - Observed Sex
C130900	WD1A2	WD1-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How old are you now?	WHODAS 2.0 12-item Version Interviewer-administered - How Old Are You Now
C130901	WD1A3	WD1-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12-item Version Interviewer-administered - Years Studying in School or College
C130902	WD1A4	WD1-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - What is your current marital status?	WHODAS 2.0 12-item Version Interviewer-administered - Current Marital Status
C130903	WD1A5	WD1-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12-item Version Interviewer-administered - Describes Main Work Status Best
C130898	WD1F5	WD1-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12-item Version Interviewer-administered - Living Situation at Interview
C130916	WD1H1	WD1-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Difficulties Present
C130917	WD1H2	WD1-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130918	WD1H3	WD1-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Reduce Activities
C130904	WD1S1	WD1-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Standing for Long Periods
C130913	WD1S10	WD1-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Interviewer-administered - Dealing With People You Do Not Know
C130914	WD1S11	WD1-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Interviewer-administered - Maintaining a Friendship
C130915	WD1S12	WD1-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 12-item Version Interviewer-administered - Your Day-to-Day Work or School
C130905	WD1S2	WD1-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Interviewer-administered - Care of Household Responsibilities
C130906	WD1S3	WD1-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Interviewer-administered - Learning a New Task

**C130275 WD1TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130907	WD1S4	WD1-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Interviewer-administered - Problem Joining Community Activities
C130908	WD1S5	WD1-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Interviewer-administered - Emotionally Affected by Health
C130909	WD1S6	WD1-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Concentrating for Ten Minutes
C130910	WD1S7	WD1-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Interviewer-administered - Walking a Long Distance
C130911	WD1S8	WD1-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Interviewer-administered - Washing Your Whole Body
C130912	WD1S9	WD1-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Interviewer-administered - Getting Dressed



**WD1TN (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer Questionnaire Test Name)**

NCI Code: C130274, Codelist extensible: No

<b>C130274 WD1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130905	WD1-Care of Household Responsibilities	WD1-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Interviewer-administered - Care of Household Responsibilities
C130909	WD1-Concentrating for Ten Minutes	WD1-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Concentrating for Ten Minutes
C130902	WD1-Current Marital Status	WD1-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - What is your current marital status?	WHODAS 2.0 12-item Version Interviewer-administered - Current Marital Status
C130917	WD1-Days Unable to Carry Out Activities	WD1-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130913	WD1-Dealing With People You Do Not Know	WD1-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Interviewer-administered - Dealing With People You Do Not Know
C130903	WD1-Describes Main Work Status Best	WD1-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12-item Version Interviewer-administered - Describes Main Work Status Best
C130908	WD1-Emotionally Affected by Health	WD1-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Interviewer-administered - Emotionally Affected by Health
C130912	WD1-Getting Dressed	WD1-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Interviewer-administered - Getting Dressed
C130916	WD1-How Many Days Difficulties Present	WD1-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Difficulties Present
C130918	WD1-How Many Days Reduce Activities	WD1-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Interviewer-administered - How Many Days Reduce Activities
C130900	WD1-How Old Are You Now	WD1-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How old are you now?	WHODAS 2.0 12-item Version Interviewer-administered - How Old Are You Now
C130906	WD1-Learning a New Task	WD1-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Interviewer-administered - Learning a New Task
C130898	WD1-Living Situation at Interview	WD1-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12-item Version Interviewer-administered - Living Situation at Interview
C130914	WD1-Maintaining a Friendship	WD1-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Interviewer-administered - Maintaining a Friendship

**C130274 WD1TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130907	WD1-Problem Joining Community Activities	WD1-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Interviewer-administered - Problem Joining Community Activities
C130899	WD1-Sex as Observed	WD1-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - Record sex as observed.	WHODAS 2.0 12-item Version Interviewer-administered - Observed Sex
C130904	WD1-Standing for Long Periods	WD1-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Interviewer-administered - Standing for Long Periods
C130910	WD1-Walking a Long Distance	WD1-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Interviewer-administered - Walking a Long Distance
C130911	WD1-Washing Your Whole Body	WD1-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Interviewer-administered - Washing Your Whole Body
C130901	WD1-Years Studying in School/College	WD1-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12-item Version Interviewer-administered - Years Studying in School or College
C130915	WD1-Your Day-to-Day Work/School	WD1-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 12-item Version Interviewer-administered - Your Day-to-Day Work or School

## WD2TC (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Code)

NCI Code: C130277, Codelist extensible: No

C130277 WD2TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130932	WD2H1	WD2-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Difficulties Present
C130933	WD2H2	WD2-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - Days Unable to Carry Out Activities
C130934	WD2H3	WD2-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Reduce Activities
C130919	WD2H4	WD2-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 12-item Version Proxy-administered - I Am the (Fill in the Blank) of This Person
C130920	WD2S1	WD2-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Proxy-administered - Standing for Long Periods
C130929	WD2S10	WD2-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 12-item Version Proxy-administered - Dealing With People Does Not Know
C130930	WD2S11	WD2-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Proxy-administered - Maintaining a Friendship
C130931	WD2S12	WD2-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work?	WHODAS 2.0 12-item Version Proxy-administered - Your Day-to-Day Work or School
C130921	WD2S2	WD2-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 12-item Version Proxy-administered - Care of Household Responsibilities
C130922	WD2S3	WD2-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Proxy-administered - Learning a New Task
C130923	WD2S4	WD2-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much of a problem did your relative have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Proxy-administered - Problem Joining Community Activities
C130924	WD2S5	WD2-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 12-item Version Proxy-administered - Emotionally Affected by Health
C130925	WD2S6	WD2-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Proxy-administered - Concentrating for Ten Minutes
C130926	WD2S7	WD2-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Proxy-administered - Walking a Long Distance

**C130277 WD2TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130927	WD2S8	WD2-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 12-item Version Proxy-administered - Washing His or Her Whole Body
C130928	WD2S9	WD2-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 12-item Version Proxy-administered - Getting Dressed

**WD2TN (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy Questionnaire Test Name)**

NCI Code: C130276, Codelist extensible: No

<b>C130276 WD2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130921	WD2-Care of Household Responsibilities	WD2-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 12-item Version Proxy-administered - Care of Household Responsibilities
C130925	WD2-Concentrating for Ten Minutes	WD2-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Proxy-administered - Concentrating for Ten Minutes
C130933	WD2-Days Unable to Carry Out Activities	WD2-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - Days Unable to Carry Out Activities
C130929	WD2-Dealing With People Does Not Know	WD2-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 12-item Version Proxy-administered - Dealing With People Does Not Know
C130924	WD2-Emotionally Affected by Health	WD2-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 12-item Version Proxy-administered - Emotionally Affected by Health
C130928	WD2-Getting Dressed	WD2-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 12-item Version Proxy-administered - Getting Dressed
C130932	WD2-How Many Days Difficulties Present	WD2-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Difficulties Present
C130934	WD2-How Many Days Reduce Activities	WD2-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Proxy-administered - How Many Days Reduce Activities
C130919	WD2-I Am (Fill in Blank) of This Person	WD2-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 12-item Version Proxy-administered - I Am the (Fill in the Blank) of This Person
C130922	WD2-Learning a New Task	WD2-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Proxy-administered - Learning a New Task
C130930	WD2-Maintaining a Friendship	WD2-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Proxy-administered - Maintaining a Friendship
C130923	WD2-Problem Joining Community Activities	WD2-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: How much of a problem did your relative have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Proxy-administered - Problem Joining Community Activities
C130920	WD2-Standing for Long Periods	WD2-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Proxy-administered - Standing for Long Periods
C130926	WD2-Walking a Long Distance	WD2-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Proxy-administered - Walking a Long Distance

**C130276 WD2TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130927	WD2-Washing His/Her Whole Body	WD2-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 12-item Version Proxy-administered - Washing His or Her Whole Body
C130931	WD2-Your Day-to-Day Work/School	WD2-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work?	WHODAS 2.0 12-item Version Proxy-administered - Your Day-to-Day Work or School

**WD3TC (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Code)**

NCI Code: C130279, Codelist extensible: No

<b>C130279 WD3TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130947	WD3H1	WD3-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Self-administered - How Many Days Difficulties Present
C130948	WD3H2	WD3-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - Days Unable to Carry Out Activities
C130949	WD3H3	WD3-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - How Many Days Reduce Activities
C130935	WD3S1	WD3-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Self-administered - Standing for Long Periods
C130944	WD3S10	WD3-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Self-administered - Dealing With People You Do Not Know
C130945	WD3S11	WD3-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Self-administered - Maintaining a Friendship
C130946	WD3S12	WD3-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12-item Version Self-administered - Your Day-to-Day Work or School
C130936	WD3S2	WD3-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Self-administered - Care of Household Responsibilities
C130937	WD3S3	WD3-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Self-administered - Learning a New Task
C130938	WD3S4	WD3-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Self-administered - Problem Joining Community Activities
C130939	WD3S5	WD3-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Self-administered - Emotionally Affected by Health
C130940	WD3S6	WD3-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Self-administered - Concentrating for Ten Minutes
C130941	WD3S7	WD3-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Self-administered - Walking a Long Distance
C130942	WD3S8	WD3-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Self-administered - Washing Your Whole Body
C130943	WD3S9	WD3-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Self-administered - Getting Dressed

**WD3TN (World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self Questionnaire Test Name)**

NCI Code: C130278, Codelist extensible: No

<b>C130278 WD3TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130936	WD3-Care of Household Responsibilities	WD3-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12-item Version Self-administered - Care of Household Responsibilities
C130940	WD3-Concentrating for Ten Minutes	WD3-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12-item Version Self-administered - Concentrating for Ten Minutes
C130948	WD3-Days Unable to Carry Out Activities	WD3-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - Days Unable to Carry Out Activities
C130944	WD3-Dealing With People You Do Not Know	WD3-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12-item Version Self-administered - Dealing With People You Do Not Know
C130939	WD3-Emotionally Affected by Health	WD3-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12-item Version Self-administered - Emotionally Affected by Health
C130943	WD3-Getting Dressed	WD3-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12-item Version Self-administered - Getting Dressed
C130947	WD3-How Many Days Difficulties Present	WD3-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12-item Version Self-administered - How Many Days Difficulties Present
C130949	WD3-How Many Days Reduce Activities	WD3-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12-item Version Self-administered - How Many Days Reduce Activities
C130937	WD3-Learning a New Task	WD3-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12-item Version Self-administered - Learning a New Task
C130945	WD3-Maintaining a Friendship	WD3-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12-item Version Self-administered - Maintaining a Friendship
C130938	WD3-Problem Joining Community Activities	WD3-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12-item Version Self-administered - Problem Joining Community Activities
C130935	WD3-Standing for Long Periods	WD3-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12-item Version Self-administered - Standing for Long Periods
C130941	WD3-Walking a Long Distance	WD3-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12-item Version Self-administered - Walking a Long Distance
C130942	WD3-Washing Your Whole Body	WD3-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12-item Version Self-administered - Washing Your Whole Body
C130946	WD3-Your Day-to-Day Work/School	WD3-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 12-Item Self - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12-item Version Self-administered - Your Day-to-Day Work or School



**WD4TC (World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Code)**

NCI Code: C130281, Codelist extensible: No

<b>C130281 WD4TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130850	WD4A1	WD4-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Record sex as observed.	WHODAS 2.0 12+24-item Version Interviewer-administered - Observed Sex
C130851	WD4A2	WD4-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How old are you now?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Old Are You Now
C130852	WD4A3	WD4-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12+24-item Version Interviewer-administered - Years Studying in School or College
C130853	WD4A4	WD4-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - What is your current marital status?	WHODAS 2.0 12+24-item Version Interviewer-administered - Current Marital Status
C130854	WD4A5	WD4-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12+24-item Version Interviewer-administered - Describes Main Work Status Best
C130867	WD4D1_2	WD4-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 12+24-item Version Interviewer-administered - Remembering to Do Important Things
C130868	WD4D1_3	WD4-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 12+24-item Version Interviewer-administered - Finding Solutions to Problems
C130869	WD4D1_5	WD4-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 12+24-item Version Interviewer-administered - Understanding What People Say
C130870	WD4D1_6	WD4-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 12+24-item Version Interviewer-administered - Starting or Maintaining Conversation
C130871	WD4D2_2	WD4-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing Up From Sitting Down
C130872	WD4D2_3	WD4-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Moving Around Inside Your Home
C130873	WD4D2_4	WD4-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Out of Your Home
C130874	WD4D3_3	WD4-Eating	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 12+24-item Version Interviewer-administered - Eating
C130875	WD4D3_4	WD4-Staying By Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 12+24-item Version Interviewer-administered - Staying By Yourself for a Few Days
C130876	WD4D4_3	WD4-Get Along with People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Get Along with People Close to You

**C130281 WD4TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130877	WD4D4_4	WD4-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 12+24-item Version Interviewer-administered - Making New Friends
C130878	WD4D4_5	WD4-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Sexual Activities
C130882	WD4D5_01	WD4-Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Reduce or Miss Household Work
C130888	WD4D5_02	WD4-Miss Work Half Day or More	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Miss Work Half Day or More
C130887	WD4D5_10	WD4-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Earn Less Money
C130879	WD4D5_2	WD4-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Household Tasks
C130880	WD4D5_3	WD4-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Needed
C130881	WD4D5_4	WD4-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Quickly
C130883	WD4D5_6	WD4-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Work or School Tasks
C130884	WD4D5_7	WD4-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting All Work Done You Need
C130885	WD4D5_8	WD4-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130886	WD4D5_9	WD4-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Had to Work at a Lower Level
C130889	WD4D6_2	WD4-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Because of Barriers in World
C130890	WD4D6_3	WD4-Problem Living With Dignity	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Living With Dignity
C130891	WD4D6_4	WD4-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 12+24-item Version Interviewer-administered - Time Spend on Your Health Condition

<b>C130281 WD4TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130892	WD4D6_6	WD4-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 12+24-item Version Interviewer-administered - Drain on Financial Resources
C130893	WD4D6_7	WD4-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Did Your Family Have
C130894	WD4D6_8	WD4-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130849	WD4F5	WD4-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12+24-item Version Interviewer-administered - Living Situation at Interview
C130895	WD4H1	WD4-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Difficulties Present
C130896	WD4H2	WD4-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130897	WD4H3	WD4-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Reduce Activities
C130855	WD4S1	WD4-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing for Long Periods
C130864	WD4S10	WD4-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12+24-item Version Interviewer-administered - Dealing With People You Do Not Know
C130865	WD4S11	WD4-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12+24-item Version Interviewer-administered - Maintaining a Friendship
C130866	WD4S12	WD4-Your Day-to-Day Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12+24-item Version Interviewer-administered - Your Day-to-Day Work
C130856	WD4S2	WD4-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Care of Household Responsibilities
C130857	WD4S3	WD4-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12+24-item Version Interviewer-administered - Learning a New Task
C130858	WD4S4	WD4-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Joining Community Activities
C130859	WD4S5	WD4-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Emotionally Affected by Health

**C130281 WD4TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130860	WD4S6	WD4-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Concentrating for Ten Minutes
C130861	WD4S7	WD4-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12+24-item Version Interviewer-administered - Walking a Long Distance
C130862	WD4S8	WD4-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12+24-item Version Interviewer-administered - Washing Your Whole Body
C130863	WD4S9	WD4-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Dressed

**WD4TN (World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer Questionnaire Test Name)**

NCI Code: C130280, Codelist extensible: No

<b>C130280 WD4TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130856	WD4-Care of Household Responsibilities	WD4-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Care of Household Responsibilities
C130860	WD4-Concentrating for Ten Minutes	WD4-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Concentrating for Ten Minutes
C130853	WD4-Current Marital Status	WD4-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - What is your current marital status?	WHODAS 2.0 12+24-item Version Interviewer-administered - Current Marital Status
C130896	WD4-Days Unable to Carry Out Activities	WD4-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130864	WD4-Dealing With People You Do Not Know	WD4-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 12+24-item Version Interviewer-administered - Dealing With People You Do Not Know
C130854	WD4-Describes Main Work Status Best	WD4-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 12+24-item Version Interviewer-administered - Describes Main Work Status Best
C130879	WD4-Doing Important Household Tasks	WD4-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Household Tasks
C130883	WD4-Doing Important Work/School Tasks	WD4-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 12+24-item Version Interviewer-administered - Doing Important Work or School Tasks
C130892	WD4-Drain on Financial Resources	WD4-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 12+24-item Version Interviewer-administered - Drain on Financial Resources
C130887	WD4-Earn Less Money	WD4-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Earn Less Money
C130874	WD4-Eating	WD4-Eating	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 12+24-item Version Interviewer-administered - Eating
C130859	WD4-Emotionally Affected by Health	WD4-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: How much have you been emotionally affected by your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Emotionally Affected by Health
C130868	WD4-Finding Solutions to Problems	WD4-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 12+24-item Version Interviewer-administered - Finding Solutions to Problems
C130876	WD4-Get Along with People Close to You	WD4-Get Along with People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Get Along with People Close to You

**C130280 WD4TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130884	WD4-Getting All Work Done You Need	WD4-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting All Work Done You Need
C130863	WD4-Getting Dressed	WD4-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Dressed
C130880	WD4-Getting Household Work Done Needed	WD4-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Needed
C130881	WD4-Getting Household Work Done Quickly	WD4-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Household Work Done Quickly
C130873	WD4-Getting Out of Your Home	WD4-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Out of Your Home
C130885	WD4-Getting Work Done Quickly as Needed	WD4-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 12+24-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130886	WD4-Had to Work at a Lower Level	WD4-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Had to Work at a Lower Level
C130895	WD4-How Many Days Difficulties Present	WD4-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Difficulties Present
C130897	WD4-How Many Days Reduce Activities	WD4-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Many Days Reduce Activities
C130851	WD4-How Old Are You Now	WD4-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How old are you now?	WHODAS 2.0 12+24-item Version Interviewer-administered - How Old Are You Now
C130857	WD4-Learning a New Task	WD4-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 12+24-item Version Interviewer-administered - Learning a New Task
C130849	WD4-Living Situation at Interview	WD4-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 12+24-item Version Interviewer-administered - Living Situation at Interview
C130865	WD4-Maintaining a Friendship	WD4-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 12+24-item Version Interviewer-administered - Maintaining a Friendship
C130877	WD4-Making New Friends	WD4-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 12+24-item Version Interviewer-administered - Making New Friends
C130888	WD4-Miss Work Half Day or More	WD4-Miss Work Half Day or More	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Miss Work Half Day or More

**C130280 WD4TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130872	WD4-Moving Around Inside Your Home	WD4-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 12+24-item Version Interviewer-administered - Moving Around Inside Your Home
C130889	WD4-Problem Because of Barriers in World	WD4-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Because of Barriers in World
C130893	WD4-Problem Did Your Family Have	WD4-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Did Your Family Have
C130894	WD4-Problem Doing Things for Relaxation	WD4-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130858	WD4-Problem Joining Community Activities	WD4-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Joining Community Activities
C130890	WD4-Problem Living With Dignity	WD4-Problem Living With Dignity	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 12+24-item Version Interviewer-administered - Problem Living With Dignity
C130882	WD4-Reduce or Miss Household Work	WD4-Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 12+24-item Version Interviewer-administered - Reduce or Miss Household Work
C130867	WD4-Remembering to Do Important Things	WD4-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 12+24-item Version Interviewer-administered - Remembering to Do Important Things
C130850	WD4-Sex as Observed	WD4-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - Record sex as observed.	WHODAS 2.0 12+24-item Version Interviewer-administered - Observed Sex
C130878	WD4-Sexual Activities	WD4-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 12+24-item Version Interviewer-administered - Sexual Activities
C130855	WD4-Standing for Long Periods	WD4-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing for Long Periods
C130871	WD4-Standing Up From Sitting Down	WD4-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 12+24-item Version Interviewer-administered - Standing Up From Sitting Down
C130870	WD4-Starting/Maintaining Conversation	WD4-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 12+24-item Version Interviewer-administered - Starting or Maintaining Conversation
C130875	WD4-Staying By Yourself for a Few Days	WD4-Staying By Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 12+24-item Version Interviewer-administered - Staying By Yourself for a Few Days
C130891	WD4-Time Spend on Your Health Condition	WD4-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 12+24-item Version Interviewer-administered - Time Spend on Your Health Condition
C130869	WD4-Understanding What People Say	WD4-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 12+24-item Version Interviewer-administered - Understanding What People Say

**C130280 WD4TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130861	WD4-Walking a Long Distance	WD4-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 12+24-item Version Interviewer-administered - Walking a Long Distance
C130862	WD4-Washing Your Whole Body	WD4-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 12+24-item Version Interviewer-administered - Washing Your Whole Body
C130852	WD4-Years Studying in School/College	WD4-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 12+24-item Version Interviewer-administered - Years Studying in School or College
C130866	WD4-Your Day-to-Day Work	WD4-Your Day-to-Day Work	World Health Organization Disability Assessment Schedule 2.0 - 12 + 24-Item Interviewer - In the past 30 days, how much difficulty did you have in: Your day-to-day work?	WHODAS 2.0 12+24-item Version Interviewer-administered - Your Day-to-Day Work



**WD5TC (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Code)**

NCI Code: C130269, Codelist extensible: No

<b>C130269 WD5TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130722	WD5A1	WD5-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Record sex as observed.	WHODAS 2.0 36-item Version Interviewer-administered - Sex as Observed
C130723	WD5A2	WD5-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How old are you now?	WHODAS 2.0 36-item Version Interviewer-administered - How Old Are You Now
C130724	WD5A3	WD5-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 36-item Version Interviewer-administered - Years Studying in School or College
C130725	WD5A4	WD5-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - What is your current marital status?	WHODAS 2.0 36-item Version Interviewer-administered - Current Marital Status
C130726	WD5A5	WD5-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 36-item Version Interviewer-administered - Describes Main Work Status Best
C130727	WD5D1_1	WD5-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Concentrating for Ten Minutes
C130728	WD5D1_2	WD5-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Interviewer-administered - Remembering to Do Important Things
C130729	WD5D1_3	WD5-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Interviewer-administered - Finding Solutions to Problems
C130730	WD5D1_4	WD5-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Interviewer-administered - Learning a New Task
C130731	WD5D1_5	WD5-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Interviewer-administered - Understanding What People Say
C130732	WD5D1_6	WD5-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Interviewer-administered - Starting or Maintaining Conversation
C130733	WD5D2_1	WD5-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Standing for Long Periods
C130734	WD5D2_2	WD5-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Interviewer-administered - Standing Up From Sitting Down
C130735	WD5D2_3	WD5-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Interviewer-administered - Moving Around Inside Your Home
C130738	WD5D3_1	WD5-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Interviewer-administered - Washing Your Whole Body

**C130269 WD5TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130739	WD5D3_2	WD5-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Dressed
C130740	WD5D3_3	WD5-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Interviewer-administered - Eating
C130741	WD5D3_4	WD5-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Interviewer-administered - Staying by Yourself for a Few Days
C130742	WD5D4_1	WD5-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Interviewer-administered - Dealing With People You Do Not Know
C130743	WD5D4_2	WD5-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Interviewer-administered - Maintaining a Friendship
C130744	WD5D4_3	WD5-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Interviewer-administered - Get Along With People Close to You
C130745	WD5D4_4	WD5-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Interviewer-administered - Making New Friends
C130746	WD5D4_5	WD5-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Interviewer-administered - Sexual Activities
C130751	WD5D5_01	WD5-Days Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Reduce or Miss Household Work
C130758	WD5D5_02	WD5-How Many Days Did You Miss Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Did You Miss Work
C130747	WD5D5_1	WD5-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Interviewer-administered - Care of Household Responsibilities
C130757	WD5D5_10	WD5-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Earn Less Money
C130748	WD5D5_2	WD5-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Household Tasks
C130749	WD5D5_3	WD5-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Needed
C130750	WD5D5_4	WD5-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Quickly
C130752	WD5D5_5	WD5-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 36-item Version Interviewer-administered - Your Day-to-Day Work or School

**C130269 WD5TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130753	WD5D5_6	WD5-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Work or School Tasks
C130754	WD5D5_7	WD5-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting All Work Done You Need to Do
C130755	WD5D5_8	WD5-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130756	WD5D5_9	WD5-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Had to Work at a Lower Level
C130759	WD5D6_1	WD5-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Joining Community Activities
C130760	WD5D6_2	WD5-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Because of Barriers in World
C130761	WD5D6_3	WD5-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Living with Dignity
C130762	WD5D6_4	WD5-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much time did you spend on your health condition or its consequences?	WHODAS 2.0 36-item Version Interviewer-administered - Time Spend on Your Health Condition
C130763	WD5D6_5	WD5-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Emotionally Affected by Health
C130764	WD5D6_6	WD5-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Interviewer-administered - Drain on Financial Resources
C130765	WD5D6_7	WD5-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Interviewer-administered - How Much Problem Did Your Family Have
C130766	WD5D6_8	WD5-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130721	WD5F5	WD5-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 36-item Version Interviewer-administered - Living Situation at Interview
C130767	WD5H1	WD5-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Difficulties Present
C130768	WD5H2	WD5-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Unable to Carry Out Activities

**C130269 WD5TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130769	WD5H3	WD5-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Reduce Activities
C130736	WD5SD2_4	WD5-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Out of Your Home
C130737	WD5SD2_5	WD5-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Interviewer-administered - Walking a Long Distance

**WD5TN (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer Questionnaire Test Name)**

NCI Code: C130268, Codelist extensible: No

<b>C130268 WD5TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130747	WD5-Care of Household Responsibilities	WD5-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Interviewer-administered - Care of Household Responsibilities
C130727	WD5-Concentrating for Ten Minutes	WD5-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Concentrating for Ten Minutes
C130725	WD5-Current Marital Status	WD5-Current Marital Status	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - What is your current marital status?	WHODAS 2.0 36-item Version Interviewer-administered - Current Marital Status
C130751	WD5-Days Reduce or Miss Household Work	WD5-Days Reduce or Miss Household Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you reduce or completely miss household work because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Reduce or Miss Household Work
C130768	WD5-Days Unable to Carry Out Activities	WD5-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Days Unable to Carry Out Activities
C130742	WD5-Dealing With People You Do Not Know	WD5-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Interviewer-administered - Dealing With People You Do Not Know
C130726	WD5-Describes Main Work Status Best	WD5-Describes Main Work Status Best	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Which describes your main work status best?	WHODAS 2.0 36-item Version Interviewer-administered - Describes Main Work Status Best
C130748	WD5-Doing Important Household Tasks	WD5-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important household tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Household Tasks
C130753	WD5-Doing Important Work/School Tasks	WD5-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Interviewer-administered - Doing Important Work or School Tasks
C130764	WD5-Drain on Financial Resources	WD5-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Interviewer-administered - Drain on Financial Resources
C130757	WD5-Earn Less Money	WD5-Earn Less Money	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Did you earn less money as the result of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Earn Less Money
C130740	WD5-Eating	WD5-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Interviewer-administered - Eating
C130763	WD5-Emotionally Affected by Health	WD5-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Emotionally Affected by Health
C130729	WD5-Finding Solutions to Problems	WD5-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Interviewer-administered - Finding Solutions to Problems

**C130268 WD5TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130744	WD5-Get Along With People Close to You	WD5-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Interviewer-administered - Get Along With People Close to You
C130754	WD5-Getting All Work Done You Need	WD5-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting All Work Done You Need to Do
C130739	WD5-Getting Dressed	WD5-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Dressed
C130749	WD5-Getting Household Work Done Needed	WD5-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Needed
C130750	WD5-Getting Household Work Done Quickly	WD5-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Household Work Done Quickly
C130736	WD5-Getting Out of Your Home	WD5-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Out of Your Home
C130755	WD5-Getting Work Done Quickly as Needed	WD5-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Interviewer-administered - Getting Work Done Quickly as Needed
C130756	WD5-Had to Work at a Lower Level	WD5-Had to Work at a Lower Level	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Have you had to work at a lower level because of a health condition?	WHODAS 2.0 36-item Version Interviewer-administered - Had to Work at a Lower Level
C130758	WD5-How Many Days Did You Miss Work	WD5-How Many Days Did You Miss Work	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, on how many days did you miss work for half a day or more because of your health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Did You Miss Work
C130767	WD5-How Many Days Difficulties Present	WD5-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Difficulties Present
C130769	WD5-How Many Days Reduce Activities	WD5-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Interviewer-administered - How Many Days Reduce Activities
C130723	WD5-How Old Are You Now	WD5-How Old Are You Now	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How old are you now?	WHODAS 2.0 36-item Version Interviewer-administered - How Old Are You Now
C130730	WD5-Learning a New Task	WD5-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Interviewer-administered - Learning a New Task
C130721	WD5-Living Situation at Interview	WD5-Living Situation at Interview	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Living situation at time of interview.	WHODAS 2.0 36-item Version Interviewer-administered - Living Situation at Interview
C130743	WD5-Maintaining a Friendship	WD5-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Interviewer-administered - Maintaining a Friendship
C130745	WD5-Making New Friends	WD5-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Interviewer-administered - Making New Friends

**C130268 WD5TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130735	WD5-Moving Around Inside Your Home	WD5-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Interviewer-administered - Moving Around Inside Your Home
C130760	WD5-Problem Because of Barriers in World	WD5-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Because of Barriers in World
C130765	WD5-Problem Did Your Family Have	WD5-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Interviewer-administered - How Much Problem Did Your Family Have
C130766	WD5-Problem Doing Things for Relaxation	WD5-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Doing Things for Relaxation
C130759	WD5-Problem Joining Community Activities	WD5-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Joining Community Activities
C130761	WD5-Problem Living with Dignity	WD5-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Interviewer-administered - Problem Living with Dignity
C130728	WD5-Remembering to Do Important Things	WD5-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Interviewer-administered - Remembering to Do Important Things
C130722	WD5-Sex as Observed	WD5-Sex as Observed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Record sex as observed.	WHODAS 2.0 36-item Version Interviewer-administered - Sex as Observed
C130746	WD5-Sexual Activities	WD5-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Interviewer-administered - Sexual Activities
C130733	WD5-Standing for Long Periods	WD5-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Interviewer-administered - Standing for Long Periods
C130734	WD5-Standing Up From Sitting Down	WD5-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Interviewer-administered - Standing Up From Sitting Down
C130732	WD5-Starting/Maintaining Conversation	WD5-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Interviewer-administered - Starting or Maintaining Conversation
C130741	WD5-Staying by Yourself for a Few Days	WD5-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Interviewer-administered - Staying by Yourself for a Few Days
C130762	WD5-Time Spend on Your Health Condition	WD5-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days: How much time did you spend on your health condition or its consequences?	WHODAS 2.0 36-item Version Interviewer-administered - Time Spend on Your Health Condition
C130731	WD5-Understanding What People Say	WD5-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Interviewer-administered - Understanding What People Say

**C130268 WD5TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130737	WD5-Walking a Long Distance	WD5-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Interviewer-administered - Walking a Long Distance
C130738	WD5-Washing Your Whole Body	WD5-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - In the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Interviewer-administered - Washing Your Whole Body
C130724	WD5-Years Studying in School/College	WD5-Years Studying in School/College	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - How many years in all did you spend studying in school, college or university?	WHODAS 2.0 36-item Version Interviewer-administered - Years Studying in School or College
C130752	WD5-Your Day-to-Day Work/School	WD5-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Interviewer - Because of your health condition, in the past 30 days how much difficulty did you have in: Your day-to-day work/school?	WHODAS 2.0 36-item Version Interviewer-administered - Your Day-to-Day Work or School



**WD6TC (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Code)**

NCI Code: C130271, Codelist extensible: No

<b>C130271 WD6TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130771	WD6D1_1	WD6-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Proxy-administered - Concentrating for Ten Minutes
C130772	WD6D1_2	WD6-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Remembering to do important things?	WHODAS 2.0 36-item Version Proxy-administered - Remembering to Do Important Things
C130773	WD6D1_3	WD6-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Proxy-administered - Finding Solutions to Problems
C130774	WD6D1_4	WD6-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Proxy-administered - Learning a New Task
C130775	WD6D1_5	WD6-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Proxy-administered - Understanding What People Say
C130776	WD6D1_6	WD6-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Proxy-administered - Starting or Maintaining Conversation
C130777	WD6D2_1	WD6-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Proxy-administered - Standing for Long Periods
C130778	WD6D2_2	WD6-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Proxy-administered - Standing Up From Sitting Down
C130779	WD6D2_3	WD6-Moving Around Inside Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Moving around inside their home?	WHODAS 2.0 36-item Version Proxy-administered - Moving Around Inside Their Home
C130782	WD6D3_1	WD6-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 36-item Version Proxy-administered - Washing His or Her Whole Body
C130783	WD6D3_2	WD6-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Dressed
C130784	WD6D3_3	WD6-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Eating?	WHODAS 2.0 36-item Version Proxy-administered - Eating
C130785	WD6D3_4	WD6-Staying by Him/Herself a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Staying by himself or herself for a few days?	WHODAS 2.0 36-item Version Proxy-administered - Staying by Him or Herself a Few Days
C130786	WD6D4_1	WD6-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 36-item Version Proxy-administered - Dealing With People Does Not Know
C130787	WD6D4_2	WD6-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Proxy-administered - Maintaining a Friendship

**C130271 WD6TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130788	WD6D4_3	WD6-Get Along With People Close to Him	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting along with people who are close to him or her?	WHODAS 2.0 36-item Version Proxy-administered - Get Along With People Close to Him
C130789	WD6D4_4	WD6-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Making new friends?	WHODAS 2.0 36-item Version Proxy-administered - Making New Friends
C130790	WD6D4_5	WD6-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Sexual activities?	WHODAS 2.0 36-item Version Proxy-administered - Sexual Activities
C130791	WD6D5_1	WD6-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 36-item Version Proxy-administered - Care of Household Responsibilities
C130792	WD6D5_2	WD6-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Doing his or her most important household tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Household Tasks
C130793	WD6D5_3	WD6-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting all the household work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Needed
C130794	WD6D5_4	WD6-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting the household work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Quickly
C130795	WD6D5_5	WD6-Their Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work/school?	WHODAS 2.0 36-item Version Proxy-administered - Their Day-to-Day Work or School
C130796	WD6D5_6	WD6-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Doing his or her most important work/school tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Work or School Tasks
C130797	WD6D5_7	WD6-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting all the work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting All Work Done You Need
C130798	WD6D5_8	WD6-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting the work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Work Done Quickly as Needed
C130799	WD6D6_1	WD6-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Proxy-administered - Problem Joining Community Activities
C130800	WD6D6_2	WD6-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have because of barriers or hindrances in the world around him or her?	WHODAS 2.0 36-item Version Proxy-administered - Problem Because of Barriers in World
C130801	WD6D6_3	WD6-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Proxy-administered - Problem Living with Dignity

**C130271 WD6TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130802	WD6D6_4	WD6-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much time did your relative spend on his or her health condition, or its consequences?	WHODAS 2.0 36-item Version Proxy-administered - Time Spend on Your Health Condition
C130803	WD6D6_5	WD6-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 36-item Version Proxy-administered - Emotionally Affected by Health
C130804	WD6D6_6	WD6-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has his or her health been a drain on his or her financial resources or on the financial resources of other relatives?	WHODAS 2.0 36-item Version Proxy-administered - Drain on Financial Resources
C130805	WD6D6_7	WD6-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did you or the rest of his or her family have because of his or her health problems?	WHODAS 2.0 36-item Version Proxy-administered - Problem Did Your Family Have
C130806	WD6D6_8	WD6-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in doing things by himself or herself for relaxation or pleasure?	WHODAS 2.0 36-item Version Proxy-administered - Problem Doing Things for Relaxation
C130807	WD6H1	WD6-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Difficulties Present
C130808	WD6H2	WD6-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, for how many days was your relative totally unable to carry out his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - Days Unable to Carry Out Activities
C130809	WD6H3	WD6-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, not counting the days that your relative was totally unable, for how many days did your relative cut back or reduce his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Reduce Activities
C130770	WD6H4	WD6-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 36-item Version Proxy-administered - I Am (Fill in the Blank) of this Person
C130780	WD6SD2_4	WD6-Getting Out of Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting out of their home?	WHODAS 2.0 36-item Version Proxy-administered - Getting Out of Their Home
C130781	WD6SD2_5	WD6-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Proxy-administered - Walking a Long Distance

**WD6TN (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy Questionnaire Test Name)**

NCI Code: C130270, Codelist extensible: No

<b>C130270 WD6TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130791	WD6-Care of Household Responsibilities	WD6-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Taking care of his or her household responsibilities?	WHODAS 2.0 36-item Version Proxy-administered - Care of Household Responsibilities
C130771	WD6-Concentrating for Ten Minutes	WD6-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Proxy-administered - Concentrating for Ten Minutes
C130808	WD6-Days Unable to Carry Out Activities	WD6-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, for how many days was your relative totally unable to carry out his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - Days Unable to Carry Out Activities
C130786	WD6-Dealing With People Does Not Know	WD6-Dealing With People Does Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Dealing with people he or she does not know?	WHODAS 2.0 36-item Version Proxy-administered - Dealing With People Does Not Know
C130792	WD6-Doing Important Household Tasks	WD6-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Doing his or her most important household tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Household Tasks
C130796	WD6-Doing Important Work/School Tasks	WD6-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Doing his or her most important work/school tasks well?	WHODAS 2.0 36-item Version Proxy-administered - Doing Important Work or School Tasks
C130804	WD6-Drain on Financial Resources	WD6-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has his or her health been a drain on his or her financial resources or on the financial resources of other relatives?	WHODAS 2.0 36-item Version Proxy-administered - Drain on Financial Resources
C130784	WD6-Eating	WD6-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Eating?	WHODAS 2.0 36-item Version Proxy-administered - Eating
C130803	WD6-Emotionally Affected by Health	WD6-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much has your relative been emotionally affected by his or her health condition?	WHODAS 2.0 36-item Version Proxy-administered - Emotionally Affected by Health
C130773	WD6-Finding Solutions to Problems	WD6-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Proxy-administered - Finding Solutions to Problems
C130788	WD6-Get Along With People Close to Him	WD6-Get Along With People Close to Him	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting along with people who are close to him or her?	WHODAS 2.0 36-item Version Proxy-administered - Get Along With People Close to Him
C130797	WD6-Getting All Work Done You Need	WD6-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting all the work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting All Work Done You Need
C130783	WD6-Getting Dressed	WD6-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting dressed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Dressed
C130793	WD6-Getting Household Work Done Needed	WD6-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting all the household work done that is needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Needed

**C130270 WD6TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130794	WD6-Getting Household Work Done Quickly	WD6-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Getting the household work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Household Work Done Quickly
C130780	WD6-Getting Out of Their Home	WD6-Getting Out of Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting out of their home?	WHODAS 2.0 36-item Version Proxy-administered - Getting Out of Their Home
C130798	WD6-Getting Work Done Quickly as Needed	WD6-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Getting the work done as quickly as needed?	WHODAS 2.0 36-item Version Proxy-administered - Getting Work Done Quickly as Needed
C130807	WD6-How Many Days Difficulties Present	WD6-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Difficulties Present
C130809	WD6-How Many Days Reduce Activities	WD6-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, not counting the days that your relative was totally unable, for how many days did your relative cut back or reduce his or her usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Proxy-administered - How Many Days Reduce Activities
C130770	WD6-I Am (Fill in Blank) of This Person	WD6-I Am (Fill in Blank) of This Person	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - I am the (Fill in the Blank) of this person.	WHODAS 2.0 36-item Version Proxy-administered - I Am (Fill in the Blank) of this Person
C130774	WD6-Learning a New Task	WD6-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Proxy-administered - Learning a New Task
C130787	WD6-Maintaining a Friendship	WD6-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Proxy-administered - Maintaining a Friendship
C130789	WD6-Making New Friends	WD6-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Making new friends?	WHODAS 2.0 36-item Version Proxy-administered - Making New Friends
C130779	WD6-Moving Around Inside Their Home	WD6-Moving Around Inside Their Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Moving around inside their home?	WHODAS 2.0 36-item Version Proxy-administered - Moving Around Inside Their Home
C130800	WD6-Problem Because of Barriers in World	WD6-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have because of barriers or hindrances in the world around him or her?	WHODAS 2.0 36-item Version Proxy-administered - Problem Because of Barriers in World
C130805	WD6-Problem Did Your Family Have	WD6-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did you or the rest of his or her family have because of his or her health problems?	WHODAS 2.0 36-item Version Proxy-administered - Problem Did Your Family Have
C130806	WD6-Problem Doing Things for Relaxation	WD6-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in doing things by himself or herself for relaxation or pleasure?	WHODAS 2.0 36-item Version Proxy-administered - Problem Doing Things for Relaxation
C130799	WD6-Problem Joining Community Activities	WD6-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Proxy-administered - Problem Joining Community Activities
C130801	WD6-Problem Living with Dignity	WD6-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much of a problem did your relative have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Proxy-administered - Problem Living with Dignity

**C130270 WD6TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130772	WD6-Remembering to Do Important Things	WD6-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Remembering to do important things?	WHODAS 2.0 36-item Version Proxy-administered - Remembering to Do Important Things
C130790	WD6-Sexual Activities	WD6-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Sexual activities?	WHODAS 2.0 36-item Version Proxy-administered - Sexual Activities
C130777	WD6-Standing for Long Periods	WD6-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Proxy-administered - Standing for Long Periods
C130778	WD6-Standing Up From Sitting Down	WD6-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Proxy-administered - Standing Up From Sitting Down
C130776	WD6-Starting/Maintaining Conversation	WD6-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Proxy-administered - Starting or Maintaining Conversation
C130785	WD6-Staying by Him/Herself a Few Days	WD6-Staying by Him/Herself a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Staying by himself or herself for a few days?	WHODAS 2.0 36-item Version Proxy-administered - Staying by Him or Herself a Few Days
C130795	WD6-Their Day-to-Day Work/School	WD6-Their Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: His or her day-to-day work/school?	WHODAS 2.0 36-item Version Proxy-administered - Their Day-to-Day Work or School
C130802	WD6-Time Spend on Your Health Condition	WD6-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Participation in society in the past 30 days: How much time did your relative spend on his or her health condition, or its consequences?	WHODAS 2.0 36-item Version Proxy-administered - Time Spend on Your Health Condition
C130775	WD6-Understanding What People Say	WD6-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Proxy-administered - Understanding What People Say
C130781	WD6-Walking a Long Distance	WD6-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - In the past 30 days, how much difficulty did your relative have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Proxy-administered - Walking a Long Distance
C130782	WD6-Washing His/Her Whole Body	WD6-Washing His/Her Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Proxy - Because of their health condition, in the past 30 days, how much difficulty did your relative have in: Washing his or her whole body?	WHODAS 2.0 36-item Version Proxy-administered - Washing His or Her Whole Body

**WD7TC (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Code)**

NCI Code: C130273, Codelist extensible: No

<b>C130273 WD7TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130810	WD7D1_1	WD7-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Self-administered - Concentrating for Ten Minutes
C130811	WD7D1_2	WD7-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Self-administered - Remembering to Do Important Things
C130812	WD7D1_3	WD7-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Self-administered - Finding Solutions to Problems
C130813	WD7D1_4	WD7-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Self-administered - Learning a New Task
C130814	WD7D1_5	WD7-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Self-administered - Understanding What People Say
C130815	WD7D1_6	WD7-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Self-administered - Starting or Maintaining Conversation
C130816	WD7D2_1	WD7-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Self-administered - Standing for Long Periods
C130817	WD7D2_2	WD7-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Self-administered - Standing Up From Sitting Down
C130818	WD7D2_3	WD7-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Self-administered - Moving Around Inside Your Home
C130819	WD7D2_4	WD7-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Self-administered - Getting Out of Your Home
C130820	WD7D2_5	WD7-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Self-administered - Walking a Long Distance
C130821	WD7D3_1	WD7-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - in the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Self-administered - Washing Your Whole Body
C130822	WD7D3_2	WD7-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Self-administered - Getting Dressed
C130823	WD7D3_3	WD7-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Self-administered - Eating
C130824	WD7D3_4	WD7-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Self-administered - Staying by Yourself for a Few Days
C130825	WD7D4_1	WD7-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Self-administered - Dealing With People You Do Not Know

**C130273 WD7TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130826	WD7D4_2	WD7-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Self-administered - Maintaining a Friendship
C130827	WD7D4_3	WD7-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Self-administered - Get Along With People Close to You
C130828	WD7D4_4	WD7-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Self-administered - Making New Friends
C130829	WD7D4_5	WD7-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Self-administered - Sexual Activities
C130830	WD7D5_1	WD7-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Self-administered - Care of Household Responsibilities
C130831	WD7D5_2	WD7-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Doing most important household tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Household Tasks
C130832	WD7D5_3	WD7-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Needed
C130833	WD7D5_4	WD7-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Quickly
C130834	WD7D5_5	WD7-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: your day-to-day work/school?	WHODAS 2.0 36-item Version Self-administered - Your Day-to-Day Work or School
C130835	WD7D5_6	WD7-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Work or School Tasks
C130836	WD7D5_7	WD7-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Self-administered - Getting All Work Done You Need
C130837	WD7D5_8	WD7-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Work Done Quickly as Needed
C130838	WD7D6_1	WD7-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Self-administered - Problem Joining Community Activities
C130839	WD7D6_2	WD7-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Self-administered - Problem Because of Barriers in World
C130840	WD7D6_3	WD7-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Self-administered - Problem Living with Dignity
C130841	WD7D6_4	WD7-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 36-item Version Self-administered - Time Spend on Your Health Condition
C130842	WD7D6_5	WD7-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Self-administered - Emotionally Affected by Health



**C130273 WD7TC**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130843	WD7D6_6	WD7-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Self-administered - Drain on Financial Resources
C130844	WD7D6_7	WD7-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Self-administered - Problem Did Your Family Have
C130845	WD7D6_8	WD7-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Self-administered - Problem Doing Things for Relaxation
C130846	WD7H1	WD7-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Self-administered - How Many Days Difficulties Present
C130847	WD7H2	WD7-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - Days Unable to Carry Out Activities
C130848	WD7H3	WD7-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - How Many Days Reduce Activities

**WD7TN (World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self Questionnaire Test Name)**

NCI Code: C130272, Codelist extensible: No

<b>C130272 WD7TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130830	WD7-Care of Household Responsibilities	WD7-Care of Household Responsibilities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Taking care of your household responsibilities?	WHODAS 2.0 36-item Version Self-administered - Care of Household Responsibilities
C130810	WD7-Concentrating for Ten Minutes	WD7-Concentrating for Ten Minutes	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Concentrating on doing something for ten minutes?	WHODAS 2.0 36-item Version Self-administered - Concentrating for Ten Minutes
C130847	WD7-Days Unable to Carry Out Activities	WD7-Days Unable to Carry Out Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, for how many days were you totally unable to carry out your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - Days Unable to Carry Out Activities
C130825	WD7-Dealing With People You Do Not Know	WD7-Dealing With People You Do Not Know	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Dealing with people you do not know?	WHODAS 2.0 36-item Version Self-administered - Dealing With People You Do Not Know
C130831	WD7-Doing Important Household Tasks	WD7-Doing Important Household Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Doing most important household tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Household Tasks
C130835	WD7-Doing Important Work/School Tasks	WD7-Doing Important Work/School Tasks	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Doing your most important work/school tasks well?	WHODAS 2.0 36-item Version Self-administered - Doing Important Work or School Tasks
C130843	WD7-Drain on Financial Resources	WD7-Drain on Financial Resources	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much has your health been a drain on the financial resources of you or your family?	WHODAS 2.0 36-item Version Self-administered - Drain on Financial Resources
C130823	WD7-Eating	WD7-Eating	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Eating?	WHODAS 2.0 36-item Version Self-administered - Eating
C130842	WD7-Emotionally Affected by Health	WD7-Emotionally Affected by Health	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much have you been emotionally affected by your health condition?	WHODAS 2.0 36-item Version Self-administered - Emotionally Affected by Health
C130812	WD7-Finding Solutions to Problems	WD7-Finding Solutions to Problems	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Analysing and finding solutions to problems in day-to-day life?	WHODAS 2.0 36-item Version Self-administered - Finding Solutions to Problems
C130827	WD7-Get Along With People Close to You	WD7-Get Along With People Close to You	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting along with people who are close to you?	WHODAS 2.0 36-item Version Self-administered - Get Along With People Close to You
C130836	WD7-Getting All Work Done You Need	WD7-Getting All Work Done You Need	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting all the work done that you need to do?	WHODAS 2.0 36-item Version Self-administered - Getting All Work Done You Need
C130822	WD7-Getting Dressed	WD7-Getting Dressed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting dressed?	WHODAS 2.0 36-item Version Self-administered - Getting Dressed
C130832	WD7-Getting Household Work Done Needed	WD7-Getting Household Work Done Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting all the household work done that you needed to do?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Needed
C130833	WD7-Getting Household Work Done Quickly	WD7-Getting Household Work Done Quickly	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting your household work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Household Work Done Quickly
C130819	WD7-Getting Out of Your Home	WD7-Getting Out of Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Getting out of your home?	WHODAS 2.0 36-item Version Self-administered - Getting Out of Your Home

## C130272 WD7TN

NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C130837	WD7-Getting Work Done Quickly as Needed	WD7-Getting Work Done Quickly as Needed	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: Getting your work done as quickly as needed?	WHODAS 2.0 36-item Version Self-administered - Getting Work Done Quickly as Needed
C130846	WD7-How Many Days Difficulties Present	WD7-How Many Days Difficulties Present	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Overall, in the past 30 days, how many days were these difficulties present?	WHODAS 2.0 36-item Version Self-administered - How Many Days Difficulties Present
C130848	WD7-How Many Days Reduce Activities	WD7-How Many Days Reduce Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, not counting the days that you were totally unable, for how many days did you cut back or reduce your usual activities or work because of any health condition?	WHODAS 2.0 36-item Version Self-administered - How Many Days Reduce Activities
C130813	WD7-Learning a New Task	WD7-Learning a New Task	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Learning a new task, for example, learning how to get to a new place?	WHODAS 2.0 36-item Version Self-administered - Learning a New Task
C130826	WD7-Maintaining a Friendship	WD7-Maintaining a Friendship	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Maintaining a friendship?	WHODAS 2.0 36-item Version Self-administered - Maintaining a Friendship
C130828	WD7-Making New Friends	WD7-Making New Friends	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Making new friends?	WHODAS 2.0 36-item Version Self-administered - Making New Friends
C130818	WD7-Moving Around Inside Your Home	WD7-Moving Around Inside Your Home	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Moving around inside your home?	WHODAS 2.0 36-item Version Self-administered - Moving Around Inside Your Home
C130839	WD7-Problem Because of Barriers in World	WD7-Problem Because of Barriers in World	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have because of barriers or hindrances in the world around you?	WHODAS 2.0 36-item Version Self-administered - Problem Because of Barriers in World
C130844	WD7-Problem Did Your Family Have	WD7-Problem Did Your Family Have	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did your family have because of your health problems?	WHODAS 2.0 36-item Version Self-administered - Problem Did Your Family Have
C130845	WD7-Problem Doing Things for Relaxation	WD7-Problem Doing Things for Relaxation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in doing things by yourself for relaxation or pleasure?	WHODAS 2.0 36-item Version Self-administered - Problem Doing Things for Relaxation
C130838	WD7-Problem Joining Community Activities	WD7-Problem Joining Community Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have in joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	WHODAS 2.0 36-item Version Self-administered - Problem Joining Community Activities
C130840	WD7-Problem Living with Dignity	WD7-Problem Living with Dignity	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much of a problem did you have living with dignity because of the attitudes and actions of others?	WHODAS 2.0 36-item Version Self-administered - Problem Living with Dignity
C130811	WD7-Remembering to Do Important Things	WD7-Remembering to Do Important Things	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Remembering to do important things?	WHODAS 2.0 36-item Version Self-administered - Remembering to Do Important Things
C130829	WD7-Sexual Activities	WD7-Sexual Activities	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Sexual activities?	WHODAS 2.0 36-item Version Self-administered - Sexual Activities
C130816	WD7-Standing for Long Periods	WD7-Standing for Long Periods	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing for long periods such as 30 minutes?	WHODAS 2.0 36-item Version Self-administered - Standing for Long Periods
C130817	WD7-Standing Up From Sitting Down	WD7-Standing Up From Sitting Down	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Standing up from sitting down?	WHODAS 2.0 36-item Version Self-administered - Standing Up From Sitting Down
C130815	WD7-Starting/Maintaining Conversation	WD7-Starting/Maintaining Conversation	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Starting and maintaining a conversation?	WHODAS 2.0 36-item Version Self-administered - Starting or Maintaining Conversation

**C130272 WD7TN**

<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C130824	WD7-Staying by Yourself for a Few Days	WD7-Staying by Yourself for a Few Days	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Staying by yourself for a few days?	WHODAS 2.0 36-item Version Self-administered - Staying by Yourself for a Few Days
C130841	WD7-Time Spend on Your Health Condition	WD7-Time Spend on Your Health Condition	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days: How much time did you spend on your health condition, or its consequences?	WHODAS 2.0 36-item Version Self-administered - Time Spend on Your Health Condition
C130814	WD7-Understanding What People Say	WD7-Understanding What People Say	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Generally understanding what people say?	WHODAS 2.0 36-item Version Self-administered - Understanding What People Say
C130820	WD7-Walking a Long Distance	WD7-Walking a Long Distance	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - In the past 30 days, how much difficulty did you have in: Walking a long distance such as a kilometre [or equivalent]?	WHODAS 2.0 36-item Version Self-administered - Walking a Long Distance
C130821	WD7-Washing Your Whole Body	WD7-Washing Your Whole Body	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - in the past 30 days, how much difficulty did you have in: Washing your whole body?	WHODAS 2.0 36-item Version Self-administered - Washing Your Whole Body
C130834	WD7-Your Day-to-Day Work/School	WD7-Your Day-to-Day Work/School	World Health Organization Disability Assessment Schedule 2.0 - 36-Item Self - Because of your health condition, in the past 30 days, how much difficulty did you have in: your day-to-day work/school?	WHODAS 2.0 36-item Version Self-administered - Your Day-to-Day Work or School

## WHEG01TC (West Haven Hepatic Encephalopathy Grade Clinical Classification Test Code)

NCI Code: C124680, Codelist extensible: No

C124680 WHEG01TC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117747	WHEG0101	WHEG01-WH Hepatic Encephalopathy Grade	West Haven Hepatic Encephalopathy Grade - Grade.	West Haven Criteria - West Haven Hepatic Encephalopathy Grade

## WHEG01TN (West Haven Hepatic Encephalopathy Grade Clinical Classification Test Name)

NCI Code: C124679, Codelist extensible: No

C124679 WHEG01TN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117747	WHEG01-WH Hepatic Encephalopathy Grade	WHEG01-WH Hepatic Encephalopathy Grade	West Haven Hepatic Encephalopathy Grade - Grade.	West Haven Criteria - West Haven Hepatic Encephalopathy Grade

**WHIVS1TC (WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Code)**

NCI Code: C124674, Codelist extensible: No

<b>C124674 WHIVS1TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124777	WHIVS101	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO Clinical Stage of HIV/AIDS

**WHIVS1TN (WHO Clinical Staging of HIV/AIDS for Adults and Adolescents Clinical Classification Test Name)**

NCI Code: C124673, Codelist extensible: No

<b>C124673 WHIVS1TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124777	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHIVS1-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Adults and Adolescents - WHO Clinical Stage of HIV/AIDS



**WHIVS2TC (WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Code)**

NCI Code: C124676, Codelist extensible: No

<b>C124676 WHIVS2TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124778	WHIVS201	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Children - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Children - WHO Clinical Stage of HIV/AIDS

**WHIVS2TN (WHO Clinical Staging of HIV/AIDS for Children Clinical Classification Test Name)**

NCI Code: C124675, Codelist extensible: No

<b>C124675 WHIVS2TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C124778	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHIVS2-WHO Clinical Stage of HIV/AIDS	WHO Clinical Staging of HIV/AIDS for Children - WHO clinical stage of HIV/AIDS.	WHO Clinical Staging of HIV/AIDS for Children - WHO Clinical Stage of HIV/AIDS

**WPAI01TC (Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Code)**

NCI Code: C100176, Codelist extensible: No

<b>C100176 WPAI01TC</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100949	WPAI0101	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed
C100950	WPAI0102	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem
C100951	WPAI0103	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons
C100952	WPAI0104	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked
C100953	WPAI0105	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity
C100954	WPAI0106	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity

**WPAI01TN (Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 Questionnaire Test Name)**

NCI Code: C100175, Codelist extensible: No

<b>C100175 WPAI01TN</b>				
<b>NCI Code</b>	<b>CDISC Submission Value</b>	<b>CDISC Synonym</b>	<b>CDISC Definition</b>	<b>NCI Preferred Term</b>
C100949	WPAI01-Currently Employed	WPAI01-Currently Employed	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - Are you currently employed (working for pay)?	WPAI:SHP v2.0 - Currently Employed
C100952	WPAI01-Hours Actually Worked	WPAI01-Hours Actually Worked	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you actually work?	WPAI:SHP v2.0 - Hours Actually Worked
C100951	WPAI01-Missed Work Hours Due to Other	WPAI01-Missed Work Hours Due to Other	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of any other reason, such as vacation, holidays, time off to participate in this study?	WPAI:SHP v2.0 - Missed Work Hours Due to Other Reasons
C100950	WPAI01-Missed Work Hours Due to Problem	WPAI01-Missed Work Hours Due to Problem	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how many hours did you miss from work because of problems associated with your problem?	WPAI:SHP v2.0 - Missed Work Hours Due to Problem
C100953	WPAI01-Problem Affect Productivity	WPAI01-Problem Affect Productivity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your productivity while you were working?	WPAI:SHP v2.0 - Problem Affects Productivity
C100954	WPAI01-Problem Affect Reg Daily Activity	WPAI01-Problem Affect Reg Daily Activity	Work Productivity and Activity Impairment Questionnaire - Specific Health Problem V2.0 - During the past seven days, how much did your problem affect your ability to do your regular daily activities, other than work at a job?	WPAI:SHP v2.0 - Problem Affects Regular Daily Activity